# PL FLAT GLASS FILM SPECIFICATIONS

On 1/8" Dual Pane Clear Glass

59% 83% not rated

Laboraco Mindau. Cilora		f:	:
Johnson Window Films	solar control flat	giass films on clear glass i	reject 99% or more of harmful UV rays.

24% 21%

FILM TYPE	COLOR	VISIBLE LIGHT TRANSMISSION	SOLAR ENERGY REJECTION	VISIBLE REFLEC Exterior		SHADING COEFFICIENT	SOLAR HEAT GAIN COEFFICIENT		SOLAR ABSORPTION	GLARE REDUCTION	FADING REDUCTION	IRER   SIRR REJECTION 780-2500 nm	HEAT LOAD REDUCTION RATING
1/8" DUAL CLEAR G	clear	81%	24%	15%	15%	0.88	0.76	0.54	17%	0%	0%	28% 37%	not rated

0.62

Sunlight.

SPECTRALLY-SELECTIVE CLEAR SOLAR PROTECTIO

Palisade.

PREMIUM NANO-CERAMIC SOLAR PROTECTION

PD 50	natural	44%	61%	16%	10%	0.68	0.59	0.54	57%	46%	69%	46%	81%	not rated
PD 45	natural	41%	46%	21%	14%	0.63	0.55	0.53	56%	49%	66%	52%	85%	not rated
PD 40	natural	38%	47%	21%	15%	0.61	0.53	0.55	54%	53%	67%	52%	83%	not rated
PD 75 EXT*	natural	69%	52%	14%	15%	0.55	0.48	0.54	53%	15%	60%	70%	85%	★★★☆☆

0.53

\* Designed for exterior (EXT) use only. This is a spectrally-selective film.

natural

NightScape<sub>®</sub>

NS 35	neutral	32%	45%	22%	12%	0.63	0.55	0.53	51%	60%	68%	48%	72%	not rated
NS 25	neutral	24%	58%	38%	17%	0.49	0.42	0.51	48%	70%	73%	60%	82%	****
NS 15	neutral	13%	63%	44%	11%	0.43	0.37	0.51	50%	84%	77%	64%	85%	****
NS 07	neutral	8%	63%	41%	8%	0.43	0.37	0.51	54%	90%	78%	63%	85%	****
NS 05	neutral	5%	56%	18%	12%	0.51	0.44	0.52	65%	94%	77%	61%	84%	***

ScenicView

SV 50	neutral	45%	41%	21%	14%	0.68	0.59	0.55	47%	44%	64%	45%	71%	not rated
SV 35	neutral	33%	51%	30%	18%	0.57	0.49	0.54	51%	59%	69%	55%	83%	****
SV 25	neutral	25%	58%	40%	25%	0.48	0.42	0.53	49%	69%	73%	62%	88%	****
SV 10	neutral	8%	71%	57%	25%	0.34	0.30	0.53	50%	90%	80%	71%	96%	****
SV 50 EXT*	neutral	41%	60%	20%	18%	0.46	0.40	0.54	49%	49%	69%	66%	77%	****
SV 25 EXT*	neutral	26%	73%	36%	26%	0.31	0.27	0.54	43%	68%	76%	78%	87%	****
SV 10 EXT*	neutral	8%	88%	56%	27%	0.14	0.13	0.54	37%	90%	85%	90%	96%	****

\* Designed for exterior (EXT) use only.

**SUN 70** 

DaylightNatural	
	8
NEUTRAL, NON-FADING SPUTTERED FILMS	

DN 60	neutral	56%	33%	17%	12%	0.77	0.67	0.56	38%	31%	59%	35%	55%	not rated
DN 50	neutral	44%	38%	20%	13%	0.71	0.62	0.55	46%	46%	63%	40%	64%	not rated
DN 35	neutral	34%	41%	23%	18%	0.67	0.59	0.55	50%	58%	66%	41%	67%	not rated
DN 20	neutral	20%	50%	30%	26%	0.57	0.50	0.55	58%	75%	72%	51%	82%	****
DN 15	neutral	16%	49%	24%	17%	0.58	0.51	0.55	67%	80%	73%	50%	87%	not rated
DN 35 EXT	neutral	34%	58%	18%	23%	0.49	0.42	0.54	52%	58%	71%	56%	67%	★★★☆☆
DN 20 EXT	neutral	20%	71%	26%	30%	0.33	0.29	0.54	57%	75%	77%	71%	82%	****

\* Designed for exterior (EXT) use only

Sunset Bronze.

ĺ	SS 35	silver	32%	58%	42%	40%	0.48	0.42	0.51	43%	60%	71%	62%	85%	****
	SB 20	bronze	18%	66%	38%	34%	0.40	0.34	0.51	50%	78%	77%	72%	94%	****
١	SB 30	bronze	30%	57%	30%	25%	0.49	0.43	0.52	49%	63%	71%	64%	87%	****

Solar Silver.
SILVER, NON-FADING METALLIZED FILMS

SS 35	silver	32%	58%	42%	40%	0.48	0.42	0.51	43%	60%	71%	62%	85%	<b>★★★☆☆</b>
SS 20	silver	17%	69%	56%	57%	0.36	0.31	0.51	44%	79%	78%	69%	88%	****
SS 35 EXT*	silver	33%	71%	41%	39%	0.34	0.29	0.54	34%	59%	74%	77%	85%	****
SS 20 EXT*	silver	19%	81%	52%	49%	0.22	0.19	0.54	33%	77%	80%	85%	91%	****

\* Designed for exterior (EXT) use only

Architectural

MBL 35	blue silver	31%	44%	18%	19%	0.64	0.56	0.54	53%	62%	68%	48%	/2%	not rated
MBL 20	blue silver	18%	58%	25%	42%	0.49	0.43	0.51	56%	78%	75%	64%	86%	***
MGN 35	green silver	31%	43%	16%	16%	0.66	0.57	0.54	55%	62%	68%	45%	69%	not rated
MGN 20	green silver	17%	57%	23%	42%	0.50	0.44	0.51	59%	79%	75%	63%	86%	★★★☆☆
MGD 35	gold silver	30%	58%	37%	40%	0.49	0.43	0.51	46%	63%	72%	62%	85%	★★★☆☆
MGD 20	gold silver	16%	67%	50%	58%	0.37	0.33	0.51	48%	80%	77%	70%	92%	****

Specialty Series

	UV CLR	clear	81%	25%	16%	16%	0.86	0.75	0.55	20%	0%	51%	29%	38%	not rated
: [	WHTFST*	white	63%	34%	24%	23%	0.76	0.66	0.55	27%	22%	57%	35%	49%	not rated
	WHTOUT	white		DUE TO	LIGH	TSCA	TTERING -	- NFRC ME	ASUREM	ENTS AR	E NOT M	EANINGF	UL		
	BLKOUT	black	0%	49%	13%	5%	0.58	0.51	0.55	89%	100%	77%	51%	99%	not rated

<sup>\*</sup>White Frost does not have a recommendation from the Skin Cancer Foundation





# TERMS AND DEFINITIONS

FLAT GLASS FILM SPECIFICATIONS

#### VISIBLE LIGHT TRANSMISSION

Visible Light Transmission is the percentage of solar visible light (daylight) that passes through a glazing system.

#### SOLAR ENERGY REJECTED

Solar Energy Rejected is the percentage of total solar energy (heat) that is rejected away from a glazing system. This equals solar heat reflectance plus the amount of solar heat absorbed that is then re-radiated outwards.

### **EXTERIOR REFLECTANCE**

Exterior Reflectance is the percentage of reflectivity (mirror effect) that occurs on the outside of a glazing system. The higher the value, the more reflective the exterior, providing a more mirror-like appearance.

#### INTERIOR REFLECTANCE

Interior Reflectance is the percentage of reflectivity (mirror effect) that occurs on the inside of a glazing system. The higher the value, the more reflective the interior, providing a more mirror-like appearance.

#### SHADING COFFFICIENT

Shading Coefficient is the ratio of solar heat gain passing through a glazing system to the solar heat gain that occurs under the same conditions if the window were made of clear, un-shaded double strength window glass (lower SC equals better solar shading performance).

#### SOLAR HEAT GAIN COEFFICIENT

Solar Heat Gain Coefficient is the percentage of total solar heat that enters a glazing system. This includes heat directly transmitted as well as heat that is absorbed by the glass and then transmitted inwards (lower SHGC means less heat transfer from the exterior to the interior).

#### **U-FACTOR NFRC**

U-Factor (or U-Value) is a measurement of solar heat transfer due to outdoor/indoor temperature differences. This represents the amount of heat passing through one square foot of glass in one hour for each 1 degree Fahrenheit temperature difference between the indoor and outdoor. The lower the U-Factor the less solar heat passes through a window of interest for keeping heat inside a building in colder climates.

#### **SOLAR ABSORPTION**

Solar Absorption is the percentage of total solar heat that is neither transmitted through nor rejected away from a glazing system (i.e. the percentage of total solar heat absorbed by the glazing system).

#### **GLARE REDUCTION**

The ratio of the difference in visible transmission of the glass before and after installing film to the visible transmission of the glass with no film. Expressed as a percentage and is determined by the respective visible transmission values of the glass with and without film.

#### **FADING REDUCTION**

Combined fading percentages are determined by applying rejection percentages on each cause of fading to determine the overall reduction in fade that a specific product can return.

Using the IWFA fading explanation found at www.iwfa.com

#### INFRARED ENERGY REJECTION (IRER)

The measurement of heat experienced from solar infrared radiation (780 - 2,500 nm), which includes both re-radiated and absorbed energy.

#### SELECTIVE IR REJECTION (SIRR)

Solar infrared radiation (780 - 2,500 nm) not directly transmitted through the glass.

## HEAT LOAD REDUCTION RATING

Heat load reduction rating is based on the Solar Heat Gain Coefficient to determine which products offer the most in energy savings.

