



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: State Water Resources Control Board - Region
Contact: John Salguero
Address: 320 West Fourth Street, Suite 200
Los Angeles, CA 90013

Analytical Report: Page 1 of 4
Project Name: Autospool-RWB4_WildFireResponse_2025
Project Number: RWB4 Wildfire Response 2025

Report Date: 19-May-2025

Work Order Number: C5E0128

Received on Ice (Y/N): Yes Temp: 4 °C

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

Sample Identification

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
C5E0128-01	DPH 107B	Liquid	5/1/25 9:25	Emily Duncan	5/1/25 18:28	Courier - DCS
C5E0128-02	DPH 108	Liquid	5/1/25 10:50	Emily Duncan	5/1/25 18:28	Courier - DCS
C5E0128-03	SMB 1-18	Liquid	5/1/25 11:30	Emily Duncan	5/1/25 18:28	Courier - DCS
C5E0128-04	SMB 3-4	Liquid	5/1/25 7:45	Emily Duncan	5/1/25 18:28	Courier - DCS
C5E0128-05	DPH 002	Liquid	5/1/25 9:00	Emily Duncan	5/1/25 18:28	Courier - DCS
C5E0128-06	DPH 103	Liquid	5/1/25 8:55	Emily Duncan	5/1/25 18:28	Courier - DCS
C5E0128-07	SMB 2-4	Liquid	5/1/25 8:17	Emily Duncan	5/1/25 18:28	Courier - DCS
C5E0128-08	SMB 2-7	Liquid	5/1/25 10:00	Emily Duncan	5/1/25 18:28	Courier - DCS
C5E0128-09	DPH 105B	Liquid	5/1/25 11:10	Emily Duncan	5/1/25 18:28	Courier - DCS
C5E0128-10	SMB 1-16	Liquid	5/1/25 10:30	Emily Duncan	5/1/25 18:28	Courier - DCS
C5E0128-11	SMB 2-10	Liquid	5/1/25 12:00	Emily Duncan	5/1/25 18:28	Courier - DCS
C5E0128-12	SMB 2-10 Duplicate	Liquid	5/1/25 12:35	Emily Duncan	5/1/25 18:28	Courier - DCS

Note: The requested analyses were subcontracted to Eurofins Calscience.



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: State Water Resources Control Board - Region
Contact: John Salguero
Address: 320 West Fourth Street, Suite 200
Los Angeles, CA 90013

Analytical Report: Page 2 of 4
Project Name: Autospool-RWB4_WildFireResponse_2025
Project Number: RWB4 Wildfire Response 2025

Report Date: 19-May-2025

Work Order Number: C5E0128

Received on Ice (Y/N): Yes Temp: 4 °C

Approval

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted.

Alexandria L. Guerra

cc:

E-CASE NARRATIVE+ COC - WITH WO DOCS - NO SAMPLE INFO.RPT

This report applies only to the sample(s) analyzed. As a mutual protection to clients, the public, and Babcock Laboratories, Inc., this report is submitted and accepted for the exclusive use of the Client to whom it is addressed. Interpretation and use of the information contained within this report are the sole responsibility of the Client. Babcock Laboratories, Inc. is not responsible for any misinformation or consequences that may result from misinterpretation or improper use of this report. This report is not to be modified or abbreviated in any way. Additionally, this report is not to be used, in whole or in part, in any advertising or publicity matter without written authorization from Babcock Laboratories, Inc. The liability of Babcock Laboratories, Inc. is limited to the actual cost of the requested analyses, unless otherwise agreed upon in writing. There is no other warranty expressed or implied.

Page 2 of 4

mailing
6235 River Crest Dr. Ste H
Riverside, CA 92507

location
6100 Quail Valley Court
Riverside, CA 92507-0704

P (951) 653-3351
F (951) 653-1662
www.babcocklabs.com

CA ELAP No. 2698
EPA No. CA00102
NELAP No. OR4035
LACSD No. 10119

BABCOCK LABORATORIES

6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

Non-SWAMP/CEDEN Projects

*This COC is for Non-CEDEN Projects only, results are not required to be in SWAMP 2.5 EDD Template

Chain of Custody Record & Sample Information

Page 3 of 12

Sample Collection Agency: Los Angeles RWQCB				Agreement No.: 22-005-270				Sample Matrix (See Codes Below)	Sample Type (G = Grab; C = Composite; O = Other)	Container Type (P = Plastic; G = Glass; O = Other)	Preservation Code (See Codes Below)	# of Containers	Analyses Requested										
Sample Collection Agency Address: 320 W. 4th Street, Los Angeles, CA 90013				Project Code: RWB4_WildFireResponse_2025									SS, TSS, TDS, Aik, SO4, OP, NO3N, NO3N+NO2N,	8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes
Project Name: RWB4 Wildfire Response 2025 GeoTracker Global ID:																							
Project Lead: Name: Emily Duncan Phone: (213) 576-6679 Email: emily.duncan@waterboards.ca.gov				Field Lead: Name: Phone: Email:																			
Sample ID		Date		Time		Location																	
1) DPH 107B		5/1/2025				Venice City Beach, 50 yds south of SD		SSW G P 1 4 X															
2) DPH 107B		5/1/2025				Venice City Beach, 50 yds south of SD		SSW G G 1 4 X															
3) DPH 107B		5/1/2025				Venice City Beach, 50 yds south of SD		SSW G P 2 1 X															
4) DPH 107B		5/1/2025				Venice City Beach, 50 yds south of SD		SSW G P 1 1 X															
5) DPH 107B		5/1/2025				Venice City Beach, 50 yds south of SD		SSW G P 4 1 X															
6) DPH 107B		5/1/2025				Venice City Beach, 50 yds south of SD		SSW G G 4 3 X															
7) DPH 107B		5/1/2025				Venice City Beach, 50 yds south of SD		SSW G G 3 4 X															
8) DPH 107B		5/1/2025				Venice City Beach, 50 yds south of SD		SSW G P 1 2 X															
9) DPH 107B		5/1/2025				Venice City Beach, 50 yds south of SD		SSW G P 12 1 X															
10)																							
Samples Relinquished By:								Samples Received By:															
Name (Print) and Agency				Signature		Date		Time		Name (Print) and Agency				Signature		Date		Time					
1) Emily Duncan				[Signature]		5/1/25		1:52 PM		Ricardo Contreras				[Signature]		5/1		1829					
2) Ricardo Contreras				[Signature]		5/1/25		2:00 PM															
3)																							
4)																							
Sample Matrix		Preservation Codes		Sample Receipt - Completed by Laboratory personnel:				Laboratory Notes:				Special Instructions:											
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other		1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2S2O3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other		Total Number of Sample Containers Received:		Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby		C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract		<input type="checkbox"/> Evidence sample handling required?		<input type="checkbox"/> Return Shipping Containers?		Turn Around Time:		<input type="checkbox"/> Routine							
				Sample(s) Properly Cooled: Y / N / NA Temperature: 4 °C												<input type="checkbox"/> *3-5 Day (Rush)							
				Sample(s) Intact: Y / N / NA												<input type="checkbox"/> *48-Hr (Rush)							
				Custody Seal(s) Intact: Y / N / NA												<input type="checkbox"/>							
								Sample(s) Accepted: Y / N		Send Results to: emily.duncan@waterboards.ca.gov													

Distribution: Original copies accompany sample shipment to laboratory; Electronic copy emailed to aguerra@babcocklabs.com & OIMA-Helpdesk@waterboards.ca.gov

v5.2 SWAMP HQ_2022.06.30

BABCOCK LABORATORIES

6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

Non-SWAMP/CEDEN Projects

*This COC is for Non-CEDEN Projects only, results are not required to be in SWAMP 2.5 EDD Template

Chain of Custody Record & Sample Information

Page 4 of 12

Sample Collection Agency: Los Angeles RWQCB		Agreement No.: 22-005-270		Sample Matrix (See Codes Below)	Sample Type (G = Grab; C = Composite; O = Other)	Container Type (P = Plastic; G = Glass; O = Other)	Preservation Code (See Codes Below)	# of Containers	Analyses Requested											
Sample Collection Agency Address: 320 W. 4th Street, Los Angeles, CA 90013		Project Code: RWB4_WildFireResponse_2025							SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N, 8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes		
Project Name: RWB4 Wildfire Response 2025		GeoTracker Global ID:																		
Project Lead:		Field Lead:																		
Name: Emily Duncan		Name:																		
Phone: (213) 576-6679		Phone:																		
Email: emily.duncan@waterboards.ca.gov		Email:																		
Sample ID	Date	Time	Location	Sample Matrix	Sample Type	Container Type	Preservation Code	# of Containers	SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N, 8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes		
1)	DPH 108	5/1/2025	Venice City Beach, Venice Pier	SSW	G	P	1	4	X									(4X) 1L Plastic HDPE		
2)	DPH 108	5/1/2025	Venice City Beach, Venice Pier	SSW	G	G	1	4		X							X	(4X) 1L Amber Glass		
3)	DPH 108	5/1/2025	Venice City Beach, Venice Pier	SSW	G	P	2	1			X							250 mL Plastic HDPE (Nitric)		
4)	DPH 108	5/1/2025	Venice City Beach, Venice Pier	SSW	G	P	1	1				X						unfiltered 250 mL Plastic HDPE		
5)	DPH 108	5/1/2025	Venice City Beach, Venice Pier	SSW	G	P	4	1					X					250 mL Plastic HDPE (Sulfuric)		
6)	DPH 108	5/1/2025	Venice City Beach, Venice Pier	SSW	G	G	4	3									X	40mL Amber Vial x3 (Sulfuric)		
7)	DPH 108	5/1/2025	Venice City Beach, Venice Pier	SSW	G	G	3	4						X				40mL Amber Vial x4 (HCl)		
8)	DPH 108	5/1/2025	Venice City Beach, Venice Pier	SSW	G	P	1	2		X								(2x) 250mL HDPE		
9)	DPH 108	5/1/2025	Venice City Beach, Venice Pier	SSW	G	P	12	1							X			125 mL HDPE		
10)																				
Samples Relinquished By:				Samples Received By:																
Name (Print) and Agency		Signature		Date		Time		Name (Print) and Agency		Signature		Date		Time						
1) Emily Duncan		Emily Duncan		5/1/25		1:52pm		Ricardo Contreras		Ricardo Contreras		5/1		1828						
2) Ricardo Contreras		Ricardo Contreras		5-1-25		1828		John Decker/BSN		John Decker/BSN										
3)																				
4)																				
Sample Matrix		Preservation Codes		Sample Receipt - Completed by Laboratory personnel:				Laboratory Notes:				Special Instructions:								
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other		1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2S2O3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other		Total Number of Sample Containers Received:				Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby				Evidence sample handling required?								
				Sample(s) Properly Cooled: Y / N / NA Temperature: 4 °C				C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract				Return Shipping Containers?								
				Sample(s) Intact: Y / N / NA				Send Results to: OIMA-Helpdesk@waterboards.ca.gov emily.duncan@waterboards.ca.gov				Routine								
				Custody Seal(s) Intact: Y / N / NA								Turn Around Time:								
				Sample(s) Accepted: Y / N								*3-5 Day (Rush) X								
												*48-Hr (Rush)								

Distribution: Original copies accompany sample shipment to laboratory; Electronic copy emailed to aguerra@babcocklabs.com & OIMA-Helpdesk@waterboards.ca.gov

v5.2 SWAMP IQ_2022.06.30

BABCOCK LABORATORIES

6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

Non-SWAMP/CEDEN Projects

*This COC is for Non-CEDEN Projects only, results are not required to be in SWAMP 2.5 EDD Template

Chain of Custody Record & Sample Information

age 10 of 12

Sample Collection Agency: Los Angeles RWQCB		Agreement No.: 22-005-270		Sample Matrix (See Codes Below)	Sample Type (G = Grab; C = Composite; O = Other)	Container Type (P = Plastic; G = Glass; O = Other)	Preservation Code (See Codes Below)	# of Containers	Analyses Requested											
Sample Collection Agency Address: 320 W. 4th Street, Los Angeles, CA 90013		Project Code: RWB4_WildFireResponse_2025							SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N,	8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes	
Project Lead:		Field Lead:																		
Name: Emily Duncan		Name:																		
Phone: (213) 576-6679		Phone:																		
Email: emily.duncan@waterboards.ca.gov		Email:																		
Sample ID	Date	Time	Location	Sample Matrix	Sample Type	Container Type	Preservation Code	# of Containers	SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N,	8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes	
1)	SMB 1-18	5/1/2025	1130	Topanga County Beach, Topanga Canyon Lagoon	SSW	G	P	1	4	X									(4X) 1L Plastic HDPE	
2)	SMB 1-18	5/1/2025		Topanga County Beach, Topanga Canyon Lagoon	SSW	G	G	1	4		X						X		(4X) 1L Amber Glass	
3)	SMB 1-18	5/1/2025		Topanga County Beach, Topanga Canyon Lagoon	SSW	G	P	2	1			X							250 mL Plastic HDPE (Nitric)	
4)	SMB 1-18	5/1/2025		Topanga County Beach, Topanga Canyon Lagoon	SSW	G	P	1	1				X						unfiltered 250 mL Plastic HDPE	
5)	SMB 1-18	5/1/2025		Topanga County Beach, Topanga Canyon Lagoon	SSW	G	P	4	1					X					250 mL Plastic HDPE (Sulfuric)	
6)	SMB 1-18	5/1/2025		Topanga County Beach, Topanga Canyon Lagoon	SSW	G	G	4	3									X	40mL Amber Vial x3 (Sulfuric)	
7)	SMB 1-18	5/1/2025		Topanga County Beach, Topanga Canyon Lagoon	SSW	G	G	3	4						X				40mL Amber Vial x4 (HCl)	
8)	SMB 1-18	5/1/2025		Topanga County Beach, Topanga Canyon Lagoon	SSW	G	P	1	2		X								(2x) 250mL HDPE	
9)	SMB 1-18	5/1/2025		Topanga County Beach, Topanga Canyon Lagoon	SSW	G	P	12	1							X			125 mL HDPE	
10)																				
Samples Relinquished By:				Samples Received By:																
Name (Print) and Agency		Signature		Date		Time		Name (Print) and Agency		Signature		Date		Time						
1) Emily Duncan		[Signature]		5/1/25		1:11pm		Ricardo Contreras		[Signature]		5/1		1026						
2) Ricardo Contreras		[Signature]		5-1-25		2:26		[Signature]		[Signature]										
3)						1029		[Signature]		[Signature]										
4)																				
Sample Matrix		Preservation Codes		Sample Receipt - Completed by Laboratory personnel:		Laboratory Notes:						Special Instructions:								
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other		1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2S2O3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other		Total Number of Sample Containers Received:		Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby						Evidence sample handling required?								
				Sample(s) Properly Cooled: Y / N / NA Temperature: 9 °C		C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract						Return Shipping Containers?								
				Sample(s) Intact: Y / N / NA		Send Results to: OIMA-Helpdesk@waterboards.ca.gov emily.duncan@waterboards.ca.gov						Turn Around Time:								
				Custody Seal(s) Intact: Y / N / NA								Routine								
				Sample(s) Accepted: Y / N								*3-5 Day (Rush) X								
												*48-Hr (Rush)								

Distribution: Original copies accompany sample shipment to laboratory; Electronic copy emailed to aguerra@babcocklabs.com & OIMA-Helpdesk@waterboards.ca.gov

v5.2 SWAMP ICL 2022 06-30

BABCOCK LABORATORIES

6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

Non-SWAMP/CEDEN Projects

*This COC is for Non-CEDEN Projects only, results are not required to be in SWAMP 2.5 EDD Template

Chain of Custody Record & Sample Information

Page 9 of 12

Sample Collection Agency: Los Angeles RWQCB		Agreement No.: 22-005-270		<div style="display: flex; flex-direction: column; align-items: center;"> <div>Sample Matrix (see Codes Below)</div> <div>Sample Type (G = Grab; C = Composite; O = Other)</div> <div>Container Type (P = Plastic; G = Glass; O = Other)</div> <div>Preservation Code (see Codes Below)</div> <div># of Containers</div> </div>		Analyses Requested												
Sample Collection Agency Address: 320 W. 4th Street, Los Angeles, CA 90013		Project Code: RWB4_WildFireResponse_2025				SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N, 8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes			
Project Lead: Name: Emily Duncan Phone: (213) 576-6679 Email: emily.duncan@waterboards.ca.gov		Project Name: RWB4 Wildfire Response 2025 GeoTracker Global ID:																
Field Lead: Name: Phone: Email:																		
Sample ID	Date	Time	Location	Sample Matrix	Sample Type	Container Type	Preservation Code	# of Containers	SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N, 8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes
1)	SMB 3-4	5/1/2025	Santa Monica State Beach, Pico-Kenter SD	SSW	G	P	1	4	X									(4X) 1L Plastic HDPE
2)	SMB 3-4	5/1/2025	Santa Monica State Beach, Pico-Kenter SD	SSW	G	G	1	4		X							X	(4X) 1L Amber Glass
3)	SMB 3-4	5/1/2025	Santa Monica State Beach, Pico-Kenter SD	SSW	G	P	2	1			X							250 mL Plastic HDPE (Nitric)
4)	SMB 3-4	5/1/2025	Santa Monica State Beach, Pico-Kenter SD	SSW	G	P	1	1				X						unfiltered 250 mL Plastic HDPE
5)	SMB 3-4	5/1/2025	Santa Monica State Beach, Pico-Kenter SD	SSW	G	P	4	1					X					250 mL Plastic HDPE (Sulfuric)
6)	SMB 3-4	5/1/2025	Santa Monica State Beach, Pico-Kenter SD	SSW	G	G	4	3									X	40mL Amber Vial x3 (Sulfuric)
7)	SMB 3-4	5/1/2025	Santa Monica State Beach, Pico-Kenter SD	SSW	G	G	3	4						X				40mL Amber Vial x4 (HCl)
8)	SMB 3-4	5/1/2025	Santa Monica State Beach, Pico-Kenter SD	SSW	G	P	1	2		X								(2x) 250mL HDPE
9)	SMB 3-4	5/1/2025	Santa Monica State Beach, Pico-Kenter SD	SSW	G	P	12	1							X			125 mL HDPE
10)																		
Samples Relinquished By:				Samples Received By:														
Name (Print) and Agency		Signature		Date		Time		Name (Print) and Agency		Signature		Date		Time				
1) Emily Duncan		[Signature]		5/1/25		1:52pm		Ricardo Contreras		[Signature]		5/1		1828				
2) Ricardo Contreras		[Signature]		5-1-25		2:11pm		Ricardo Contreras		[Signature]		5/1		1828				
3)						1828		Ricardo Contreras		[Signature]								
4)								Ricardo Contreras		[Signature]								
Sample Matrix	Preservation Codes	Sample Receipt - Completed by Laboratory personnel:		Laboratory Notes:				Special Instructions:										
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other	1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2SO3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other	Total Number of Sample Containers Received:		Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby				Evidence sample handling required?										
		Sample(s) Properly Cooled: Y / N / NA Temperature: 4 °C		C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract				Return Shipping Containers?										
		Sample(s) Intact: Y / N / NA						Turn Around Time:										
		Custody Seal(s) Intact: Y / N / NA		Send Results to: emily.duncan@waterboards.ca.gov				*3-5 Day (Rush) X										
		Sample(s) Accepted: Y / N						*48-Hr (Rush)										

Distribution: Original copies accompany sample shipment to laboratory; Electronic copy emailed to aguerra@babcocklabs.com & OIMA-Helpdesk@waterboards.ca.gov

v5.2 SWAMP IQ_2022.06.30

BABCOCK LABORATORIES

6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

Non-SWAMP/CEDEEN Projects

*This COC is for Non-CEDEEN Projects only, results are not required to be in SWAMP 2.5 EDD Template

Chain of Custody Record & Sample Information

Page _____ of _____

Sample Collection Agency: Los Angeles RWQCB		Agreement No.: 22-005-270		Analyses Requested														
Sample Collection Agency Address: 320 W. 4th Street, Los Angeles, CA 90013		Project Code: RWB4_WildFireResponse_2025		Sample Matrix (See Codes Below)	Sample Type (G = Grab; C = Composite; O = Other)	Container Type (P = Plastic; G = Glass; O = Other)	Preservation Code (See Codes Below)	# of Containers	SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N,	8270 PAH SIM	PFAS	Total Metals, Ca, Hardness	Dissolved Metals	TP, TN, NH3	VOC suite EPA method 624.1	Asbestos not needed per PM JLH 5/2/2025		
Project Lead: Name: Emily Duncan Phone: (213) 576-6679 Email: emily.duncan@waterboards.ca.gov		Field Lead: Name: Phone: Email:														Asbestos	TOC	Notes
Project Name: RWB4 Wildfire Response 2025		GeoTracker Global ID:																
Sample ID	Date	Time	Location	Sample Matrix	Sample Type	Container Type	Preservation Code	# of Containers	SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N,	8270 PAH SIM	PFAS	Total Metals, Ca, Hardness	Dissolved Metals	TP, TN, NH3	VOC suite EPA method 624.1	Asbestos	TOC	Notes
1) DPH-002	5/1/25	7:00	Surfrider Beach	SSW	G	P	1	4	X							X		(5X) 1L Plastic HDPE
2)				SSW	G	G	1	2		X								(2X) 1L Amber Glass
3)				SSW	G	P	2	1				X						250 mL Plastic HDPE (Nitric)
4)				SSW	G	P	2, 9	1					X					Filtered 250 mL Plastic HDPE (Nitric)
5)				SSW	G	P	4	1						X				250 mL Plastic HDPE (Sulfuric)
6)				SSW	G	G	4	3									X	40mL Amber Vial x3 (Sulfuric)
7)				SSW	G	G	3	4							X			40mL Amber Vial x4 (HCl)
8)				SSW	G	G	1	2			X							(2x) 250mL HDPE
9)																		
10)																		
Samples Relinquished By:				Samples Received By:														
Name (Print) and Agency		Signature		Date	Time	Name (Print) and Agency		Signature		Date	Time							
1) Emily Duncan		[Signature]		5/1/25	1:11 pm	Ricardo Contreras		[Signature]		5/1/25	1:25							
2) Ricardo Contreras		[Signature]		5-1-25	1:25	Ricardo Contreras		[Signature]		5/1/25	1:25							
3)																		
4)																		
Sample Matrix		Preservation Codes		Sample Receipt - Completed by Laboratory personnel:				Laboratory Notes:				Special Instructions:						
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other		1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2S2O3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other		Total Number of Sample Containers Received:				Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby				Evidence sample handling required?						
				Sample(s) Properly Cooled: Y / N / NA Temperature: 4 °C				C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract				Return Shipping Containers?						
				Sample(s) Intact: Y / N / NA				Send Results to: emily.duncan@waterboards.ca.gov				Turn Around Time:						
				Custody Seal(s) Intact: Y / N / NA								Routine						
				Sample(s) Accepted: Y / N								*3-5 Day (Rush) X						
												*48-Hr (Rush)						

Distribution: Original copies accompany sample shipment to laboratory; Electronic copy emailed to aguerra@babcocklabs.com & OIMA-Helpdesk@waterboards.ca.gov

v5.2.SWAMP IQ_2022.06.30

BABCOCK LABORATORIES

6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

Non-SWAMP/CEDEEN Projects

*This COC is for Non-CEDEEN Projects only, results are not required to be in SWAMP 2.5 EDD Template

Chain of Custody Record & Sample Information

Page 5 of 12

Sample Collection Agency: Los Angeles RWQCB		Agreement No.: 22-005-270		Analyses Requested															
Sample Collection Agency Address: 320 W. 4th Street, Los Angeles, CA 90013		Project Code: RWB4_WildFireResponse_2025		Sample Matrix (See Codes Below)	Sample Type (G = Grab; C = Composite; O = Other)	Container Type (P = Plastic; G = Glass; O = Other)	Preservation Code (See Codes Below)	# of Containers	SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N,	8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes
Project Lead:		Field Lead:																	
Name: Emily Duncan		Name:																	
Phone: (213) 576-6679		Phone:																	
Email: emily.duncan@waterboards.ca.gov		Email:																	
Sample ID	Date	Time	Location																
1)	DPH 103	5/1/2025	8:55 am	Will Rogers State Beach, Temescal Canyon SD	SSW	G	P	1	4	X									(4X) 1L Plastic HDPE
2)	DPH 103	5/1/2025		Will Rogers State Beach, Temescal Canyon SD	SSW	G	G	1	4		X						X		(4X) 1L Amber Glass
3)	DPH 103	5/1/2025		Will Rogers State Beach, Temescal Canyon SD	SSW	G	P	2	1			X							250 mL Plastic HDPE (Nitric)
4)	DPH 103	5/1/2025		Will Rogers State Beach, Temescal Canyon SD	SSW	G	P	1	1				X						unfiltered 250 mL Plastic HDPE
5)	DPH 103	5/1/2025		Will Rogers State Beach, Temescal Canyon SD	SSW	G	P	4	1					X					250 mL Plastic HDPE (Sulfuric)
6)	DPH 103	5/1/2025		Will Rogers State Beach, Temescal Canyon SD	SSW	G	G	4	3								X		40mL Amber Vial x3 (Sulfuric)
7)	DPH 103	5/1/2025		Will Rogers State Beach, Temescal Canyon SD	SSW	G	G	3	4						X				40mL Amber Vial x4 (HCl)
8)	DPH 103	5/1/2025		Will Rogers State Beach, Temescal Canyon SD	SSW	G	P	1	2		X								(2x) 250mL HDPE
9)	DPH 103	5/1/2025		Will Rogers State Beach, Temescal Canyon SD	SSW	G	P	12	1							X			125 mL HDPE
10)																			
Samples Relinquished By:				Samples Received By:															
Name (Print) and Agency		Signature		Date		Time		Name (Print) and Agency		Signature		Date		Time					
1) Emily Duncan		[Signature]		5/1/25		1:05 pm		Ricardo Contreras		[Signature]		5/1/25		1828					
2) Ricardo Contreras		[Signature]		5-1-25		2:28		John [Signature]		[Signature]									
3)						1828		[Signature]											
4)																			
Sample Matrix		Preservation Codes		Sample Receipt - Completed by Laboratory personnel:		Laboratory Notes:		Special Instructions:											
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other _____		1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2S2O3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other _____		Total Number of Sample Containers Received:		Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby		Evidence sample handling required? <input type="checkbox"/>											
				Sample(s) Properly Cooled: Y / N / NA Temperature: 4 °C		C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract		Return Shipping Containers? <input type="checkbox"/>											
				Sample(s) Intact: Y / N / NA				Turn Around Time: Routine <input type="checkbox"/>											
				Custody Seal(s) Intact: Y / N (NA)		Send Results to: OIMA-Helpdesk@waterboards.ca.gov emily.duncan@waterboards.ca.gov		*3-5 Day (Rush) X											
				Sample(s) Accepted: Y / N				*48-Hr (Rush) <input type="checkbox"/>											

Distribution: Original copies accompany sample shipment to laboratory; Electronic copy emailed to aguerra@babcocklabs.com & OIMA-Helpdesk@waterboards.ca.gov

v5.2 SWAMP IQ_2022.06.30

BABCOCK LABORATORIES

6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

Non-SWAMP/CEDEN Projects

*This COC is for Non-CEDEN Projects only, results are not required to be in SWAMP 2.5 EDD Template

Chain of Custody Record & Sample Information

Page 11 of 12

Sample Collection Agency: Los Angeles RWQCB				Agreement No.: 22-005-270				Analyses Requested												
Sample Collection Agency Address: 320 W. 4th Street, Los Angeles, CA 90013				Project Code: RWB4_WildFireResponse_2025				<div> <div>SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N,</div> <div>8270 PAH SIM</div> <div>PFAS</div> <div>Total Metals, Beryllium Ca, Hardness</div> <div>Dissolved Metals, Beryllium</div> <div>TP, TN, NH3</div> <div>VOC suite EPA method 624.1</div> <div>Hex Cr</div> <div>PCBs</div> <div>TOC</div> <div>Notes</div> </div>												
Project Name: RWB4 Wildfire Response 2025				GeoTracker Global ID:																
Project Lead:				Field Lead:																
Name: Emily Duncan				Name:																
Phone: (213) 576-6679				Phone:																
Email: emily.duncan@waterboards.ca.gov				Email:																
Sample ID	Date	Time	Location	Sample Matrix (See Codes Below)	Sample Type (G = Grab; C = Composite; O = Other)	Container Type (P = Plastic; G = Glass; O = Other)	Preservation Code (See Codes Below)	# of Containers												
1)	SMB 2-4	5/1/2025	8:17am	Will Rogers State Beach, Pulga SD	SSW	G	P	1	4	X									(4X) 1L Plastic HDPE	
2)	SMB 2-4	5/1/2025		Will Rogers State Beach, Pulga SD	SSW	G	G	1	4		X						X		(4X) 1L Amber Glass	
3)	SMB 2-4	5/1/2025		Will Rogers State Beach, Pulga SD	SSW	G	P	2	1			X							250 mL Plastic HDPE (Nitric)	
4)	SMB 2-4	5/1/2025		Will Rogers State Beach, Pulga SD	SSW	G	P	1	1				X						unfiltered 250 mL Plastic HDPE	
5)	SMB 2-4	5/1/2025		Will Rogers State Beach, Pulga SD	SSW	G	P	4	1					X					250 mL Plastic HDPE (Sulfuric)	
6)	SMB 2-4	5/1/2025		Will Rogers State Beach, Pulga SD	SSW	G	G	4	3								X		40mL Amber Vial x3 (Sulfuric)	
7)	SMB 2-4	5/1/2025		Will Rogers State Beach, Pulga SD	SSW	G	G	3	4						X				40mL Amber Vial x4 (HCl)	
8)	SMB 2-4	5/1/2025		Will Rogers State Beach, Pulga SD	SSW	G	P	1	2		X								(2x) 250mL HDPE	
9)	SMB 2-4	5/1/2025		Will Rogers State Beach, Pulga SD	SSW	G	P	12	1							X			125 mL HDPE	
10)																				
Samples Relinquished By:				Samples Received By:																
Name (Print) and Agency		Signature		Date		Time		Name (Print) and Agency		Signature		Date		Time						
1) Emily Duncan		<i>Emily Duncan</i>		5/1/25		1:05pm		Ricardo Contreras		<i>Ricardo Contreras</i>		5/1/25		1:28						
2) Ricardo Contreras		<i>Ricardo Contreras</i>		5-1-25		2:00pm		Ricardo Contreras		<i>Ricardo Contreras</i>		5/1/25		1:28						
3)						1:28														
4)																				
Sample Matrix		Preservation Codes		Sample Receipt - Completed by Laboratory personnel:				Laboratory Notes:				Special Instructions:								
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other		1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2S2O3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other		Total Number of Sample Containers Received:				Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby				Evidence sample handling required?								
				Sample(s) Properly Cooled: Y / N / NA Temperature: 9 °C				C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract				Return Shipping Containers?								
				Sample(s) Intact: Y / N / NA				Send Results to: OIMA-Helpdesk@waterboards.ca.gov emily.duncan@waterboards.ca.gov				Routine								
				Custody Seal(s) Intact: Y / N / NA								Turn Around Time:								
				Sample(s) Accepted: Y / N								*3-5 Day (Rush) X								
												*48-Hr (Rush)								

Distribution: Original copies accompany sample shipment to laboratory; Electronic copy emailed to aguerra@babcocklabs.com & OIMA-Helpdesk@waterboards.ca.gov

v5.2.SWAMP ICL 2022 06.30

BABCOCK LABORATORIES


6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

Non-SWAMP/CEDEN Projects

*This COC is for Non-CEDEN Projects only, results are not required to be in SWAMP 2.5 EDD Template

Chain of Custody Record & Sample Information

Page 12 of 12

Sample Collection Agency: Los Angeles RWQCB		Agreement No.: 22-005-270		Analyses Requested															
Sample Collection Agency Address: 320 W. 4th Street, Los Angeles, CA 90013		Project Code: RWB4_WildFireResponse_2025		Sample Matrix (See Codes Below)	Sample Type (G = Grab; C = Composite; O = Other)	Container Type (P = Plastic; G = Glass; O = Other)	Preservation Code (See Codes Below)	# of Containers	SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N,	8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes
Project Lead:		Field Lead:																	
Name: Emily Duncan		Name:																	
Phone: (213) 576-6679		Phone:																	
Email: emily.duncan@waterboards.ca.gov		Email:																	
Sample ID	Date	Time	Location																
1)	SMB 2-7	5/1/2025	10 am	Will Rogers State Beach, Santa Monica Canyon SD	SSW	G	P	1	4	X									(4X) 1L Plastic HDPE
2)	SMB 2-7	5/1/2025		Will Rogers State Beach, Santa Monica Canyon SD	SSW	G	G	1	4		X						X		(4X) 1L Amber Glass
3)	SMB 2-7	5/1/2025		Will Rogers State Beach, Santa Monica Canyon SD	SSW	G	P	2	1			X							250 mL Plastic HDPE (Nitric)
4)	SMB 2-7	5/1/2025		Will Rogers State Beach, Santa Monica Canyon SD	SSW	G	P	1	1				X						unfiltered 250 mL Plastic HDPE
5)	SMB 2-7	5/1/2025		Will Rogers State Beach, Santa Monica Canyon SD	SSW	G	P	4	1					X					250 mL Plastic HDPE (Sulfuric)
6)	SMB 2-7	5/1/2025		Will Rogers State Beach, Santa Monica Canyon SD	SSW	G	G	4	3									X	40mL Amber Vial x3 (Sulfuric)
7)	SMB 2-7	5/1/2025		Will Rogers State Beach, Santa Monica Canyon SD	SSW	G	G	3	4						X				40mL Amber Vial x4 (HCl)
8)	SMB 2-7	5/1/2025		Will Rogers State Beach, Santa Monica Canyon SD	SSW	G	P	1	2		X								(2x) 250mL HDPE
9)	SMB 2-7	5/1/2025		Will Rogers State Beach, Santa Monica Canyon SD	SSW	G	P	12	1							X			125 mL HDPE
10)																			
Samples Relinquished By:				Samples Received By:															
Name (Print) and Agency		Signature		Date		Time		Name (Print) and Agency		Signature		Date		Time					
1) Emily Duncan		Emily Duncan		5/1/25		1:05pm		Ricardo Contreras		Ricardo Contreras		5/1/25		1:02pm					
2) Ricardo Contreras		Ricardo Contreras		5-12-25		2:00pm		Omar Acosta		Omar Acosta		5/1/25		1:02pm					
3)																			
4)																			
Sample Matrix		Preservation Codes		Sample Receipt - Completed by Laboratory personnel:		Laboratory Notes:				Special Instructions:									
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other _____		1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2S2O3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other _____		Total Number of Sample Containers Received:		Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby				Evidence sample handling required?									
				Sample(s) Properly Cooled: Y / N / NA Temperature: 4 °C		<div style="border: 1px solid black; padding: 5px;"> C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract  </div>				Return Shipping Containers?									
				Sample(s) Intact: Y / N / NA						Turn Around Time:									
				Custody Seal(s) Intact: Y / N / NA		Send Results to: emily.duncan@waterboards.ca.gov				*3-5 Day (Rush) X									
				Sample(s) Accepted: Y / N						*48-Hr (Rush)									

6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

**This COC is for Non-CEDEN Projects only, results are not required to be in SWAMP 2.5 EDD Template*

Page 2 of 12

Sample Collection Agency:			Agreement No.: 22-005-270			Analyses Requested													
Los Angeles RWQCB																			
Sample Collection Agency Address:			Project Code:																
320 W. 4th Street, Los Angeles, CA 90013			RWB4_WildFireResponse_2025																
			Project Name: RWB4 Wildfire Response 2025																
			GeoTracker Global ID:																
Project Lead:			Field Lead:																
Name: Emily Duncan			Name:																
Phone: (213) 576-6679			Phone:																
Email: emily.duncan@waterboards.ca.gov			Email:																
Sample ID	Date	Time	Location	Sample Matrix (See Codes Below)	Sample Type (G = Grab; C = Composite; O = Other)	Container Type (P = Plastic; G = Glass; O = Other)	Preservation Code (See Codes Below)	# of Containers	SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N,	8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes
1)	DPH 105B	5/1/2025	11:10am	Santa Monica State Beach, 50 yds east of SD	SSW	G	P	1	4	X									(4X) 1L Plastic HDPE
2)	DPH 105B	5/1/2025		Santa Monica State Beach, 50 yds east of SD	SSW	G	G	1	4		X						X		(4X) 1L Amber Glass
3)	DPH 105B	5/1/2025		Santa Monica State Beach, 50 yds east of SD	SSW	G	P	2	1			X							250 mL Plastic HDPE (Nitric)
4)	DPH 105B	5/1/2025		Santa Monica State Beach, 50 yds east of SD	SSW	G	P	1	1				X						unfiltered 250 mL Plastic HDPE
5)	DPH 105B	5/1/2025		Santa Monica State Beach, 50 yds east of SD	SSW	G	P	4	1					X					250 mL Plastic HDPE (Sulfuric)
6)	DPH 105B	5/1/2025		Santa Monica State Beach, 50 yds east of SD	SSW	G	G	4	3									X	40mL Amber Vial x3 (Sulfuric)
7)	DPH 105B	5/1/2025		Santa Monica State Beach, 50 yds east of SD	SSW	G	G	3	4						X				40mL Amber Vial x4 (HCl)
8)	DPH 105B	5/1/2025		Santa Monica State Beach, 50 yds east of SD	SSW	G	P	1	2		X								(2x) 250mL HDPE
9)	DPH 105B	5/1/2025		Santa Monica State Beach, 50 yds east of SD	SSW	G	P	12	1							X			125 mL HDPE
10)																			

Samples Relinquished By:					Samples Received By:				
Name (Print) and Agency	Signature	Date	Time		Name (Print) and Agency	Signature	Date	Time	
Emily Duncan	[Signature]	5/1/25	11:10am		Ricardo Contreras	[Signature]			
Ricardo Contreras	[Signature]	5-1-25	10:55pm		Oliver Ochoaiz	[Signature]	5/1/25	1:25	
			1:28						

Sample Matrix	Preservation Codes	Sample Receipt - Completed by Laboratory personnel:	Laboratory Notes:	Special Instructions:
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other	1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2S2O3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other	Total Number of Sample Containers Received: Sample(s) Properly Cooled: Y / N / NA Temperature: 4 °C Sample(s) Intact: Y / N / NA Custody Seal(s) Intact: Y / N / NA Sample(s) Accepted: Y / N	Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby <div> C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract </div>	Evidence sample handling required? <input type="checkbox"/> Return Shipping Containers? <input type="checkbox"/> Routine <input type="checkbox"/> Turn Around Time: *3-5 Day (Rush) X *48-Hr (Rush) <input type="checkbox"/>

Send Results to: oima-helpdesk@waterboards.ca.gov
 emily.duncan@waterboards.ca.gov

BABCOCK LABORATORIES


6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

Non-SWAMP/CEDEN Projects

*This COC is for Non-CEDEN Projects only, results are not required to be in SWAMP 2.5 EDD Template

Chain of Custody Record & Sample Information

age 8 of 12

Sample Collection Agency: Los Angeles RWQCB		Agreement No.: 22-005-270		Sample Matrix (See Codes Below)	Sample Type (G = Grab; C = Composite; O = Other)	Container Type (P = Plastic; G = Glass; O = Other)	Preservation Code (See Codes Below)	# of Containers	Analyses Requested											
Sample Collection Agency Address: 320 W. 4th Street, Los Angeles, CA 90013		Project Code: RWB4_WildFireResponse_2025							SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N, 8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes		
Project Lead: Name: Emily Duncan Phone: (213) 576-6679 Email: emily.duncan@waterboards.ca.gov		Field Lead: Name: Phone: Email:																		
Sample ID		Date	Time																Location	
1) SMB 1-16		5/1/2025	1030																Las Tunas Beach, Pena Creek	
2) SMB 1-16		5/1/2025		Las Tunas Beach, Pena Creek	SSW	G	P	1	4	X								(4X) 1L Plastic HDPE		
3) SMB 1-16		5/1/2025		Las Tunas Beach, Pena Creek	SSW	G	G	1	4		X							(4X) 1L Amber Glass		
4) SMB 1-16		5/1/2025		Las Tunas Beach, Pena Creek	SSW	G	P	2	1			X						250 mL Plastic HDPE (Nitric)		
5) SMB 1-16		5/1/2025		Las Tunas Beach, Pena Creek	SSW	G	P	1	1				X					unfiltered 250 mL Plastic HDPE		
6) SMB 1-16		5/1/2025		Las Tunas Beach, Pena Creek	SSW	G	P	4	1					X				250 mL Plastic HDPE (Sulfuric)		
7) SMB 1-16		5/1/2025		Las Tunas Beach, Pena Creek	SSW	G	G	4	3							X		40mL Amber Vial x3 (Sulfuric)		
8) SMB 1-16		5/1/2025		Las Tunas Beach, Pena Creek	SSW	G	G	3	4					X				40mL Amber Vial x4 (HCl)		
9) SMB 1-16		5/1/2025		Las Tunas Beach, Pena Creek	SSW	G	P	1	2		X							(2x) 250mL HDPE		
10) SMB 1-16		5/1/2025		Las Tunas Beach, Pena Creek	SSW	G	P	12	1						X			125 mL HDPE		
Samples Relinquished By:				Samples Received By:																
Name (Print) and Agency		Signature		Date	Time	Name (Print) and Agency		Signature		Date	Time									
1) Emily Duncan		[Signature]		5/1/25	1:11pm	Ricardo Contreras		[Signature]		5/1/25	1:28									
2) Ricardo Contreras		[Signature]		5-1-25	2:22	Emily [Signature]		[Signature]												
3)																				
4)																				
Sample Matrix	Preservation Codes	Sample Receipt - Completed by Laboratory personnel:			Laboratory Notes:			Special Instructions:												
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other	1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2S2O3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other	Total Number of Sample Containers Received: _____ Sample(s) Properly Cooled: Y / N / NA Temperature: 4 °C Sample(s) Intact: Y / N / NA Custody Seal(s) Intact: Y / N / NA Sample(s) Accepted: Y / N			Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract  Send Results to: OIMA-Helpdesk@waterboards.ca.gov to: emily.duncan@waterboards.ca.gov			Evidence sample handling required? <input type="checkbox"/> Return Shipping Containers? <input type="checkbox"/> Turn Around Time: Routine <input type="checkbox"/> *3-5 Day (Rush) X *48-Hr (Rush) <input type="checkbox"/>												

Distribution: Original copies accompany sample shipment to laboratory; Electronic copy emailed to aguerra@babcocklabs.com & OIMA-Helpdesk@waterboards.ca.gov

v5.2 SWAMP ICL 2022 06.30

BABCOCK LABORATORIES

6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

Non-SWAMP/CEDEN Projects

*This COC is for Non-CEDEN Projects only, results are not required to be in SWAMP 2.5 EDD Template

Chain of Custody Record & Sample Information

age 6 of 12

Sample Collection Agency: Los Angeles RWQCB		Agreement No.: 22-005-270		Analyses Requested															
Sample Collection Agency Address: 320 W. 4th Street, Los Angeles, CA 90013		Project Code: RWB4_WildFireResponse_2025		Sample Matrix (See Codes Below)	Sample Type (G = Grab; C = Composite; O = Other)	Container Type (P = Plastic; G = Glass; O = Other)	Preservation Code (See Codes Below)	# of Containers	SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N,	8270 PAH SIM	PFAS	Total Metals, Beryllium Ca, Hardness	Dissolved Metals, Beryllium	TP, TN, NH3	VOC suite EPA method 624.1	Hex Cr	PCBs	TOC	Notes
Project Name: RWB4 Wildfire Response 2025		GeoTracker Global ID:																	
Project Lead:		Field Lead:																	
Name: Emily Duncan		Name:																	
Phone: (213) 576-6679		Phone:																	
Email: emily.duncan@waterboards.ca.gov		Email:																	
Sample ID	Date	Time	Location																
1)	SMB 2-10	5/1/2025	Dockweiler State Beach, Culver Boulevard	SSW	G	P	1	4	X										(4X) 1L Plastic HDPE
2)	SMB 2-10	5/1/2025	Dockweiler State Beach, Culver Boulevard	SSW	G	G	1	4		X							X		(4X) 1L Amber Glass
3)	SMB 2-10	5/1/2025	Dockweiler State Beach, Culver Boulevard	SSW	G	P	2	1				X							250 mL Plastic HDPE (Nitric)
4)	SMB 2-10	5/1/2025	Dockweiler State Beach, Culver Boulevard	SSW	G	P	1	1					X						unfiltered 250 mL Plastic HDPE
5)	SMB 2-10	5/1/2025	Dockweiler State Beach, Culver Boulevard	SSW	G	P	4	1						X					250 mL Plastic HDPE (Sulfuric)
6)	SMB 2-10	5/1/2025	Dockweiler State Beach, Culver Boulevard	SSW	G	G	4	3									X		40mL Amber Vial x3 (Sulfuric)
7)	SMB 2-10	5/1/2025	Dockweiler State Beach, Culver Boulevard	SSW	G	G	3	4							X				40mL Amber Vial x4 (HCl)
8)	SMB 2-10	5/1/2025	Dockweiler State Beach, Culver Boulevard	SSW	G	P	1	2			X								(2x) 250mL HDPE
9)	SMB 2-10	5/1/2025	Dockweiler State Beach, Culver Boulevard	SSW	G	P	12	1								X			125 mL HDPE
10)																			

Samples Relinquished By:				Samples Received By:			
Name (Print) and Agency	Signature	Date	Time	Name (Print) and Agency	Signature	Date	Time
Emily Duncan	Emily Duncan	5/1/25	1:52pm	Ricardo Contreras	Ricardo Contreras	5/1/25	1:28
Ricardo Contreras	Ricardo Contreras	5-1-25	1:28				

Sample Matrix	Preservation Codes	Sample Receipt - Completed by Laboratory personnel:	Laboratory Notes:	Special Instructions:
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other	1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2S2O3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other	Total Number of Sample Containers Received: Sample(s) Properly Cooled: Y / N / NA Temperature: 4 °C Sample(s) Intact: Y / N / NA Custody Seal(s) Intact: Y / N / NA Sample(s) Accepted: Y / N	Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby <div style="border: 1px solid black; padding: 5px; text-align: center;"> C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract </div> Send Results to: emily.duncan@waterboards.ca.gov	Evidence sample handling required? <input type="checkbox"/> Return Shipping Containers? <input type="checkbox"/> Turn Around Time: Routine <input type="checkbox"/> *3-5 Day (Rush) <input checked="" type="checkbox"/> *48-Hr (Rush) <input type="checkbox"/>

Distribution: Original copies accompany sample shipment to laboratory; Electronic copy emailed to aguerra@babcocklabs.com & OIMA-Helpdesk@waterboards.ca.gov

v5.2.SWAMP IQ_2022.06.30

BABCOCK LABORATORIES

6100 Quail Valley Court
Riverside, CA 92507
T: (951) 653-3351

Non-SWAMP/CEDEN Projects

*This COC is for Non-CEDEN Projects only, results are not required to be in SWAMP 2.5 EDD Template

Chain of Custody Record & Sample Information

Page _____ of _____

Sample Collection Agency: Los Angeles RWQCB		Agreement No.: 22-005-270		Analyses Requested														
Sample Collection Agency Address: 320 W. 4th Street, Los Angeles, CA 90013		Project Code: RWB4_WildFireResponse_2025		Sample Matrix (See Codes Below)	Sample Type (G = Grab, C = Composite, O = Other)	Container Type (P = Plastic, G = Glass, O = Other)	Preservation Code (See Codes Below)	# of Containers	SS, TSS, TDS, Alk, SO4, OP, NO3N, NO3N+NO2N,	8270 PAH SIM	PFAS	Total Metals, Ca, Hardness	Dissolved Metals	TP, TN, NH3	VOC suite EPA method 624.1	Asbestos not needed per PM JLH 5/2/2025		
Project Lead:		Field Lead:														Asbestos	TOC	Notes
Name: Emily Duncan		Name:																
Phone: (213) 576-6679		Phone:																
Email: emily.duncan@waterboards.ca.gov		Email:																
Sample ID	Date	Time	Location															
1) SMB 2-10 Duplicate	5/1/25		Dockweiler Beach	SSW	G	P	1	4	X							X	(5X) 1L Plastic HDPE	
2)				SSW	G	G	1	2		X							(2X) 1L Amber Glass	
3)				SSW	G	P	2	1			X						250 mL Plastic HDPE (Nitric)	
4)				SSW	G	P	2, 9	1				X					Filtered 250 mL Plastic HDPE (Nitric)	
5)				SSW	G	P	4	1					X				250 mL Plastic HDPE (Sulfuric)	
6)				SSW	G	G	4	3								X	40mL Amber Vial x3 (Sulfuric)	
7)				SSW	G	G	3	4						X			40mL Amber Vial x4 (HCl)	
8)				SSW	G	G	1	2			X						(2x) 250mL HDPE	
9)																		
10)																		
Samples Relinquished By:				Samples Received By:														
Name (Print) and Agency		Signature		Date	Time	Name (Print) and Agency		Signature		Date	Time							
1) Emily Duncan		Emily Duncan		5/1/25	1:52pm	Ricardo Contreras		Ricardo Contreras		5/1/25	1:28							
2) Ricardo Contreras		Ricardo Contreras		5-1-25	2:00	Ricardo Contreras		Ricardo Contreras		5/1/25	1:28							
3)																		
4)																		
Sample Matrix	Preservation Codes	Sample Receipt - Completed by Laboratory personnel:		Laboratory Notes:				Special Instructions:										
SFW = Surface Fresh Water; SSW = Surface Salt Water; DW = Drinking Water; GW = Groundwater; SW = Stormwater; WW = Wastewater; OL = Other Liquids; SO = Soil / Sediment; SL = Sludge / Slurry; OS = Other Solids; O = Other	1. Cool, ≤ 6 °C 2. HNO3 3. HCl 4. H2SO4 5. Na2S2O3 6. NaOH 7. NaOH/ZnAcetate 8. NH4Cl 9. Filtered 10. Freeze, ≤ -10 °C 11. None required 12. Other	Total Number of Sample Containers Received:		Babcock - Can you analyze PFOS/PFOA if possible - Russ Colby				Evidence sample handling required? <input type="checkbox"/>										
		Sample(s) Properly Cooled: Y / N / NA	Temperature: 4 °C	C5E0128 Rc'd: 05/01/2025 18:28 JLH Subcontract				Return Shipping Containers? <input type="checkbox"/>										
		Sample(s) Intact: Y / N / NA						Turn Around Time: Routine <input type="checkbox"/>										
		Custody Seal(s) Intact: Y / N / NA		Send Results to: OIMA-Helpdesk@waterboards.ca.gov emily.duncan@waterboards.ca.gov				*3-5 Day (Rush) X										
		Sample(s) Accepted: Y / N						*48-Hr (Rush) <input type="checkbox"/>										

Distribution: Original copies accompany sample shipment to laboratory; Electronic copy emailed to aguerra@babcocklabs.com & OIMA-Helpdesk@waterboards.ca.gov

v5.2.SWAMP IQ_2022.06.30

ANALYTICAL REPORT

PREPARED FOR

Attn: Allie Guerra
Babcock Laboratories, Inc.
6100 Quail Valley Court
Riverside, California 92507

Generated 5/16/2025 4:58:42 PM

JOB DESCRIPTION

C5E0128

JOB NUMBER

570-229350-1

Eurofins Calscience

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Calscience Project Manager.

Authorization



Authorized for release by
Carla Hollowell, Project Manager I
Carla.Hollowell@et.eurofinsus.com
(714)895-5494

Generated
5/16/2025 4:58:42 PM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	17
QC Sample Results	18
Lab Chronicle	23
Certification Summary	26
Method Summary	27
Sample Summary	28
Chain of Custody	29
Receipt Checklists	33

Definitions/Glossary

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Babcock Laboratories, Inc.
Project: C5E0128

Job ID: 570-229350-1

Job ID: 570-229350-1

Eurofins Calscience

Job Narrative 570-229350-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 5/6/2025 10:10 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 3.3°C, 3.4°C, 3.6°C and 3.7°C.

GC/MS Semi VOA

Method 8270C_SIM_PAH: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-567660. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch. Method 8270C

Method 8270C_SIM_PAH: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-570710. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

Method 8270C_SIM_PAH: The following samples formed emulsions during the extraction procedure: C5E0128-08 (570-229350-8), C5E0128-09 (570-229350-9), C5E0128-10 (570-229350-10) and C5E0128-11 (570-229350-11). The emulsions were broken up using Sodium Sulfate.

Method 8270C_SIM_PAH: The following samples were re-prepared outside of preparation holding time due to PM request: C5E0128-08 (570-229350-8), C5E0128-09 (570-229350-9), C5E0128-10 (570-229350-10) and C5E0128-11 (570-229350-11).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

PCBs

Method 8082: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-568084. The laboratory control sample (LCS) was performed in duplicate (LCSD) to provide precision data for this batch.

Method 8082: The following samples formed emulsions during the extraction procedure: C5E0128-01 (570-229350-1), C5E0128-02 (570-229350-2), C5E0128-03 (570-229350-3), C5E0128-04 (570-229350-4), C5E0128-05 (570-229350-5), C5E0128-06 (570-229350-6), C5E0128-07 (570-229350-7), C5E0128-08 (570-229350-8), C5E0128-09 (570-229350-9), C5E0128-10 (570-229350-10), C5E0128-11 (570-229350-11) and C5E0128-12 (570-229350-12). The emulsions were broken up using Sodium Sulfate.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Calscience

Client Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM)

Client Sample ID: C5E0128-01
Date Collected: 05/01/25 09:25
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-1
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.19	0.068	ug/L		05/07/25 05:03	05/10/25 19:00	1
2-Methylnaphthalene	ND		0.19	0.072	ug/L		05/07/25 05:03	05/10/25 19:00	1
Acenaphthene	ND		0.19	0.091	ug/L		05/07/25 05:03	05/10/25 19:00	1
Acenaphthylene	ND		0.19	0.064	ug/L		05/07/25 05:03	05/10/25 19:00	1
Anthracene	ND		0.19	0.055	ug/L		05/07/25 05:03	05/10/25 19:00	1
Benzo[g,h,i]perylene	ND		0.19	0.094	ug/L		05/07/25 05:03	05/10/25 19:00	1
Benzo[k]fluoranthene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 19:00	1
Benzo[a]anthracene	ND		0.19	0.080	ug/L		05/07/25 05:03	05/10/25 19:00	1
Benzo[a]pyrene	ND		0.19	0.058	ug/L		05/07/25 05:03	05/10/25 19:00	1
Benzo[b]fluoranthene	ND		0.19	0.16	ug/L		05/07/25 05:03	05/10/25 19:00	1
Chrysene	ND		0.19	0.055	ug/L		05/07/25 05:03	05/10/25 19:00	1
Dibenz(a,h)anthracene	ND		0.19	0.11	ug/L		05/07/25 05:03	05/10/25 19:00	1
Fluoranthene	ND		0.19	0.13	ug/L		05/07/25 05:03	05/10/25 19:00	1
Fluorene	ND		0.19	0.070	ug/L		05/07/25 05:03	05/10/25 19:00	1
Indeno[1,2,3-cd]pyrene	ND		0.19	0.099	ug/L		05/07/25 05:03	05/10/25 19:00	1
Naphthalene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 19:00	1
Phenanthrene	ND		0.19	0.068	ug/L		05/07/25 05:03	05/10/25 19:00	1
Pyrene	ND		0.19	0.062	ug/L		05/07/25 05:03	05/10/25 19:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	57		33 - 144	05/07/25 05:03	05/10/25 19:00	1
Nitrobenzene-d5 (Surr)	52		28 - 139	05/07/25 05:03	05/10/25 19:00	1
p-Terphenyl-d14 (Surr)	67		23 - 160	05/07/25 05:03	05/10/25 19:00	1

Client Sample ID: C5E0128-02
Date Collected: 05/01/25 10:50
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-2
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.19	0.068	ug/L		05/07/25 05:03	05/10/25 19:23	1
2-Methylnaphthalene	ND		0.19	0.072	ug/L		05/07/25 05:03	05/10/25 19:23	1
Acenaphthene	ND		0.19	0.090	ug/L		05/07/25 05:03	05/10/25 19:23	1
Acenaphthylene	ND		0.19	0.064	ug/L		05/07/25 05:03	05/10/25 19:23	1
Anthracene	ND		0.19	0.055	ug/L		05/07/25 05:03	05/10/25 19:23	1
Benzo[g,h,i]perylene	ND		0.19	0.094	ug/L		05/07/25 05:03	05/10/25 19:23	1
Benzo[k]fluoranthene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 19:23	1
Benzo[a]anthracene	ND		0.19	0.079	ug/L		05/07/25 05:03	05/10/25 19:23	1
Benzo[a]pyrene	ND		0.19	0.058	ug/L		05/07/25 05:03	05/10/25 19:23	1
Benzo[b]fluoranthene	ND		0.19	0.16	ug/L		05/07/25 05:03	05/10/25 19:23	1
Chrysene	ND		0.19	0.055	ug/L		05/07/25 05:03	05/10/25 19:23	1
Dibenz(a,h)anthracene	ND		0.19	0.11	ug/L		05/07/25 05:03	05/10/25 19:23	1
Fluoranthene	ND		0.19	0.13	ug/L		05/07/25 05:03	05/10/25 19:23	1
Fluorene	ND		0.19	0.069	ug/L		05/07/25 05:03	05/10/25 19:23	1
Indeno[1,2,3-cd]pyrene	ND		0.19	0.099	ug/L		05/07/25 05:03	05/10/25 19:23	1
Naphthalene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 19:23	1
Phenanthrene	ND		0.19	0.068	ug/L		05/07/25 05:03	05/10/25 19:23	1
Pyrene	ND		0.19	0.061	ug/L		05/07/25 05:03	05/10/25 19:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	58		33 - 144	05/07/25 05:03	05/10/25 19:23	1
Nitrobenzene-d5 (Surr)	60		28 - 139	05/07/25 05:03	05/10/25 19:23	1

Eurofins Calscience

Client Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: C5E0128-02
Date Collected: 05/01/25 10:50
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-2
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	66		23 - 160	05/07/25 05:03	05/10/25 19:23	1

Client Sample ID: C5E0128-03
Date Collected: 05/01/25 11:30
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-3
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.19	0.068	ug/L		05/07/25 05:03	05/10/25 19:45	1
2-Methylnaphthalene	ND		0.19	0.071	ug/L		05/07/25 05:03	05/10/25 19:45	1
Acenaphthene	ND		0.19	0.090	ug/L		05/07/25 05:03	05/10/25 19:45	1
Acenaphthylene	ND		0.19	0.064	ug/L		05/07/25 05:03	05/10/25 19:45	1
Anthracene	ND		0.19	0.055	ug/L		05/07/25 05:03	05/10/25 19:45	1
Benzo[g,h,i]perylene	ND		0.19	0.094	ug/L		05/07/25 05:03	05/10/25 19:45	1
Benzo[k]fluoranthene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 19:45	1
Benzo[a]anthracene	ND		0.19	0.079	ug/L		05/07/25 05:03	05/10/25 19:45	1
Benzo[a]pyrene	ND		0.19	0.058	ug/L		05/07/25 05:03	05/10/25 19:45	1
Benzo[b]fluoranthene	ND		0.19	0.16	ug/L		05/07/25 05:03	05/10/25 19:45	1
Chrysene	ND		0.19	0.055	ug/L		05/07/25 05:03	05/10/25 19:45	1
Dibenz(a,h)anthracene	ND		0.19	0.11	ug/L		05/07/25 05:03	05/10/25 19:45	1
Fluoranthene	ND		0.19	0.13	ug/L		05/07/25 05:03	05/10/25 19:45	1
Fluorene	ND		0.19	0.069	ug/L		05/07/25 05:03	05/10/25 19:45	1
Indeno[1,2,3-cd]pyrene	ND		0.19	0.099	ug/L		05/07/25 05:03	05/10/25 19:45	1
Naphthalene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 19:45	1
Phenanthrene	ND		0.19	0.068	ug/L		05/07/25 05:03	05/10/25 19:45	1
Pyrene	ND		0.19	0.061	ug/L		05/07/25 05:03	05/10/25 19:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	57		33 - 144	05/07/25 05:03	05/10/25 19:45	1
Nitrobenzene-d5 (Surr)	55		28 - 139	05/07/25 05:03	05/10/25 19:45	1
p-Terphenyl-d14 (Surr)	62		23 - 160	05/07/25 05:03	05/10/25 19:45	1

Client Sample ID: C5E0128-04
Date Collected: 05/01/25 07:45
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-4
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.19	0.069	ug/L		05/07/25 05:03	05/10/25 20:08	1
2-Methylnaphthalene	ND		0.19	0.073	ug/L		05/07/25 05:03	05/10/25 20:08	1
Acenaphthene	ND		0.19	0.092	ug/L		05/07/25 05:03	05/10/25 20:08	1
Acenaphthylene	ND		0.19	0.065	ug/L		05/07/25 05:03	05/10/25 20:08	1
Anthracene	ND		0.19	0.056	ug/L		05/07/25 05:03	05/10/25 20:08	1
Benzo[g,h,i]perylene	ND		0.19	0.095	ug/L		05/07/25 05:03	05/10/25 20:08	1
Benzo[k]fluoranthene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 20:08	1
Benzo[a]anthracene	ND		0.19	0.081	ug/L		05/07/25 05:03	05/10/25 20:08	1
Benzo[a]pyrene	ND		0.19	0.059	ug/L		05/07/25 05:03	05/10/25 20:08	1
Benzo[b]fluoranthene	ND		0.19	0.17	ug/L		05/07/25 05:03	05/10/25 20:08	1
Chrysene	ND		0.19	0.056	ug/L		05/07/25 05:03	05/10/25 20:08	1
Dibenz(a,h)anthracene	ND		0.19	0.11	ug/L		05/07/25 05:03	05/10/25 20:08	1
Fluoranthene	ND		0.19	0.13	ug/L		05/07/25 05:03	05/10/25 20:08	1
Fluorene	ND		0.19	0.071	ug/L		05/07/25 05:03	05/10/25 20:08	1
Indeno[1,2,3-cd]pyrene	ND		0.19	0.10	ug/L		05/07/25 05:03	05/10/25 20:08	1
Naphthalene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 20:08	1

Eurofins Calscience

Client Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: C5E0128-04
Date Collected: 05/01/25 07:45
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-4
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Phenanthrene	ND		0.19	0.069	ug/L		05/07/25 05:03	05/10/25 20:08	1
Pyrene	ND		0.19	0.062	ug/L		05/07/25 05:03	05/10/25 20:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	47		33 - 144				05/07/25 05:03	05/10/25 20:08	1
Nitrobenzene-d5 (Surr)	48		28 - 139				05/07/25 05:03	05/10/25 20:08	1
p-Terphenyl-d14 (Surr)	70		23 - 160				05/07/25 05:03	05/10/25 20:08	1

Client Sample ID: C5E0128-05
Date Collected: 05/01/25 09:00
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-5
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.19	0.068	ug/L		05/07/25 05:03	05/10/25 20:30	1
2-Methylnaphthalene	ND		0.19	0.071	ug/L		05/07/25 05:03	05/10/25 20:30	1
Acenaphthene	ND		0.19	0.090	ug/L		05/07/25 05:03	05/10/25 20:30	1
Acenaphthylene	ND		0.19	0.064	ug/L		05/07/25 05:03	05/10/25 20:30	1
Anthracene	ND		0.19	0.055	ug/L		05/07/25 05:03	05/10/25 20:30	1
Benzo[g,h,i]perylene	ND		0.19	0.094	ug/L		05/07/25 05:03	05/10/25 20:30	1
Benzo[k]fluoranthene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 20:30	1
Benzo[a]anthracene	ND		0.19	0.079	ug/L		05/07/25 05:03	05/10/25 20:30	1
Benzo[a]pyrene	ND		0.19	0.058	ug/L		05/07/25 05:03	05/10/25 20:30	1
Benzo[b]fluoranthene	ND		0.19	0.16	ug/L		05/07/25 05:03	05/10/25 20:30	1
Chrysene	ND		0.19	0.055	ug/L		05/07/25 05:03	05/10/25 20:30	1
Dibenz[a,h]anthracene	ND		0.19	0.11	ug/L		05/07/25 05:03	05/10/25 20:30	1
Fluoranthene	ND		0.19	0.13	ug/L		05/07/25 05:03	05/10/25 20:30	1
Fluorene	ND		0.19	0.069	ug/L		05/07/25 05:03	05/10/25 20:30	1
Indeno[1,2,3-cd]pyrene	ND		0.19	0.099	ug/L		05/07/25 05:03	05/10/25 20:30	1
Naphthalene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 20:30	1
Phenanthrene	ND		0.19	0.068	ug/L		05/07/25 05:03	05/10/25 20:30	1
Pyrene	ND		0.19	0.061	ug/L		05/07/25 05:03	05/10/25 20:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	62		33 - 144				05/07/25 05:03	05/10/25 20:30	1
Nitrobenzene-d5 (Surr)	64		28 - 139				05/07/25 05:03	05/10/25 20:30	1
p-Terphenyl-d14 (Surr)	77		23 - 160				05/07/25 05:03	05/10/25 20:30	1

Client Sample ID: C5E0128-06
Date Collected: 05/01/25 08:55
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-6
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.24	0.087	ug/L		05/07/25 05:03	05/10/25 20:53	1
2-Methylnaphthalene	ND		0.24	0.091	ug/L		05/07/25 05:03	05/10/25 20:53	1
Acenaphthene	ND		0.24	0.12	ug/L		05/07/25 05:03	05/10/25 20:53	1
Acenaphthylene	ND		0.24	0.082	ug/L		05/07/25 05:03	05/10/25 20:53	1
Anthracene	ND		0.24	0.070	ug/L		05/07/25 05:03	05/10/25 20:53	1
Benzo[g,h,i]perylene	ND		0.24	0.12	ug/L		05/07/25 05:03	05/10/25 20:53	1
Benzo[k]fluoranthene	ND		0.24	0.18	ug/L		05/07/25 05:03	05/10/25 20:53	1
Benzo[a]anthracene	ND		0.24	0.10	ug/L		05/07/25 05:03	05/10/25 20:53	1
Benzo[a]pyrene	ND		0.24	0.074	ug/L		05/07/25 05:03	05/10/25 20:53	1
Benzo[b]fluoranthene	ND		0.24	0.21	ug/L		05/07/25 05:03	05/10/25 20:53	1

Eurofins Calscience

Client Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: C5E0128-06

Date Collected: 05/01/25 08:55

Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-6

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chrysene	ND		0.24	0.070	ug/L		05/07/25 05:03	05/10/25 20:53	1
Dibenz(a,h)anthracene	ND		0.24	0.14	ug/L		05/07/25 05:03	05/10/25 20:53	1
Fluoranthene	ND		0.24	0.16	ug/L		05/07/25 05:03	05/10/25 20:53	1
Fluorene	ND		0.24	0.089	ug/L		05/07/25 05:03	05/10/25 20:53	1
Indeno[1,2,3-cd]pyrene	ND		0.24	0.13	ug/L		05/07/25 05:03	05/10/25 20:53	1
Naphthalene	ND		0.24	0.18	ug/L		05/07/25 05:03	05/10/25 20:53	1
Phenanthrene	ND		0.24	0.087	ug/L		05/07/25 05:03	05/10/25 20:53	1
Pyrene	ND		0.24	0.079	ug/L		05/07/25 05:03	05/10/25 20:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	65		33 - 144	05/07/25 05:03	05/10/25 20:53	1
Nitrobenzene-d5 (Surr)	69		28 - 139	05/07/25 05:03	05/10/25 20:53	1
p-Terphenyl-d14 (Surr)	79		23 - 160	05/07/25 05:03	05/10/25 20:53	1

Client Sample ID: C5E0128-07

Date Collected: 05/01/25 08:17

Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-7

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.20	0.072	ug/L		05/07/25 05:03	05/10/25 21:15	1
2-Methylnaphthalene	ND		0.20	0.076	ug/L		05/07/25 05:03	05/10/25 21:15	1
Acenaphthene	ND		0.20	0.096	ug/L		05/07/25 05:03	05/10/25 21:15	1
Acenaphthylene	ND		0.20	0.068	ug/L		05/07/25 05:03	05/10/25 21:15	1
Anthracene	ND		0.20	0.058	ug/L		05/07/25 05:03	05/10/25 21:15	1
Benzo[g,h,i]perylene	ND		0.20	0.099	ug/L		05/07/25 05:03	05/10/25 21:15	1
Benzo[k]fluoranthene	ND		0.20	0.15	ug/L		05/07/25 05:03	05/10/25 21:15	1
Benzo[a]anthracene	ND		0.20	0.084	ug/L		05/07/25 05:03	05/10/25 21:15	1
Benzo[a]pyrene	ND		0.20	0.062	ug/L		05/07/25 05:03	05/10/25 21:15	1
Benzo[b]fluoranthene	ND		0.20	0.17	ug/L		05/07/25 05:03	05/10/25 21:15	1
Chrysene	ND		0.20	0.058	ug/L		05/07/25 05:03	05/10/25 21:15	1
Dibenz(a,h)anthracene	ND		0.20	0.11	ug/L		05/07/25 05:03	05/10/25 21:15	1
Fluoranthene	ND		0.20	0.14	ug/L		05/07/25 05:03	05/10/25 21:15	1
Fluorene	ND		0.20	0.074	ug/L		05/07/25 05:03	05/10/25 21:15	1
Indeno[1,2,3-cd]pyrene	ND		0.20	0.10	ug/L		05/07/25 05:03	05/10/25 21:15	1
Naphthalene	ND		0.20	0.15	ug/L		05/07/25 05:03	05/10/25 21:15	1
Phenanthrene	ND		0.20	0.072	ug/L		05/07/25 05:03	05/10/25 21:15	1
Pyrene	ND		0.20	0.065	ug/L		05/07/25 05:03	05/10/25 21:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	60		33 - 144	05/07/25 05:03	05/10/25 21:15	1
Nitrobenzene-d5 (Surr)	59		28 - 139	05/07/25 05:03	05/10/25 21:15	1
p-Terphenyl-d14 (Surr)	68		23 - 160	05/07/25 05:03	05/10/25 21:15	1

Client Sample ID: C5E0128-08

Date Collected: 05/01/25 10:00

Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-8

Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND	H	0.21	0.077	ug/L		05/13/25 19:01	05/15/25 22:37	1
2-Methylnaphthalene	ND	H	0.21	0.081	ug/L		05/13/25 19:01	05/15/25 22:37	1
Acenaphthene	ND	H	0.21	0.10	ug/L		05/13/25 19:01	05/15/25 22:37	1
Acenaphthylene	ND	H	0.21	0.073	ug/L		05/13/25 19:01	05/15/25 22:37	1

Eurofins Calscience

Client Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: C5E0128-08
Date Collected: 05/01/25 10:00
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-8
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Anthracene	ND	H	0.21	0.062	ug/L		05/13/25 19:01	05/15/25 22:37	1
Benzo[g,h,i]perylene	ND	H	0.21	0.11	ug/L		05/13/25 19:01	05/15/25 22:37	1
Benzo[k]fluoranthene	ND	H	0.21	0.16	ug/L		05/13/25 19:01	05/15/25 22:37	1
Benzo[a]anthracene	ND	H	0.21	0.090	ug/L		05/13/25 19:01	05/15/25 22:37	1
Benzo[a]pyrene	ND	H	0.21	0.066	ug/L		05/13/25 19:01	05/15/25 22:37	1
Benzo[b]fluoranthene	ND	H	0.21	0.18	ug/L		05/13/25 19:01	05/15/25 22:37	1
Chrysene	ND	H	0.21	0.062	ug/L		05/13/25 19:01	05/15/25 22:37	1
Dibenz[a,h]anthracene	ND	H	0.21	0.12	ug/L		05/13/25 19:01	05/15/25 22:37	1
Fluoranthene	ND	H	0.21	0.15	ug/L		05/13/25 19:01	05/15/25 22:37	1
Fluorene	ND	H	0.21	0.079	ug/L		05/13/25 19:01	05/15/25 22:37	1
Indeno[1,2,3-cd]pyrene	ND	H	0.21	0.11	ug/L		05/13/25 19:01	05/15/25 22:37	1
Naphthalene	ND	H	0.21	0.16	ug/L		05/13/25 19:01	05/15/25 22:37	1
Phenanthrene	ND	H	0.21	0.077	ug/L		05/13/25 19:01	05/15/25 22:37	1
Pyrene	ND	H	0.21	0.070	ug/L		05/13/25 19:01	05/15/25 22:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	81		33 - 144				05/13/25 19:01	05/15/25 22:37	1
Nitrobenzene-d5 (Surr)	77		28 - 139				05/13/25 19:01	05/15/25 22:37	1
p-Terphenyl-d14 (Surr)	68		23 - 160				05/13/25 19:01	05/15/25 22:37	1

Client Sample ID: C5E0128-09
Date Collected: 05/01/25 11:10
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-9
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND	H	0.20	0.074	ug/L		05/13/25 19:01	05/15/25 22:59	1
2-Methylnaphthalene	ND	H	0.20	0.078	ug/L		05/13/25 19:01	05/15/25 22:59	1
Acenaphthene	ND	H	0.20	0.099	ug/L		05/13/25 19:01	05/15/25 22:59	1
Acenaphthylene	ND	H	0.20	0.070	ug/L		05/13/25 19:01	05/15/25 22:59	1
Anthracene	ND	H	0.20	0.060	ug/L		05/13/25 19:01	05/15/25 22:59	1
Benzo[g,h,i]perylene	ND	H	0.20	0.10	ug/L		05/13/25 19:01	05/15/25 22:59	1
Benzo[k]fluoranthene	ND	H	0.20	0.16	ug/L		05/13/25 19:01	05/15/25 22:59	1
Benzo[a]anthracene	ND	H	0.20	0.087	ug/L		05/13/25 19:01	05/15/25 22:59	1
Benzo[a]pyrene	ND	H	0.20	0.063	ug/L		05/13/25 19:01	05/15/25 22:59	1
Benzo[b]fluoranthene	ND	H	0.20	0.18	ug/L		05/13/25 19:01	05/15/25 22:59	1
Chrysene	ND	H	0.20	0.060	ug/L		05/13/25 19:01	05/15/25 22:59	1
Dibenz[a,h]anthracene	ND	H	0.20	0.12	ug/L		05/13/25 19:01	05/15/25 22:59	1
Fluoranthene	ND	H	0.20	0.14	ug/L		05/13/25 19:01	05/15/25 22:59	1
Fluorene	ND	H	0.20	0.076	ug/L		05/13/25 19:01	05/15/25 22:59	1
Indeno[1,2,3-cd]pyrene	ND	H	0.20	0.11	ug/L		05/13/25 19:01	05/15/25 22:59	1
Naphthalene	ND	H	0.20	0.15	ug/L		05/13/25 19:01	05/15/25 22:59	1
Phenanthrene	ND	H	0.20	0.074	ug/L		05/13/25 19:01	05/15/25 22:59	1
Pyrene	ND	H	0.20	0.067	ug/L		05/13/25 19:01	05/15/25 22:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	75		33 - 144				05/13/25 19:01	05/15/25 22:59	1
Nitrobenzene-d5 (Surr)	68		28 - 139				05/13/25 19:01	05/15/25 22:59	1
p-Terphenyl-d14 (Surr)	72		23 - 160				05/13/25 19:01	05/15/25 22:59	1

Eurofins Calscience

Client Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM)

Client Sample ID: C5E0128-10
Date Collected: 05/01/25 10:30
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-10
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND	H	0.19	0.068	ug/L		05/13/25 19:01	05/15/25 23:22	1
2-Methylnaphthalene	ND	H	0.19	0.072	ug/L		05/13/25 19:01	05/15/25 23:22	1
Acenaphthene	ND	H	0.19	0.091	ug/L		05/13/25 19:01	05/15/25 23:22	1
Acenaphthylene	ND	H	0.19	0.065	ug/L		05/13/25 19:01	05/15/25 23:22	1
Anthracene	ND	H	0.19	0.055	ug/L		05/13/25 19:01	05/15/25 23:22	1
Benzo[g,h,i]perylene	ND	H	0.19	0.094	ug/L		05/13/25 19:01	05/15/25 23:22	1
Benzo[k]fluoranthene	ND	H	0.19	0.14	ug/L		05/13/25 19:01	05/15/25 23:22	1
Benzo[a]anthracene	ND	H	0.19	0.080	ug/L		05/13/25 19:01	05/15/25 23:22	1
Benzo[a]pyrene	ND	H	0.19	0.058	ug/L		05/13/25 19:01	05/15/25 23:22	1
Benzo[b]fluoranthene	ND	H	0.19	0.16	ug/L		05/13/25 19:01	05/15/25 23:22	1
Chrysene	ND	H	0.19	0.055	ug/L		05/13/25 19:01	05/15/25 23:22	1
Dibenz(a,h)anthracene	ND	H	0.19	0.11	ug/L		05/13/25 19:01	05/15/25 23:22	1
Fluoranthene	ND	H	0.19	0.13	ug/L		05/13/25 19:01	05/15/25 23:22	1
Fluorene	ND	H	0.19	0.070	ug/L		05/13/25 19:01	05/15/25 23:22	1
Indeno[1,2,3-cd]pyrene	ND	H	0.19	0.10	ug/L		05/13/25 19:01	05/15/25 23:22	1
Naphthalene	ND	H	0.19	0.14	ug/L		05/13/25 19:01	05/15/25 23:22	1
Phenanthrene	ND	H	0.19	0.068	ug/L		05/13/25 19:01	05/15/25 23:22	1
Pyrene	ND	H	0.19	0.062	ug/L		05/13/25 19:01	05/15/25 23:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	79		33 - 144	05/13/25 19:01	05/15/25 23:22	1
Nitrobenzene-d5 (Surr)	75		28 - 139	05/13/25 19:01	05/15/25 23:22	1
p-Terphenyl-d14 (Surr)	77		23 - 160	05/13/25 19:01	05/15/25 23:22	1

Client Sample ID: C5E0128-11
Date Collected: 05/01/25 12:00
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-11
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND	H	0.19	0.069	ug/L		05/13/25 19:01	05/15/25 23:44	1
2-Methylnaphthalene	ND	H	0.19	0.073	ug/L		05/13/25 19:01	05/15/25 23:44	1
Acenaphthene	ND	H	0.19	0.092	ug/L		05/13/25 19:01	05/15/25 23:44	1
Acenaphthylene	ND	H	0.19	0.065	ug/L		05/13/25 19:01	05/15/25 23:44	1
Anthracene	ND	H	0.19	0.056	ug/L		05/13/25 19:01	05/15/25 23:44	1
Benzo[g,h,i]perylene	ND	H	0.19	0.096	ug/L		05/13/25 19:01	05/15/25 23:44	1
Benzo[k]fluoranthene	ND	H	0.19	0.15	ug/L		05/13/25 19:01	05/15/25 23:44	1
Benzo[a]anthracene	ND	H	0.19	0.081	ug/L		05/13/25 19:01	05/15/25 23:44	1
Benzo[a]pyrene	ND	H	0.19	0.059	ug/L		05/13/25 19:01	05/15/25 23:44	1
Benzo[b]fluoranthene	ND	H	0.19	0.17	ug/L		05/13/25 19:01	05/15/25 23:44	1
Chrysene	ND	H	0.19	0.056	ug/L		05/13/25 19:01	05/15/25 23:44	1
Dibenz(a,h)anthracene	ND	H	0.19	0.11	ug/L		05/13/25 19:01	05/15/25 23:44	1
Fluoranthene	ND	H	0.19	0.13	ug/L		05/13/25 19:01	05/15/25 23:44	1
Fluorene	ND	H	0.19	0.071	ug/L		05/13/25 19:01	05/15/25 23:44	1
Indeno[1,2,3-cd]pyrene	ND	H	0.19	0.10	ug/L		05/13/25 19:01	05/15/25 23:44	1
Naphthalene	ND	H	0.19	0.14	ug/L		05/13/25 19:01	05/15/25 23:44	1
Phenanthrene	ND	H	0.19	0.069	ug/L		05/13/25 19:01	05/15/25 23:44	1
Pyrene	ND	H	0.19	0.063	ug/L		05/13/25 19:01	05/15/25 23:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	72		33 - 144	05/13/25 19:01	05/15/25 23:44	1
Nitrobenzene-d5 (Surr)	59		28 - 139	05/13/25 19:01	05/15/25 23:44	1

Eurofins Calscience

Client Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: SW846 8270C SIM - PAHs (GC/MS SIM) (Continued)

Client Sample ID: C5E0128-11
Date Collected: 05/01/25 12:00
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-11
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	74		23 - 160	05/13/25 19:01	05/15/25 23:44	1

Client Sample ID: C5E0128-12
Date Collected: 05/01/25 12:35
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-12
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.19	0.068	ug/L		05/07/25 05:03	05/10/25 21:38	1
2-Methylnaphthalene	ND		0.19	0.071	ug/L		05/07/25 05:03	05/10/25 21:38	1
Acenaphthene	ND		0.19	0.090	ug/L		05/07/25 05:03	05/10/25 21:38	1
Acenaphthylene	ND		0.19	0.064	ug/L		05/07/25 05:03	05/10/25 21:38	1
Anthracene	ND		0.19	0.055	ug/L		05/07/25 05:03	05/10/25 21:38	1
Benzo[g,h,i]perylene	ND		0.19	0.093	ug/L		05/07/25 05:03	05/10/25 21:38	1
Benzo[k]fluoranthene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 21:38	1
Benzo[a]anthracene	ND		0.19	0.079	ug/L		05/07/25 05:03	05/10/25 21:38	1
Benzo[a]pyrene	ND		0.19	0.058	ug/L		05/07/25 05:03	05/10/25 21:38	1
Benzo[b]fluoranthene	ND		0.19	0.16	ug/L		05/07/25 05:03	05/10/25 21:38	1
Chrysene	ND		0.19	0.055	ug/L		05/07/25 05:03	05/10/25 21:38	1
Dibenz[a,h]anthracene	ND		0.19	0.11	ug/L		05/07/25 05:03	05/10/25 21:38	1
Fluoranthene	ND		0.19	0.13	ug/L		05/07/25 05:03	05/10/25 21:38	1
Fluorene	ND		0.19	0.069	ug/L		05/07/25 05:03	05/10/25 21:38	1
Indeno[1,2,3-cd]pyrene	ND		0.19	0.098	ug/L		05/07/25 05:03	05/10/25 21:38	1
Naphthalene	ND		0.19	0.14	ug/L		05/07/25 05:03	05/10/25 21:38	1
Phenanthrene	ND		0.19	0.068	ug/L		05/07/25 05:03	05/10/25 21:38	1
Pyrene	ND		0.19	0.061	ug/L		05/07/25 05:03	05/10/25 21:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	57		33 - 144	05/07/25 05:03	05/10/25 21:38	1
Nitrobenzene-d5 (Surr)	60		28 - 139	05/07/25 05:03	05/10/25 21:38	1
p-Terphenyl-d14 (Surr)	75		23 - 160	05/07/25 05:03	05/10/25 21:38	1

Client Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: SW846 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Client Sample ID: C5E0128-01
Date Collected: 05/01/25 09:25
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-1
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 17:49	1
Aroclor-1221	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 17:49	1
Aroclor-1232	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 17:49	1
Aroclor-1242	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 17:49	1
Aroclor-1248	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 17:49	1
Aroclor-1254	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 17:49	1
Aroclor-1260	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 17:49	1
Aroclor-1262	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 17:49	1
Aroclor-1268	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 17:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	62		20 - 180				05/07/25 15:46	05/10/25 17:49	1
Tetrachloro-m-xylene (Surr)	72		34 - 162				05/07/25 15:46	05/10/25 17:49	1

Client Sample ID: C5E0128-02
Date Collected: 05/01/25 10:50
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-2
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.46	0.30	ug/L		05/07/25 15:46	05/10/25 18:08	1
Aroclor-1221	ND		0.46	0.30	ug/L		05/07/25 15:46	05/10/25 18:08	1
Aroclor-1232	ND		0.46	0.30	ug/L		05/07/25 15:46	05/10/25 18:08	1
Aroclor-1242	ND		0.46	0.30	ug/L		05/07/25 15:46	05/10/25 18:08	1
Aroclor-1248	ND		0.46	0.30	ug/L		05/07/25 15:46	05/10/25 18:08	1
Aroclor-1254	ND		0.46	0.36	ug/L		05/07/25 15:46	05/10/25 18:08	1
Aroclor-1260	ND		0.46	0.36	ug/L		05/07/25 15:46	05/10/25 18:08	1
Aroclor-1262	ND		0.46	0.36	ug/L		05/07/25 15:46	05/10/25 18:08	1
Aroclor-1268	ND		0.46	0.36	ug/L		05/07/25 15:46	05/10/25 18:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	64		20 - 180				05/07/25 15:46	05/10/25 18:08	1
Tetrachloro-m-xylene (Surr)	71		34 - 162				05/07/25 15:46	05/10/25 18:08	1

Client Sample ID: C5E0128-03
Date Collected: 05/01/25 11:30
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-3
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.47	0.31	ug/L		05/07/25 15:46	05/10/25 18:26	1
Aroclor-1221	ND		0.47	0.31	ug/L		05/07/25 15:46	05/10/25 18:26	1
Aroclor-1232	ND		0.47	0.31	ug/L		05/07/25 15:46	05/10/25 18:26	1
Aroclor-1242	ND		0.47	0.31	ug/L		05/07/25 15:46	05/10/25 18:26	1
Aroclor-1248	ND		0.47	0.31	ug/L		05/07/25 15:46	05/10/25 18:26	1
Aroclor-1254	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 18:26	1
Aroclor-1260	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 18:26	1
Aroclor-1262	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 18:26	1
Aroclor-1268	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 18:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	56		20 - 180				05/07/25 15:46	05/10/25 18:26	1
Tetrachloro-m-xylene (Surr)	73		34 - 162				05/07/25 15:46	05/10/25 18:26	1

Eurofins Calscience

Client Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: SW846 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Client Sample ID: C5E0128-04
Date Collected: 05/01/25 07:45
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-4
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 18:44	1
Aroclor-1221	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 18:44	1
Aroclor-1232	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 18:44	1
Aroclor-1242	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 18:44	1
Aroclor-1248	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 18:44	1
Aroclor-1254	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 18:44	1
Aroclor-1260	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 18:44	1
Aroclor-1262	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 18:44	1
Aroclor-1268	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 18:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	58		20 - 180				05/07/25 15:46	05/10/25 18:44	1
Tetrachloro-m-xylene (Surr)	66		34 - 162				05/07/25 15:46	05/10/25 18:44	1

Client Sample ID: C5E0128-05
Date Collected: 05/01/25 09:00
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-5
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.48	0.31	ug/L		05/07/25 15:46	05/10/25 19:02	1
Aroclor-1221	ND		0.48	0.31	ug/L		05/07/25 15:46	05/10/25 19:02	1
Aroclor-1232	ND		0.48	0.31	ug/L		05/07/25 15:46	05/10/25 19:02	1
Aroclor-1242	ND		0.48	0.31	ug/L		05/07/25 15:46	05/10/25 19:02	1
Aroclor-1248	ND		0.48	0.31	ug/L		05/07/25 15:46	05/10/25 19:02	1
Aroclor-1254	ND		0.48	0.37	ug/L		05/07/25 15:46	05/10/25 19:02	1
Aroclor-1260	ND		0.48	0.37	ug/L		05/07/25 15:46	05/10/25 19:02	1
Aroclor-1262	ND		0.48	0.37	ug/L		05/07/25 15:46	05/10/25 19:02	1
Aroclor-1268	ND		0.48	0.37	ug/L		05/07/25 15:46	05/10/25 19:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	74		20 - 180				05/07/25 15:46	05/10/25 19:02	1
Tetrachloro-m-xylene (Surr)	71		34 - 162				05/07/25 15:46	05/10/25 19:02	1

Client Sample ID: C5E0128-06
Date Collected: 05/01/25 08:55
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-6
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.56	0.37	ug/L		05/07/25 15:46	05/10/25 19:21	1
Aroclor-1221	ND		0.56	0.37	ug/L		05/07/25 15:46	05/10/25 19:21	1
Aroclor-1232	ND		0.56	0.37	ug/L		05/07/25 15:46	05/10/25 19:21	1
Aroclor-1242	ND		0.56	0.37	ug/L		05/07/25 15:46	05/10/25 19:21	1
Aroclor-1248	ND		0.56	0.37	ug/L		05/07/25 15:46	05/10/25 19:21	1
Aroclor-1254	ND		0.56	0.43	ug/L		05/07/25 15:46	05/10/25 19:21	1
Aroclor-1260	ND		0.56	0.43	ug/L		05/07/25 15:46	05/10/25 19:21	1
Aroclor-1262	ND		0.56	0.43	ug/L		05/07/25 15:46	05/10/25 19:21	1
Aroclor-1268	ND		0.56	0.43	ug/L		05/07/25 15:46	05/10/25 19:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	66		20 - 180				05/07/25 15:46	05/10/25 19:21	1
Tetrachloro-m-xylene (Surr)	77		34 - 162				05/07/25 15:46	05/10/25 19:21	1

Eurofins Calscience

Client Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: SW846 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Client Sample ID: C5E0128-07
Date Collected: 05/01/25 08:17
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-7
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.51	0.33	ug/L		05/07/25 15:46	05/10/25 19:39	1
Aroclor-1221	ND		0.51	0.33	ug/L		05/07/25 15:46	05/10/25 19:39	1
Aroclor-1232	ND		0.51	0.33	ug/L		05/07/25 15:46	05/10/25 19:39	1
Aroclor-1242	ND		0.51	0.33	ug/L		05/07/25 15:46	05/10/25 19:39	1
Aroclor-1248	ND		0.51	0.33	ug/L		05/07/25 15:46	05/10/25 19:39	1
Aroclor-1254	ND		0.51	0.39	ug/L		05/07/25 15:46	05/10/25 19:39	1
Aroclor-1260	ND		0.51	0.39	ug/L		05/07/25 15:46	05/10/25 19:39	1
Aroclor-1262	ND		0.51	0.39	ug/L		05/07/25 15:46	05/10/25 19:39	1
Aroclor-1268	ND		0.51	0.39	ug/L		05/07/25 15:46	05/10/25 19:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	57		20 - 180				05/07/25 15:46	05/10/25 19:39	1
Tetrachloro-m-xylene (Surr)	72		34 - 162				05/07/25 15:46	05/10/25 19:39	1

Client Sample ID: C5E0128-08
Date Collected: 05/01/25 10:00
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-8
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.55	0.36	ug/L		05/07/25 15:46	05/10/25 19:57	1
Aroclor-1221	ND		0.55	0.36	ug/L		05/07/25 15:46	05/10/25 19:57	1
Aroclor-1232	ND		0.55	0.36	ug/L		05/07/25 15:46	05/10/25 19:57	1
Aroclor-1242	ND		0.55	0.36	ug/L		05/07/25 15:46	05/10/25 19:57	1
Aroclor-1248	ND		0.55	0.36	ug/L		05/07/25 15:46	05/10/25 19:57	1
Aroclor-1254	ND		0.55	0.42	ug/L		05/07/25 15:46	05/10/25 19:57	1
Aroclor-1260	ND		0.55	0.42	ug/L		05/07/25 15:46	05/10/25 19:57	1
Aroclor-1262	ND		0.55	0.42	ug/L		05/07/25 15:46	05/10/25 19:57	1
Aroclor-1268	ND		0.55	0.42	ug/L		05/07/25 15:46	05/10/25 19:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	70		20 - 180				05/07/25 15:46	05/10/25 19:57	1
Tetrachloro-m-xylene (Surr)	77		34 - 162				05/07/25 15:46	05/10/25 19:57	1

Client Sample ID: C5E0128-09
Date Collected: 05/01/25 11:10
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-9
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.56	0.36	ug/L		05/07/25 15:46	05/10/25 20:15	1
Aroclor-1221	ND		0.56	0.36	ug/L		05/07/25 15:46	05/10/25 20:15	1
Aroclor-1232	ND		0.56	0.36	ug/L		05/07/25 15:46	05/10/25 20:15	1
Aroclor-1242	ND		0.56	0.36	ug/L		05/07/25 15:46	05/10/25 20:15	1
Aroclor-1248	ND		0.56	0.36	ug/L		05/07/25 15:46	05/10/25 20:15	1
Aroclor-1254	ND		0.56	0.43	ug/L		05/07/25 15:46	05/10/25 20:15	1
Aroclor-1260	ND		0.56	0.43	ug/L		05/07/25 15:46	05/10/25 20:15	1
Aroclor-1262	ND		0.56	0.43	ug/L		05/07/25 15:46	05/10/25 20:15	1
Aroclor-1268	ND		0.56	0.43	ug/L		05/07/25 15:46	05/10/25 20:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	71		20 - 180				05/07/25 15:46	05/10/25 20:15	1
Tetrachloro-m-xylene (Surr)	74		34 - 162				05/07/25 15:46	05/10/25 20:15	1

Eurofins Calscience

Client Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: SW846 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Client Sample ID: C5E0128-10
Date Collected: 05/01/25 10:30
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-10
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.47	0.31	ug/L		05/07/25 15:46	05/10/25 20:34	1
Aroclor-1221	ND		0.47	0.31	ug/L		05/07/25 15:46	05/10/25 20:34	1
Aroclor-1232	ND		0.47	0.31	ug/L		05/07/25 15:46	05/10/25 20:34	1
Aroclor-1242	ND		0.47	0.31	ug/L		05/07/25 15:46	05/10/25 20:34	1
Aroclor-1248	ND		0.47	0.31	ug/L		05/07/25 15:46	05/10/25 20:34	1
Aroclor-1254	ND		0.47	0.37	ug/L		05/07/25 15:46	05/10/25 20:34	1
Aroclor-1260	ND		0.47	0.37	ug/L		05/07/25 15:46	05/10/25 20:34	1
Aroclor-1262	ND		0.47	0.37	ug/L		05/07/25 15:46	05/10/25 20:34	1
Aroclor-1268	ND		0.47	0.37	ug/L		05/07/25 15:46	05/10/25 20:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	65		20 - 180				05/07/25 15:46	05/10/25 20:34	1
Tetrachloro-m-xylene (Surr)	70		34 - 162				05/07/25 15:46	05/10/25 20:34	1

Client Sample ID: C5E0128-11
Date Collected: 05/01/25 12:00
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-11
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 20:52	1
Aroclor-1221	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 20:52	1
Aroclor-1232	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 20:52	1
Aroclor-1242	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 20:52	1
Aroclor-1248	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 20:52	1
Aroclor-1254	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 20:52	1
Aroclor-1260	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 20:52	1
Aroclor-1262	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 20:52	1
Aroclor-1268	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 20:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	65		20 - 180				05/07/25 15:46	05/10/25 20:52	1
Tetrachloro-m-xylene (Surr)	71		34 - 162				05/07/25 15:46	05/10/25 20:52	1

Client Sample ID: C5E0128-12
Date Collected: 05/01/25 12:35
Date Received: 05/06/25 10:10

Lab Sample ID: 570-229350-12
Matrix: Water

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 21:10	1
Aroclor-1221	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 21:10	1
Aroclor-1232	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 21:10	1
Aroclor-1242	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 21:10	1
Aroclor-1248	ND		0.47	0.30	ug/L		05/07/25 15:46	05/10/25 21:10	1
Aroclor-1254	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 21:10	1
Aroclor-1260	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 21:10	1
Aroclor-1262	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 21:10	1
Aroclor-1268	ND		0.47	0.36	ug/L		05/07/25 15:46	05/10/25 21:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	70		20 - 180				05/07/25 15:46	05/10/25 21:10	1
Tetrachloro-m-xylene (Surr)	69		34 - 162				05/07/25 15:46	05/10/25 21:10	1

Eurofins Calscience

Surrogate Summary

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: 8270C SIM - PAHs (GC/MS SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		FBP (33-144)	NBZ (28-139)	TPHd14 (23-160)
570-229350-1	C5E0128-01	57	52	67
570-229350-2	C5E0128-02	58	60	66
570-229350-3	C5E0128-03	57	55	62
570-229350-4	C5E0128-04	47	48	70
570-229350-5	C5E0128-05	62	64	77
570-229350-6	C5E0128-06	65	69	79
570-229350-7	C5E0128-07	60	59	68
570-229350-8	C5E0128-08	81	77	68
570-229350-9	C5E0128-09	75	68	72
570-229350-10	C5E0128-10	79	75	77
570-229350-11	C5E0128-11	72	59	74
570-229350-12	C5E0128-12	57	60	75
LCS 570-567660/2-A	Lab Control Sample	81	81	73
LCS 570-570710/2-A	Lab Control Sample	77	72	72
LCSD 570-567660/3-A	Lab Control Sample Dup	79	74	71
LCSD 570-570710/3-A	Lab Control Sample Dup	83	73	81
MB 570-567660/1-A	Method Blank	78	87	85
MB 570-570710/1-A	Method Blank	81	85	87
Surrogate Legend				
FBP = 2-Fluorobiphenyl (Surr)				
NBZ = Nitrobenzene-d5 (Surr)				
TPHd14 = p-Terphenyl-d14 (Surr)				

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		DCB1 (20-180)	TCX1 (34-162)
570-229350-1	C5E0128-01	62	72
570-229350-2	C5E0128-02	64	71
570-229350-3	C5E0128-03	56	73
570-229350-4	C5E0128-04	58	66
570-229350-5	C5E0128-05	74	71
570-229350-6	C5E0128-06	66	77
570-229350-7	C5E0128-07	57	72
570-229350-8	C5E0128-08	70	77
570-229350-9	C5E0128-09	71	74
570-229350-10	C5E0128-10	65	70
570-229350-11	C5E0128-11	65	71
570-229350-12	C5E0128-12	70	69
LCS 570-568084/2-A	Lab Control Sample	95	82
LCSD 570-568084/3-A	Lab Control Sample Dup	95	88
MB 570-568084/1-A	Method Blank	70	89
Surrogate Legend			
DCB = DCB Decachlorobiphenyl (Surr)			
TCX = Tetrachloro-m-xylene (Surr)			

QC Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: 8270C SIM - PAHs (GC/MS SIM)

Lab Sample ID: MB 570-567660/1-A

Matrix: Water

Analysis Batch: 569515

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 567660

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.20	0.073	ug/L		05/07/25 05:03	05/10/25 14:53	1
2-Methylnaphthalene	ND		0.20	0.077	ug/L		05/07/25 05:03	05/10/25 14:53	1
Acenaphthene	ND		0.20	0.097	ug/L		05/07/25 05:03	05/10/25 14:53	1
Acenaphthylene	ND		0.20	0.069	ug/L		05/07/25 05:03	05/10/25 14:53	1
Anthracene	ND		0.20	0.059	ug/L		05/07/25 05:03	05/10/25 14:53	1
Benzo[g,h,i]perylene	ND		0.20	0.10	ug/L		05/07/25 05:03	05/10/25 14:53	1
Benzo[k]fluoranthene	ND		0.20	0.15	ug/L		05/07/25 05:03	05/10/25 14:53	1
Benzo[a]anthracene	ND		0.20	0.086	ug/L		05/07/25 05:03	05/10/25 14:53	1
Benzo[a]pyrene	ND		0.20	0.062	ug/L		05/07/25 05:03	05/10/25 14:53	1
Benzo[b]fluoranthene	ND		0.20	0.18	ug/L		05/07/25 05:03	05/10/25 14:53	1
Chrysene	ND		0.20	0.059	ug/L		05/07/25 05:03	05/10/25 14:53	1
Dibenz(a,h)anthracene	ND		0.20	0.11	ug/L		05/07/25 05:03	05/10/25 14:53	1
Fluoranthene	ND		0.20	0.14	ug/L		05/07/25 05:03	05/10/25 14:53	1
Fluorene	ND		0.20	0.075	ug/L		05/07/25 05:03	05/10/25 14:53	1
Indeno[1,2,3-cd]pyrene	ND		0.20	0.11	ug/L		05/07/25 05:03	05/10/25 14:53	1
Naphthalene	ND		0.20	0.15	ug/L		05/07/25 05:03	05/10/25 14:53	1
Phenanthrene	ND		0.20	0.073	ug/L		05/07/25 05:03	05/10/25 14:53	1
Pyrene	ND		0.20	0.066	ug/L		05/07/25 05:03	05/10/25 14:53	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	78		33 - 144	05/07/25 05:03	05/10/25 14:53	1
Nitrobenzene-d5 (Surr)	87		28 - 139	05/07/25 05:03	05/10/25 14:53	1
p-Terphenyl-d14 (Surr)	85		23 - 160	05/07/25 05:03	05/10/25 14:53	1

Lab Sample ID: LCS 570-567660/2-A

Matrix: Water

Analysis Batch: 569515

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 567660

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	10.0	7.711		ug/L		77	20 - 140
2-Methylnaphthalene	10.0	8.914		ug/L		89	21 - 140
Acenaphthene	10.0	8.423		ug/L		84	55 - 121
Acenaphthylene	10.0	8.461		ug/L		85	33 - 145
Anthracene	10.0	9.476		ug/L		95	27 - 133
Benzo[g,h,i]perylene	10.0	7.954		ug/L		80	25 - 157
Benzo[k]fluoranthene	10.0	8.699		ug/L		87	24 - 159
Benzo[a]anthracene	10.0	8.650		ug/L		87	33 - 143
Benzo[a]pyrene	10.0	8.377		ug/L		84	17 - 163
Benzo[b]fluoranthene	10.0	8.162		ug/L		82	24 - 159
Chrysene	10.0	8.458		ug/L		85	17 - 168
Dibenz(a,h)anthracene	10.0	8.568		ug/L		86	25 - 175
Fluoranthene	10.0	9.585		ug/L		96	26 - 137
Fluorene	10.0	8.458		ug/L		85	59 - 121
Indeno[1,2,3-cd]pyrene	10.0	8.242		ug/L		82	25 - 175
Naphthalene	10.0	7.723		ug/L		77	21 - 133
Phenanthrene	10.0	8.939		ug/L		89	54 - 120
Pyrene	10.0	8.678		ug/L		87	45 - 129

Eurofins Calscience

QC Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: 8270C SIM - PAHs (GC/MS SIM) (Continued)

Lab Sample ID: LCS 570-567660/2-A

Matrix: Water

Analysis Batch: 569515

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 567660

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
2-Fluorobiphenyl (Surr)	81		33 - 144
Nitrobenzene-d5 (Surr)	81		28 - 139
p-Terphenyl-d14 (Surr)	73		23 - 160

Lab Sample ID: LCSD 570-567660/3-A

Matrix: Water

Analysis Batch: 569515

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 567660

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	10.0	7.285		ug/L		73	20 - 140	6	25
2-Methylnaphthalene	10.0	8.471		ug/L		85	21 - 140	5	25
Acenaphthene	10.0	8.625		ug/L		86	55 - 121	2	25
Acenaphthylene	10.0	8.531		ug/L		85	33 - 145	1	25
Anthracene	10.0	9.286		ug/L		93	27 - 133	2	25
Benzo[g,h,i]perylene	10.0	7.892		ug/L		79	25 - 157	1	25
Benzo[k]fluoranthene	10.0	8.263		ug/L		83	24 - 159	5	25
Benzo[a]anthracene	10.0	8.119		ug/L		81	33 - 143	6	25
Benzo[a]pyrene	10.0	7.941		ug/L		79	17 - 163	5	25
Benzo[b]fluoranthene	10.0	8.039		ug/L		80	24 - 159	2	25
Chrysene	10.0	8.255		ug/L		83	17 - 168	2	25
Dibenz[a,h]anthracene	10.0	8.442		ug/L		84	25 - 175	1	25
Fluoranthene	10.0	9.341		ug/L		93	26 - 137	3	25
Fluorene	10.0	8.845		ug/L		88	59 - 121	4	25
Indeno[1,2,3-cd]pyrene	10.0	8.042		ug/L		80	25 - 175	2	25
Naphthalene	10.0	7.279		ug/L		73	21 - 133	6	25
Phenanthrene	10.0	8.779		ug/L		88	54 - 120	2	25
Pyrene	10.0	8.259		ug/L		83	45 - 129	5	25

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
2-Fluorobiphenyl (Surr)	79		33 - 144
Nitrobenzene-d5 (Surr)	74		28 - 139
p-Terphenyl-d14 (Surr)	71		23 - 160

Lab Sample ID: MB 570-570710/1-A

Matrix: Water

Analysis Batch: 571864

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 570710

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.20	0.073	ug/L		05/13/25 19:01	05/15/25 21:30	1
2-Methylnaphthalene	ND		0.20	0.077	ug/L		05/13/25 19:01	05/15/25 21:30	1
Acenaphthene	ND		0.20	0.097	ug/L		05/13/25 19:01	05/15/25 21:30	1
Acenaphthylene	ND		0.20	0.069	ug/L		05/13/25 19:01	05/15/25 21:30	1
Anthracene	ND		0.20	0.059	ug/L		05/13/25 19:01	05/15/25 21:30	1
Benzo[g,h,i]perylene	ND		0.20	0.10	ug/L		05/13/25 19:01	05/15/25 21:30	1
Benzo[k]fluoranthene	ND		0.20	0.15	ug/L		05/13/25 19:01	05/15/25 21:30	1
Benzo[a]anthracene	ND		0.20	0.086	ug/L		05/13/25 19:01	05/15/25 21:30	1
Benzo[a]pyrene	ND		0.20	0.062	ug/L		05/13/25 19:01	05/15/25 21:30	1
Benzo[b]fluoranthene	ND		0.20	0.18	ug/L		05/13/25 19:01	05/15/25 21:30	1

Eurofins Calscience

QC Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: 8270C SIM - PAHs (GC/MS SIM) (Continued)

Lab Sample ID: MB 570-570710/1-A

Matrix: Water

Analysis Batch: 571864

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 570710

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chrysene	ND		0.20	0.059	ug/L		05/13/25 19:01	05/15/25 21:30	1
Dibenz(a,h)anthracene	ND		0.20	0.11	ug/L		05/13/25 19:01	05/15/25 21:30	1
Fluoranthene	ND		0.20	0.14	ug/L		05/13/25 19:01	05/15/25 21:30	1
Fluorene	ND		0.20	0.075	ug/L		05/13/25 19:01	05/15/25 21:30	1
Indeno[1,2,3-cd]pyrene	ND		0.20	0.11	ug/L		05/13/25 19:01	05/15/25 21:30	1
Naphthalene	ND		0.20	0.15	ug/L		05/13/25 19:01	05/15/25 21:30	1
Phenanthrene	ND		0.20	0.073	ug/L		05/13/25 19:01	05/15/25 21:30	1
Pyrene	ND		0.20	0.066	ug/L		05/13/25 19:01	05/15/25 21:30	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	81		33 - 144	05/13/25 19:01	05/15/25 21:30	1
Nitrobenzene-d5 (Surr)	85		28 - 139	05/13/25 19:01	05/15/25 21:30	1
p-Terphenyl-d14 (Surr)	87		23 - 160	05/13/25 19:01	05/15/25 21:30	1

Lab Sample ID: LCS 570-570710/2-A

Matrix: Water

Analysis Batch: 571864

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 570710

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	10.0	8.421		ug/L		84	20 - 140
2-Methylnaphthalene	10.0	9.503		ug/L		95	21 - 140
Acenaphthene	10.0	9.125		ug/L		91	55 - 121
Acenaphthylene	10.0	8.911		ug/L		89	33 - 145
Anthracene	10.0	10.32		ug/L		103	27 - 133
Benzo[g,h,i]perylene	10.0	9.534		ug/L		95	25 - 157
Benzo[k]fluoranthene	10.0	9.436		ug/L		94	24 - 159
Benzo[a]anthracene	10.0	9.297		ug/L		93	33 - 143
Benzo[a]pyrene	10.0	9.202		ug/L		92	17 - 163
Benzo[b]fluoranthene	10.0	9.569		ug/L		96	24 - 159
Chrysene	10.0	9.202		ug/L		92	17 - 168
Dibenz(a,h)anthracene	10.0	9.320		ug/L		93	25 - 175
Fluoranthene	10.0	10.14		ug/L		101	26 - 137
Fluorene	10.0	9.640		ug/L		96	59 - 121
Indeno[1,2,3-cd]pyrene	10.0	8.696		ug/L		87	25 - 175
Naphthalene	10.0	8.273		ug/L		83	21 - 133
Phenanthrene	10.0	9.964		ug/L		100	54 - 120
Pyrene	10.0	9.591		ug/L		96	45 - 129

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl (Surr)	77		33 - 144
Nitrobenzene-d5 (Surr)	72		28 - 139
p-Terphenyl-d14 (Surr)	72		23 - 160

QC Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: 8270C SIM - PAHs (GC/MS SIM) (Continued)

Lab Sample ID: LCSD 570-570710/3-A

Matrix: Water

Analysis Batch: 571864

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 570710

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	
							Limits		RPD	Limit
1-Methylnaphthalene	10.0	8.586		ug/L		86	20 - 140		2	25
2-Methylnaphthalene	10.0	9.665		ug/L		97	21 - 140		2	25
Acenaphthene	10.0	9.965		ug/L		100	55 - 121		9	25
Acenaphthylene	10.0	9.244		ug/L		92	33 - 145		4	25
Anthracene	10.0	10.78		ug/L		108	27 - 133		4	25
Benzo[g,h,i]perylene	10.0	10.87		ug/L		109	25 - 157		13	25
Benzo[k]fluoranthene	10.0	11.07		ug/L		111	24 - 159		16	25
Benzo[a]anthracene	10.0	10.10		ug/L		101	33 - 143		8	25
Benzo[a]pyrene	10.0	10.34		ug/L		103	17 - 163		12	25
Benzo[b]fluoranthene	10.0	10.33		ug/L		103	24 - 159		8	25
Chrysene	10.0	10.09		ug/L		101	17 - 168		9	25
Dibenz[a,h]anthracene	10.0	10.53		ug/L		105	25 - 175		12	25
Fluoranthene	10.0	10.87		ug/L		109	26 - 137		7	25
Fluorene	10.0	10.04		ug/L		100	59 - 121		4	25
Indeno[1,2,3-cd]pyrene	10.0	10.16		ug/L		102	25 - 175		16	25
Naphthalene	10.0	8.560		ug/L		86	21 - 133		3	25
Phenanthrene	10.0	10.74		ug/L		107	54 - 120		7	25
Pyrene	10.0	10.51		ug/L		105	45 - 129		9	25

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl (Surr)	83		33 - 144
Nitrobenzene-d5 (Surr)	73		28 - 139
p-Terphenyl-d14 (Surr)	81		23 - 160

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 570-568084/1-A

Matrix: Water

Analysis Batch: 569450

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 568084

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Aroclor-1016	ND		0.50	0.33	ug/L		05/07/25 15:45	05/10/25 21:28	1
Aroclor-1221	ND		0.50	0.33	ug/L		05/07/25 15:45	05/10/25 21:28	1
Aroclor-1232	ND		0.50	0.33	ug/L		05/07/25 15:45	05/10/25 21:28	1
Aroclor-1242	ND		0.50	0.33	ug/L		05/07/25 15:45	05/10/25 21:28	1
Aroclor-1248	ND		0.50	0.33	ug/L		05/07/25 15:45	05/10/25 21:28	1
Aroclor-1254	ND		0.50	0.39	ug/L		05/07/25 15:45	05/10/25 21:28	1
Aroclor-1260	ND		0.50	0.39	ug/L		05/07/25 15:45	05/10/25 21:28	1
Aroclor-1262	ND		0.50	0.39	ug/L		05/07/25 15:45	05/10/25 21:28	1
Aroclor-1268	ND		0.50	0.39	ug/L		05/07/25 15:45	05/10/25 21:28	1

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
DCB Decachlorobiphenyl (Surr)	70		20 - 180	05/07/25 15:45	05/10/25 21:28	1
Tetrachloro-m-xylene (Surr)	89		34 - 162	05/07/25 15:45	05/10/25 21:28	1

Eurofins Calscience

QC Sample Results

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method: 8082 - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: LCS 570-568084/2-A

Matrix: Water

Analysis Batch: 569450

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 568084

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Aroclor-1016	1.00	0.8579		ug/L		86	44 - 173	
Aroclor-1260	1.00	0.9597		ug/L		96	36 - 179	

Surrogate	LCS		Limits
	%Recovery	Qualifier	
DCB Decachlorobiphenyl (Surr)	95		20 - 180
Tetrachloro-m-xylene (Surr)	82		34 - 162

Lab Sample ID: LCSD 570-568084/3-A

Matrix: Water

Analysis Batch: 569450

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 568084

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits		RPD Limit	
Aroclor-1016	1.00	0.9407		ug/L		94	44 - 173		9	29
Aroclor-1260	1.00	1.087		ug/L		109	36 - 179		12	29

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
DCB Decachlorobiphenyl (Surr)	95		20 - 180
Tetrachloro-m-xylene (Surr)	88		34 - 162

Lab Chronicle

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Client Sample ID: C5E0128-01

Lab Sample ID: 570-229350-1

Date Collected: 05/01/25 09:25

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1071.4 mL	2 mL	567660	05/07/25 05:03	H1SH	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	569515	05/10/25 19:00	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			1072.6 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 17:49	P2HW	EET CAL 4
Instrument ID: GC81A										

Client Sample ID: C5E0128-02

Lab Sample ID: 570-229350-2

Date Collected: 05/01/25 10:50

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1076.8 mL	2 mL	567660	05/07/25 05:03	H1SH	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	569515	05/10/25 19:23	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			1075.5 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 18:08	P2HW	EET CAL 4
Instrument ID: GC81A										

Client Sample ID: C5E0128-03

Lab Sample ID: 570-229350-3

Date Collected: 05/01/25 11:30

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1077.4 mL	2 mL	567660	05/07/25 05:03	H1SH	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	569515	05/10/25 19:45	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			1060.9 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 18:26	P2HW	EET CAL 4
Instrument ID: GC81A										

Client Sample ID: C5E0128-04

Lab Sample ID: 570-229350-4

Date Collected: 05/01/25 07:45

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1060.5 mL	2 mL	567660	05/07/25 05:03	H1SH	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	569515	05/10/25 20:08	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			1069.3 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 18:44	P2HW	EET CAL 4
Instrument ID: GC81A										

Lab Chronicle

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Client Sample ID: C5E0128-05

Lab Sample ID: 570-229350-5

Date Collected: 05/01/25 09:00

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1077.1 mL	2 mL	567660	05/07/25 05:03	H1SH	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	569515	05/10/25 20:30	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			1045 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 19:02	P2HW	EET CAL 4
Instrument ID: GC81A										

Client Sample ID: C5E0128-06

Lab Sample ID: 570-229350-6

Date Collected: 05/01/25 08:55

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			841.9 mL	2 mL	567660	05/07/25 05:03	H1SH	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	569515	05/10/25 20:53	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			890 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 19:21	P2HW	EET CAL 4
Instrument ID: GC81A										

Client Sample ID: C5E0128-07

Lab Sample ID: 570-229350-7

Date Collected: 05/01/25 08:17

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1013.5 mL	2 mL	567660	05/07/25 05:03	H1SH	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	569515	05/10/25 21:15	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			988 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 19:39	P2HW	EET CAL 4
Instrument ID: GC81A										

Client Sample ID: C5E0128-08

Lab Sample ID: 570-229350-8

Date Collected: 05/01/25 10:00

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			950.5 mL	2 mL	570710	05/13/25 19:01	TR8L	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	571864	05/15/25 22:37	AX7Z	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			914.6 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 19:57	P2HW	EET CAL 4
Instrument ID: GC81A										

Lab Chronicle

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Client Sample ID: C5E0128-09

Lab Sample ID: 570-229350-9

Date Collected: 05/01/25 11:10

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			982.7 mL	2 mL	570710	05/13/25 19:01	TR8L	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	571864	05/15/25 22:59	AX7Z	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			896.3 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 20:15	P2HW	EET CAL 4
Instrument ID: GC81A										

Client Sample ID: C5E0128-10

Lab Sample ID: 570-229350-10

Date Collected: 05/01/25 10:30

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1067 mL	2 mL	570710	05/13/25 19:01	TR8L	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	571864	05/15/25 23:22	AX7Z	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			1059.7 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 20:34	P2HW	EET CAL 4
Instrument ID: GC81A										

Client Sample ID: C5E0128-11

Lab Sample ID: 570-229350-11

Date Collected: 05/01/25 12:00

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1054.3 mL	2 mL	570710	05/13/25 19:01	TR8L	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	571864	05/15/25 23:44	AX7Z	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			1074.1 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 20:52	P2HW	EET CAL 4
Instrument ID: GC81A										

Client Sample ID: C5E0128-12

Lab Sample ID: 570-229350-12

Date Collected: 05/01/25 12:35

Matrix: Water

Date Received: 05/06/25 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1080.1 mL	2 mL	567660	05/07/25 05:03	H1SH	EET CAL 4
Total/NA	Analysis	8270C SIM		1	1 mL	1 mL	569515	05/10/25 21:38	PQS1	EET CAL 4
Instrument ID: GCMSMM										
Total/NA	Prep	3510C			1072.5 mL	5 mL	568084	05/07/25 15:46	TR8L	EET CAL 4
Total/NA	Analysis	8082		1	1 mL	1 mL	569450	05/10/25 21:10	P2HW	EET CAL 4
Instrument ID: GC81A										

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Eurofins Calscience

Accreditation/Certification Summary

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Laboratory: Eurofins Calscience

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
California	State	3082	07-31-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8082	3510C	Water	Aroclor-1262
8082	3510C	Water	Aroclor-1268
8270C SIM	3510C	Water	1-Methylnaphthalene
8270C SIM	3510C	Water	Pyrene

Method Summary

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Method	Method Description	Protocol	Laboratory
8270C SIM	PAHs (GC/MS SIM)	SW846	EET CAL 4
8082	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET CAL 4
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET CAL 4

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CAL 4 = Eurofins Calscience Tustin, 2841 Dow Avenue, Tustin, CA 92780, TEL (714)895-5494

Sample Summary

Client: Babcock Laboratories, Inc.
Project/Site: C5E0128

Job ID: 570-229350-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-229350-1	C5E0128-01	Water	05/01/25 09:25	05/06/25 10:10
570-229350-2	C5E0128-02	Water	05/01/25 10:50	05/06/25 10:10
570-229350-3	C5E0128-03	Water	05/01/25 11:30	05/06/25 10:10
570-229350-4	C5E0128-04	Water	05/01/25 07:45	05/06/25 10:10
570-229350-5	C5E0128-05	Water	05/01/25 09:00	05/06/25 10:10
570-229350-6	C5E0128-06	Water	05/01/25 08:55	05/06/25 10:10
570-229350-7	C5E0128-07	Water	05/01/25 08:17	05/06/25 10:10
570-229350-8	C5E0128-08	Water	05/01/25 10:00	05/06/25 10:10
570-229350-9	C5E0128-09	Water	05/01/25 11:10	05/06/25 10:10
570-229350-10	C5E0128-10	Water	05/01/25 10:30	05/06/25 10:10
570-229350-11	C5E0128-11	Water	05/01/25 12:00	05/06/25 10:10
570-229350-12	C5E0128-12	Water	05/01/25 12:35	05/06/25 10:10



570-229350 Chain of Custody

Loc: 570
229350

SUBCONTRACT ORDER

Printed: 5/2/2025 13:01

Babcock Laboratories, Inc. - Riverside

C5E0128

SENDING LABORATORY:

Babcock Laboratories, Inc. - Riverside
6100 Quail Valley Court
Riverside, CA 92507-0704
Phone: (951) 653-3351
Fax: (951) 653-1662
Project Manager: Alexandria L. Guerra

RECEIVING LABORATORY:

Eurofins Calscience, Inc. - Subout
2841 Dow Avenue, Suite 100
Tustin, CA 92780
Phone: (714) 895-5494
Fax: (714) 894-7501

Needs QC/ EDD/J Flag

System Name: State Water Resources Control Board - Region 4
Sampler: Emily Duncan
Sampler Employed By: State Water Resources Control Board - Region 4

Expires Regulatory Days

Analysis	Due	Past Date Sampled	Laboratory ID	Comments
Sample ID: C5E0128-01 Liquid	1	Sampled: 05/01/25 09:25	DPH 107B	Proj.No.: <u>RWB4 Wildfire Response 2025</u>
8270-PAH SIM	05/19/25 23:59	05/08/25 09:25		
8082	05/15/25 23:59	05/08/25 09:25		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	
Sample ID: C5E0128-02 Liquid	2	Sampled: 05/01/25 10:50	DPH 108	Proj.No.: <u>RWB4 Wildfire Response 2025</u>
8082	05/15/25 23:59	05/08/25 10:50		
8270-PAH SIM	05/19/25 23:59	05/08/25 10:50		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	
Sample ID: C5E0128-03 Liquid	3	Sampled: 05/01/25 11:30	SMB 1-18	Proj.No.: <u>RWB4 Wildfire Response 2025</u>
8082	05/15/25 23:59	05/08/25 11:30		
8270-PAH SIM	05/19/25 23:59	05/08/25 11:30		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	
Sample ID: C5E0128-04 Liquid	4	Sampled: 05/01/25 07:45	SMB 3-4	Proj.No.: <u>RWB4 Wildfire Response 2025</u>
8082	05/15/25 23:59	05/08/25 07:45		
8270-PAH SIM	05/19/25 23:59	05/08/25 07:45		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	

229350

SUBCONTRACT ORDER

Printed: 5/2/2025 13:01

Babcock Laboratories, Inc. - Riverside

C5E0128

Analysis	Due	Expires Regulatory Days Past Date Sampled	Laboratory ID	Comments
Sample ID: C5E0128-05 Liquid	5	Sampled: 05/01/25 09:00	DPH 002	Proj.No.: <u>RWB4 Wildfire Response 2025</u>
8082	05/15/25 23:59	05/08/25 09:00		
8270-PAH SIM	05/19/25 23:59	05/08/25 09:00		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	
Sample ID: C5E0128-06 Liquid	6	Sampled: 05/01/25 08:55	DPH 103	Proj.No.: <u>RWB4 Wildfire Response 2025</u>
8270-PAH SIM	05/19/25 23:59	05/08/25 08:55		
8082	05/15/25 23:59	05/08/25 08:55		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	
Sample ID: C5E0128-07 Liquid	7	Sampled: 05/01/25 08:17	SMB 2-4	Proj.No.: <u>RWB4 Wildfire Response 2025</u>
8270-PAH SIM	05/19/25 23:59	05/08/25 08:17		
8082	05/15/25 23:59	05/08/25 08:17		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	
Sample ID: C5E0128-08 Liquid	8	Sampled: 05/01/25 10:00	SMB 2-7	Proj.No.: <u>RWB4 Wildfire Response 2025</u>
8082	05/15/25 23:59	05/08/25 10:00		
8270-PAH SIM	05/19/25 23:59	05/08/25 10:00		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	
Sample ID: C5E0128-09 Liquid	9	Sampled: 05/01/25 11:10	DPH 105B	Proj.No.: <u>RWB4 Wildfire Response 2025</u>
8082	05/15/25 23:59	05/08/25 11:10		
8270-PAH SIM	05/19/25 23:59	05/08/25 11:10		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	
Sample ID: C5E0128-10 Liquid	10	Sampled: 05/01/25 10:30	SMB 1-16	Proj.No.: <u>RWB4 Wildfire Response 2025</u>
8082	05/15/25 23:59	05/08/25 10:30		
8270-PAH SIM	05/19/25 23:59	05/08/25 10:30		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	

229350

SUBCONTRACT ORDER

Printed: 5/2/2025 13:01

Babcock Laboratories, Inc. - Riverside

C5E0128

Analysis	Due	Expires Regulatory Days Past Date Sampled	Laboratory ID	Comments
Sample ID: C5E0128-11 Liquid	11	Sampled: 05/01/25 12:00	SMB 2-10	Proj.No.: <u>RWB4 Wildfire</u> <u>Response 2025</u>
8082	05/15/25 23:59	05/08/25 12:00		
8270-PAH SIM	05/19/25 23:59	05/08/25 12:00		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	
Sample ID: C5E0128-12 Liquid	12	Sampled: 05/01/25 12:35	SMB 2-10 Duplicate	Proj.No.: <u>RWB4 Wildfire</u> <u>Response 2025</u>
8270-PAH SIM	05/19/25 23:59	05/08/25 12:35		
8082	05/15/25 23:59	05/08/25 12:35		
Containers Supplied:				
1L Amber- Unpres. (A)	1L Amber- Unpres. (B)	1L Amber- Unpres. (C)	1L Amber- Unpres. (D)	

0.3/0.8, 12/1.7, 2.3/2.8, 0.2/0.1

All Containers Intact: ☐ Yes ☐ No Samples Preserved Properly: ☐ Yes ☐ No
 Samples Received at SC11 oC Sample Labels / COC Agree: ☐ Yes ☐ No Custody Seals Present: ☐ Yes ☐ No

Please forward all acknowledgements of sample receipt, final reports and invoices to data@babcocklabs.com
 NO HARDCOPIES PLEASE.

Released By <u>Fedex</u>	Date <u>5/5/25</u>	Received By <u>Fedex</u>	Date <u>5/6/25 10:10</u>
Released By	Date	Received By <u>Julius EC</u>	Date

2.3/3.3, 2.6/3.7, 2.4/3.6, 2.4/3.7

Page 3 of 3

JP42

229350



570-229350 Waybill

Do not lift Do not lift Do not lift using t

ORIGIN ID: MERA (951) 653-3351
BABCOCK LABORATORIES INC.
6100 QUAIL VALLEY COURT

RIVERSIDE, CA 92507
UNITED STATES US

AMPLE RECEIVING
JROFINS


2841 DOW AVENUE

SUITE 100

TUSTIN CA 92780

(714) 894-7501

REF:



1 of 4

4 5098 1641

ER ##

DTHA



Part # 156148-434 MTHY EXP 05/25

2 of 4
MPS# 0263 4554 5098 1652
Mstr# 4554 5098 1641

92 DTHA



Part # 156148-434 MTHY EXP 05/25

3 of 4
MPS# 0263 4554 5098 1663
Mstr# 4554 5098 1641

92 DTHA



Part # 156148-434 MTHY EXP 05/25

4 of 4
MPS# 0263 4554 5098 1674
Mstr# 4554 5098 1641

92 DTHA



ORIGIN ID: MERA (951) 653-3351
BABCOCK LABORATORIES INC.
6100 QUAIL VALLEY COURT

RIVERSIDE, CA 92507
UNITED STATES US

AMPLE RECEIVING
EUROFINS


2841 DOW AVENUE

SUITE 100

TUSTIN CA 92780

(714) 894-7501

REF:



DEPT:

TUE - 06
PRIORITY

0201

SH
AC
CA

BI

4927 TUE 05/06 08:06
2841 DOW AVE

1
2
3
4
5
6
7
8
9
10
11
12
13

Login Sample Receipt Checklist

Client: Babcock Laboratories, Inc.

Job Number: 570-229350-1

Login Number: 229350

List Source: Eurofins Calscience

List Number: 1

Creator: Vitente, Precy

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

