



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611825000036997F

Page 1 of 1

Report No : ENQ250726011-01

Report Date : 31 Jul 2025

Customer Name : M/s. Naturify Foods Pvt Ltd.

Customer Address : Plot No.174&175, Phase:II, B.N.Reddy Nagar, Nacharam, Circle-1,
Cherlapally, Near Icomm, Secundrabad Hyderabad, Telangana, India - 500051.

Sample Name : Packaged Drinking Water

Sample Quantity : 1 Ltr x 6 No's
Pet Bottles

Sample Description : Packaged Drinking Water

Sample Received on : 26 Jul 2025

Reference : Customer Letter

Test Started on : 26 Jul 2025

Sample Drawn By : Customer

Test Completed on : 31 Jul 2025

Brand Name : FIT + Water

Date Of Manufacturing : 12 May 2025

CM/L. No : 6300093005

Date of Expiry : 6 Months from the
date of Mfg.

Batch No. : FN1225

TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirement as per IS 14543 : 2024
5.2.Microbiological Parameters					
1	<i>Faecal streptococci / Enterococci</i>	IS 15186 - 2002 (Reaffirmed 2023)	Per 250mL	Absent	Absent/250mL
2	<i>Salmonella spp</i>	IS 15187 - 2016 (Reaffirmed 2021)	Per 250mL	Absent	Absent/250mL
3	<i>Shigella</i>	IS 5887 (Part 7) - 1999 (Reaffirmed 2022)	Per 250mL	Absent	Absent/250mL
4	<i>Staphylococcus aureus</i>	IS 5887 (Part 2) - 1976 (Reaffirmed 2022)	Per 250mL	Absent	Absent/250mL
5	<i>Vibrio Cholerae</i>	IS 5887 (Part 5/Sec 1) - 2023	Per 250mL	Absent	Absent/250mL
6	<i>Vibrio parahaemolyticus</i>	IS 5887 (Part 5/Sec 1) - 2023	Per 250mL	Absent	Absent/250mL
Clause 5.3, Table 2 General Parameters Concerning Substances Undesirable In Excessive Amounts					
7	Anionic Surface Active Agents as MBAS	IS 3025 (Part 68) -2019	mg/L	BLQ(LOQ:0.05)	0.2 Max
8	Antimony	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.005 Max
9	Barium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.7 Max
10	Borates	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.025)	5.0 Max
11	Copper	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.05 Max
12	Iron as Fe	IS 3025 (Part 53) - 2024	mg/L	BLQ(LOQ:0.05)	0.1 Max
13	Manganese	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.1 Max
14	Mineral Oil	IS 3025 (Part 39) - 2021	mg/L	BLQ(LOQ:1.00)	1.0 Max
15	Phenolic Compound as C6H5OH	IS 3025 (Part 43) Sec 1 - 2022	mg/L	BLQ(LOQ:0.001)	0.001 Max
16	Zinc	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	5.0 Max

Note : BLQ: Below Quantification Limit, LOQ: Limit of Quantification.

Remarks : The Packaged Drinking Water sample conforms to the requirement of IS 14543 : 2024 with respect to the parameters tested above.

S. Anbarasan

Authorized Signatory-Biological

/***** End of the Report *****/

S. Kanimozhi

Authorized Signatory-Chemical

Laboratory Address: No 39/6, Puduchatram, Thiruvallur High Road, Thirumazhisai Via, Poonamallee Tk, Thiruvallur, Chennai, Tamil Nadu, India

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED



TEST REPORT

TC-6118

ULR - TC611825000036998F

Page 1 of 1

Report No : ENQ250726011-02

Report Date : 31 Jul 2025

Customer Name : M/s. Naturify Foods Pvt Ltd.

Customer Address : Plot No.174&175, Phase:II, B.N.Reddy Nagar, Nacharam, Circle-1,
Cherlapally, Near Icomm, Secundrabad Hyderabad, Telangana, India - 500051.

Sample Name : Packaged Drinking Water

Sample Quantity : 1 Ltr x 6 No's
Pet Bottles

Sample Description : Packaged Drinking Water

Sample Received on : 26 Jul 2025

Reference : Customer Letter

Test Started on : 26 Jul 2025

Sample Drawn By : Customer

Test Completed on : 31 Jul 2025

Brand Name : FIT + Water

Date Of Manufacturing : 13 Jun 2025

CM/L. No : 6300093005

Date of Expiry : 6 Months from the
date of Mfg.

Batch No. : FN1325

TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirement as per IS 14543 : 2024
5.2.Microbiological Parameters					
1	Faecal streptococci / Enterococci	IS 15186 - 2002 (Reaffirmed 2023)	Per 250mL	Absent	Absent/250mL
2	Salmonella spp	IS 15187 - 2016 (Reaffirmed 2021)	Per 250mL	Absent	Absent/250mL
3	Shigella	IS 5887 (Part 7) - 1999 (Reaffirmed 2022)	Per 250mL	Absent	Absent/250mL
4	Staphylococcus aureus	IS 5887 (Part 2) - 1976 (Reaffirmed 2022)	Per 250mL	Absent	Absent/250mL
5	Vibrio Cholerae	IS 5887 (Part 5/Sec 1) - 2023	Per 250mL	Absent	Absent/250mL
6	Vibrio parahaemolyticus	IS 5887 (Part 5/Sec 1) - 2023	Per 250mL	Absent	Absent/250mL
Clause 5.3, Table 2 General Parameters Concerning Substances Undesirable In Excessive Amounts					
7	Anionic Surface Active Agents as MBAS	IS 3025 (Part 68) -2019	mg/L	BLQ(LOQ:0.05)	0.2 Max
8	Antimony	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.005 Max
9	Barium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.7 Max
10	Borates	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.025)	5.0 Max
11	Copper	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.05 Max
12	Iron as Fe	IS 3025 (Part 53) - 2024	mg/L	BLQ(LOQ:0.05)	0.1 Max
13	Manganese	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.1 Max
14	Mineral Oil	IS 3025 (Part 39) - 2021	mg/L	BLQ(LOQ:1.00)	1.0 Max
15	Phenolic Compound as C6H5OH	IS 3025 (Part 43) Sec 1 - 2022	mg/L	BLQ(LOQ:0.001)	0.001 Max
16	Zinc	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	5.0 Max

Note : BLQ: Below Quantification Limit, LOQ: Limit of Quantification.

Remarks : The Packaged Drinking Water sample conforms to the requirement of IS 14543 : 2024 with respect to the parameters tested above.

S. Anbarasan

Authorized Signatory-Biological

/***** End of the Report *****/

S. Kanimozhi

Authorized Signatory-Chemical

Laboratory Address: No 39/6, Puduchatram, Thiruvallur High Road, Thirumazhisai Via, Poonamallee Tk, Thiruvallur, Chennai, Tamil Nadu, India

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611825000036999F

Page 1 of 1

Report No : ENQ250726011-03

Report Date : 31 Jul 2025

Customer Name : M/s. Naturify Foods Pvt Ltd.

Customer Address : Plot No.174&175, Phase:II, B.N.Reddy Nagar, Nacharam, Circle-1,
Cherlapally, Near Icomm, Secundrabad Hyderabad, Telangana, India - 500051.

Sample Name : Packaged Drinking Water

Sample Quantity : 1 Ltr x 6 No's
Pet Bottles

Sample Description : Packaged Drinking Water

Sample Received on : 26 Jul 2025

Reference : Customer Letter

Test Started on : 26 Jul 2025

Sample Drawn By : Customer

Test Completed on : 31 Jul 2025

Brand Name : FIT + Water

Date Of Manufacturing : 10 Jul 2025

CM/L. No : 6300093005

Date of Expiry : 6 Months from the
date of Mfg.

Batch No. : FN1025

TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirement as per IS 14543 : 2024
5.2.Microbiological Parameters					
1	<i>Faecal streptococci / Enterococci</i>	IS 15186 - 2002 (Reaffirmed 2023)	Per 250mL	Absent	Absent/250mL
2	<i>Salmonella spp</i>	IS 15187 - 2016 (Reaffirmed 2021)	Per 250mL	Absent	Absent/250mL
3	<i>Shigella</i>	IS 5887 (Part 7) - 1999 (Reaffirmed 2022)	Per 250mL	Absent	Absent/250mL
4	<i>Staphylococcus aureus</i>	IS 5887 (Part 2) - 1976 (Reaffirmed 2022)	Per 250mL	Absent	Absent/250mL
5	<i>Vibrio Cholerae</i>	IS 5887 (Part 5/Sec 1) - 2023	Per 250mL	Absent	Absent/250mL
6	<i>Vibrio parahaemolyticus</i>	IS 5887 (Part 5/Sec 1) - 2023	Per 250mL	Absent	Absent/250mL
Clause 5.3, Table 2 General Parameters Concerning Substances Undesirable In Excessive Amounts					
7	Anionic Surface Active Agents as MBAS	IS 3025 (Part 68) -2019	mg/L	BLQ(LOQ:0.05)	0.2 Max
8	Antimony	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.005 Max
9	Barium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.7 Max
10	Borates	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.025)	5.0 Max
11	Copper	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.05 Max
12	Iron as Fe	IS 3025 (Part 53) - 2024	mg/L	BLQ(LOQ:0.05)	0.1 Max
13	Manganese	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.1 Max
14	Mineral Oil	IS 3025 (Part 39) - 2021	mg/L	BLQ(LOQ:1.00)	1.0 Max
15	Phenolic Compound as C ₆ H ₅ OH	IS 3025 (Part 43) Sec 1 - 2022	mg/L	BLQ(LOQ:0.001)	0.001 Max
16	Zinc	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	5.0 Max

Note : BLQ: Below Quantification Limit, LOQ: Limit of Quantification.

Remarks : The Packaged Drinking Water sample conforms to the requirement of IS 14543 : 2024 with respect to the parameters tested above.

S. Anbarasan
Authorized Signatory-Biological

/***** End of the Report *****/

S. Kanimozhi
Authorized Signatory-Chemical

Laboratory Address: No 39/6, Puduchatram, Thiruvallur High Road, Thirumazhisai Via, Poonamallee Tk, Thiruvallur, Chennai, Tamil Nadu, India

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611825000037000F

Page 1 of 1

Report No : ENQ250726011-04

Report Date : 31 Jul 2025

Customer Name : M/s. Naturify Foods Pvt Ltd.

Customer Address : Plot No.174&175, Phase:II, B.N.Reddy Nagar, Nacharam, Circle-1,
Cherlapally, Near Icomm, Secundrabad Hyderabad, Telangana, India - 500051.

Sample Name : Packaged Drinking Water

Sample Quantity : 1 Ltr x 6 No's
Pet Bottles

Sample Description : Packaged Drinking Water

Sample Received on : 26 Jul 2025

Reference : Customer Letter

Test Started on : 27 Jul 2025

Sample Drawn By : Customer

Test Completed on : 31 Jul 2025

Brand Name : FIT + Water

Date Of Manufacturing : 10 Jul 2025

CM/L. No : 6300093005

Date of Expiry : 6 Months from the
date of Mfg.

Batch No. : FN1025

TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirement as per IS 14543 : 2024
Clause 5.3, Table 2 General Parameters Concerning Substances Undesirable In Excessive Amounts					
1	Bromates as BrO ₃	IS 3025 (Part 67) - 2018	mg/L	BLQ(LOQ:0.005)	0.01 Max
2	Fluoride as F	IS 3025 (Part 60) - 2008 (Reaffirmed 2019)	mg/L	BLQ(LOQ:0.1)	1.0 Max
3	Selenium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.01 Max
4	Silver	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.01 Max
5	Sodium as Na	IS 3025 (Part 45) - 1993 (Reaffirmed 2019)	mg/L	3.4	200 Max
Clause 5.3, Table 3 Parameters Concerning Toxic Substances					
6	Arsenic	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.01 Max
7	Cadmium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.003 Max
8	Cyanide as CN	IS 3025 (Part 27) Sec 1 - 2021	mg/L	Absent*	Absent
9	Lead	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.01 Max
10	Mercury	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.0005)	0.001 Max
11	Nickel	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.02 Max
12	Total Chromium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.05 Max
Poly Chlorinated Biphenyl (PCBs)					
13	PCBs	SMSLA/GC/SOP/30 - 2024	mg/L	ND(LOQ:0.00001)each	Not Detectable
Polycyclic Aromatic Hydrocarbons					
14	PAHs	SMSLA/GC/SOP/30 - 2024	mg/L	ND(LOQ:0.00001)each	Not Detectable

Note : BLQ: Below Quantification Limit, LOQ: Limit of Quantification. *Absent- BLQ (LOQ: 0.01) ND - Not Detectable.

Remarks : The Packaged Drinking Water sample conforms to the requirement of IS 14543 : 2024 with respect to the parameters tested above.

/***** End of the Report *****/

S. Kanimozhi

Authorized Signatory-Chemical

Laboratory Address: No 39/6, Puduchatram, Thiruvallur High Road, Thirumazhisai Via, Poonamallee Tk, Thiruvallur, Chennai, Tamil Nadu, India

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611825000037001F

Report No : ENQ250726011-05

Page 1 of 1

Report Date : 31 Jul 2025

Customer Name : M/s. Naturify Foods Pvt Ltd.
Customer Address : Plot No.174&175, Phase:II, B.N.Reddy Nagar, Nacharam, Circle-I,
Cherlapally, Near Icomm, Secundrabad Hyderabad, Telangana, India - 500051.
Sample Name : Packaged Drinking Water **Sample Quantity** : 1 Ltr x 1 No Pet Bottle
Sample Description : Packaged Drinking Water **Sample Received on** : 26 Jul 2025
Reference : Customer Letter **Test Started on** : 27 Jul 2025
Sample Drawn By : Customer **Test Completed on** : 29 Jul 2025
Brand Name : FIT + Water **Date Of Manufacturing** : 10 Jul 2025
CM/L. No : 6300093005 **Date of Expiry** : 6 Months from the
date of Mfg.
Batch No. : FN1025

TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	Requirement as per IS 14543 : 2024
Trace Elements					
1	Uranium	IS 3025 (Part 65) - 2025	mg/L	BLQ(LOQ:0.001)	0.03 Max

Note : BLQ: Below Quantification Limit, LOQ: Limit of Quantification.

Remarks : The Packaged Drinking Water sample conforms to the requirement of IS 14543 : 2024 with respect to the parameters tested above.

/***** End of the Report *****/

S. Kanimozhi

S.Kanimozhi

Authorized Signatory-Chemical

Laboratory Address: No 39/6, Puduchatram, Thiruvallur High Road, Thirumazhisai Via, Poonamallee Tk, Thiruvallur, Chennai, Tamil Nadu, India

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.