AQUACEL® Extra™

Dressing Size	Pack size	Product Code
AQUACEL® Extra™ Dressings		
5cm x 5cm (2" x 2")	10	420671
10cm x 10cm (4" x 4")	10	420672
15cm x 15cm (6" x 6")	5	420673
AQUACEL® Ribbon Dressing		
1cm x 45cm (0.39" x 18")	5	420127
2cm x 45cm (3/4" x 18")	5	403770

AQUACEL® Ag+ Extra™

Dressing Size	Pack size	Product Code
AQUACEL® Ag+ Extra™ Dressings		
5cm x 5cm (2" x 2")	10	413566
10cm x 10cm (4" x 4")	10	413567
15cm x 15cm (6" x 6")	5	413568
20cm x 30cm (8" x 12")	5	413569
AQUACEL® Ag+ Ribbon Dressings		
1cm x 45cm (0.39" x 18")	5	413570
2cm x 45cm (3/4" x 18")	5	413571

AQUACEL® Foam

Dressing Size	Pack size	Product Code
AQUACEL® Foam Adhesive		
8cm x 8cm (3.2" x 3.2")	10	420804
10cm x 10cm (4" x 4")	10	420680
12.5cm x 12.5cm (5" x 5")	10	420619
17.5cm x 17.5cm (7" x 7")	10	420621
21cm x 21cm (8.5" x 8.5")	5	420623
19.8cm x 14cm (Heel) (8" x 5.5")	5	420625
20cm x 16.9cm (Sacral) (8" x 7")	5	420626
10cm x 20cm (4" x 8")	5	421150
10cm x 10cm (4" x 10")	5	421152
10cm x 30cm (4" x 12")	5	421154
25cm x 30cm (10" x 12")	5	420624
AQUACEL® Foam Non-Adhesive		
5cm x 5cm (2" x 2")	10	420631
10cm x 10cm (4" x 4")	10	420633
15cm x 15cm (6" x 6")	5	420635
20cm x 20cm (8" x 8")	5	420636
15cm x 20cm (6" x 8")	5	420637
10cm x 20cm (4" x 8")	5	421156

For more information, please call our Customer Relations Center (Registered Nurses on staff) at **1-800-465-6302**, Monday through Friday, 8:00 AM to 6:00 PM (EST), or visit our Web Site at **www.convatec.ca**

Partners

ConvaTec

www.convatec.ca

ConvaTec

In vitro testing in a simulated wound model shows how AQUACEL® dressing handles fluid effectively as a primary wound contact dressing and transfers this fluid most effectively into the secondary cover dressing when that cover dressing is AQUACEL® foam cover dressing.[7]

References: **1.** Bishop SM, Walker M, Rogers AA, Chen WYJ. Moisture Balance: Optimising the wound-dressing interface, 2003. J Wound Care 12: 125-128. **2.** Parsons D, Bowler PG, Myles V, Jones SA, 2005. Silver antimicrobial dressings in wound management: A comparison of antibacterial, physical and chemical characteristics. WOUNDS, 17: 222-232. **3.** Walker M and Parsons D, 2010. Hydrofiber® Technology: its role in exudate management. Wounds UK 6: 31-38. **4.** Bowler P, Jones S, Towers V, Booth R, Parsons D, Walker M, 2010. Dressing conformability and silver-containing wound dressings. Wounds UK 6: 14-20. **5.** Antimicrobial activity and prevention of biofilm reformation by AQUACEL® Ag+ EXTRA™ dressing. Scientific Background Report. WHRI3857 MA236, 2013, Data on file, ConvaTec Inc. **6.** Antimicrobial activity against CA-MRSA and prevention of biofilm reformation by AQUACEL® Ag+ EXTRA™ dressing. Scientific Background Report. WHRI3875 MA239, 2013, Data on file, ConvaTec Inc. **7.** Bowler PG, Welsby S, Towers V, Booth V, Hogarth A, Rowlands V, Joseph A, et al, 2012. Multidrug-resistant organisms, wounds and topical antimicrobial protection. Int Wound J. **8.** Barnea Y, Amir A, Leshem D, et al. Clinical comparative study of Aquacel and paraffin gauze dressing for split-skin donor site treatment. Ann Plast Surg. 2004;53(2):132-136. **9.** Kogan L, Moldavsky M, Szvalb S, Govrin-Yehudain J. Comparative study of Aquacel and Silverol treatment in burns. Ann Burns Fire Disasters. 2004;17(4):201- 207. **10.** DM, Foster KN, Hermans MHE, Rick C, 2004. AQUACEL® Ag in the management of partial-thickness burns: Results of a Clinical Trial. J. Burn Care Rehabil.; 25: 89-97. **11.** Jones SA, Bowler PG, Walker M, 2005. Antimicrobial activity of silver-containing dressings is influenced by dressing conformability with a wound surface. WOUNDS, 17: 263-270. **12.** Newman GR, Walker M, Hobot JA, Bowler PG, 2006. Visualisation of bacterial sequestration and bacterial activity within hydrating Hydrofiber® wound dressings. Biomaterials 27(07): 1129-1139. **13.** Walker M, Hobot JA, Newman GR, Bowler PG, 2003. Scanning electron microscopic examination of bacterial immobilization in a carboxymethyl cellulose (AQUACEL®) and alginate Dressing. Biomaterials 24:883-890. **14.** Bowler PG, Jones SA, Davies BJ, Coyle E, 1999. Infection control properties of some wound dressings. J.Wound Care 8(10):499-502. **15.** Visual Assessment of Fluid Handling by AQUACEL® Extra covered by Different Foam Dressings WHRI5397 MS147. Data on file, ConvaTec Inc. **16.** Mixing Wound Dressings: Does it Affect Clinical Outcomes, Tickle. J. Poster presented at World Union of Wound Healing Societies, 2016.

Perfect

AQUACEL® Extra™

AQUACEL® dressings support wound healing by creating a moist wound environment, micro-contouring to the wound bed and reducing the risk of maceration.[1,2,3,4]

AQUACEL® Extra™ is a versatile primary dressing for moderately-to highly-exuding chronic and acute wounds.

AQUACEL® Ag+ Dressings

AQUACEL® Ag+ Extra™ dressings are unique silver containing anti-biofilm primary dressings.[5,6,7]

Use AQUACEL® primary dressings with AQUACEL® Foam dressing to provide extra absorbency for heavily exuding wounds and/or deep dermal wounds

PerfectPartners

POWERED BY Hydrofiber® TECHNOLOGY

EXPERIENCE THE SYNERGY OF HYDROFIBER® TECHNOLOGY DRESSINGS

Combining dressings is common practice, however very little evidence exists to demonstrate how effectively they will work together. Only AQUACEL® Foam dressing has been designed to work with the AQUACEL® family of primary dressings to help achieve optimal dressing performance.

* *As demonstrated in-vitro comparing 5 silicone based foam dressings currently on the market. Data held on file at ConvaTec Inc.*

- Responds to wound conditions by forming a cohesive gel, while helping to minimise pain associated with dressing changes[8,9,10]
- Micro-contours to the wound bed, helping to maintain optimal moisture balance and eliminates dead spaces where bacteria can grow[4,11]
- Locks in excess exudate, bacteria and helps prevent maceration[12,13,14]
- 100% non-restricted exudate transfer between Hydrofiber® layers[15,16]
- Creates an ideal balanced environment for healing[1,3]



AQUACEL® Foam

AQUACEL® Foam dressing is suitable for a wide range of acute and chronic wounds. It can be used as a primary dressing to manage shallow wounds or as a secondary dressing with AQUACEL® primary dressing for highly exuding wounds and/or deep wounds.[15,16]



The synergy between the Hydrofiber® layers of the dressings allows non-restricted transfer of exudate.[15,16]