Building Bridges 2019

References and Bibliography

AAP Task Force on Sudden Infant Death Syndrome. 2005. Changing concepts of sudden infant death syndrome: implications for infant sleeping environment and sleep position. *Pediatrics* 115(3)496-506

AAP – 2012 – Section on Breastfeeding Policy Statement. Breastfeeding and the use of human milk. Published on Line 2/27/13. Www.aap.org

AAP Committee on Fetus and Newborn, Hospital stay for healthy term newborns, Pediatrics, Vol 96, No 4, October 1995, pp 788-789.

AAP Committee on Nutrition. 2010. Diagnosis and prevention of iron deficiency and iron-deficiency anemia in infants and young children (0-3 years of age). *Pediatrics* 126:5 pp 1040-1050.

Academy of Breastfeeding Medicine. 2007. Clinical Protocol: Guidelines for Hospital Discharge of the breastfeeding term newborn and mother. "The Going Home Protocol." *Breastfeeding Medicine* 2(3):158-161

Academy of Breastfeeding Medicine. 2012. Clinical Protocol #15: Analgesia and anesthesia for the breastfeeding mother, revised 2012. Breastfeeding Med. 7(6) pp 547-553

ACOG, 2017. Committee on Obstetric Practice. Approaches to limit interventions during labor and birth. #687, February

ACOG, 2018. Committee on Obstetric Practice. Optimizing Postpartum Care. OB & GYN, May, 2018. Number 736

American Society of Anesthesiologists. 2015. Most healthy women would benefit from light meal during labor. Research presented at the ANESTHESIOLOGY® 2015 annual meeting. October.

Adair LS. 2008. Methods appropriate for studying the relationship of breastfeeding to obesity. J Nutr. Epub Dec 23.

American Academy of Pediatrics, 2000. Prevention and management of pain and stress in the neonate. Pediatrics, 105(2), 454-61

American College of Nurse-Midwives. 2008. Providing oral nutrition to women in labor. J Midwifery Womens Health. 53:276-83

Anim-Somuah, M. 2005. Cochrane review eyes epidural risks. Ob. Gyn. News 40(23). December. 1, 3

Armstrong J, Reilly JJ. 2002. Breastfeeding and lowering the risk of childhood obesity. Lancet. 359(9322);2003-4.

Association for Pre & Perinatal Psychology: http://www.birthpsychology.com/

Bader, AM et al. 1995. Maternal and neonatal fentanyl and bupivacaine concentrations after epidural infusion during labor. *Anesthesia and Analgesia*, 81(829-832.

Barrera CM, Beauregard JL, Nelson JM, Perrine CG. 2019. Association of maternity care practices and policies with in hospital exclusive breastfeeding in the United States. *Breastfeed Med.* Doi:10.1089/bfm.2018.0196.

Bartick M, Stuebe A, Shealy KR, Walker M, Grummer-Strawn L. 2009. Closing the quality gap: promoting evidence based breastfeeding care in the hospital. Pediatrics. 124; e793-802

Bates, B. 2007. Light eating during labor won't raise complication risk: Risk low, satisfaction high in U.K. study. ObGyn News 42(9):1, 5

Baumgarder, D, et al. 2003. Effect of labor epidural anesthesia on breast-feeding of healthy full-term newborns delivered vaginally. J AM Board Fam Pract 16(1):7-13

Beilin, Y et al. 2005. Effect of labor epidural analgesia with and without fentanyl on infant breast-feeding: A prospective, radomized, double-blind study. *Anestthesiology*, 103(1211-1217.

Bell AF, White-Traut R, Rankin K. 2013. Fetal exposure to synthetic oxytocin and the relationship with prefeeding cues within one hour postbirth. *Early Hum Dev.* 89(3):137-43.

Bell, A et al. 2014. Beyond labor: the role of natural and synthetic oxytocin in the transition to motherhood. *J Midwifery & Women's Health*. 59:35-42 Jan/Feb.

Bell S, YiYew SS, Devenish G, Ha D, Do L, Scott J. 2018. Duration of breastfeeding but not timing of solid food, reduces the risk of overweight and obesity in children aged 24-36 months. Int J Environ Res Public Health. 15:599

Berger, LR. 1980. Parental guilt: self-induced and iatrogenic. Clin Pediatr 19(7):499-500. Jul.

Bergman, N. J. 2005. Skin to skin contact and perinatal neuroscience. Paper presented at the meeting of the International Lactation Consultant Association Conference, July, 2005 -- Chicago, IL

Bernstein, P. 2005. Complications of Cesarean Deliveries. Medscape September 15

Bizon AMBL. Et al. 2019. Combined pro breastfeeding practices are advantageous in facilities providing maternity and newborn services. Matern Child Nutr. E12811.doi:10.1111/mcn12822.

Bramson LM, et al. 2010. Effects of early skin to skin mother-infant contact during the first 3 hours following birth on exclusive breastfeeding during the maternity hospital stay. JHL 26(2) 130-137.

Brimdyr, K et al. 2015. The association between common labor drugs and suckling when skin-to-skin during the first hour after birth. *Birth*. December

Brimdyr, K et al. 2019. The effect of labor medications on normal newborn behavior in the first hour after birth: a prospective cohort study. Early Human Development 132(30-36)

Budin, W. 2014. Healthy birth practices revisited. Journal of Perinatal Education. 23(4): 167-168

Bystrova, K. et al. 2007. The effect of Russian maternity home routines on breastfeeding and neonatal weight loss with special reference to swaddling. *Early Human Development* 83(1):29-39

Bystrova, K et al. 2003. Skin to skin contact may reduce negative consequences of "stress of being born." A study on temperature on newborn infants subjected to different ward routines in St. Petersburg. *Acta Paediatrica* 92(3):320-326

Callahan S, Sejourne N, Denis A. 2006. Fatigue and breastfeeding; an inevitable partnership?. J Hum Lact. 22(2);182-87.

Carlfjord S, Festin K. 2014. Primary health care staff's opinions about changing routines in practice: a cross sectional study. *BMC Fam Practice*. 15(2)

CDC MMWR, 2008. Breastfeeding-related maternity practices at hospitals and birth centers, United States, 2007. June 13. 57(23)

Centers for Disease Control. Vital Signs: hospital practices to support breastfeeding-United States, 2007 and 2009. MMWR Morb Mortal Wkly Report, 2011. 60(30):1020-5

Chapman DJ. 2012. Health professionals insights regarding the Baby Friendly Hospital Initiative. J Human Lact. 28(3): 315-16.

Chantry, C et al. 2012. In-hospital formula supplementation increases the risk of early breastfeeding cessation among first-time mothers. Poster Abstract. *Breastfeeding Med*, S-7.

Cheng ER et al. 2015. Labor and delivery experiences of mothers with suspected large babies. Matern Child Health J Dec; 19(12):2578-86

Chiu, S-H et al. 2005. Newborn temperature during skin-to-skin breastfeeding in couples having breastfeeding difficulties. Birth 13(2): 115-121

Cloherty M et al. 2004. Supplementing breast-fed babies in the UK to protect their mothers from tiredness or distress. Midwifery 20(2) June

Collins-Fulea, C, Klima, K, Wegienka, G. 2012. Prevalence of low vitamin D levels in an urban midwestern obstetric practice. *J Midwif Women's Health*. 57:5 pp 439-444.

Colson SD, Meek JH, Hawdon JM. 2008. Optimal positions for the release of primitive neonatal reflexes stimulating breastfeeding. *Early Hum Devel*.84: 441-449

Colson SD, de Rooy L, Hawdon JM. 2003. Biological Nurturing increases duration of breastfeeding for a vulnerable cohort. *Midwifery Digest*. 13:1; 92-97.

Colson S. 2010. An Introduction to Biological Nurturing: New Angles on Breastfeeding. Amarillo, TX: Hale Publishing.

Coryllos, E et al. 2004. Congenital tongue-tie and its impact on breastfeeding. AAP Section on Breastfeeding Newsletter Summer.

Courtney, K. 2007. Maternal anesthesia: What are the effects on neonates? NWH 11:5(499-502.

Cox, S. 2010. Altering Hospital Maternity Culture: current evidence for the ten steps to successful breastfeeding. *Clinics in Human Lactation*. Hale Publishing, Amarillo TX

Cramton, R et al. 2009. Optimizing successful breastfeeding in the newborn. *Current Opinion in Pediatrics*. 21:386-396

Dabrowski, G. 2007. Skin to skin contact. Giving birth back to mothers and babies. NWH 11(1): 64-71

Dahlenburg, GW et al. The relationship betwen cord serum sodium levels in newborn infants and maternal intravenous therapy during labor. Br J Obstet Grynecol 1980:87:519-522.

DaMota K, Maneulos J, Goldbronn J, Vers-Beccera LE, Heinig MJ, 2012. Maternal request for in hospital supplementation of healthy breastfeeding infants among low income women. *J Hum Lact*. 28(4):476-82.

Darwenr KL, McInnes RJ, Swanson V, 2016. The Infant Feeding Genogram: a tool for exploring family infant feeding history and identifying support needs. *BMC Pregnancy Childbirth*. 16:315.

de Lourdes, M et al. 2010. Influence of breastfeeding type and maternal anemia on hemoglobin concentration in 6-month-old infants. *Jornal de Pediatria*. 86(1):65-72

DelliFraine J, Langabeer J, Delgado R, Williams JF, Gong, A. 2012. A transition strategy for becoming a Baby Friendly Hospital: Exploring the costs, benefits and challenges. *Breastfeed Med.* 8(x):1-6

Demirci JR, Glasser M, Fichner J, Caplan E, Himes KP. 2019. "It gave me so much confidence": first time US Mothers' experiences with antenatal milk expression. *Matern Child Nutr.* E12824.doi:10.1111/mcn.12824.

Deng, X & McLaren, M. 2018. Using 24-Hour weight as reference for weight loss calculation reduces supplementation and promotes exclusive breastfeeding in infants born by cesarean section. *BfMed* 13:2

DennisonBA, Hawke BA, Ruperto RA, Gregg DJ. 2015. Implementing Legislation to improve hospital support of breastfeeding, New York State, 2009-2013. Preventin Chronic Disease. Www.cdc.gov/pcd/issues/2015/15_0121.htm

Dewey KG et al. 2009. Delayed lactogenesis and excess neonatal weight loss are common across ethnic and socioeconomic categories of primiparous women in northern California [meeting abstract]. *Pediatric Academic Society 2009.* Vol 23. New Orleans LA: FASEB; pp 344-347

Dewey, KG et al. 2003. Risk factors for suboptimal infant breastfeeding behavior, delayed onset of lactation, and excess neonatal weight loss. *Pediatrics*, September; 112(3 Pt 1):607-19

DiGirolamo AM, Grummer-Strawn LM, Fein SB. 2006. Do perceived attitudes of physicians and hospital staff affect breastfeeding decisions? *Birth*.30(2):94.

DiGirolamo, A. et al. 2008. Effect of maternity-care practices on breastfeeding. Pediatrics Vol 122, Supplement 2.

October. 543-548

Dozier, A et al. 2013. Labor epidural anesthesia, obstetric factors and breastfeeding cessation. MCN. 17:689-698

Dunn S, Davies B, Mccleary L, Edwards N, Gaboury I. 2006. The relationship between vulnerability factors and breastfeeding outcome. *J Obstet Gynecol Neonatal Nurs*. 35(1);87-97.

Edmond, K et al. 2006. Delayed breastfeeding initiation increases risk of neonatal mortality. Pediatrics 117(3):e380-e386

Edwards RA, Dee D, Umer A, Perrine CG, Shealy KR, Grummer-Strawn LM. 2014. Using benchmarking techniques and 2011 Maternity Practices Infant Nutrition and Care (mPINC) survey to improve performance among peer groups across the United States. *J Hum Lact.* 30(1): 31-40.

Engler, AJ. 2005. Maternal Stress and the white coat syndrome: A case study. Pediatric Nursing. 31(6) 470-473

Feber, S & Makhoul, I. 2004. The effect of skin-to-skin contact (kangaroo care) shortly after birth on the neurobehavioral responses of the term newborn: a randomized, controlled trial. *Pediatrics* 113(4):

Feldman-Winter L, Procaccini D, Merewood A. 2012. A model infant feeding policy for Baby Friendly designation in the USA. *J Human Lact*. 28(3):304-11.

Fernández, I et al. 2012. Newborn feeding behaviour depressed by intrapartum oxytocin: a pilot study. Acta Pediatrica 101, pp 749-754

Flaherman, VJ, Beiler JS, Cabana MD, Paul IM. 2015 Relationshio of newborn weight loss to milk supply concern and anxiety: the impact on breastfeeding duration. *Matern Child Nutr.* DOI10.1111/mcn12171

Flaherman, V et al. 2018. The effect5 of early limited formula on breastfeeding, readmission and instetinal microbiota: a randomized clinical trial. *JPediatr, 2018*.

Flaherman V, et. al. 2013. Effect of early limited formula on duration and exclusivity of breastfeeding in At-Risk infants: An RCT. *Pediatrics* 131(6) June pp 1059-1065

Gabriel, M et al. 2015. Intrapartum synthetic oxytocin reduce the expression of primitive reflexes associated with breastfeeding. Breastfeeding Med. 10(4) pp 209-13

Garcia-Fortea P et al. 2014. Oxytocin administered during labor and breast-feeding: a retrospective cohort study. *Matern Fetal Neonatal Med.* 27(15):1598-1603.

Goldfield, E et al. 2006. Coordination of sucking, swallowing, and breathing and oxygen saturation during early infant breastfeeding and bottle feeding. *International Pediatrics Research Foundation* 60(4): 450-455. October.

Gomes, M, et al. 2018Intrapartum synthetic oxytocvin and breastfeeding: a retrospective cohort study. *J Obstetrics and Gynaecology*. https://doi.org/10.1080/01443615.2018.1405924

Graffy, J et al. 2005. What information, advice, and support do women want with breastfeeding? BIRTH 32(3):179-186. September.

Gregory EF, Butz AM, Ghazarain SR, Gross SM, Johnson SB. 2015. Met expectations and satisfaction with duration: A patient centered evaluation of breastfeeding outcomes in the Infat Feeding Practices Study II. *J Hum Lact*. 31(3):444-51.

Griffiths, M. 2007. Tongue tie treatment solves breastfeeding problems. AAP National Conference, October, 2007. As presented in MedScape, October 31, 2007.

Hall, RT, Mercer, AM et al. 2006. A breastfeeding assessment score to evaluate the risk for cessation of breastfeeding by 7-10 days of age. *J Pediatr* 141:659-664

Hamilton N, Stevens N, Lillis T, Adams N. 2018. The fourth trimester: toward improved postpartum health and healthcare of mothers and their families in the United States. *J Behav Med*. 41:571-576.

Hauck FR, Thompson JM, Tanabe KO. Moon RY, Vennemann MM. 2011. Breastfeeding and reduced risk of sudden infant death syndrome: a meta-analysis. *Pediatrics*. 128(1):103-10

Hauck, YL, Iruita, VF. 2003. Incompatible expectations: the dilemma of breastfeeding mothers. Health Care Women Int. 24(1):62-78.

Hawke BA, Dennison BA, Hisgen S. 2012. Improving Hospital breastfeeding policies in New York State: Development of the model hospital breastfeeding policy. *Breastfeed Med*. E pub ahead of print.

Heaney, R et al. 2015. Letter to Veugelers, P.J. and Ekwaru, J. P., A statistical error in the estimation of the recommended dietary allowance for Vitamin D. *Nutrients* 7(3), 1688-1690.

Hill, PD, Brown LP, Harker RI. 1995. Initiation and frequency of breast expression in breastfeeding mothers of LBW and VLBW infants. *Nurs Res.* 44(5):352-355

Hobbs, AJ et al. 2016. The impact of caesarean section on breastfeeding initiation, duration and difficulties in the first four months postpartum. *BMC Pregnancy Childbirth*. 2016 Apr 26;16:90.

Hollis, BW et al. 2015. Maternal versus infant vitamin D supplementation during lactation: a randomized controlled trial. *Pediatrics* 134(4): Oct, pp 625-674.

Horsley, T et al. 2007. Benefits and harms associated with the practice of bed sharing: a systematic review. *Arch Pediatr Adolesc Med.* Vol 161, March, www.archpediatrics.com

Jaafar SH, Lee KS, Ho JJ. 2012. Separate care for new mother and infant versus rooming in for increasing the duration of breastfeeding. *Cochrane Database Syst Rev.* Sept 2012.

Jiang M, Gao H, Vinyes-ParesG, Yu K, MaD, Qin X, Wang P. 2017. Association between breastfeeding duration and postpartum weight retention of lactation mothers: A meta-analysis of cohort studies. *Clin Nutr.* SO261-5614 (17):30175-9.

Jonas, W et al. 2009. Effects of intrapartum oxytocin administration and epidural analgesia on the concentration of plasma oxytocin and prolactin, in response to suckling during the second day postpartum. *Breastfeeding Medicine* 4(2):71-82

Jonas, W et al. 2007. Newborn skin temperature two days postpartum during breastfeeding related to different labour ward practices. *Early Hum Dev* 83:55-62.

Jordan, S. 2006. Infant feeding and analgesia in labor: the evidence is accumulating. International Breastfeeding J 1(24): November.

Jordan, S et al. 2005. Fentanyl during labor may impede establishment of breastfeeding. BJOG 112:927-934 (10 Steps)

Kanotra S et al. 2007. Challenges faced by new mothers in the early postpartum period; an analysis of comment data from the 2000 Prenancy Risk Assessment Monitoring System (PRAMS) Survey. *Matern Child Health*. 11(6);549-58.

Karimi FZ, Miri HH, Khadivzadeh T, Maleki-Saghooni N. 2019. The effect of mother infant skin to skin contact immediately after birth on exclusive breastfeeding: a systematic review and meta-analysis. *J Turk Ger Gynecol Assoc.* doi:10.4274/jtgga.galenos.2019.2018.0138

Karlstrom, A et al. 2007. Postoperative pain after cesarean birth affects breastfeeding and infant care. JOGNN36(5):430-440

Kendall-Tackett, K et al. 2011. The effect of feeding method on sleep duration, maternal well-being and postpartum depression. *Clinical Lactation*. Vol 2-2 pp 22-26

Kervin BE, Kemp L, Pulver LJ. 2010. Types and timing of breastfeeding support and it's impact on mothers' behaviors. J Paediatr Child Health. 46(3):85-91.

Kroll-Desrosiers, A. et al. 2017. Association of peripartum synthetic oxytoin administration and depressive and anxiety disorders within the first postpartum year. *Depress Anxiety* 2017; 34:137-146.

Labarere J et al. 2005. Efficacy of breastfeeding support provided by trained clinicians during an early routine preventative visit; a prospective, randomized open trail of 226 mother-infant pairs. *Pediatrics*. 115(2) 139-46.

Labbok, M. 2008. Exploration of guilt among mothers who do not breastfeed: the physician's role. *JHL* 24(1). 80-84

Lauwers, J & Swisher, A. 2016. Counseling the Nursing Mother. 6th Edition. Jones & Bartlett. Sudbury, MA,

Lawrence & Lawrence. 2016. Breastfeeding: A Guide for the Medical Profession. 8th Edition. Elsievier, Philadelphia PA.

Lee YH, Chang GL, Chang HY. 2019. Effects of education and support groups organized by IBCLCs in early postpartum on breastfeeding. Midwifery. 75:5-11

Lehman, L & Plante, L. 2006. Patient-Choice vaginal delivery? Annals of Family Medicine 4:265-268.

Leslie, MS. 2015. Perspectives on implementing delayed cord clamping. Nsg Women's Health. 19(2) April/May pp 165-176.

Leurer MD, Misskey E. 2015. Be positive as well as realistic: a qualitative description analysis of information gaps experienced by breastfeeding mothers. *International Breastfeed J.* 10:10:1-11

Lewallen, L et al. 2006. Breastfeeding support and early cessation. JOGNN. 35(2): 166-172. March/April

Li R, Magadia J, Fein SB, Grummer-Strawn LM. 2012. Risk of bottle feeding for rapid weight gain during the first year of life. *Arch Pediatr Adolesc Med.* 166(5):431-6.

Lie B and J Juul: Effect of epidural vs. general anesthesia on breastfeeding, Acta Obstet Gynecol Scand, 1988, 67:207-9.

Lieberman, E., O'Donoghue C. 2003. Unintended effects of epidural analgesia during labor: a systematic review. Am J Obstet Gynecol. 186 (5 Suppl Nature):S31-S68

Lieberman, E. 2005. Epidural analgesia during labor increases risk of abnormal fetal head position. Obstet Gynecol. 105.

Lieberman, E., O'Donoghue C. 2003. Unintended effects of epidural analgesia during labor: a systematic review. Am J Obstet Gynecol. 186 (5 Suppl Nature):S31-S68

Lowry, F. 2013. Risky procedures common in US maternity care: Survey. Medscape, May 13, 2013.

Luddington-Hoe S. 2002. Infant Crying: Nature, physiologic consequences and select interventions. Neonatal Network 21(2): 29-36. March.

Luddington-Hoe, S et al. 2006. Breast and infant temperatures with twins during shared kangaroo care. JOGNN 35(2): 223-231. March/Apri.l.

Ludka, L & Roberts C, 1993. Eating and drinking in labor, a literature review. JNM. 38(199-207).

Mannel, R et al., Eds. 2008. ILCA's Core Curriculum for Lactation Consultant Practice. Raleigh, NC. Ed. 2.

Manzanares S, et al. 2007. Isolated oligohydramnios in term pregnancy as an indication for induction of labor. *J Matern Fetal Neontal Med.* Mar;20(3):221-4

Marasco, L., & Barger, J. Cue vs scheduled feeding: revisiting the controversy. Mother Baby Journal Vol 3, No. 4, July, 1998 p. 39-42

Martnes, P; Romphf, L. 2007. Factors associated with newborn in-hospital weight loss: Comparisons by feeding method, demographics and birthing procedures. *JHL* 23(3), pp 233-241. August.

Matthews MK: The relationship between maternal labor analgesia and delay in the initiation of breastfeeding in healthy neonates in the early neonatal period, *Midwifery*, 5:3-10, 1989.

McDonagh, M et al. 2015. Screening and routine supplementation for iron deficiency anemia: A systematic review.

Pediatrics 135:4 pp 723-733

McDonald, SJ et al. 2013. Effect of timing of umbilical cord clamping of term infants on maternal and neonatal outcomes (Review). Cochrane Collaboration, Wiley.

McKeever J, St Fleur R. 2012. Overcoming barriers in Baby friendly status; One hospital's experience. *J Human Lact*. 28(3): 312-14

Meier, Paula et al. 2007. Increased lactation risk for late preterm infants and mothers: evidence and management strategies to protect breastfeeding *Journal of Midwifery & Women's Health*. 52(6)579-587

Mendelson, CL. 1946. The aspiration of stomach contents into the lungs during obstetric anesthesia. Am J Obstetric Gynecol. 52:191-206

Mercer, A M, Teasley ST et al. 2010. Evaluation of a breastfeeding assessment score in a diverse population. J Hum Lact 26:42-48

Merewood, A etal. 2009. Association between vitamin D deficiency and primary cesarean section. *J Clin Endocrinol Metab*. March. 94(3):940-945.

Miller AS, et al. 2015. What breastfeeding mothers want: specific contextualized help. Clin Lact. 6(3):117-21

Mitra AK, Khoury AJ, Carothers C, Foretich C. (2003). The loving support breastfeeding campaign; awareness and practices of health care providers in Mississippi. *J Obstet Gynecol Neonatal Nursing*. 32(6);753-60.

Mizuno, K. et al. 2004. Mother-infant skin to skin contact after delivery results in early recognition of own mother's milk odor. Acta Paediatrica 93(12): 1640-1645.

Moore, A et al. 2016. Maternal epidural fentanyl administered for labor analgesia is found in neonatal urine 24 hours after birth. Breastfeeding Medicine. 11(1) pp 40-41

Moore, E & Anderson GC. 2007. Randomized controlled trial of very early mother-infant skin-to-skin contact and breastfeeding status. Jour Midwifery & Women's Health. 52(2):116-125

Moore ER, Bergman N, Anderson GC, Medley N. 2016 Early skin to skin contact for mothers and their healthy newborn infants. *Cochrane Database Syst Rev.* 11:CD003519

Morain S, Barnhill A. 2018. Do infant formula giveaways undermine or support women's choices? AMA J Ethics. 20(10):E924-931

Morales, E et al. 2012. Circulating 25-Hydroxyvitamin D₃ in pregnancy and infant neuropsychological development. Pediatrics. 130(4) e913 abstract p 752

Morelius E, et al. Salivary cortisol and mood and pain profiles during skin to skin care for an unselected group of mothers and infants in neonatal intensive care. *Pediatrics* Vol.116(5) 2005. Page 1105-1113

Morris CA, Gutowski JL, 2015. The effect of an International Board Certified Lactation Consultant in the pediatric primary care setting on breastfeeding duration and exclusivity in the first year of life. 2015. Clin Lact. 6(3):109-15

Morrison, B et al. 2006. Interruptions to breastfeeding dyads on postpartum day 1 in a university hospital. JOGNN 35(6):709-716. November/December.

Morton SC et al, Effect of epidural analgesia for labor on cesarean delivery rate, Obstet Gynecol, 83:1045-52, 1994.

Munn, M. 2011. Management of oligohydramnios in pregnancy Obstetrics and Gynecology Clinics of North America 38(2), 387-395.

Murray, E et al. 2007. Hospital practices that increase breastfeeding duration: Results from a population-based study. Birth 34:3 (202-210)

Nelson JM, Grossniklaus DA. 2019. Trends in hospital breastfeeding polies in the United States from 2019-2015: results from the Maternity Practices in Infant Nutrition and Care Survey. *Breastfeed Med.* 14(3):165-171.

Newman, J. 1998. Breastfeeding and Guilt. Handout #23. http://breastfeed.com/resources/articles/drjack/guilt.htm

Nobari TZ, Jiang L, Wang MC, Whaley SE. 2017. Baby friendly Hospital Initiative and breastfeeding among WIC participating infants in Los Angeles County. *J Hum Lact*. 33(4):677-683.

Noel-Weiss, J et al. 2011. An observational study of associations among maternal fluids during parturition, neonatal output and breastfed newborn weight loss. *International Breastfeeding Journal* 2011, 6:9

Nommsen-Rivers, L et al. 2009. Doula care, early breastfeeding outcomes, and breastfeeding status at 6 weeks postpartum among low-income primiparae. JOGNN 38(2):157-173

Ostfeld, B et al. 2006. Sleep environment, positional, lifestyle and demographic characteristics associated with bed sharing in sudden infant death syndrome cases: a population based study. Pediatrics 118:4. November. 2051-2059

Parker, LA et al. 2012. Effect of early breast milk expression on milk volume and timing of lactogenesis stage II among mothers of very low birth weight infants: a pilot study. *J Perinatology*. 32:205-209

Parker, LA et al. 2015. Association of timing of initiation of breastmilk expression on milk volume and timing of lactogenesis stage II among mothers of very low-birth-weight infants. *Breastfeeding Medicine*. 10(2).

Parry K, Taylor E, Hall-DardessP, Walker M, Labbok M. 2013. Understanding women's interpretations of infant formula advertising. *Birth.* 40(2):115-24.

Paterno MT et al. 2016. Electronic fetal monitoring and cesarean birth: a scoping review. Birth December. 43(4):277-284

Perez-Escamilla R, Martinez JL, Segura-Perez S. 2016. Impact of the Baby Friendly Hospital Initiative on breastfeeding and child health outcomes: a systematic review. *Matern Child Nutr.* DOI:10:1111/mcn.12294

Procaccini D, Curley ALC, Goldman M. 2018. Baby Friendly practices minimize newborn infants weight loss. Breastfeed Med. 13(3): 189-94.

Radzyminski, S. 2005. Neurobehavioral functioning and breastfeeding behavior in the newborn. JOGNN. 34(3): May/June

Radzyminski, S. 2003. The effect of ultra low dose epidural analgesia on newborn breastfeeding behaviors. JOGNN:32(3) May/June, 322-331.

Rethy JA, Gallo S, Doig AC, Brady J, Goodfirend D. 2019. Sociodemographic predictors of exclusive breastfeeding among low income women attending a Special Supplemental Nutrition Programs for Women, Infants and Children (WIC) program. *Public Health Nutr*. 26:1-8

Ricke, L et al. 2005. Newborn tongue-tie: Prevalence and effect on breast-feeding. JABFM 18:1-7

Righard L and M Alade: Effect of delivery room routines on success of first breastfeed, Lancet, Vol 336, Nov., 3, 1990 p. 1105.

Righard L and M Alade: Sucking Technique and its Effect on Success of Breastfeeding, Birth, December, 185-189, 1992.

Romano, A & Lothian, J. 2008. Promoting, protecting, and supporting normal birth: A look at the evidence. JOGNN 37:1, 94-104.

Ropers, S et al. 2014. Effect of vitamin D levels on intrapartum epidural consumption. Abstract - Anesthesiology annual conference, October, 2014.

Rosen, L. 2008. Infant sleep and feeding. JOGNN 37(6): 706-714

Rosenberg KD et al. 2008. Impact of hospital policies on breastfeeding outcomes. Breastfeed Med. 3(2):110-16.

---- Roundtable Discussion 2006. Why do women go along with this stuff? Birth 33:3, September, pp 245-250 Rossman CL, Ayoola AB. 2012.

Promoting individualized breastfeeding experiences. Matern Child Nurs. 37(3):193-9. Rubin R: Attainment of the maternal role, Nursing

Research, 16(3):237-245, 1957.

Ruowei, L et al. 2008. Why mothers stop breastfeeding: Mothers self-reported reasons for stopping during the first year. *Pediatrics* 122 Supplement 2, October, 569-576

Sakala, C. 2007. Letter from North America: Understanding and minimizing nocebo effects in childbearing women. Birth 34(4): 348-350

Saki A et al. 2010. A prospective study of the effect of delivery type on neonatal weight gain pattern in exclusively breastfed neonates born in Shiraz, Iran. Int Breastfeed J. 5(1):1-29.

Santoro, W et al. 2010. Colostrum ingested during the first day of life by exclusively breastfed healthy newborn infants. *Journal Pediatrics*. 156(1): 29-32

Schliep KC, Denhalter D, Gren LH, Panushka KA, Singh TP, Varner MW. 2019. Factors in Hospital experience associated with postpartum breastfeeding success. *Breastfeed Med*. Doi:10.1089/bfm.2018.0039.

Sepkoski, Lester, et al, "The effects of maternal epidural anesthesia on neonatal behavior during the first month". *Developmental Medicine and Child Neurology* (Vol 32, p 1072-1080), May, 1992.

Sepkoski C et al, Neonatal effects of maternal epidurals, Dev Med Chil Neurol 36:375-376, 1994.

Shannon, T et al. 2008. Breastfeeding in the 21st Century: Overcoming barriers to help women and infants. NWH 11:6(569-575)

Shmueli, A et al. 2018. The impact of epidural analgesia on the duration of the second stage of labor. Birth. 45:377-384

Simpson, K et al. 2003. Trends and issues in labor induction in the united states: Implications for clinical practice. JOGNN 32(6) Nov/Dec. 767-79

Simpson, K et al. 2006. Essential criteria to promote safe care during labor and birth. AWHONN Lifelines 9(6):478483. Dec/Jan

Sleutel, M. & Golden, S: Fasting in labor: relic or requirement. JOGNN 28:5, 507-512, 1999

Smith, L. 2010 Impact of Birthing Practices on Breastfeeding. 2nd Edition. Jones & Bartlett, Pub. Sudbury MA.

Smith PB, Moore K, Peters L. 2012. Implementing Baby Friendly strategies. Matern Child Nurs. 37(4):228-33.

Soll, RF & Tarnow-Mordi, WO. 2015. Optimizing placental transfusion for preterm infants. Pediatrics. 136(1) July.

Solter, A. 2004. Crying for comfort: distressed babies need to be held. www.mothering.com/print/2282

Spear, Hila. 2006. Policies and practices for maternal support options during childbirth and breastfeeding initiation after cesarean in southeastern hospitals. *JOGNN*. 35(5): Sept/Oct. Pp 634-647

Stark, MA. 2016. Hormonal physiology of childbearing, an essential framework for maternal-newborn nursing. . JOGNN. 45(2): 264-275.

Stevens, BJ, Johnsotn, CC & Grunau, RVE. 1995. Issues of assessment of pain and discomfort in neonates. *JOGNN*. 24(9), 849-855

Strathearn, L. et al. 2009. Does breastfeeding protect against substantiated child abuse and neglect? A 15-year cohort study. *Pediatrics* 123(2): 483-493

Strauch, C. Brandt., S, & Edwards-Beckett, J. 1993. Implementation of a quiet hour: Effect on noise levels and infant sleep states. *Neonatal Network*. 12(2), 31-35

Stuebe, A. 2014. Shame, guilt and the search for common ground. Blog from Breastfeeding Medicine. March 4, 2014.

Svensson, K, et al. 2005. Night rooming-in: who decides? An example of staff influence on mother's attitude. Birth 13(2): 99-106

Swasdivorn, S. & Taeviriyakul, S. 2012. Does exclusively breastfeeding for 6 months put infants at risk of anemia? *Breastfeeding Medicine* Poster Abstract, S-17-18

Taylor EC, Nickel NC, Labbok MH. 2012. Implementing the ten steps for successful breastfeeding in hospitals serving low wealth patients. *Am J Public Health*. 102(12):2262-8.

Thomas, MR et al. 2014. Providing newborn resusciation at the mother's bedside: assessing the safety, usability and acceptability of a mobile trolley. *BMC Pediatrics* 14, 1-6.

Thomason ME et al. 2018. Prenatal neural origins of infant motor development: associations between fetal brain and infant motor development. *Dev Psychopathol*. 30(3): 763-772.

Thompson JMD, Tanabe K, Moon RY, Mitchell EA, McGarvey C, Tappin D, Blair PS, Hauck F. 2017. Duration of breastfeeding and risk of SIDS: An individual participant data meta-analysis. *Pediatrics*. 140(5):

Thorp JA et al, Epidural analgesia in labor: An evaluation of risks and benefits, Birth, 23:63-83, 1996.

Tonse NK. et al. Optimizing care and outcome for late-preterm (near term) infants: A summary of the workshop sponsored by the National Institute of Child Health and Human Development. *Pediatrics*. 118(3) pages 1207- 1214.

Tofteland, L. 2006. Conceiving care: how the desires of nursing mothers transformed the delivery of our care. *AWHONN Lifelines* 10(4):313-319. August/September.

Torvaldsen, S. 2006. Intrapartum epidural analgesia and breastfeeding: a prospective cohort study. *International Breastfeeding J.* 1(24). December.

U.S. Department of Health and Human Services. The Surgeon General's Call to Action to Support Breastfeeding. Washington D.C.: U.S. Department of Health and Human Services. Office of the Surgeon General.2011

Verklan, MT. 2002. Physiologic variability during transition to extrauterine life. *Critical Care Nursing Quarterly*. 24(4), 41-56

Veugelers, P & Ekwaru, J. 2014. A statistical error in the estmation of the recommended dietary allowance for Vitamin D. *Nutrients*. 6(10), 4472-4475.

Wagner FA, Chantry CJ, Dewey KG, Nommsen-Rivers LA. 2013. Breastfeeding concerns at 3 and 7 days postpartum and feeding status at 2 months. *Pediatrics*. 132(4):e865-75.

Walker M.2015. Why infant formula samples pose a risk to health care providers, hospitals and patients. *J Obstet Gynecol Neonatal Nurs*. 44(5):618-23.

Walters MW, et al. Kangaroo care at birth for full term infants: A pilot study. MCN 32(6); 375-381. 2007

Wambach, K. & Riordan, J. 2015. Breastfeeding and Human Lactation. 5th Edition. Jones & Bartlett, pub. Sudbury MA

Wambach K, Domain EW, Page-Goertz S, Wurtz H, Hoffman K. 2016. Exclusive breastfeeding experiences among Mexican American Women. *J Hum Lact*. 32(1):103-111.

Wang LCollins C, Ratliff M, Xie B, Wang Y. 2017. Breastfeeding reduces Childhood obesity risks. *Child Obes*. 13(3):197-204. DOI10.1089/chi.2016.0210

Watson-Genna C. 2010. Facilitating Autonomous Infant Hand Use During Breastfeeding. Clinical Lactation Vol 1:15-21.

Watson-Genna, Catherine 2008. Supporting Sucking Skills in Breastfeeding Infants. Sudbury, MA: Jones and Bartlett Publishers

Watson, J. Et al. 2012. A randomized controlled trial of the effect of intrapartum intravenous fluid management on breastfed newborn weight loss. *JOGNN* 41(1):24-32

White-Corey, S. 2013. Birth plans: Tickets to the operating room? MCN in Advance. pp 1-6. Downloaded from internet November, 2013.

WHO/UNICEF, 2018. Protecting, promoting and supporting breastfeeding in facilities providing maternity and newborn services: the revised BABY-FRIENDLY HOSPITAL INITIATIVE. April 11, 2018

WHO/UNICEF. 2009. Baby-Friendly Hospital Initiative: Revised, updated and expanded for integrated care. Geneva, Switzerland. Available at: http://www.who.int/entity/nutrition/publications/infantfeeding/9789241594967-s1.pdf.

Accessed January 21, 2010

WHO/UNICEF. Protecting, Promoting, and Supporting Breastfeeding, A Joint WHO/UNICEF Statement, Geneva, 1989

Widstrom, AM et al. 2010. Newborn behavior to locate the breast when skin-to-skin: A possible method for enabling early self-regulation. Acta Paediatr Aug 15.

Wieczorek, PM et al. 2010. Breastfeeding success rate after vaginal delivery can be high despite the use of epidural fentanyl: an observational cohort study. Int J Obstet Anesth Jul; 19(3):273-7

Wouk K, Lara-Cinisomo S, Stuebe AM, Poole C, Petrick JL, McKenney KM. 2016. Clinical Interventions to promote breastfeeding by Latinas: A meta-analysis. *Pediatrics*. 137(1):1-14.

Wilson, MJ et al. 2010. Epidural analgesia and breastfeeding: a randomised controlled trial of epidural techniques with and without fentanyl and a non-epidural comparison group. Anaesthesia. Feb; 65(2):145-153 Wilson-Clay, B & Hoover, K. 2013. The Breastfeeding Atlas. LactNews Press, Austin TX www.cdc.gov Improving Hospitals' Support for Breastfeeding. February 2009

Yan J, Liu L, Zhu Y, Huang G, Wang PP. 2014. The association between breastfeeding ad childhood obesity: a meta analysis. *BMC Public Health*. 14:1267.

.Zwelling, E. 2008. The emergence of high-tech birthing. JOGNN. 37:1, 85-93.