

Hurricane Rated

Amarr[®] Residential Garage Doors







SELECT YOUR WIND LOAD DOOR

	Steel Car	riage House	Wind Speed Approvals*	Impact Resistant	Miami-Dade Approvals
7	AMARR	CARRIAGE COURT	90—130 mph	1	
8	AMARR	CLASSICA®	90—185 mph		M
9	AMARR	HILLCREST	90—169 mph		
10	AMARR	DESIGNER'S CHOICE	90—155 mph		
	Steel Trac	ditional	Wind Speed Approvals*	Impact Resistant	Miami-Dade Approvals
11	AMARR	HERITAGE®	90—185 mph		М
12	AMARR	LINCOLN	90—169 mph	1	
13	AMARR	OLYMPUS	90—155 mph		М
	Wood		Wind Speed Approvals*	Impact Resistant	Miami-Dade Approvals
15	AMARR	BY DESIGN	110—175 mph	Ι	М
	Aluminur	n	Wind Speed Approvals*		
16	AMARR	HORIZON	134—168 mph ⁺		
17	AMARR	VISTA	90—151 mph		

AMARR ADVANTAGE

STYLISH STRENGTH



With Amarr garage doors, you don't have to compromise style for hurricane preparedness. Almost all

Amarr residential garage doors are available with a wind load reinforcement system that meets or exceeds building code requirements in your area. Whether your home is traditional or contemporary, our Amarr garage door designs can add beauty, curb appeal and long lasting value to your home.

HURRICANE RATED DOORS

When installed according to our instructions and local building codes, Amarr hurricane rated garage doors:



- Withstand rapid cyclic pressure and static load forces up to 245 mph.¹
- Resist large missile impact at 50' per second (35 mph).²
- May qualify for discounts on your homeowner's insurance.³

Meet or exceed these building codes:

- Florida Building Code (FBC)
- International Code Council (ICC)
- Texas Department of Insurance (TDI)
- High-Velocity Hurricane Zone (HVHZ)
 - M (Miami Dade and Broward Counties)



WIND LOAD APPROVED DOORS

Use a variety of reinforcement materials, including Struts and R-Trusses which are engineered to meet specific building code requirements. Amarr garage doors are tested in accordance with DASMA TDS-108. Impact glass

is available in short and long panel windows on select Amarr garage doors; impact glass may shatter, but remains intact despite the force.



SAFETY



Garage doors are the largest and heaviest moving object in the home. Amarr garage doors have a patented safety bottom bracket to reduce the risk of serious injuries.

ENERGY EFFICIENCY

Maintain the temperature in your garage with a garage door with a high R-value rating. We offer a wide range of materials, insulations and door thicknesses to provide the level of energy efficiency you desire.

SUSTAINABILITY

Amarr products are made with up to 90% recycled content and approximately 5-10% of the steel is reused at the steel mill.

MADE IN USA

All Amarr residential and commercial steel and aluminum garage doors are manufactured in the USA,



affirming our commitment to high quality and durability.

AMARR CONSTRUCTION

STEEL

SINGLE-LAYER: Steel

Amarr Classica, Heritage, Hillcrest & Lincoln

- · Heavy-duty exterior steel
- · Durable, reliable, low maintenance



DOUBLE-LAYER:

Steel + Insulation

Amarr Classica, Heritage, Hillcrest & Lincoln

- · Heavy-duty exterior steel
- · Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation with vinyl backing
- Energy efficient
- · Quiet operation



TRIPLE-LAYER:

Steel + Insulation + Steel

Amarr Classica, Designer's Choice, Heritage, Hillcrest, Lincoln & Olympus

- · Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- · Environmentally safe polystyrene or polyurethane thermal insulation
- · Superior energy efficiency
- Extra quiet operation











- ** All panels and colors except True White Bead Board.
- True White Short and Flush panels only

W O O D

Wood + Insulation + Wood

Amarr by Design

- Custom, handcrafted carriage house designs
- Multiple wood options
- · Paint or stain grade wood
- Environmentally safe polystyrene thermal insulation
- Energy efficient




ALUMINUM

Aluminum + Glass


Amarr Vista

- 2" thick extruded commercial-grade aluminum frame for durability
- Corrosion resistant aluminum
- ClearView Strut System strengthens door without restricting view





- Extruded aluminum frame provides durability, low maintenance and corrosion resistance
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability
- · 7' tall doors are three sections high
- Equal glass heights in all sections of a door
- · Glass expanses up to 8'2" wide



STEEL

FOUR-LAYER:

Overlay + Steel + Insulation + Steel

Amarr Carriage Court

- · Heavy-duty exterior and interior steel
- · Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation
- **Energy efficient**
- Extra quiet operation



UNDERSTAND YOUR AREA WIND LOAD REQUIREMENTS

Local government regulations for wind load requirements can vary from one location to another due to door size, the door's location on the structure, and localized wind zones, among other factors. The homeowner is responsible to make sure their garage door meets local building codes.

United States East Coast & Gulf Wind Zones

Based on ASCE7-05	WindPro Rating	Based on ASCE7-10	WindPro
90 — 100 mph	WP1 & WP2	115 — 130 mph	WP2 & W
100 - 110 mph	WP2 & WP3	130 — 150 mph	WP5
110 — 120 mph	WP3 & WP4	150 — 170 mph	WP4 & W
120 — 130 mph	WP4 & WP5/WP5i	170 + mph	WP6i-WF
130 — 150 mph	WP5-WP8 WP5i-WP10i	1000	

5/WP5i

WINDPRO™ CLASSIFICATION SYSTEM

Amarr WindPro classification system helps you to easily find the Amarr Wind Load door for your location. Amarr WindPro WP classification indicates the miles per hour (mph) wind speed range and impact resistance. The higher the "WP" classification, the higher the approved mph wind speed range. The "WPi" classification indicates an impact-approved door.

ASCE 7-10/

ASCE7-16

ASCE 7-05

			ASCE7-16
		WIND:	SPEED PH)
	WP1	90-99	110-124
	WP2	100-109	125-139
7	WP3	110-119	140-149
NON-IMPAC	WP4	120-129	150-164
MPAC	WP5	130-139	165-175
_	WP6	140-149	176-189
	WP7	150-159	190-204
	WP8	160-169	205-219
	WP5i	130-139	165-175
	WP6i	140-149	176-189
_ _ _ P	WP7i	150-159	190-204
ACT	WP8i	160-169	250-219
	WP9i	170-179	220-229
	WP10i	180+	230+
		Evnocura P with a maa	n most hoight < 20'

Exposure B with a mean roof height < 30'




AMARR CARRIAGE COURT


Distinctly defined. The Amarr Carriage Court collection adds increased curb appeal to your home. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.

DESIGNS

AVAILABLE WITH WINDOWS



NOT AVAILABLE WITH WINDOWS




CC4000 Four-Layer: Overlay + Steel + Insulation + Steel



Decorative Windows & Hardware

Optional decorative windows & hardware add character to your door. See page 15 for all window and decorative hardware options.





Door, window frames, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings.

WIND LOAD APPROVALS

Exposure B with mean roof height < 30' Doors are available up to 14' tall or a max weight of 635 lbs.	Door Width Up To	WindPro	Wind Load Approved for Wind Speeds Ranging MPHI/MPH2 (PSF Design Pressures)		Wind Standard	0WS
Amarr Carriage Court CC4000	9'	WP1-WP5	90 – 130 mph 116 – 168 mph (12.7/-14.9) – (26.4/-31.1)	Yes ³	Yes ³	No
	16'	WP1-WP5	90 – 130 mph 116 – 168 mph (12.1/-13.8) – (25.3/-28.7)	Yes ³	Yes ³	No
Limited Warranty	18'	WP1-WP5	90 – 130 mph 116 – 168 mph (12.0/-13.6) – (25.1/-28.4)	Yes ³	Yes ³	No

Tested in accordance with DASMA TDS-108
Based on ASCE7-05
Based on ASCE7-10
Option available on select models





AMARR CLASSICA

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. Attractive and structurally strong carriage house styles that go up and down like traditional garage doors. Three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.

DESIGNS












Bordeaux









Flush Panel

Decorative Windows & Hardware

Optional decorative windows & hardware add character to your door. See page 15 for all window and decorative hardware options.

COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.

















Weathered Gray (WZ)*





TWO-TONE PAINT OPTIONS‡







*Odd heights not available in CL1000/CL2000; not available in Flush. $^\dagger Not$ available in Flush.

BASE DOOR PANEL Almond Wicker Tan Sandtone Charcoal Gray Dark Brown Terratone True White Wicker Tan Sandtone Charcoal Gray Dark Brown Black Hunter Green

Lucern with Closed Square (L2) Tuscany with Closed Arch (T1) Bordeaux with Closed Arch (B1) Cortona with Seine Windows (C8) Santiago with Closed Arch (S1)

WIND LOAD APPROVALS

Exposure B with mean roof height < 30' Doors are available up to	Door Width			Impact Resistant	Windows	
14' tall or a max weight of 635 lbs.	Up To		MPHI/MPH2 (PSF Design Pressures)		Standard	Impact
Amarr Classica CL3000	9'	WP1-WP5/ WP5i-WP10i	90 – 180 mph 116 – 232 mph (12.8/-15.1) – (50.8/-59.8)	Yes	Yes	Yes ³
Lifetime Limited Warranty	16'	WP1-WP7/ WP5i-WP7i	90 – 151 mph 116 – 194 mph (12.2/-13.8) – (33.7/-38.1)	Yes	Yes	Yes ³
Limited Warranty	18'	WP1-WP7/ WP5i-WP10i	90 – 151 mph 116 – 194 mph (12.2/-13.8) – (33.7/-38.1)	Yes	Yes	Yes ³
Miami-Dade			N/A	N/A	N/A	N/A
Amarr Classica	9'	WP1-WP8/ WP5i-WP10i	90 – 185 mph 116 – 235 mph (12.7/-14.9) – (54.4/-62.0)	Yes ³	Yes ³	No
CL2000	16'	WP1-WP8/ WP5i-WP9i	90 – 175 mph 116 – 225 mph (12.3/-13.9) – (45.9/-52.1)	Yes ³	Yes ³	No
Lifetime Limited Warranty	18'	WP1-WP8/ WP5i-WP10i	90 – 160 mph 116 – 205 mph (12.2/-13.8) – (38/-43.0)	Yes ³	Yes ³	No
Miarri Dada	9'	WP5i-WP10i	185 mph 235 mph (54.4/-62.0)	Yes	No	No
Miami-Dade	16'	WP5i	169 mph 218 mph (43.4/-49.3)	Yes	No	No

Tested in accordance with DASMA TDS-108 ¹ Based on ASCE7-05 ² Based on ASCE7-10 ³ Option available on select models



AMARR HILLCREST

Value is a beautiful thing. With the Amarr Hillcrest collection you get more than a custom carriage house look. You get exceptional style and durability with conventional hardware at a competitive price.

Bead Board design with Wagon Wheel DecraTrim in True White with Blue Ridge decorative handles and hinges





DESIGNS



Long Bead Board

HI1000 Single-Layer:

H12000 Double-Layer: Steel + Insulation HI3138 1-3/8" Triple-Layer: Steel + Insulation

H13000 2" Triple-Layer: Steel + Insulation + Steel

Decorative Windows & Hardware

Choose DecraTrim window inserts to coordinate with your home's design along with optional decorative hardware. See page 15 for all window and decorative hardware options.

H13000 - VALUE 9.05

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.

COLORS

Steel











+ Steel















WIND LOAD APPROVALS

WIND LOND ALL WOLKES							
Exposure B with mean roof height < 30' Doors are available up to 14' tall or a max weight of	Door Width	Width for Wind Speeds Rar		Impact Resistant	Windows		
635 lbs.	Up To		MPH/MPH² (PSF Design Pressures)		Standard	Impact	
Amarr Hillcrest	9'	WP1-WP7/ WP5i-WP7i	90 – 155 mph 123 – 200 mph (14.3/-16.9) – (38.0/-45.0)	Yes ³	LP ³	LP ³	
	16'	WP1-WP7/ WP5i-WP7i	90 – 155 mph 123 – 200 mph (12.3/-13.9) – (36.4/-41.4)	Yes ³	LP ³	LP ³	
Lifetime Limited Warranty	18'	WP1-WP7/ WP5i-WP7i	90 – 155 mph 123 – 200 mph (12.2/-13.8) – (36.1/-40.8)	Yes ³	LP ³	LP ³	
Amarr Hillcrest	9'	WP1-WP7/ WP5i	90 – 155 mph 120 – 200 mph (14.3/-16.9) – (38.0/-45.0)	Yes ³	LP ³	LP ³	
Lifetime Limited Warranty	16'	WP1-WP5/ WP5i	90 – 130mph 117 – 155mph (12.3/-13.9) – (25.6/-29.1)(12.2/-13.8) –	Yes ³	LP ³	LP ³	
Limited Warranty	18'	WP1-WP5/ WP5i	90 – 130mph 116 – 168mph (25.4/-28.7)(12.8/-15.1) – (45.2/-53.4)	Yes ³	LP ³	LP ³	
Amarr Hillcrest HI1000 and HI2000	9'	WP1-WP8/ WP5i-WP8i	90 – 169mph 116 – 218mph (12.3/-13.9) – (25.6/-29.1)	Yes ³	LP ³	No	
15-Year	16'	WP1-WP5	90 – 130 mph 116 – 168 mph (12.2/-13.8) – (31.6/-35.7)	No	LP ³	No	
25-Year	18'	WP1-WP5	90 – 130 mph 116 – 187 mph	No	No	No	

Tested in accordance with DASMA TDS-108 $^{-1}$ Based on ASCE7-05 $^{-2}$ Based on ASCE7-10 $^{-3}$ Option available on select models




DESIGNER'S CHOICE AMARR

Energy efficiency makes the Amarr Designer's Choice a popular choice for garage doors. With a high R-value of 19.40[‡], this door gives you the ultimate in energy efficiency and quiet operation.

Bead Board design in True White with Blue Ridge handles and hinges





DESIGNS









DC3138 Triple-Layer: Steel + Insulation + Steel

14.46

DC3200 Triple-Layer: Steel + Insulation + Steel 19.40[‡]

Decorative Hardware

Choose decorative hardware to best coordinate with your home. See page 15 for hardware options.

- * DC3138 only available in Bead Board design.
 † DC3138 only available in 8', 9' or 16' wide doors.
 ‡ For True White Bead Board only. 13.35 R-value for all other panels and colors.

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White. COLORS























DC 3138 only available in True White and Color Zone.

WIND LOAD APPROVALS

Exposure B with mean roof height < 30' Doors are available up to 14' tall or a max weight of	Door Width	dth for Wind Speeds Ranging		Impact Resistant		dows
635 lbs.	Up To		MPH/MPH² (PSF Design Pressures)		Standard	Impact
Amarr Designer's Choice DC3200	9'	WP1-WP7/ WP5i-WP7i	90 – 155 mph 116 – 200 mph (12.8/-15.1) – (38.0/-44.9)	Yes ³	Yes	Yes
Lifetime Limited Warranty	16'	WP1-WP7/ WP5i-WP7i	90 – 155 mph 116 – 200 mph (12.3/-13.9) – (37.0/-41.0)	Yes ³	Yes	Yes
	18'	WP1-WP7/ WP5i-WP7i	90 – 155 mph 116 – 200 mph (12.3/-13.9) – (37.0/-40.6)	Yes ³	Yes	Yes
Amarr Designer's Choice DC3138	9'	WP1	90 mph 116 mph (12.8 /-15.1)	No	No	No
Lifetime Limited Warranty	16'	WP1	90 mph 116 mph (12.3/-13.9)	No	No	No

Tested in accordance with DASMA TDS-108
Based on ASCE7-05
Based on ASCE7-10
Option available on select models



AMARR HERITAGE


Tradition never goes out of style. Choose from four different panel designs to create the steel garage door you always wanted. The Amarr Heritage collection features low-maintenance, heavy gauge steel doors in your choice of traditional styles. Great looks for years to come.

Long Bead Board design with Moonlite DecratTrim in True White with Blue Ridge handles and hinges



DESIGNS

CARRIAGE HOUSE









TRADITIONAL









HR1000 Single-Layer: Steel

HR2000 Double-Layer: Steel + Insulation

HR3000 Triple-Layer: Steel + Insulation + Steel



Decorative Windows

COLORS

Choose from DecraTrim window inserts to coordinate with your home. *Available in Amarr Heritage HR3000 only

True White Almond Sandtone Dark Brown Black (TW) (AL) (ST) (DN) (BL)

See page 15 for all window options.

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White. MOSAIC WINDOWS





CURRENTLY UNAVAILABLE Mahogany [MY]

With Mosaic Window Options you decide the number and location of the windows. Only available for HR3000 traditional designs with Standard or Impact glass.

Short Panel with Waterford DecraTrim (SP25) Bead Board with Wagon Wheel DecraTrim (BB26) Long Panel with Moonlite DecraTrim (LP24)

WIND LOAD APPROVALS

Exposure B with mean roof height < 30' Doors are available up to 14' tall or a max weight of 635 lbs.	Door Width	WindPro	Wind Load Approved for Wind Speeds Ranging MPH/MPH ² (PSF Design Pressures)	Impact Resistant	Windows Standard Impact	
Amarr Heritage HR3000	9'	WP1-WP8/ WP5i-WP10i	90 – 190 mph 120 – 245 mph (14.3/-16.9) – (57.0/-67.5)	Yes ³	SP, LP ³	SP ³ ,LP ³
	16'	WP1-WP8/ WP5i-WP9i	90 – 175 mph 117 – 224 mph (14.1/-14.1) – (48.0/-52.0)	Yes ³	SP, LP ³	SP ³ , LP ³
Lifetime Limited Warranty	18'	WP1-WP8/ WP5i-WP8i	90 – 165mph 116 – 212mph (12.2/-13.8) – (42.0/-46.0)	Yes ³	SP ³ ,LP ³	SP, LP3
М	9'	WP10i	190 mph 245 mph (57.0/-67.5)	Yes	No	SP, LP MOSAIC
Miami-Dade	16'	WP9i	175 mph <mark>225 mph</mark> (48.0/-52.0)	Yes	No	SP, LP3
	18'	WP8i	165 mph 212 mph (42.0/-46.0)	Yes	No	SP, LP
Amarr Heritage	9'	WP1-WP8/ WP5i-WP8i	90 – 169 mph 123 – 214 mph (14.3/-16.0) – (45.3/-51.2)	Yes ³	SP ³ ,LP ³	SP ³
HR1000 and HR2000	16'	WP1-WP8/ WP5i-WP10i	90 – 185 mph 116 – 239 mph (12.3/-13.9) – (51.9/-58.9)	Yes ³	SP ³ ,LP ³	SP ³
Lifetime Limited Warranty	18'	WP1-WP7/ WP5i-WP7i	90 – 155 mph 116 – 200 mph (12.2/-13.8) – (37.0/-40.6)	Yes ³	SP ³ ,LP ³	SP ³
М	9'	WP8i-WP10i	169 – 189 mph 214 – 244 mph (45.3/-51.2) – (57.0/-67.0)	Yes	No	SP ³
Miami-Dade	16'	WP7i-WP10i	156 – 185 mph 202 – 239 mph (38.0/-42.0) – (47.5/-52.0)	Yes	No	SP ³
	18'	WP8i-WP10i	165 – 180 mph 212 – 232 mph (42.0/-46.0) – (48.6/-55.0)	Yes	No	SP ³

Tested in accordance with DASMA TDS-108 ¹ Based on ASCE7-05 ² Based on ASCE7-10 ³ Option available on select models



AMARR LINCOLN

Exceptional value: Energy efficient, 2" thick traditional style garage doors with conventional hardware at competitive prices.

Short Panel design with Cascade DecraTrim windows in Wicker Tan





DESIGNS



LI1000 Single-Layer: Steel

Long Panel

L12000 Double-Layer: Steel + Insulation



LI3138 1-3/8" Triple-Layer: Steel + Insulation + Steel



L13000 2" Triple-Layer: Steel + Insulation + Steel

* LI1000/LI2000 Flush Panel has stucco texture; LI3000 has woodgrain texture. † Available in LI3138/LI3000 only.



Actual paint colors may vary from samples shown.
Price upcharge applies to all colors except True White.

Decorative Options

Choose DecraTrim window inserts to coordinate with your home's design. See page 15 for all window options.

COLORS





























WIND LOAD APPROVALS

WIND LOAD ATT NOVALS							
Exposure B with mean roof height < 30' Doors are available up to 14' tall or a max weight of 635 lbs. Up To		WindPro Wind Load Approved for Wind Speeds Ranging MPHYMPH2 (PSF Design Pressures)		Impact Resistant	•		
Amarr Lincoln LI3000	9'	WP1-WP7/ WP5i-WP7i	90 – 155 mph 123 – 200 mph (14.3/-16.9) – (38.0/-45.0)	Yes ³	SP ³ ,LP ³	SP ³ ,LP ³	
	16'	WP1-WP5/ WP5i-WP7i	90 – 155 mph 123 – 200 mph (12.3/-13.9) – (36.4/-41.4)	Yes ³	SP ³ , LP ³	SP ³ , LP ³	
Lifetime Limited Warranty	18'	WP1-WP7/ WP5i-WP7i	90 – 155 mph 123 – 200 mph (12.2/-13.8) – (36.1/-40.8)	Yes ³	SP ³ ,LP ³	SP ³ , LP ³	
Amarr Lincoln LI3138	9'	WP1-WP7/ WP5i	95 – 155 mph 123 – 200 mph (14.3/-16.9) – (38.0/-45.0)	Yes ³	SP ³ ,LP ³	SP ³ ,LP ³	
	16'	WP1-WP5/ WP5i	90 – 130mph 117 – 155mph (12.3/-13.9) – (25.6/-29.1)	Yes ³	SP ³ ,LP ³	SP ³ , LP ³	
Lifetime Limited Warranty	18'	WP1-WP5/ WP5i	90 – 130mph 116 – 168mph (12.2/-13.8) – (25.4/-28.7)	Yes ³	SP ³ ,LP ³	SP ³ ,LP ³	
Amarr Lincoln LI1000 and LI2000	9'	WP1-WP8/ WP5i-WP8i	90 – 169mph 116 – 218mph (12.8/-15.1) – (45.2/-53.4)	Yes ³	SP ³ ,LP ³	LP ³	
15-Year	16'	WP1-WP5	90 – 130 mph 116 – 168 mph (12.3/-13.9) – (25.6/-29.1)	No	SP, LP ³	No	
25-Year	18'	WP1-WP5	90 – 130mph 116 – 187 mph (12.2/-13.8) – (31.6/-35.7)	No	SP	No	

Tested in accordance with DASMA TDS-108 ¹ Based on ASCE7-05 ² Based on ASCE7-10 ³ Option available on select models

^{*} Available in L11000/L12000 Flush Panel design with stucco texture. † Available in L13138/L13000 only.



AMARR OLYMPUS

Energy efficiency makes Amarr Olympus doors popular models. With a high R-value of 19.40[‡], these doors give you the ultimate in energy efficiency and quiet operation.





Wind Load Approved

for Wind Speeds Ranging

MPH/MPH² (PSF Design Pressures)

90 - 155 mph 116 - 200 mph

90 - 155 mph 116 - 200 mph

90 - 155 mph 116 - 200 mph

90 mph 116 mph

90 mph 116 mph

(12.3/-13.9) – (37.0/-40.6)

(12.8 /-15.1)

(12.3/-13.9)

Tested in accordance with DASMA TDS-108 ¹ Based on ASCE7-05 ² Based on ASCE7-10 ³ Option available on select models

(12.8/-15.1) - (38.0/-44.9)

(12.3/-13.9) – (37.0/-41.0)

Impact

Resistant

Yes³

Yes³

Yes³

Windows

Yes

Yes

No

No

Impact

Yes

Yes

Yes

No

No

WIND LOAD APPROVALS

Door

Width

Up To

16'

18'

9'

16'

WindPro

WP1-WP7/

WP1-WP7/ WP5i-WP7i

WP1-WP7/ WP5i-WP7i

WP1

Exposure B with mean roof height < 30'

Doors are available up to

14' tall or a max weight of

Amarr Olympus

Amarr Olympus

6351bs

OL3200

Lifetime


OL3138

Lifetime

DESIGNS









OL3200

Triple-Layer:

0L3200 19.40[‡] Steel + Insulation + Steel

OL3138 Triple-Layer:

Steel + Insulation + Steel

14.46

* 0L3138 only available in Flush and Short Panel designs. † 0L3138 only available in 8°, 9° or 16' wide doors. For True White Short and Flush panels only. 13.35 R-value for all other panels and colors.

Decorative Hardware

Choose decorative hardware to best coordinate with your home. See page 15 for hardware options.

COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.























OL3138 only available in True White and Color Zone.

STEEL OPTIONS

GLAZING OPTIONS

Clear (C)



Obscure (O)*



*Price upcharge applies.



Dark Tint (WD)†



[†]Available in Standard and Impact glass; price upcharge applies

AMARR CLASSICA TOP SECTIONS

Closed Arch • Available for Tuscany (T1), Santiago (S1), Lucern (L1), Valencia (V1), Cortona (C1)



Closed Arch • Northampton (N1)



Closed Arch • Bordeaux (B1)



Closed Square • Available for Tuscany (T2), Santiago (S2), Lucern (L2), Valencia (V2)



No Insert



Madeira (5)*



Rhine [7]*



Thames (10)



Closed Square • Cortona (C2)



Closed Square • Northampton (N2)



Closed Square • Bordeaux (B2)



Closed Double Arch Available for Tuscany (T1D), Santiago (S1D), Lucern (L1D), Valencia (V1D), Cortona (C1D)

Danube (4)*



Nile (6)*



Seine (8)*



*Window inserts shown on Clear glass. Design also available with Obscure, Frost or Dark Tint glass

SHORT PANEL

Short Panel DecraTrim available for Heritage, Stratford, and Lincoln collections.









Stockton (20)

Cascade (23)

DECRATRIM WINDOW INSERTS Available with Clear, Obscure, Frost or Dark Tint glass.

Stockton (20)



Waterford (25)


Prairie (21)











LONG PANEL

Long Panel DecraTrim inserts available for Heritage, Stratford, Lincoln, Nak Summit and Hillcrest collections.



Waterford (25)



Wagon Wheel (26) Arched Thames (31)

allie allie



Moonlite (24) and Hills

Sunray (27)

Prairie (21)



Full Sunray (28) Available for 15'6", 15'8", 16', 17' and 18' widths only.

DECORATIVE HARDWARE



Available for Amarr Carriage Court, Classica, Designer's Choice, Heritage[‡], and Hillcrest collections.



16" Strap Hinges



*Hinges with Clavos not recommended for arched openings. †Not for use with high lift installations.




Closed Arch (105)















4" Ring Handles (with removable backer plate) 10" tall 5" tall









‡Carriage House designs only

AMARR CARRIAGE COURT TOP SECTIONS


Closed Square (104)

FOR DESIGNS AVAILABLE WITH WINDOWS

Available for Laurelbay, Pinetop, Bradberry, Kensington, Seabrook and Rosemont. Available with

Clear or Obscure

alass only.



FOR DESIGNS NOT AVAILABLE WITH WINDOWS






AMARR BY DESIGN AD4000

Meticulously handcrafted for reliable performance.

These all-natural wood doors add striking beauty and value to your home. Unlimited custom designs available.





WIND LOAD APPROVALS

Exposure B with mean roof	Door Width	WindPro	WindPro Wind Load Approved for Wind Speeds Ranging		Windows	
height < 30'	Up To		MPH/MPH² (PSF Design Pressures)		Standard	Impact
Amarr by Design	10'	WP6-WP8/ WP6i-WP9i	142 – 176 mph 194 – 229 mph (37.0/-37.0) – (50.0/-57.0)	Yes ³	Yes	Yes ³
1-Year	16'	WP7/WP7i	158 mph <mark>205 mph</mark> (40.0/-43.0)	Yes ³	Yes	No
Limited Warranty	18'	WP3-WP7/ WP5i-WP7i	111 – 159 mph 144 – 207 mph (21.0/-21.0) – (43.0/-43.0)	Yes ³	Yes	Yes ³
Miami-Dade 4	9'	WP8i-WP10i	169 – 185 mph 214 – 240 mph (45.3/-51.2) – (50.0/-62.0)	Yes	No	No
Doors are available up	16'	WP8i	169 mph 218 mph (45.8/-49.3)	Yes	No	No
to 14' tall or a max weight of 635 lbs.	18'	WP8i	165 mph 212 mph (42.0/-46.0)	Yes	No	No

¹ Based on ASCE7-05

WOOD CHOICES







Other types of wood available upon request. Doors shipped natural.



² Based on ASCE7-10

³ Option available on select models.

 $^{^{\}rm 4}$ Miami-Dade wood doors require wood-on-steel base construction.




AMARR HORIZON HO1000


Gain a unique perspective for your home. The Amarr Horizon H01000 combines strong horizontal lines with long, narrow expanses of glass to make a distinctive design statement. These sleek, contemporary, aluminum doors are available with dozens of glazing and color options, so your choices are practically limitless, and the outlook is always bright.

DOOR CONFIGURATIONS

FOR SINGLE PANE GLAZING



16'3"-20'2" WIDE 3 Panels



FOR INSULATED GLAZING


Up to 10'2" WIDE	10'3"-16'2" WIDE
2 Panels	3 Panels

4 Panels	2 WIDE		

FOR SINGLE PANE GLAZING						
Door Width	# Center Stiles	# Windows/Section				
Up to 8'2"	0	2				
8' 3" - 16' 2"	1	4				
16' 3" – 20' 2"	2	6				

FOR INSULATED GLAZING							
Door Width	# Center Stiles	# Windows/Section					
Up to 10' 2"	1	4					
10' 3" - 16' 2"	2	6					
16' 3" – 20' 2"	3	8					

CONSTRUCTION



ALUMINUM

An Amarr Horizon H01000 multiview door offers unique styling to match any modern architecture.

- Extruded aluminum frame provides durability, low maintenance and corrosion resistance
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability
- 7' tall doors are three sections high
- Equal glass heights in all sections of a door
- Glass expanses up to 8'2" wide



WIND LOAD APPROVALS

Exposure B with mean roof height < 30' Doors are available up to 14' tall or a max weight of 635 lbs.	Door Width	WindPro	Wind Load Approved for Wind Speeds Ranging MPH/MPH² (PSF Design Pressures)	Impact Resistant		ass lable _{Impact}
Amarr Horizon H01000 5-Year	18'	WP2-WP5	134 – 168 mph (14.7/-16.6 – [23.0/-26.0]	No	Yes	No

¹ Based on ASCE7-05

COLORS - HORIZON AND VISTA

IN STOCK

ANODIZE









Longer lead time and price upcharge may apply.

SPECIAL ORDER

ANODIZE



Champagne (AH) Copper (AC) Medium Bronze (AM)

GLASS - HORIZON AND VISTA

TRA A Clear Obscur





OPAQUE







*Laminated, not tempered. Insulated glass not available

² Based on ASCE7-10



AMARR VISTA VI1000

It's the perfect reflection of your style. The modern industrial look goes residential with the introduction of the Amarr Vista collection. From the outside, these sleek doors perfectly mirror the clean lines and glass expanses of your home's contemporary design. Inside, they transform your garage into a bright and inviting room.

DOOR CONFIGURATIONS

8' & 9' WIDE 2 Panels	10' WIDE 3 Panels	16' WIDE 4 Panels	18' WIDE 5 Panels

WIND LOAD APPROVALS

Exposure B with mean roof height < 30' Doors are available up to 14' tall or a max weight of 635 lbs.	Door Width	WindPro	Wind Load Approved for Wind Speeds Ranging MPH/MPH² (PSF Design Pressures)	Impact Resistant		ass lable _{Impact}
Amarr Vista VI1000	9'	WP6	140 mph 180 mph (28.0/-33.1)	No	Yes	No
5-Year Limited Warranty	12'	WP1-WP6	90 – 140mph 116 – 181mph (11.4/-13.1) – (27.6/-31.7)	No	Yes	No
	16'	WP1-WP7	90 – 151mph 116 – 194mph (11.1/-12.6) – (31.2/-35.3)	No	Yes	No

¹ Based on ASCE7-05

SPECIAL ORDER



Glass is tempered and available as single pane or insulated.

Longer lead time and price upcharge may apply.

	PVDF (Kynar®)	Powder Coat
FADE RESISTANT	++	+
CORROSION RESISTANT	++	+
UV RESISTANT	++	+
ABRASION RESISTANT	+	++
STANDARD COLORS	26	21
RAL/CUSTOM COLOR PRICE UPCHARGE	\$	\$\$
TOUCH-UP PAINT	Included	NOT included




Greylite INI

OPTIONAL PANELS



Shown in Clear Anodized.



0.312" square perforations on 1/2" centers




6 columns of (12) 3"x 3/4" vents on a 4' x 24" panel Shown in White Powder Coat

CONSTRUCTION

ALUMINUM

- 2" thick extruded commercial-grade aluminum frame for durability
- · Corrosion resistant aluminum
- ClearView Strut System strengthens door without restricting view





² Based on ASCE7-10

ASCE 7-05 Wind Speed	90 MPH	110 MPH	130 MPH	155 MPH	185 MPH	
ASCE 7-10 Wind Speed (Florida)		142 MPH	168 MPH	200 MPH	239 MPH	DADE
DOOR WIDTH						
UP to 9'	12.8 / -15.1 psf	19.1 / -22.6 psf	26.7 / -31.6 psf	38.0 / -44.9 psf	54.2 / -64.0 psf	45.3 / -51.2 psf
10' to 16'	12.3 / -13.9 psf	18.3 / -20.8 psf	25.6 / -29.1 psf	36.4 / -41.4 psf	51.9 / -58.9 psf	45.8 / -49.3 psf
18'	12.2 / -13.8 psf	18.2 / -20.6 psf	25.4 / -28.7 psf	36.1 / -40.8 psf	51.4 / -58.1 psf	42.0 / -46.0 psf



STEEL SPECIFICATIONS

				CAF	RRIAG	E HOU	SE DE	SIGN						Т	RADIT	IONAL	
	AMARR CARRIAGE COURT CC4000	AMARR CLASSICA CL1000	AMARR CLASSICA CL2000	AMARR CLASSICA CL3000	AMARR HILLCREST HI1000	AMARR HILLCREST HI2000	AMARR HILLCREST HI3138	AMARR HILLCREST HI3000	AMARR DESIGNER'S CHOICE DC3138	AMARR DESIGNER'S CHOICE DC3200	AMARR HERITAGE HR1000	AMARR HERITAGE HR2000	AMARR HERITAGE HR3000	AMARR LINCOLN LI1000	AMARR LINCOLN LI2000	AMARR LINCOLN LI3138	
PANEL DESIGNS																	
Short											•	•	•	•			
Long											•	•	•	•	•	•	
Flush				•									•	•5	•5		
Ribbed													NA			NA	
Carriage House	18 Designs	7 Designs	7 Designs	7 Designs	3 Designs	3 Designs	3 Designs	3 Designs	1 Design	3 Designs	3 Designs	3 Designs	3 Designs				
CONSTRUCTION LAYERS	4	1	2	3	1	2	3	3	3	3	1	2	3	1	2	3	
Steel		•			•						•			•			
Steel + Insulation			•			•						•			•		
Steel + Insulation + Steel				•			•	•	•	•			•			•	
Overlay + Steel + Insul. + Steel	•																
DOOR THICKNESS	2" (5.1cm)	2"(5.1cm)	2"(5.1cm)	2" (5.1cm)	2"(5.1cm)	2"(5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)	1-3/8"(3.5cm)	2"(5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2"(5.1cm)	1-3/8"(3.5cm)	
INSULATION	Polystyrene ¹		Polystyrene ¹	Polyurethane		Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyurethane		Polystyrene ¹	Polystyrene ¹		Polystyrene ¹	Polystyrene ¹	
R-VALUE ²	6.48		6.64	13.35		6.64	6.48	9.05	14.46	19.40*/13.35**		6.64	9.05		6.64	6.48	
STEEL THICKNESS																	
Gauge (ga)	27/27 ga	24 ga	24 ga	25/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	27/27 ga	27/27 ga	24 ga	24 ga	24/27 ga	25 ga	25 ga	27/27 ga	
Gauge (mm)	0.42/0.42mm	0.61mm	0.61mm	0.53/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.61mm	0.61mm	0.61/0.42mm	0.53mm	0.53mm	0.42/0.42mm	
THERMAL SEAL									•	•*			•				
EXTERIOR COLOR OPTIONS																	
True White (TW)	•3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Almond (AL)	•3	•	•	•	•	•	•	•		•	•	•	•	•	•	•	
Wicker Tan (WK)	NA	•	•	•	NA	NA	•	•		NA				NA	NA	•	
Sandtone (ST)	•3	•	•	•	•	•	•	•		•	•	•	•	•	•	•	
Terratone (TT)		•	•	•	NA	NA	•	•						NA	NA	•	
Dark Brown (DN)		•	•	•	•	•	•	•		•	•	•	•	•	•	•	
Charcoal Gray (EF)		•	•	•	NA	NA	NA	NA						NA	NA	NA	
Black (BL)		•	•	•	•	•	•	•		•	•	•	•	•	•	•	
Golden Oak (OK)		•	•	•													
Walnut (NT)		•	•	•	•	•	•	•		•	•	•	•	•	•	•	
Mahogany (MY)		•	•	•	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	
Weathered Gray (WZ)		•	•	•													
WARRANTY ⁴																	
Paint Finish Warranty ⁴	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	
Workmanship/Hardware Wty ⁴	5 Years	3 Years	5 Years	Lifetime	1 Year	2 Years	3 Years	3 Years	5 Years	Lifetime	3 Years	5 Years	Lifetime	1 Year	2 Years	3 Years	



Over 800 Sherwin-Williams paint colors – approved color list is Amarr Color Zone at amarr.com/amarr_color_zone. Your local Sherwin-Williams store can provide paint chips of selected color.

Insulation on Amarr brand doors has passed self-ignition, flamespread, and smoke developed index fire testing.
 Calculated door section R-value is in accordance with DASMA TDS-163.
 With White Overlay.
 For complete warranty details, visit amarr.com or contact your local Amarr dealer.
 Flush Panel design has Stucco texture.

^{*} True White Bead Board only.

** All other panels and colors except True White Bead Board.

† True White Short and Flush panel designs only.

‡ All panels and colors except True White Short and Flush panel designs.

M Currently Unavailable.

ASCE 7-05 Wind Speed	90 MPH ¹	110 MPH ¹	130 MPH ¹	155 MPH ¹	185 MPH ¹		IMPACT	STANDARD	WINDOWS1	IMPACT V	VINDOWS1
ASCE 7-10 Wind Speed (Florida)		142 MPH ¹	168 MPH ¹	200 MPH ¹	239 MPH ¹	DADE1	RESISTANT ¹	SHORT PANEL	LONG PANEL	SHORT PANEL	LONG PANEL
Amarr Carriage Court CC4000	•	•	•				•	•			
Amarr Classica CL3000	•	•	•	•			•	•		•	
Amarr Classica CL1000 / CL2000	•	•	•	•	•	•	•	•			
Amarr Hillcrest HI3000	•	•	•	•			•		•		•
Amarr Hillcrest HI3138	•	•	•				•		•		•
Amarr Hillcrest HI1000 / HI2000	•	•	•	•					•		
Amarr Designer's Choice DC3200	•	•	•	•			•		•		•
Amarr Designer's Choice DC3138	•										
Amarr Heritage HR3000	•	•	•	•	•	•	•	•	•	•	•
Amarr Heritage HR1000 / HR2000	•	•	•	•	•	•	•	•	•	•	
Amarr Lincoln LI3000	•	•	•	•			•	•	•	•	•
Amarr Lincoln LI3138	•	•	•				•	•	•	•	•
Amarr Lincoln LI1000 / LI2000	•	•	•	•				•	•		
Amarr Olympus OL3200	•	•	•	•			•				
Amarr Olympus OL3138	•									•	•
Amarr by Design AD4000		•	•	•			•	•	•	•	•
Amarr Horizon H01000		•	•					•			
Amarr Vista VI1000	•	•	•			•		•			

Available on select models and select door widths. Check detailed Wind Load Approval chart for each product collection.

2 Short panel impact windows and panels are slightly misaligned by no more than 1.54°; returns and replacements not accepted. To see detailed drawing, contact sda.engineering @ amarr.com Note: Check with local municipalities for specific building requirements for your location.

WOOD SPECIFICATIONS

DESIGN			
LINCOLN OLYMPUS OL3398 OL3200 TW	DESIG	N	
* TW TW NA 3 3 3 3 - * * * * 2"(51cm) 1-3/8"(3.5cm) 2"(51cm) Polysbyrene¹ Polyurethane 9.05 14.46 19.40 [†] /13.35 [‡] 27/27 ga 27/27 ga 27/27 ga 0.42/0.42mm - * * * NA NA Lifetime Lifetime Lifetime Lifetime Lifetime Lifetime Lifetime	LINCOLN	AMARR OLYMPUS OL3138	AMARR OLYMPUS OL3200
* TW TW NA 3 3 3 3 - * * * * 2"(51cm) 1-3/8"(3.5cm) 2"(51cm) Polysbyrene¹ Polyurethane 9.05 14.46 19.40 [†] /13.35 [‡] 27/27 ga 27/27 ga 27/27 ga 0.42/0.42mm - * * * NA NA Lifetime Lifetime Lifetime Lifetime Lifetime Lifetime Lifetime			
* TW TW NA 3 3 3 3 - * * * * 2"(51cm) 1-3/8"(3.5cm) 2"(51cm) Polystyrene¹ Polyurethane 9.05 14.46 19.40 [†] /13.35 [‡] 27/27 ga 27/27 ga 27/27 ga 0.42/0.42mm • * * NA NA Lifetime Lifetime Lifetime	•	TW	•
NA 3 3 3 3 2"(51cm) 1-3/8"(3.5cm) 2"(51cm) Polystyrene¹ Polyurethane 9.05 14.46 19.40 [†] /13.35 [†] 27/27 ga 27/27 ga 27/27 ga 0.42/0.42mm • • • • • • • • • • • • • • • • • •	•		•
2"(51cm) 1-3/8"(3.5cm) 2"(51cm) Polystyrene¹ Polyurethane 9.05 14.46 19.40 [†] /13.35 [‡] 27/27 ga 27/27 ga 27/27 ga 0.42/0.42mm • • • • • • • • • • • • • • • • • •	•	TW	TW
2"(51cm) 1-3/8"(3.5cm) 2"(51cm) Polystyrene¹ Polyurethane 9.05 14.46 19.40 [†] /13.35 [‡] 27/27 ga 27/27 ga 27/27 ga 0.42/0.42mm 0.42/0.42mm • NA • • • • • • • • • • • • • • • • • • •	NA		
2"(51cm) 1-3/8"(3.5cm) 2"(51cm) Polystyrene¹ Polyurethane 9.05 14.46 19.40 [†] /13.35 [‡] 27/27 ga 27/27 ga 27/27 ga 0.42/0.42mm 0.42/0.42mm • NA • • • • • • • • • • • • • • • • • • •			
Polystyrene* Polyurethane Polyurethane 9.05 14.46 19.40 [†] /13.35 [‡]	3	3	3
Polystyrene* Polyurethane Polyurethane 9.05 14.46 19.40 [†] /13.35 [‡]			
Polystyrene* Polyurethane Polyurethane 9.05 14.46 19.40 [†] /13.35 [‡]			
Polystyrene* Polyurethane Polyurethane 9.05 14.46 19.40 [†] /13.35 [‡]	•	•	•
Polystyrene* Polyurethane Polyurethane 9.05 14.46 19.40 [†] /13.35 [‡]			
9.05 14.46 19.40 [†] /13.35 [‡] 27/27 ga 27/27 ga 27/27 ga 0.42/0.42mm 0.42/0.42mm • • • • • • • • • • • • • • • • •	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)
27/27 ga 27/27 ga 27/27 ga 0.42/0.42mm 0.42/0.42mm 0.42/0.42mm 0.7	Polystyrene ¹	Polyurethane	Polyurethane
0.42/0.42mm	9.05	14.46	19.40 [†] / 13.35 [‡]
0.42/0.42mm			
. 	27/27 ga	27/27 ga	27/27 ga
NA	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm
NA Lifetime Lifetime Lifetime Lifetime		•	•†
NA Lifetime Lifetime Lifetime Lifetime			
NA Lifetime Lifetime Lifetime Lifetime	•	•	•
NA Lifetime Lifetime Lifetime Lifetime	•		•
NA Lifetime Lifetime Lifetime Lifetime	•		NA
NA NA Lifetime Lifetime	•		•
Lifetime Lifetime Lifetime	•		
Lifetime Lifetime Lifetime	•		•
Lifetime Lifetime Lifetime	•		
Lifetime Lifetime Lifetime	•		•
Lifetime Lifetime Lifetime			
Lifetime Lifetime Lifetime	•		•
	NA		NA
3 Years 5 Years Lifetime	Lifetime	Lifetime	Lifetime
	3 Years	5 Years	Lifetime

	AMARR BY DESIGN AD4000
PANEL DESIGNS	
Carriage House	Unlimited Designs
CONSTRUCTION*	
Wood + Insulation + Wood	•
DOOR THICKNESS	3" (7.6cm)
R-VALUE	9.0
WOOD BASEPLY OPTIONS	
5/8" MDO Plywood (paint grade only)	•
1/2" Marine Grade Plywood	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
TRIM OVERLAY OPTIONS	
5/8" Moisture-and Rot-resistant	•
Extira Exterior Panel (paint grade only)	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
OPTIONAL WOOD DISTRESSING	•
SECTION HEIGHT OPTIONS	18", 21", 28" or 32"
POLYSTYRENE INSULATION (1 3/8" thick)	•
DECORATIVE WINDOW OPTIONS	
1/8" (0.32cm) Double Strength	•
Insulated	•
FIRE RATED DOORS AVAILABLE ¹	•
SECTION WARRANTY ²	1 Year
*Optional: Wood-on-steel section onstruction is available. Some guidelines for CA B	

construction is available. Some wind load pressures may require wood-on-steel construction.

guidelines for CA Building Codes for use in Wildlife Urban Interface (WUI). Fire-rated doors with insulated and tempered glass windows available.

visit amarr.com or contact your local Amarr dealer.

Doors are shipped natural. Priming is available for paint grade doors. All doors require finishing on all six (6) sides of each section within two days of receipt of door(s) and prior to installation. Visit amarr.com for finishing recommendations.

ALUMINUM SPECIFICATIONS

	AMARR HORIZON HO1000
FRAME CONSTRUCTION	2" thick aluminum
SECTION HEIGHTS	Varies by door height
DOOR WIDTHS	2' - 20'2" (in 1" increments)
DOOR HEIGHTS	6' - 20'1"
CLEARVIEW STRUT SYSTEM	Only required for doors ≥ 16'
COLORS	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
GLASS	
Transparent	Clear, Obscure, ThermaPro Low-E
Tint	Green, Bronze, Gray, GreyLite
Opaque	Frost, Snow, Whiteout, Black Ice
FINISH WARRANTY ²	5 Years (RAL & Custom Paint 3 Years)
WORKMANSHIP WARRANTY ²	5 Years
HARDWARE WARRANTY ²	

	AMARR VISTA VI1000
FRAME CONSTRUCTION	2" thick aluminum
SECTION HEIGHTS	21" and 24"; 18" for odd height doors
COLORS	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
GLASS	
Transparent	Clear, Obscure, ThermaPro Low-E
Tint	Gray, Bronze, Green
Opaque	Frost, Snow, Whiteout, Black Ice
OPTIONAL PANELS	Full View, Aluminum, Insulated Aluminum, Louvered, Perforated
FINISH WARRANTY ¹	5 Years
WORKMANSHIP WARRANTY ¹	5 Years
HARDWARE WARRANTY ¹	5 Years

¹ For complete warranty details contact your local Amarr dealer.






Fairfield design with Closed Square in True White/White with Alpine decorative handles



Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit amarr.com for additional products, such as Amarr by Design custom wood carriage house doors, specialty doors, garage flooring, accessories, and a full line of Amarr commercial sectional, rolling slat, and rolling steel doors.



Amarr Company

165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR www.amarr.com





Amarr, Classica, and Heritage as words and logos are trademarks belonging to Amarr Company, owned by ASSA ABLOY.

Door specifications and technical data subject to change without notice.

Sectional door products from Amarr Company may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©ASSA ABI OY Printed in USA Form #6680123/PDF