

NOISWA™
L I G H T I N G

**CATALOGUE
FOR
DMX LUMINARIES**



SD ELECTRO SERVICES
www.noiswa.com



2026

Where Architecture Meets the Art of Light

Transform facades into living canvases of light—where structure meets storytelling. Architectural facade lighting goes beyond illumination; it breathes life into buildings, turning them into dynamic expressions of culture, celebration, and innovation.

With intelligent lighting control, every surface becomes adaptable—shifting moods, colors, and intensity to match the moment. From elegant daily ambience to vibrant, high-impact scenes, your architecture evolves with time itself. Automate your scene changes based on Calendar dates and time, switch ON and OFF lights in a specific time of the day.

Celebrate national pride with synchronized displays of saffron, white, and green on Independence Day and Republic Day, or craft unique lighting narratives for festivals, events, and special occasions. Each transition is seamless, each scene purposeful—designed to captivate, engage, and leave a lasting impression.

**Great architectures deserves to be seen—not just in daylight, but
in its full brilliance, every night.**

About Us

Rooted in innovation and inspired by India's vibrant heritage, we specialize in advanced DMX lighting solutions that transform spaces into dynamic visual experiences. Blending cutting-edge technology with artistic expression, we bring light to life in ways that reflect both modern sophistication and cultural richness.

Our expertise spans architectural facades, heritage monuments, landscapes, and entertainment lighting—where every installation is designed with precision and purpose. From subtle ambient illumination to synchronized tricolor-inspired light shows, our DMX-driven systems create captivating environments that celebrate identity and emotion.

Proudly aligned with India's spirit of creativity and progress, we integrate elements that resonate with national pride—whether through thematic lighting concepts, festival-driven designs, or the symbolic use of color inspired by the Indian tricolor.

With a commitment to quality, reliability, and innovation, we deliver end-to-end lighting solutions tailored to each vision. Every project we undertake reflects our dedication to excellence and our belief that lighting is not just functional—it is a powerful medium of storytelling.

Driven by passion and powered by technology, we don't just illuminate spaces—we celebrate them.

Floodlights

NOISWA™
LIGHTING



Model : NS-IFL-101 | NS-IFL-102 | NS-IFL-103

Wattage : 24W | 48W | 72W

I/P Voltage : 12V DC / 24V DC

Led Color : RGBW / RGBWW / Single Color

Weight : 3 Kgs

IP Rating : IP65

Model : NS-IFL-201 | NS-IFL-202 | NS-IFL-203

Wattage : 50W | 80W | 100W

I/P Voltage : 12V DC / 24V DC

Led Color : RGBW / RGBWW / Single Color

Weight : 3.5 Kgs

IP Rating : IP65



Model : NS-IFL-301 | NS-IFL-302 | NS-IFL-303

Wattage : 120W | 150W | 200W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 5.1 Kgs

IP Rating : IP65



Model : NS-IFL-401 | NS-IFL-402 | NS-IFL-403

Wattage : 250W | 300W | 350W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 8 Kgs

IP Rating : IP65

Model : NS-IFL-501 | NS-IFL-502 | NS-IFL-503

Wattage : 120W | 160W | 200W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 6.5 Kgs

IP Rating : IP65



Model : NS-IFL-601 | NS-IFL-602 | NS-IFL-603

Wattage : 50W | 80W | 120W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 4.5 Kgs

IP Rating : IP65

Floodlights

NOISWA™
L I G H T I N G



Model : NS-IFL-701 | NS-IFL-702 | NS-IFL-703

Wattage : 50W | 80W | 120W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 6 Kgs

IP Rating : IP65

Model : NS-IFL-801 | NS-IFL-802 | NS-IFL-803

Wattage : 100W | 180W | 260W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 8 Kgs

IP Rating : IP65



Model : NS-IFL-901 | NS-IFL-902 | NS-IFL-903


Wattage : 60W | 80W | 120W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 4.5 Kgs

IP Rating : IP65



Model : NS-IFL-1001 | NS-IFL-1002 | NS-IFL-1003

Wattage : 80W | 100W | 150W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 3.2 Kgs

IP Rating : IP65

Model : NS-IFL-1101 | NS-IFL-1102 | NS-IFL-1103


Wattage : 36W | 50W | 72W

I/P Voltage : 12V DC / 24V DC

Led Color : RGBW / RGBWW / Single Color

Weight : 2.3 Kgs

IP Rating : IP65



Model : NS-IFL-1201 | NS-IFL-1202 | NS-IFL-1203


Wattage : 36W | 60W | 80W

I/P Voltage : 12V DC / 24V DC

Led Color : RGBW / RGBWW / Single Color

Weight : 3.5 Kgs

IP Rating : IP65



Floodlights

NOISWA™
L I G H T I N G



Model : NS-IFL-1301 | NS-IFL-1302 | NS-IFL-1303

Wattage : 250W | 350W | 450W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 13.5 Kgs

IP Rating : IP65

Model : NS-DFL-1401 | NS-DFL-1402 | NS-DFL-1403

Wattage : 100W | 150W | 250W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 5.2 Kgs

IP Rating : IP65



Model : NS-DFL-1501 | NS-DFL-1502 | NS-DFL-1503

Wattage : 100W | 150W | 250W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 5 Kgs

IP Rating : IP65



Model : NS-IFL-1601 | NS-IFL-1602 | NS-IFL-1603

Wattage : 24W | 36W | 60W

I/P Voltage : 12V DC / 24V DC

Led Color : RGBW / RGBWW / Single Color

Weight : 4.5 Kgs

IP Rating : IP65

Model : NS-DFL-1701 | NS-DFL-1702 | NS-DFL-1703

Wattage : 50W | 75W | 120W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 4.5 Kgs

IP Rating : IP65



Model : NS-DFL-1801 | NS-DFL-1802 | NS-DFL-1803

Wattage : 200W | 250W | 300W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 7 Kgs

IP Rating : IP65

Floodlights

NOISWA™
L I G H T I N G



Model : NS-DFL-1901 | NS-DFL-1902 | NS-DFL-1903

Wattage : 600W | 700W | 800W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 18.5 Kgs

IP Rating : IP65



Model : NS-DFL-2001 | NS-DFL-2002 | NS-DFL-2003

Wattage : 200W | 250W | 350W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 9.5 Kgs

IP Rating : IP65



Model : NS-DFL-2101 | NS-DFL-2102 | NS-DFL-2103

Wattage : 100W | 150W | 250W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 10 Kgs

IP Rating : IP65



Model : NS-IFL-2201 | NS-IFL-2202 | NS-IFL-2203

Wattage : 15W | 24W | 36W

I/P Voltage : 12V DC / 24V DC

Led Color : RGBW / RGBWW / Single Color

Weight : 1.8 Kgs

IP Rating : IP65

Model : NS-IFL-2301 | NS-IFL-2302 | NS-IFL-2303

Wattage : 15W | 24W | 36W

I/P Voltage : 12V DC / 24V DC

Led Color : RGBW / RGBWW / Single Color

Weight : 2.1 Kgs

IP Rating : IP65



Model : NS-IFL-2401 | NS-IFL-2402 | NS-IFL-2403

Wattage : 4W | 12W | 20W

I/P Voltage : 12V DC / 24V DC




Led Color : RGBW / RGBWW / Single Color

Weight : 1 Kg

IP Rating : IP65

Linear Wallwashers

NOISWA™
L I G H T I N G



Customized sizes ranging from 200mm to 1200mm available. 2 types of variants, Slim and Broad types available. Ideal for flat surface color flow.

Model : NS-DFL-2501



Wattage : 12W to 100W

I/P Voltage : 12V DC / 24V DC

Led Color : RGBW / RGBWW / Single Color

Weight : 4.5 Kgs

IP Rating : IP66



DMX controlled Window Sill lights in RGBW colors which provide cost effective 180 degree illumination to Windows borders.

Model : NS-IFL-2601 | NS-IFL-2602 | NS-IFL-2603

Wattage : 12W | 15W | 50W

I/P Voltage : 12V DC / 24V DC

Led Color : RGBW / RGBWW / Single Color

Weight : 1.5 - 3.2 Kgs

IP Rating : IP65

Underwater Lights



Ip68 Underwater lights with DMX decoders fitted inside the lights.

Model : NS-IFL-2701 | NS-IFL-2702 | NS-IFL-2703

Wattage : 21W | 36W | 54W


I/P Voltage : 12V DC / 24V DC

Led Color : RGBW / RGBWW / Single Color

Weight : 2.5 - 5.5 Kgs

IP Rating : IP68

Hug Lights



Hug lights are perfect for illuminating concrete pillars and trees in the garden. It gives all round illumination to the structures.

Model : NS-IFL-2801 | NS-IFL-2802 | NS-IFL-2803






Wattage : 24W | 50W | 100W

I/P Voltage : 12V DC / 24V DC

Led Color : RGBW / RGBWW / Single Color

Weight : 2.5 - 9.5 Kgs

IP Rating : IP66



These are a special type of Luminaries where lights are controlled by DMX and a physical prismatic structure inside the lights to create water lines effect on the surface.

Model : NS-IFL-2901 | NS-IFL-2902 | NS-IFL-2903

Wattage : 36W | 48W | 60W

I/P Voltage : 24V DC / 230V AC

Led Color : RGBW / RGBWW / Single Color

Weight : 8.5 Kgs

IP Rating : IP66



Nexus Hyderabad



Elante Chandigarh



Ahmedabad One





Nexus Koramangala



Seawoods Navi Mumbai



Chitrakutdham Railway Station



Piska Railway Station



Mahoba Railway Station



IOCL Bhavan, Kolkata



Bhind Railway Station



Firozabad Underpass



Lalitpur Railway Station

Certifications

NOISWA™
LIGHTING



Reach Us

Factory

SD Electro Services
P-1, Taratala Road, HRDC Open Space # 07 & 17,
Webel Industrial Estate,
Kolkata - 700088.

Registered Business Address

SD Electro Services
P.O. & Vill - Jetia, Shimultala, Near Jetia Playground,
P.S. Jetia,
West Bengal - 743135

Phone

Sumon Dey - +91 84200 39036
Sukriti Singha Roy - +91 84200 40234

Email

sd.electroservices@outlook.com
info@noiswa.in

Web

www.noiswa.com
www.noiswa.in (Indiamart Catalogue)

Scan for an e-brochure





NOISWA™
L I G H T I N G

Manufactured By:



SD ELECTRO SERVICES

HRDC Open Space # 7 & 17,
Webel Industrial Estate,
P-1 Taratala Road,
Kolkata - 700088.