APPROVED CEPHA DRY SYRUP

1	Cefixime Oral Suspension IP 100 mg	Each 5 ml (After reconstitution) contains: Cefixime (as Trihydrate) Eq. to anhydrous Cefixime Excipients	IP	100 mg q.s.
2	Cefpodoxime Oral suspension IP 50 mg	Each 5 ml (After reconstitution) contains: Cefpodoxime Proxetil Eq. to Cefpodoxime Excipients	IP	50 mg q.s.
3	Cefpodoxime Oral suspension IP 100 mg	Each 5 ml (After reconstitution) contains: Cefpodoxime Proxetil Eq. to Cefpodoxime Excipients	IP	100 mg q.s.
4	Cefadroxil Oral suspension IP 250 mg	Each 5 ml (After reconstitution) contains: Cefadroxil Eq.Anhudrous Cefadroxil Excipients	IP	250 mg q.s.
5	Cefuroxime Axetil oral Suspension USP 125 mg	Each 5 ml (After reconstitution) contains: Cefuroxime Axetil Eq. to Cefuroxime Excipients	IP	125 mg q.s.
6	Cephalexin Oral Suspension IP 125 mg	Each 5 ml (After reconstitution) contains: Cephalexin monohydrate Eq. to Anhydrous Cephalexin Excipients	IP	125 mg q.s.
7	Cephalexin Oral Suspension IP 250 mg	Each 5 ml (After reconstitution) contains: Cephalexin monohydrate. Eq. to Anhydrous Cephalexin Excipients	IP	250 mg q.s.
8	Cefadroxil Oral Suspension IP 125 mg	Each 5 ml (After reconstitution) contains: Cefadroxil. Eq. to anhydrous Cefadroxil. Excipients	IP	125 mg q.s.
9	Cefixime with Lactic Acid Bacillus Oral Suspension	Each 5 ml of reconstitution contains: Cefixime as Trihydrate Eq. to anhydrous Cefixime Lactic Acid Bacillus Excipients Approved Coloure used	IP	50 mg 60 m.spores q.s.

APPROVED CEPHA DRY SYRUP

10	Cefixime and Ofloxacin oral	Each 5 ml of reconstitution contains:		
	suspension	Cefixime as Trihydrate	IP	
		Eq. to anhydrous Cefixime		50 mg
		Ofloxacin	IP	50 mg
		Excipients		q.s.
		Approved Coloure used		
11	Cefixime Oral Suspension	Each 5 ml of reconstitution contains:		
	IP 50 mg	Cefixime as Trihydrate	IP	
		Eq. to anhydrous Cefixime		50 mg
		Excipients		q.s.
		Approved Coloure used		
12	Cefixime Oral Suspension	Each ml of reconstitution contains:		
	IP 25 mg	Cefixime as Trihydrate	IP	
		Eq. to anhydrous Cefixime		25 mg
		Excipients		q.s.
		Approved Coloure used		
13	Cefpodoxime Oral	Each ml of reconstitution contains:		
	Suspension IP 25 mg	Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime		25 mg
		Excipients		q.s.
		Approved Coloure used		
14	Cefixime with Lactic Acid	Each 5 ml of reconstitution contains:		
	Bacillus Oral Suspension	Cefixime as Trihydrate	IP	
		Eq. to anhydrous Cefixime		100 mg
		Lactic Acid Bacillus		60 m.spores
		Excipients		q.s.