

IQ - Laminated Steel Core Coils

Bobbin	ELC52	ELC54	Winding
SIZE (mm)			
14AWG	Up to 0.39 mH, 200W	Up to 2.8 mH, 350W	Coil Winding : E1
15AWG	Up to 0.6 mH, 200W	Up to 2.8 mH, 350W	Coil Winding : E2
16AWG	Up to 0.7 mH, 200W	Up to 6.0 mH, 350W	Coil Winding : E3
17AWG	Up to 1.15 mH, 200W	Up to 6.0 mH, 350W	Coil Winding : E4
18AWG	Up to 2.8 mH, 200W	Up to 9.0 mH, 300W	Coil Winding : E5
19AWG	Up to 3.6 mH, 200W	Up to 15 mH, 250W	Coil Winding : E6
20AWG	Up to 4.0 mH, 200W	Up to 20 mH, 200W	Coil Winding : E7
22AWG	Up to 11 mH, 75/100/125W	Up to 45 mH, 125W	Coil Winding : E8
Model No.:	<p style="text-align: center;">Bobbin Number AWG Value:0.8mH</p> <p style="text-align: center;">↑ ↑ ↑</p> <p style="text-align: center;">ELC52-20-800</p>	<p style="text-align: center;">Bobbin Number AWG Value:0.9mH</p> <p style="text-align: center;">↑ ↑ ↑</p> <p style="text-align: center;">ELC54-20-900</p>	Coil Winding : E9
Lead Length:	Lead Length 6.5cm with 3cm tinned (For your reference)		