

Beaver Springs Volunteer Fire Company


Beaver Springs, PA

This report was generated on 4/3/2018 3:29:36 AM



Breakdown by Major Incident Types for Date Range

Zone(s): All Zones | Start Date: 01/01/2017 | End Date: 12/31/2017



| MAJOR INCIDENT TYPE | # INCIDENTS | % of TOTAL |
|--|-------------|----------------|
| Fires | 32 | 23.19% |
| Overpressure rupture, explosion, overheating - no fire | 1 | 0.72% |
| Rescue & Emergency Medical Service | 56 | 40.58% |
| Hazardous Condition (No Fire) | 9 | 6.52% |
| Service Call | 5 | 3.62% |
| Good Intent Call | 5 | 3.62% |
| False Alarm & False Call | 16 | 11.59% |
| Severe Weather & Natural Disaster | 14 | 10.14% |
| TOTAL | 138 | 100.00% |

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Detailed Breakdown by Incident Type

| INCIDENT TYPE | # INCIDENTS | % of TOTAL |
|--|-------------|----------------|
| 111 - Building fire | 17 | 12.32% |
| 114 - Chimney or flue fire, confined to chimney or flue | 2 | 1.45% |
| 118 - Trash or rubbish fire, contained | 1 | 0.72% |
| 131 - Passenger vehicle fire | 1 | 0.72% |
| 132 - Road freight or transport vehicle fire | 1 | 0.72% |
| 138 - Off-road vehicle or heavy equipment fire | 1 | 0.72% |
| 140 - Natural vegetation fire, other | 2 | 1.45% |
| 141 - Forest, woods or wildland fire | 3 | 2.17% |
| 142 - Brush or brush-and-grass mixture fire | 3 | 2.17% |
| 151 - Outside rubbish, trash or waste fire | 1 | 0.72% |
| 251 - Excessive heat, scorch burns with no ignition | 1 | 0.72% |
| 311 - Medical assist, assist EMS crew | 10 | 7.25% |
| 321 - EMS call, excluding vehicle accident with injury | 1 | 0.72% |
| 322 - Motor vehicle accident with injuries | 24 | 17.39% |
| 324 - Motor vehicle accident with no injuries. | 12 | 8.70% |
| 341 - Search for person on land | 3 | 2.17% |
| 352 - Extrication of victim(s) from vehicle | 5 | 3.62% |
| 357 - Extrication of victim(s) from machinery | 1 | 0.72% |
| 444 - Power line down | 6 | 4.35% |
| 445 - Arcing, shorted electrical equipment | 2 | 1.45% |
| 462 - Aircraft standby | 1 | 0.72% |
| 520 - Water problem, other | 2 | 1.45% |
| 542 - Animal rescue | 1 | 0.72% |
| 553 - Public service | 1 | 0.72% |
| 571 - Cover assignment, standby, moveup | 1 | 0.72% |
| 611 - Dispatched & cancelled en route | 1 | 0.72% |
| 631 - Authorized controlled burning | 1 | 0.72% |
| 650 - Steam, other gas mistaken for smoke, other | 1 | 0.72% |
| 651 - Smoke scare, odor of smoke | 1 | 0.72% |
| 652 - Steam, vapor, fog or dust thought to be smoke | 1 | 0.72% |
| 714 - Central station, malicious false alarm | 1 | 0.72% |
| 733 - Smoke detector activation due to malfunction | 1 | 0.72% |
| 743 - Smoke detector activation, no fire - unintentional | 6 | 4.35% |
| 744 - Detector activation, no fire - unintentional | 4 | 2.90% |
| 745 - Alarm system activation, no fire - unintentional | 4 | 2.90% |
| 800 - Severe weather or natural disaster, other | 13 | 9.42% |
| 813 - Wind storm, tornado/hurricane assessment | 1 | 0.72% |
| TOTAL INCIDENTS: | 138 | 100.00% |

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.