


Stop, Turn, & Tail Lamps



NOTE: See page 82 for parts breakdown

PART NO.
810012

810212

PART NO.
810011

PART NO.
810013
810213

Pedestal mount aluminum body lamp is available in an incandescent and LED version. Incandescent bulb version features a 920134 red or 920135 amber lens. The single contact bulb version uses a 920015 single contact socket and 1156 bulb and the double contact lamp uses a 920013 double contact socket and 1157 bulb. The LED versions use a 710003 red or 710004 amber LED lens assembly.

Requires a mounting hole large enough to accommodate a 9/16" diameter stud mount.

Lamps include 18" pigtails.

TURN SINGLE CONTACT

Amber, aluminum body

Amber LED, aluminum


STOP OR TURN SINGLE CONTACT

Red, aluminum body

STOP, TAIL, TURN OR CLEARANCE DOUBLE CONTACT

Red, aluminum body

Red LED, aluminum



Back Up Lamps



Back up lamps are available in incandescent multi and single diode, and both are Multi-voltage. LED lamps are designed to operate for either 12 or 24 volt systems. Incandescent lamps use a 920139 lens with a 920460 socket and 1156 bulb. Multi-diode lamps use a 710037 LED clear lens assembly and the single diode lamp uses a 920139 lens with a 920691 single diode LED assembly.

ALL B40 direct aluminum replacements come with a ground strap that utilizes the base as a ground like an aluminum base lamp.

All B70 direct aluminum replacements come with a ground strap that utilizes the base as a ground like an aluminum base lamp and with a 1/4" N.P.T. hole in the center.

Bodies must be drilled or tapped for wire entry unless otherwise noted.

Recess mount, see page 68 for mounting brackets.

NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. compliance.

PART NO.

400043

400063

400075

400089

402043

402063

402075

402089

405043

BACK UP

Clear, valox body

Clear, valox body with (3) 920413 choke seals installed

Clear, B70 replacement, valox body with ground strap

Clear, B40 replacement valox body with ground strap


Clear, multi-diode Multi-voltage LED, valox body


Clear, multi-diode Multi-voltage LED, valox body with (3) 920413 cable choke seals installed

Clear, B70 replacement, multi-diode Multi-voltage LED, valox body with ground strap

Clear, B40 replacement, multi-diode Multi-voltage LED, valox body with ground strap

Clear, Multi-voltage single diode LED, valox body





Back up lamps are available in incandescent and in both multi and single diode Multi-voltage. LED lamps are designed to operate for either 12 or 24 volt systems. Incandescent lamps use a 920139 lens with a 920460 socket and 1156 bulb. Multi-diode lamps use a 710037 LED clear lens assembly and the single diode lamp uses a 920139 lens with a 920691 single diode LED assembly.



All B45 direct aluminum replacements come with a ground strap that utilizes the base as a ground like an aluminum base lamp.

Bodies must be drilled or tapped for wire entry unless otherwise noted.

Recess mount, see pages 68 & 69 for mounting brackets.

NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. 108 compliance.

PART NO.


BACK UP

- 450032
- 450057
- 450067
- 455032
- 455067

- Clear, valox body
- Clear, valox body with (3) 920413 choke seals installed
- Clear, valox body with 8' of 2 conductor cable installed
- Clear, Multi-voltage single diode LED, valox body
- Clear, Multi-voltage single diode LED, valox body with 8' of 2 conductor cable installed

- 450099
- 450157
- 450167
- 450299
- 452032
- 452057
- 452067
- 452157

- Clear, B45 replacement, valox body with ground strap
- Clear, B45 replacement, valox body with (3) 920413 cable choke seals installed with ground strap
- Clear, B45 replacement, valox body with 8' of 2 conductor cable installed with ground strap
- Clear, B45 replacement, multi-diode multi-voltage, valox body
- Clear, Multi-voltage multi-diode LED, valox body
- Clear, Multi-voltage multi-diode LED, valox body with (3) 920413 choke seals installed
- Clear, Multi-voltage multi-diode LED, valox body with 8' of 2 conductor cable installed
- Clear, B45 replacement, multi-diode Multi-voltage LED, valox body with (3) 920413 cable choke seals installed with ground strap
- Clear, B45 replacement, multi-diode Multi-voltage LED, valox body with 8' of 2 conductor cable installed with ground strap
- Clear, Multi-voltage single diode LED, valox body
- Clear, Multi-voltage single diode LED, valox body with 8' of 2 conductor cable installed



Back up lamps are available in incandescent and in both multi and single diode multi-voltage. LED lamps are designed to operate for either 12 or 24 volt systems. Incandescent lamps use a 920139 lens with a 920460 socket and 1156 bulb. Multi-diode lamps use a 710037 LED clear lens assembly and the single diode lamp uses a 920139 lens with a 920691 single diode LED assembly.



Bodies must be drilled or tapped for wire entry unless otherwise noted.
Surface mount


NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. 108 compliance

PART NO.

BACK UP

- 470024
- 472024
- 475024

- Clear, Valox body
- Clear, Multi-voltage multi-diode LED, valox body
- Clear, Multi-voltage single diode LED, valox body



A back up lamp with a 1/4" N.P.T. threaded rear entry. Lamp features a Valox body with a 920112 deep clear lens with a press fit socket and 1156 bulb. Lamps are direct replacement to aluminum body version using a ground strap that utilizes the base of the lamp as a ground.



NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. 108 compliance

PART NO.

BACK UP

- 500051
- 500062

- Clear, valox body with ground strap
- Clear, valox body with choke seal with pigtail and ground strap

Back Up Lamps




PART NO.
560027
560037
560054

A valox body back up lamp that features a 920112 deep clear lens, 920367 socket and 1156 bulb. All B56 direct aluminum replacements feature a ground strap that utilizes the base of the lamp as a ground.

Recess mount, see pages 68 & 69 for mounting brackets.

NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. 108 conformance.



BACK UP

- Clear, valox body with 920413 cable choke seal installed
- Clear, valox body
- Clear, B56 replacement, valox body with ground strap


Cabinet, Meter & Dome Lamps



PART NO.
730004
730008
730014

735004
735008

A tough nylon bodied lamp available in both an incandescent or Multi-voltage LED version. Both versions feature a 920497 clear lens. The incandescent version uses a 920460 socket and 1156 bulb. The LED version features a 920692 clear LED assembly.



Bodies must be drilled and tapped for wire entry unless otherwise noted.

Recess mount, see pages 68 & 69 for mounting brackets.

NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. 108 conformance.

BACKUP

- Clear, with 920413 cable choke seal installed
- Clear, plug-in replacement lamp with 3 conductor plug
- Clear, with 920420 wire choke seal installed


- Clear, Multi-voltage single diode LED, with 920413 cable choke seal installed
- Clear, Multi-voltage single diode LED, plug in replacement lamp with 3 conductor plug



PART NO.
820011
820311
820317
820319

A low profile dome or cabinet lamp with a 920077, 3 amp toggle switch. Incandescent bulb features a 920133 clear lens with a 920014 socket and a 1141 bulb. LED version features a 710026 clear LED lens assembly. A ground must be provided to all valox lamps

NOTE: Incandescent lamps are designed for use with 1141 bulbs only.




CABINET/METER/DOME

- Clear, aluminum body
- Clear, Multi-voltage single diode LED, aluminum body
- Clear, Multi-voltage single diode LED, valox body
- Clear, Multi-voltage single diode LED, valox body with 920420 wire choke seal installed



PART NO.
240003

A meter or cabinet lamp that uses a shielded 920055 deep lens and a 67 incandescent bulb.



CABINET/METER/DOME

- Silver, aluminum body