Stop, Tail, Turn Lamps

PART NO.	45 SERIES - 4 IN. MALE PLUG
453086 453087 453088 453089 453286 453287 453288 453289	Curb Side Turn/Tail Red Deep Lens Road Side Turn/Tail Red Deep Lens Curb Side Stop/Tail Red Deep Lens Road Side Stop/Tail Red Deep Lens Curb Side Turn/Tail/License Red Deep Lens Road Side Turn/Tail/License Red Deep Lens Curb Side Stop/Tail/License Red Deep Lens Road Side Stop/Tail/License Red Deep Lens
PART NO.	45 SERIES - 12 IN. MALE PLUG
453076	Curb Side Turn/Tail Red Shallow Lens
453076 453077	Curb Side Turn/Tail Red Shallow Lens Road Side Turn/Tail Red Shallow Lens
453076 453077 453078	Curb Side Turn/Tail Red Shallow Lens Road Side Turn/Tail Red Shallow Lens Curb Side Stop/Tail Red Shallow Lens
453076 453077	Curb Side Turn/Tail Red Shallow Lens Road Side Turn/Tail Red Shallow Lens Curb Side Stop/Tail Red Shallow Lens Road Side Stop/Tail Red Shallow Lens
453076 453077 453078	Curb Side Turn/Tail Red Shallow Lens Road Side Turn/Tail Red Shallow Lens Curb Side Stop/Tail Red Shallow Lens
453076 453077 453078 453079	Curb Side Turn/Tail Red Shallow Lens Road Side Turn/Tail Red Shallow Lens Curb Side Stop/Tail Red Shallow Lens Road Side Stop/Tail Red Shallow Lens



Clearance & Side Turn Lamps

PART NO. 73 SERIES - 4 IN. MALE PLUG DOUBLE CONTACT
733009 Curb Side Turn/Marker Amber Lens
733010 Road Side Turn/Marker Amber Lens
PART NO. 73 SERIES - 12 IN. MALE PLUG DOUBLE CONTACT
733016 Curb Side Turn/Marker Amber Lens
733017 Road Side Turn/Marker Amber Lens

Road Side Stop/Tail/License Red Deep Lens



PART NO. AMBER ARROW TURN LAMPS 4 IN. MALE PLUG SINGLE CONTACT

773024 Amber Arrow Turn Only


453279

PART NO. AMBER ARROW TURN LAMPS 12 IN. MALE PLUG SINGLE CONTACT

773026 Amber Arrow Turn Only



Clearance & Side Marker Lamps



Features a 920053 red or 920054 amber deep lens. Lamps use a 67 bulb. Surface mount lamp with a .313 diameter wire entrance hole required.


PART NO. COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT


240004 Red, incandescent bulb, aluminum body Amber, incandescent blub, aluminum body





Features a 920053 red or 920054 amber deep lens. Lamp uses a 67 bulb. Lamps have a 1/4" N.P.T. rear entry. Surface mount lamp with a 1.062 diameter wire entrance hole required.





PART NO.

COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT

240011 240012 Red, incandescent bulb, aluminum body Amber, incandescent bulb, aluminum body




Available in either incandescent or LED. Lamps have a 1/4" N.P.T. rear entry, surface mount.

ALL B50 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

Incandescent lamps feature a 920109 red or 920110 amber shallow lens and use a 67 bulb in a single contact socket.

B50 replacement LED lamps use a 510007 red or a 510008 amber shallow single contact bulb base socket lens assembly.

LED lamps feature a 510001 red or 510002 amber shallow lens assembly with two eyelets and require internal grounding.



PART NO.

COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT SHALLOW LENS

500052 500053

Red. B50 replacement, incandescent bulb, valox body with ground strap Amber, B50 replacement, incandescent bulb, valox body with ground strap

PART NO.

CLEARANCE OR SIDE MARKER SINGLE CONTACT SHALLOW LENS

500252

Red, B50 replacement, LED, valox body with ground strap 500253 Amber, B50 replacement, LED, valox body with ground strap

500452 500453

Red, LED, valox body Amber, LED, valox body




Special purpose double contact lamp shallow lens LED surface mount lamp. Lamps have a 1/4" N.P.T. rear entry.

All B50 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

B50 series aluminum direct valox replacement LED lamps feature a double contact bulb based 510027 red or 510028 amber shallow lens.


LED lamps feature a 510021 red or 510022 amber shallow lens assembly with three eyelets and require internal grounding.



PART NO.

SPECIAL PURPOSE DOUBLE CONTACT SHALLOW LENS

Red, B50 replacement, LED, valox body with ground strap Amber, B50 replacement, LED, valox body with ground strap Red, LED, valox body Amber, LED, valox body



Available in either incandescent or LED, surface mount. Lamps have a 1/4" N.P.T. rear entry, surface mount lamp.

All B50 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

Incandescent lamps feature a 920116 red or 920117 amber deep lens and use a 67 bulb in a single contact socket.

B50 replacement LED lamps use a 510017 red or 510018 amber deep single contact bulb based socket lens assembly.

LED lamps feature a 510011 red or 510012 amber deep lens assembly with two eyelets and require internal grounding.

PART NO.

COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT DEEP LENS

500054

Red, B50 replacement, incandescent bulb, valox body

with ground strap

500055

Amber, B50 replacement, incandescent bulb, valox body with ground strap


PART NO. **500254**

CLEARANCE OR SIDE MARKER SINGLE CONTACT DEEP LENS

Red, B50 replacement, LED, valox body with ground strap Amber, B50 replacement, LED, valox body with ground strap

NAME OF THE PARTY OF THE PARTY

500255 500255 500454 500455



Special purpose double contact lamp deep lens incandescent or LED surface mount lamp. Lamps have a 1/4" N.P.T. rear entry.

All B50 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

Incandescent lamps feature a 920116 red or 920117 amber deep lens and a 1157 bulb in a double contact socket.

 $B50\ series$ aluminum direct valox replacement LED lamps feature a double contact bulb based 510037 red or 510038 amber deep lens.

LED lamps features a 510031 red or 510032 amber deep lens assembly with three eyelets and require internal grounding.

PART NO.

SPECIAL PURPOSE INCANDESCENT DOUBLE CONTACT DEEP LENS


500058 500059 Red, B50 replacement, incandescent bulb, valox body with ground strap Amber, B50 replacement, incandescent bulb, valox body with ground strap

PART NO. **500258**

SPECIAL PURPOSE LED DOUBLE CONTACT DEEP LENS

500258 500259 500458 500459 Red, B50 replacement, LED, valox body with ground strap Amber, B50 replacement, LED, valox body with ground strap

Red LÉD, valox body Amber, LED, valox body



(4) .187 DIA. HOLES ON 3.625 BOLT CIRCLE All B56 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

Incandescent lamps feature a 920109 red or a 920110 amber shallow lens and use a 920105 single contact socket and a 67 bulb.

B56 replacement LED lamps use a 510007 red or a 510008 amber shallow single contact bulb base socket lens assembly.

LED lamps feature a 510001 red or 510002 amber shallow lens with two eyelets and require internal grounding.



PART NO.	COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT SHALLOW LENS
560019	Red, incandescent bulb, valox body
560020	Amber, incandescent bulb, valox body
560028	Red, incandescent bulb, valox body with (1) 920413 choke seal installed
560029	Amber, incandescent bulb, valox body with (1) 920413 choke seal installed
560056	Red, B56 replacement, incandescent bulb, valox body with ground strap
560057	Amber, B56 replacement, incandescent bulb, valox body with ground strap
PART NO.	CLEARANCE OR SIDE MARKER SINGLE CONTACT SHALLOW LENS
PART NO. 560219	CLEARANCE OR SIDE MARKER SINGLE CONTACT SHALLOW LENS Red, LED, valox body
560219	Red, LED, valox body
560219 560220	Red, LED, valox body Amber LED, valox body
560219 560220 560228	Red, LED, valox body Amber LED, valox body Red, LED, valox body with (1) 920413 choke seal installed




All B56 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp. All other lamps require internal grounding.

Incandescent lamps feature a 920116 red or a 920117 amber deep lens and use a 920104 single contact socket and a 67 bulb.

B56 replacement LED lamps use a 510017 red or a 510018 amber deep single contact bulb base socket lens assembly.

Multi Diode LED lamps feature a 510011 red or 510012 amber deep lens with two eyelets.



PART NO.

COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT DEEP LENS

Red, incandescent bulb, valox body
 Amber, incandescent bulb, valox body
 Red, incandescent bulb, valox body
 Red, incandescent bulb, valox body with (1) 920413 choke seal installed
 Amber, incandescent bulb, valox body with (1) 920413 choke seal installed

560031 Amber, incandescent bulb, valox body with (1) 920413 choke seal installed Red, B56 replacement, incandescent bulb, valox body with ground strap Amber, B56 replacement, incandescent bulb, valox body with ground strap

PART NO. CLEARANCE OR SIDE MARKER SINGLE CONTACT DEEP LENS


560205 Red, LED, valox body 560207 Amber, LED, valox body

Red, LED, valox body with (1) 920413 choke seal installed
Amber, LED, valox body with (1) 920413 choke seal installed
Red, B56 replacement, LED, valox body with ground strap
Amber, B56 replacement, LED, valox body with ground strap



Multi-diode LED lamps feature a 510021 red or 510022 amber shallow lens with three eyelets and require internal grounding.

Multi-voltage (12 to 24 volts) LED single diode lamps feature a 510054 red or 510053 shallow lens assembly with two eyelets and require internal grounding.




PART NO.

560354

SPECIAL PURPOSE DOUBLE CONTACT

560253 Red, LED, valox body with (1) 920413 choke seal installed
560254 Amber, LED, valox body with (1) 920413 choke seal installed
560260 Red, LED, valox body with ground strap
560261 Amber, LED, valox body with ground strap
560351 Red, Multi-voltage LED, valox body
560352 Amber, Multi-voltage LED, valox body
560353 Red, Multi-voltage LED, valox body with (1) 920413 choke seal installed

Amber, Multi-voltage LED, valox body with (1) 920413 choke seal installed



All B56 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

Incandescent lamps feature a 920116 red or a 920117 amber deep lens and use a 920103 double contact socket and a 1157 bulb and require internal grounding.

LED lamps feature a 510031 red or 510032 amber deep lens with three eyelets and require internal grounding.


Multi-voltage (12 to 24 volts) LED single diode lamps feature a 510052 red or 510051 deep lens assembly with three eyelets and require internal grounding.

Body must be drilled or drilled and tapped for wire entrance unless otherwise specified, lamp bodies also available in black valox.



PART NO. SPECIAL PURPOSE DOUBLE CONTACT DEEP LENS

TART NO.	STECHE FOR OSE DOODLE CONTACT DELI LENG
560023	Red, incandescent bulb, valox body
560024	Amber, incandescent bulb, valox body
560032	Red, incandescent bulb, valox body with (1) 920413 choke seal installed
560033	Amber, incandescent bulb, valox body with (1) 920413 choke seal installed
560065	Red, B56 replacement, incandescent bulb, valox body with ground strap
560066	Amber, B56 replacement, incandescent bulb, valox body with ground strap
560223	Red, LED, valox body
560224	Amber, LED, valox body
560232	Red, LED, valox body with (1) 920413 choke seal installed
560233	Amber, LED, valox body with (1) 920413 choke seal installed
560256	Red, LED, valox body with ground strap
560257	Amber, LED, valox body with ground strap
560323	Red, Multi-voltage LED, valox body
560324	Amber, Multi-voltage LED, valox body
560332	Red, Multi-voltage LED, valox body with (1) 920413 choke seal installed
560333	Amber, Multi-voltage LED, valox body with (1) 920413 choke seal installed



All 57 series lamps are molded from a durable valox material and must now be grounded internally by the use if an additional wire or by the use of a ground screw drilled thru the base of the lamp from the inside making ground contact using the socket or LED lens assembly ground wire and the metal mounting surface.

Incandescent lamps feature a 920109 red or a 920110 amber shallow lens and use a 920367 single contact socket and a 67 bulb and require internal grounding.

LED lamps feature a 510001 red or 510002 amber shallow lens with two eyelets and require internal grounding. Body must be drilled or drilled and tapped for wire entrance.



PART NO. COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT SHALLOW LENS

570021 Red, incandescent bulb, valox body 570022 Amber, incandescent bulb, valox body


PART NO. CLEARANCE OR SIDE MARKER SINGLE CONTACT SHALLOW LENS

570221 Red LED, valox body 570222 Amber LED, valox body



Incandescent lamps feature a 920116 red or a 920117 amber deep lens and use a 920104 single contact socket and a 67 bulb and require internal grounding.

LED lamps feature a 510011 red or 510012 amber deep lens with two eyelets and require internal grounding.



PART NO.

COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT DEEP LENS

570023 570024

Red, incandescent bulb, valox body Amber, incandescent bulb, valox body

PART NO.

CLEARANCE OR SIDE MARKER SINGLE CONTACT DEEP LENS

570223 570224

Red, LED, valox body Amber, LED, valox body




A special purpose double contact lamp with all the same characteristics of the 57 series lamp line.

LED lamps feature a 510021 red or 510022 amber shallow lens with three eyelets and require internal grounding.

Multi-voltage (12 to 24 volts) LED single diode lamps feature a 510053 red or 510054 shallow lens assembly with three eyelets and require internal grounding.

SPECIAL PURPOSE DOUBLE CONTACT SHALLOW LENS



PART NO.

Red, LED, valox body Amber, LED, valox body

570240 570339 570340

Red, Multi-voltage LED, valox body Amber, Multi-voltage LED, valox body




A special purpose double contact lamp with all the same characteristics of the 57 series lamp line.

Incandescent lamps feature a 920116 red or a 920117 amber deep lens and use a 920103 double contact socket and a 1157 bulb and require internal grounding.

LED lamps feature a 510031 red or 510032 amber deep lens with three eyelets and require internal grounding.

Multi-voltage (12 to 24 volts) LED single diode lamps feature a 510051 red or 510052 deep lens assembly with three eyelets and require internal grounding.




PART NO.

SPECIAL PURPOSE DOUBLE CONTACT DEEP LENS

Red, incandescent bulb, valox body Amber incandescent bulb, valox body Red, LED, valox body

Amber, LED, valox body

Red, Multi-voltage LED, valox body Amber, Multi-voltage LED, valox body 570335



Incandescent version features a 920109 red or a 920110 amber shallow lens. Uses a single contact bulb socket 920125 and a 67 single contact bulb.

The shallow lens LED version uses a single contact bulb base 510007 red or 510008 amber LED lens assembly.


Provided with a 1/4" N.P.T. threaded entry. Recess mount.

CLEARANCE OR SIDE MARKER SINGLE CONTACT SHALLOW LENS

Red shallow, aluminum body Amber shallow, aluminum body

Red shallow, LED aluminum body Amber shallow, LED aluminum body





A special purpose lamp featuring a 920116 red or 920117 amber deep lens. Uses a double contact bulb socket 920126 and a 1157 bulb.


The LED version is available in either a shallow or a deep lens. The deep lens lamp uses a double contact bulb base 510037 red or a 510038 amber LED lens assembly. The shallow lens lamp uses a double contact bulb base 510027 red or a 510028 amber LED lens assembly.

Provided with a 1/4" N.P.T. threaded entry. Recess mount.

SPECIAL PURPOSE DOUBLE CONTACT DEEP LENS

Red deep lens, aluminum body Amber deep lens, aluminum body

Red deep, LED lens, aluminum body Amber deep, LED lens, aluminum body






600013

600014

600211 600212

> Red shallow, LED lens, aluminum body Amber shallow, LED lens, aluminum body



Incandescent bulb version features a 920228 red or a 920229 amber shallow lens and is available in a gray or black valox body. The 168 single contact bulb is mounted in a shock mount assembly for longer life. Provided with (1) or (2) 920413 watertight and vapor proof choke seals.

The LED version is available in the same body colors and entrance configurations. It uses a 660001 red or a 660002 amber LED lens assembly. Recess mount.

See page 68 & 69 for mounting bracket.

CLEARANCE OR SIDE MARKER SINGLE CONTACT TWO SIDE ENTRANCES

650001 Red, gray valox body 650002 Amber, gray valox body 650201 Red LED, gray valox body Amber LED, gray valox body 650202 651201 Red LED, black valox body 651202 Amber LED, black valox body



PART NO.

CLEARANCE OR SIDE MARKER SINGLE CONTACT **ONE REAR ENTRANCE**

650007 Red, gray valox body Amber, gray valox body 650008 Red, LED, gray valox body 650207 650208 Amber LED, gray valox body Red LED, black valox body 651207 651208 Amber LED, black valox body



PART NO.


A conventional grommet entry lamp with a shallow lens. Uses a 67 single contact bulb and 910109 red or 910110 amber lens. Surface mount.

COMBINATION CLEARANCE & SIDE

MARKER SINGLE CONTACT

Red, aluminum body Amber, aluminum body

NOTE: LED available on request






A low profile incandescent bulb version that features a 920049 red or 920050 amber lens. Lamp uses a 67 single contact bulb.

LED version features a 201201 red or 201202 amber LED lens assembly.

Surface mount, can be mounted horizontally or vertically.

All lamps are single contact.





PART NO.

210001

210002


210201

210202

CLEARANCE OR SIDE MARKER ONE 1/8" N.P.T. END ENTRANCE

Red, aluminum body Amber, aluminum body

Red LED, aluminum body Amber LED, aluminum body






TWO 1/8" N.P.T. END ENTRANCES

Red, aluminum body Amber, aluminum body


Red LED. aluminum body Amber LED, aluminum body



ONE 1/4" N.P.T. REAR ENTRANCE

211001 Red, aluminum body 211002 Amber, aluminum body 211201 Red LED, aluminum body 211202

Amber LED, aluminum body



TWO 1/4" N.P.T. REAR ENTRANCES

212001 Red, aluminum body 212002 Amber, aluminum body Red LED, aluminum body 212201 212202 Amber LED, aluminum body




Incandescent lamp version features a 920049 red or 920050 amber lens. The lamp is supplied with a 920011 body grommet and uses a 67 single contact bulb.

LED version uses a 201201 red or 201202 amber LED lens assembly.

Surface mount, can be mounted horizontally or vertically.

All lamps are single contact.




PART NO.

CLEARANCE OR SIDE MARKER

213001 Red, aluminum body 213002 Amber, aluminum body

213201 Red LED, aluminum body 213202 Amber LED, aluminum body



Incandescent bulb version features a REFLEX 920058 red or a 920059 amber lens. The lamp features a bulb replaceable shock mount socket and brass inserts with machine screws for positive connections and uses a 168 single contact bulb.


LED version uses a 221201 red or 221202 amber LED REFLEX lens assembly.

Surface mount, can be mounted horizontally or vertically.

ONE 1/4" N.P.T. END ENTRANCE

All lamps are single contact. **CLEARANCE OR SIDE MARKER**





200017 200018

Amber, valox body 200217 200218

Red LED, valox body Amber LED, valox body

Red, valox body




210005 210006

Red, valox body Amber, valox body Red LED, valox body

210205 210206 Amber LED, valox body



TWO 1/4" N.P.T. END ENTRANCE



211005 211006 211205

211206

Red, valox body Amber, valox body Red LED, valox body Amber LED, valox body






Red, valox body Amber, valox body

212203 Red LED, valox body 212204 Amber LED, valox body





Incandescent lamp version features a REFLEX 920058 red or 920059 amber lens. The lamp features a bulb replaceable shock mount socket and brass inserts with machine screws for positive connections and uses a 168 single contact bulb.

LED version uses a 221201 red or 221202 amber LED REFLEX lens assembly.

Both lamps are supplied with a rear entry choke seal 920088, ground wire, and grounding screw.

Surface mount, can be mounted horizontally or vertically.

All lamps are single contact.



CLEARANCE OR SIDE MARKER

215001 215002 Red, valox body Amber, valox body

215201 215202 Red LED, valox body Amber LED, valox body

