



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 4

D8 D9 Fruity Bites

Sample ID: 2607NBL1303.3539

Matrix: Ingestible

Type: Baked Goods

Sample Size:

Date Collected:

Received: 07/22/2026

Completed: 08/07/2026

Expires: 08/07/2027

External Lot ID:

Batch#: BB26001

Client

Better Budz of Tennessee

Lic. # EDIY-BEJJPN

5460 Rock Springs Rd Smyrna, TN 37167

(615) 809-9761 codyswafford28@gmail.com



Summary

Test	Date Tested	Result
Cannabinoids	07/23/2026	Complete
Residual Solvents	08/04/2026	Complete
Microbials	07/27/2026	Complete
Mycotoxins	08/05/2026	Complete
Pesticides	08/05/2026	Complete
Heavy Metals	08/04/2026	Complete
Foreign Matter	07/22/2026	Not Detected

Cannabinoids

Complete

6.064 mg/unit

Total Δ 9-THC

0.1945%

Δ 9-THC

ND

Total CBD

15.509 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	0.1491	0.224	ND	ND	ND
9R-HHC	0.1491	0.224	ND	ND	ND
(6aR,9S)-d10-THC	0.1491	0.224	ND	ND	ND
9S-HHC	0.1491	0.224	ND	ND	ND
CBC	0.1491	0.224	ND	ND	ND
CBCa	0.1491	0.224	ND	ND	ND
CBD	0.1491	0.224	ND	ND	ND
CBDa	0.1491	0.224	ND	ND	ND
CBDV	0.1491	0.224	ND	ND	ND
CBDVa	0.1491	0.224	ND	ND	ND
CBG	0.1491	0.224	ND	ND	ND
CBGa	0.1491	0.224	ND	ND	ND
CBN	0.1491	0.224	ND	ND	ND
CBNa	0.1491	0.224	ND	ND	ND
Δ 8-THC	0.1491	0.224	9.445	3.03010	0.303
Δ 9-THC	0.1491	0.224	6.064	1.94545	0.195
THCa	0.1491	0.224	ND	ND	ND
THCp	0.1491	0.224	ND	ND	ND
THCV	0.1491	0.224	ND	ND	ND
THCVa	0.1491	0.224	ND	ND	ND
Total THC			6.064	1.94545	0.195
Total CBD			ND	ND	ND
Total			15.509	4.97555	0.498

Date Tested: 07/23/2026

Unit Mass: 3.117 g; 1 Unit = 1 Crispy Treat

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ 9-THC = THCa * 0.877 + Δ 9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.



Ashley N Phillips

Ashley Phillips
Laboratory Director
08/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

D8 D9 Fruity Bites

Sample ID: 2607NBL1303.3539

Matrix: Ingestible

Type: Baked Goods

Sample Size:

Date Collected:

Received: 07/22/2026

Completed: 08/07/2026

Expires: 08/07/2027

External Lot ID:

Batch#: BB26001

Client

Better Budz of Tennessee

Lic. # EDIY-BEJJPN

5460 Rock Springs Rd Smyrna, TN 37167

(615) 809-9761 codyswafford28@gmail.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.104	0.030		ND	Tested	Fludioxonil	0.100	0.030		ND	Tested
Acephate	0.100	0.030		ND	Tested	Hexythiazox	0.100	0.030		ND	Tested
Acequinocyl	0.100	0.030		ND	Tested	Imazalil	0.100	0.030		ND	Tested
Acetamiprid	0.100	0.030		ND	Tested	Imidacloprid	0.100	0.030		ND	Tested
Aldicarb	0.100	0.030		ND	Tested	Kresoxim Methyl	0.100	0.030		ND	Tested
Azoxystrobin	0.100	0.030		ND	Tested	Malathion	0.100	0.030		ND	Tested
Bifenazate	0.100	0.030		ND	Tested	Metalaxyl	0.100	0.030		ND	Tested
Bifenthrin	0.100	0.030		ND	Tested	Methiocarb	0.100	0.030		ND	Tested
Boscalid	0.100	0.030		ND	Tested	Methomyl	0.100	0.030		ND	Tested
Captan	0.399	0.120		ND	Tested	Mevinphos	0.100	0.030		ND	Tested
Carbaryl	0.100	0.030		ND	Tested	Myclobutanil	0.100	0.030		ND	Tested
Carbofuran	0.100	0.030		ND	Tested	Naled	0.250	0.076		ND	Tested
Chlorantraniliprole	0.100	0.030		ND	Tested	Oxamyl	0.100	0.030		ND	Tested
Chlordane	0.080	0.024		ND	Tested	Paclobutrazol	0.100	0.030		ND	Tested
Chlorfenapyr	0.080	0.024		ND	Tested	Methyl Parathion	0.080	0.024		ND	Tested
Chlormequat	0.100	0.030		ND	Tested	Pentachloronitrobenzene	0.080	0.024		ND	Tested
Chlorpyrifos	0.100	0.030		ND	Tested	Permethrins	0.100	0.030		ND	Tested
Clofentezine	0.100	0.030		ND	Tested	Phosmet	0.100	0.030		ND	Tested
Coumaphos	0.100	0.030		ND	Tested	Piperonyl Butoxide	0.100	0.030		ND	Tested
Cyfluthrin	0.080	0.024		ND	Tested	Prallethrin	0.100	0.030		ND	Tested
Cypermethrin	0.080	0.024		ND	Tested	Propiconazole	0.100	0.030		ND	Tested
Daminozide	0.100	0.030		ND	Tested	Propoxur	0.100	0.030		ND	Tested
Diazinon	0.100	0.030		ND	Tested	Pyrethrins	0.499	0.150		ND	Tested
Dichlorvos	0.050	0.016		ND	Tested	Pyridaben	0.100	0.030		ND	Tested
Dimethoate	0.100	0.030		ND	Tested	Spinetoram	0.100	0.030		ND	Tested
Dimethomorph	0.096	0.030		ND	Tested	Spinosad	0.102	0.030		ND	Tested
Ethoprophos	0.100	0.030		ND	Tested	Spiromesifen	0.100	0.030		ND	Tested
Etofenprox	0.100	0.030		ND	Tested	Spirotetramat	0.100	0.030		ND	Tested
Etoxazole	0.100	0.030		ND	Tested	Spiroxamine	0.100	0.030		ND	Tested
Fenhexamid	0.100	0.030		ND	Tested	Tebuconazole	0.100	0.030		ND	Tested
Fenoxycarb	0.100	0.030		ND	Tested	Thiacloprid	0.100	0.030		ND	Tested
Fenpyroximate	0.100	0.030		ND	Tested	Thiamethoxam	0.100	0.030		ND	Tested
Fipronil	0.100	0.030		ND	Tested	Trifloxystrobin	0.100	0.030		ND	Tested
Flonicamid	0.100	0.030		ND	Tested						

Date Tested: 08/05/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
08/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

D8 D9 Fruity Bites

Sample ID: 2607NBL1303.3539

Matrix: Ingestible

Type: Baked Goods

Sample Size:

Date Collected:

Received: 07/22/2026

Completed: 08/07/2026

Expires: 08/07/2027

External Lot ID:

Batch#: BB26001

Client

Better Budz of Tennessee

Lic. # EDIY-BEJJPN

5460 Rock Springs Rd Smyrna, TN 37167

(615) 809-9761 codyswafford28@gmail.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Tested
Salmonella	1.000	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	28	Tested
Enterobacteriaceae (BTGN)	9	ND	Tested
Coliforms	9	ND	Tested
Yeast & Mold	9	ND	Tested
E. Coli	9	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 07/27/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1.6	5.0		ND	Tested
B2	1.6	5.0		ND	Tested
G1	1.6	5.0		ND	Tested
G2	1.6	5.0		ND	Tested
Total Aflatoxins	1.6	5.0		ND	Tested
Ochratoxin A	6.0	20.0		ND	Tested

Date Tested: 08/05/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.097		ND	Tested
Cadmium	0.049	0.097		ND	Tested
Lead	0.049	0.097		ND	Tested
Mercury	0.049	0.097		ND	Tested
Palladium	0.049	0.243		ND	Tested
Selenium	0.049	0.097		ND	Tested

Date Tested: 08/04/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
08/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

D8 D9 Fruity Bites

Sample ID: 2607NBL1303.3539

Matrix: Ingestible

Type: Baked Goods

Sample Size:

Date Collected:

Received: 07/22/2026

Completed: 08/07/2026

Expires: 08/07/2027

External Lot ID:

Batch#: BB26001

Client

Better Budz of Tennessee

Lic. # EDIY-BEJJPN

5460 Rock Springs Rd Smyrna, TN 37167

(615) 809-9761 codyswafford28@gmail.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	55.147	183.824		ND	Tested
Benzene	0.221	0.735		ND	Tested
n-Butane	50.735	169.118		ND	Tested
Isobutane	50.735	169.118		ND	Tested
Ethanol	55.147	183.824		ND	Tested
Ethyl Acetate	55.147	183.824		ND	Tested
Heptane	55.147	183.824		ND	Tested
n-Hexane	1.103	3.676		ND	Tested
2,2-Dimethylbutane	1.103	3.676		ND	Tested
3-Methylpentane	1.103	3.676		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.206	7.353		ND	Tested
Methanol	22.059	73.529		ND	Tested
Isopentane	50.735	169.118		ND	Tested
n-Pentane	22.059	73.529		ND	Tested
Neopentane	50.735	169.118		ND	Tested
2-Propanol	55.147	183.824		ND	Tested
Propane	220.588	735.294		ND	Tested
Toluene	0.110	0.368		ND	Tested
Ethylbenzene	0.110	0.368		ND	Tested
m/p-Xylene	0.110	0.368		ND	Tested
o-Xylene	0.110	0.368		ND	Tested
1,1-Dichloroethene	0.441	1.471		ND	Tested
1,2-Dichloroethane	0.441	1.471		ND	Tested
Ethylene Oxide	1.103	3.676		ND	Tested
Acetonitrile	4.412	14.706		ND	Tested
Chloroform	0.441	1.471		ND	Tested
Ethyl Ether	55.147	183.824		ND	Tested
Dichloromethane	22.059	73.529		ND	Tested
Trichloroethene	4.412	14.706		ND	Tested
2,3-Butanedione	22.059	73.529		ND	Tested

Date Tested: 08/04/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
08/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.