

# Better Budz - Better Buzz - Strawberry Watermelon Lime- 30mg

Sample ID: 2605NBL0934.2587  
Matrix: Ingestible  
Type: Beverage  
Sample Size:  
Date Collected:

Received: 05/26/2026  
Completed: 06/11/2026  
Expires: 06/11/2027  
External Lot ID:  
Batch#: B0512SWL

Client  
**Riverside Collective**  
Lic. # USDA\_37\_0831  
3108 Riverside Drive Chattanooga, TN 37406  
(423) 305-8532 braden@riversidecanning.com



## Summary

Test	Date Tested	Result
Cannabinoids	05/26/2026	Pass
Residual Solvents	06/04/2026	Pass
Microbials	06/03/2026	Pass
Mycotoxins	06/06/2026	Pass
Pesticides	06/06/2026	Pass
Heavy Metals	06/10/2026	Pass

## Cannabinoids

Pass

<b>30.252 mg/unit</b> Total THC	<b>0.008%</b> Compliance Result	<b>&lt;LOQ</b> Total CBD	<b>30.252 mg/unit</b> Total Cannabinoids
------------------------------------	------------------------------------	-----------------------------	---

Analyte	LOD	LOQ	Result	Result	Result	MU
	mg/unit	mg/unit	mg/unit	mg/mL	%	mg/mL
(6aR,9R)-d10-THC	0.9054	1.358	ND	ND	ND	±0
9R-HHC	0.9054	1.358	ND	ND	ND	±0
(6aR,9S)-d10-THC	0.9054	1.358	ND	ND	ND	±0
9S-HHC	0.9054	1.358	ND	ND	ND	±0
CBC	0.9054	1.358	ND	ND	ND	±0
CBCa	0.9054	1.358	ND	ND	ND	±0
CBD	0.9054	1.358	<LOQ	<LOQ	<LOQ	±0
CBDa	0.9054	1.358	ND	ND	ND	±0
CBDV	0.9054	1.358	ND	ND	ND	±0
CBDVa	0.9054	1.358	ND	ND	ND	±0
CBG	0.9054	1.358	ND	ND	ND	±0
CBGa	0.9054	1.358	ND	ND	ND	±0
CBN	0.9054	1.358	ND	ND	ND	±0
CBNa	0.9054	1.358	ND	ND	ND	±0
Δ8-THC	0.9054	1.358	ND	ND	ND	±0
Δ9-THC	0.9054	1.358	30.252	0.08546	0.008	±0.009
THCa	0.9054	1.358	ND	ND	ND	±0
THCp	0.9054	1.358	ND	ND	ND	±0
THCV	0.9054	1.358	ND	ND	ND	±0
THCVa	0.9054	1.358	ND	ND	ND	±0
<b>Total THC</b>			<b>30.252</b>	<b>0.08546</b>	<b>0.008</b>	
<b>Total CBD</b>			<b>&lt;LOQ</b>	<b>&lt;LOQ</b>	<b>&lt;LOQ</b>	
<b>Total</b>			<b>30.252</b>	<b>0.08546</b>	<b>0.008</b>	

Date Tested: 05/26/2026  
Density: 1 mL = 1.023 g, Unit Mass: 362.142 g, 1 Unit = 12 fl oz  
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.  
Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is included in the reported result.



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
06/11/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.



# Better Budz - Better Buzz - Strawberry Watermelon Lime- 30mg

Sample ID: 2605NBL0934.2587

Received: 05/26/2026

Client

Matrix: Ingestible

Completed: 06/11/2026

Riverside Collective

Type: Beverage

Expires: 06/11/2027

Lic. # USDA\_37\_0831

Sample Size:

External Lot ID:

3108 Riverside Drive Chattanooga, TN 37406

Date Collected:

Batch#: B0512SWL

(423) 305-8532 braden@riversidecanning.com

## Pesticides

Pass

Analyte	LOQ	LOD	Limit	Result	MU	Status	Analyte	LOQ	LOD	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	PPM	
Abamectin	0.102	0.029	0.500	ND	±0	Pass	Hexythiazox	0.098	0.029	1.000	ND	±0	Pass
Acephate	0.098	0.029	0.400	ND	±0	Pass	Imazalil	0.098	0.029	0.200	ND	±0	Pass
Acequinocyl	0.098	0.029	2.000	ND	±0	Pass	Imidacloprid	0.098	0.029	0.400	ND	±0	Pass
Acetamiprid	0.098	0.029	0.200	ND	±0	Pass	Kresoxim	0.098	0.029	0.400	ND	±0	Pass
Aldicarb	0.098	0.029	0.400	ND	±0	Pass	Methyl						
Azoxystrobin	0.098	0.029	0.200	ND	±0	Pass	Malathion	0.098	0.029	0.200	ND	±0	Pass
Bifenazate	0.098	0.029	0.200	ND	±0	Pass	Metalaxyl	0.098	0.029	0.200	ND	±0	Pass
Bifenthrin	0.098	0.029	0.200	ND	±0	Pass	Methiocarb	0.098	0.029	0.200	ND	±0	Pass
Boscalid	0.098	0.029	0.200	ND	±0	Pass	Methomyl	0.098	0.029	0.400	ND	±0	Pass
Carbaryl	0.098	0.029	0.400	ND	±0	Pass	Myclobutanil	0.098	0.029	0.200	ND	±0	Pass
Carbofuran	0.098	0.029	0.200	ND	±0	Pass	Naled	0.244	0.074	0.500	ND	±0	Pass
Chlorantraniliprole	0.098	0.029	0.200	ND	±0	Pass	Oxamyl	0.098	0.029	1.000	ND	±0	Pass
Chlorfenapyr	0.078	0.023	1.000	ND	±0	Pass	Pacllobutrazol	0.098	0.029	0.400	ND	±0	Pass
Chlormequat	0.098	0.029	0.200	ND	±0	Pass	Methyl						
Chlorpyrifos	0.098	0.029	0.200	ND	±0	Pass	Parathion	0.078	0.023	0.200	ND	±0	Pass
Clofentezine	0.098	0.029	0.200	ND	±0	Pass	Permethrins	0.098	0.029	0.200	ND	±0	Pass
Cyfluthrin	0.488	0.146	1.000	ND	±0	Pass	Phosmet	0.098	0.029	0.200	ND	±0	Pass
Cypermethrin	0.488	0.146	1.000	ND	±0	Pass	Piperonyl						
Daminozide	0.098	0.029	1.000	ND	±0	Pass	Butoxide	0.098	0.029	2.000	ND	±0	Pass
Diazinon	0.098	0.029	0.200	ND	±0	Pass	Prallethrin	0.098	0.029	0.200	ND	±0	Pass
Dichlorvos	0.049	0.016	0.100	ND	±0	Pass	Propiconazole	0.098	0.029	0.400	ND	±0	Pass
Dimethoate	0.098	0.029	0.200	ND	±0	Pass	Propoxur	0.098	0.029	0.200	ND	±0	Pass
Ethoprophos	0.098	0.029	0.200	ND	±0	Pass	Pyrethrins	0.488	0.146	1.000	ND	±0	Pass
Etofenprox	0.098	0.029	0.400	ND	±0	Pass	Pyridaben	0.098	0.029	0.200	ND	±0	Pass
Etoxazole	0.098	0.029	0.200	ND	±0	Pass	Spinosad	0.100	0.029	0.200	ND	±0	Pass
Fenoxycarb	0.098	0.029	0.400	ND	±0	Pass	Spiromesifen	0.098	0.029	0.200	ND	±0	Pass
Fenpyroximate	0.098	0.029	0.400	ND	±0	Pass	Spirotetramat	0.098	0.029	0.200	ND	±0	Pass
Fipronil	0.098	0.029	0.400	ND	±0	Pass	Spiroxamine	0.098	0.029	0.400	ND	±0	Pass
Flonicamid	0.098	0.029	1.000	ND	±0	Pass	Tebuconazole	0.098	0.029	0.400	ND	±0	Pass
Fludioxonil	0.098	0.029	0.400	ND	±0	Pass	Thiacloprid	0.098	0.029	0.200	ND	±0	Pass
							Thiamethoxam	0.098	0.029	0.200	ND	±0	Pass
							Trifloxystrobin	0.098	0.029	0.200	ND	±0	Pass

Date Tested: 06/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025. The decision rule is employed; the uncertainty measurement is not included in the reported result.



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
06/11/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## Better Budz - Better Buzz - Strawberry Watermelon Lime- 30mg

Sample ID: 2605NBL0934.2587	Received: 05/26/2026	Client
Matrix: Ingestible	Completed: 06/11/2026	Riverside Collective
Type: Beverage	Expires: 06/11/2027	Lic. # USDA_37_0831
Sample Size:	External Lot ID:	3108 Riverside Drive Chattanooga, TN 37406
Date Collected:	Batch#: B0512SWL	(423) 305-8532 braden@riversidecanning.com

### Microbials

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Pass
Salmonella	1.000	ND	Pass
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Pass

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Pass
Yeast & Mold	9	ND	Pass

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.  
Date Tested: 06/03/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected. The decision rule is employed; the uncertainty measurement is not included in the reported result.

### Mycotoxins

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPB	PPB	PPB	PPB	PPM	
B1	2	5		ND	±0	Tested
B2	2	5		ND	±0	Tested
G1	2	5		ND	±0	Tested
G2	2	5		ND	±0	Tested
Total Aflatoxins	2	5	20	ND	±0	Pass
Ochratoxin A	6	20	20	ND	±0	Pass

Date Tested: 06/06/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

### Heavy Metals

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Arsenic	0.049	0.097	0.200	ND	±0	Pass
Cadmium	0.049	0.097	0.200	ND	±0	Pass
Lead	0.049	0.097	0.500	ND	±0	Pass
Mercury	0.049	0.097	0.100	ND	±0	Pass

Date Tested: 06/10/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.



*Ashley Phillips*

Ashley Phillips  
Laboratory Director  
06/11/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## Better Budz - Better Buzz - Strawberry Watermelon Lime- 30mg

Sample ID: 2605NBL0934.2587

Received: 05/26/2026

Client

Matrix: Ingestible

Completed: 06/11/2026

Riverside Collective

Type: Beverage

Expires: 06/11/2027

Lic. # USDA\_37\_0831

Sample Size:

External Lot ID:

3108 Riverside Drive Chattanooga, TN 37406

Date Collected:

Batch#: B0512SWL

(423) 305-8532 braden@riversidecanning.com

### Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Acetone	75.000	250.000	1000.000	ND	±0	Pass
Benzene	0.300	1.000	2.000	ND	±0	Pass
n-Butane	69.000	230.000		ND	±0	Tested
Isobutane	69.000	230.000		ND	±0	Tested
Butanes			1000.000	ND	±0	Pass
Ethanol	75.000	250.000	5000.000	ND	±0	Pass
Ethyl Acetate	75.000	250.000	1000.000	ND	±0	Pass
Heptane	75.000	250.000	1000.000	ND	±0	Pass
n-Hexane	1.500	5.000		ND	±0	Tested
2,2-Dimethylbutane	1.500	5.000		ND	±0	Tested
3-Methylpentane	1.500	5.000		ND	±0	Tested
2-Methylpentane/2,3-Dimethylbutane	3.000	10.000		ND	±0	Tested
Hexanes			60.000	ND	±0	Pass
Methanol	30.000	100.000	600.000	ND	±0	Pass
Isopentane	69.000	230.000		ND	±0	Tested
n-Pentane	30.000	100.000		ND	±0	Tested
Neopentane	69.000	230.000		ND	±0	Tested
Pentanes			1000.000	ND	±0	Pass
2-Propanol	75.000	250.000	1000.000	ND	±0	Pass
Propane	300.000	1000.000	1000.000	ND	±0	Pass
Toluene	0.150	0.500	180.000	ND	±0	Pass
Ethylbenzene	0.150	0.500		ND	±0	Tested
m/p-Xylene	0.150	0.500		ND	±0	Tested
o-Xylene	0.150	0.500		ND	±0	Tested
Xylenes			430.000	ND	±0	Pass

Date Tested: 06/04/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020, Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane), Pentanes (measured as the cumulative sum of iso-Pentane, n-Pentane, and neo-Pentane), Xylenes (measures as the cumulative sum of m/p-Xylene, o-Xylenes, and ethylbenzene). The decision rule is employed; the uncertainty measurement is not included in the reported result.



*Ashley N Phillips*

Ashley Phillips  
Laboratory Director  
06/11/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.