

AFTERBURN

SMOKE CHILLER



Matthew Webber

THE FACE OF MARIJUANA USE IS CHANGING.

Marijuana's recognized
therapeutic effects include:

BRONCHDILATION

ANTIEMETIC EFFECT

APPETITE STIMULATION


ANALGESIA

DECREASED INTRAOCULAR PRESSURE


DECREASED SPASTICITY

DECREASED ATAXIA




DECREASED MUSCLE WEAKNESS





And public acceptance of
recreational use in general has
never been higher.



4/20 SMOKE-OUT. CU-BOULDER 2013



THE PROBLEM WITH ICE IS THAT WHEN IT MELTS IT RAISES THE WATER LEVEL.





AND UNLESS YOU REMEMBER TO POUR SOME OFF, THE NEXT HIT MIGHT BE WET.

...GOOD THING STONERS NEVER FORGET ANYTHING, RIGHT?


AFTERBURN



SHAPE DEVELOPMENT
EVOLVED FROM THE
DESIRE TO CREATE
AERATING VORTICES
IN THE SMOKE STREAM,
WHETHER THE LIQUID
IN THE CENTER WAS
FROZEN OR NOT.




AFTERBURN






THE MOST BEGUILING QUESTION IN THE DESIGN PROCESS WAS HOW TO HANG THE RE-FREEZABLE ELEMENT ACROSS A GREAT VARIETY OF BONG HEIGHTS AND DIAMETERS WHILE STILL ALLOWING THE USER TO CREATE THE TIGHT MOUTH SEAL NEEDED FOR SMOKING.

AFTERBURN



SECTION A-A



FOOD-SAFE PLATINUM CURE SILICONE:


- STRETCHES 400X
- RESISTS ODORS & TASTES
- HYPO-ALLERGENIC

INSERT CAN BE PLACED AT THREE DIFFERENT LEVELS TO FIT MOST BONGS.

ARMS CAN BE TRIMMED WITH SCISSORS.


GLYCEROL FILLED INSERT IS NON-TOXIC, REMAINS LIQUID WHEN FROZEN AND STAYS COLD IN A BONG FOR 30 MINUTES.

AFTERBURN




STEP 1

Freeze for 30 minutes.



STEP 2

Attach the arms.







STEP 3

Place inside bong.


STEP 4

Roll, push, or stretch the mouthpiece over the mouth of the bong.



INSTRUCTIONS

AFTERBURN



AFTERBURN



AFTERBURN

SMOKE
CHILLER

TIME
TO
CHILL
WITH
YOUR
HERB

