Greenville County Animal Care

328 Furman Hall Road Greenville, SC 29609 (864) 467-3950

Complete Medical History



Animal
Amee (GCAC-A-94707)
Terrier, American Staffordshire Dog
Brindle Silver and White
Spayed Female
2 years, 7 months, 21 days old (DOB: 08/20/2021)
48.2 lbs on 03/11/2024

Owner
Dog Squad
(864) 867-8027
keawo@bellsouth.net

ID Numbers

| Microchip # | Issued By | Issued Date |
|-----------------|------------|-------------|
| 941010001906219 | 24PetWatch | |
| | | |
| Rabies Tag # | | |

Kables Tag

00821

| Previous Shelter ID # | Туре | Issuing Shelter |
|-----------------------|------|--------------------------------|
| GCAC-A-94707 | | Greenville County Animal Care |
| GCAC-A-94707 | | Greenville County Animal Care |
| GCAC-A-94707 | | Greenville County Animal Care |
| 24-011758 | | Greenville City Animal Control |

Medical memos

02/20/2024 by Summer Palmer

Mouth injury due to attacking catchpole. AMS

Vaccines next due

| 03/05/2024 | Distemper |
|------------|---------------------------|
| 03/05/2024 | Parvovirus |
| 02/19/2025 | Rabies |
| 02/19/2025 | Bordetella (Kennel Cough) |
| 02/19/2025 | Parainfluenza |
| 02/19/2025 | Adenovirus |

Vaccination history

| Date | Vaccine | Vaccinated by | Veterinarian |
|------------|---|---------------|-------------------|
| 02/20/2024 | Rabies Nobivac 1-Rabies (Zoetis/Merck) Lot# Lot 720917 / Ser 701670 (product exp.03/22/2025) SQ in Right hind leg | AMS/NB | Sarah Reardon DVM |

| 02/20/2024 | DHPP Nobivac Canine 1-DAPPv (Merck) SQ in Right front leg | AMS/NB | |
|------------|--|-------------|--|
| 02/20/2024 | Adenovirus, Bordetella (Kennel Cough), Parainfluenza Nobivac Intra-Trac3 (Merck) IN in Nose | Andrea Sams | |

Treatments next due

03/05/2024 1 tablet Composure Pro (100 mg thiamine (vitamin B1) chewable tablet)

02/21/2024 2 capsule Gabapentin (100 mg gabapentin capsules)

02/21/2024 1 tablet Trazodone (100 mg trazodone tablets)

02/20/2024 1 tablet Amoxicillin-clavulanate (375 mg amoxicillin/clavulanic acid tablets)

05/20/2024 1 dose Bravecto topical for dogs >88-123 lbs (1400 mg fluralaner topical)

02/21/2024 1 application Monitor

03/22/2024 1 dose Ivermectin (1% ivermectin injectable)

03/21/2024 1 tablet Tri-Heart Plus for dogs 26-50 lbs (136 mcg ivermectin chewable tablets)

03/11/2024 1 tablet Trazodone (100 mg trazodone tablets)

03/26/2024 11 mL Panacur liquid (10% fenbendazole oral suspension)

03/26/2024 2.5 tablet Pro-Pectalin Tablets (1 g kaolin tablets)

Treatment history summary

| Date | Treatment | Notes | Supervising veterinarian |
|---------------------------------|--|---|--------------------------|
| 03/26/2024 - 04/01/2024 | Pro-Pectalin Tablets (1 g kaolin tablets) 2.5 tablet twice a day | | |
| 03/26/2024 - 03/28/2024 | Panacur liquid (10% fenbendazole oral suspension) 11 mL once a day | | |
| 03/21/2024 until further notice | Tri-Heart Plus for dogs 26-50 lbs (136 mcg ivermectin chewable tablets) 1 tablet every 30 days | Give 1 tablet by mouth every 30 days for heartworm prevention. | |
| 03/11/2024 - 04/09/2024 | Trazodone (100 mg trazodone tablets) 1 tablet twice a day | | Karen Cooley DVM |
| 02/21/2024 until further notice | Ivermectin (1% ivermectin injectable) 1 dose every 30 days | Diluted with Propylene Glycol to 0.1 % solution. Dosed at minimum 0.6 mcg/kg. For heartworm prevention. | |
| 02/21/2024 | Pyrantel pamoate (50 mg/mL pyrantel pamoate oral suspension) 1 dose once | Pyrantel dosed at 1 ml/10 pounds | |
| 02/21/2024 - 02/27/2024 | Monitor 1 application twice a day | Monitor for vomiting, stool, or not eating. Record on yellow sheet. let veterinarian know if any signs of foreign body are noted. | |
| 02/21/2024 - 02/25/2024 | Meloxicam (1.5 mg/mL meloxicam oral suspension) 1.3 mL once a day in the morning | SHAKE WELL. GIVE WITH FOOD. This is an NSAID medication. Do not mix with other NSAIDs or steroids. Can cause GI, renal, and liver side effects. Stop if not eating, starts vomiting, or has bloody or dark black stool. | Kaitlyn Vorherr DVM |
| 02/21/2024 until further notice | Gabapentin (100 mg gabapentin capsules) 2 capsule twice a day | Neuropathic pain medication. If giving for longer than 30 days, do not stop abruptly, wean off over 7 days. | Kaitlyn Vorherr DVM |

| 02/21/2024 - 02/27/2024 | Trazodone (100 mg trazodone tablets) 1 tablet twice a day | | Kaitlyn Vorherr DVM |
|---------------------------------|---|---|---------------------|
| 02/20/2024 - 03/04/2024 | Amoxicillin-clavulanate (375 mg amoxicillin/clavulanic acid tablets) 1 tablet twice a day | Light sensitive. Keep in foil pack until ready to use. Antibiotic. May cause GI upset. Give with food. | Kaitlyn Vorherr DVM |
| 02/20/2024 until further notice | Bravecto topical for dogs >88-123 lbs (1400 mg fluralaner topical) 1 dose every 90 days | Flurolaner 280 mg/ml Dosed at minimum 19 mg/pound | |
| 02/20/2024 | Antisedan (5 mg/mL atipamezole hydrochloride injectable) 0.2 mL once | for reversal from sedated exam | Kaitlyn Vorherr DVM |
| 02/20/2024 | Metacam (5 mg/mL meloxicam injectable) 0.4 mL once | This is an NSAID medication. Do not mix with other NSAIDs or steroids. Can cause GI, renal, and liver side effects. Stop if not eating, starts vomiting, or has bloody or dark black stool. | Kaitlyn Vorherr DVM |
| 02/20/2024 | Dexdomitor (0.5 mg/mL dexmedetomidine HCl injectable) 0.2 mL once | for sedated exam | Kaitlyn Vorherr DVM |
| 02/20/2024 | Butorphanol (10 mg/mL butorphanol tartrate injectable) 0.4 mL once | for sedated exam | Kaitlyn Vorherr DVM |
| 02/20/2024 until further notice | e Composure Pro (100 mg thiamine (vitamin B1) chewable tablet) 1 tablet once a day in the morning | 0-30 = 1/2 chews SID; 31-60 = 1 SID; 61+ = 2 SID. Can give up to TID. | Kaitlyn Vorherr DVM |
| 02/20/2024 | Trazodone (50 mg trazodone tablets) 3 tablet once | Given once to attempt calming for intake. AMS | Kaitlyn Vorherr DVM |
| 02/20/2024 | Gabapentin (300 mg gabapentin capsules) 1 capsule once | Given once to attempt calming for intake. AMS | Kaitlyn Vorherr DVM |

Diagnostic tests

| Date | Test | Results |
|------------|---|--------------|
| 03/23/2024 | Fecal float Fecal analysis (generic) | 1+ hookworms |
| 02/20/2024 | Heartworm test SNAP Heartworm RT (IDEXX) | Negative |

Physical examinations

03/23/2024 Shelter Technician Exam by Cherokee Clark

Subjective:

 ${\bf Loose\ stool/Diarrhea\ noted\ on\ rounds.}$

BAR, eating well.

Objective

Fecal score 6.

Diagnosis

Hookworms

Assessment

Intestinal parasites: hookworms

Plan

Deworm and give probiotic orally until resolution of diarrhea. Monitor stool quality until diarrhea resolves.

03/11/2024 Public Wellness Clinic by Dr. Karen Cooley Subjective:

Patient presents for sneezing/wheezing. Issue started Friday 03/08/24 but has gotten less. Sneezing occurs when outdoors and when letting out of create. No nasal discharge present, Eating and drinking fine, and no vomiting or diarrhea. (Owner

04/10/2024 08:37

wants to check if stitches can be removed, if Bordetella should be provided and if anxiety meds(Composure) can be refilled. Patient is on Gabapentin due to prior injury.

Objective

weight48.2 lbsTemperature99.9°FMucous membranesPink / Moist / 1 SecAttitudeBARHydrationNormalPainNone

Eyes No ocular abnormalities detected

Ears No aural discharge or abnormalities detected

Nose/Mouth/Dental No nasal discharge. No obvious dental or oral abnormalities

Lymph Nodes No peripheral lymphadenopathy

Cardiovascular Normal sinus rhythm, no murmurs ausculted

Respiratory Normal lung sounds. Normal respiratory rate and effort

Abdomen Soft and non-painful, no abnormalities detected

Urogenital No external abnormalities. Rectal examination not performed

Neurological Normal gait and mentation. Full neurologic examination not performed

Integument No evidence of parasites, masses, or other lesions

Musculoskeletal No evidence of lameness. Full orthopedic examination not performed

Plan

Rx: Trazodone 100mg, 1/2 to 1 BID x30 days. #60 tablets.

Advised: 25mg tablet of Benadryl, 1.5 - 2 tablets BID.

02/20/2024 Shelter Veterinary Exam by Kaitlyn Vorherr

Subjective:

-patient presented as stray via ACO - injured mouth and paws on catch pole and had blood on kennel floor

-patient tolerated pole then leashing after dose of trazodone and gabapentin, but still maintaining stiff body posture. Allowed herself to be muzzled and handled enough to administer sedation for exam and intake (needed thorough oral exam and patient had evidence of foreign material from her rectum)

Objective

Mucous membranesPink / Slightly dry / 2 SecAttitudeQARHydrationDehydrated (5-7%)PainModerate

BSC 3.5/9

Cardiovascular

Urogenital

sedated with 0.4 ml butorphanol (10 mg/ml) + 0.2 ml dexdomitor (0.5 mg/ml) IV for examination - then reversed with 0.2 ml antisedan (5 mg/ml) IM

Eyes No ocular abnormalities detected, full ophthalmic exam not performed

Ears No aural discharge or abnormalities detected

No nasal discharge. approximately 2cm mandibular lip laceration located in area of central lower incisors. moderate laceration on gingiva associated with region of 103-201 with all incisors in the area missing, soft tissue swelling associated with right

Nose/Mouth/Dental 103-201 with all incisors in the area missing. soft tissue swelling associated with rig

commissure. did not appreciate overt evidence of wounds in the area.

other teeth have evidence of wear and tartar

Lymph Nodes No peripheral lymphadenopathy

Normal sinus rhythm, no murmurs auscultated, strong and synchronous femoral

pulses

Respiratory Normal lung sounds. Normal respiratory rate and effort

Soft and non-painful, no abnormalities detected

Abdomen prior to sedated exam noted foreign material protruding from rectum. Was able to use

manual traction and palpation to slowly work material out/remove it - appeared to be

combination of fabric and thin plastic material.

No external abnormalities. Rectal examination not performed; mature mammary

chain, no overt evidence of scar or tattoo, consistent with intact female

Neurological Normal gait and mentation. Full neurologic examination not performed

No evidence of parasites, masses

Integument area of dried blood on ventral thorax. some abrasion - did not

appreciate significant/deep wounds

No evidence of lameness. Several nails on all paws worn down to quick/evidence of

prior bleeding; applied combination of silver nitrate stick and quick stop. Full

orthopedic examination not performed

Assessment

Musculoskeletal

- lip laceration
- gingival laceration/dental trauma
- soft tissue swelling of right commissure
- worn nails
- Foreign material removed from rectum

Plan

Start medical management for oral/dental trauma, florigen body watch, kennel stress medications.

In an ideal situation patient would receive dental radiographs and possible suture repair of gingival trauma/lacerations - this is not available at this facility. Did not pursue repair of mandibular lip laceration at this time due to unknown handling ability post-op should there be any complications.

If patient behavior improves recommend scheduling for spay with recheck oral exam. wet food only x $14\ days$

02/20/2024 Shelter Technician Exam by AMS/NB

Subjective:

Presents for shelter intake and vaccinations.

Objective

HW test: Negative
Assessment

Appears ok for intake vaccinations and medications.

Plan

Proceed with intake vaccination, medication, and testing protocols.

Place into general shelter population.

02/20/2024 Medical Notes by Kaitlyn Vorherr

Subjective:

see memos regarding behavior

intake team thought patient might be able to be handled for intake with some time/sedation - per ACO patient injured mouth and paws on catch pole

gave one time dose of 150mg trazodone and 300mg gabapentin off of estimated 40#- intake team will see if she can be handled/weighed and examined. If patient cannot be handled still plan to start medical management for suspected discomfort secondary to injuries and monitor

Surgeries

| Date | Surgery | Clinic | Veterinarian | Notes |
|------|---------|--------|--------------|-------|
|------|---------|--------|--------------|-------|

02/27/2024

SHELTER Canine Spay Greenville County Animal Care (Shelter) Laura Managan DVM Hydrometra

Millers knot used for ligation of both

pedicles 0 suture

Millers knot used for ligation of uterine body + stick ties

0 suture Routine closure 2/0 suture Green tattoo placed

0.1cc Acepromazine 10mg/ml sq im 0.4cc Torbugesic 10mg/ml sq im 0.3cc Telazol 100mg/ml iv im Maintained on Isoflurane

0.4cc Meloxicam 5mg/ml sq

Laceration lower lip. Freshened margins. Closed 2/0 simple interrupted. Sutures call fall out on own

Broken teeth and gingivitis.

Dr. Belikova assisted

Copyright © 2024 Shelterluv. All rights reserved.