



CONMACH
SOLUTION

CONMACH SOLUTION

Quotation of Suction Cup

info@conmachsolution.com

+91 8086539835

+91 2653590855



Advantages

Model		GL-SC-400X	GL-SC-600X	GL-SC-800X	GL-SC-1000X	GL-SC-1200X
Lifting Capacity	kg	400	600	800	1000	1200
Cup Qty	pc	4	6	8	10	12
Single Cup Size	mm	300	300	300	300	300
Single Cup Capacity	kg	100	100	100	100	100
Rotation	/	360° electric rotate				
Battery	V/AH	24/20				
Charger	V/A	24V/6A				
Sucker Cup Size	mm	840*930	2420*1100	1980*1620	1980*1620	1980*1620
Overall Size after packing by wooden box	mm	1100*940*500				
Weight	kg	160	175	190	198	207
Price	INR/SET	4,50,000	4,80,000	5,10,000	5,40,000	5,80,000
Terms & Conditions	<p>Trade Term: Ex Works Vadodara , GST and freight Extra Delivery Time: 35days upon Advance Payment Payment Terms:100% advance Quality warranty: 12 Months.Free Spare Parts Replacement Packing: wooden carton. Validity: 15day</p>					

- 1.Silica gel raw material suction cup imported from the United States, good adsorption, anti-aging.
- ✓2.American Thomas vacuum system control, safe and efficient
- ✓3.High-power pole design, strong thrust, easy to flip
- ✓4.Japan Panasonic vacuum sensor, with automatic pneumatic stop function, sensitive response and stable performance
- ✓5.Equipped with a vacuum accumulator, the pressure holding time is long and the use is safer
- ✓6.Two 12V20Ah large-capacity batteries, sufficient power
- ✓7.24v Charger with Smart Repair
- ✓8.Each suction cup has a vacuum control valve, which can be controlled individually for easy maintenance
- ✓9.The suction cap position is adjustable, suitable for different sizes of glass
- ✓10.Wireless remote control is easy and safe to operate
- ✓11.Suction cup holder can be extended (H type)
- ✓12.Not suitable for rainy days

Suction caps are specially design for lifting and installing large and /or heavy glass elements or heavy plate. Automatic tilt 90° ,automatic rotated 360° .It is equipped with a silicone suction cup imported from the United States, which is soft and has good adsorption, and has a long anti-aging service life. The position of the suction cups can be adjusted, and each suction cup is equipped with individually controlled air valves, which can easily install large and long sheets ,small and narrow glass, widely used in glass glass factory production lines and glass curtain wall construction. Full-load operation is possible thanks to Thomas's dual vacuum system design. The electric glass suction cup has a wireless remote control, which can wireless operate suction, deflation, rotation, flip and other functions. The glass suction cups are packaged in a specially designed plywood box for easy transportation.

