



CONMACH
SOLUTION

CONMACH SOLUTION

info@conmachsolution.com
+91 8086539835 | +91 2653590855



Model Type	GL-SC-500M3	GL-SC-500M4	GL-SC-600M3	GL-SC-600M4	GL-SC-800M3	GL-SC-800M4	GL-SC-1000M3	GL-SC-1000M4	GL-SC-1000M6	GL-SC-1500M	GL-SC-2000M
Rated load capacity (kg)	500		600		800		1000			1500	2000
Suction Cup size (mm)	φ210		φ210		φ210		φ210			φ300	φ300
Number of Cup (pcs)	6/8		6/8		8		10			8/10	10/12
Length of Main Beam (mm)	2000	3000	2000	3000	2000	3000	2000	3000	2800-5000	2800-5000	2800-5000
Length of Branch Beam (mm)	800	800	800	800	800	800	800	800	800	800	800
Voltage	DC12V/12Ah*2 pieces or AC 380V/50Hz										
Suitable for metal sheet Length (mm)	3000	4000	3000	4000	3000	4000	3000	4000	6000	6000	6000
Packing Size (mm)	2050*400*620	3050*400*620	2050*400*620	3050*400*620	2050*400*620	3050*400*620	2050*400*620	3050*400*620	3070*730*480	3070*730*480	3070*730*480
Weight (kgs)	140/145	150/155	145/155	155/165	155	165	160	170	235	240/255	255/275
Unit Price (INR/SET)	215000	235000	220000	240000	240000	260000	260000	270000	300000	320000	350000
Terms & Conditions	1.Trade Term: Ex works vadodara. GST and transport Extra 2.Lead Time: 15 to 20 days from the date of payment 3.Payment Term: 100% advance 4.Warranty: 1year(Free Spare Parts Replacement). Human causes excluded. 5.Valid: 15days										


Advantages

- Efficient, non-damaging handling of heavy loads
- To work ergonomically and protect operator health
- Excellent work safety and process reliability thanks to vacuum reservoir and audible warning device
- Long service life due to a robust mixture of steel and high-strength plastic
- Low operating costs thanks to controlled vacuum generator with energy saving
- No longer need spaces or stoppers for storage and don't need a heavy-duty back-up power. By the aid of vacuum you never damage the load and you don't have residual magnetism.





Photos



Photos

