

220 E. Rowan, Suite 220 Spokane, Washington 99207 www.pawprintgenetics.com (509) 483-5950

Laboratory Report

Laboratory #: 282189 **Call Name:** Scooter

Order #: 127977 Registered Name: -

Ordered By: Vicki McCormack Breed: Australian Labradoodle

 Ordered:
 Dec. 30, 2021
 Sex:
 Male

 Received:
 Jan. 4, 2022
 DOB:
 Nov. 2021

Reported: Jan. 12, 2022 **Registration #:** -

Results:

Disease	Gene	Genotype	Interpretation
Degenerative Myelopathy	SOD1	WT/WT	Normal (clear)
Exercise-Induced Collapse	DNM1	WT/WT	Normal (clear)
Hereditary Nasal Parakeratosis	SUV39H2	WT/WT	Normal (clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy 4	RPGRIP1	WT/WT	Normal (clear)
Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration	PRCD	WT/WT	Normal (clear)
Retinal Dysplasia/Oculoskeletal Dysplasia 1	COL9A3	WT/WT	Normal (clear)
Von Willebrand Disease I	VWF	WT/WT	Normal (clear)

WT, wild type (normal); M, mutant; Y, Y chromosome (male)

Interpretation:

Molecular genetic analysis was performed for seven specific mutations reported to be associated with disease in dogs. We identified two normal copies of the DNA sequences in seven mutations tested. Thus, this dog is not at an increased risk for the diseases associated with these seven mutations.

Recommendations:

No mutations were identified. Thus, this dog is not at an increased risk for the diseases caused by or associated with the mutations tested. Because this dog is "clear" of these mutations, this dog will only pass the normal genes on to its offspring. Normal results do not exclude inherited mutations not tested in these or other genes that may cause medical problems or may be passed on to offspring. Paw Print Genetics[®] has genetic counseling available to you at no additional charge to answer any questions about these test results, their implications and potential outcomes in breeding this dog.

Blake C Ballif, PhD

Laboratory & Scientific Director

Christina J Ramirez, PhD, DVM, DACVP

Normal results do not exclude inherited mutations not tested in these or other genes that may cause medical problems or may be passed on to offspring. These tests were developed and their performance determined by Paw Print Genetics. This laboratory has established and verified the tests' accuracy and precision. Because all tests performed are DNA-based, rare genomic variations may interfere with the performance of some tests producing false results. If you think these results are in error, please contact the laboratory immediately for further evaluation. In the event of a valid dispute of results claim, Paw Print Genetics will do its best to resolve such a claim to the customer's satisfaction. If no resolution is possible after investigation by Paw Print Genetics with the cooperation of the customer, the extent of the customer's sole remedy is a refund of the fee paid. In no event shall Paw Print Genetics be liable for indirect, consequential or incidental damages of any kind. Any claim must be asserted within 60 days of the report of the test results.



Coat Color and Trait Certificate

Call Name: Scooter Laboratory #: 282189

Registered Name: - Registration #:

Breed: Australian Labradoodle Certificate Date: Jan. 12, 2022

Sex: Male DOB: Nov. 2021

This canine's DNA showed the following genotype(s):

Coat Color/Trait Test	Gene	Genotype	Interpretation
A Locus (Agouti)	ASIP	a ^t /a	Tricolor, black and tan (carries bicolor/solid)
B Locus (Brown)	TYRP1	B/b	Black coat, nose and foot pads (carries one copy of brown)
E Locus (Apricot/Yellow/Red) - e (Common Variant Found in Many Breeds)	MC1R	e/e	Yellow/red
IC Locus (Improper Coat/Furnishings)	RSP02	F/F	Furnishings
K Locus (Dominant Black)	CBD103	K ^B /k ^y	No agouti expression allowed (carrier)
S Locus (White Spotting, Parti, or Piebald)	MITF	S/S	No white spotting, flash, parti, or piebald

Interpretation:

This dog carries one copy of $\mathbf{a}^{\mathbf{t}}$ and one copy of \mathbf{a} which results in tan points and can also present as a black and tan or tricolor coat color. However, this dog's coat color is also dependent on the E, K, and B genes. The tan point coat color is only expressed if the dog is also E/E or E/e at the E locus and $\mathbf{k}^{\mathbf{y}}/\mathbf{k}^{\mathbf{y}}$ at the K locus. This dog will pass on $\mathbf{a}^{\mathbf{t}}$ to 50% of its offspring and \mathbf{a} to 50% of its offspring.

This dog carries one copy of one of the b mutations and has a B locus genotype of **B/b**. Thus, this dog typically will have a black coat, nose, and foot pads. However, this dog's coat color is dependent on the genotypes of many other genes. This dog will pass one copy of **B** to 50% of its offspring and one copy of **b** to 50% of its offspring. This dog can produce b/b offspring if bred to a dog that is also a carrier of a b mutation (B/b or b/b). Depending on the breed, b/b dogs may be referred to as brown, chocolate, liver or red.

This dog carries two copies of **e** which inhibits production of black pigment. The coat color of this dog will be yellow/red (including shades of white, cream, yellow, apricot or red). This dog will pass **e** on to 100% of its offspring.

This dog does not carry the mutation for weak furnishings or improper coat and will therefore have furnishings (proper coat). However, the overall coat type of this dog is dependent on the combination of this dog's genotypes at the L, Cu, and IC loci. This dog will pass **F** (furnishings, proper coat) to 100% of its offspring.

This dog carries one copy of $\mathbf{K}^{\mathbf{B}}$ and one copy of $\mathbf{k}^{\mathbf{y}}$ which prevents expression of the agouti gene (A locus) and allows for solid eumelanin (black pigment) production in pigmented areas of the dog. However, this dog's coat color is also dependent on its genotypes at the E and B genes. This dog will pass on $\mathbf{K}^{\mathbf{B}}$ to 50% of its offspring and

ORTHOPEDIC FOUNDATION FOR ANIMALS, INC.

DISCOVERY TAILS SCOOTER

AUSTRALIAN LABRADOODLE

sex/breed 229KU6 film/test/lab #

933000320533810 tattoo/microchip/DNA profile

2385155 application number

08/03/2022 date of report

RESULTS:

Based upon the exam dated 07/30/2022, this dog has been found to be free of observable inherited eye disease and has been issued an Eye Certification Registry Number which is valid for one year from the time of the exam.

VICKI MCCORMACK 81 EASTGATE PL SEQUIM WA 98382

WALA00073419 registration no.

M

11/03/2021 date of birth

age at evaluation in months



A Not-For-Profit Organization

LD-EYE5290/8M-VPI O.F.A. NUMBER

This number issued with the right to correct or revoke by the Orthopedic Foundation for Animals.

NORMAL

OFA eCert

G.G.KELLER. D.V.M., M.S., DACVR CHIEF OF VETERINARY SERVICES

www.ofa.org

This electronic OFA certificate was generated on: 08/03/2022

This certification can be verified on the OFA website by entering the dog's registration number into the orange search box located at the top of the page or by scanning the QR code above.

If there are any errors on this certificate, please email CORRECTIONS@OFFA.ORG to request a correction.

Orthopedic Foundation for Animals, Inc. 2300 E. Nifong Blvd. Columbia, MO 65201-3806

OFA website: www.ofa.org E-mail address: ofa@offa.org Phone number: 573-442-0418 Fax number: 573-875-5073

Orthopedic Foundation for Animals

Hip Dysplasia Evaluation Report



DISCOVERY TAILS SCOOTER registered name

AUSTRALIAN LABRADOODLE

breed

film/test/lab #

933000320673156 tattoo/microchip/DNA profile

2394053 application number

09/02/2022 date of report ALAA109104 registration no.

М

11/03/2021 date of birth

9

age at evaluation in months

Veterinarian

HURRICANE RIDGE VETERINARY HOSPITAL 660 N 7TH AVE SEQUIM WA 98382

Owner

VICKI MCCORMACK 81 EASTGATE PL SEQUIM WA 98382

Preliminary Hip Dysplasia Evaluation Report

EXCELLENT HIP JOINT CONFORMATION superior hip joint conformation as compared with other individuals of the same breed and age	BORDERLINE HIP JOINT CONFORMATION marginal hip joint conformation of indeterminate status with respect to hip dysplasia at this time Repeat study in six months
$\sqrt{}$ GOOD HIP JOINT CONFORMATION	MILD HIP DYSPLASIA
well formed hip joint conformation as compared with other individuals of the same breed and age	radiographic evidence of minor dysplastic changes of the hip joints
FAIR HIP JOINT CONFORMATION	MODERATE HIP DYSPLASIA
minor irregularities of the hip joint conformation as compared with other individuals of the same breed and age	well defined radiographic evidence of dysplastic changes of the hip joints
	SEVERE HIP DYSPLASIA
	radiographic evidence of marked dysplastic changes of the hip joints
RADIOGRAPHIC FINDINGS	
subluxation	unilateral pathology left right
remodeling of femoral head/neck	transitional vertebra
osteoarthritis/degenerative joint disease	spondylosis
shallow acetabula	panosteitis
acetabular rim/edge change	
44 Kellwarn	
G.G. KELLER, DVM, MS, DACVR CHIEF OF VETERINARY SERVICES	

Orthopedic Foundation for Animals

Elbow Dysplasia Evaluation Report



DISCOVERY TAILS SCOOTER registered name

AUSTRALIAN LABRADOODLE

breed

film/test/lab #

933000320673156 tattoo/microchip/DNA profile

2394053 application number

09/02/2022 date of report ALAA109104 registration no.

M

11/03/2021 date of birth

9

age at evaluation in months

Veterinarian

HURRICANE RIDGE VETERINARY HOSPITAL 660 N 7TH AVE SEQUIM WA 98382 Owner

VICKI MCCORMACK 81 EASTGATE PL SEQUIM WA 98382

Preliminary Elbow Dysplasia Evaluation Report

ELBOW JOINTS FLEXED LATERAL VIEW negative for elbow dysplasia	L	R_√	
ELBOW DYSPLASIA			
GRADE I	1	R	
GRADE II		R	-
	L		-
GRADE III	L	R	_
RADIOGRAPHIC FINDINGS			
degenerative joint disease (DJD)	L	R	
ununited anconeal process (UAP)	L	R	
fragmented coronoid process (FCP)	L	R	
osteochondrosis	L	R	



Office Use Onl
APPL
RAD
CK



Orthopedic Foundation for Animals 2300 E Nifong Blvd, Columbia, MO 65201-3806 Phone: (573) 442-0418; Fax: (573)875-5073

www.offa.org A Not-For-Profit Organization

Office Use

Application for Patellar Luxation Database

Renistered name	***************************************				
Northstar's Everg	reen Treasure		Registration number: ☐ AKC ☐ CKC	Other registry name:	
Breed:				Other registry #:	
ուշու։ Australian Labrad	doodle	Sex:	Date of Birth (month-day-year):		
D Number (if any):	☐ Tattoo	✓ Microchip	12/13/2021		
		an microcnip	Registration number of sire:	Registration number of dam:	
9300032067414 Iwner name:	U				
Jade Waldron			Date of evaluation (month-day-year):		
o-Owner name:			Examining veterinarian's name or veterina	ry hacnital	
Scott Waldron				ETERINARY HOSPITAL	
Nailing address:			Mailing Address:		
231 W 4th St			660 N 7TH AVE		
		14.7			
City:	State:	Zip/postal code:	City:		stal code:
Port Angeles	WA	98362	SEQUIM		382
hone:	E-mail:		Phone:	E-mail:	
360.912.2559	jade	waldron7@gmail.com	360-681-0117		
(in	OFA to release the result itials of registered owne	s of its evaluation of the anima	lease Abnormal Resulation to the described on this application to the		nal
atellar Exami	OFA to release the result	s of its evaluation of the anima r).	al described on this application to th		nal
atellar Exami	OFA to release the result itials of registered owner nation Results	s of its evaluation of the anima r).	al described on this application to the	he public if the results are abnorn	
atellar Exami . Normal	OFA to release the result itials of registered owner nation Results	s of its evaluation of the anima r).	al described on this application to th	he public if the results are abnorn	
atellar Exami . Normal	OFA to release the result itials of registered owner nation Results	s of its evaluation of the anima r). 3. C	Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the	ne public if the results are abnormal to the public if the results are abnormal to the public if the results are abnormal to the public if the	ion of the
atellar Exami . Normal Pright . Patellar Luxation	OFA to release the result itials of registered owner nation Results	s of its evaluation of the anima r). 3. C	al described on this application to the lassification of luxation Grade 1—The patella easily lives.	ne public if the results are abnormally at full extens trochlea when released.	ion of the
right Patellar Exami Normal Pright Patellar Luxation bilateral unilateral:	oFA to release the result itials of registered owner nation Results	s of its evaluation of the animar). 3. (Classification of luxation Grade 1—The patella easily listifle joint, but returns to the Grade 2—There is frequent processes more or less perma Grade 3—The patella is perm	uxates manually at full extens trochlea when released. Datellar luxation which, in some nent.	ion of the e cases of the tibia
right Patellar Exami Normal Pright Patellar Luxation bilateral unilateral:	nation Results left right	s of its evaluation of the animar). 3. (Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the Grade 2—There is frequent pecomes more or less perma Grade 3—The patella is permand deviation of the tibial creation.	uxates manually at full extens trochlea when released. patellar luxation which, in som nent. nanently luxated with torsion of	ion of the e cases of the tibia
Patellar Exami Normal Fight Patellar Luxation Dilateral Unilateral Unilateral Unilateral Unilateral Unilateral	nation Results left right medial	3. C left lateral permanent 2-6 months	Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the becomes more or less perma Grade 3—The patella is permand deviation of the tibial crefrom the cranial/caudal plane	uxates manually at full extens trochlea when released. Datellar luxation which, in some nent. nanently luxated with torsion east of between 30 degrees and east.	ion of the e cases of the tibia is 50 degree
Patellar Exami Normal Fight Patellar Luxation Unilateral Unilateral Unilateral	nation Results left right medial intermittent	3. C left lateral permanent 2-6 months	Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the decomes more or less permand deviation of the tibial crefrom the cranial/caudal plane Grade 4—The tibia is mediall	uxates manually at full extens trochlea when released. Datellar luxation which, in some nent. nanently luxated with torsion east of between 30 degrees and east.	ion of the e cases of the tibia d 50 degree
Patellar Exami Normal Injury Pight Patellar Luxation Unilateral Unilateral Unilateral Unilateral Unilateral Unilateral	nation Results left right medial intermittent < 2 months	3. C left lateral permanent 2-6 months	Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the decomes more or less permand deviation of the tibial crefrom the cranial/caudal plane Grade 4—The tibia is mediall	uxates manually at full extens trochlea when released. Datellar luxation which, in some nent. Inanently luxated with torsion east of between 30 degrees and east of between the tribial crest rest in the result that it lies 50 degrees to the public that it lies 50 degrees to the public that it lies 50 degrees the public trest result that it lies 50 degrees the public trest result that it lies 50 degrees and the tribial crest result that it lies 50 degrees and the public trest result the public trest result that it lies 50 degrees and the public trest result that the public trest result the public trest result that it lies 50 degrees and the public trest result the pub	ion of the e cases of the tibia I 50 degree
Patellar Exami Normal Fight Patellar Luxation Dilateral Unilateral: Unilateral	nation Results Pleft I right I medial I intermittent C 2 months 6-12 months	3. C left lateral permanent 2-6 months > 12 months	Classification of luxation Grade 1—The patella easily lustifie joint, but returns to the Grade 3—There is frequent pecomes more or less permand deviation of the tibial crefrom the cranial/caudal plane Grade 4—The tibia is medially further deviation medially windegrees from the cranial/caudal procedure.	uxates manually at full extens trochlea when released. Datellar luxation which, in some nent. Inanently luxated with torsion east of between 30 degrees and east of between the tribial crest rest in the result that it lies 50 degrees to the public that it lies 50 degrees to the public that it lies 50 degrees the public trest result that it lies 50 degrees the public trest result that it lies 50 degrees and the tribial crest result that it lies 50 degrees and the public trest result the public trest result that it lies 50 degrees and the public trest result that the public trest result the public trest result that it lies 50 degrees and the public trest result the pub	ion of the e cases of the tibia d 50 degree
Patellar Exami Normal Fight Patellar Luxation Dilateral Unilateral: Unilateral	nation Results left right medial intermittent 2 months 6-12 months	3. C left lateral permanent 2-6 months > 12 months	Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the Grade 3—There is frequent pecomes more or less permand deviation of the tibial crefrom the cranial/caudal plane Grade 4—The tibia is mediall further deviation medially widegrees from the cranial/caudal caudal plane	uxates manually at full extens trochlea when released. patellar luxation which, in some nent. In an ently luxated with torsion east of between 30 degrees and east of the tresult that it lies 50 degrees dal plane.	ion of the e cases of the tibia i 50 degree may show trees to 90
Patellar Exami Normal Fight Patellar Luxation Dilateral Unilateral: Unilateral	nation Results left right medial intermittent c 2 months 6-12 months xamination was perfoor/microchip on this d	Jeft Jateral Jermanent Jeft Jateral Jermanent Jeft John Months Jermed according to the OFA	Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the Grade 2—There is frequent pecomes more or less permand deviation of the tibial crefrom the cranial/caudal plane Grade 4—The tibia is mediall further deviation medially widegrees from the cranial/caud procedure.	uxates manually at full extens trochlea when released. Datellar luxation which, in some nent. Inanently luxated with torsion east of between 30 degrees and east. Ily twisted and the tibial crest rith the result that it lies 50 degrees dal plane.	ion of the e cases of the tibia i 50 degree may show irees to 90
Patellar Exami Normal Fight Patellar Luxation Dilateral Unilateral: Unilateral	nation Results left right medial intermittent c 2 months 6-12 months xamination was perfoor/microchip on this d	3. C left lateral permanent 2-6 months > 12 months	Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the Grade 2—There is frequent pecomes more or less permand deviation of the tibial crefrom the cranial/caudal plane Grade 4—The tibia is mediall further deviation medially widegrees from the cranial/caud procedure.	uxates manually at full extens trochlea when released. patellar luxation which, in some nent. In an ently luxated with torsion east of between 30 degrees and east of the tresult that it lies 50 degrees dal plane.	ion of the e cases of the tibia i 50 degree may show irees to 90
Patellar Exami Normal Fight Patellar Luxation Dilateral Unilateral: Unilateral	nation Results nation Results left right medial intermittent < 2 months Acture Spectrum The properties of the pr	Jeft Jateral Jermanent Jeft Jateral Jermanent Jeft John Months Jermed according to the OFA	Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the Grade 2—There is frequent pecomes more or less permand deviation of the tibial crefrom the cranial/caudal plane Grade 4—The tibia is medially further deviation medially windegrees from the cranial/caudal procedure. Eattoo/microchip on this dog Specialist Kennel rate: Individuals submitted as	uxates manually at full extens trochlea when released. Datellar luxation which, in some nent. Inanently luxated with torsion east of between 30 degrees and east. Ily twisted and the tibial crest rith the result that it lies 50 degrees dal plane.	ion of the e cases of the tibia d 50 degree may show trees to 90
Patellar Exami Normal Fight Patellar Luxation Dilateral Unilateral: Unilateral	nation Results nation Results left n right medial intermittent < 2 months 6-12 months xamination was perform of microchip on this desired to the months of age are considerations.	as of its evaluation of the animal or). 3. C left	Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the Grade 2—There is frequent pecomes more or less permand deviation of the tibial crefrom the cranial/caudal plane Grade 4—The tibia is medially further deviation medially windegrees from the cranial/caudiprocedure. Cattoo/microchip on this dog Specialist Kennel rate: Individuals submitted as Minimum of 5 individual	uxates manually at full extens trochlea when released. Date I wasted with torsion of the set of between 30 degrees and the set of between 30 d	ion of the e cases of the tibia d 50 degree may show trees to 90
Patellar Exami Normal Fight Patellar Luxation Dilateral Unilateral: Unilateral	nation Results nation Results left n right medial intermittent < 2 months 6-12 months xamination was perform of microchip on this desired to the months of age are considerations.	as of its evaluation of the animal or). 3. C left	Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the Grade 2—There is frequent pecomes more or less permand deviation of the tibial crefrom the cranial/caudal plane Grade 4—The tibia is medially further deviation medially windegrees from the cranial/caudal procedure. Eattoo/microchip on this dog Specialist Kennel rate: Individuals submitted as	uxates manually at full extens trochlea when released. Date I wasted with torsion of the set of between 30 degrees and the set of between 30 d	ion of the e cases of the tibia d 50 degree may show trees to 90
Patellar Exami Normal Fight Patellar Luxation Dilateral Unilateral: Unilateral	perfection registered owners are registered owners. partials of registered owners. partials registere	as of its evaluation of the animal or). 3. C left	Classification of luxation Grade 1—The patella easily lestifle joint, but returns to the Grade 2—There is frequent pecomes more or less permand deviation of the tibial crefrom the cranial/caudal plane Grade 4—The tibia is medially further deviation medially windegrees from the cranial/caudal procedure. Eattoo/microchip on this dog Specialist Kennel rate: Individuals submitted as Minimum of 5 individual	uxates manually at full extens trochlea when released. Date llar luxation which, in some nent. The set of between 30 degrees and early twisted and the tibial crest of the the result that it lies 50 degrees and dal plane. OSI 12 2 2 Date The Orthopedic Foundation for Anisate in the Public Foundation for A	ion of the e cases of the tibia d 50 degree may show trees to 90

Office Use Only
APPL
RAD
CK



Orthopedic Foundation for Animals 2300 E Nifong Blvd, Columbia, MO 65201 Phone (573) 442-0418; Fax (573) 875-5073 email: ofa@offa.org | website: www.ofa.org A Not-for-Profit Organization

Office Use Only

v010122

Application for Basic Cardiac Database

			AKC registration number:		Other registry nan	ne: ALAA
DISCOVERY TAILS SCOOTER			гологовично		Other registry #: 109104	
reed:		Sex:	Date of birth (MM/DD/YY):			
AUSTRALIAN LABRAD	OODLE	M	11/03/2021			
crochip/tattoo:			Registration number of sire	e;	Registration numb	per of dam:
33000320673156			WALA0000	9343	WALA0	0010982
vner name:	Co-Owner name:		Examining veterinary clini	C	Date	of evaluation (MM/DD/YY):
/ICKI MCCORMACK			HURRICANE RIDG	GE VETERINARY	Y HOSPITAL	
ailing address:			Mailing address:			
1 EASTGATE PL			660 N 7TH	AVE		
ty:	State:	Zip/postal code:	City:		State:	Zip/postal code:
SEQUIM	WA	98382	SEQUIM		WA	98382
one:	E-mail:	VIALLOGOMA	Phone:	***************************************	E-mail:	
360) 808-9800	IL.COM	YTAILS@GMA	(360) 681-0)117	ERIDGEV	IAN@HURRICAN
eterinary Exam Results inical findings based on cardiac a	uscultation is requ	uired. (see page 2)				
		AUSCULTAT	ION (REQUIRED)		
	Normal 💆	AUSCULTAT Abnorma) hmia □		
Murmur		Abnorma			VI 🗆	
Murmur (Abnorma	I ☐ Arrhytl	hmia 🛮	VI 🗆	
	Grade: □	Abnorma II 🔲 II	l □ Arrhytl l □ IV □ t □ Base □	hmia □ V □	VI 🗆	
PMI: Timing:	Grade: □ □ Left □	Abnorma II 🔲 II Right		hmia □ V □ Apex □	VI 🗆	
PMI: Timing: Extra Sou Summary evaluation ar Wormal cardiovascu Guivocal cardiova	Left ☐ Systolic ☐ Inds: Click ☐ Ind opinion of the equiar examination— scular examination—	Abnorma II	Arrhytl I V D Base C Contir Split S1 S	hmia V Apex nuous plit S2 luded; status und	certain for breeding	
PMI: Timing: Extra Sou Summary evaluation ar Normal cardiovascu Equivocal cardiova Abnormal cardiova I certify that the standards for cardi	Left Systolic Systolic Systolic Sinds: Click Sinds Click Sinds Click Sinds examination—Isscular examination—Isscular examination sinds examination as so	Abnorma II	Arrhyti I IV I Base I Contir D Split S1 S dent t be diagnosed nor exclease; indicate suspecte	hmia	certain for breeding w: examination.	1261202L
PMI: Timing: Extra Sou Summary evaluation ar Normal cardiovascu Equivocal cardiova Abnormal cardiova I DID verify microchip/tattoo on the Veterinarian Signature Ch Ch Ch Ch Ch Ch Ch Ch Ch C	Systolic Systolic Systolic Systolic Sinds: Click Sinds: Click Sinds Sind	Abnorma II	Arrhyti I	hmia	certain for breeding w: examination.	Date wheel by same person.
PMI: Timing: Extra Sou Summary evaluation ar Normal cardiovascu Equivocal cardiova Abnormal cardiova I Lecrtify that the standards for cardioval Abnormal cardiova Ceterinarian Signature Chamber Signature Chamb	Systolic Systolic Systolic Systolic Sinds: Click Sinds: Click Sinds Sind	Abnorma II	Arrhyti I	hmia	examination.	Date wheel by same person.

Exp date MM/YY

CVV

Card number Exp date MM/YY
Submit thru https://online.ofa.org - OR - provide payment details here if mailing or emailing



Paw Print DNA Profiling™ Certificate

Call Name: Scooter

Registered Name:


Breed: Australian Labradoodle

Sex: Male **DOB:** Nov. 2021

Laboratory #: 282189

Registration #: -

Certificate Date: Jan. 12, 2022



This certificate displays a graphical representation of your dog's unique DNA profile



Blake C Ballif, PhD

Laboratory & Scientific Director

Chf

Christina J Ramirez, PhD, DVM, DACVP

Medical Director

Paw Print Genetics performed testing on the dog(s) listed on this certificate. Because this test is a DNA-based method, rare genomic variations may occur producing false results. If you think these results are in error, please contact the laboratory immediately for further evaluation. In the event of a valid dispute of results claim, Paw Print Genetics will do its best to resolve such a claim to the customer's satisfaction. If no resolution is possible after investigation by Paw Print Genetics with the cooperation of the customer, the extent of the customer's sole remedy is a refund of the fee paid. In no event shall Paw Print Genetics be liable for indirect, consequential or incidental damages of any kind. Any claim must be asserted within 60 days of the report of the test results. Genetic counseling is available at Paw Print Genetics.