



PRICE AND SPECIFICATIONS HARDWOOD LOGS

251, Route 180
Saint-Quentin, N.-B.
E8A 2K9

CONTACT: Yves O'Brien, VP Procurement
Cell: (506) 235-0506
yves.obrien@groupe savoie.com

Juillet 2022

Scale house: 506-235-1066

*Scale hours: Mon-Thur. 6:00 am to 5:00 pm
Friday 6:00 am to 3:00 pm*

NET \$ ROAD SIDE, TRUCKING PAID BY GROUPE SAVOIE * 200KM + *****

LOGS :

(class A)

small end diameter	length	# clear faces	(rock maple) SUGAR MAPLE		YELLOW and WHITE BIRCH		RED MAPLE (Soft) BEECH	
			sound and straight less than 50% heart		sound and straight		sound and straight	
			\$/m3	\$/Mfbm	\$/m3	\$/Mfbm	\$/m3	Prime Red Maple <50% heart (Class D)
36 cm + (14 in +)	7'6"-8'9"	4	175	908	175	908	68	73
		2 - 3	114	592	114	592	63	68
		0 - 1	63	329	63	329		
24 to 34 cm (9 to 13 in)	7'6"-8'9"	4	114	592	114	592	63	68
		2 - 3	78	408	78	408	58	63
		0 - 1	58	303	58	303	* Soft Maple 10 in. (25cm) and up	
20 à 22cm (8 in)	8'9" Straight	4	63	329	63	329	NA	

Heated and/or stained logs will be paid at 40\$/m³ or 50\$/m³ (depend of size) roadside (Class C logs)

Logs not responding to specs will be paid at 45 \$ / m³ roadside (class B logs)

Pieces declassified to pallet will be paid at 40\$ / m³ roadside

Specifications:

Length: 8'9" (>11 inch can produce 7'0" long for recovery logs)

Clear face: Perfect face (no knot)

Forks: not accepted

Straight crack: accepted but loss in clear faces

Delimiting: knots flush with log

Class B log: do not respect class A logs specs

VENEER: (11 inch +) at small end

Birch: 8'9", 9'6", 10'6" and 11'6"

Maple: 9'6", 10'6" and 11'6"

Possible pieces will be put aside to be measured by an independant certified veneer scaler

*** Deduction of 15\$/m³ for veneer transport

Scaling: Done by Groupe Savoie inc, by a certified scaler according to NB scaling guide

All pieces mesured one by one in solid m³ (1 cord = 2.26m³)

Prices in Mbf are approximate (factor 5.2)

Our buyer is always open to doing business with you ! Call (506-235-0506)



SUSTAINABLE FORESTRY INITIATIVE

Bon pour vous. Bon pour nos forêts.

Good for you. Good for our forests.

SFI-00058

Our purchases need to comply with best management practices.

We promote Sustainable Forestry Practices and Qualify Logging Professional (QLP training)



PRICE AND SPECIFICATIONS HARDWOOD LOGS

251, Route 180
Saint-Quentin, N.-B.
E8A 2K9

CONTACT: Yves O'Brien, VP Procurement
Cell: (506) 235-0506
yves.obrien@groupe savoie.com

Juillet 2022

Scale house: 506-235-1066

*Scale hours: Mon-Thur 6:00 am to 5:00 pm
Friday 6:00 am to 3:00 pm*

NET \$ ROAD SIDE, TRUCKING PAID BY GROUPE SAVOIE

LOGS :			(rock maple) SUGAR MAPLE		YELLOW and WHITE BIRCH		RED MAPLE (Soft) BEECH	
(class A)			sound and straight less than 50% heart		sound and straight		sound and straight	
small end diameter	length	# clear faces	\$/m3	\$/Mfbm	\$/m3	\$/Mfbm	\$/m3	Prime Red Maple <50% hart (Class D)
36 cm + (14 in +)	7'6"-8'9"	4	190	987	190	987	74	80
		2 - 3	124	644	124	644	69	74
		0 - 1	69	358	69	358		
24 to 34 cm (9 to 13 in)	7'6"-8'9"	4	124	644	124	644	69	74
		2 - 3	85	444	85	444	63	69
		0 - 1	63	329	63	329	* Soft Maple 10 in. (25cm) and up	
20 à 22cm (8 in)	8'9" Straight	4	69	358	69	358	NA	

Heated and/or stained logs will be paid at 40\$/m³ or 50\$/m³ (depend of size) roadside (Class C logs)

Logs not responding to specs will be paid at 45 \$ / m³ roadside (class B logs)

Pieces declassified to pallet will be paid at 40\$ / m³ roadside

Specifications:

Length: 8'9" (>11 inch can produce 7'0" long for recovery logs)

Clear face: Perfect face (no knot)

Forks: not accepted

Straight crack: accepted but loss in clear faces

Delimiting: knots flush with log

Class B log: do not respect class A logs specs

Scaling: Done by Groupe Savoie inc, by a certified scaler according to NB scaling guide

All pieces measured one by one in solid m³ (1 cord = 2.26m³)

Prices in Mbf are approximate (factor 5.2)

veneER: (11 inch +) at small end
Birch: 8'9", 9'6", 10'6" and 11'6"
Maple: 9'6", 10'6" and 11'6"
Possible pieces will be put aside to be measured by an independant certified veneer scaler



Our purchases need to comply with best management practices.
We promote Sustainable Forestry Practices and Qualify Logging Professional (QLP training)
We aren't buying illegal or controversial wood.

PRIX POUR VENEER DANS LA COUR GROUPE SAVOIE

Prix Canadien (CAN\$)

MERISIER






	longueur 8'9" max 11'5"	Prix GSI \$/mpmp	\$/m3
Slicer	14" + pas défaut	3000	666.67
Select Plus	12", 13" 1/3 cœur pas défaut	3000	666.67
Prime	14" + pas défaut surface et bout	1875	416.67
Sélect	11", 12", 13" pas défaut	1500	333.33
#1 spécial	14" + 1 défaut	1500	333.33
#1		1375	305.56
#2		775	172.22
#4		900	200.00

Érable

	Longueur 9'5" max 11'5"	Prix GSI	\$/m3
Slicer	14" + pas défaut, 1/3 cœur centré	3000	666.67
Prime	14" + pas défaut, 1/3 cœur	3000	666.67
Sélect	11", 12", 13" pas défaut, 1/3 cœur	1875	416.67
#1 special	14" + 1 défaut, 1/3 cœur	1875	416.67
#1	11", 12", 13" 1 défaut, 1/3 cœur	1500	333.33
#2 special	14 + pas de défaut à 1/2 cœur	1500	333.33
#2		1125	250.00
#3		775	172.22
#4	10" pas défaut, 1/3 cœur	1150	255.56
Piqué		3700	822.22




Information
Yves O'Brien Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupe savoie.com

Private wood

Saw logs						
Criteria	Specifications	Photos				
Diameter	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="background-color: #92d050;">Min</th> <th style="background-color: #92d050;">Max</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">8" s.e (20 cm)</td> <td style="text-align: center;">28" (70 cm)</td> </tr> </tbody> </table> <p>s.e = Small end (Logs between 8" and 9" must be straight)</p>	Min	Max	8" s.e (20 cm)	28" (70 cm)	
Min	Max					
8" s.e (20 cm)	28" (70 cm)					
Length	8' 9" (+/- 2") Yield 7'0 for > 11" (Min 7'0")					
Heart rot	Heart rot less than 33% (1/3 of the diameter) Pieces less than 10 inches: No rot No rot allowed in Beech and Soft maple					
Sweep	> 10 inches: Maximum of 30% (1/3 of diameter at small end) Pieces less than 9 inches: straight					
Split	Accepted on 1 faces max. Twisted split is not tolerated if the 2nd face is affected					

Information
Yves O'Brien Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupe Savoie.com

Private wood

Saw logs		
Criteria	Specifications	Photos
Knots, defects and bumps	Any 4-inch bumps or defect needs to be shaved. (Medium and high bumps in these hardwoods are degraders)	
Butt flare (flange) and spider heart	The butt flare must be removed. Spider heart isn't accepted (1 split is ok).	
Plywood logs (Veneer)	Maple: 9'5", 10'5", 11'5" Birch: 8'9", 9'5", 10'5", 11'5" Size: 11" small end. Hard heart, healthy, no major defect, no stained wood, straight	
Sorting (Pile)	White and Yellow Birch must be pile together (1 pile) Sugar Maple, Soft Maple and Beech must be pile together (1 pile)	
Important		
<ul style="list-style-type: none"> - Logs need to be transported between 6 a.m. and 5 p.m. Monday to Friday - 2 or 3 Weeks maximum to haul the logs in our mill during summer time (stain wood) - Best operation time after August 15th - Make sure to put skip under pile to minimise contamination - Minimise mechanical compression marks (roll, grapple, chain, etc.) - Veneers logs can be shipped on the same load - To maximise wood value, process the wood correctly with clear faces and no sweep 		

Private Purchases

Criteria	Aspen log	Hardwood and Aspen pallet	Hardwood pulp
Diameter	Min: 9" (23 cm) at small end Max: 28" (71 cm)	Min: 6" (15 cm) at small end Max: 22" (56 cm)	Min: 3 1/4" (8 cm) at small end Max: 22" (56 cm)
Length	8' 6" (Tolerance +/- 2"). Sort the 8 feet from the 9 feet.	8' 8" (Tolerance 100" to 104"). Ensure lengths over 9 feet (108") are cut.	8' 8" (Tolerance 100" to 104"). No piece less than 6 feet (72"). Ensure lengths over 9 feet (108") are cut.
Heart rot	Clear and no rot (minimal tolerance). Grey or grown spot is accepted.	Clear and no rot (minimal tolerance). No spongy heart, rust color is acceptable. No dry or dead wood.	Less than 50% of diameter rot. No dry or dead wood.
Curvatures	Maximum curvature of 1/3 of diameter at the small end.	Target 2, 4 feet pieces. Remove major defects and sweep.	Remove major defects.
Knots & branches	Remove major defects. Well delimbed, razed knot. No elbow, big "S" or major bumps.	Well delimbed, razed knot. No forks or sling shot. No elbow, big "S" or major bumps.	Well delimbed, razed knot. No forks or sling shot.
Sorting & Piling	*** No balsam Poplar *** **Watch out for rocks, mud, branches etc.**	<u>Hardwood: 2 piles</u> Yellow-White Birch and Sugar-Soft Maple, Beech <u>Aspen: 1 pile</u> ***Watch out for rocks, mud, branches etc.***	Stack 1 : Yellow and white birch Stack 2 : Rock and soft maple, beech etc. Need approval if more than 30 % soft maple ***Watch out for rocks, mud, branches etc.***

Notes:

- Sort pallet in soft maple only if quality is good
- Pallet can be transported with logs, but keep them physically separated
- Some adjustments can be requested by the wood purchaser

Information
<p style="text-align: center;">Yves O'Brien Cell: (506) 235-0506 Office: (506) 235-1066 yves.obrien@groupe savoie.com</p>