

All prices are after Board levy of 2.2%
The levy of 2.2% is composed of 0.5 % for Forest
Management and 1.7% for operations.

REVISED JANUARY 11, 2021

Please check with office staff before delivering
any products.

Note: Mill scale hours in the booklet are listed in
New Brunswick timezone.

Currency is listed in Canadian Dollars for all
Canadian mills unless otherwise specified.
US currency is used for all US mills except
Woodland Pulp.

Check our website at www.yscnb.ca or our
Facebook page at YSC Forest Products
Marketing Board

SOFTWOOD PULPWOOD			
JDI SUSSEX			
5 Wheeler Rd. Four Corners, NB Hours: 24/5 SUNDAY 6 PM TO FRIDAY 5 PM NO hemlock or red pine NO DELIVERIES between 5:30 am to 7:15 am or between 5:30 pm to 8:00 pm	Grade 0	Z1	Min top: 3.5"
	8' (96" +/- 6")	1 - 40 MI	Max butt: 20"
		Z2	Length: 8', 9' and 10' okay
	these are gatewood prices only	41 - 60 MI	Spruce/Fir Jack Pine no limit on fir or jack pine Can have 5% white pine or tamarack. These species must be separated from the spruce & fir. NO hemlock or red pine.
		Z3	
		61 - 80 MI	Age: Delivered within six (6) months 3 months for bonus wood
		Z4	
		81 - 100 MI	Bonus wood must be 75% Spruce ,white wood only
		Z5	
		101 + MI	
	Grade 4	All zones	No more than 2% rot, or undersize wood loads will be rejected
	Tamarack & White Pine		Length 8' 9' 10' (+/- 6") Min top 3" Maxi Butt 20" Delivered within three (3) months.
EFFECTIVE MONDAY OCT 26TH NO GATEWOOD DELIVERIES ONLY YSC CONTRACT OR DIRECT CONTRACT ONLY			
DELIVERIES MUST FOLLOW THE COVID- 19 VIRUS PRACTICES IN PLACE SUSSEX SECURITY OFFICE 432 2880			

E M CUMMINGS YARD			
Meductic, NB Exit 212	Tree Length Pulp	All	Min Top 4" 20" maxi butt up to 30% rot NOTHING SHORTER THAN 12'
Hours Mon-Thur 6:00 am - 4:30 pm Friday 6:00 am - 3:00			No Pastrue Spruce
THIS MARKET IS SHUTOFF TILL FURTHER NOTICE			
H. C. HAYNES YARD			
Little Ridge, NB Exit 4	Tree Length Pulp	All	Min Top 3"" maxi butt 21" up to 30% rot NOTHING SHORTER THAN 12'
Hours Mon to Fri 6 am to 6 pm	Spruce & Fir		
THIS MARKET IS SHUTOFF TILL FURTHER NOTICE			
A V NACKAWIC			
103 Pinder Road	SOFTWOOD PULP	All	Lengths 10' to 20' Min top 3.5" Maxi butt 22"
Hours Open 24/7 including holidays	Spruce/Fir		Max Rot 30%
	Random Length		
AVN NOW BACK TO REGULAR SCALING HOURS STARTING JUNE 29TH			
ARBEC FOREST PRODUCTS			
1101 WATER STREET MIRAMICHI, NB 778-2700 Scaling hours are Monday to Thursday 5:30 am to 10:00 pm Friday 5:30 am to 5:00 pm	Softwood Pulp	Zone 4	Minimum length 84 inches, max length 106", preferred length 96"
	Spr/Fir/ Jpine		
	White Pine Tamarack		Min top 3.5", Max butt 25", all diameters are inside the bark. no more than 20% fir, 0% rot in any fir. No more than 6" of sweep, no crooks or forks, no wood over 3 months old. No more than 50% rot. Limbs, knots and stubs must be cut flush. NO MORE THAN 10-15% HEMLOCK
CLOSED TILL FURTHER NOTICE VOLUME IS FULL COULD BE INTO 2021			

WOODLAND PULP			
Hours Monday to Friday 7 am to 5 pm during maintenance shutdown	random length tree length		specs- 3.5" min top, max butt size 25". Can have up to 1/3 rot
NO DELIVERIES UNTIL AT LEAST JAN 4TH, 2021			
HARDWOOD PULPWOOD			
A V NACKAWIC			
103 Pinder Road, Nackawic, NB hours OPEN 24/7 including holidays	Poplar	Random	Min Top 3.0" inside bark, Max butt 20" outside bark, less than 2 months old
		12' to 20'	No more than 12" of sweep, no doglegs or crooks not over 2 months no rot over 50%
Randon Length wood: Min length 8' Maxi Length 20' preferred length is 16'			12' & 16' can be full loads 8' & 10' only 15% per load
	Birch	Random	No more than 12" of sweep, no doglegs or crooks not over 2 months no rot over 50%
		12' to 20'	12' & 16' can be full loads 8' & 10' only 15% per load
			Min Top 3.0" inside bark, Max butt 22" outside bark, less than 2 months old
			No more than 12" of sweep, no doglegs or crooks not over 2 months no rot over 50%
	Maple,Beech & Ash	Random	Min top 3" , inside bark, Maxi butt 22" outside bark, less than 2 months old
		12' to 20'	12' & 16' can be full loads 8' & 10' only 15% per load
	Mixed Tree Length Wood		Minimum 8 maxi up to 5%' maximum is 66'
	Mixed Hardwood and Poplar ONLY to a Maxi of 30% BIRCH	Tree Length	
			Min Top 3", inside bark, Maxi butt 22" outside bark, less than 2 months old
			No more than 24" of sweep, no doglegs or crooks not over 2 months no rot over 50%
PRICE OF BIRCH DECREASES \$2/MT EFFECTIVE AUGUST 15TH PRICE ABOVE IS THE NEW PRICE			
PLEASE KEEP YOUR TOP SIZE 3" AND UP			
AFTER APRIL 23/2020 NO LONGER PURCHASING TREE LENGTH PRODUCTS			
AVN NOW BACK TO REGULAR SCALING HOURS STARTING JUNE 29TH			

JDI SUSSEX			
5 Wheeler Rd. Four Corners, NB	Maple	All	Red maple or Sugar Maple min top 4" , max butt 18" , min length 8' to 9' 9' loads can contain up to 20% 8'
	Grade 1	Pure loads	no forks or crooked pieces. Loads containing more than 5% rot will be rejected. Pieces with over
			50% rot will be rejected. Wood must be delivered within 6 months of date cut.
	Birch	All	same as above
	White & Yellow		same as above
	MixedHWD	All	ALL species except POPLAR maxi 5% poplar Maple should be separated on the truck. Delivered
	Grade 1	Random	within 6 months of date cut from live trees at time of cut 4 in min top 18in maxi butt outside bark, no forks or crooked pieces. Loads containing more than 5% rot will be rejected. Pieces with over 50% will be rejected. Length 8' to 9' and 9' loads can contain up to 20% 8'.
DELIVERIES MUST FOLLOW THE COVID- 19 VIRUS PRACTICES IN PLACE SUSSEX SECURITY OFFICE 432 2880			
THIS MARKET IS STILL CLOSED			

WOODLAND PULP LLC			
Woodland, Maine	ALL HARDWOOD SPECIES WITH ONLY A 10% POPLAR MIX	#6	Tree-length specs -Min top 4" , Min butt 5" , Max butt 25" , Min. length 12'
Contract #6 Charlotte County			NEW SPEC ONLY 10% POPLAR TO LOADS, MILL IS USING CAMERAS TO MAKE SURE ONLY 10%
Contract #45 York /Sunbury		#45	8' , Semi-tree, random specs - Min top 2-3" , max butt 30" , min length 8' ,
SCALING HOURS 24/7			
NO DELIVERIES UNTIL FURTHER NOTICE BOILER TROUBLE			
DUE TO THE COVID 19 VIRUS DETECTED AT THE MILL TRUCKERS ARE ASKED TO GO STRAIGHT TO THE SCALE SHACK WITH MASK			

HARDWOOD PULPWOOD CONT			
E M CUMMINGS YARD			
Meductic, NB Exit 212	Mixed Hardwood	All	Mixed Hardwood, Maple, Birch
Hours Mon-Thur 6:00 am - 4:30 pm Friday 6:00 am - 3:00 pm	Maple & Birch		
	Poplar	Tree Length & Random	Tree-length must have 4" top, maximum butt of 30", up to 50% rot. No Balm of Gilead
	Poplar	9'4"	Length 9'4" min top 4" maxi butt 30" up to 50% rot. No
			Balm of Gilead
THIS MARKET IS CLOSED TO ANY HARDWOOD PULP DELIVERIES			
PRICE INCREASE ON POPLAR EFFECTIVE JULY 27TH			
PLEASE WATCH THE SPECS NOW 4" TOP			
H C HAYNES YARD			
Little Ridge, NB Exit 4	Mixed Hardwood	Zone 1	Tree-length specs -Min top 4" , Min butt 5" , Max butt 25" , Min. length 12'
Hours Monday to Friday 6 am to 6pm	Maple & Birch		
	Poplar	Zone 2	8' , Semi-tree, random specs - Min top 2-3" , max butt 30" , min length 8' .
THIS MARKET IS CLOSED TILL FURTHER NOTICE			
arauco (formerly Flakeboard)			
Tom Carson's Yard- Hall Road St. Stephen	HWD	All	4" Min Top, 22" Maxi butt, 12' Min Length
Hall Road - St. Stephen, NB Monday - Friday 8 am - 5 pm			All Speices of Hardwood except Poplar no more than 70% Birch, Loader is available

HUBER ENGINEERED WOODS LLC			
Easton, Maine US FUNDS	8' Poplar	All	5" top minimum, 24" max butt, (inside bark), Length 100" - 103"
Ph: 207-488-6715			All limbs & stubs knotted flush with tree, no crotches, seams, splits or excessive butt flare.
	TL Poplar	All	4" top minimum, Length 16.5 ft, 24.5 ft or whole tree to a max length of 58 ft
			All limbs & stubs knotted flush with tree, no crotches, seams, splits or excessive butt flare.
LOUISIANA PACIFIC			
US FUNDS	Poplar	York County	Min top 4" Max butt 30" straight, well limbed, less than 50% rot
NEW HOURS			No doglegs, crotchs, limbs, please watch spec closely
Scaling Hours as of Monday Nov 2 8 am to 4 pm CDN Time, No Friday or weekends		Sunbury/Charlotte	Length 9' (107" to 113") 8'11" to 9'5"
			No dead wood, sweep less than 6" in a 9" section
TARGET LENGTH 9'2" currently no hardwood deliveries	Hardwood	All Zones	No balm or gilead allowed
	No ash/basswood		No more tree length wood
			Mamimum butt diameter on hardwood is now 20"
LP HOULTON WEEK OF DEC 14TH ON STRICK QUOTA			
PLEASE NOTE NEW SCALING HOURS MONDAY TO THURSDAY 8 AM TO 6 PM CDN TIME NO FRIDAY OR WEEKENDS			
TRUCKERS ARE ASKED TO WEAR A MASK DUE TO THE COVID-19 VIRUS			
NO LONGER PURCHASING TREE LENGTH WOOD			

LP POPLAR INTO CARSON YARD	Poplar	All	Min top 4" Max butt 30" straight, well limbed, less than 50% rot
Hall Road St. Stephen Hours Mon - Fri 8 am - 5 pm Please call Alan first to see if available 466-8741			No doglegs, crotchs, limbs, No dead wood please, watch specs closely
	US FUNDS		No dead wood, sweep less than 6" in a 9' section
		TARGET LENGTH	Length 9' (107" to 113") 8'11" to 9'5"
		9'2"	No balm of gilead allowed (please call office if you are unsure what balm is) No more tree length wood.
THIS MARKET HAS HAD A RECENT PRICE DECREASE			
ARBEC FOREST PRODUCTS			
	Poplar Pulp	Zone 4	Minimum length 84 inches, max length 106", preferred length 96"
1101 Water Street Miramichi NB 778- 2700 Scaling Hours Monday to Thursday 5:30 am to 10:00 pm Friday 5:30 am to 5:00 pm			Min top 3, Max butt 25", all diameters are inside the bark, no more than 6" of sweep, no crooks or forks, no wood over 3 months old, no more than 50% rot, limbs, knots and stubs must be cut flush
NO OVER- LENGTH	Mix HWD Pulp	Zone 4	Minimum length 84 inches, max length 106", preferred length 96"
WOOD ALLOWED			Min top 3, Max butt 25", all diameters are inside the bark, no more than 6" of sweep, no crooks or forks, no wood over 3 months old, no more than 50% rot, limbs, knots and stubs must be cut flush
CLOSED TILL FURTHER NOTICE VOLUME IS FULL COULD BE INTO 2021			
CHESTER FOREST PRODUCTS			
US FUNDS	Mixed Hardwood	All	
Scaling Hours Mon-Thur 5am-5pm Fri 5am-3pm	Maple		
THIS MARKET IS IN LINCOLN & HOULTON MAINE			

BIOMASS			
JOLLY FARMER			
560 Crabbe Road North Hampton NB Scaling hours: Mon-Thur 7am-4pm	BIOMASS	Any species	Specs- no tree length wood, Lengths 8' to 24' in any species; spruce/fir/hemlock/tamarack, Max 10% Cedar. Maximum butt size 26" mixed species ok, No Rotted wood, hollow butts are ok.
THIS MARKET IS NOW OPEN MON TO THURS 7 AM TO 4 PM FOR UNLOADING			
A V NACKAWIC			
103 Pinder Road, Nackawic, NB	BIOMASS	Any species	Length 9' to 16'. Maximum butt size 22"
PROBABLY NO DELIVERIES THROUGH OUT 2020			

STUDWOOD

DEVON LUMBER

200 Gibson St. Fredericton, NB Mon- Thurs: 7:00 am- 4:00 pm CLOSED FRIDAY	Grade 1	8'4 to 8'6	Min top 5", Max butt 9"" length 8'4" to 8'6" FIR ONLY
	FIR		Wood must be straight and sound (NO RED WOOD) well knotted and have NO Butt Flare or excessive knots
	Grade 2		Same as above spec SPRUCE ONLY
Must be fresh cut within one month	SPRUCE	RED OR BLACK	NO WHITE SPRUCE ALLOWED AS STUDWOOD

GRADE 2 SPRUCE & FIR MAY BE MIXED ANY AMOUNTS

**PLEASE WATCH YOUR SPECS CLOSELY, MARKET HAS NEW SPECS 5" MIN TOP 9" MAXI BUTT
DUE TO COVID 19 REGULATIONS MASK MUST BE WORN IF YOU CAN NOT SOCIAL DISTANCE 6'
NEW SCALING HOURS MONDAY TO THURSDAY 7 AM TO 4 PM CLOSED ON FRIDAY**

J D IRVING GRAND LAKE

Scaling Hours Sunday 6pm to Friday 6 pm 24 hours	Grade 19	Zone 1	Lengths 9' 108" to 112" 8' 99" to 103"
	(Grade 1)	1 TO 40 MI	
		Zone 2	9' IS 5" min top 12" maxi butt 8' IS 4.5" min top 12" maxi butt
		41 TO 60 MI	Spruce/Fir up to 25% fir for Grade 1 Fresh cut within 3 months no rot. no forked tops
		Zone 3	Sweep less than 2" over length of the wood, in any 4' section no more than 12 knots 1" to 3" diameter or not more
		61 TO 80 MI	than 8 knots greater than 3" diameter.
		Zone 4	Samples will be taken if 90% or higher is acceptable species, a quality BONUS will be paid
9' Studwood 108" - 112 "		81 TO 100 MI	Samples that fall below 60% acceptable species on 1 load or fall below 85% on 3 loads over a 4 week period can result in a suspension of deliveries.
May contain up to 15% 8' Studwood Length 8 99" to 103"		Zone 5	
		101+ MI	
Anything over 40% fir content	Grade 29	Zone 1	
	(Grade 2)	0 TO 40 MI	
		Zone 2	
		41 TO 60 MI	
		Zone 3	

		61 TO 80 MI	
		Zone 4	
		81 TO 100 MI	
		Zone 5	
		101+ MI	
THIS MARKET ON JUNE 8TH DECREASES PRICES BY \$5/MT FOR LOADS OVER 40% FIR			
DELIVERIES MUST FOLLOW THE COVID- 19 VIRUS PRACTICES IN PLACE CHIPMAN SECURITY OFFICE 339			
LOADS CONTAINING OVER 40% FIR GET 2ND GRADE PRICES			

JDI SUSSEX

5 Wheeler Rd. Four
Corners, NB
Hours: Mon-Fri 6 am
to Friday 5 pm 24/5

Select	Z 1	Min top 4 1/2" Max butt 13" LENGTH 98" to 101" (8 foot studs)
Grade 18	1 - 40 MI	Select: 75% Spruce & up to 25% sound white fir. NO JACK PINE.
8'	Z 2	delivered within 3 months of date cut
	41 TO 60 MI	Taper or sweep must be less than 2"over length of bolt.
	Z 3	No Rot, No forked bolts, ends cut square
	61 TO 80 MI	
	Z 4	In any 4' section of a bolt: not more than 12 knots 1" to 3" diameter OR not more than 8 knots >3" diameter
	81 TO 100 MI	
	Z 5	
	101 + MI	
Standard	Z1	Min top 4 1/2" Max butt 13" LENGTH 98" to101" (8 foot studs)
Grade 28	1 TO 40 MI	Standard - Spruce,Fir, Jack Pine(in any proportion)
8'	Z 2	delivered within 3 months of date cut
	41 TO 60 MI	Taper or sweep must be less that 2"over length of bolt.
	Z 3	No Rot, No forked bolts, ends cut square in any 4-foot section of a bolt: not more than 12 knots 1" to 3" diameter OR not more than 8 knots>3" diameter
	61 TO 80 MI	
	Z 4	
	80- 100 MI	
	Z 5	
Select	101+ MI	
Grade 19	Zone 1	not more than 8 knots >3" diameter
9'	1-40 mi	NO JACK PINE
	Zone 2	Length 108" to 112"
	41-60 mi	Can contain up to 15% 8' Studwood 98" to 101"
	Zone 3	Stained fir is unacceptable
	61-80 mi	
	Zone 4	
	81-100 mi	

LOADS CONTAINING OVER 40% FIR GET 2ND GRADE PRICES		Zone 5	Wood must be delivered with 3 months of harvest
		101 + mi	
	Standard		
	Grade 29	Zone 1	Min top 4 1/2" Max butt 13" LENGTH 108" - 112"
	9'	1 TO 40 MI	Standard - Spruce, Fir, jack pine (in any proportion)
		Zone 2	Select -75% Spruce & up to 25% sound white fir
		41 TO 60 MI	Taper or sweep must be less than 2" over length of bolt.
		Zone 3	No Rot, No forked bolts, ends cut square
		61-80 mi	in any 4-foot section of a bolt: not more than 12 knots 1" to 3" diameter OR
		Zone 4	
		81-100 mi	Can contain up to 15% 8' Studwood 98" to 101"
		Zone 5	
	101 + mi		
DELIVERIES MUST FOLLOW THE COVID- 19 VIRUS PRACTICES IN PLACE SUSSEX SECURITY OFFICE 432 2880			

STUDWOOD-CONTINUED**JDI SAINT LEONARD**

Hrs Mon to Fri 7:00 am - 5:00 pm	8' & 9' Studwood	Zone 1	8' wood Spruce/Fir up to 50%, sound wood only min top 4" length 99" to 103"
	Grade 18 = 1		
	Grade 28 = 2	Zone 2	9' wood Spruce/fir up to 50% sound wood only min top 5" mazi butt 13" length 108" to 112"
		Zone 3 - 5	
	10' Studwood	Zone 1	Spruce/Fir up to 50%, sound wood only 123" to 127" may contain
	Grade 1		up to 20% 8 & 9' min top 5" maxi butt 13" no rot
	Grade 2	Zone 2	
		Zone 3 - 5	

NO GATEWOOD DELIVERIES AFTER FRIDAY FEB 21ST CURRENT CONTRACTS ARE OK TO DELIVER

TWIN RIVERS

Plaster Rock	Spruce/Fir	9'6"	Min top 4.5" Maxi butt 14" Length 9'6" +/-2"
Butts must face one way on the load less than 3 months old			NO ROT, Sound, Red stain as long as growth rings are visible. No more than 1" sweep. Butts cut square. NO PASTURE SPRUCE
SPRUCE AND FIR MUST BE SEPARATED			
PLEASE WATCH SPEC 4.5" MIN TOP SIZE			

E M CUMMINGS YARD

	Spruce/fir	Tree Length	Min Length 16' Min Top 4" FIRM on the top size Min butt 7" no smaller, No red, no forks, no doglegs
			NO PASTURE SPRUCE & NO PULPWOOD IN LOADS OF ANY KIND 1/3 rot in butts over 10"NO ROT, STRAIGHT

PRICE INCREASE ON STUDWOOD EFFECTIVE SEPTEMBER 8TH

STUDWOOD-CONTINUED

MARWOOD			
Little's Lumber Location Harvey, NB	RED PINE		
Scaling Hours 8 am to 4 pm Mon to	Zone 1 0 to 100 km	Length 8'4`trim Min top 6`inside bark Maxi Butt 10`	
	Zone 2 - PLUS 100	no crook or dog legs or rot knots cut flush	
RED PINE STUDWOOD CAN BE DELIVERED BETWEEN OCT 1ST AND APRIL 15TH			
H C HAYNES YARD			
Little Ridge, NB Exit 4 Hours: Mon - Fri 6am - 6pm	Fir	Tree Length	Min Length 16'6" + up Min top 4" Min butt 6" + up
			From 6" to 9" white clear NO ROT 10" + can have 1/3 Rot
	Spruce	Tree Length	Min Length 16'6" + up Min top 4" Min butt 6" + up
			From 6" to 9" white clear NO ROT 10" + can have 1/3 Rot
	Spruce & Fir	9'4" 110" to 112"	Min top 4.5" Maxi butt 11"
		Spruce /fir can be mixed for 9' Studs	
THIS MARKET IS SHUTOFF TILL FURTHER NOTICE			
THE LENGTH ON THE TREE LENGTH STUDWOOD MUST BE FULL TREE OR LOG LENGTH NO SEMI TREE			
TREE LENGTH SPRUCE & FIR STUDWOOD MUST BE SEPARATED ON THE TRUCK			
PLEASANT RIVER LUMBER			
Dover Foxcroft, Maine US FUNDS	Spruce		Min top 4", Min Butt 7" (only 20% of load can be 7 - 9" diameter) Less than 10% rot. Small hole is ok
Woodland Pile Down Yard Hours Mon - Fri 7am to 5 pm CDN			Min Length 29' must get whole tree will accept 126 and 16'6 Straight, sound, Forked trees will be refused,
			ONLY 10 PIECES OF FIR ALLOWED MIXED IN THE LOADS
ENFIELD YARD LOCATION	FIR ONLY	Tree Length	Min top 4", Min Butt 7" (only 20% of load can be 7 - 9" diameter) Less than 10% rot. Small hole is ok

Scaling hours Mon to Friday 7:30am to 4:00pm CDN time			Min Length 29' Forked trees will be refused,
Enfield yard location is new April 15/2020			
PLEASE WATCH YOUR TOP SIZE, BIG KNOTS AND CROOKED TOPS			
WHEN LOADING BUTTS MUST ALL FACE THE SAME DIRECTION			
WOODLAND YARD PRICE DECREASES EFFECTIVE OCTOBER 26TH			
STUDWOOD-CONTINUED			
TIMBER RESOURCE GROUP (TRG)			
Passadumkeag, ME US FUNDS	Spruce	Tree Length	Min top 4.5", Min butt 7" (inside bark). Min length 16'4". Whole tree 29'. NO ROT UP TO 10"
Scaling Hours starting June 15th			AFTER 10" 25% allowed on approx 5 pieces
Mon to Thurs 7 am to	Fir	Tree Length	Species must be separated
			NO SHORT WOOD NO SMALL TOPS
TIMBER RESOURCE GROUP WOULD LIKE TO SEE A 80% SPRUCE 20% FIR RATIO DELIVERED UNLESS PRICE INCREASE EFFECTIVE OCT 4, 2020			
CHESTER FOREST PRODUCTS			
Chester, Maine Scaling Hours Mon to Thurs 5am- 5pm Fri 5am-1pm	Hemlock	8' or 100"	Min top 8" Min Length 99" Knots must be cut flush, no forks,
			excessive crook or dog legs will be accepted.
	Hemlock	Tree Length	Min top 4" Min Length 17' Min butt 10" Maxi butt 24"
			No rot. No shake
SAWLOGS			
E M CUMMINGS YARD			
Meductic, NB Exit 212 Mon-Thurs 6:00am - 4:30pm Friday 6:00 am to 3:00 pm	Spruce ONLY		SPRUCE SAWLOGS ONLY MIN TOP 5.5" FIRM
			NO ROT, NO RED , NO STAIN WHATSOEVER IN SAWLOGS, NO PASTURE SPRUCE
Special circumstance please call	Lengths 12'6" & 16'6"		PERFER 16'6" SAWLOGS

Eric @ 325 - 8793			ABSOLUTELY NO SAWLOGS SHORTER THAN 12'6" NO MORE LAST CUT OF THE TREE
	SPRUCE/FIR		MINIMUM TOP SIZE MUST BE A FIRM 5.5"
MINIMUM TOP INCREASES TO 5.5" EFFECTIVE JUNE 15TH			
NO SAWLOGS SHORTER THAN 12'6". WOOD NOT MEETING SPEC MAY BE REJECTED			
PRICE INCREASE ON SAWLOGS EFFECTIVE SEPTEMBER 8TH			
H C HAYNES YARD			
Little Kiage, NB Exit 4 Hours: Monday to Friday 6am to 6pm	Fir	Sawlogs	Min Length 12'6" + 16'6" Min top 6"
			NO ROT
	Spruce	Tree Length	Min Length 12'6" + 16'6" Min top 6"
			NO ROT
THIS MARKET IS SHUTOFF TILL FURTHER NOTICE			
TREE LENGTH SPRUCE & FIR STUDWOOD MUST BE SEPATATED ON THE TRUCK			
H J CRABBE & SONS LTD			
6 Lockharts Mill rd. Bristol NB Mon-Fri 7am-4:30 pm	Spruce		Min top 4.5", Max butt 22", Log Lengths 12'6"& 16'6" no logs shorter than 12'6"
			Spruce and fir must be sorted (can have both on same load) Knots cut flush, NO ROT
	Balsam Fir		
PRICE INCREASE ON SPRUCE & FIR SAWLOGS BY \$4/GMT EFFECTIVE AUGUST 24TH			

PLEASE NOTE THE NEW LENGTH ON SAWLOGS 12'6" & 16'6" ONLY

J.D. IRVING - Sussex

pm 24/5	Grade 1	Z1-Z5	GLT Sawlogs less than 10 mt net
	Grade 2	Z1-Z5	can also be delivered to JDI Sussex

DELIVERIES MUST FOLLOW THE COVID- 19 VIRUS PRACTICES IN PLACE SUSSEX SECURITY OFFICE 432 2880

J.D. IRVING - GLT

290 Main St., Chipman, NB	Grade 1	Z1	Min top 6" on 16' logs and 8" on 12' logs, Max butt 20", 75% spruce, 25% fir (white wood only)
Scaling hours Sunday 6 pm till Fri 6pm 24 hours	41-60 MI	Z2	Length 16' with 3" to 7" trim 6" top to 20" maxi butt Length 12'3 to 7" trim 8" min top to 20" maxi butt
	61 TO 80 MI	Z3	Greater than 50% of load = 16' logs, 95% of logs must follow specs for diameter & defects
	81 TO 100 MI	Z4	OVERSIZE LOGS WILL BE PILED BACK ON TRUCKS No more than 25% rot or 1/3 of the gross volume
	101+ MI	Z5	No excessive knots no forked legs
	Grade 2	Z1	Grade 2 - spruce/fir,jack pine(in any proportion) less than 3 months
	41 TO 60 MI	Z2	Min top 6" Max Butt 20" 12' & 16' logs only plus 6" to 9" trim
Contact either office of the YSC, contract prices can be up to an additional \$5/mt	61 TO 80 MI	Z3	90% of logs must meet the above specs for diameter and defects
	81 TO 100 MI	Z4	please keep jack pine separate on the load
	101+ MI	Z5	CUT WITHIN 3 MONTHS

DELIVERIES MUST FOLLOW THE COVID- 19 VIRUS PRACTICES IN PLACE CHIPMAN SECURITY OFFICE 339

UNACCEPTABLE: excessively knotty: per 4' section more than:12 knots 1"to 3" in diameter, 8 knots > 3" or no flared butt or sweep, ring shake, worm holes and/or bark off chews

20+ logs will be randomly sampled - Loads assessed 90% or higher shall be eligible for a QUALITY BONUS OF \$2/MT

Suppliers can be suspended if their wood falls below 60% for any (1) load or fall below 85% in a for any three loads in a 1 month period

JDI SAINT LEONARD

Hrs Mon to Fri 7:00 am - 5:00 pm	Grade 1 & 2	Zone 1	Lengths 12' & 16' with 3" to 7" trim load must contain 60% 16' top 6" to 20" on 16' logs
		Zone 2	Lengths 12' & 16' with 3" to 7" trim load must contain 60% 16' top 8" to 20" on 12' logs
		Zone 3	No more than 25% rot or more than 1/3 of the gross log volume
		Zone 4	
		Zone 5	

MARWOOD

Little's Lumber Location call Mark Shannon if interested	Zone 1 0 to 100 km	Hemlock Sawlogs	Lengths -10', 12' 16' 6" trim, min top 9", <u>max butt 30"</u> 16' Length preferred
440 0000 Harvey, NB	Zone 2 - PLUS 100 km		No sweep over 2", NO ROT, knots cut flush with stem, no knot pulls
	Zone 1 0 to 100 km	Red Pine Sawlogs	Lengths 10`, 12`, 14`, 16` Trim 4` to 6` Min top 9` + Maxi butt 36: Maxi 10% butt rot knots cut flush minimal sweep
	Zone 2 - PLUS 100 km		Same as above

RED PINE SAWLOGS CAN BE DELIVERED BETWEEN OCT 1ST AND APRIL 15TH

PLEASANT RIVER LUMBER

Dover- Foxcroft, Maine <i>US FUNDS</i>	Spruce Sawlogs		Lengths 12', 14', 16' - 4 " trim 5" tops Maxi Butt 22"
Woodland Pile Down Yard Hours Mon - Fri 7am to 5 pm CDN		Weight Scale	PLEASE WATCH YOUR TOP SIZE, BIG KNOTS AND CROOKED TOPS Rot can be a small amount on Big Logs.
			Same spec as above

ENFIELD YARD LOCATION

Hrs - Mon to Thurs 6:00 am - 4:00 pm Friday 6 am to 1 pm CDN Time	FIR ONLY	Weight Scale	Lengths 12', 14', 16' 4" min trim Min top size 5" Maxi butt size 24"
			Straight and Sound
ENFIELD YARD TO CLOSE THE WEEK OF DEC 7TH			
FIR SAWLOGS ONLY AT ENFIELD, MAINE			
WHEN LOADING BUTTS MUST ALL FACE THE SAME DIRECTION			
WOODLAND YARD PRICE DECREASE EFFECTIVE OCTOBER 26TH			
MCMILLAN FOREST PRODUCTS			
Belleisle Creek near Sussex, NB	All	Hemlock Sawlogs	Lengths preferred are 12'6" & 16' 6" (smaller logs are accepted if necessary)
Hours Mon - Fri 8 am - 4:pm			Min top size 7" Must be straight and sound
THIS MARKET WOULD LIKE TO SEE MORE HEMLOCK SAWLOGS DELIVERIES WILLING TO PAY MORE FOR LONG DISTANCE WOOD			
TIMBER RESOURCE GROUP (TRG)			
Passadumkeag, ME US FUNDS Scaling hrs June 15th Mon to Thurs 7 am to 5 pm CDN Time	Spruce Sawlogs		Length 12', 14', 16' with 4" min trim. 6" max trim especially on 16'. 16' is preferred. Min top 5" inside bark. No rot. Must be separated.
	Fir Sawlogs		
TIMBER RESOURCE GROUP WOULD LIKE TO SEE A 80% SPRUCE 20% FIR RATIO DELIVERED UNLESS OTHER ARRANGEMENTS ARE MADE			
PRICE INCREASE EFFECTIVE OCT 4TH, 2020			
SAWLOGS- continued			
TWIN RIVERS			

Plaster Rock	Weighed	Grade 1	Min top 5.75" Max. butt 22" Limbs cut flush, no pasture spruce loaded with butts turned one way
Hours Monday to Friday 6 am to 4:30 pm		Logs 10" +	Sawlog Length 12'4" TO 12'8" or 16' 4" TO 16'8"
			No butt rot on logs smaller than 12" over 12" can have 1/3 rot, no punky Spruce, dead wood or burnt wood
			Red stain is acceptable, no crook, sweep, seams or other defects
			1' sweep for logs with 12" tops in an 8' length and no more than 2" in logs over 12" diameter
PRICE INCREASE EFFECTIVE OCT 4TH TO DEC 18TH, 2020			
Must get 95% quality on target samples			
LOADS MUST CONTAIN 75% 16' SAWLOGS			
SPRUCE AND FIR MUST BE SORTED			
HARDWOOD SAWLOGS			
GARANT			
Woodstock, NB	Ash	Grade 1	8" & 9", 2CF
Hrs: Mon- Thurs 7am - 4:00pm		Select	10" & 11", 2 CF
		Prime	12" & 13", 2 CF
		Prime Plus	14" & up, 2 CF
	Hard Maple	Select	NO 10' - 10" & 11", 2 CF 1/3 HEART OR LESS
		Prime	NO 10' - 12" & 13", 2 CF 1/3 HEART OR LESS
Log Length's 8',10',12',14',16'		Prime Plus	NO 10' - 14" & up, 2 CF 1/3 HEART OR LESS
4" to 6" of trim			
	Soft Maple	Select	NO 10' - 10" & 11", 2 CF 1/3 HEART OR LESS
		Prime	NO 10' - 12" & 13", 2 CF 1/3 HEART OR LESS
for appointment		Prime Plus	NO 10' - 14" & up, 2 CF 1/3 HEART OR LESS
328 7656 FRED			
328 6488 MEGHAN	Yellow Birch		8" & 9", 2CF
		Select	10" & 11", 2 CF
		Prime	12" & 13", 2 CF
		Prime Plus	14" & up, 2 CF
White Birch is ok in small amounts only good quality			
PREFERRED LENGTH IS 12' & 16'			
ACCEPTING ALL PRODUCTS			

BIOMASS PRODUCTS INC			
3394 Richmond Corner Rte 540	Ash	13" & up	13" & up Diameter
506-328-8797		10" to 12"	10" to 12" Diameter
		8" to 9"	8" to 9" Diameter
Lengths 8',9'10'12' 16' with 6" trim	Hard Maple	13" & up	13" & up Diameter
		10" to 12"	10" to 12" Diameter
	Yellow/White Birch & Soft Maple	13" & up	13" & up Diameter
		10", 11", 12"	10", 11", 12" Diameter
JDI SUSSEX			
5 Wheeler Road	Hard Maple	Fresh cut within 2 weks	Length 8'6", 10'6", 12'6" minimum top 10" inside bark
	Yellow Birch		Sweep can not be more than 1/3 the smallest bolt
	White Birch		No stained Logs, No split Logs, No forked trees or butts
DELIVERIES MUST FOLLOW THE COVID- 19 VIRUS PRACTICES IN PLACE SUSSEX SECURITY OFFICE 432 2880			
CEDAR			
MCMILLIAN FOREST PRODUCTS			
485-1010	8' 6"		6" top Straight sound
Mon - Fri 8:00am - 4:00 pm	10'6"		6" top Straight sound
	12'6"		6" top Straight sound

VERY LITTLE 8' CEDAR ALLOWED

DEVON LUMBER

Hrs: Mon - Fri 7:00 am - 4:00 pm	Tree Length	based on 3500 lbs per cord	Min Length 10' 4" top Min butt - 6" No butt flare, 6" - 12" no rot, > 13", 3" of rot accepted
			No butt flare or shattered butts, no old growth, no forked trees
	10'6"	Fence Rails	Min Top 4.5" Maxi Butt 6"
		Grade 2	All wood must be straight, sound, no pencil rot and NO butt flare, no black heart.

NEW PRODUCT 10'6" FENCE RAILS NO 6' CEDAR AFTER JUNE 1ST

RAILS MUST BE CUT TO SPEC OR CONTRACTOR WILL BE SHUTOFF

H C HAYNES YARD

Little Ridge, NB Exit 4 Hours: Mon - Fri 6am - 6pm	8'6"	Min top 4" NO ROT AT ALL
		Must get the entire tree no high grading first

THIS WOOD IS WEIGHED ONLY NO STICK SCALE

NO DELIVERIES UNTIL FURTHER NOTICE

KATAHDIN FOREST PRODUCTS

Oakfield, Maine (15 miles south of Houlton) Hrs: Mon- Fri 8am -	6'3" CEDAR		Min top 5" Maximum Butt 14" Crook is 2" in a 6' block Needs to be sound.
			Min top 5" NO Maxi butt All wood must be straight and sound
US Funds	10'3" CEDAR		Min top 7" Maximum Top 11" All wood must be straight and sound with no more than 1" of sweep
	Tree Length	(Saw Stock)	Must receive the whole tree minus butting for rot. Min top 4". Min Butt 8".

			25% of the load must have 8" tops at 8'
			no crotches, no splits the butts of all stems under 11" must be sound. All stems between 11" & 16"
			may have up to " of centre rot (no pencil rot) All stems over 16" may have up to 3" of centre rot (no pencil rot)
			No major sweep over 2" on a 10' span, no seams Any wood with blackheart over 2" will be culled
	Tree Length	(Shingle Wood)	Must receive the whole tree minus butting for rot. Min top 4". Min Butt 8".
			25% of the load must have 8* tops at 8'
			no crotches, tree butts 11" and under should have NO ROT, tree butts 11" to 16" need 4" sound wood on 3 faces
			Tree butts over 16" need 5" sound on 3 faces no major sweep over 2" on a 10' span.
			No Seams, No dead wood, no crushed wood or broken pieces
			Any wood with blackheart over 2" will be culled
NO 8' CEDAR AT THIS TIME			
CEDAR- continued			
J & J CEDAR MILL INC.			
Bridgewater, Maine 152 Boot Foot Road across from Centreville Hours Monday to Friday TL Hours 7:30 am to 5:30 pm	8'4" to 8'8"	All	Length must be 100" and no more than 106" Min top 5" min of 8" on the butt end of the log, no maximim
			All wood must be sound on the butt, no butt flare, limbs & forks removed. Logs over 3" of sweep will be culled. Will accept 6' Cedar also
	Tree Length	All	Length 17' & up, Min top 4.5" Min butt of 7" no maxi butt
US Funds			all wood 12" and under must be sound over 12" can have 4" centre rot
RIDGE CEDAR LTD.			
184 Rte 616 Keswick Ridge NB 506 262	12' Cedar	All	Min top 6" Staight, no centre rot

<i>Kiage, NB 500-505-8020</i>	8' Cedar	All	Min top 6" Straight, no centre rot
THIS MARKET IS OPEN FOR LIMITED DELIVERIES PLEASE CALL FIRST 506 363 8020			
WHITE PINE			
JDI DOAKTOWN			
Hrs: Mon - Thurs 6:30am -2:30am	1 - 40 miles	Z1	Min Top 10", Maxi butt 40" , Maxi knot size 1", maxi rot less than 1/4
Friday- 7am - 3pm	41-60	Z2	
Gr 16 - 16' 3" to 16'6" ONLY	61-101+	Z3 - Z5	
Grade 1 12' 3" to 12'6" or 14'3 to 14'6"	1 - 40 miles	Z1	Min top 10", Max butt 40", Maxi knot size 1", Maxi rot less than 1/4
	41-60	Z2	
	61-101+	Z3 - Z5	
Gr 2 - 10 - 16' Logs 10'3" to 10'6", 12'3" to 12'6", 14'3" to 14'6"	1 - 40 miles	Z1	Min top 8", Maxi butt 40", Maxi knot size 3", Maxi rot less than 1/4
	41-60	Z2	
16'3" to 16'6"	61-101+	Z3 - Z5	
Gr 3 same lengths as grade 2-		ALL	Min top 6", Maxi knot size 3", Maxi rot less than 1/3
AYAT TIMBERS LTD.			
158 Portage Vale Road Penobsquis, NB			
14' & 10'	Grade 1	Lengths 14' & 10' 4" to 6" of trim Min top 8"	
WHITE PINE	8'	Grade 2	Length 8' 4" to 6" of trim
PLEASE CALL BEFORE CUTTING 306 491 5224			
SPECIALITY WOOD			
COLUMBIA FOREST PRODUCTS - VENEER LOGS			
Will be scaled at your woodlot	Yellow & White Birch	Slicer	Lengths 9'5", 10'5", 11'5" Straight grain centered hearts 4 CF

your woodlot location		Select Plus	Lengths 8'9", 9'5", 10'5" 11'5" Min Diameter 12", 13" 1/3 heart centered straight, no defects, no butt swell.
Scaling done on the International Log Rule		Prime	Lengths 8'9", 9'5", 10'5" 11'5" Min Diameter 14" and up no surface or end defects
		Select	Lengths 8'9", 9'5", 10'5", 11'5" Min Diameter 11", 12" 13" NO defects
		#1 Special	Lengths 8'9", 9'5", 10'5", 11'5" Min Diameter 14" and up One defect
		#1	Lengths 8'9", 9'5", 10'5", 11'5" Min Diameter 11",12",13" One defect and small end defect
		#2	Lengths 8'9", 9'5", 10'5" Min Diameter 11"and up Two surface defects and small end defect
		#4	Length 8'9", 9'5" Min Diameter 10" no defects, straight
	Hard Maple	Slicer	Lengths 9'5", 10'5", 11'5" Straight grain centered hearts 4 CF
		Prime	Lengths 9'5", 10'5", 11'5" Min Diameter 14" and up NO defects 1/3 heart
		Select	Lengths 9'5", 10'5", 11'5" Min Diameter 11",12",13" NO defects 1/3 heart
		#1 Special	Lengths 9'5", 10'5", 11'5" Min Diameter 14" and up One defect 1/3 heart
		#1	Lengths 9'5", 10'5", 11'5" Min Diameter 11",12",13" One defect 1/3 heart
		#2 Special	Lengths 9'5", 10'5", 11'5" Min Diameter 14" and up NO defects 1/2 heart
		#2	Lengths 9'5", 10'5", 11'5" Min Diameter 11",12",13" NO defect 1/2 heart
		#3	Length 9'5", 10'5" Min Diameter 11" and up Two defects 1/3 heart
		#4	Length 9'5" Min Diameter 10" NO defects straight 1/3 heart
NO ROT AT ALL ON MAPLE			

|

|