H20 Solutions Hurricane

Page 1 of 7 Version: 1.0010 Revision Date: 03/06/2015 Print Date: 03/29/2019

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: H2O Solutions Hurricane

PRODUCT USE: Car wash

MANUFACTURED FOR: H2O Solutions LLC.

PO Box 1776

Mt. Juliet, TN 37121-1775

INFORMATION PHONE: 615-714-5240

EMERGENCY PHONE: INFOTRAC

1-800-535-5053 USA & Canada 352-323-3500 International

SECTION 2 - HAZARD(S) IDENTIFICATION

CLASSIFICATION: Acute Toxicity - Oral: Category 4

Skin Corrosion: Category 2 Eye Damage: Category 2A

PICTOGRAMS:

GHS ELELMENTS:

SIGNAL WORD: Warning

HAZARD STATEMENT(S): H302 | Harmful if swallowed.

H315 | Causes skin irritation.

H319 | Causes serious eye irritation.

PRECAUTIONARY STATEMENT(S): P264 | Wash any exposed body parts thoroughly after handling.

P270 | Do not eat, drink or smoke when using this product.

P280 | Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P312 | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P302 + P352 | IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 | Specific treatment (see supplemental first aid instruction on this label if

immediate administration of antidote/specific measures/cleansing

agent/immediate measures is/are appropriate/required).

P330 | Rinse mouth.

P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 | If eye irritation persists: Get medical advice/attention.

P362 | Take off contaminated clothing and wash before reuse.

P501 | Dispose of contents/container to appropriate waste disposal entity in

accordance with local/regional/national/international regulation.

H20 Solutions Hurricane

Page 2 of 7 1.0010

Version: Revision Date: Print Date:

03/06/2015

ADDITIONAL PRECAUTIONS: None Known

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS #	PERCENT
Sodium Xylenesulfonate	1300-72-7	5 - 10%
Sodium Hydroxide	1310-73-2	5 - 10%
Nonylphenol ethoxylate	127087-87-0	5 - 10%
Sodium Nitrilotriacetate	18662-53-8	1 - 5%
SURFACTANT	N/E	1 - 5%
Sodium Metasilicate	6834-92-0	1 - 5%
2-Butoxyethanol	111-76-2	1 - 5%
Tetrasodium EDTA	64-02-8	1 - 5%
Surfactant	68130-47-2	< 1.0%
Fragrance	N/E	< 1.0%
Acid Blue 145	N/E	< 1.0%

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients know to be hazardous.

SECTION 4 - FIRST AID MEASURES

EYES: Check for and remove contact lenses. Immediately flush eyes with plenty of water

for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get

medical attention immediately.

SKIN: Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes

thoroughly before reuse. Get medical attention if irritation develops.

INHALATION: Move exposed person to fresh air. If breathing is irregular or if respiratory arrest

occurs, provide artificial respiration or oxygen by trained personnel. Loosen

clothing. Get medical attention immediately.

INGESTION: Wash out mouth with water. Do not induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious person. Get

medical attention immediately.

GENERAL: Physicians: No specific treatment. Treat symptomatically. Contact poison

treatment specialist if large quantities have been inhaled or ingested.

See Section 11 for exposure symptoms.

SECTION 5 - FIRE FIGHTING MEASURES

FLAMMABILITY: In a fire or if heated, a pressure increase will occur and the container may burst.

EXTINGUISHING MEDIA: Use an extinguishing agent suitable for the surrounding fire.

PROTECTIVE EQUIPMENT: Fire-fighters should wear appropriate protective equipment and self-contained

H20 Solutions Hurricane

Page 3 of 7

Version: 1.0010
Revision Date: 03/06/2015
Print Date: 03/29/2019

Print Date:

breathing apparatus (SCBA) with full face-piece operated in positive pressure

mode.

ADDITIONAL INFORMATION: Thermal decomposition products-carbon monoxide, sulfur oxides, metal

oxide/oxides, halogenated compounds.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: No action should be taken involving individual risk or without suitable training.

Isolate area. Avoid contact with material. Do not breathe vapors. Provide

adequate ventilation. Wear proper personal protective equipment.

ENVIRONMENTAL: Avoid dispersal of spilled material and runoff and contact with soil, waterways,

drains and sewers. Inform relevant authorities if the product reaches sewers,

waterways or soil.

CONTAINMENT/CLEANUP: Stop leak if without risk. Move containers from spill area. Contain or absorb with

inert dry material. Dispose of according to local regulations. See Section 1 for

emergency contact information and 13 for waste disposal.

SECTION 7 - HANDLING AND STORAGE

SAFE HANDLING: Wear appropriate personal protective equipment (see Section 8). Eating drinking

and smoking should be prohibited. Do not get into eyes or on skin. Do not ingest.

Keep containers tightly closed. Do not reuse container.

SAFE STORAGE: Store in accordance with local regulations. Store in original container away from

foods, drink and incompatible materials. Keep container tightly closed. Do not

store unlabeled. Use appropriate containment.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Apply technical measures to comply with occupational exposure limits. Mechanical

ventilation, eyewash stations, showers where necessary.

EYE PROTECTION: Safety eye-wear/face shield complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid

splashes, mists or dusts.

RESPIRATORY PROTECTION: Use a properly fitted air-purifying or air-fed respirator complying with an approved

standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product & the

safe working limits of the chosen respirator.

HAND PROTECTION: Chemical resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk assessment

indicates this is necessary.

SKIN PROTECTION: Personal protective equipment for the body should be selected based on the task

H20 Solutions Hurricane

Page 4 of 7

Version: 1.0010 03/06/2015 Revision Date:

Print Date:

being performed and the risks involved and should be approved by a specialist before handling this product.

COMPONENT	ACGIH TWA ppm	OSHA/NIOSH STEL ppm	OSHA/ACGIH STEL mg/m3
Sodium Xylenesulfonate	None	None	None
Sodium Hydroxide	2.00	None	None
Nonylphenol ethoxylate	None	None	None
Sodium Nitrilotriacetate	None	None	None
SURFACTANT	None	None	None
Sodium Metasilicate	None	None	None
2-Butoxyethanol	20.00	None	None
Tetrasodium EDTA	None	None	15.00
Surfactant	None	None	1.00
Fragrance	None	None	None
Acid Blue 145	None	None	None

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid UPPER EXPLOSIVE LIMITS: NA COLOR: Blue LOWER EXPLOSIVE LIMITS: NA ODOR: Sassafras VAPOR PRESSURE: NA ODOR THRESHOLD: VAPOR DENSITY: NA NA PH: 11.5 - 14.0 RELATIVE DENSITY: 0.00 MELTING POINT: SOLUBILITY: Water Soluble NΑ FREEZING POINT: 0.00 F PARTITION COEFFICIENT: NΑ **BOILING POINT:** 0 **AUTO-IGNITION TEMPERATURE:** NA FLASH POINT: NA DECOMPOSITION TEMPERATURE: NA **EVAPORATION RATE:** NΑ SPECIFIC GRAVITY: NA Nonflammable FLAMMABILITY: % VOLATILE: 0.00000 VISCOSITY (cst): 0.00

SECTION 10 - STABILITY AND REACTIVITY

HAZARDOUS DECOMPOSITION PRODUCTS REACTIVITY:

CHEMICAL STABILITY: Stable under normal conditions.

POSSIBILITY OF HAZARDOUS

REACTIONS:

Non-reactive.

H20 Solutions Hurricane

Page 5 of 7 Version: 1.0010 Revision Date: 03/06/2015

Print Date: 03/29/2019

CONDITIONS TO AVOID: Excessive heat or open flame.

INCOMPATIBLE MATERIALS: Avoid contact with acidic materials and strong oxidizers.

HAZARDOUS Under normal conditions, none are known.

DECOMPOSITION PRODUCTS:

SECTION 11 - TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY: Inhalation Absorption Ingestion

ACUTE EXPOSURE HAZARDS:

EYE CONTACT: Irritation, stinging, redness, burns.

DERMAL: Irritation, burns upon prolonged exposure.

ORAL: Nausea, vomiting.

INHALATION: No expected route of entry. Irritation.

Sodium Xylenesulfonate (CAS No. 1300-72-7)

Oral LD50: Rat 5 g/kg

Nonylphenol ethoxylate (CAS No. 127087-87-0)

Oral LD50: Rat 1600 mg/kg SURFACTANT (CAS No. N/E) Oral LD50: Rat >5000 mg/kg

Sodium Metasilicate (CAS No. 6834-92-0)

Oral LD50: Rat 1152-1349 mg 2-Butoxyethanol (CAS No. 111-76-2) Oral LD50: Rat 470 mg/kg

Surfactant (CAS No. 68130-47-2) Oral LD50: Rat 3.95 mg/kg

SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY: No data available.

PERSISTENCE & DEGRADABILITY: No data available.

BIOACCUMULATIVE POTENTIAL: No data available.

MOBILITY IN SOIL: No data available.

OTHER ADVERSE EFFECTS: No data available.

Sodium Xylenesulfonate (CAS No. 1300-72-7)

Fish LC50: Minnow 1000 mg/L 96h

SURFACTANT (CAS No. N/E)

H20 Solutions Hurricane

Page 6 of 7 1.0010

Version: Revision Date: Print Date:

03/06/2015 03/29/2019

Fish LC50: Minnow 21 mg/L 96h Sodium Metasilicate (CAS No. 6834-92-0)

Fish LC50: Danio Rerio (Zebra Fish) 210 mg/L 96h

2-Butoxyethanol (CAS No. 111-76-2)

Crustacean LC50: Daphnia 1818 mg/L 24h

Surfactant (CAS No. 68130-47-2)

Fish LC50: Rainbow trout 5.5 mg/kg 96h

SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

SECTION 14 - TRANSPORT INFORMATION

DOT (US)

UN NUMBER: NA

SHIPPING NAME: NA

TECHNICAL NAME: NA

HAZARD CLASS: NA

PACKAGING GROUP: NA

SECTION 15 - REGULATORY INFORMATION

SARA 313 COMPONENTS CAS NO. % LESS THAN

2-Butoxyethanol 111-76-2 1 - 5%

CALIFORNIA PROP. 65 COMPONENTS CAS NO. % LESS THAN

Sodium Nitrilotriacetate 18662-53-8 1 - 5%

SECTION 16 - OTHER INFORMATION

HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

A Safety Glasses

B Safety Glasses, Gloves

H20 Solutions Hurricane

Page 7 of 7


version:	1.0010
Revision Date:	03/06/2015
Print Date:	03/29/2019

Health Hazard	2
Fire Hazard	0
Reactivity	0
Personal Protection	С

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

- C Safety Glasses, Gloves, Apron
- D Face Shield, Gloves, Apron
- E Safety Glasses, Gloves, Dust Respirator
- F Safety Glasses, Gloves, Apron, Dust Respirator
- G Safety Glasses, Gloves, Vapor Respirator
- H Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- I Safety Glasses, Gloves, Dust & Vapor Respirator
- Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- K Airline Hood or Mask, Gloves, Full Suit, Boots
- X Consult your supervisor for special handling directions

NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.

Information on this form is furnished soley for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.