

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: H2O Solutions Hyperstorm Tiger Shark

PRODUCT USE: Car wash

MANUFACTURED FOR: H2O Solutions LLC.
PO Box 1776
Mt. Juliet, TN 37121-1775

INFORMATION PHONE: 615-714-5240

EMERGENCY PHONE: INFOTRAC
1-800-535-5053 USA & Canada
352-323-3500 International

SECTION 2 - HAZARD(S) IDENTIFICATION

CLASSIFICATION: Skin Corrosion: Category 1C
STOT Single Exposure: Category 3
Aspiration: Category 2

PICTOGRAMS:



GHS ELEMENTS:

SIGNAL WORD: Danger

HAZARD STATEMENT(S): H314 | Causes severe skin burns and eye damage.
H335 | May cause respiratory irritation.
H305 | May be harmful if swallowed and enters airways.

PRECAUTIONARY STATEMENT(S): P260 | Do not breathe dust/fume/gas/mist/vapours/spray.
P261 | Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 | Wash any exposed body parts thoroughly after handling.
P271 | Use only outdoors or in a well-ventilated area.
P280 | Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 | Immediately call a POISON CENTER or doctor/physician.
P312 | Call a POISON CENTER or doctor/physician if you feel unwell.
P321 | Specific treatment (see supplemental first aid instruction on this label if immediate administration of antidote/specific measures/cleansing agent/immediate measures is/are appropriate/required).

P331 | Do NOT induce vomiting.

P403 + P233 | Store in a well-ventilated place. Keep container tightly closed.

P405 | Store locked up.

P501 | Dispose of contents/container to appropriate waste disposal entity in accordance with local/regional/national/international regulation.

ADDITIONAL PRECAUTIONS:

None Known

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS #	PERCENT
Sulfuric Acid	7664-93-9	30 - 40%
Sodium Xylenesulfonate	1300-72-7	20 - 30%
Surfactant	68439-57-6	10 - 20%
Alkybenzenesulfonic Acid	68584-22-5	10 - 20%

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients know to be hazardous.

SECTION 4 - FIRST AID MEASURES

EYES:	Check for and remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
SKIN:	Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes thoroughly before reuse. Get medical attention if irritation develops.
INHALATION:	Move exposed person to fresh air. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen clothing. Get medical attention immediately.
INGESTION:	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
GENERAL:	Physicians: No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been inhaled or ingested.

See Section 11 for exposure symptoms.

SECTION 5 - FIRE FIGHTING MEASURES

FLAMMABILITY:	In a fire or if heated, a pressure increase will occur and the container may burst.
EXTINGUISHING MEDIA:	Use an extinguishing agent suitable for the surrounding fire.
PROTECTIVE EQUIPMENT:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure

mode.

ADDITIONAL INFORMATION:

Thermal decomposition products-carbon monoxide, sulfur oxides, metal oxide/oxides, halogenated compounds.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

No action should be taken involving individual risk or without suitable training. Isolate area. Avoid contact with material. Do not breathe vapors. Provide adequate ventilation. Wear proper personal protective equipment.

ENVIRONMENTAL:

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform relevant authorities if the product reaches sewers, waterways or soil.

CONTAINMENT/CLEANUP:

Stop leak if without risk. Move containers from spill area. Contain or absorb with inert dry material. Dispose of according to local regulations. See Section 1 for emergency contact information and 13 for waste disposal.

SECTION 7 - HANDLING AND STORAGE

SAFE HANDLING:

Wear appropriate personal protective equipment (see Section 8). Eating drinking and smoking should be prohibited. Do not get into eyes or on skin. Do not ingest. Keep containers tightly closed. Do not reuse container.

SAFE STORAGE:

Store in accordance with local regulations. Store in original container away from foods, drink and incompatible materials. Keep container tightly closed. Do not store unlabeled. Use appropriate containment.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Apply technical measures to comply with occupational exposure limits. Mechanical ventilation, eye-wash stations, showers where necessary.

EYE PROTECTION:

Safety eye-wear/face shield complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

RESPIRATORY PROTECTION:

Use a properly fitted air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product & the safe working limits of the chosen respirator.

HAND PROTECTION:

Chemical resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

SKIN PROTECTION:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist

Safety Data Sheet

H2O Solutions Hyperstorm Tiger Shark

Page 4 of 7

Version: 1.0011

Revision Date: 02/18/2019

Print Date: 03/29/2019

before handling this product.

COMPONENT	ACGIH TWA ppm	OSHA/NIOSH STEL ppm	OSHA/ACGIH STEL mg/m3
Sulfuric Acid	None	None	0.20
Sodium Xylenesulfonate	None	None	None
Surfactant	None	None	None
Alkybenzenesulfonic Acid	None	None	0.20

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid	UPPER EXPLOSIVE LIMITS:	NA
COLOR:	Blue	LOWER EXPLOSIVE LIMITS:	NA
ODOR:	Pungent	VAPOR PRESSURE:	NA
ODOR THRESHOLD:	NA	VAPOR DENSITY:	NA
PH:	04.1 - 08.0	RELATIVE DENSITY:	0.00
MELTING POINT:	NA	SOLUBILITY:	NA
FREEZING POINT:	0.00 F	PARTITION COEFFICIENT:	NA
BOILING POINT:	0	AUTO-IGNITION TEMPERATURE:	NA
FLASH POINT:	NA	DECOMPOSITION TEMPERATURE:	NA
EVAPORATION RATE:	NA	SPECIFIC GRAVITY:	NA
FLAMMABILITY:	NA	% VOLATILE:	0.00000
		VISCOSITY (cst):	0.00

SECTION 10 - STABILITY AND REACTIVITY

REACTIVITY:	HAZARDOUS DECOMPOSITION PRODUCTS
CHEMICAL STABILITY:	Stable under normal conditions.
POSSIBILITY OF HAZARDOUS REACTIONS:	Reactive with metals.
CONDITIONS TO AVOID:	Avoid heat and open flames.
INCOMPATIBLE MATERIALS:	STRONG OXIDIZERS, ALKALIS - react with metals producing flammable hydrogen gas which can form explosive mixtures with air.
HAZARDOUS DECOMPOSITION PRODUCTS:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 - TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY: Inhalation X Absorption X Ingestion

ACUTE EXPOSURE HAZARDS:

EYE CONTACT: Severe eye irritation, burns.
DERMAL: Skin irritation, can cause burns with contact.
ORAL: Corrosive to mucous membranes.
INHALATION: MIST MAY BE MILD TO STRONG IRRITANT, CORROSIVE.

Sulfuric Acid (CAS No. 7664-93-9)

Oral LD50: Mosquito Fish 42 mg/L 96h

Sodium Xylenesulfonate (CAS No. 1300-72-7)

Oral LD50: Rat 5 g/kg

Surfactant (CAS No. 68439-57-6)

Oral LD50: Rat 500-5000 mg/kg

SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY: No data available.
PERSISTENCE & DEGRADABILITY: No data available.
BIOACCUMULATIVE POTENTIAL: No data available.
MOBILITY IN SOIL: No data available.
OTHER ADVERSE EFFECTS: No data available.

Sodium Xylenesulfonate (CAS No. 1300-72-7)

Fish LC50: Minnow 1000 mg/L 96h

Surfactant (CAS No. 68439-57-6)

Fish LC50: 1-10 mg/kg

SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

SECTION 14 - TRANSPORT INFORMATION

Safety Data Sheet

H2O Solutions Hyperstorm Tiger Shark

Page 6 of 7

Version: 1.0011
Revision Date: 02/18/2019
Print Date: 03/29/2019

DOT (US)

UN NUMBER: UN1760
SHIPPING NAME: Corrosive Liquids, N.O.S.
TECHNICAL NAME: (Sulfuric Acid)
HAZARD CLASS: 8
PACKAGING GROUP: II

SECTION 15 - REGULATORY INFORMATION

SARA 313 COMPONENTS	CAS NO.	% LESS THAN
Sulfuric Acid	7664-93-9	30 - 40%
CALIFORNIA PROP. 65 COMPONENTS	CAS NO.	% LESS THAN

SECTION 16 - OTHER INFORMATION

HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

Health Hazard	3
Fire Hazard	0
Reactivity	0
Personal Protection	D

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

- A Safety Glasses
- B Safety Glasses, Gloves
- C Safety Glasses, Gloves, Apron
- D Face Shield, Gloves, Apron
- E Safety Glasses, Gloves, Dust Respirator
- F Safety Glasses, Gloves, Apron, Dust Respirator
- G Safety Glasses, Gloves, Vapor Respirator
- H Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- I Safety Glasses, Gloves, Dust & Vapor Respirator
- J Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- K Airline Hood or Mask, Gloves, Full Suit, Boots
- X Consult your supervisor for special handling directions

NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.

Safety Data Sheet

H2O Solutions Hyperstorm Tiger Shark

Page 7 of 7

Version: 1.0011

Revision Date: 02/18/2019

Print Date: 03/29/2019

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.