



This is an amended version of report# 063182-00.
Reason: Results are reported under Project C, LLC.

This report cannot be used for ODA, OHA or OLCC compliance requirements.

Product identity: PX-19049-NDT
Laboratory ID: 19-001981-0001

Client/Metric ID:
Sample Date:

Summary

Potency:

Analyte	Result (%)		
CBD	92.8	<ul style="list-style-type: none"> ● CBD ● CBC ● CBDV ● CBL 	
CBC†	0.380		
CBDV†	0.352		
CBL†	0.188		
		CBD-Total	92.8%
		THC-Total	< 0.187%
		(Reported in percent of total sample)	

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Customer: Project C, LLC

Product identity: PX-19049-NDT

Client/Metric ID: .

Sample Date:

Laboratory ID: 19-001981-0001

Relinquished by: Samantha Stewart

Temp: 22.1 °C

Weight Received: 3 g

Sample Results

Potency	Method J AOAC 2015 V98-6			Units %	Batch 1901700	Analyze 02/27/19 11:10 AM
Analyte	As Received	Dry weight	LOQ	Notes		<ul style="list-style-type: none"> ● CBD ● CBC ● CBDV ● CBL
CBC [†]	0.380		0.0953			
CBC-A [†]	< LOQ		0.0953			
CBC-Total [†]	0.380		0.188			
CBD	92.8		0.953			
CBD-A	< LOQ		0.0953			
CBD-Total	92.8		0.188			
CBDV [†]	0.352		0.0953			
CBDV-A [†]	< LOQ		0.0953			
CBDV-Total [†]	0.352		0.187			
CBG [†]	< LOQ		0.0953			
CBG-A [†]	< LOQ		0.0953			
CBG-Total [†]	< LOQ		0.188			
CBL [†]	0.188		0.0953			
CBN	< LOQ		0.0953			
Δ8-THC [†]	< LOQ		0.0953			
Δ9-THC	< LOQ		0.0953			
THC-A	< LOQ		0.0953			
THC-Total	< LOQ		0.187			
THCV [†]	< LOQ		0.0953			
THCV-A [†]	< LOQ		0.0953			
THCV-Total [†]	< LOQ		0.187			



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Solvents					Method EPA5021A	Units µg/g	Batch 1901775	Analyze 03/01/19 11:52 AM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass	
Methylpropane	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass	

Pesticides					Method AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 1901704	Analyze 02/27/19 12:01 PM		
Analyte	Result	Limits	LOQ	Status	Notes					
Multi-Residue Pesticide	< LOQ for all analytes									

Metals									
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method		Notes
Arsenic	< LOQ		mg/kg	0.0496	1901756	02/28/19	AOAC 2013.06 (mod)		X
Cadmium	< LOQ		mg/kg	0.0496	1901756	02/28/19	AOAC 2013.06 (mod)		X
Lead	< LOQ		mg/kg	0.0496	1901756	02/28/19	AOAC 2013.06 (mod)		X
Mercury	< LOQ		mg/kg	0.0248	1901756	02/28/19	AOAC 2013.06 (mod)		X



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Units of Measure

g = Gram

$\mu\text{g/g}$ = Microgram per gram

mg/kg = Milligram per kilogram

% = Percentage of sample

% wt = $\mu\text{g/g}$ divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Fixis Labs
Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ(mg/kg)	Compound	LOQ(mg/kg)	Compound	LOQ(mg/kg)
Abamectin	0.100	CIPC	0.100	Endrin	0.200
Acephate	0.200	Clethodim	0.050	EPN	0.100
Acequinocyl	0.100	Clethodim Sulfone	0.050	EPIC	0.050
Acetamiprid	0.020	Clethodim Sulfoxide	0.050	Esfenvalerate/Fenvalerate	0.400
Acetochlor	0.200	Cb fen te zine	0.020	Etaconazole	0.200
Acifluorfen	0.100	Cb ma zo ne	0.020	Ethalfuralin	0.200
Acrinathrin	0.100	Cb th ian idin	0.200	Ethiofencarb	0.050
Alachlor	0.100	Caumaphos	0.050	Ethion	0.200
Aldicarb	0.100	Cr do xy phos	0.020	Ethirimol	0.100
Aldicarb sulfoxide	0.100	Cy a ra zine	0.020	Ethofumesate	0.500
Aldoxycarb (Aldicarb-sulfone)	0.100	Cy a ro fen phos	0.020	Ethoprophos	0.020
Aldrin	0.200	Cy a n i an il pro le	0.050	Etofenprox	0.020
Ametoctradin	0.020	Cy a z a m id	0.020	Etoxazole	0.020
Ametryn	0.500	Cy do ate	0.100	Etridiazole	0.200
Aspon	0.100	Cy fl u th rin	1.000	Etrinfos	0.020
Asulam	0.100	Cy ta lo th rin, lam b da	0.200	Famoxadone	0.200
Atrazine	0.100	Cy mo x an il	0.050	Famphur	0.100
Atrazine-desethyl	0.100	Cy per meth rin	0.200	Fenamidon	0.020
Azinphos-ethyl	0.020	Cy pro di nil	0.100	Fenamiphos	0.020
Azinphos-methyl	0.020	Dadhal	0.200	Fenamiphos sulfone	0.020
Azoxystrobin	0.020	Damhozide	0.100	Fenamiphos sulfoxide	0.020
Beralaxyl	0.020	DCCPMU	0.100	Fenazaquin	0.100
Berthiocarb	0.020	DDD, q p'	0.100	Fenbuconazole	0.100
Berfluralin	0.100	DDD, p, p'	0.100	Fenchlorphos	0.100
Berxaacor	0.050	DDE, o, p'	0.100	Fenchlorphos-oxon	0.100
Bersulide	0.050	DDE, p, p'	0.100	Fenhexamid	0.100
BHC alpha isomer	0.200	DDT, o, p'	0.100	Fenitrothion	0.500
BHC beta isomer	0.200	DDT, p, p'	0.100	Fenobucarb	0.050
BHC delta isomer	0.500	DEF (Tribufos)	0.100	Fenoxycarb	0.020
Bifenazate	0.020	Deltamethrin	0.100	Fenpropathrin	0.050
Bifenthrin	0.020	Desmedipham	0.100	Fenpyroximate	0.020
Boscalid	0.050	Diallate	0.100	Fenson	0.100
Bromophos-ethyl	0.200	Diazinon	0.100	Fensulfothion	0.020
Bromophos-methyl	0.050	Diazoxon	0.100	Fensulfothion oxon	0.020
Bromopropylate	0.100	Dichlobenil	0.100	Fensulfothion sulfone	0.100
Bromuconazole	0.100	Dichlofluanid	0.100	Fensulfothion-oxon-sulfone	0.020
Bupirimate	0.020	Dichlorvos	0.100	Fenthion	0.050
Buprofezin	0.050	Diclobutrazol	0.050	Fenthion oxon	0.020
Butachlor	0.500	Dicofol	0.200	Fenthion oxon sulfone	0.050
Butralin	1.000	Dicrotophos	0.050	Fenthion oxon sulfoxide	0.050
Butylate	0.100	Dieldrin	0.500	Fenthion sulfoxide	0.100
Cadusafos	0.020	Diethofencarb	0.020	Fenthion sulfone	0.100
Captaf	1.000	Diethyltoluamide (DEET)	0.050	Fenuron	0.020
Cartaryl	0.050	Difenoconazole	0.100	Fipronil	0.100
Cartendazim	0.100	Dimethenamid	0.050	Fonicamid	0.100
Carbafuran	0.020	Dimethoate	0.050	Fluchloralin	0.200
Carbophenothion	0.100	Dimethomorph	0.020	Flucythrinate	0.200
Carbophenothion-methyl	0.200	Diniconazole	0.200	Rudioxonil	0.200
Carbozin	0.020	Dinotefuran	0.200	Rufenacet	0.020
Carfentrazone-ethyl	0.100	Dioxathion	0.100	Flumioxazin	0.100
Chlorantranilprole	0.020	Diphenamid	0.020	Fluometuron	0.020
Chlordane, ds-	0.200	Diphenylamine	0.200	Ruopicolide	0.050
Chlordane, trans-	0.200	Disulfoton	0.100	Fuopyram	0.020
Chlorfenapyr	0.500	Disulfoton sulfone	0.100	Fluoxastrobin	0.050
Chlorfenson	0.200	Disulfoton sulfoxide	0.100	Flupyradifurone	0.020
Chlorfenvinphos	0.050	Diuron	0.100	Fluridone	0.100
Chlorobenzilate	0.100	Edifenphos	0.050	Flusilazole	0.020
Chloroneb	0.500	Endosulfan alpha	1.000	Flutolanil	0.020
Chlorpyrifos	0.050	Endosulfan beta	1.000	Flutriafol	0.020
Chlorpyrifos-methyl	0.100	Endosulfan sulfate	0.100	Fluvalinate, tau-	0.100
				Ruxapyroxad	0.020

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



This report cannot be used for ODA, OHA or OLCC compliance requirements.

Fixis Labs
Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ(mg/ kg)	Compound	LOQ(mg/ kg)	Compound	LOQ(mg/ kg)
Fomesafen	0.100	Mexacarbate	0.020	Propamocarb	0.050
Fonofos	0.100	MGK 264	0.050	Propanil	0.050
Forchlorfenuron	0.050	Mirex	0.100	Propargite	0.050
Formetanate	0.050	Molinate	0.050	Propazine	0.020
Furathiocarb	0.020	Monocrotophos	0.100	Propetamphos	0.050
Heptachlor	0.200	Monolinuron	0.020	Propham	0.050
Heptachlor epoxide	0.200	Myclobutanil	0.050	Prpiconazole	0.050
Heptenophos	0.200	Naled	0.100	Propoxur	0.050
Hexachlorobenzene	0.200	Napropamide	0.050	Propoxycarbazone Na	0.050
Hexaconazole	0.200	Neburon	0.020	Propyzamide	0.050
Hexazinone	0.200	Nitrapyrin	0.500	Prthiofos	0.100
Hexythiazox	0.020	Norflurazon	0.050	Pyraclostrobin	0.020
Imazail	0.100	Omethoate	0.100	Pyrazophos	0.050
Imidacoprid	0.100	O-Phenylphenol	0.200	Pyrethrins	0.050
Imidoxone	0.020	Oxadixyl	0.100	Pyridaben	0.020
Indaziflam	0.020	Oxamyl	0.100	Pyridafol	0.100
Indoxacarb	0.020	Oxamyloxime	0.100	Pyridate	0.050
Iprobenfos	0.100	Oxychlorane	0.100	Pyrimethanil	0.050
Iprodione	0.100	Oxydemeton-Methyl	0.020	Pyriproxifen	0.020
Isobenzan	0.200	Oxythioquinox	0.500	Pyroxasulfone	0.020
Isocarbophos	0.500	Paclotrualol	0.050	Pyroxulam	0.020
Isodrin	0.200	Paraaxon-ethyl	0.020	Quinalphos	0.050
Isufenphos	0.050	Paraaxon methyl	0.200	Quinoxifen	0.050
Isufenphos-methyl	0.020	Parathion ethyl	0.100	Quintozene (PQNB)	0.200
Isufenphos oxon	0.050	Parathion methyl	0.200	Resmethrin	0.050
Isoprocarb	0.020	Perconazole	0.050	Potenone	0.050
Isopropalin	0.200	Pendimethalin	0.050	S421	0.100
Isoprothiolane	0.050	Perflufen	0.020	Smazine	0.100
Isoproturon	0.050	Pertachloroaniline	0.200	Simetryn	0.500
Isoxaben	0.050	Pentachloroanisole	0.050	Spinetoram	0.020
Isoxaflutole	0.050	Pentachlorobenzene (PCB)	0.100	Spinosad	0.050
Kresoxim-methyl	0.050	Pentachlorothiobenzene (PCTA)	0.100	Spirodiclofen	0.100
Ladofen	0.500	Perthiopyrad	0.020	Spiromesifen	0.050
Lenadi	0.100	Permethrin	0.050	Spirotetramat	0.050
Lindane (gammaBHC)	0.100	Pethane	0.100	Spiroxamine	0.020
Linuron	0.020	Phenmedipham	0.050	Sulfotep	0.050
Malaaxon	0.050	Phenthoate	0.050	Sulfoxaflo	0.050
Malathion	0.050	Phorate	0.050	Sulprofos	0.020
Mandipropamid	0.020	Phorate oxon	0.100	Tebuconazole	0.200
Mecarbam	0.020	Phorate Sulfone	0.050	Tebufenozide	0.020
Mepanipyrim	0.050	Phorate Sulfoxide	0.050	Tebuthiuron	0.020
Merphos	0.500	Phosalone	0.050	Tecnazene	0.200
Metalaxyl	0.050	Phosmet	0.100	Tefluthrin	0.100
Metaldehyde	0.200	Phosphamidon	0.050	Terbufos	0.020
Metconazole	0.100	Phoxim	0.050	Terbufos sulfone	0.100
Methacifos	0.100	Piroxaden	0.020	Terbufos sulfoxide	0.050
Methamidophos	0.050	Piperonyl butoxide	0.050	Terbutylazine	0.020
Methidathion	0.050	Pirimicarb	0.020	Terbutryn	0.020
Methiocarb	0.050	Pirimiphos-methyl	0.020	Tetrachlorvinphos	0.050
Methiocarb sulfone	0.100	Pirimiphos-ethyl	0.050	Tetraconazole	0.050
Methiocarb sulfoxide	0.100	Pirimiphos methyl N-desethyl	0.020	Tetradifon	0.200
Methomyl	0.100	Pralbthrin	0.100	Tetramethrin	0.050
Methoxychlor	0.500	Prochloraz	0.020	Tetrasul	0.100
Methoxyfenozide	0.020	Procyimidone	0.100	Thiabendazole	0.100
Metobromuron	0.050	Prufenofos	0.100	Thiabendazole, 5-hydroxy	0.100
Metolachlor	0.100	Profluralin	0.200	Thiadoprid	0.050
Metolcarb	0.050	Promecarb	0.050	Thiamethoxam	0.100
Metrafenone	0.050	Prometon	0.100	Thiobencarb	0.050
Metribuzin	0.100	Prometryn	0.020	Thiodicarb	0.050
Mevinphos	0.100	Propachlor	0.020	Thiophanate-methyl	0.050

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



This report cannot be used for ODA, OHA or OLCC compliance requirements.



PIXIS Labs
Cannabis Multi-Residue Profile, Limits of Quantitation

Compound	LOQ(mg/ kg)	Compound	LOQ(mg/ kg)	Compound	LOQ(mg/ kg)
Tolclofos-methyl	0.100	Triazophos	0.020	Trifloxystrobin	0.020
Triforin	0.100	Tolyfluanid	0.050	Triticonazole	0.050
Tralkoxydim	0.100	Triphane	0.500	Vinclozolin	0.200
Triadimefon	0.050	Triflumizide	0.020	Zoxamide	0.020
Triallate	0.100	Trifluralin	0.200		

LOQ=Limit of Quantitation, mg/kg

Factors affecting the LOQ include instrumentation sensitivity for a particular analyte, sample size, moisture content (percent solids) of the sample, effectiveness of the cleanup on the sample extract, and especially the type of sample matrix.