Kellen Jex, MD

Board Certified in Gastroenterology/ Internal Medicine



Miss-Lou GI

136 Jeff Davis Blvd. Suite B

Phone: 601-492-2224 Fax: 601-492-2231

Kristin Foster, NP-C

EGD Procedure Information

Patient Name:	-
DOB	
You are scheduled for an EGD with Dr. Kellen Jex.	

Required bloodwork should not be drawn any sooner than **ONE MONTH** before your scheduled procedure.

DAY BEFORE PROCEDURE:

Do not eat or drink after midnight UNLESS TOLD OTHERWISE BY DR. JEX.

DAY OF PROCEDURE:

- *Take your morning medications, if any, with a sip of water.
- *If you use an inhaler, take a treatment the morning of your procedure.
- *If you are a **DIABETIC**, please call your primary care provider for dosage changes at least by the day before the procedure.
- * If you take BLOOD THINNERS, it is VERY IMPORTANT to inform Dr. Jex so a plan can be made to either stop or continue these medications leading up to your procedure. BLOOD THINNERS include but are not limited to:

Coumadin (Warfarin), Eliquis (Alpixaban), Xarelto (Rivaroxaban), Plavix (Clopidogrel), Pletal (Cilostazol).

If you take any of the following medications, hold these injections for two weeks prior to your procedure:

- Ozempic
- Semaglutide
- Wegovy
- Mounjaro
- Liraglutide
- Tirzepatide

Other Important Considerations:

- If you take INSULIN, you need to discuss this with your primary care provider before the day of your procedure.
- HOLD NSAIDS for SEVEN days prior to your scheduled procedure. YOU MAY NEED TO HOLD ASPIRIN; HOWEVER, please let our staff know if you have had a HEART ATTACK or STROKE. YOU MAY NEED TO CONTINUE YOUR ASPIRIN FOR YOUR PROCEDURE.
- NOTHING to eat or drink after midnight the night before your procedure unless otherwise instructed.