

EZ SPOT UR

ATTACHMENTS

Make it EZ!



Make it EZ!

Made in USA!

Made in USA!


Product Catalog

Toll-Free: 1-877-433-5733
Phone: 701-282-2772
Fax: 701-277-4625

www.EZSPOTUR.com


Owned and Operated by a
Disabled Vietnam Veteran

Double Cylinder Rotating Base EZ-001D



- 410 lbs. base weight.
- Shaft is rated for a load up to 10,000 lbs.
- Rotates 127 degrees to the operators left.
- Rotation is driven by two powerful 2 ½" x 12 ½" hydraulic cylinders.
- Attaches easily to any machine with the Universal Quick Tach.
- Special mounting plates available to attach to machines without Universal Quick Tach'.
- Any EZ SPOT UR tool head attaches to Double Cylinder Rotating Base.

www.EZSPOTUR.com

Make it EZ!

1-877-433-5733

www.EZSPOTUR.com

Easily attach any of the tool heads you see here to the Double Cylinder Rotating Base.



Make it EZ!

1-877-433-5733

Chain Rotating Base EZ-001C



- For use with the Barrel Handler tool head only!!
- 370 lbs. base weight.
- 1200 lbs. maximum rated lift.
- Rotates 350 degrees (Non-continuous, 175 degrees in each direction).
- Attaches easily to any machine with the Universal Quick Tach'.
- Special mounting plates available to attach to machines without Universal Quick Tach'.
- Rotation is driven by a hydraulic motor and a double 40 chain.

www.EZSPOTUR.com

Fixed Non-Rotating Base

EZ-001F



- 166 lbs. Base weight.
- Fixed position base with no rotation.
- Tools can attach to base either vertically or horizontally.
- Attaches easily to any machine with the Universal Quick Tach'.
- Special mounting plates available to attach to machines without Universal Quick Tach'.
- Any EZ SPOT UR tool head attaches to the Fixed Non-Rotating Base.

www.EZSPOTUR.com



Make it EZ!

1-877-433-5733

www.EZSPOTUR.com

Easily attach any of the tool heads you see here to the Fixed Non-Rotating Base.





Make it EZ!


1-877-433-5733

www.EZSPOTUR.com

Specialty Mounts

Specialty mounts will bolt on any EZ SPOT UR base unit.


John Deere 610 Bolt-On Mount



Komatsu PC 55 Bolt-On Mount



Bobcat Excavator Bolt-On Mount for Mini-Excavator




T.A.G. Bolt-On Mount



Bobcat Excavator Bolt-On Mount on Double Cylinder Rotating Base



Kubota Excavator Bolt-On Mount



EZ SPOT UR Mounts can be fabricated to attach to virtually any machine. For information on mounts and availability contact EZ SPOT UR directly at 1-877-433-5733.

Heavy Duty Pole Setter EZ-HD08

Stand Alone Unit

"Big Bertha"



- 1300 lbs. (590.91 kg.) stand-alone attachment.
- Jaws are covered to prevent damage when loading from a pole pile.
- Composed of Grade 80 material to withstand wear and tear.
- Capable of setting and extracting 45 foot (13.7 m.) Class 1 pole.
- Rubber lined to prevent damage to pole.
- Handles all types of poles such as wood, metal, plastic, concrete and fiberglass.
- Jaws open independently from 5 inches (127 mm.) to 21 inches (530 mm.) to ensure full contact on a tapered pole.
- Rotates 115 degrees to the operators left.
- 2500 lbs. (1137 kg.) Maximum weight rating for attachment.
- ¾" inch flush face hydraulic coupling connection.
- Equipped with release valve to adjust pressure down to 250 PSI to ensure no crushing occurs.
- Attaches easily with Universal Quick Tach!
- Bolt on mounts available for excavators, telehandlers, and backhoes.
- Inserts can be purchased to make attachment close to 0".

www.EZSPOTUR.com

1-877-433-5733


The Heavy Duty Pole Setter can be adapted to fit on any type of machine ranging from skid-steer and track loaders to backhoes and tele-handlers.



The Heavy Duty Pole Setter makes it possible to maneuver in places that are not accessible to a Digger Derrick truck. This means that jobs get done quicker and with less prep work.




Quickly places poles in high traffic areas.



Easily loads and unloads poles.



Sets and pulls poles easier and with less manpower.



1-877-433-5733

Pole Jack

EZ-PJ001



- Extracts poles up to 100' with one man operation.
- 1300 lbs. attachment weight (590.91 kg.).
- Jaws open from 9 inches (228.6 mm.) to 31 inches (787.4 mm.).
- Exerts a pulling pressure of 87,000 PSI.
- Inserts may be purchased to make unit close down to 0 inches.
- Rubber inserts for removing metal and aluminum poles.
- Composed of Grade 80 material or higher to help prevent wear and tear.
- Equipped with release valve to adjust pressure down to 250 PSI to ensure no crushing occurs.
- Attaches easily with Universal Quik-Tach.

www.EZSPOTUR.com

1-877-433-5733

Easily pulls poles up to 100 feet in length, even foamed and cleated poles.



Pulls poles frozen in the ground!



Hydraulic cylinder lifts pole straight out of the ground which reduces friction and makes the process easier and quicker.

Remove poles simply and easily without damaging the curb, concrete or grass.



Handle poles safely and comfortably inside the machine.



Safely moves poles out of the work site area.



One man operation!

Make it EZ!


1-877-433-5733

Rock and Tree Hand

EZ-2010

Rubber finger tips for handling trees.

Metal tips for handling rocks.



- 320 lbs. (145.15 kg.) attachment weight.
- Rotates 127 degrees when attached to double cylinder rotating base.
- Can also be attached to fixed non-rotating base.
- Jaws will close down to 5.5 inches (139.7 mm.) and will open to 46.5 inches (1181.1 mm.).
- Available with both metal rock tips and rubber tips for handling trees.
- Ideal for handling large landscaping rocks, trees, brush and more.
- Equipped with relief valve to adjust pressure down to 250 PSI to ensure no crushing occurs.
- Composed of Grade 50 material to withstand wear and tear.

www.EZSPOTUR.com

The Rock and Tree Hand is able to attach to any machine and is a versatile attachment capable of being used in many different applications.



Make it EZ!

1-877-433-5733

Rotating base allows for
easy loading and unloading

Rock wall building
is a snap!

Debris cleanup is quick
and easy with the Rock
and Tree Hand.

Double Pole Claw

EZ-0008



- 181 lbs. attachment weight.
- Capable of setting 1100 lb. poles up to 32 feet long.
- Jaws open independently from 3 inches to 14 inches. (Inserts can be purchased to make jaws close to 0).
- Rotates 127 degrees when attached to double cylinder rotating base.
- Can install up to 140 poles per day.
- 3/4" inch flush face hydraulic coupling connection.
- Equipped with relief valve to adjust pressure down to 250 PSI to ensure no crushing occurs.
- Attaches easily with Universal Quik 'Tach.



Make it EZ!

1-877-433-5733

The Pole Setter is the ideal attachment for pole barn building, solar projects, fencing and installing urban street lighting.



Easy to manipulate and maneuver through busy city streets while the Pole Setter securely holds the pole.



www.EZSPOTUR.com




Make it EZ!

1-877-433-5733

Perfect for farm and ranch operations.

Handles poles up to 32 feet on any machine!



Hard at work on a solar project!

www.EZSPOTUR.com

Pot Mover

EZ-0020



- Specific design handles 45 gallon to 200 gallon nursery pots.
- Asymmetric arm allows the operator to load and unload easily.
- Closes completely and will fully open to 72 inches.
- Rotates 127 degrees when paired with double cylinder rotating base.
- 320 lbs. attachment weight.
- Equipped with relief valve to adjust pressure down to 250 PSI to ensure no crushing occurs.
- Composed of Grade 80 material to withstand wear and tear.
- Can be lined with rubber instead of spikes.

The Pot Mover offers unmatched versatility by attaching to any machine. It is capable of moving trees, pots, plants and shrubs.



The Pot Mover rotates 127 degrees to make it simple to maneuver and load and unload pots.



Make it EZ!

1-877-433-5733

www.EZSPOTUR.com




Jaws open wide to handle all pot sizes without crushing.

Securely holds pot in place.

Moving large trees is a one man job with the Pot Mover.

Barrel Handler

EZ-0002



- 105 lbs. (47.63 kg.) attachment weight.
- Handles 55 gallon and 30 gallon drums up to 1200 lbs.
- Handles plastic and metal barrels.
- GUARANTEED not to crush barrels.
- Inside of the Barrel Handler arms are lined with anti-static rubber to prevent slippage and static electric explosive spark.
- Can rotate up to 350 degrees (non-continuous, 175 degrees in each direction) if mounted on a rotating base.
- Arms close to 21 inches (533.4 mm.) and open up to 39.5 inches (1003.3 mm.)
- Specialty Barrel Handlers capable of 85 and 110 gallon drums are available upon request.

www.EZSPOTUR.com

Make it EZ!

1-877-433-5733


The Barrel Handler easily loads and unloads barrels without crushing or damaging the barrel.



Chain rotating base rotates 350 degrees (non-continuous 175 degrees in each direction) to allow for easy dumping of barrel contents.



Rail Tool EZ-0016



- 300 lbs. (136.07 kg.) attachment weight.
- Easily removes and replaces crossties.
- 127 degree rotation when attached to double cylinder rotating base.
- Can also be attached to non-rotating base as well.
- Constructed of Grade 80 material to withstand wear and tear.
- Does the work of an entire crew with just one operator!

The Rail Tool does the work of an entire crew which allows for fewer men on the jobsite. A smaller crew equals lower operating costs and more money in your pocket.



Rock and Brush Grapple EZ-0009



- 276 lbs. (125.191 kg.) attachment weight.
- Rotates 127 degrees when attached to double cylinder rotating base.
- Also attaches to fixed non-rotating base.
- Jaws will close completely and will open to a maximum of 33 inches (88.32 mm.).
- Composed of Grade 50 material to withstand wear and tear.
- Equipped with relief valve to adjust pressure down to 250 PSI to ensure no crushing occurs.
- Perfect tool for moving rocks, brush, stumps and debris.


The Rock and Brush Grapple will rotate 127 degrees to make it easy to move rocks, trees, brush and other debris. It can attach to any machine and be used in any situation.



Speed Bagger

EZ-0013

Stand Alone Unit



- 600 lbs. (272.15 kg.) stand-alone attachment.
- Capable of producing over 1000 sandbags in 4 hours with a crew of just 4 men!
- Easily fills bags at the point of use which makes emergency dike construction a breeze.
- Attaches easily with Universal Quick 'Tach.

The Speed Bagger is quick and easy to load and the internal auger makes sandbagging an easy and efficient process.

4 Men + 4 Hours = 1,000 Bags.



1-877-433-5733


Clamping Fork Tool

EZ-1015



- 850 lbs. stand-alone attachment.
- Rotates 360 degrees (180 degrees in either direction).
- Safely and securely holds container when dumping.
- Opens to a maximum of 52" and closes to 24".
- Ideal attachment for waste management operations.

The base rotates a full 360 degrees, 180 degrees in each direction, to ensure that the load is completely empty.



www.EZSPOTUR.com

Rock and Root Pick

EZ-0012




- 89 lbs. attachment weight.
- Rotates 127 degrees when attached to double cylinder rotating base.
- Easily removes rocks, roots, trees, stumps and other debris.
- Capable of removing frost from the ground for site prep.
- Ideal for trench work.
- Composed of Grade 80 material to withstand wear and tear.

The Rock and Root Pick attaches to any machine and rotates 127 degrees to easily remove stumps, logs and full size trees.



Forks Tool Head

EZ-0015



- 185 lbs. attachment weight.
- Rotates 127 degrees when attached to double cylinder rotating base.
- Ideal for waste management operations or day to day uses.
- For use with any type of machine.
- Pallet forks and stackable containers also available for purchase.
- Container pricing on request.

The Forks Tool will rotate 127 degrees to easily empty crates, bins and dumpsters.





Make it EZ!

ATTACHMENTS

1-877-433-5733

Excavator Rotator

EZ-001X



- 270 lbs. attachment weight.
- 200 degree rotation.
- Makes it possible to attach any tool head to a mini excavator.

Get more use out of your mini-excavator by attaching any EZ SPOT UR attachment to the Excavator Rotator Base.



www.EZSPOTUR.com

Compact Equipment

EZ-00CR



- 121 lbs. Base unit Weight.
- 200 degree rotation
- Makes it possible to attach any tool head to a compact machine.


Turn your compact machine into a versatile, hard-working jobsite companion with one of EZ SPOT UR's many attachments.



1-877-433-5733

Bulldog Tactical Claw

EZ-T013



- Easily attachable to any machine including remotely operated units that keep the operator out of harm's way.
- Available with a 4ft., 6ft., or 8ft. boom.
- Camera mount located in tool head.
- Gas or smoke grenade dispensers on each side of tool head.
- Powerful jaws open and close to smash and grab anything in its way.



Remotely operate machine from a safe distance to stay out of harm's way while breaching or clearing a building.



Tactical Crab Pincher Claw EZ-T010



- 380 lbs. attachment weight.
- Jaws will close down to 5.5 inches (139.7 mm.) and will open to 46.5 inches (1181.1 mm.).
- Rotates 127 degrees when attached to tactical double cylinder rotating base.
- Available with a 4 ft., 6 ft., or 8 ft. boom.
- Composed of Grade 80 material to withstand wear and tear.

Tactical Pick EZ-T012



- 89 lbs. attachment weight.
- Rotates 127 degrees when attached to double cylinder rotating base.
- Hydraulic ripping jaw located above pick.
- Easily removes rocks, roots, trees, stumps and other debris.
- Ideal for trench work.
- Available with a 4 ft., 6 ft., or 8 ft. boom.
- Composed of Grade 80 material to withstand wear and tear.

Make it EZ!

1-877-433-5733

www.EZSPOTUR.com

Spring Mount Hose Kit EZ-K013



Prevents:

- Pinched Hoses
- Down Time
- Oil Loss

Why drag your expensive hydraulic hoses through the dirt?



**EZ-K013
Hose Kit**



EZ SPOT UR
ATTACHMENTS

Make it EZ!

1-877-433-5733

www.EZSPOTUR.com

