




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	FA13160	7/16"-14 x 1-3/4" GRADE 5 ZINC FINISH HEX CAP SCREW	10
2	FA0166990	1/2"-13 GRADE F ZINC FLANGE TOP LOCK NUT	10
3	RF-01-0001	EXTENTION ARM ROCK FINGER	5
4	TH-01-0004	ASSY, (CLOSED FRONT PIVOT)	1



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ±
 ANGULAR: MACH ± BEND ±
 TWO PLACE DECIMAL ±
 THREE PLACE DECIMAL ±

INTERPRET GEOMETRIC
 TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

	NAME	DATE
DRAWN	BEVAN	8/17/2021
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		

EZ-SPOT-UR

TITLE:

5 FINGER TREE HAND WITH
 INSERTS

SIZE	DWG. NO.	REV
A	TH-01-0025-A - 5 FINGER TREE HAND WITH ROCK TIPS	

SCALE: 1:12 WEIGHT: 452.11 LBS SHEET 1 OF 4

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 EZ-SPOT-UR. ANY REPRODUCTION IN PART
 OR AS A WHOLE WITHOUT THE WRITTEN
 PERMISSION OF EZ-SPOT-UR IS PROHIBITED.

NEXT ASSY	USED ON	APPLICATION



5

4


3

2

1



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	FA13160	7/16"-14 x 1-3/4" GRADE 5 ZINC FINISH HEX CAP SCREW	10
2	FA0166990	1/2"-13 GRADE F ZINC FLANGE TOP LOCK NUT	10
3	RF-01-0001	EXTENTION ARM ROCK FINGER	5
4	TH-01-0004	ASSY, (OPEN FRONT PIVOT)	1



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ±
 ANGULAR: MACH ± BEND ±
 TWO PLACE DECIMAL ±
 THREE PLACE DECIMAL ±

INTERPRET GEOMETRIC
 TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

DRAWN
 CHECKED
 ENG APPR.
 MFG APPR.

Q.A.

COMMENTS:

NAME DATE
 BEVAN 8/17/2021

EZ-SPOT-UR

TITLE:
 5 FINGER TREE HAND WITH
 INSERTS

SIZE DWG. NO. REV
 A TH-01-0025-A - 5 FINGER TREE
 HAND WITH ROCK TIPS

SCALE: 1:12 WEIGHT: 452.11 LBS SHEET 2 OF 4

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 EZ-SPOT-UR. ANY REPRODUCTION IN PART
 OR AS A WHOLE WITHOUT THE WRITTEN
 PERMISSION OF EZ-SPOT-UR IS PROHIBITED.

NEXT ASSY

USED ON

APPLICATION



5

4


3

2

1



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	FA13160	7/16"-14 x 1-3/4" GRADE 5 ZINC FINISH HEX CAP SCREW	10
2	FA0166990	1/2"-13 GRADE F ZINC FLANGE TOP LOCK NUT	10
3	RF-01-0001	EXTENSION ARM ROCK FINGER	5
4	TH-01-0004	ASSY, (CLOSED BACK PIVOT)	1



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ±
 ANGULAR: MACH ± BEND ±
 TWO PLACE DECIMAL ±
 THREE PLACE DECIMAL ±

INTERPRET GEOMETRIC
 TOLERANCING PER:

MATERIAL

FINISH

	NAME	DATE
DRAWN	BEVAN	8/17/2021
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		

EZ-SPOT-UR

TITLE:

5 FINGER TREE HAND WITH
 INSERTS



SIZE	DWG. NO.	REV
A	TH-01-0025-A - 5 FINGER TREE HAND WITH ROCK TIPS	

SCALE: 1:12 WEIGHT: 452.11 LBS SHEET 3 OF 4


PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 EZ-SPOT-UR. ANY REPRODUCTION IN PART
 OR AS A WHOLE WITHOUT THE WRITTEN
 PERMISSION OF EZ-SPOT-UR IS PROHIBITED.

APPLICATION	DO NOT SCALE DRAWING
NEXT ASSY	USED ON



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	FA13160	7/16"-14 x 1-3/4" GRADE 5 ZINC FINISH HEX CAP SCREW	10
2	FA0166990	1/2"-13 GRADE F ZINC FLANGE TOP LOCK NUT	10
3	RF-01-0001	EXTENTION ARM ROCK FINGER	5
4	TH-01-0004	TREE HAND OPEN BACK PIVOT	1



UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ±
 ANGULAR: MACH ± BEND ±
 TWO PLACE DECIMAL ±
 THREE PLACE DECIMAL ±

INTERPRET GEOMETRIC
 TOLERANCING PER:

MATERIAL

FINISH

DO NOT SCALE DRAWING

	NAME	DATE
DRAWN	BEVAN	8/17/2021
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		

EZ-SPOT-UR

TITLE:

5 FINGER TREE HAND WITH
 INSERTS

SIZE	DWG. NO.	REV
A	TH-01-0025-A - 5 FINGER TREE HAND WITH ROCK TIPS	

SCALE: 1:12 WEIGHT: 452.11 LBS SHEET 4 OF 4

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 EZ-SPOT-UR. ANY REPRODUCTION IN PART
 OR AS A WHOLE WITHOUT THE WRITTEN
 PERMISSION OF EZ-SPOT-UR IS PROHIBITED.

NEXT ASSY

USED ON

APPLICATION

5

4

3

2

1