


☐

I'm not robot

  
reCAPTCHA

I'm not robot!

## Wix fram oil filter cross reference chart

## Wix oil filter vs fram. Wix oil filter specs.

Search for Wix filter crossover products and parts by using the search field below. Enter the P/N of the product. You can also see all cross reference filters for Wix in our listing below The listing can be sorted by OE P/N, OE brand, National Filters P/N and price. Wix filter cross reference product listing The store will not work correctly in the case when cookies are disabled. The Parts Search Wizard simplifies the process of finding the right parts for your vehicle, such as oil filters, cabin air filters, and engine air filters. With a few clicks, you can input your vehicle's make, model, and year, and our tool will generate a list of compatible parts that meet your specific requirements. Whether you're a professional mechanic or a DIY enthusiast, our parts search tool will make your life easier by saving you time and money. Finding the correct parts for your vehicle is crucial for maintaining optimal performance, and our parts search tool simplifies the process. Oil filters, cabin air filters, and engine air filters are essential components that ensure your vehicle's engine is running smoothly and the air inside your cabin is clean. With our tool, you can quickly and easily locate the appropriate filters for your specific make and model, ensuring that your vehicle is always operating at its best. Trust us to help you find the right parts for your vehicle and take the hassle out of filter shopping. Language Can you interchange Wix oil filters?

## POPULAR FILTER CROSS REFERENCE

Baldwin	Danaldson	Fluitt	Lfrmi	Luber-finer
B217	P556570	FL3342	PM0519	51786
B7320	P556570	FL3342	PM0519	51788
B7320	P556570	FL3342	PM0519	51789
B7320	P556570	FL3342	PM0519	51790
B7320	P556570	FL3342	PM0519	51791
B7320	P556570	FL3342	PM0519	51792
B7320	P556570	FL3342	PM0519	51793
B7320	P556570	FL3342	PM0519	51794
B7320	P556570	FL3342	PM0519	51795
B7320	P556570	FL3342	PM0519	51796
B7320	P556570	FL3342	PM0519	51797
B7320	P556570	FL3342	PM0519	51798
B7320	P556570	FL3342	PM0519	51799
B7320	P556570	FL3342	PM0519	51800
B7320	P556570	FL3342	PM0519	51801
B7320	P556570	FL3342	PM0519	51802
B7320	P556570	FL3342	PM0519	51803
B7320	P556570	FL3342	PM0519	51804
B7320	P556570	FL3342	PM0519	51805
B7320	P556570	FL3342	PM0519	51806
B7320	P556570	FL3342	PM0519	51807
B7320	P556570	FL3342	PM0519	51808
B7320	P556570	FL3342	PM0519	51809
B7320	P556570	FL3342	PM0519	51810
B7320	P556570	FL3342	PM0519	51811
B7320	P556570	FL3342	PM0519	51812
B7320	P556570	FL3342	PM0519	51813
B7320	P556570	FL3342	PM0519	51814
B7320	P556570	FL3342	PM0519	51815
B7320	P556570	FL3342	PM0519	51816
B7320	P556570	FL3342	PM0519	51817
B7320	P556570	FL3342	PM0519	51818
B7320	P556570	FL3342	PM0519	51819
B7320	P556570	FL3342	PM0519	51820
B7320	P556570	FL3342	PM0519	51821
B7320	P556570	FL3342	PM0519	51822
B7320	P556570	FL3342	PM0519	51823
B7320	P556570	FL3342	PM0519	51824
B7320	P556570	FL3342	PM0519	51825
B7320	P556570	FL3342	PM0519	51826
B7320	P556570	FL3342	PM0519	51827
B7320	P556570	FL3342	PM0519	51828
B7320	P556570	FL3342	PM0519	51829
B7320	P556570	FL3342	PM0519	51830
B7320	P556570	FL3342	PM0519	51831
B7320	P556570	FL3342	PM0519	51832
B7320	P556570	FL3342	PM0519	51833
B7320	P556570	FL3342	PM0519	51834
B7320	P556570	FL3342	PM0519	51835
B7320	P556570	FL3342	PM0519	51836
B7320	P556570	FL3342	PM0519	51837
B7320	P556570	FL3342	PM0519	51838
B7320	P556570	FL3342	PM0519	51839
B7320	P556570	FL3342	PM0519	51840
B7320	P556570	FL3342	PM0519	51841
B7320	P556570	FL3342	PM0519	51842
B7320	P556570	FL3342	PM0519	51843
B7320	P556570	FL3342	PM0519	51844
B7320	P556570	FL3342	PM0519	51845
B7320	P556570	FL3342	PM0519	51846
B7320	P556570	FL3342	PM0519	51847
B7320	P556570	FL3342	PM0519	51848
B7320	P556570	FL3342	PM0519	51849
B7320	P556570	FL3342	PM0519	51850
B7320	P556570	FL3342	PM0519	51851
B7320	P556570	FL3342	PM0519	51852
B7320	P556570	FL3342	PM0519	51853
B7320	P556570	FL3342	PM0519	51854
B7320	P556570	FL3342	PM0519	51855
B7320	P556570	FL3342	PM0519	51856
B7320	P556570	FL3342	PM0519	51857

[illegible]

In this case, there may be another brand that fits well enough. Curious about what others use: If you're considering trying a new brand, cross-reference makes it easy to find out. Whereas other drivers prefer to take an informal survey among friends or family members who own similar vehicles. In the mood for variety: It might be necessary to switch things up once in a while.

Cross-reference Wix filters offer plenty of options that are fun and exciting. No matter the reason, cross-reference Wix filters are a great way to save money and get something that is just as good (if not better) as the original. Frequently Asked Questions (FAQs) Do Wix Filters get bought out? Wix Filters was acquired by Mann+Hummel in May 2016.

Before the acquisition, Wix was an independent company that specialized in the production of filtration products. The acquisition has allowed Danaher to expand its product offerings and reach a wider customer base. Are Wix filters good? Many people ask if Wix oil filters are any good. The answer is that they are an excellent filter. They have been around for a long time and have a great reputation. They are also very affordable, which makes them a great option for most people.

Designed to no longer have to provide better protection, you may need to use a different filter. Always consult your owner's manual or a professional mechanic before making any changes to your vehicle's oil system. You Can Also Read: The store will not work correctly in the case when cookies are disabled. With industry-best reliability and innovation that matches the times, FRAM® oil filters deliver the performance you want and the engine protection you need. 25,000 Miles of Protection Unmatched Synthetic Protection Optimized for use with synthetic oil to deliver 99% filtration efficiency 20,000 Miles of Protection Maximum Protection for New and Old Engines Engineered to Be Paired with Synthetic Oil 20,000 Miles of Protection 99% Dirt-Trapping Efficiency Peak Performance Between Longer Synthetic Oil Change Intervals 15,000 Miles of Protection Engineered for Extreme Conditions Ideal for Towing, Hauling and Stop-and-Go Traffic 15,000 Miles of Protection Ideal for Extreme Driving Conditions Engineered for Stop-and-Go Traffic and Towing 10,000 Miles of Protection Perfect for Everyday Driving Built for OE Recommended Oil Change Intervals 7,500 Miles of Protection Engineered for Everyday Driving Synthetic Blend OE Grade Media Compatible with All Oil Types Optimized for Racing and High-Performance Street Vehicles Compatible with All Oil Types Designed to Withstand High Pressure Flexing Tires – even microscopic – dirt particles are one of the biggest threats to your engine.



Filter Lookup - By Application

Select Make, Year, Model/Engine of your vehicle to see part listing

Utility Vehicles

2019

POLARIS

Ranger XP 1000

No SubModels

Back to Filter Lookup

or

Select a Engine

2019 - POLARIS - Ranger XP 1000 (Utility Vehicles)

MakeModel	Qualifier	Oil	Fuel	Air	C Air	Trans
2019 - POLARIS - Ranger XP 1000 (Utility Vehicles)	999cc Engine	51356		WA10386		

Reference Materials

- Passenger Car and Light Truck Engine/VIN Matching Guide for C AMC/Eagle/Jeep



If not properly filtered, the accumulated particles can cause significant damage to internal engine parts, and possibly lead to complete engine failure. That’s why choosing the right engine oil filter is so important. When it comes to extending your engine’s life, protection is everything.Vehicle use is the key factor in the oil filter you choose.

Quick Cross Reference				
Baldwin	Donaldson	Fleetguard	Fram	Luber-finer
GASOLINE				
B604	P54005	L7601A	P40015	L76005
B610	P54006	L7601B	P40016	L76006
B614	P54010	L7604	P4006	L76017
B616	P51152	P5148A	P4015	L76028B
B700B	P51409	25184207	—	L76009BN
B700C	251411	P7410	2504	L76010
B700D	P54014	L76076	P4005	L76011
B700E	P51154	P5100	P400	L76012
B700F	P51157	P5105	P401	L76017
COMMERCIAL				
B600P	P54013	L7602	P4012	L76013
B600Q	P54008	L7606	P4004	L76014
B600R	P54009	P5109	P4004	L76015
B610A	P5100	P5114	P5012	L76016
B610B	P5100	P5107	P4004	L76017
B610C	P5100	P5107	P4004	L76018
B610D	P5100	P5107	P4004	L76019
B610E	P5100	P5107	P4004	L76020
B610F	P5100	P5107	P4004	L76021
B610G	P5100	P5107	P4004	L76022
B610H	P5100	P5107	P4004	L76023
B610I	P5100	P5107	P4004	L76024
B610J	P5100	P5107	P4004	L76025
B610K	P5100	P5107	P4004	L76026
B610L	P5100	P5107	P4004	L76027
B610M	P5100	P5107	P4004	L76028
B610N	P5100	P5107	P4004	L76029
B610O	P5100	P5107	P4004	L76030
B610P	P5100	P5107	P4004	L76031
B610Q	P5100	P5107	P4004	L76032
B610R	P5100	P5107	P4004	L76033
B610S	P5100	P5107	P4004	L76034
B610T	P5100	P5107	P4004	L76035
B610U	P5100	P5107	P4004	L76036
B610V	P5100	P5107	P4004	L76037
B610W	P5100	P5107	P4004	L76038
B610X	P5100	P5107	P4004	L76039
B610Y	P5100	P5107	P4004	L76040
B610Z	P5100	P5107	P4004	L76041
GASOLINE DIESEL				
B600	P54001	L76001	P4001	L76001
B600A	P54002	L76002	P4002	L76002
B600B	P54003	L76003	P4003	L76003
B600C	P54004	L76004	P4004	L76004
B600D	P54005	L76005	P4005	L76005
B600E	P54006	L76006	P4006	L76006
B600F	P54007	L76007	P4007	L76007
B600G	P54008	L76008	P4008	L76008
B600H	P54009	L76009	P4009	L76009
B600I	P54010	L76010	P4010	L76010
B600J	P54011	L76011	P4011	L76011
B600K	P54012	L76012	P4012	L76012
B600L	P54013	L76013	P4013	L76013
B600M	P54014	L76014	P4014	L76014
B600N	P54015	L76015	P4015	L76015
B600O	P54016	L76016	P4016	L76016
B600P	P54017	L76017	P4017	L76017
B600Q	P54018	L76018	P4018	L76018
B600R	P54019	L76019	P4019	L76019
B600S	P54020	L76020	P4020	L76020
B600T	P54021	L76021	P4021	L76021
B600U	P54022	L76022	P4022	L76022
B600V	P54023	L76023	P4023	L76023
B600W	P54024	L76024	P4024	L76024
B600X	P54025	L76025	P4025	L76025
B600Y	P54026	L76026	P4026	L76026
B600Z	P54027	L76027	P4027	L76027

No matter if you drive a heavy-duty work truck for towing and hauling equipment, or a compact sedan for everyday driving around town, FRAM® engine oil filters do more than help your vehicle maintain top performance - they ensure the proper protection for every type of engine and driving style. To find FRAM® and other top-rated oil filters, search our car oil filter cross reference library in the Quick Search at the top of the page.Trouble with new oil filters doesn't occur often, but there are a few things that can cause oil to leak from the filter; The filter is installed too loose or is cross threaded The new filter gasket isn't seated properly The previous filter gasket is stuck to the engine when you install the new one, leading to "double gasket" danger If any of these issues are left uncorrected, the leak will worsen. Eventually, your engine will lose oil pressure, causing excessive internal friction and threatening significant engine damage. The other common problem with oil filters is clogging. If the filter hasn't been changed at the recommended intervals, it will become saturated with dirt and old oil. When this happens, the biggest concern is the filter will be unable to properly trap dirt and other particles. This can lead to overheating and other serious problems with your engine. No matter if you need a conventional or synthetic oil filter, make sure it's installed correctly with each oil and filter change.Many vehicle owners ask this question, but remember it's called an "oil and filter change" for a reason. To maintain optimal filtration, you should always change your filter when you change your oil at the recommended intervals. If you don't, the filter will become oversaturated and cycle some used, dirty oil back through your engine, causing improper lubrication. Furthermore, the older a filter gets, it loses its ability to properly trap the harmful dirt and dust particles that can enter your engine. This greatly increases the risk of damage to critical engine components as the particulate matter builds up. Changing your oil filter with each oil change is a low-cost, relatively easy task that is a critical part of maintaining top engine performance. Language