# Jerith Industrial

1" Picket | Heavy Duty









Our Industrial Aluminum Fence provides attractive, maintenance-free security for industrial applications. It's the perfect choice whenever it's necessary to add safety and protection, yet complement the architectural or landscape design.

#### PRIMARY APPLICATIONS

- **Public Housing Authorities**
- **State Facilities**
- **Stadiums & Event Centers**
- Schools & Universities
- **Airports**
- Parks & Recreation
- Hospitals


**JERITH.COM** 800-344-2242

## Jerith Industrial

#### 1" Picket | Heavy Duty

1" sq x .062" wall PICKETS |  $1-\frac{5}{8}$ " x  $1-\frac{5}{8}$ " (.100" side / .070" top) RAILS |  $2-\frac{1}{2}$ " sq x .075" wall POSTS

#### **STYLE OPTIONS**



#### **COLORS**

- Black
- Bronze



#### **GATES**

Gates match the fence style and are available in standard or arched designs.



#### **QUALITY & STYLE**

When we started manufacturing ornamental aluminum fences around 50 years ago, we made a commitment to producing only durable, high-quality, 100% American-made products. That commitment has become the backbone of our reputation and our promise to you.



## LIFETIME LIMITED WARRANTY

Every fence comes with a lifetime warranty, made possible by our FencCoat<sup>\*\*</sup> finish and HS-35<sup>\*\*</sup> Aluminum Alloy.




## DOMESTIC MANUFACTURING

Jerith is committed to providing products that are 100% extruded, coated, fabricated, assembled and packaged in the USA.



### **JERITH INDUSTRIAL** | 3 & 4-RAIL OPTIONS

STANDARD & FLUSH BOTTOM OPTIONS AVAILABLE



- $ext{ A} ext{ } ex$
- **B** 1" sq x .062" wall PICKETS
- © 1-%" x 1-%" (.100 side / .070" top) RAILS
- **(D)** 3', 4', 5', 6', 7' & 8' PANEL HEIGHTS
- **E** 4" AIR SPACE


Refer to construction specification & tables within this section for recommended post space by bracket type

Jerilli ASSA ABLOY

### JERITH INDUSTRIAL | STYLE #100 | 3-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IN36 <u>⊗</u> 100SN	19 lbs	0
4'	IN48 <u>⊗</u> 100SN	25 lbs	0
5'	IN60 <u>⊗</u> 100SN	31 lbs	0
6'	IN72 <u>⊗</u> 100SN	38 lbs	0



#### JERITH INDUSTRIAL | STYLE #100 | 3-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IN36 <u>⊗</u> 100SNDB	19 lbs	0
4'	IN48 <u>⊗</u> 100SNDB	25 lbs	0
5'	IN60 <u>⊗</u> 100SNDB	31 lbs	0
6'	IN72 <u>⊗</u> 100SNDB	38 lbs	0



#### JERITH INDUSTRIAL | STYLE #100 | 4-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 100SN	44 lbs	0
8'	IN96 <u>⊗</u> 100SN	50 lbs	0



#### JERITH INDUSTRIAL | STYLE #100 | 4-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 100SNDB	44 lbs	0
8'	IN96 <u>⊗</u> 100SNDB	50 lbs	0



 $\underline{\otimes} = \textbf{COLOR OPTIONS AVAILABLE} \mid \underline{\textbf{B}} = \text{Black } \underline{\textbf{Z}} = \text{Bronze}$ 

 $\bigcirc = NON$ -Stocked product

For details, see Jerith's Sales Policy in the catalog guide.


NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights



#### JERITH INDUSTRIAL | STYLE #100 | 3-RAIL PANELS

STANDARD BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IL36 <u>⊗</u> 100SN	24 lbs	0
4'	IL48 <u>⊗</u> 100SN	32 lbs	0
5'	IL60 <u>⊗</u> 100SN	40 lbs	0
6'	IL72 <u>⊗</u> 100SN	48 lbs	0



#### JERITH INDUSTRIAL | STYLE #100 | 3-RAIL PANELS

FLUSH BOTTOM | 7-1/2' PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IL36 <u>⊗</u> 100SNDB	24 lbs	0
4'	IL48 <u>⊗</u> 100SNDB	32 lbs	0
5'	IL60 <u>⊗</u> 100SNDB	40 lbs	0
6'	IL72 <u>⊗</u> 100SNDB	48 lbs	0



### JERITH INDUSTRIAL | STYLE #100 | 4-RAIL PANELS

STANDARD BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IL84 <u>⊗</u> 100SN	55 lbs	0
8'	IL96 <u>⊗</u> 100SN	63 lbs	0



### JERITH INDUSTRIAL | STYLE #100 | 4-RAIL PANELS

FLUSH BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IL84 <u>⊗</u> 100SNDB	55 lbs	0
8'	IL96 <u>⊗</u> 100SNDB	63 lbs	0



#100

 $\underline{\otimes} = COLOR \ OPTIONS \ AVAILABLE \ | \ \underline{\mathbf{B}} = \mathsf{Black} \ \underline{\mathbf{Z}} = \mathsf{Bronze}$ 

 $\bigcirc = NON$ -Stocked product

For details, see Jerith's Sales Policy in the catalog guide.


NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights

6.5

#### JERITH INDUSTRIAL | STYLE #101 | 3-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IN36 <u>⊗</u> 101SN	19 lbs	0
4'	IN48 <u>⊗</u> 101SN	25 lbs	0
5'	IN60 <u>⊗</u> 101SN	31 lbs	0
6'	IN72 <u>⊗</u> 101SN	38 lbs	0



#### JERITH INDUSTRIAL | STYLE #101 | 3-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IN36 <u>⊗</u> 101SNDB	19 lbs	0
4'	IN48 <u>⊗</u> 101SNDB	25 lbs	0
5'	IN60 <u>⊗</u> 101SNDB	31 lbs	0
6'	IN72 <u>⊗</u> 101SNDB	38 lbs	0



#### JERITH INDUSTRIAL | STYLE #101 | 4-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 101SN	44 lbs	0
8'	IN96 <u>⊗</u> 101SN	50 lbs	0



### JERITH INDUSTRIAL | STYLE #101 | 4-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 101SNDB	44 lbs	0
8'	IN96 <u>⊗</u> 101SNDB	50 lbs	0



 $\underline{\otimes} = \textbf{COLOR OPTIONS AVAILABLE} \mid \underline{\textbf{B}} = \text{Black } \underline{\textbf{Z}} = \text{Bronze}$ 

 $\bigcirc = NON$ -Stocked product

For details, see Jerith's Sales Policy in the catalog guide.


NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights



#### JERITH INDUSTRIAL | STYLE #101 | 3-RAIL PANELS

STANDARD BOTTOM | 7-1/2' PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IL36 <u>⊗</u> 101SN	24 lbs	0
4'	IL48 <u>⊗</u> 101SN	32 lbs	0
5'	IL60 <u>⊗</u> 101SN	40 lbs	0
6'	IL72 <u>⊗</u> 101SN	48 lbs	0



#### JERITH INDUSTRIAL | STYLE #101 | 3-RAIL PANELS

FLUSH BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IL36 <u>⊗</u> 101SNDB	24 lbs	0
4'	IL48 <u>⊗</u> 101SNDB	32 lbs	0
5'	IL60 <u>⊗</u> 101SNDB	40 lbs	0
6'	IL72 <u>⊗</u> 101SNDB	48 lbs	0



#### JERITH INDUSTRIAL | STYLE #101 | 4-RAIL PANELS

STANDARD BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IL84 <u>⊗</u> 101SN	55 lbs	0
8'	IL96 <u>⊗</u> 101SN	63 lbs	0



### JERITH INDUSTRIAL | STYLE #101 | 4-RAIL PANELS

FLUSH BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IL84 <u>⊗</u> 101SNDB	55 lbs	0
8'	IL96 <u>⊗</u> 101SNDB	63 lbs	0



#101

 $\underline{\otimes}$  = **COLOR OPTIONS AVAILABLE** |  $\underline{\mathbf{B}}$  = Black  $\underline{\mathbf{Z}}$  = Bronze

 $\bigcirc = NON$ -Stocked product

For details, see Jerith's Sales Policy in the catalog guide.

NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights


Jerille ASSA ABLOY

6.7

#### JERITH INDUSTRIAL | STYLE #111 | 3-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IN36 <u>⊗</u> 111SN	19 lbs	0
4'	IN48 <u>⊗</u> 111SN	25 lbs	0
5'	IN60 <u>⊗</u> 111SN	31 lbs	0
6'	IN72 <u>⊗</u> 111SN	38 lbs	0



#### JERITH INDUSTRIAL | STYLE #111 | 3-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IN36 <u>⊗</u> 111SNDB	19 lbs	0
4'	IN48 <u>⊗</u> 111SNDB	25 lbs	0
5'	IN60 <u>⊗</u> 111SNDB	31 lbs	0
6'	IN72 <u>⊗</u> 111SNDB	38 lbs	0



#### JERITH INDUSTRIAL | STYLE #111 | 4-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 111SN	44 lbs	0
8'	IN96 <u>⊗</u> 111SN	50 lbs	0



#### JERITH INDUSTRIAL | STYLE #111 | 4-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 111SNDB	44 lbs	0
8'	IN96 <u>⊗</u> 111SNDB	50 lbs	0



 $\underline{\otimes} = \textbf{COLOR OPTIONS AVAILABLE} \mid \underline{\textbf{B}} = \text{Black } \underline{\textbf{Z}} = \text{Bronze}$ 

 $\bigcirc = NON$ -Stocked product

For details, see Jerith's Sales Policy in the catalog guide.

NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights. Finials sold seperately (Majestic & Imperial)



Effective: 06/12/22

#### JERITH INDUSTRIAL | STYLE #111 | 3-RAIL PANELS

STANDARD BOTTOM | 7-1/2' PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IL36 <u>⊗</u> 111SN	24 lbs	0
4'	IL48 <u>⊗</u> 111SN	32 lbs	0
5'	IL60 <u>⊗</u> 111SN	40 lbs	0
6'	IL72 <u>⊗</u> 111SN	48 lbs	0



#### JERITH INDUSTRIAL | STYLE #111 | 3-RAIL PANELS

FLUSH BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IL36 <u>⊗</u> 111SNDB	24 lbs	0
4'	IL48 <u>⊗</u> 111SNDB	32 lbs	0
5'	IL60 <u>⊗</u> 111SNDB	40 lbs	0
6'	IL72 <u>⊗</u> 111SNDB	48 lbs	0



#### JERITH INDUSTRIAL | STYLE #111 | 4-RAIL PANELS

STANDARD BOTTOM | 7-1/2' PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IL84 <u>⊗</u> 111SN	55 lbs	0
8'	IL96 <u>⊗</u> 111SN	63 lbs	0



#111

### JERITH INDUSTRIAL | STYLE #111 | 4-RAIL PANELS

FLUSH BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IL84 <u>⊗</u> 111SNDB	55 lbs	0
8'	IL96 <u>⊗</u> 111SNDB	63 lbs	0



#111

 $\underline{\otimes}$  = **COLOR OPTIONS AVAILABLE** |  $\underline{\mathbf{B}}$  = Black  $\underline{\mathbf{Z}}$  = Bronze

 $\bigcirc = NON$ -Stocked product

For details, see Jerith's Sales Policy in the catalog guide.

NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights. Finials sold seperately (Majestic & Imperial)


Jerille ASSA ABLOY

6.9

### JERITH INDUSTRIAL | STYLE #200 | 3-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IN36 <u>⊗</u> 200SN	19 lbs	0
4'	IN48 <u>⊗</u> 200SN	25 lbs	0
5'	IN60 <u>⊗</u> 200SN	31 lbs	0
6'	IN72 <u>⊗</u> 200SN	38 lbs	0



### JERITH INDUSTRIAL | STYLE #200 | 3-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IN36 <u>⊗</u> 200SNDB	19 lbs	0
4'	IN48 <u>⊗</u> 200SNDB	25 lbs	0
5'	IN60 <u>⊗</u> 200SNDB	31 lbs	0
6'	IN72 <u>⊗</u> 200SNDB	38 lbs	0




#200

### JERITH INDUSTRIAL | STYLE #200 | 4-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 200SN	44 lbs	0
8'	IN96 <u>⊗</u> 200SN	50 lbs	0



#200

### JERITH INDUSTRIAL | STYLE #200 | 4-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 200SNDB	44 lbs	0
8'	IN96 <u>⊗</u> 200SNDB	50 lbs	0



 $\otimes$  = **COLOR OPTIONS AVAILABLE** | **B** = Black **Z** = Bronze

 $\bigcirc = NON$ -Stocked product

For details, see Jerith's Sales Policy in the catalog guide.


NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights



#### JERITH INDUSTRIAL | STYLE #200 | 3-RAIL PANELS

STANDARD BOTTOM | 7-1/2' PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IL36 <u>⊗</u> 200SN	24 lbs	0
4'	IL48 <u>⊗</u> 200SN	32 lbs	0
5'	IL60 <u>⊗</u> 200SN	40 lbs	0
6'	IL72 <u>⊗</u> 200SN	48 lbs	0



#### JERITH INDUSTRIAL | STYLE #200 | 3-RAIL PANELS

FLUSH BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IL36 <u>⊗</u> 200SNDB	24 lbs	0
4'	IL48 <u>⊗</u> 200SNDB	32 lbs	0
5'	IL60 <u>⊗</u> 200SNDB	40 lbs	0
6'	IL72 <u>⊗</u> 200SNDB	48 lbs	0



#### JERITH INDUSTRIAL | STYLE #200 | 4-RAIL PANELS

STANDARD BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IL84 <u>⊗</u> 200SN	55 lbs	0
8'	IL96 <u>⊗</u> 200SN	63 lbs	0



### JERITH INDUSTRIAL | STYLE #200 | 4-RAIL PANELS

FLUSH BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IL84 <u>⊗</u> 200SNDB	55 lbs	0
8'	IL96 <u>⊗</u> 200SNDB	63 lbs	0



 $\underline{\otimes}$  = **COLOR OPTIONS AVAILABLE** |  $\underline{\mathbf{B}}$  = Black  $\underline{\mathbf{Z}}$  = Bronze

○ = NON-STOCKED PRODUCT

For details, see Jerith's Sales Policy in the catalog guide.


NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights

6.11

#### JERITH INDUSTRIAL | STYLE #202 | 3-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IN36 <u>⊗</u> 202SN	19 lbs	0
4'	IN48 <u>⊗</u> 202SN	25 lbs	0
5'	IN60 <u>⊗</u> 202SN	31 lbs	0
6'	IN72 <u>⊗</u> 202SN	38 lbs	0



#### JERITH INDUSTRIAL | STYLE #202 | 3-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IN36 <u>⊗</u> 202SNDB	19 lbs	0
4'	IN48 <u>⊗</u> 202SNDB	25 lbs	0
5'	IN60 <u>⊗</u> 202SNDB	31 lbs	0
6'	IN72 <u>⊗</u> 202SNDB	38 lbs	0



### JERITH INDUSTRIAL | STYLE #202 | 4-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 202SN	44 lbs	0
8'	IN96 <u>⊗</u> 202SN	50 lbs	0



### JERITH INDUSTRIAL | STYLE #202 | 4-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 13 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 202SNDB	44 lbs	0
8'	IN96 <u>⊗</u> 202SNDB	50 lbs	0



 $\underline{\otimes} = COLOR \ OPTIONS \ AVAILABLE \ | \ \underline{\mathbf{B}} = \mathsf{Black} \ \underline{\mathbf{Z}} = \mathsf{Bronze}$ 

 $\bigcirc = NON$ -Stocked product

For details, see Jerith's Sales Policy in the catalog guide.

NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights



#### JERITH INDUSTRIAL | STYLE #202 | 3-RAIL PANELS

STANDARD BOTTOM | 7-1/2' PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET


PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IL36 <u>⊗</u> 202SN	24 lbs	0
4'	IL48 <u>⊗</u> 202SN	32 lbs	0
5'	IL60 <u>⊗</u> 202SN	40 lbs	0
6'	IL72 <u>⊗</u> 202SN	48 lbs	0



#### JERITH INDUSTRIAL | STYLE #202 | 3-RAIL PANELS

FLUSH BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
3'	IL36 <u>⊗</u> 202SNDB	24 lbs	0
4'	IL48 <u>⊗</u> 202SNDB	32 lbs	0
5'	IL60 <u>⊗</u> 202SNDB	40 lbs	0
6'	IL72 <u>⊗</u> 202SNDB	48 lbs	0



### JERITH INDUSTRIAL | STYLE #202 | 4-RAIL PANELS

STANDARD BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IL84 <u>⊗</u> 202SN	55 lbs	$\otimes$
8'	IL96 <u>⊗</u> 202SN	63 lbs	0



#202

### JERITH INDUSTRIAL | STYLE #202 | 4-RAIL PANELS

FLUSH BOTTOM | 7-1/2 PANEL LENGTH (90" actual width) | 17 PICKETS PER PANEL | 30 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IL84 <u>⊗</u> 202SNDB	55 lbs	0
8'	IL96 <u>⊗</u> 202SNDB	63 lbs	0



#202

 $\underline{\otimes} = COLOR \ OPTIONS \ AVAILABLE \ | \ \underline{\mathbf{B}} = \mathsf{Black} \ \underline{\mathbf{Z}} = \mathsf{Bronze}$ 

 $\bigcirc = NON$ -Stocked product

For details, see Jerith's Sales Policy in the catalog guide.


NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights

6.13

### JERITH INDUSTRIAL | STYLE #401 | 3-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 27 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
4'	IN48 <u>⊗</u> 401SN	32 lbs	0
5'	IN60 <u>⊗</u> 401SN	40 lbs	0
6'	IN72 <u>⊗</u> 401SN	52 lbs	0



#401

### JERITH INDUSTRIAL | STYLE #401 | 3-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 27 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
4'	IN48 <u>⊗</u> 401SNDB	32 lbs	0
5'	IN60 <u>⊗</u> 401SNDB	40 lbs	0
6'	IN72 <u>⊗</u> 401SNDB	52 lbs	0




#401

#### JERITH INDUSTRIAL | STYLE #401 | 4-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 27 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 401SN	65 lbs	0
8'	IN96 <u>⊗</u> 401SN	74 lbs	0




#401

#### JERITH INDUSTRIAL | STYLE #401 | 4-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 27 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 401SNDB	65 lbs	0
8'	IN96 <u>⊗</u> 401SNDB	74 lbs	0



#401

- $\underline{\otimes}$  = **COLOR OPTIONS AVAILABLE** |  $\underline{\mathbf{B}}$  = Black  $\underline{\mathbf{Z}}$  = Bronze
- **○** = *NON-STOCKED PRODUCT*


For details, see Jerith's Sales Policy in the catalog guide.

4-rail is standard for 6' height, 3-rail is standard for all other heights

### JERITH INDUSTRIAL | STYLE #402 | 3-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 27 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
4'	IN48 <u>⊗</u> 402SN	32 lbs	0
5'	IN60 <u>⊗</u> 402SN	40 lbs	0
6'	IN72 <u>⊗</u> 402SN	52 lbs	0




#402

#### JERITH INDUSTRIAL | STYLE #402 | 3-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 27 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
4'	IN48 <u>⊗</u> 402SNDB	32 lbs	0
5'	IN60 <u>⊗</u> 402SNDB	40 lbs	0
6'	IN72 <u>⊗</u> 402SNDB	52 lbs	0




#402

### JERITH INDUSTRIAL | STYLE #402 | 4-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 27 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 402SN	65 lbs	0
8'	IN96 <u>⊗</u> 402SN	74 lbs	0




#402

### JERITH INDUSTRIAL | STYLE #402 | 4-RAIL PANELS

FLUSH BOTTOM | 6' PANEL LENGTH (72" actual width) | 27 PICKETS PER PANEL | 35 PANELS PER PALLET

PANEL HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
7'	IN84 <u>⊗</u> 402SNDB	65 lbs	0
8'	IN96 <u>⊗</u> 402SNDB	74 lbs	0



#402

 $\underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

 $\bigcirc = NON$ -Stocked product

For details, see Jerith's Sales Policy in the catalog guide.

NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights

Jerilli ASSA ABLOY

### JERITH INDUSTRIAL | 2-1/2" POSTS X .075 WALL

AVAILABLE IN BOX QTY ONLY | SCREWS AND FLAT CAPS INCLUDED WITH EACH POST

RAIL	STYLE	HEIGHT	LENGTH	IN-GROUND Depth	ITEM NUMBER	BOX QTY	BOX Weight
	#200, #202	3'	70"	20" / 24"	KIN70 <u>⊗</u> 200 <u></u> ♦P36	9	54 lbs
	#100, #101, #111	3'	70"	20" / 24"	KIN70 <u>⊗</u> 100 <u></u> ♦P36	9	54 lbs
	#200, #202, #402	4'	70"	20" / 24"	KIN70 <u>⊗</u> 200 <u></u>	9	54 lbs
2 DAII	#100, #101, #111, #401	4'	70"	20" / 24"	KIN70 <u>⊗</u> 100 <u></u> ♦	9	54 lbs
3 RAIL	#200, #202, #402	5'	82"	20" / 24"	KIN82 <u>⊗</u> 200 <u></u>	9	63 lbs
	#100, #101, #111, #401	5'	82"	20" / 24"	KIN82 <u>⊗</u> 100 <u></u> ♦	9	63 lbs
	#200, #202, #402	6'	100"	26" / 30"	KIN100 <u>⊗</u> 200 <u>♦</u> P	9	81 lbs
	#100, #101, #111, #401	6'	100"	26" / 30"	KIN100 <u>⊗</u> 100 <u>♦</u> P	9	81 lbs
	#200, #202, #402	7'	136"	26" / 30"	KIN136 <u>⊗</u> 200 <u>♦</u> P84	9	117 lbs
4 DAII	#100, #101, #111, #401	7'	136"	26" / 30"	KIN136 <u>⊗</u> 100 <u>♦</u> P84	9	117 lbs
4 RAIL	#200, #202, #402	8'	136"	26" / 30"	KIN136 <u>⊗</u> 200 <u>♦</u> P	9	117 lbs
	#100, #101, #111, #401	8'	136"	26" / 30"	KIN136 <u>⊗</u> 100 <u>♦</u> P	9	117 lbs

#### JERITH INDUSTRIAL | 2-1/2" POSTS X .125 WALL

AVAILABLE IN BOX QTY ONLY | SCREWS AND FLAT CAPS INCLUDED WITH EACH POST

RAIL	STYLE	HEIGHT	LENGTH	IN-GROUND Depth	ITEM NUMBER	BOX QTY	BOX Weight
	#200, #202	3'	70"	20" / 24"	KIN70 <u>⊗</u> 200GP36	9	81 lbs
	#100, #101, #111	3'	70"	20" / 24"	KIN70 <u>⊗</u> 100GP36	9	81 lbs
	#200, #202, #402	4'	70"	20" / 24"	KIN70 <u>⊗</u> 200GP	9	81 lbs
3 RAIL	#100, #101, #111, #401	4'	70"	20" / 24"	KIN70 <u>⊗</u> 100GP	9	81 lbs
3 KAIL	#200, #202, #402	5'	82"	20" / 24"	KIN82 <u>⊗</u> 200GP	9	90 lbs
	#100, #101, #111, #401	5'	82"	20" / 24"	KIN82 <u>⊗</u> 100GP	9	90 lbs
	#200, #202, #402	6'	100"	26" / 30"	KIN100 <u>⊗</u> 200GP	9	108 lbs
	#100, #101, #111, #401	6'	100"	26" / 30"	KIN100 <u>⊗</u> 100GP	9	108 lbs
	#200, #202, #402	7'	136"	26" / 30"	KIN136 <u>⊗</u> 200GP84	9	153 lbs
4 RAIL	#100, #101, #111, #401	7'	136"	26" / 30"	KIN136 <u>⊗</u> 100GP84	9	153 lbs
4 KAIL	#200, #202, #402	8'	136"	26" / 30"	KIN136 <u>⊗</u> 200GP	9	153 lbs
	#100, #101, #111, #401	8'	136"	26" / 30"	KIN136 <u>⊗</u> 100GP	9	153 lbs



 $\underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{\textbf{B}} = \mathsf{Black} \quad \underline{\textbf{Z}} = \mathsf{Bronze}$ 

NOTE: Screws and flat caps are included with the posts

### JERITH INDUSTRIAL | 3" POSTS X .090 WALL

AVAILABLE IN BOX QTY ONLY | SCREWS AND FLAT CAPS INCLUDED WITH EACH POST

RAIL	STYLE	HEIGHT	LENGTH	IN-GROUND Depth	ITEM NUMBER	BOX QTY	BOX Weight
	#200, #202	3'	70"	20" / 24"	KCSIN70 <u>⊗</u> 200 <u>♦</u> P36	4	32 lbs
	#100, #101, #111	3'	70"	20" / 24"	KCSIN70 <u>⊗</u> 100 <u>♦</u> P36	4	32 lbs
	#200, #202, #402	4'	70"	20" / 24"	KCSIN70 <u>⊗</u> 200 <u>♦</u> P	4	32 lbs
3 RAIL	#100, #101, #111, #401	4'	70"	20" / 24"	KCSIN70 <u>⊗</u> 100 <u>♦</u> P	4	32 lbs
3 KAIL	#200, #202, #402	5'	82"	20" / 24"	KCSIN82 <u>⊗</u> 200 <u>♦</u> P	4	36 lbs
	#100, #101, #111, #401	5'	82"	20" / 24"	KCSIN82 <u>⊗</u> 100 <u>♦</u> P	4	36 lbs
	#200, #202, #402	6'	100"	26" / 30"	KCSIN100 <u>⊗</u> 200 <u></u>	4	44 lbs
	#100, #101, #111, #401	6'	100"	26" / 30"	KCSIN100 <u>⊗</u> 100 <u>♦</u> P	4	44 lbs
	#200, #202, #402	7'	136"	26" / 30"	KCSIN136 <u>⊗</u> 200 <u></u> ♦P84	4	60 lbs
4 RAIL	#100, #101, #111, #401	7'	136"	26" / 30"	KCSIN136 <u>⊗</u> 100 <u>♦</u> P84	4	60 lbs
4 RAIL	#200, #202, #402	8'	136"	26" / 30"	KCSIN136 <u>⊗</u> 200 <u>♦</u> P	4	60 lbs
	#100, #101, #111, #401	8'	136"	26" / 30"	KCSIN136 <u>⊗</u> 100 <u>♦</u> P	4	60 lbs

#### JERITH INDUSTRIAL | 3" POSTS X .125 WALL

AVAILABLE IN BOX QTY ONLY | SCREWS AND FLAT CAPS INCLUDED WITH EACH POST

RAIL	STYLE	HEIGHT	LENGTH	IN-GROUND Depth	ITEM NUMBER	BOX QTY	BOX Weight
	#200, #202	3'	70"	20" / 24"	KCSIN70 <u>⊗</u> 200GP36	4	44 lbs
	#100, #101, #111	3'	70"	20" / 24"	KCSIN70 <u>⊗</u> 100GP36	4	44 lbs
	#200, #202, #402	4'	70"	20" / 24"	KCSIN70 <u>⊗</u> 200GP	4	44 lbs
3 RAIL	#100, #101, #111, #401	4'	70"	20" / 24"	KCSIN70 <u>⊗</u> 100GP	4	44 lbs
3 KAIL	#200, #202, #402	5'	82"	20" / 24"	KCSIN82 <u>⊗</u> 200GP	4	48 lbs
	#100, #101, #111, #401	5'	82"	20" / 24"	KCSIN82 <u>⊗</u> 100GP	4	48 lbs
	#200, #202, #402	6'	100"	26" / 30"	KCSIN100 <u>⊗</u> 200GP	4	56 lbs
	#100, #101, #111, #401	6'	100"	26" / 30"	KCSIN100 <u>⊗</u> 100GP	4	56 lbs
	#200, #202, #402	7'	136"	26" / 30"	KCSIN136 <u>⊗</u> 200GP84	4	76 lbs
4 RAIL	#100, #101, #111, #401	7'	136"	26" / 30"	KCSIN136 <u>⊗</u> 100GP84	4	76 lbs
4 RAIL	#200, #202, #402	8'	136"	26" / 30"	KCSIN136 <u>⊗</u> 200GP	4	76 lbs
	#100, #101, #111, #401	8'	136"	26" / 30"	KCSIN136 <u>⊗</u> 100GP	4	76 lbs

 $\otimes = \textit{COLOR OPTIONS AVAILABLE} \mid B = \text{Black} \quad Z = \text{Bronze}$ 

NOTE: Screws and flat caps are included with the posts



#### JERITH INDUSTRIAL | 4" BLACK BLANK POSTS X .125 WALL

AVAILABLE IN BOX QTY ONLY | SCREWS AND FLAT CAPS INCLUDED WITH EACH POST

RAIL	STYLE	HEIGHT	LENGTH	IN-GROUND Depth	ITEM NUMBER	BOX QTY	BOX Weight
	#200, #202, #101, #100, #111	3'	84"	30" / 36"	K84 <u>⊗</u> 4P	1	19 lbs
3 RAIL	#200, #202, #101, #100, #111, #402, #401	4'	84"	30" / 36"	K84 <u>⊗</u> 4P	1	19 lbs
3 KAIL	#200, #202, #101, #100, #111, #402, #401	5'	105"	30" / 36"	K105 <u>⊗</u> 4P	1	25 lbs
	#200, #202, #101, #100, #111, #402, #401	6'	105"	30" / 36"	K105 <u>⊗</u> 4P	1	25 lbs
4 DAII	#200, #202, #101, #100, #111, #402, #401	7'	144"	30" / 36"	K144 <u>⊗</u> 4P	1	35 lbs
4 RAIL	#200, #202, #101, #100, #111, #402, #401	144"	26" / 30"	K144 <u>⊗</u> 4P	1	35 lbs	

 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

NOTE: Screws and flat caps are included with the posts

#### JERITH INDUSTRIAL | 6" BLACK BLANK POSTS X .125 WALL

AVAILABLE IN BOX QTY ONLY | SCREWS AND FLAT CAPS INCLUDED WITH EACH POST

RAIL	STYLE	HEIGHT	LENGTH	IN-GROUND Depth	ITEM NUMBER	BOX QTY	BOX Weight
	#200, #202, #101, #100, #111	3'	144"	30" / 36"	K144 <u>⊗</u> 6P	1	48 lbs
3 RAIL	#200, #202, #101, #100, #111, #402, #401	4'	144"	30" / 36"	K144 <u>⊗</u> 6P	1	48 lbs
3 KAIL	#200, #202, #101, #100, #111, #402, #401	5'	144"	30" / 36"	K144 <u>⊗</u> 6P	1	48 lbs
	#200, #202, #101, #100, #111, #402, #401	6'	144"	30" / 36"	K144 <u>⊗</u> 6P	1	48 lbs
4 RAIL	#200, #202, #101, #100, #111, #402, #401	7'	144"	30" / 36"	K144 <u>⊗</u> 6P	1	48 lbs
4 NAIL	#200, #202, #101, #100, #111, #402, #401	8'	144"	26" / 30"	K144 <u>⊗</u> 6P	1	48 lbs

 $\underline{\otimes} = \textbf{COLOR OPTIONS AVAILABLE} \mid \underline{\textbf{B}} = \text{Black} \quad \underline{\textbf{Z}} = \text{Bronze}$ 

NOTE: Screws and flat caps are included with the posts



### JERITH INDUSTRIAL | POST CAPS



FLAT CAP Aluminum

SIZE	ITEM NUMBER	WT. EACH
2-½" sq. x 2-½" sq.	⊗CP25PSJ	0.2 lbs
3" sq. x 3" sq.	<u>⊗</u> CP3PSJ	0.3 lbs
4" sq. x 4" sq.	<u>⊗</u> CP4PSJ	0.4 lbs
6" sq. x 6" sq.	<u>⊗</u> CP6PSJ	1.6 lbs



BALL CAP
Aluminum

2-½" sq. x 2-½" sq.	<u>⊗</u> BC25PSJ	0.6 lbs
4" sq. x 4" sq.	<u>⊗</u> BC4PSJ	1 lb

 $\underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

#### JERITH INDUSTRIAL | PANEL ACCESSORIES



DECK MOUNT

SIZE	ITEM NUMBER	BOX QTY.	WT. EACH
2-1/2"	<u>⊗</u> DMC25	1	1.6 lb

Not recommended for fence higher than 48"





WALL MOUNT

1-5/8"	IN <u>⊗</u> WMC	1	0.22 lbs



ADJUSTABLE WALL MOUNT

1-5/8"	IN <u>⊗</u> AWM	1	0.25 lbs



SELF DRILLING SCREW

#10 x 1" <u>⊗</u> 101PSJ <b>6/18/27 0.003 lb</b>	
--	--



PICKET PLUG

1" sq. PAPLUGS 100	1.5 lb
--------------------	--------

 $\underline{\otimes} = COLOR \ OPTIONS \ AVAILABLE \ | \ \underline{\mathbf{B}} = \mathsf{Black} \ \ \underline{\mathbf{Z}} = \mathsf{Bronze}$ 



### JERITH INDUSTRIAL | FINIALS



MAJESTIC	
Aluminum	

SIZE	ITEM NUMBER	WT. EACH
1"	IN <u>⊗</u> MAJ	0.21 lbs



IMPERIAL	
Aluminum	

1"	IN <u>⊗</u> IMP	0.21 lbs

 $\underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

### JERITH INDUSTRIAL | ADORNMENTS



SS1 SCROLL

ITEM NUMBER	WT. EACH
AE <u>⊗</u> SS1	0.42 lbs



LS1 SCROLL

AE⊗LS1 1.65 lbs



RINGS

QD⊗RINGS 1 lb

Die cast aluminum. #10 x 3/4" self taping screw is needed (3 per set)

 $\underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \mathsf{Black} \quad \underline{Z} = \mathsf{Bronze}$ 

### JERITH INDUSTRIAL | CUSTOM FINISHES

#### WARRANTY ON CUT COMPONENTS VOID WITHOUT PROPER TOUCH-UP APPLICATION\*

\*For details & the guidelines for the proper 3-step process, see Jerith's Sales Policy in the catalog guide



	TOUCH UP PAINT
6.07	

ITEM NUMBER	WT. EACH
<u>⊗</u> B0T	0.6 oz



	SPRAY PAINT
_	4.5.07.

ITEM NUMBER	WT. EACH
<u>⊗</u> CAN	4.5 oz

 $\underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

#### JERITH INDUSTRIAL | CONSTRUCTION SPECIFICATION 32 31 19

#### **ALUMINUM ORNAMENTAL FENCE SYSTEM**

#### PART 1 - GENERAL

#### 1.01 WORK INCLUDED

The contractor shall provide all labor, materials and all necessary items for the installation of the Jerith Industrial® ornamental aluminum fence system defined herein at (specify project site).

#### 1.02 RELATED WORK

Section \_ \_ \_ - Earthwork Section \_ \_ - Concrete

#### 1.03 SYSTEM DESCRIPTION

The manufacturer shall supply a total ornamental aluminum fencing system of the Jerith Industrial® (specify #100, #101, #111, #200, #202, #401, or #402) design. The system shall include all components (i.e., pickets, posts, rails, gates and hardware) required.

#### 1.04 QUALITY ASSURANCE

The contractor shall provide laborers and supervisors who are thoroughly familiar with the type of construction involved and the materials specified.

#### 1.05 REFERENCES

- ASTM B117 Practice for Operating Salt-Spray (Fog) Apparatus
- ASTM B221 Standard Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles and Tubes
- ASTM D523 Test Method for Specular Gloss
- ASTM D1654 Test Method for Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments
- ASTM D2244 Test Method for Calculation of Color
   Differences from Instrumentally Measured Color Coordinates
- ASTM D2794 Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact)
- ASTM D3359 Test Method for Measuring Adhesion by Tape Test
- ASTM D6695 Standard Practice for Xenon-Arc Exposures of Paint and Related Coatings
- AAMA 2603 Voluntary Specification, Performance Requirements & Test Procedures for Pigmented organic Coatings on Aluminum Extrusions and Panels

#### 1.06 SUBMITTAL

The manufacturer's submittal package shall be submitted prior to installation to confirm compliance with all requirements for materials specified in this section.

#### 1.07 PRODUCT HANDLING AND STORAGE

Upon receipt at the job site, all materials shall be checked to ensure that no damages occurred during shipping or handling. Materials shall be stored in such a manner to ensure proper ventilation and drainage and to protect against damage, weather, vandalism and theft.

#### PART 2 - MATERIALS

#### 2.01 MANUFACTURER

The ornamental fence system shall conform to Jerith's Industrial aluminum ornamental fencing, (specify #100, #101, #111, #200, #202, #401, or #402), style manufactured by Jerith Manufacturing in Philadelphia, Pennsylvania.

#### 2.02 MATERIAL

- A. Aluminum material for fence framework (i.e., tubular pickets, rails and posts) shall conform to the requirements of ASTM B221. The aluminum extrusions for posts and rails shall be Alloy and Temper Designation 6005-T5. The aluminum extrusions for pickets shall be Alloy and Temper Designation 6063-T6.
- **B.** Pickets shall be 1" square x .062" thick. Horizontal rails shall be 1-5/8" x 1-5/8" channel with .070" thick top & .100" thick side walls and shall be punched to allow picket to pass through the top of the rail. Fence posts and gate posts shall meet the minimum size requirements of **Table 1**.
- **C.** Accessories: Aluminum castings shall be used for all post caps and other miscellaneous hardware. Hinges and latches shall be fabricated from aluminum, stainless steel or composite materials.

#### 2.03 FABRICATION

A. Pickets, rails and posts shall be pre-cut to specified lengths. Rails shall be pre-punched to accept pickets. Fasteners shall be inserted into the pre-punched holes in the rails and pickets so that pre-drilled picket holes align with the rails. Panels to be preassemble by manufacturer.



#### JERITH INDUSTRIAL | CONSTRUCTION SPECIFICATION 32 31 19

#### **ALUMINUM ORNAMENTAL FENCE SYSTEM**

B. Swing gates shall be fabricated using Jerith Industrial 1-5/8" x 1-5/8" rail material, 1-5/8" gate ends, and 1" sq. x .062 pickets. All rail and upright intersections shall be joined by welding.

#### PART 3 - EXECUTION

#### 3.01 PREPARATION

All new installation shall be laid out by the contractor in accordance with the construction plans.

#### 3.02 FENCE INSTALLATION

Fence post shall be spaced according to **Table 2**. For installations that must be raked to follow sloping grades, the post spacing dimension must be measured along the grade. Fence panels rails shall be inserted into punched posts and affixed with fasteners. Posts shall be set in concrete footers per manufacturers recommendation (*Note: In some cases, local restrictions of freezing weather conditions may require a greater depth).* The "Earthwork" and "Concrete" sections of this specification shall govern material requirements for the concrete footer. Posts setting by other methods such as plated posts or grouted core-drilled footers are permissible only if shown by engineering analysis to be sufficient in strength for the intended application.

#### 3.03 FENCE INSTALLATION MAINTENANCE

When custting/drilling rails or posts adhere to the following steps to seal the exposed surfaces; 1) Remove all metal shavings from cut area. 2) Apply custom finish paint matching fence color. Jerith spray cans or touch up paint shall be used to finish exposed surfaces; it is recommended that touch up paint be used to prevent overspray. Use of non-Jerith parts or components will negate the manufacturers' warranty.

#### 3.04 GATE INSTALLATION

Gate posts shall be spaced according to the manufacturers' gate drawings, dependent on standard out-to-out gate leaf dimensions and gate hardware selected. Type and quantity of gate hinges shall be based on the application; weight,

height, and number of gate cycles. The manufacturers' gate drawings shall identify the necessary gate hardware required for the application. Gate hardware shall be provided by the manufacture of the gate and shall be installed per manufacturer's recommendations.

#### 3.05 CLEANING

The contractor shall clean the jobsite of excess materials; posthole excavations shall be scattered uniformly away from posts.

SEE REFERENCED TABLES ON THE FOLLOWING PAGE

Jerille ASSA ABLOY

### JERITH INDUSTRIAL | CONSTRUCTION SPECIFICATION 32 31 19

**ALUMINUM ORNAMENTAL FENCE SYSTEM** 

TABLE 1 - MINIMUM SIZES FOR INDUSTRIAL POSTS		
FENCE POSTS PANEL HEIGHTS		
2-1/2"sq x .075"	Up to 8' height	
GATE LEAF	GATE HEIGHT	
	up to & including 8'	
up to 8'	2-½"sq x .125" aluminum	

TABLE 2 - INDUSTRIAL POST SPACING / PUNCHED POSTS	
POST SIZE	2-1/2"
POST SETTINGS	72-½" o.c.



#### JERITH INDUSTRIAL | LIMITED LIFETIME WARRANTY

#### **ALUMINUM 1" PICKET FENCE**

Jerith Aluminum Fence is manufactured from the highest quality materials by skilled craftsmen to meet the highest standards of workmanship in the industry. Extruded aluminum panels and posts shall be subject to a pretreatment wash followed by an electrostatic spray application of TGIC polyester powder coat finish, which provides the protection necessary to withstand adverse environmental conditions.

The powder coated surface on all Jerith® aluminum panels and posts are guaranteed under a limited lifetime warranty for normal and proper usage without cause, against cracking, peeling, chipping, blistering or corroding. Normal and proper usage does not include physical damage or abrasion to the protective coating. The warranty is non-transferable and is only valid to the original purchaser. Jerith Aluminum Fence is also guaranteed against defects in workmanship and materials.

Should any aluminum fence panels or posts manufactured by Jerith manufacturing fail in accordance with any of the above conditions, Jerith Manufacturing warrants to the original purchaser their redemption through replacement or renewal. The decision as to which method of redemption is allowed is solely at the discretion of Jerith.

Notice of failure under the conditions of this warranty shall be sent to Jerith Manufacturing or it authorized representative, in writing, together with proof of purchase and shall specify the nature of the defect and when it was first observed. If contractor uses non Jerith parts/components this will negate warranty. Should the fence be improperly installed, Jerith Manufacturing shall not be responsible for guaranteed performance or appearance of the material. Neither does this guarantee apply when failure or damage is due to improper use or application, abuse or misuse, vandalism or acts of God. Jerith Manufacturing reserves the right to inspect the material to determine validity of the claim.


Upon validation of the claim by Jerith Manufacturing or its authorized representative, redemption by replacement or renewal shall be made by Jerith Manufacturing. Reimbursement for the costs of removal and installation of materials are not included in the guarantee, nor will Jerith Manufacturing provide those services.

The above constitutes the complete warranty by the manufacturer. No other agreement, written or implied, is valid. Jerith Manufacturing does not authorize any other person or agent to make any other express warranties. Jerith Manufacturing neither assumes nor authorizes any other person or agent to assume any other liability in connection with Jerith Aluminum Fence. Some jurisdictions do not allow limitations on how long an implied warranty lasts, nor do they allow an exclusion or limitation of incidental or consequential damages; therefore, the limitations and exclusions noted herein may not apply.

Jerith ASSA ABIOY

#### JERITH INDUSTRIAL | SINGLE SWING GATE SPECIFICATIONS

2" sq. x .125" wall GATE ENDS | 1-5/8" x 1-5/8" (.100" side/.070" top) RAILS | 1" sq. x .062" wall PICKETS




SINGLE SWING **HARDWARE & POST INTERSPACES** 

OPENING	LEAF WIDTH*	HC	LC	P <sub>S</sub>	HC	LC	P <sub>S</sub>
3'	34-¾"	1/2"	3/4"	36"	1/2"	3/4"	36"
4'	46-¾"	1/2"	3/4"	48"	1/2"	3/4"	48"
5'	58-¾"	1/2"	3/4"	60"	1/2"	3/4"	60"
6'	70-¾"	1/2"	3/4"	72"	1/2"	3/4"	72"
7'	82-¾"	1/2"	3/4"	84"	1/2"	3/4"	84"
8'	94-¾"	1/2"	3/4"	96"	1/2"	3/4"	96"
9'	106-¾"	1/2"	3/4"	108"	1/2"	3/4"	108"
10'	118-¾"	1/2"	3/4"	120"	1/2"	3/4"	120"
11'	130-¾"	1/2"	3/4"	132"	1/2"	3/4"	132"
12'	142-¾"	1/2"	3/4"	144"	1/2"	3/4"	144"
13'	154-¾"	1/2"	3/4"	156"	1/2"	3/4"	156"
14'	166-¾"	1/2"	3/4"	168"	1/2"	3/4"	168"
15'	178-¾"	1/2"	3/4"	180"	1/2"	3/4"	180"

 $W = width^* \mid HC = hinge clearance \mid LC = latch clearance \mid P_S = gate post spacing^{**}$ \*\* From inside to inside


Gate Hardware sold separately. See Gate Hardware section for specific details.





#### JERITH INDUSTRIAL | DOUBLE SWING GATE SPECIFICATIONS

2" sq. x .125" wall GATE ENDS | 1-5/8" x 1-5/8" (.100" side/.070" top) RAILS | 1" sq. x .062" wall PICKETS




N	G	
ST		

HARDWARE & PO INTERSPACES

OPENING	LEAF WIDTH*	HC	LC	Pd
6'	70-¾"	1/2"	3/4"	36"
8'	94-¾"	1/2"	3/4"	48"
10'	118-¾"	1/2"	3/4"	60"
12'	142-¾"	1/2"	3/4"	144"
14'	166-¾"	1/2"	3/4"	168"
16'	190-¾"	1/2"	3/4"	192"
18'	214-¾"	1/2"	3/4"	216"
20'	238-¾"	1/2"	3/4"	240"
22'	262-¾"	1/2"	3/4"	264"
24'	286-¾"	1/2"	3/4"	288"
26'	310-¾"	1/2"	3/4"	312"
28'	334-¾"	1/2"	3/4"	336"
30'	358-¾"	1/2"	3/4"	360"

 $\mathbf{W}=$  width (x2)\* |  $\mathbf{HC}=$  hinge clearance (x2) |  $\mathbf{LC}=$  latch clearance |  $\mathbf{Pd}=$  gate post spacing \*\* \*\* From inside to inside

Gate Hardware sold separately. See Gate Hardware section for specific details.



STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN36 <u>⊗</u> <u>⊠</u> 36	6	17 lbs	0
	4'	46-¾"	IN36 <u>⊗</u> <u>⊠</u> 48	8	23 lbs	0
	5'	58-¾"	IN36 <u>⊗</u> <u>⊠</u> 60	11	29 lbs	0
	6'	70-¾"	IN36 <u>⊗</u> <u>⊠</u> 72	13	34 lbs	$\otimes$
	7'	82-¾"	IN36 <u>⊗</u> <u>⊠</u> 84	15	40 lbs	$\Diamond$
21	8'	94-¾"	IN36 <u>⊗</u> <u>⊠</u> 96	16	46 lbs	0
<b>5</b> HEIGHT	9'	106-¾"	IN36 <u>⊗</u> <u>⊠</u> 108	18	52 lbs	0
	10'	118-¾"	IN36 <u>⊗</u> <u>⊠</u> 120	22	58 lbs	0
	11'	130-¾"	IN36 <u>⊗</u> <u>⊠</u> 132	24	63 lbs	0
	12'	142-¾"	IN36 <u>⊗</u> <u>⊠</u> 144	26	70 lbs	0
	13'	154-¾"	IN36 <u>⊗</u> <u>⊠</u> 156	28	75 lbs	0
	14'	166-¾"	IN36 <u>⊗</u> <u>⊠</u> 168	30	80 lbs	0
L,	15'	178-¾"	IN36 <u>⊗</u> <u>⊠</u> 180	32	86 lbs	0
	3'	34-¾"	IN48 <u>⊗</u> <u>⊠</u> 36	6	21 lbs	0
	4'	46-¾"	IN48 <u>⊗</u> <u>⊠</u> 48	8	28 lbs	0
	5'	58-¾"	IN48 <u>⊗</u> <u>⊠</u> 60	11	33 lbs	$\otimes$
	6'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 72	13	38 lbs	0
	7'	82-¾"	IN48 <u>⊗</u> <u>⊠</u> 84	16	44 lbs	0
	8'	94-¾"	IN48 <u>⊗</u> <u>⊠</u> 96	16	49 lbs	0
4' HEIGHT	9'	106-¾"	IN48 <u>⊗</u> <u>⊠</u> 108	18	55 lbs	0
	10'	118-¾"	IN48 <u>⊗</u> <u>⊠</u> 120	22	61 lbs	0
	11'	130-¾"	IN48 <u>⊗</u> <u>⊠</u> 132	24	67 lbs	0
	12'	142-¾"	IN48 <u>⊗</u> <u>⊠</u> 144	26	74 lbs	0
	13'	154-¾"	IN48 <u>⊗</u> <u>⊠</u> 156	28	80 lbs	<b>\omega</b>
	14'	166-¾"	IN48 <u>⊗</u> <u>⊠</u> 168	30	85 lbs	0
L	15'	178-¾"	IN48 <u>⊗</u> <u>⊠</u> 180	32	91 lbs	0











NOTE: Double Drive Gates consist of two gate leafs.

Flat Top Gates over 72" have a diagonal brace rather than a V brace.



 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

<sup>○ =</sup> NON-STOCKED PRODUCT

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN60 <u>⊗</u> <u>⊠</u> 36	6	25 lbs	0
	4'	46-¾"	IN60 <u>⊗</u> <u>⊠</u> 48	8	32 lbs	0
	5'	58-¾"	IN60 <u>⊗</u> <u>⊠</u> 60	11	37 lbs	0
	6'	70-¾"	IN60 <u>⊗</u> <u>⊠</u> 72	13	42 lbs	0
	7'	82-¾"	IN60 <u>⊗</u> <u>⊠</u> 84	15	48 lbs	0
E1	8'	94-¾"	IN60 <u>⊗</u> <u>⊠</u> 96	16	53 lbs	0
HEIGHT	9'	106-¾"	IN60 <u>⊗</u> <u>⊠</u> 108	18	59 lbs	0
	10'	118-¾"	IN60 <u>⊗</u> <u>⊠</u> 120	22	63 lbs	0
	11'	130-¾"	IN60 <u>⊗</u> <u>⊠</u> 132	24	71 lbs	0
	12'	142-¾"	IN60 <u>⊗</u> <u>⊠</u> 144	26	78 lbs	0
	13'	154-¾"	IN60 <u>⊗</u> <u>⊠</u> 156	28	84 lbs	0
	14'	166-¾"	IN60 <u>⊗</u> <u>⊠</u> 168	30	89 lbs	0
L_	15'	178-¾"	IN60 <u>⊗</u> <u>⊠</u> 180	32	95 lbs	0
	3'	34-¾"	IN72 <u>⊗</u> <u>⊠</u> 36	6	30 lbs	0
	4'	46-¾"	IN72 <u>⊗</u> <u>⊠</u> 48	8	37 lbs	0
	5'	58-¾"	IN72 <u>⊗</u> <u>⊠</u> 60	11	44 lbs	0
	6'	70-¾"	IN72 <u>⊗</u> <u>⊠</u> 72	13	51 lbs	0
	7'	82-¾"	IN72 <u>⊗</u> <u>⊠</u> 84	15	58 lbs	0
01	8'	94-¾"	IN72 <u>⊗</u> <u>⊠</u> 96	16	65 lbs	0
6' HEIGHT	9'	106-¾"	IN72 <u>⊗</u> <u>⊠</u> 108	18	72 lbs	0
	10'	118-¾"	IN72 <u>⊗</u> <u>⊠</u> 120	22	79 lbs	0
	11'	130-¾"	IN72 <u>⊗</u> <u>⊠</u> 132	24	86 lbs	0
	12'	142-¾"	IN72 <u>⊗</u> <u>⊠</u> 144	26	93 lbs	0
	13'	154-¾"	IN72 <u>⊗</u> <u>⊠</u> 156	28	100 lbs	0
	14'	166-¾"	IN72 <u>⊗</u> <u>⊠</u> 168	30	107 lbs	0
L,	15'	178-¾"	IN72 <u>⊗</u> <u>⊠</u> 180	32	114 lbs	0











NOTE: Double Drive Gates consist of two gate leafs.

Flat Top Gates over 72" have a diagonal brace rather than a V brace.

Jerilli ASSA ABLOY

 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \ | \ \underline{B} = \mathsf{Black} \ \ \underline{Z} = \mathsf{Bronze}$ 

 $<sup>\</sup>boxtimes$  = FENCE STYLES AVAILABLE |  $\underline{100}$  = #100  $\underline{101}$  = #101  $\underline{200}$  = #200  $\underline{202}$  = #202  $\underline{111}$  = #111

 $<sup>\</sup>bigcirc = NON-STOCKED PRODUCT$ 

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

ODENINO	LEAF WIDTH	ITEM NUMBER	DIOVET OTV	WEIGHT	CTOOKING	
 OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING	W+1+1+1+1+1+1+1
3'	34-¾"	IN36 <u>⊗</u> ⊠36DB	6	17 lbs	0	
4'	46-¾"	IN36 <u>⊗</u> <u>⊠</u> 48DB	8	23 lbs	<b>\Q</b>	
5'	58-¾"	IN36⊗ ⊠60DB	11	29 lbs	0	
6'	70-¾"	IN36 <u>⊗</u> <u>⊠</u> 72DB	13	34 lbs	0	#100
7'	82-¾"	IN36 <u>⊗</u> <u>⊠</u> 84DB	15	40 lbs	0	
8'	94-¾"	IN36 <u>⊗</u> <u>⊠</u> 96DB	16	46 lbs	0	
9'	106-¾"	IN36 <u>⊗</u> <u>⊠</u> 108DB	18	52 lbs	0	$\parallel + + + + + + + + + + + + + + + + + + +$
10'	118-¾"	IN36 <u>⊗</u> <u>⊠</u> 120DB	22	58 lbs	<b>\Q</b>	
11'	130-¾"	IN36 <u>⊗</u> <u>⊠</u> 132DB	24	63 lbs	0	
12'	142-¾"	IN36 <u>⊗</u> <u>⊠</u> 144DB	26	70 lbs	0	
13'	154-¾"	IN36 <u>⊗</u> <u>⊠</u> 156DB	28	75 lbs	0	#101
14'	166-¾"	IN36 <u>⊗</u> <u>⊠</u> 168DB	30	80 lbs	0	
15'	178-¾"	IN36 <u>⊗</u> <u>⊠</u> 180DB	32	86 lbs	<u> </u>	W * * * * * * * * * * * * * * * * * * *
3'	34-¾"	IN48 <u>⊗</u> <u>⊠</u> 36DB	6	21 lbs	0	
4'	46-¾"	IN48 <u>⊗</u> <u>⊠</u> 48DB	8	28 lbs	0	
5'	58-¾"	IN48 <u>⊗</u> <u>⊠</u> 60DB	11	33 lbs	0	
6'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 72DB	13	38 lbs	$\otimes$	#111
7'	82-¾"	IN48 <u>⊗</u> <u>⊠</u> 84DB	16	44 lbs	0	
8'	94-¾"	IN48 <u>⊗</u> <u>⊠</u> 96DB	16	49 lbs	0	
9'	106-¾"	IN48 <u>⊗</u> <u>⊠</u> 108DB	18	55 lbs	0	111111111111111111111111111111111111111
10'	118-¾"	IN48 <u>⊗</u> <u>⊠</u> 120DB	22	61 lbs	0	
11'	130-¾"	IN48 <u>⊗</u> <u>⊠</u> 132DB	24	67 lbs	<b>\oldot</b>	
12'	142-¾"	IN48 <u>⊗</u> <u>⊠</u> 144DB	26	74 lbs	0	#200
13'	154-¾"	IN48 <u>⊗</u> <u>⊠</u> 156DB	28	80 lbs	0	
14'	166-¾"	IN48 <u>⊗</u> <u>⊠</u> 168DB	30	85 lbs	0	
15'	178-¾"	IN48⊗ ⊠180DB	32	91 lbs	0	

 $\boxtimes$  = FENCE STYLES AVAILABLE |  $\underline{100}$  = #100  $\underline{101}$  = #101  $\underline{200}$  = #200  $\underline{202}$  = #202  $\underline{111}$  = #111

**○** = *NON-STOCKED PRODUCT* 

NOTE: Double Drive Gates consist of two gate leafs.

Flat Top Gates over 72" have a diagonal brace rather than a V brace.



#202


DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN60 <u>⊗</u> <u>⊠</u> 36DB	6	25 lbs	$\otimes$
	4'	46-¾"	IN60 <u>⊗</u> <u>⊠</u> 48DB	8	32 lbs	<b>⊗</b>
	5'	58-¾"	IN60 <u>⊗</u> <u>⊠</u> 60DB	11	37 lbs	0
	6'	70-¾"	IN60 <u>⊗</u> <u>⊠</u> 72DB	13	42 lbs	<b>\Q</b>
	7'	82-¾"	IN60 <u>⊗</u> <u>⊠</u> 84DB	15	48 lbs	0
_ 	8'	94-¾"	IN60 <u>⊗</u> <u>⊠</u> 96DB	16	53 lbs	$\otimes$
5' HEIGHT	9'	106-¾"	IN60 <u>⊗</u> <u>⊠</u> 108DB	18	59 lbs	0
	10'	118-¾"	IN60 <u>⊗</u> <u>⊠</u> 120DB	22	63 lbs	$\otimes$
	11'	130-¾"	IN60 <u>⊗</u> <u>⊠</u> 132DB	24	71 lbs	0
	12'	142-¾"	IN60 <u>⊗</u> <u>⊠</u> 144DB	26	78 lbs	$\otimes$
	13'	154-¾"	IN60 <u>⊗</u> <u>⊠</u> 156DB	28	84 lbs	0
	14'	166-¾"	IN60 <u>⊗</u> <u>⊠</u> 168DB	30	89 lbs	$\otimes$
L	15'	178-¾"	IN60 <u>⊗</u> <u>⊠</u> 180DB	32	95 lbs	0
	3'	34-¾"	IN72 <u>⊗</u> <u>⊠</u> 36DB	6	30 lbs	$\otimes$
	4'	46-¾"	IN72 <u>⊗</u> <u>⊠</u> 48DB	8	37 lbs	0
	5'	58-¾"	IN72 <u>⊗</u> <u>⊠</u> 60DB	11	44 lbs	<b>\O</b>
	6'	70-¾"	IN72 <u>⊗</u> <u>⊠</u> 72DB	13	51 lbs	$\otimes$
	7'	82-¾"	IN72 <u>⊗</u> <u>⊠</u> 84DB	15	58 lbs	
G1	8'	94-¾"	IN72 <u>⊗</u> <u>⊠</u> 96DB	16	65 lbs	0
<b>b</b> ' Height	9'	106-¾"	IN72 <u>⊗</u> <u>⊠</u> 108DB	18	72 lbs	<b>⊗</b>
	10'	118-¾"	IN72 <u>⊗</u> <u>⊠</u> 120DB	22	79 lbs	$\otimes$
	11'	130-¾"	IN72 <u>⊗</u> <u>⊠</u> 132DB	24	86 lbs	<b>⊗</b>
	12'	142-¾"	IN72 <u>⊗</u> <u>⊠</u> 144DB	26	93 lbs	$\otimes$
	13'	154-¾"	IN72 <u>⊗</u> <u>⊠</u> 156DB	28	100 lbs	<b>\undersign</b>
	14'	166-¾"	IN72 <u>⊗</u> <u>⊠</u> 168DB	30	107 lbs	0
L,	15'	178-¾"	IN72 <u>⊗</u> <u>⊠</u> 180DB	32	114 lbs	<b>⊗</b>











NOTE: Double Drive Gates consist of two gate leafs.

Flat Top Gates over 72" have a diagonal brace rather than a V brace.

Jerilli ASSA ABLOY

 $<sup>\</sup>underline{\otimes} = \textbf{COLOR OPTIONS AVAILABLE} \mid \underline{\textbf{B}} = \text{Black} \quad \underline{\textbf{Z}} = \text{Bronze}$ 

 $<sup>\</sup>boxtimes$  = FENCE STYLES AVAILABLE |  $\underline{100}$  = #100  $\underline{101}$  = #101  $\underline{200}$  = #200  $\underline{202}$  = #202  $\underline{111}$  = #111

<sup>○ =</sup> NON-STOCKED PRODUCT

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN48 <u>⊗</u> <u>⊠</u> 36	12	28 lbs	0
	4'	46-¾"	IN48 <u>⊗</u> <u>⊠</u> 48	16	35 lbs	0
	5'	58-¾"	IN48 <u>⊗</u> <u>⊠</u> 60	22	42 lbs	0
	6'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 72	26	45 lbs	0
	7'	82-¾"	IN48 <u>⊗</u> <u>⊠</u> 84	30	51 lbs	0
/	8'	94-¾"	IN48 <u>⊗</u> <u>⊠</u> 96	32	56 lbs	0
4 HEIGHT	9'	106-¾"	IN48 <u>⊗</u> <u>⊠</u> 108	36	63 lbs	0
	10'	118-¾"	IN48 <u>⊗</u> <u>⊠</u> 120	44	70 lbs	0
	11'	130-¾"	IN48 <u>⊗</u> <u>⊠</u> 132	48	74 lbs	0
	12'	142-¾"	IN48 <u>⊗</u> <u>⊠</u> 144	52	81 lbs	0
	13'	154-¾"	IN48 <u>⊗</u> <u>⊠</u> 156	56	87 lbs	0
	14'	166-¾"	IN48 <u>⊗</u> <u>⊠</u> 168	60	92 lbs	0
L,	15'	178-¾"	IN48 <u>⊗</u> <u>⊠</u> 180	64	98 lbs	0
	3'	34-¾"	IN60 <u>⊗</u> <u>⊠</u> 36	12	35 lbs	0
	4'	46-¾"	IN60 <u>⊗</u> <u>⊠</u> 48	16	42 lbs	0
	5'	58-¾"	IN60 <u>⊗</u> <u>⊠</u> 60	22	49 lbs	0
	6'	70-¾"	IN60 <u>⊗</u> <u>⊠</u> 72	26	56 lbs	0
	7'	82-¾"	IN60 <u>⊗</u> <u>⊠</u> 84	30	63 lbs	0
<u> </u>	8'	94-¾"	IN60 <u>⊗</u> <u>⊠</u> 96	32	70 lbs	0
<b>5</b> '	9'	106-¾"	IN60 <u>⊗</u> <u>⊠</u> 108	36	77 lbs	0
	10'	118-¾"	IN60 <u>⊗</u> <u>⊠</u> 120	44	84 lbs	0
	11'	130-¾"	IN60 <u>⊗</u> <u>⊠</u> 132	48	91 lbs	0
	12'	142-¾"	IN60 <u>⊗</u> <u>⊠</u> 144	52	98 lbs	0
	13'	154-¾"	IN60 <u>⊗</u> <u>⊠</u> 156	56	105 lbs	0
	14'	166-¾"	IN60 <u>⊗</u> <u>⊠</u> 168	60	112 lbs	0
	15'	178-¾"	IN60 <u>⊗</u> <u>⊠</u> 180	64	120 lbs	0





NOTE: Double Drive Gates consist of two gate leafs.

Flat Top Gates over 72" have a diagonal brace rather than a V brace.



 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{\textbf{B}} = \mathsf{Black} \quad \underline{\textbf{Z}} = \mathsf{Bronze}$ 


 $<sup>\</sup>boxed{\boxtimes} = \textit{FENCE STYLES AVAILABLE} \mid \underline{\textbf{402}} = \#402 \quad \underline{\textbf{401}} = \#401$ 

 $<sup>\</sup>bigcirc = NON$ -Stocked Product

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
3'	34-¾"	IN72 <u>⊗</u> <u>⊠</u> 36	12	42 lbs	0
4'	46-¾"	IN72 <u>⊗</u> <u>⊠</u> 48	16	49 lbs	0
5'	58-¾"	IN72 <u>⊗</u> <u>⊠</u> 60	22	56 lbs	0
6'	70-¾"	IN72 <u>⊗</u> <u>⊠</u> 72	26	63 lbs	0
7'	82-¾"	IN72 <u>⊗</u> <u>⊠</u> 84	30	70 lbs	0
8'	94-¾"	IN72 <u>⊗</u> <u>⊠</u> 96	32	77 lbs	0
9'	106-¾"	IN72 <u>⊗</u> <u>⊠</u> 108	36	84 lbs	0
10'	118-¾"	IN72 <u>⊗</u> <u>⊠</u> 120	44	91 lbs	0
11'	130-¾"	IN72 <u>⊗</u> <u>⊠</u> 132	48	98 lbs	0
12'	142-¾"	IN72 <u>⊗</u> <u>⊠</u> 144	52	105 lbs	0





HEIGHT

NOTE: Double Drive Gates consist of two gate leafs.

Flat Top Gates over 72" have a diagonal brace rather than a V brace.

6.33

 $<sup>\</sup>underline{\otimes}$  = **COLOR OPTIONS AVAILABLE** |  $\underline{\mathbf{B}}$  = Black  $\underline{\mathbf{Z}}$  = Bronze

 $<sup>\</sup>boxtimes$  = FENCE STYLES AVAILABLE |  $\underline{402}$  = #402  $\underline{401}$  = #401

 $<sup>\</sup>bigcirc = NON$ -Stocked Product

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN48 <u>⊗</u> <u>⊠</u> 36DB	12	28 lbs	0
	4'	46-¾"	IN48 <u>⊗</u> <u>⊠</u> 48DB	16	35 lbs	0
	5'	58-¾"	IN48 <u>⊗</u> <u>⊠</u> 60DB	22	42 lbs	$\otimes$
	6'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 72DB	26	45 lbs	0
	7'	82-¾"	IN48 <u>⊗</u> <u>⊠</u> 84DB	30	51 lbs	0
/ 1	8'	94-¾"	IN48 <u>⊗</u> <u>⊠</u> 96DB	32	56 lbs	0
4+ Height	9'	106-¾"	IN48 <u>⊗</u> <u>⊠</u> 108DB	36	63 lbs	0
	10'	118-¾"	IN48 <u>⊗</u> <u>⊠</u> 120DB	44	70 lbs	0
	11'	130-¾"	IN48 <u>⊗</u> <u>⊠</u> 132DB	48	74 lbs	0
	12'	142-¾"	IN48 <u>⊗</u> <u>⊠</u> 144DB	52	81 lbs	0
	13'	154-¾"	IN48 <u>⊗</u> <u>⊠</u> 156DB	56	87 lbs	0
	14'	166-¾"	IN48 <u>⊗</u> <u>⊠</u> 168DB	60	92 lbs	0
L,	15'	178-¾"	IN48 <u>⊗</u> <u>⊠</u> 180DB	64	98 lbs	0
	3'	34-¾"	IN60 <u>⊗</u> <u>⊠</u> 36DB	12	35 lbs	0
	4'	46-¾"	IN60 <u>⊗</u> <u>⊠</u> 48DB	16	42 lbs	0
	5'	58-¾"	IN60 <u>⊗</u> <u>⊠</u> 60DB	22	49 lbs	0
	6'	70-¾"	IN60 <u>⊗</u> <u>⊠</u> 72DB	26	56 lbs	0
	7'	82-¾"	IN60 <u>⊗</u> <u>⊠</u> 84DB	30	63 lbs	0
	8'	94-¾"	IN60 <u>⊗</u> <u>⊠</u> 96DB	32	70 lbs	0
5'	9'	106-¾"	IN60 <u>⊗</u> <u>⊠</u> 108DB	36	77 lbs	0
HEIGHT	10'	118-¾"	IN60 <u>⊗</u> <u>⊠</u> 120DB	44	84 lbs	0
	11'	130-¾"	IN60 <u>⊗</u> <u>⊠</u> 132DB	48	91 lbs	0
	12'	142-¾"	IN60 <u>⊗</u> <u>⊠</u> 144DB	52	98 lbs	0
	13'	154-¾"	IN60 <u>⊗</u> <u>⊠</u> 156DB	56	105 lbs	0
	14'	166-¾"	IN60 <u>⊗</u> <u>⊠</u> 168DB	60	112 lbs	0
	15'	178-¾"	IN60 <u>⊗</u> <u>⊠</u> 180DB	64	120 lbs	0





#401

 $\underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

 $\boxed{\boxtimes}$  = FENCE STYLES AVAILABLE |  $\underline{402}$  = #402  $\underline{401}$  = #401

 $\bigcirc = NON-STOCKED PRODUCT$ 

NOTE: Double Drive Gates consist of two gate leafs.

Flat Top Gates over 72" have a diagonal brace rather than a V brace.



DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
3'	34-¾"	IN72 <u>⊗</u> <u>⊠</u> 36DB	12	42 lbs	0
4'	46-¾"	IN72 <u>⊗</u> <u>⊠</u> 48DB	16	49 lbs	0
5'	58-¾"	IN72 <u>⊗</u> <u>⊠</u> 60DB	22	56 lbs	0
6'	70-¾"	IN72 <u>⊗</u> <u>⊠</u> 72DB	26	63 lbs	0
7'	82-¾"	IN72 <u>⊗</u> <u>⊠</u> 84DB	30	70 lbs	0
8'	94-¾"	IN72 <u>⊗</u> <u>⊠</u> 96DB	32	77 lbs	0
9'	106-¾"	IN72 <u>⊗</u> <u>⊠</u> 108DB	36	84 lbs	0
10'	118-¾"	IN72 <u>⊗</u> <u>⊠</u> 120DB	44	91 lbs	0
11'	130-¾"	IN72 <u>⊗</u> <u>⊠</u> 132DB	48	98 lbs	0
12'	142-¾"	IN72 <u>⊗</u> <u>⊠</u> 144DB	52	105 lbs	0





HEIGHT

NOTE: Double Drive Gates consist of two gate leafs.

Flat Top Gates over 72" have a diagonal brace rather than a V brace.

Jerille ASSA ABLOY

6.35

 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

 $<sup>\</sup>boxtimes$  = FENCE STYLES AVAILABLE |  $\underline{402}$  = #402  $\underline{401}$  = #401

 $<sup>\</sup>bigcirc = NON$ -Stocked product

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN84 <u>⊗</u> <u>⊠</u> 36	6	49 lbs	0
	4'	46-¾"	IN84 <u>⊗</u> <u>⊠</u> 48	8	56 lbs	0
	5'	58-¾"	IN84 <u>⊗</u> <u>⊠</u> 60	11	63 lbs	0
	6'	70-¾"	IN84 <u>⊗</u> <u>⊠</u> 72	13	70 lbs	0
71	7'	82-¾"	IN84 <u>⊗</u> <u>⊠</u> 84	15	77 lbs	$\Diamond$
// HEIGHT	8'	94-¾"	IN84 <u>⊗</u> <u>⊠</u> 96	16	84 lbs	0
	9'	106-¾"	IN84 <u>⊗</u> <u>⊠</u> 108	18	91 lbs	0
	10'	118-¾"	IN84 <u>⊗</u> <u>⊠</u> 120	22	98 lbs	0
	11'	130-¾"	IN84 <u>⊗</u> <u>⊠</u> 132	24	105 lbs	0
L,	12'	142-¾"	IN84 <u>⊗</u> <u>⊠</u> 144	26	112 lbs	0
i	3'	34-¾"	IN96 <u>⊗</u> <u>⊠</u> 36	6	56 lbs	0
	4'	46-¾"	IN96 <u>⊗</u> <u>⊠</u> 48	8	63 lbs	$\Diamond$
	5'	58-¾"	IN96 <u>⊗</u> <u>⊠</u> 60	11	70 lbs	0
	6'	70-¾"	IN96 <u>⊗</u> <u>⊠</u> 72	13	77 lbs	0
81	7'	82-¾"	IN96 <u>⊗</u> <u>⊠</u> 84	16	84 lbs	0
HEIGHT	8'	94-¾"	IN96 <u>⊗</u> <u>⊠</u> 96	16	91 lbs	0
	9'	106-¾"	IN96 <u>⊗</u> <u>⊠</u> 108	18	98 lbs	<b>\Q</b>
	10'	118-¾"	IN96 <u>⊗</u> <u>⊠</u> 120	22	105 lbs	0
	11'	130-¾"	IN96 <u>⊗</u> <u>⊠</u> 132	24	112 lbs	0
L	12'	142-¾"	IN96 <u>⊗</u> <u>⊠</u> 144	26	119 lbs	<u> </u>









NOTE: Double Drive Gates consist of two gate leafs.

Flat Top Gates over 72" have a diagonal brace rather than a V brace.





 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \mathsf{Black} \quad \underline{Z} = \mathsf{Bronze}$ 

 $<sup>\</sup>boxtimes$  = FENCE STYLES AVAILABLE |  $\underline{100}$  = #100  $\underline{101}$  = #101  $\underline{200}$  = #200  $\underline{202}$  = #202  $\underline{111}$  = #111

 $<sup>\</sup>bigcirc = \textit{Non-stocked product}$ 

## JERITH INDUSTRIAL | 4-RAIL SINGLE SWING GATES

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN84 <u>⊗</u> <u>⊠</u> 36DB	6	49 lbs	$\otimes$
	4'	46-¾"	IN84 <u>⊗</u> <u>⊠</u> 48DB	8	56 lbs	0
	5'	58-¾"	IN84 <u>⊗</u> <u>⊠</u> 60DB	11	63 lbs	0
	6'	70-¾"	IN84 <u>⊗</u> <u>⊠</u> 72DB	13	70 lbs	$\otimes$
71	7'	82-¾"	IN84 <u>⊗</u> <u>⊠</u> 84DB	15	77 lbs	$\otimes$
// HEIGHT	8'	94-¾"	IN84 <u>⊗</u> <u>⊠</u> 96DB	16	84 lbs	$\otimes$
	9'	106-¾"	IN84 <u>⊗</u> <u>⊠</u> 108DB	18	91 lbs	$\otimes$
	10'	118-¾"	IN84 <u>⊗</u> <u>⊠</u> 120DB	22	98 lbs	$\otimes$
	11'	130-¾"	IN84 <u>⊗</u> <u>⊠</u> 132DB	24	105 lbs	$\Diamond$
	12'	142-¾"	IN84 <u>⊗</u> <u>⊠</u> 144DB	26	112 lbs	0
	3'	34-¾"	IN96 <u>⊗</u> <u>⊠</u> 36DB	6	56 lbs	0
	4'	46-¾"	IN96 <u>⊗</u> <u>⊠</u> 48DB	8	63 lbs	0
	5'	58-¾"	IN96 <u>⊗</u> <u>⊠</u> 60DB	11	70 lbs	0
	6'	70-¾"	IN96 <u>⊗</u> <u>⊠</u> 72DB	13	77 lbs	0
81	7'	82-¾"	IN96 <u>⊗</u> <u>⊠</u> 84DB	16	84 lbs	0
HEIGHT	8'	94-¾"	IN96 <u>⊗</u> <u>⊠</u> 96DB	16	91 lbs	0
	9'	106-¾"	IN96 <u>⊗</u> <u>⊠</u> 108DB	18	98 lbs	0
	10'	118-¾"	IN96 <u>⊗</u> <u>⊠</u> 120DB	22	105 lbs	0
	11'	130-¾"	IN96 <u>⊗</u> <u>⊠</u> 132DB	24	112 lbs	0
L,	12'	142-¾"	IN96 <u>⊗</u> <u>⊠</u> 144DB	26	119 lbs	0









NOTE: Double Drive Gates consist of two gate leafs.

Flat Top Gates over 72" have a diagonal brace rather than a V brace.



 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

 $<sup>\</sup>boxtimes$  = FENCE STYLES AVAILABLE |  $\underline{100}$  = #100  $\underline{101}$  = #101  $\underline{200}$  = #200  $\underline{202}$  = #202  $\underline{111}$  = #111

 $<sup>\</sup>bigcirc = NON-STOCKED PRODUCT$ 

## JERITH INDUSTRIAL | 4-RAIL SINGLE SWING GATES

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN84 <u>⊗</u> <u>⊠</u> 36	12	56 lbs	0
	4'	46-¾"	IN84 <u>⊗</u> <u>⊠</u> 48	16	63 lbs	0
<u> </u>	5'	58-¾"	IN84 <u>⊗</u> <u>⊠</u> 60	22	70 lbs	0
UFIQUE	6'	70-¾"	IN84 <u>⊗</u> <u>⊠</u> 72	26	77 lbs	0
HEIGHT	7'	82-¾"	IN84 <u>⊗</u> <u>⊠</u> 84	30	84 lbs	0
	8'	94-¾"	IN84 <u>⊗</u> <u>⊠</u> 96	32	91 lbs	<b>\Q</b>
L,	9'	106-¾"	IN84 <u>⊗</u> <u>⊠</u> 108	36	98 lbs	0
	3'	34-¾"	IN96 <u>⊗</u> <u>⊠</u> 36	12	64 lbs	0
	4'	46-¾"	IN96 <u>⊗</u> <u>⊠</u> 48	16	71 lbs	0
	5'	58-¾"	IN96 <u>⊗</u> <u>⊠</u> 60	22	78 lbs	<b>\Q</b>
81	6'	70-¾"	IN96 <u>⊗</u> <u>⊠</u> 72	26	85 lbs	0
HEIGHT	7'	82-¾"	IN96 <u>⊗</u> <u>⊠</u> 84	30	92 lbs	<b>\O</b>
	8'	94-¾"	IN96 <u>⊗</u> <u>⊠</u> 96	32	99 lbs	0
L,	9'	106-¾"	IN96 <u>⊗</u> <u>⊠</u> 108	36	106 lbs	0





 $\otimes = \textit{COLOR OPTIONS AVAILABLE} \mid B = \text{Black} \quad Z = \text{Bronze}$ 

 $\boxed{\boxtimes}$  = FENCE STYLES AVAILABLE |  $\underline{402}$  = #402  $\underline{401}$  = #401

 $\bigcirc = NON-STOCKED PRODUCT$ 

NOTE: Double Drive Gates consist of two gate leafs.


Flat Top Gates over 72" have a diagonal brace rather than a V brace.



# JERITH INDUSTRIAL | 4-RAIL SINGLE SWING GATES

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN84 <u>⊗</u> <u>⊠</u> 36DB	12	56 lbs	0
	4'	46-¾"	IN84 <u>⊗</u> <u>⊠</u> 48DB	16	63 lbs	0
<u></u>	5'	58-¾"	IN84 <u>⊗</u> <u>⊠</u> 60DB	22	70 lbs	0
7'	6'	70-¾"	IN84 <u>⊗</u> <u>⊠</u> 72DB	26	77 lbs	<b>\undersign</b>
HEIGHT	7'	82-¾"	IN84 <u>⊗</u> <u>⊠</u> 84DB	30	84 lbs	0
	8'	94-¾"	IN84 <u>⊗</u> <u>⊠</u> 96DB	32	91 lbs	0
L,	9'	106-¾"	IN84 <u>⊗</u> <u>⊠</u> 108DB	36	98 lbs	0
	3'	34-¾"	IN96 <u>⊗</u> <u>⊠</u> 36DB	12	64 lbs	0
	4'	46-¾"	IN96 <u>⊗</u> <u>⊠</u> 48DB	16	71 lbs	0
	5'	58-¾"	IN96 <u>⊗</u> <u>⊠</u> 60DB	22	78 lbs	<b>\Q</b>
81	6'	70-¾"	IN96 <u>⊗</u> <u>⊠</u> 72DB	26	85 lbs	0
HEIGHT	7'	82-¾"	IN96 <u>⊗</u> <u>⊠</u> 84DB	30	92 lbs	<b>\oldot</b>
	8'	94-¾"	IN96 <u>⊗</u> <u>⊠</u> 96DB	32	99 lbs	0
L	9'	106-¾"	IN96 <u>⊗</u> <u>⊠</u> 108DB	36	106 lbs	0



#401

 $\otimes = \textit{COLOR OPTIONS AVAILABLE} \mid B = \text{Black} \quad Z = \text{Bronze}$ 

 $\boxed{\boxtimes} = \textit{FENCE STYLES AVAILABLE} \mid \underline{\textbf{402}} = \#402 \quad \underline{\textbf{401}} = \#401$ 

 $\bigcirc = NON$ -Stocked Product


NOTE: Double Drive Gates consist of two gate leafs.

Flat Top Gates over 72" have a diagonal brace rather than a V brace.



### JERITH INDUSTRIAL | SINGLE SWING ARCH GATE SPECIFICATIONS

2" sq. x .125" wall GATE ENDS | 1-5/8" x 1-5/8" (.100" side/.070" top) RAILS | 1" sq. x .062" wall PICKETS






OPENING	LEAF WIDTH*	HC	LC	Ps
3'	34-¾"	1/2"	3/4"	36"
4'	46-¾"	1/2"	3/4"	48"
5'	58-¾"	1/2"	3/4"	60"
6'	70-¾"	1/2"	3/4"	72"

 $\mathbf{W} = \text{width}^* \mid \mathbf{HC} = \text{hinge clearance} \mid \mathbf{LC} = \text{latch clearance} \mid$ Ps = gate post spacing\*\* \*\* From inside to inside

Gate Hardware sold separately. See Gate Hardware section for specific details.



STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN36 <u>⊗</u> <u>⊠</u> 36AG	6	17 lbs	0
31	4'	46-¾"	IN36 <u>⊗</u> <u>⊠</u> 48AG	8	23 lbs	0
HEIGHT	5'	58-¾"	IN36 <u>⊗</u> <u>⊠</u> 60AG	11	29 lbs	0
	6'	70-¾"	IN36 <u>⊗</u> <u>⊠</u> 72AG	13	34 lbs	0
	3'	34-¾"	IN48 <u>⊗</u> <u>⊠</u> 36AG	6	21 lbs	0
4'	4'	46-¾"	IN48 <u>⊗</u> <u>⊠</u> 48AG	8	28 lbs	0
HEIGHT	5'	58-¾"	IN48 <u>⊗</u> <u>⊠</u> 60AG	11	33 lbs	0
L,	6'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 72AG	13	38 lbs	0
	3'	34-¾"	IN60 <u>⊗</u> <u>⊠</u> 36AG	6	25 lbs	0
5'	4'	46-¾"	IN60 <u>⊗</u> <u>⊠</u> 48AG	8	32 lbs	0
HEIGHT	5'	58-¾"	IN60 <u>⊗</u> <u>⊠</u> 60AG	11	37 lbs	<b>O</b>
L	6'	70-¾"	IN60 <u>⊗</u> <u>⊠</u> 72AG	13	42 lbs	0
	3'	34-¾"	IN72 <u>⊗</u> <u>⊠</u> 36AG	6	30 lbs	0
6'	4'	46-¾"	IN72 <u>⊗</u> <u>⊠</u> 48AG	8	37 lbs	0
HEIGHT	5'	58-¾"	IN72 <u>⊗</u> <u>⊠</u> 60AG	11	44 lbs	<b>\O</b>
L,	6'	70-¾"	IN72 <u>⊗</u> <u>⊠</u> 72AG	13	51 lbs	0







 $\underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \mathsf{Black} \quad \underline{Z} = \mathsf{Bronze}$ 

 $\boxtimes$  = FENCE STYLES AVAILABLE | 101 = #101 200 = #200 202 = #202 111 = #111

 $\bigcirc = NON$ -Stocked Product





DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN36 <u>⊗</u> <u>⊠</u> 36AGDB	6	17 lbs	0
3'	4'	46-¾"	IN36 <u>⊗</u> <u>⊠</u> 48AGDB	8	23 lbs	0
HEIGHT	5'	58-¾"	IN36 <u>⊗</u> ⊠60AGDB	11	29 lbs	0
L,	6'	70-¾"	IN36 <u>⊗</u> <u>⊠</u> 72AGDB	13	34 lbs	0
	3'	34-¾"	IN48 <u>⊗</u> <u>⊠</u> 36AGDB	6	21 lbs	0
יֹע	4'	46-¾"	IN48 <u>⊗</u> <u>⊠</u> 48AGDB	8	28 lbs	0
HEIGHT	5'	58-¾"	IN48 <u>⊗</u> <u>⊠</u> 60AGDB	11	33 lbs	0
L,	6'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 72AGDB	13	38 lbs	0
	3'	34-¾"	IN60 <u>⊗</u> ⊠36AGDB	6	25 lbs	0
5'	4'	46-¾"	IN60 <u>⊗</u> <u>⊠</u> 48AGDB	8	32 lbs	0
HEIGHT	5'	58-¾"	IN60 <u>⊗</u> ⊠60AGDB	11	37 lbs	0
L,	6'	70-¾"	IN60 <u>⊗</u> <u>⊠</u> 72AGDB	13	42 lbs	0
	3'	34-¾"	IN72 <u>⊗</u> ⊠36AGDB	6	30 lbs	0
6'	4'	46-¾"	IN72 <u>⊗</u> <u>⊠</u> 48AGDB	8	37 lbs	0
HEIGHT	5'	58-¾"	IN72 <u>⊗</u> <u>⊠</u> 60AGDB	11	44 lbs	0
	6'	70-¾"	IN72 <u>⊗</u> <u>⊠</u> 72AGDB	13	51 lbs	0









 $\underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \mathsf{Black} \quad \underline{Z} = \mathsf{Bronze}$ 

 $\boxtimes$  = FENCE STYLES AVAILABLE | 101 = #101 200 = #200 202 = #202 111 = #111


 $\bigcirc = NON$ -Stocked Product



NOTE: Double Drive Gates consist of two gate leafs

Jerilli ASSA ABIOY

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY









 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

 $<sup>\</sup>boxtimes$  = **FENCE STYLES AVAILABLE** | **402** = #402 **401** = #401

 $<sup>\</sup>bigcirc = NON-STOCKED PRODUCT$ 

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN48 <u>⊗</u> <u>⊠</u> 36AGDB	12	28 lbs	0
/i	4'	46-¾"	IN48 <u>⊗</u> <u>⊠</u> 48AGDB	16	35 lbs	0
HEIGHT	5'	58-¾"	IN48 <u>⊗</u> ⊠60AGDB	22	42 lbs	0
L,	6'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 72AGDB	26	45 lbs	0
	3'	34-¾"	IN60 <u>⊗</u> ⊠36AGDB	12	35 lbs	0
5'	4'	46-¾"	IN60 <u>⊗</u> <u>⊠</u> 48AGDB	16	42 lbs	0
HEIGHT	5'	58-¾"	IN60 <u>⊗</u> ⊠60AGDB	22	49 lbs	0
Щ	6'	70-¾"	IN60 <u>⊗</u> ⊠72AGDB	26	56 lbs	0







 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \mathsf{Black} \quad \underline{Z} = \mathsf{Bronze}$ 


 $<sup>\</sup>boxtimes$  = FENCE STYLES AVAILABLE |  $\underline{402}$  = #402  $\underline{401}$  = #401

 $<sup>\</sup>bigcirc = NON$ -Stocked product



### JERITH INDUSTRIAL | DOUBLE RAINBOW ARCH GATE SPECIFICATIONS

2" sq. x .125" wall GATE ENDS | 1-5/8" x 1-5/8" (.100" side/.070" top) RAILS | 1" sq. x .062" wall PICKETS



NOTE: Double Drive Gates consist of two gate leafs

LC

3/4"

34"

3/4"

3/4"


Pd

36"

48"


60"

72"




 $\mathbf{W} = \text{width}^* \mid \mathbf{HC} = \text{hinge clearance} \mid \mathbf{LC} = \text{latch clearance} \mid$ Pd = gate post spacing\*\* **INTERSPACES** \*\* From inside to inside


> Gate Hardware sold separately. See Gate Hardware section for specific details.




STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN36 <u>⊗</u> <u>⊠</u> 36AGR	6	17 lbs	0
31	4'	46-¾"	IN36 <u>⊗</u> <u>⊠</u> 48AGR	8	23 lbs	0
HEIGHT	5'	58-¾"	IN36 <u>⊗</u> <u>⊠</u> 60AGR	11	29 lbs	0
L,	6'	70-¾"	IN36 <u>⊗</u> <u>⊠</u> 72AGR	13	34 lbs	0
	3'	34-¾"	IN48 <u>⊗</u> <u>⊠</u> 36AGR	6	21 lbs	0
۱ ا	4'	46-¾"	IN48 <u>⊗</u> <u>⊠</u> 48AGR	8	28 lbs	0
HEIGHT	5'	58-¾"	IN48 <u>⊗</u> <u>⊠</u> 60AGR	11	33 lbs	$\otimes$
	6'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 72AGR	13	38 lbs	$\otimes$
	3'	34-¾"	IN60 <u>⊗</u> <u>⊠</u> 36AGR	6	25 lbs	0
5'	4'	46-¾"	IN60 <u>⊗</u> <u>⊠</u> 48AGR	8	32 lbs	0
HEIGHT	5'	58-¾"	IN60 <u>⊗</u> <u>⊠</u> 60AGR	11	37 lbs	$\otimes$
L,	6'	70-¾"	IN60 <u>⊗</u> <u>⊠</u> 72AGR	13	42 lbs	0
	3'	34-¾"	IN72 <u>⊗</u> <u>⊠</u> 36AGR	6	30 lbs	<b>⊗</b>
6'	4'	46-¾"	IN72 <u>⊗</u> <u>⊠</u> 48AGR	8	37 lbs	0
HEIGHT	5'	58-¾"	IN72 <u>⊗</u> <u>⊠</u> 60AGR	11	44 lbs	$\otimes$
L	6'	70-¾"	IN72 <u>⊗</u> <u>⊠</u> 72AGR	13	51 lbs	0












 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \mathsf{Black} \quad \underline{Z} = \mathsf{Bronze}$ 


 $<sup>\</sup>boxtimes$  = FENCE STYLES AVAILABLE | 101 = #101 200 = #200 202 = #202 111 = #111


 $<sup>\</sup>bigcirc = NON$ -Stocked Product


DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3'	34-¾"	IN36 <u>⊗</u> ⊠36AGRDB	6	17 lbs	$\Diamond$
31	4'	46-¾"	IN36 <u>⊗</u> <u>⊠</u> 48AGRDB	8	23 lbs	<b>\O</b>
HEIGHT	5'	58-¾"	IN36 <u>⊗</u> <u>⊠</u> 60AGRDB	11	29 lbs	$\Diamond$
	6'	70-¾"	IN36 <u>⊗</u> <u>⊠</u> 72AGRDB	13	34 lbs	0
	3'	34-¾"	IN48 <u>⊗</u> <u>⊠</u> 36AGRDB	6	21 lbs	0
4'	4'	46-¾"	IN48 <u>⊗</u> <u>⊠</u> 48AGRDB	8	28 lbs	0
HEIGHT	5'	58-¾"	IN48 <u>⊗</u> <u>⊠</u> 60AGRDB	11	33 lbs	0
	6'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 72AGRDB	13	38 lbs	0
	3'	34-¾"	IN60 <u>⊗</u> <u>⊠</u> 36AGRDB	6	25 lbs	<b>\omega</b>
5'	4'	46-¾"	IN60 <u>⊗</u> <u>⊠</u> 48AGRDB	8	32 lbs	0
HEIGHT	5'	58-¾"	IN60 <u>⊗</u> <u>⊠</u> 60AGRDB	11	37 lbs	0
L	6'	70-¾"	IN60 <u>⊗</u> <u>⊠</u> 72AGRDB	13	42 lbs	0
	3'	34-¾"	IN72 <u>⊗</u> <u>⊠</u> 36AGRDB	6	30 lbs	0
6'	4'	46-¾"	IN72 <u>⊗</u> <u>⊠</u> 48AGRDB	8	37 lbs	0
HEIGHT	5'	58-¾"	IN72 <u>⊗</u> <u>⊠</u> 60AGRDB	11	44 lbs	<b>⊗</b>
L,	6'	70-¾"	IN72 <u>⊗</u> ⊠72AGRDB	13	51 lbs	0










NOTE: Double Drive Gates consist of two gate leafs


Jerilli ASSA ABLOY


 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

 $<sup>\</sup>bigcirc = NON$ -Stocked Product

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY









 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 


**<sup>⋈</sup>** = **FENCE STYLES AVAILABLE** | **402** = #402 **401** = #401


 $<sup>\</sup>bigcirc = NON-STOCKED PRODUCT$ 

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY



OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
3'	34-¾"	IN48 <u>⊗</u> <u>⊠</u> 36AGDB	12	28 lbs	0
4'	46-¾"	IN48 <u>⊗</u> <u>⊠</u> 48AGDB	16	35 lbs	0
5'	58-¾"	IN48 <u>⊗</u> <u>⊠</u> 60AGDB	22	42 lbs	0
6'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 72AGDB	26	45 lbs	0
3'	34-¾"	IN60 <u>⊗</u> ⊠36AGDB	12	35 lbs	0
4'	46-¾"	IN60 <u>⊗</u> <u>⊠</u> 48AGDB	16	42 lbs	0
5'	58-¾"	IN60 <u>⊗</u> <u>⊠</u> 60AGDB	22	49 lbs	0
6'	70-¾"	IN60 <u>⊗</u> <u>⊠</u> 72AGDB	26	56 lbs	0





 $\underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \ | \ \underline{B} = \mathsf{Black} \ \ \underline{Z} = \mathsf{Bronze}$ 

 $\boxed{\square}$  = FENCE STYLES AVAILABLE |  $\underline{402}$  = #402  $\underline{401}$  = #401


 $\bigcirc = NON$ -Stocked product





### JERITH INDUSTRIAL | ARCHED ESTATE GATE SPECIFICATIONS

2" sq. x .125" wall GATE ENDS | 1-5/8" x 1-5/8" (.100" side/.070" top) RAILS | 1" sq. x .062" wall PICKETS



NOTE: Double Drive Gates consist of two gate leafs


**ARCHED ESTATE GATE** HARDWARE & POST **INTERSPACES** 

OPENING	LEAF WIDTH*	HC	LC	$P_d$
12'	70-¾"	1/2"	3/4"	72"
14'	82-¾"	1/2"	3/4"	84"
16'	94-¾"	1/2"	3/4"	96"
18'	106-¾"	1/2"	3/4"	108"
20'	118-¾"	1/2"	3/4"	120"

 $\mathbf{W} = \text{width}^* \mid \mathbf{HC} = \text{hinge clearance} \mid \mathbf{LC} = \text{latch clearance} \mid$ Pd = gate post spacing\*\*

\*\* From inside to inside

Gate Hardware sold separately. See Gate Hardware section for specific details.




### JERITH INDUSTRIAL | 3-RAIL ARCHED ESTATE GATES

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	12'	70-¾"	IN36 <u>⊗</u> <u>⊠</u> 12EG	26	68 lbs	0
01.41	14'	82-¾"	IN36 <u>⊗</u> <u>⊠</u> 14EG	30	80 lbs	0
3'-4'	16'	94-¾"	IN36 <u>⊗</u> <u>⊠</u> 16EG	32	92 lbs	$\otimes$
	18'	106-¾"	IN36 <u>⊗</u> <u>⊠</u> 18EG	36	104 lbs	$\otimes$
L	20'	118-¾"	IN36 <u>⊗</u> <u>⊠</u> 20EG	44	116 lbs	0
	12'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 12EG	26	90 lbs	<b>\O</b>
	14'	82-¾"	IN48 <u>⊗</u> <u>⊠</u> 14EG	30	102 lbs	0
4'-5'	16'	94-¾"	IN48 <u>⊗</u> <u>⊠</u> 16EG	32	114 lbs	<b>\O</b>
HEIGHT	18'	106-¾"	IN48 <u>⊗</u> <u>⊠</u> 18EG	36	126 lbs	$\otimes$
L	20'	118-¾"	IN48 <u>⊗</u> <u>⊠</u> 20EG	44	138 lbs	$\otimes$
	12'	70-¾"	IN60 <u>⊗</u> <u>⊠</u> 12EG	26	114 lbs	0
	14'	82-¾"	IN60 <u>⊗</u> <u>⊠</u> 14EG	30	128 lbs	<b>⊗</b>
5'-6'	16'	94-¾"	IN60 <u>⊗</u> <u>⊠</u> 16EG	32	142 lbs	0
	18'	106-¾"	IN60 <u>⊗</u> <u>⊠</u> 18EG	36	156 lbs	0
L,	20'	118-¾"	IN60 <u>⊗</u> <u>⊠</u> 20EG	44	170 lbs	0
	12'	70-¾"	IN72 <u>⊗</u> <u>⊠</u> 12EG	26	140 lbs	0
01 71	14'	82-¾"	IN72 <u>⊗</u> <u>⊠</u> 14EG	30	154 lbs	0
PEIGHT	16'	94-¾"	IN72 <u>⊗</u> <u>⊠</u> 16EG	32	168 lbs	0
	18'	106-¾"	IN72 <u>⊗</u> <u>⊠</u> 18EG	36	182 lbs	0
	20'	118-¾"	IN72 <u>⊗</u> <u>⊠</u> 20EG	44	196 lbs	0

#101







 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{\textbf{B}} = \mathsf{Black} \quad \underline{\textbf{Z}} = \mathsf{Bronze}$ 


 $<sup>\</sup>boxtimes$  = FENCE STYLES AVAILABLE | 101 = #101 202 = #202 111 = #111

**<sup>○</sup>** = *NON-STOCKED PRODUCT* 

# JERITH INDUSTRIAL | 3-RAIL ARCHED ESTATE GATES

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	12'	70-¾"	IN36 <u>⊗</u> <u>⊠</u> 12EGDB	26	68 lbs	$\otimes$
01.41	14'	82-¾"	IN36 <u>⊗</u> <u>⊠</u> 14EGDB	30	80 lbs	0
3'-4'	16'	94-¾"	IN36 <u>⊗</u> ⊠16EGDB	32	92 lbs	$\otimes$
	18'	106-¾"	IN36 <u>⊗</u> <u>⊠</u> 18EGDB	36	104 lbs	<b>\omega</b>
L,	20'	118-¾"	IN36 <u>⊗</u> <u>⊠</u> 20EGDB	44	116 lbs	0
	12'	70-¾"	IN48 <u>⊗</u> <u>⊠</u> 12EGDB	26	90 lbs	0
	14'	82-¾"	IN48 <u>⊗</u> <u>⊠</u> 14EGDB	30	102 lbs	$\otimes$
4'-5'	16'	94-¾"	IN48 <u>⊗</u> <u>⊠</u> 16EGDB	32	114 lbs	$\otimes$
HEIGHT	18'	106-¾"	IN48 <u>⊗</u> <u>⊠</u> 18EGDB	36	126 lbs	$\otimes$
L,	20'	118-¾"	IN48 <u>⊗</u> <u>⊠</u> 20EGDB	44	138 lbs	<b>⊗</b>
	12'	70-¾"	IN60 <u>⊗</u> <u>⊠</u> 12EGDB	26	114 lbs	0
	14'	82-¾"	IN60 <u>⊗</u> <u>⊠</u> 14EGDB	30	128 lbs	0
5'-6'	16'	94-¾"	IN60 <u>⊗</u> ⊠16EGDB	32	142 lbs	0
	18'	106-¾"	IN60 <u>⊗</u> <u>⊠</u> 18EGDB	36	156 lbs	0
L	20'	118-¾"	IN60 <u>⊗</u> <u>⊠</u> 20EGDB	44	170 lbs	0
	12'	70-¾"	IN72 <u>⊗</u> <u>⊠</u> 12EGDB	26	140 lbs	0
01.71	14'	82-¾"	IN72 <u>⊗</u> <u>⊠</u> 14EGDB	30	154 lbs	0
6'-7'	16'	94-¾"	IN72 <u>⊗</u> <u>⊠</u> 16EGDB	32	168 lbs	0
	18'	106-¾"	IN72 <u>⊗</u> <u>⊠</u> 18EGDB	36	182 lbs	0
	20'	118-¾"	IN72 <u>⊗</u> <u>⊠</u> 20EGDB	44	196 lbs	0







NOTE: Double Drive Gates consist of two gate leafs

Jerilli ASSA ABLOY

 $<sup>\</sup>underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black} \quad \underline{Z} = \text{Bronze}$ 

 $<sup>\</sup>boxtimes$  = FENCE STYLES AVAILABLE | 101 = #101 202 = #202 111 = #111

<sup>○ =</sup> NON-STOCKED PRODUCT

# JERITH INDUSTRIAL | GATE HARDWARE



S	ELF CLOSING HINGE		
	Aluminum		

HINGE CLEARANCE	ITEM NUMBER	BOX QTY	WEIGHT
1/2"	RS <u>⊗</u> HIN	50	.75 lbs



INDUSTRIAL HINGE	
muL	
Δluminum	

1/2" IN <u>⊗</u> HIN 2U 2 Ibs	1/2"	IN <u>⊗</u> HIN	20	2 lbs
-------------------------------	------	-----------------	----	-------

DROP ROD KIT	
Aluminum	

LENGTH	ITEM NUMBER	QTY	WEIGHT
24"	<u>⊗</u> DRKS	1	2 lbs
48"	<u>⊗</u> DRKL	1	2.25 lbs

 $\underline{\otimes} = \textit{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \mathsf{Black} \quad \underline{Z} = \mathsf{Bronze}$ 

# JERITH INDUSTRIAL | D & D GATE HARDWARE



D & D TRU CLOSE					
HINGE					

Aluminum

HINGE CLEARANCE	ITEM NUMBER	COLOR	QTY	WEIGHT
13/16"	BTCRHIN	BLACK	1	.75 lbs

With 2 legs and screws



# JERITH INDUSTRIAL | D & D GATE HARDWARE



D & D ADJUSTABLE TRU CLOSE HINGE Aluminum

LATCH CLEARANCE	ITEM NUMBER	COLOR	QTY	WEIGHT
ADJUSTABLE 7/8" - 2"	BTCAHIN	BLACK	1	1.2 lbs



D & D MAGNA LATCH VERTICAL PULL (SHORT)

ADJUSTIBLE	BMLS	BLACK	1	1.8 lbs



D & D MAGNA LATCH TOP PULL

ADJUSTABLE	BML	BLACK	1	2 lbs
------------	-----	-------	---	-------



D & D MAGNA LATCH WITH ALERT

ADJUSTABLE	BMLA	BLACK	1	2.02 lbs
------------	------	-------	---	----------



D & D LOKKLATCH **MAGNETIC** 

3/4"	BLLM	BLACK	1	2 lbs



D & D LOKKLA WITH EXTERNAL **ACCESS** 

TCH	1/2"	BLLAAB	BLACK	1	.68 lbs



D & D DROP ROD KIT

LENGTH	ITEM NUMBER	COLOR	QTY	WEIGHT
24"	BQB24	BLACK	1	.68 lbs

ASSA ABLOY