

Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50710003-002



CannaCure NY INC.

License #: OCM-PROC-24-000134

2625

Flushing, NY, 11354, US

SAFETY RESULTS



Pesticides **PASSED**

Heavy Metals

leavy Metals
PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Solvents
NOT TESTED



Filth PASSED



D PASSED



Moisture PASSED



Classification: Unknown Type: Flower - Cured

> Production Method: Cured Batch#: 2673107059473673 Sample Size Received: 8 units Total Amount: 765 units

Retail Product Size: 3.5 gram **Retail Serving Size:** 3.5 gram

Servings: 1

Sampled: 07/10/25 10:45 AM Sampling Start: 10:45 AM Sampling End: 11:10 AM Revision Date: 07/24/25

Sampling Method: SOP.T.20.010.NY

PASSED

Pages 1 of 5

MISC.



Terpenes **PASSED**

PASSED



Cannabinoid

Total THC

Total THC/Container: 1027.9676 m



Total CBD
<0.1000
Total CBD/Container: 0.0000 mg



Total Cannabinoids
33.5111%
Total Cannabinoids/Container:

| | | | | | | | | | | | | П | |
|---------|---------------------|---------------------|---------|---------|---------|---------|---------|---------|--------|---------|--------|----------|---------|
| | (6AR,9R) D10-THC | (6AR,9S) D10-THC | СВС | CBD | CBDA | CBDV | CBG | D8-THC | CBGA | CBN | D9-THC | THCA | THCV |
| % | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | <0.1000 | 0.2415 | <0.1000 | 1.5699 | 31.6997 | <0.1000 |
| mg/unit | <3.500 | <3.500 | <3.500 | <3.500 | <3.500 | <3.500 | <3.500 | <3.500 | 8.453 | <3.500 | 54.947 | 1109.490 | <3.500 |
| LOQ | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 | 0.1000 |
| | % | % | % | % | % | % | % | % | % | % | % | % | % |

Weight:

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date: 07/13/25 10:23:00

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pbp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Revision: #1 - Report has been revised to include remediated microresults (run as AL50718014-006). Remediation results supersede and overwrite initial microbial results.

Signature 07/16/25





Certificate of Analysis

PASSED

Flushing, NY, 11354, US Telephone: (917) 681-3253 Fmail: ANDYWU910@GMAIL COM **License # :** OCM-PROC-24-000134 Sample : AL50710003-002

Batch#:2673107059473673 Sampled: 07/10/25 10:45 AM Total Amount: 765 units

Sample Size Received: 8 units Sampling Method: SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

| Terpenes | LOQ (%) | Pass/Fail | mg/unit | Result (%) | Terpenes | LOQ (%) | Pass/Fail | mg/unit | Result (%) |
|--------------------|---------|-----------|---------|------------|--|---------|-----------|---------|------------|
| LIMONENE | 0.00 | PASS | 25.550 | 0.7300 | Weight: | ((,-, | | J | (, |
| BETA-CARYOPHYLLENE | 0.00 | PASS | 20.650 | 0.5900 | 0.9505g | | | | |
| INALOOL | 0.00 | PASS | 10.850 | 0.3100 | Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY | | | | |
| LPHA-HUMULENE | 0.00 | PASS | 6.300 | 0.1800 | Analyzed Date : 07/11/25 11:13:07 | | | | |
| ETA-PINENE | 0.00 | PASS | 4.550 | 0.1300 | | | | | |
| LPHA TERPINEOL | 0.00 | PASS | 3.850 | 0.1100 | | | | | |
| ENCHYL ALCOHOL | 0.00 | PASS | 3.500 | 0.1000 | | | | | |
| LPHA-PINENE | 0.00 | PASS | 3.150 | 0.0900 | | | | | |
| ETA-MYRCENE | 0.00 | PASS | 2.800 | 0.0800 | | | | | |
| CIMENE | 0.00 | PASS | 1.750 | 0.0500 | | | | | |
| AMPHENE | 0.00 | PASS | 0.700 | 0.0200 | | | | | |
| ALENCENE | 0.00 | PASS | 0.700 | 0.0200 | | | | | |
| ARYOPHYLLENE OXIDE | 0.00 | PASS | < 0.140 | < 0.0040 | | | | | |
| ARNESENE | 0.10 | PASS | <3.500 | < 0.1000 | | | | | |
| ERANIOL | 0.00 | PASS | < 0.140 | < 0.0040 | | | | | |
| ERPINOLENE | 0.00 | PASS | < 0.140 | < 0.0040 | | | | | |
| UAIOL | 0.00 | PASS | < 0.140 | < 0.0040 | | | | | |
| ENTHOL | 0.00 | PASS | < 0.140 | < 0.0040 | | | | | |
| LPHA-BISABOLOL | 0.00 | PASS | < 0.140 | < 0.0040 | | | | | |
| LPHA-PHELLANDRENE | 0.00 | PASS | < 0.140 | < 0.0040 | | | | | |
| ALPHA-TERPINENE | 0.00 | PASS | < 0.140 | < 0.0040 | | | | | |

Total (%)

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 07/16/25





Certificate of Analysis

PASSED

Flushing, NY, 11354, US Telephone: (917) 681-3253 Fmail: ANDYWU910@GMAIL COM **License # :** OCM-PROC-24-000134 Batch#:2673107059473673

Sampled: 07/10/25 10:45 AM Total Amount: 765 units

Sample Size Received: 8 units Sampling Method: SOP.T.20.010.NY

Page 3 of 5



Pesticides

| PASS | ED |
|-------------|----|
|-------------|----|

| Pesticide | LOQ 0.1000 | Units ppm | Action Level | Pass/Fail | Result |
|---------------------------------|---------------|--------------|--------------|-----------|---------|
| ACEQUINOCYL PRALLETHRIN | 0.1000 | ppm | 0.2 | PASS | <0.100 |
| PYRETHRINS. TOTAL | 0.1000 | ppm | 1 | PASS | < 0.100 |
| AZADIRACHTIN | 0.1000 | ppm | 1 | PASS | < 0.100 |
| INDOLE-3-BUTYRIC ACID | 0.1000 | ppm | 1 | PASS | < 0.100 |
| | 0.1000 | | 0.2 | PASS | < 0.100 |
| MYCLOBUTANIL PIPERONYL BUTOXIDE | 0.1000 | ppm | 2 | PASS | <0.100 |
| ABAMECTIN B1A | 0.1000 | | 0.5 | PASS | <0.100 |
| | | ppm | | PASS | |
| ACEPHATE | 0.1000 | ppm | 0.4 | | < 0.100 |
| ACETAMIPRID | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| ALDICARB | 0.1000 | ppm | 0.4 | PASS | < 0.100 |
| AZOXYSTROBIN | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| CHLORMEQUAT CHLORIDE | 0.1000 | ppm | 1 | PASS | < 0.100 |
| BIFENAZATE | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| BIFENTHRIN | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| CARBARYL | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| COUMAPHOS | 0.1000 | ppm | 1 | PASS | < 0.100 |
| CHLORPYRIFOS | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| CARBOFURAN | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| DAMINOZIDE | 0.1000 | ppm | 1 | PASS | < 0.100 |
| BOSCALID | 0.1000 | ppm | 0.4 | PASS | < 0.100 |
| DIAZINON | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| CLOFENTEZINE | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| CHLORANTRANILIPROLE | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| DICHLORVOS | 0.1000 | ppm | 1 | PASS | < 0.100 |
| DIMETHOATE | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| DIMETHOMORPH | 0.1000 | ppm | 1 | PASS | < 0.100 |
| ETHOPROPHOS | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| ETOFENPROX | 0.1000 | ppm | 0.4 | PASS | < 0.100 |
| ETOXAZOLE | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| FENHEXAMID | 0.1000 | ppm | 1 | PASS | < 0.100 |
| FENOXYCARB | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| FENPYROXIMATE | 0.1000 | ppm | 0.4 | PASS | < 0.100 |
| FIPRONIL | 0.1000 | ppm | 0.4 | PASS | < 0.100 |
| FLONICAMID | 0.1000 | ppm | 1 | PASS | < 0.100 |
| FLUDIOXONIL | 0.1000 | ppm | 0.4 | PASS | < 0.100 |
| HEXYTHIAZOX | 0.1000 | ppm | 1 | PASS | < 0.100 |
| IMAZALIL | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| IMIDACLOPRID | 0.1000 | ppm | 0.4 | PASS | < 0.100 |
| KRESOXIM METHYL | 0.1000 | ppm | 0.4 | PASS | < 0.100 |
| MALATHION | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| METALAXYL | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| METHIOCARB | 0.1000 | ppm | 0.2 | PASS | < 0.100 |
| METHOMYL | 0.1000 | ppm | 0.4 | PASS | < 0.100 |
| MEVINPHOS | 0.1000 | ppm | 1 | PASS | < 0.100 |
| NALED | 0.1000 | ppm | 0.5 | PASS | < 0.100 |
| | | | | | |

| Pesticide | LOQ | Units | Action Level | Pass/Fail | Result |
|---------------------------|--------|-------|--------------|-----------|----------|
| OXAMYL | 0.1000 | ppm | 1 | PASS | < 0.1000 |
| PACLOBUTRAZOL | 0.1000 | ppm | 0.4 | PASS | < 0.1000 |
| PERMETHRIN | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| PHOSMET | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| PROPICONAZOLE | 0.1000 | ppm | 0.4 | PASS | < 0.1000 |
| PROPOXUR | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| PYRIDABEN | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| SPINETORAM, TOTAL | 0.1000 | ppm | 1 | PASS | < 0.1000 |
| SPINOSAD, TOTAL | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| SPIROMESIFEN | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| SPIROTETRAMAT | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| SPIROXAMINE | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| TEBUCONAZOLE | 0.1000 | ppm | 0.4 | PASS | < 0.1000 |
| THIACLOPRID | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| THIAMETHOXAM | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| TRIFLOXYSTROBIN | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| CAPTAN * | 0.1000 | ppm | 1 | PASS | < 0.1000 |
| CHLORDANE * | 0.1000 | ppm | 1 | PASS | < 0.1000 |
| CHLORFENAPYR * | 0.1000 | ppm | 1 | PASS | < 0.1000 |
| CYFLUTHRIN * | 0.1000 | ppm | 1 | PASS | < 0.1000 |
| CYPERMETHRIN * | 0.1000 | ppm | 1 | PASS | < 0.1000 |
| METHYL PARATHION * | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| MGK-264 * | 0.1000 | ppm | 0.2 | PASS | < 0.1000 |
| PENTACHLORONITROBENZENE * | 0.1000 | ppm | 1 | PASS | < 0.1000 |

Weight: 0.9975g
Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY analyzed Date : 07/15/25 15:05:38

Analysis Method : SOP.T.40.154.NY
Analyzed Date : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Billion, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Revision: #1 - Report has been revised to include remediated micro results (run as AL50718014-006). Remediation results supersede and overwrite initial microbial results.





Certificate of Analysis

PASSED

Flushing, NY, 11354, US Telephone: (917) 681-3253 Fmail: ANDYWU910@GMAIL COM **License # :** OCM-PROC-24-000134 Sample : AL50710003-002

Batch#:2673107059473673 Sampled: 07/10/25 10:45 AM Total Amount: 765 units

Sampling Method: SOP.T.20.010.NY

Page 4 of 5

Units

0.0100 ppm

0.0100 ppm

0.0100 ppm

0.0100 ppm

0.0100 ppm

0.0100 ppm

LOO



Microbial

PASSED



AFLATOXIN G2

AFLATOXIN G1

AFLATOXIN B2

AFLATOXIN B1

OCHRATOXIN A+

TOTAL AFLATOXINS (B1, B2, G1, G2)

 $\textbf{Analyzed Date:}\ 07/15/25\ 15{:}05{:}06$

Analysis Method: SOP.T.30.104.NY, SOP.T.40.104.NY

Analyte

Mycotoxins

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

0.02

Result Pass /

<0.0100 PASS

<0.0100 PASS

<0.0100 PASS

<0.0100 PASS

<0.0100 PASS

<0.0100 PASS

Fail

| Analyte | LOQ | Units | Result | Pass / Fail | Action Level |
|----------------------------------|-----|-------|-------------|----------------|-----------------|
| TOTAL AEROBIC BACTERIA | 100 | CFU/g | <100 | TESTED | |
| TOTAL YEAST AND MOLD | 100 | CFU/g | <100 | TESTED | |
| ESCHERICHIA COLI SHIGELLA SPP | 1 | | Not Present | PASS | |
| SALMONELLA SPECIES | 1 | | Not Present | PASS | |
| ASPERGILLUS TERREUS | 1 | | Not Present | PASS | |
| ASPERGILLUS NIGER | 1 | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | 1 | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | 1 | | Not Present | PASS | |
| | | | | | |

Weight:

Revision: #1

Analysis Method: SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY Analyzed Date: 07/24/25 11:40:36



Heavy Metals

PASSED

| Metal | LOQ | Units | Result | Pass / Fail | Action Level |
|----------|--------|-------|----------|----------------|-----------------|
| ANTIMONY | 0.1000 | ug/g | < 0.1000 | PASS | 2 |
| ARSENIC | 0.1000 | ug/g | < 0.1000 | PASS | 0.2 |
| CADMIUM | 0.1000 | ug/g | < 0.1000 | PASS | 0.2 |
| CHROMIUM | 1.0000 | ug/g | <1.0000 | PASS | 110 |
| COPPER | 1.0000 | ug/g | 14.1767 | PASS | 30 |
| LEAD | 0.1000 | ug/g | < 0.1000 | PASS | 0.5 |
| MERCURY | 0.0100 | ug/g | < 0.0100 | PASS | 0.1 |
| NICKEL | 0.1000 | ug/g | 2.4366 | PASS | 5 |

Weight: 0.5311g

Analysis Method: SOP.T.30.084.NY, SOP.T.40.084.NY

Analyzed Date: 07/11/25 09:58:55

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 07/16/25

Revision: #1 - Report has been revised to include remediated micro results (run as AL50718014-006). Remediation results supersede and overwrite initial microbial results.





Certificate of Analysis

PASSED

Flushing, NY, 11354, US Telephone: (917) 681-3253 Fmail: ANDYWU910@GMAIL COM **License # :** OCM-PROC-24-000134

Batch#:2673107059473673 Sampled: 07/10/25 10:45 AM Total Amount: 765 units

Sample Size Received: 8 units Sampling Method: SOP.T.20.010.NY

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

PASSED

| Analyte Stems (>3mm) | LOQ 1.00 | Units % | Result ND | P/F PASS | Action Level 5 | Analyte Moisture Content | LOQ 1.0 | Units % | Result 9.0 | P/F PASS | Action Level |
|-------------------------|-----------------|------------|---------------------|-------------|----------------|--------------------------------|----------------|------------|---------------|-------------|--------------|
| Foreign Matter | 0.10 | % | ND | PASS | 2 | Weight: | | | | | |
| Mammalian excreta | 0.10 | mg | ND | PASS | 1 | 1.134g | | | | | |
| Majahh | | | | | | Analysis Method : SOP T 40 021 | | | | | |

Weight: 10.7747g **Analyzed Date :** 07/10/25 13:10:59

Analysis Method: SOP.T.40.090 Analyzed Date: 07/10/25 11:06:39



Revision: #1

Water Activity

PASSED

| Analyte Water Activity | LOQ 0.10 | Units aw | Result 0.50 | P/F PASS | Action Level 0.65 |
|---------------------------|-----------------|--------------------|----------------|-------------|----------------------|
| Weight: 0.52g | | | | | |
| | | | | | |

Analysis Method: SOP.T.40.019 Analyzed Date: 07/10/25 14:32:17

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOQ) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 07/16/25

Revision: #1 - Report has been revised to include remediated micro results (run as AL50718014-006). Remediation results supersede and overwrite initial microbial results.