

1 Winners Circle Albany, NY, 12205, US (833) 465-8378

### Kaycha Labs

SUPER HAZE NOIZEY 4G JAR -Matrix: Flower

Classification: Sativa



Type: Flower - Cured

**Production Method:** Cured Harvest/Lot ID: NA

Batch#: 6263 1678 5727 2399 Sample Size Received: 13 units

Total Amount: 3200 units Retail Product Size: 4.0 gram Retail Serving Size: 1 gram

Servings: 4

Sampled: 06/27/25 03:00 PM Sampling Start: 03:00 PM Sampling End: 03:30 PM Revision Date: 07/11/25

Sampling Method: SOP.T.20.010.NY

# **Certificate of Analysis**

#### FOR COMPLIANCE

Laboratory Sample ID: AL50627004-001



CannaCure NY INC.

License #: OCM-PROC-24-000134

2625

Flushing, NY, 11354, US

## **PASSED**

### Pages 1 of 2

**SAFETY RESULTS** 



**Pesticides PASSED** 



**Heavy Metals PASSED** 



PASSED



Mycotoxins **PASSED** 



Residuals Solvents **NOT TESTED** 



PASSED



Water Activity PASSED



Moisture PASSED



**Terpenes PASSED** 

**PASSED** 



#### Cannabinoid

**Total THC** 



**Total CBD** Total CBD/Container: 0.0000 mg



**Total Cannabinoids** Total Cannabinoids/Container: 1319.4919 mg

												П	
0.4	(6AR,9R) D10-THC <0.1000	(6AR,9S) D10-THC <0.1000	CBC < 0.1000	CBD <0.1000	CBDA < 0.1000	CBDV <0.1000	св <b>с</b> 0.1577	D8-THC <0.1000	CBGA 0.8199	CBN <0.1000	рэ-тнс 4.6814	THCA 27.3281	тнсv <0.1000
%													
mg/unit	<4.000	<4.000	<4.000	<4.000	<4.000	<4.000	6.308	<4.000	32.796	<4.000	187.256	1093.124	<4.000
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
	%	%	%	%	%	%	%	%	%	%	%	%	%

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY Analyzed Date: 06/30/25 17:27:21

Label Claim **PASSED** 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, pbp=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 07/03/25

Revision: #1 - Report revised to



1 Winners Circle Albany, NY, 12205, US (833) 465-8378



# **Certificate of Analysis**

**PASSED** 

CannaCure NY INC.

2625 Flushing, NY, 11354, US Telephone: (917) 681-3253 Email: ANDYWU910@GMAIL.COM License #: OCM-PROC-24-000134 Sample : AL50627004-001 Harvest/Lot ID: NA

**Batch#**: 6263 1678 5727 2399 **Sampled**: 06/27/25 03:00 PM

Sample Size Received: 13 units
Total Amount: 3200 units
Sampling Method: SOP.T.20.010.NY

Page 2 of 2



#### **Terpenes**

**PASSED** 

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes		LOQ (%)	Pass/Fail	mg/unit	Result (%)
ERPINOLENE	0.00	PASS	53.600	1.3400	Weight:					
IMONENE	0.00	PASS	19.200	0.4800	1.0243g					
ETA-CARYOPHYLLENE	0.00	PASS	15.200	0.3800		SOP.T.30.064.NY, SOP.T.40.064.NY				
ETA-MYRCENE	0.00	PASS	11.200	0.2800	Analyzed Date : 0	7/03/25 08:41:25				
CIMENE	0.00	PASS	10.000	0.2500						
ETA-PINENE	0.00	PASS	6.400	0.1600						
LPHA-HUMULENE	0.00	PASS	4.800	0.1200						
LPHA-PINENE	0.00	PASS	4.000	0.1000						
LPHA TERPINEOL	0.00	PASS	3.200	0.0800						
LPHA-BISABOLOL	0.00	PASS	2.800	0.0700						
ENCHYL ALCOHOL	0.00	PASS	2.400	0.0600						
PHA-PHELLANDRENE	0.00	PASS	2.000	0.0500						
PHA-TERPINENE	0.00	PASS	2.000	0.0500						
AMPHENE	0.00	PASS	0.400	0.0100						
ARYOPHYLLENE OXIDE	0.00	PASS	0.400	0.0100						
ALENCENE	0.00	PASS	0.400	0.0100						
ARNESENE	0.10	PASS	<4.000	< 0.1000						
NALOOL	0.00	PASS	< 0.160	< 0.0040						
ENTHOL	0.00	PASS	< 0.160	< 0.0040						
ERANIOL	0.00	PASS	< 0.160	< 0.0040						
GUAIOL	0.00	PASS	< 0.160	< 0.0040						

Total (%) 3.45

Lab Director

NY Permit # OCM-CPL-2022-00006 ISO 17025 Accreditation # 97164



Signature 07/03/25 **Revision:** #1 - Report revised to update sample name and batch id.