



Certificate of Analysis

FOR COMPLIANCE

Laboratory Sample ID: AL50520009-003


Production Method: Other Hydrocarbon

Batch#: 5575 2805 1368 9741

Sample Size Received: 7 gram

Total Amount: 2000 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Sampled: 05/20/25 12:00 PM

Sampling Start: 12:00 PM

Sampling End: 11:35 AM

Sampling Method: SOP.T.20.010.NY

CannaCure NY INC.

License # : OCM-PROC-24-000134

2625

Flushing, NY, 11354, US

PASSED

Pages 1 of 5

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
NOT TESTED

Water Activity
NOT TESTED

Moisture
NOT TESTED
MISC.

Terpenes
PASSED


Cannabinoid

PASSED

Total THC
69.3447%

Total THC/Container : 693.4470 mg


Total CBD
0.1719%

Total CBD/Container : 1.7190 mg


Total Cannabinoids
71.8949%

Total Cannabinoids/Container : 718.9490 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	D8-THC	CBGA	CBN	D9-THC	THCA	THCV
%	<0.1000	<0.1000	0.9454	0.1719	<0.1000	<0.1000	0.9784	<0.1000	<0.1000	<0.1000	69.1327	0.2418	0.4247
mg/unit	<1.000	<1.000	9.454	1.719	<1.000	<1.000	9.784	<1.000	<1.000	<1.000	691.327	2.418	4.247
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
0.1356g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 05/20/25 16:42:37

Label Claim
PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164



Signature
05/22/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

CHERRY RUNTZ
Matrix : Derivative
Type: Vape Cartridge



Certificate of Analysis

PASSED

CannaCure NY INC.

2625
Flushing, NY, 11354, US
Telephone: (917) 681-3253
Email: ANDYWU910@GMAIL.COM
License # : OCM-PROC-24-000134

Sample : AL50520009-003

Batch# : 5575 2805 1368
9741

Sampled : 05/20/25 12:00 PM

Sample Size Received : 7 gram

Total Amount : 2000 units

Sampling Method : SOP.T.20.010.NY

Page 2 of 5



Terpenes

PASSED

Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOQ (%)	Pass/Fail	mg/unit	Result (%)
LIMONENE	0.00	PASS	29.700	2.9700	BETA-MYRCENE	0.00	PASS	26.300	2.6300
BETA-MYRCENE	0.00	PASS	26.300	2.6300	LINALOOL	0.00	PASS	12.800	1.2800
LINALOOL	0.00	PASS	12.800	1.2800	BETA-CARYOPHYLLENE	0.00	PASS	11.800	1.1800
BETA-CARYOPHYLLENE	0.00	PASS	11.800	1.1800	FARNESENE	0.10	PASS	4.300	0.4300
FARNESENE	0.10	PASS	4.300	0.4300	ALPHA-HUMULENE	0.00	PASS	3.700	0.3700
ALPHA-HUMULENE	0.00	PASS	3.700	0.3700	ALPHA-PINENE	0.00	PASS	3.200	0.3200
ALPHA-PINENE	0.00	PASS	3.200	0.3200	BETA-PINENE	0.00	PASS	2.400	0.2400
BETA-PINENE	0.00	PASS	2.400	0.2400	FENCHYL ALCOHOL	0.00	PASS	2.200	0.2200
FENCHYL ALCOHOL	0.00	PASS	2.200	0.2200	ALPHA TERPINEOL	0.00	PASS	2.000	0.2000
ALPHA TERPINEOL	0.00	PASS	2.000	0.2000	CAMPHERE	0.00	PASS	0.600	0.0600
CAMPHERE	0.00	PASS	0.600	0.0600	TERPINOLENE	0.00	PASS	0.300	0.0300
TERPINOLENE	0.00	PASS	0.300	0.0300	ALPHA-BISABOLOL	0.00	PASS	0.300	0.0300
ALPHA-BISABOLOL	0.00	PASS	0.300	0.0300	CARYOPHYLLENE OXIDE	0.00	PASS	0.200	0.0200
CARYOPHYLLENE OXIDE	0.00	PASS	0.200	0.0200	OCIMENE	0.00	PASS	0.100	0.0100
OCIMENE	0.00	PASS	0.100	0.0100	GERANIOL	0.00	PASS	<0.040	<0.0040
GERANIOL	0.00	PASS	<0.040	<0.0040	VALENCENE	0.00	PASS	<0.040	<0.0040
VALENCENE	0.00	PASS	<0.040	<0.0040	GUAJOL	0.00	PASS	<0.040	<0.0040
GUAJOL	0.00	PASS	<0.040	<0.0040	MENTHOL	0.00	PASS	<0.040	<0.0040
MENTHOL	0.00	PASS	<0.040	<0.0040	ALPHA-PHELLODENDRENE	0.00	PASS	<0.040	<0.0040
ALPHA-PHELLODENDRENE	0.00	PASS	<0.040	<0.0040	ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040
ALPHA-TERPINENE	0.00	PASS	<0.040	<0.0040					
Total (%)			9.9900						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164


Signature
05/22/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

CHERRY RUNTZ
Matrix : Derivative
Type: Vape Cartridge



Certificate of Analysis

PASSED

CannaCure NY INC.

2625
Flushing, NY, 11354, US
Telephone: (917) 681-3253
Email: ANDYWU910@GMAIL.COM
License # : OCM-PROC-24-000134

Sample : AL50520009-003

Batch# : 5575 2805 1368
9741
Sampled : 05/20/25 12:00 PM

Sample Size Received : 7 gram
Total Amount : 2000 units
Sampling Method : SOP.T.20.010.NY

Page 3 of 5



Pesticides

PASSED

Pesticide	LOQ	Units	Action Level	Pass/Fail	Result	Pesticide	LOQ	Units	Action Level	Pass/Fail	Result
ACEQUINOXYL	0.1000	ppm	2	PASS	<0.1000	OXAMYL	0.1000	ppm	1	PASS	<0.1000
PRALLETHRIN	0.1000	ppm	0.2	PASS	<0.1000	PACLOBUTRAZOL	0.1000	ppm	0.4	PASS	<0.1000
PYRETHRINS, TOTAL	0.1000	ppm	1	PASS	<0.1000	PERMETHRIN	0.1000	ppm	0.2	PASS	<0.1000
AZADIRACTIN	0.1000	ppm	1	PASS	<0.1000	PHOSMET	0.1000	ppm	0.2	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	0.1000	ppm	1	PASS	<0.1000	PROPOCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
MYCLOBUTANIL	0.1000	ppm	0.2	PASS	<0.1000	PROPOXUR	0.1000	ppm	0.2	PASS	<0.1000
PIPERONYL BUTOXIDE	0.1000	ppm	2	PASS	<0.1000	PYRIDABEN	0.1000	ppm	0.2	PASS	<0.1000
ABAMECTIN B1A	0.1000	ppm	0.5	PASS	<0.1000	SPINETORAM, TOTAL	0.1000	ppm	1	PASS	<0.1000
ACEPHATE	0.1000	ppm	0.4	PASS	<0.1000	SPINOSAD, TOTAL	0.1000	ppm	0.2	PASS	<0.1000
ACETAMIPRID	0.1000	ppm	0.2	PASS	<0.1000	SPIROMESIFEN	0.1000	ppm	0.2	PASS	<0.1000
ALDICARB	0.1000	ppm	0.4	PASS	<0.1000	SPIROTETRAMAT	0.1000	ppm	0.2	PASS	<0.1000
AZOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000	SPIROXAMINE	0.1000	ppm	0.2	PASS	<0.1000
CHLORMEQUAT CHLORIDE	0.1000	ppm	1	PASS	<0.1000	TEBUCONAZOLE	0.1000	ppm	0.4	PASS	<0.1000
BIFENAZATE	0.1000	ppm	0.2	PASS	<0.1000	THIACLOPRID	0.1000	ppm	0.2	PASS	<0.1000
BIFENTHRIN	0.1000	ppm	0.2	PASS	<0.1000	THIAMETHOXAM	0.1000	ppm	0.2	PASS	<0.1000
CARBARYL	0.1000	ppm	0.2	PASS	<0.1000	TRIFLOXYSTROBIN	0.1000	ppm	0.2	PASS	<0.1000
COUMAPHOS	0.1000	ppm	1	PASS	<0.1000	CAPTAN *	0.1000	ppm	1	PASS	<0.1000
CHLORPYRIFOS	0.1000	ppm	0.2	PASS	<0.1000	CHLORDANE *	0.1000	ppm	1	PASS	<0.1000
CARBOFURAN	0.1000	ppm	0.2	PASS	<0.1000	CHLORFENAPYR *	0.1000	ppm	1	PASS	<0.1000
DAMINOZIDE	0.1000	ppm	1	PASS	<0.1000	CYFLUTHRIN *	0.1000	ppm	1	PASS	<0.1000
BOSCALID	0.1000	ppm	0.4	PASS	<0.1000	CYPERMETHRIN *	0.1000	ppm	1	PASS	<0.1000
DIAZINON	0.1000	ppm	0.2	PASS	<0.1000	METHYL PARATHION *	0.1000	ppm	0.2	PASS	<0.1000
CLOFENTEZINE	0.1000	ppm	0.2	PASS	<0.1000	MGK-264 *	0.1000	ppm	0.2	PASS	<0.1000
CHLORANTHANILIPROLE	0.1000	ppm	0.2	PASS	<0.1000	PENTACHLORONITROBENZENE *	0.1000	ppm	1	PASS	<0.1000
DICHLORVOS	0.1000	ppm	1	PASS	<0.1000	Weight:					
DIMETHOATE	0.1000	ppm	0.2	PASS	<0.1000	0.5147g					
DIMETHOMORPH	0.1000	ppm	1	PASS	<0.1000	Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY					
ETHOPROPHOS	0.1000	ppm	0.2	PASS	<0.1000	Analyzed Date : 05/22/25 10:25:41					
ETOFENPROX	0.1000	ppm	0.4	PASS	<0.1000	Weight:					
ETOXAZOLE	0.1000	ppm	0.2	PASS	<0.1000	0.5147g					
FENHEXAMID	0.1000	ppm	1	PASS	<0.1000	Analysis Method : SOP.T.40.154.NY					
FENOXYCARB	0.1000	ppm	0.2	PASS	<0.1000	Analyzed Date : 05/21/25 13:14:17					
FENPYROXIMATE	0.1000	ppm	0.4	PASS	<0.1000						
FIPRONIL	0.1000	ppm	0.4	PASS	<0.1000						
FLONICAMID	0.1000	ppm	1	PASS	<0.1000						
FLUDIOXONIL	0.1000	ppm	0.4	PASS	<0.1000						
HEXYTHIAZOX	0.1000	ppm	1	PASS	<0.1000						
IMAZALIL	0.1000	ppm	0.2	PASS	<0.1000						
IMIDACLOPRID	0.1000	ppm	0.4	PASS	<0.1000						
KRESOXIM METHYL	0.1000	ppm	0.4	PASS	<0.1000						
MALATHION	0.1000	ppm	0.2	PASS	<0.1000						
METALAXYL	0.1000	ppm	0.2	PASS	<0.1000						
METHIOCARB	0.1000	ppm	0.2	PASS	<0.1000						
METHOMYL	0.1000	ppm	0.4	PASS	<0.1000						
MEVINPHOS	0.1000	ppm	1	PASS	<0.1000						
NALED	0.1000	ppm	0.5	PASS	<0.1000						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director


NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
05/22/25



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs



CHERRY RUNTZ
Matrix : Derivative
Type: Vape Cartridge

Certificate of Analysis

PASSED

CannaCure NY INC.

2625
Flushing, NY, 11354, US
Telephone: (917) 681-3253
Email: ANDYWU910@GMAIL.COM
License #: OCM-PROC-24-000134

Sample : AL50520009-003

Batch# : 5575 2805 1368
9741
Sampled : 05/20/25 12:00 PM

Sample Size Received : 7 gram
Total Amount : 2000 units
Sampling Method : SOP.T.20.010.NY

Page 4 of 5



Residual Solvents

PASSED

Solvents	LOQ	Units	Action Level	Pass/Fail	Result
1,1,1,2-TETRAFLUOROETHANE	500.0	ppm	1000	PASS	<500.0
DIMETHYL SULFOXIDE	375.0	ppm	5000	PASS	<375.0
1,1,1-TRICHLOROETHANE	375.0	ppm	1500	PASS	<375.0
HEXANE, TOTAL	125.0	ppm	290	PASS	<125.0
PENTANES, TOTAL	125.0	ppm	5000	PASS	<125.0
BUTANES, TOTAL	750.0	ppm	5000	PASS	<750.0
XYLENES, TOTAL	125.0	ppm	2170	PASS	<125.0
1,2-DICHLOROETHANE	1.3	ppm	5	PASS	<1.3
PROPANE	750.0	ppm	5000	PASS	<750.0
METHANOL	125.0	ppm	3000	PASS	<125.0
ETHANOL	125.0	ppm	5000	PASS	<125.0
ETHYL ETHER	125.0	ppm	5000	PASS	<125.0
ACETONE	125.0	ppm	5000	PASS	<125.0
2-PROPANOL	125.0	ppm	5000	PASS	510.0
ACETONITRILE	125.0	ppm	410	PASS	<125.0
DICHLOROMETHANE	125.0	ppm	600	PASS	<125.0
ETHYL ACETATE	125.0	ppm	5000	PASS	<125.0
BENZENE	1.3	ppm	2	PASS	<1.3
N-HEPTANE	125.0	ppm	5000	PASS	<125.0
TOLUENE	125.0	ppm	890	PASS	<125.0
CHLOROFORM	1.3	ppm	60	PASS	<1.3

Weight:
0.0279g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 05/22/25 10:06:13

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

NY Permit # OCM-CPL-2022-00006
ISO 17025 Accreditation # 97164

Signature
05/22/25



Certificate of Analysis

PASSED

CannaCure NY INC.

 2625
 Flushing, NY, 11354, US
 Telephone: (917) 681-3253
 Email: ANDYWU910@GMAIL.COM
 License # : OCM-PROC-24-000134

Sample : AL50520009-003

 Batch# : 5575 2805 1368
 9741
 Sample Size Received : 7 gram
 Total Amount : 2000 units
 Sampled : 05/20/25 12:00 PM
 Sampling Method : SOP.T.20.010.NY

Page 5 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOQ	Units	Result	Pass / Fail	Action Level	Analyte	LOQ	Units	Result	Pass / Fail	Action Level
TOTAL AEROBIC BACTERIA	100	CFU/g	<100	PASS	10000	AFLATOXIN G2	0.0100	ppm	<0.0100	PASS	0.02
TOTAL YEAST AND MOLD	100	CFU/g	<100	PASS	1000	AFLATOXIN G1	0.0100	ppm	<0.0100	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP	1		Not Present	PASS		AFLATOXIN B2	0.0100	ppm	<0.0100	PASS	0.02
SALMONELLA SPECIES	1		Not Present	PASS		AFLATOXIN B1	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS TERREUS	1		Not Present	PASS		OCHRATOXIN A+	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS NIGER	1		Not Present	PASS		TOTAL AFLATOXINS (B1, B2, G1, G2)	0.0100	ppm	<0.0100	PASS	0.02
ASPERGILLUS FLAVUS	1		Not Present	PASS							
ASPERGILLUS FUMIGATUS	1		Not Present	PASS							
Weight: 0.8g						Weight: 0.5147g					
Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY						Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY					
Analyzed Date : 05/22/25 16:15:55						Analyzed Date : 05/22/25 10:41:20					

 Heavy Metals PASSED					
Metal	LOQ	Units	Result	Pass / Fail	Action Level
ANTIMONY	0.1000	ug/g	<0.1000	PASS	2
ARSENIC	0.1000	ug/g	<0.1000	PASS	0.2
CADMIUM	0.1000	ug/g	<0.1000	PASS	0.2
CHROMIUM	1.0000	ug/g	<1.0000	PASS	110
COPPER	1.0000	ug/g	<1.0000	PASS	30
LEAD	0.1000	ug/g	<0.1000	PASS	0.5
MERCURY	0.0100	ug/g	<0.0100	PASS	0.1
NICKEL	0.1000	ug/g	<0.1000	PASS	2
Weight: 0.4835g					
Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY					
Analyzed Date : 05/22/25 09:46:31					