

ROPER  WHITNEY.®

**No. 10 and No. 12  
Medium Duty Portable Punches**



USA  MADE



USA  MADE



Medium Duty Portable Punches, rotary ball bearing operated, that extend the capacity offered in the Roller Bearing punches 50% while maintaining an equally portable size and weight.

- Maximum Rated Capacity:\* 7.3 tons
- Two Handle Rotary Ball Bearing Operation
- 1/2-inch Punch Movement in a 360° Revolution

These punches use rotary ball bearing operation to provide punching capacity in the medium duty range, beyond the capacity of linear operation punches. The two punches are similar, except for the deep throat dimensions of the No. 12 to punch up to 2 1/4" from the edge and accommodate angles, channels, and flanged materials.



USA  MADE

Options include a ratchet handle to permit operation in close quarters and a base attachment for bench mounting.



*Bench Mount*



*No. 12 Mounted in Base*











*No. 113 Ratchet Handle*

ORDERING GUIDE	CATALOG NO.		SHIPPING WEIGHT	
	No. 10	No. 12	No. 10	No. 12
Medium Duty Punch	130030100*	130030120*	9	13
Bench Mounting Base	139030100	139030120	4-1/2	6-1/4
Ratchet Handle (No.113)	138031130	138031130	3-1/2	3-1/2



*No. 10/12 Type "O" Punch & Die*

	Type O	Type M	Type N	Type P	Type R	Type S	Type T	Type D
								
No. 10	1/16 – 9/16	1/8 x 1/4-3/8 x 1/2	1/8 x 1/4-5/16 x 3/8	1/8 x 1/4-5/16 x 3/8	1/8 - 11/32	3/16 – 13/32	3/16 – 13/32	3/16 x 1/8-1/2 x 7/16
No. 12	1/16 – 9/16	1/8 x 1/4-3/8 x 1/2	1/8 x 1/4-5/16 x 3/8	1/8 x 1/4-5/16 x 3/8	1/8 - 11/32	3/16 – 13/32	3/16 – 13/32	3/16 x 1/8-1/2 x 7/16