



LOGIN NOTICE (Work Order 0011460)

CLIENT	Lakeshore Waterworks LTD	QUOTATION ID	Lakeshore WW Master Bid
PO NUMBER		SUBMITTED BY	
PROJECT	Drinking Water	COC NO.	No Number
PROJECT INFO	[none]		

Receipt Details:

RECEIVED	2020-01-23 08:30	LOGGED IN	2020-01-23 13:47
LOCATION	Kelowna Lab	ACCOUNT MGR	Team CARO

Sample Condition Summary: Quantity of Transport Vessels Received: 1

Receipt Temperature = 3°C

Broken Container(s)	No	Sampling Date(s) Missing	No	Incorrect Cont./Pres.	No
Cooling Initiated	Yes	Sample(s) Frozen	No	Missing/Extra Samples	No

Note: Sample transport temperatures of less than 8°C for microbiological parameters and less than or equal to 10°C for environmental parameters is recommended. Samples that exceed these values will still be processed. However, please note that the analytical results may be affected, especially for samples collected prior to the day of receipt.

REPORT TO	Mike Snair Lakeshore Waterworks LTD PO 24073 Government Street Penticton, BC V2A 8L9 Tel: -	INCLUDE QC	No
		INCLUDE COC	No
		EXTRAS	Guidelines

INVOICE TO	Mike Snair Lakeshore Waterworks LTD PO 24073 Government Street Penticton, BC V2A 8L9 Tel: -	FREQUENCY	Monthly
		GST EXEMPT	No
		PAYMENT TERMS	Upon Receipt
		MIN AMOUNT	N/A

Delivery Plan:

REPORT DUE 2020-02-03 17:00 (5-7 day TAT)

Contact Name	Email / Fax / Cellular	Login Notice	Report	Invoice	EDD	EDD Format	CC to	Fax	Text	Mail
Mike Snair	southokanaganwaterworks@gmail	✓	✓	✓			southokanaganwaterworks@gmail.com speedway17@shaw.ca lakeshorewaterworks@gmail.com			

Analysis Schedule:

Analysis / Version	Due	Expires ¹	Status	Comments
Sunnybrooke Stn. (0011460-01) Matrix: Water Sampled: 2020-01-22 12:30 				
Container(s) Submitted: A = C07_300 mL Plastic (Micro-S)				
Coliforms, Total & E. coli (MF-CCA) Pkg	2020-02-03	2020-01-23	Batched	



CARO.ca 1-888-311-8846

#110-4011 Viking Way, Richmond, BC V6V 2K9
#102-3677 Highway 97N, Kelowna, BC V1X 5C3
17225 109 Avenue NW, Edmonton, AB T5S 1H7

CARO BC COC, Rev 2017-05

CHAIN OF CUSTODY RECORD

COC# [] PAGE OF

RELINQUISHED BY: Mike Snair DATE: Jan 22/2020 RECEIVED BY: DWAE DATE: 1/23
TIME: 1:00pm TIME: 0:30

REPORT TO: COMPANY: Lakeshore Water works Ltd. ADDRESS: Po 24073 Government st. Penticton BC V2A 8L9 CONTACT: Mike Snair TEL/FAX: 250490 6863 DELIVERY METHOD: EMAIL [x] MAIL [] OTHER* [] DATA FORMAT: EXCEL [] WATERTRAX [] ESdat [] EQUIS [] BC EMS [] OTHER* [] EMAIL 1: southokanaganwaterworks@gmail.com EMAIL 2: speedway17@shaw.ca EMAIL 3: lakeshorewaterworks@gmail.com

INVOICE TO: COMPANY: SAME AS REPORT TO [x] ADDRESS: CONTACT: TEL/FAX: DELIVERY METHOD: EMAIL [] MAIL [] OTHER* [] EMAIL 1: EMAIL 2: EMAIL 3: PO #:

TURNAROUND TIME REQUESTED: Routine: (5-7 Days) [x] Rush: 1 Day* [] 2 Day* [] 3 Day* [] Other* [] REGULATORY APPLICATION: Canadian Drinking Water Quality [] BC WQG [] BC HWR [] BC CSR Soil: WL [] AL [] PL [] RL-LD [] RL-HD [] CL [] IL [] BC CSR Water: AW [] IW [] LW [] DW [] *Contact Lab To Confirm. Surcharge May Apply CCME: Other: []

PROJECT NUMBER / INFO: A: Biohazard B: Cyanide C: PCBs D: Asbestos E: Heavy Metals F: Flammable G: Strong Odour H: High Contamination I: Other (please specify*)

ANALYSES REQUESTED:

Table with columns for various analyses: BTEX, VOC, EPH, PAH, PHENOLS, PCB, PESTICIDES, METALS, pH, TSS, BOD, TOG, FECAL COLIFORMS, TOTAL COLIFORMS, ASBESTOS, HOLD, POSSIBLE SAMPLE HAZARD CODE(S)

** If you would like to sign up for ClientConnect and/or EnviroChain, CARO's online service offerings, please check here: []

Table with columns: SAMPLED BY: Mike Snair, MATRIX: DRINKING WATER, OTHER WATER, SOIL, OTHER, CONTAINER QTY, SAMPLING: DATE, TIME, COMMENTS: CHLORINATED, FILTERED, PRESERVED, (e.g. flow/volume media ID/notes)

SHIPPING INSTRUCTIONS: Return Cooler(s) [] Supplies Needed:

SAMPLE RETENTION: 30 Days (default) [] 60 Days [] 90 Days [] Other (surcharges will apply):

* OTHER INSTRUCTIONS: residual- If you would like to talk to a real live Scientist about your project requirements, please check here: []

SAMPLE RECEIPT CONDITION: COOLER 1 (°C): 2.9 ICE: Y [] N [] COOLER 2 (°C): ICE: Y [] N [] COOLER 3 (°C): ICE: Y [] N [] CUSTODY SEALS INTACT: NA [] Y [] N []