

Close-coupled pump

A, BS series



台正字7377




4M7Y001

Compact design for customized solutions

KCP A/BS pumps are end-suction, single-stage, centrifugal pump, with axial suction port and radially arranged pressure port. KCP A/BS pump serves as the industry standard in performance, quality, and durability.

Type key Example : **A / BS 2 01 15**

A = Close coupled
BS = Long coupled
2 Poles
01 Power(HP)
15 Inlet & outlet port(Inch)



Features & Benefits

- Permanent rigid alignment
- Optimized and balanced impellers
- Back pull out design
- No baseplate required for A type
- Heavy duty & machined motor bracket
- Optional with seal-flushing and other mounting design.


Application

- Air-conditioning
- Pressure boosting
- Cooling and thermal
- Washing and cleaning
- Water and wastewater treatment
- Groundwater distribution
- Wastewater transport
- Process


Materials of Construction

- Pump housing: FCD/ Bronze/ Stainless
- Bracket: FCD/ Stainless
- Impeller: Bronze/ Stainless
- (Other material/ mechanical seals on request)

2 poles



4 poles





Kuang Chuan Pump Enterprise Co., Ltd.

No.2-2, Gongye 1st Rd., Pingzhen Dist.,
Taoyuan City 324, Taiwan (R.O.C.)

TEL : +886-3-4192828

FAX : +886-3-4192929

www.kcp.com.tw