

UTAH PROHIBITED, RESTRICTED, UNRESTRICTED FISH

PROHIBITED FISH:

- Alewife
- Bighead carp
- Crucian carp
- Prussian carp
- Japanese (white) crucian carp
- Asian snakehead (Channa)
- Walking catfish
- Grass carp
- Gizzard shad
- Mosquito fish (Gambusia)
- Ruffe
- Large scale silver carp
- Silver carp
- Ide, orfe
- Oriental weather loach
- Asian swamp eel
- Black carp
- Round goby
- African snakehead (Parachanna)
- Tubenose goby
- Bitterling
- Zander
- Rudd
- Tench
- Unlisted fish

RESTRICTED FISH:

NOTE: baitfish must comply with 10 VSA 122 & endangered/threatened with that law

- Lake sturgeon (endangered)
- Blueback herring
- American shad
- Rock bass
- Yellow bullhead
- Brown bullhead
- Bowfin
- Eastern sand darter (threatened)
- American eel
- Freshwater drum
- Quillback
- Longnose sucker (baitfish)
- White sucker (baitfish)
- Cisco or lake herring
- Lake whitefish
- Mottled sculpin
- Slimy sculpin
- Lake chub
- Brook stickleback
- Spotfin shiner
- Common carp, mirror carp, koi
- Redfin pickerel
- Northern pike
- Muskellunge
- Chain pickerel
- Fantail darter
- Tessellated darter
- Cutlips minnow
- Banded killifish
- Mooneye
- Brassy minnow
- Eastern silvery minnow (baitfish)
- Northern brook lamprey (endangered)
- Silver lamprey
- Channel catfish
- Brook silverside
- American brook lamprey (threatened)
- Longnose gar
- Redbreast sunfish

- Pumpkinseed
- Bluegill
- Redear sunfish
- Burbot
- Common shiner (baitfish)
- Pearl dace
- Smallmouth bass
- Largemouth bass
- White perch
- Striped bass
- Silver redhorse
- Shorthead redhorse
- Greater redhorse
- Golden shiner (baitfish)
- Emerald shiner (baitfish)
- Bridle shiner
- Blackchin shiner
- Blacknose shiner
- Spottail shiner (baitfish)
- Rosyface shiner
- Sand shiner
- Mimic shiner (baitfish)
- Stonecat (endangered)
- Rainbow trout
- Tilapia (Oreochromis)
- Rainbow smelt (baitfish)
- Yellow perch (baitfish)
- Channel darter (endangered)
- Logperch
- Trout-perch
- Sea lamprey
- Northern redbelly dace (baitfish)
- Finescale dace
- Bluntnose minnow (baitfish)
- Fathead minnow (baitfish)
- White crappie
- Black crappie
- Round whitefish
- Blacknose dace (baitfish)
- Longnose dace (baitfish)
- Atlantic salmon
- Brown trout
- Brook trout

- Lake trout
- Sauger
- Walleye
- Creek chub (baitfish)
- Fallfish (baitfish)
- Tilapia (Sarotheradon)
- Tilapia (Tilapia)
- Central mudminnow

UNRESTRICTED FISH:

NOTE: species must be between 30-degree North latitude and 30 degrees South latitude or they are prohibited – species in blue may fall outside that range

- Smallscale pike characins (Ancestorhynchus)
- American soles (Trinectes)
- African tetras (Phenacogrammus)
- Asiatic glassfishes (Parambassis)
- Loach catfishes (Phractura)
- Climbing gouramies (Ctenopoma, Microctenopoma)
- Four-eyed fishes, one-sided livebearers, white-eye (Anableps)
- Headstanders (Abramites, Anostomus, Laemolyta, Leporinus, Pseudanos)
- **Rivulines (Aplocheilus)**
- Ghost knifefishes (Apteronotus)
- Sea catfishes (Arius)
- Banjo catfishes (Bunocephalus)
- Driftwood catfishes (Auchenipterichthys, Liosomadorus)
- Blue Perch, Dwarf Chameleon Fish (Badis)
- Bagrid catfishes (Bagrichthys, Horabagrus, Mystus, Pseudomystus)
- River loaches (Beaufortia, Gastromyzon, Schistura)
- Madagascar rainbowfishes (Bedotia)
- Needlefishes (Xenentodon)
- Callichthyd armored catfishes (Brochis, Callichthys, Corydoras, Dianema, Hoplosternum, Megalechis)
- Squarehead or angler catfish (Chaca)
- Characins (Aphyocharax, Astyanax, Boehlkea, Boulengerella, Chalceus, Charax, Gymnocorymbus, Hasemania, Hemigrammus, Hyphessobrycon, Inpaichthys, Megalamphodus, Metynnis, Moenkhausia, Myleus, Mylossoma, Nematobrycon, Paracheirodon, Piaractus, Prionobrama, Pristella, Thayeria, Triportheus)
- Chilodus
- Cichlids (Aequidens, Altolamprologus, Amphilophus, Apistogramma, Archocentrus, Astronotus, Aulonocara, Cichla, Cichlasoma, Cleithracara, Crenicichla, Cyathopharynx, Cyphotilapia, Cyrtocara, Dimidiochromis, Etroplus, Geophagus, Gymnogeophagus, Haplochromis, Hemichromis, Herichthys, Heros, Herotilapia, Hypselecara, Iodotropheus, Julidochromis, Labeotropheus, Labidochromis, Laetacara, Lamprologus, Lepidolamprologus, Limnochromis, Lobocheilichthys, Maylandia, Melanochromis, Mesonauta, Mikrogeophagus, Nannacara, Neolamprologus, Nimbochromis, Parachromis, Pelvicachromis, Placidochromis, Protomelas, Pseudocrenilabrus, Pseudotropheus, Pterophyllum, Rhamphochromis, Satanoperca, Sciaenochromis, Steatocranus, Symphysodon, Telmatochromis, Thorichthys, Trematochromis, Tropheus, Variabilichromis, Vieja)
- Lutefishes (Distichodus)
- **Loaches (Botia, Lepidocephalichthys, Lepidocephalus, Pangio, Syncrossus, Yasuhikotakia)**
- Pike-characids (Ctenolucius)

- Dogtooth characins (Raphiodon)
- **Minnows & carps (Balantiocheilos, Barbichthys, Barbonymus, Borasas, Carassius auratus, Crossocheilus, Cyclocheilichthys, Danio, Epalzeorhynchus, Esomus, Hampala, Labeo, Leptobarbus, Luciosoma, Oreichthys, Puntius, Puntioplites, Rasbora, Tanichthys, Trigostigma)**
- Zebrafish
- **Florida flagfish**
- Datnioides
- Thorny catfishes (Acanthodoras, Agamyxis, Amblyodoras, Platyodoras)
- Sleepers (Butis, Oxyeleotris)
- South Asian River catfishes (Hara)
- Trahiras (Hoplias)
- Freshwater hatchetfishes (Carnegiella, Gasteropelecus, Thoracocharax)
- **Gobies (Brachygobius, Gnatholepis, Gobioides, Stigmatogobius)**
- Gymnarchus
- Algae eaters (Gyrinocheilus)
- Kissing gourami (Helostoma)
- Hemiodus
- Halfbeaks (Dermogenys)
- Bluntnose knifefishes (Hypopygus, Steatogenys)
- Pencilfishes (Nannostomus)
- Aestivating lungfishes (Lepidosiren)
- Armored catfishes (Ancistrus, Baryancistrus, Cephalosilurus, Chaetostoma, Dekeyseria, Farlowella, Glyptoperichthys, Hemiancistrus, Hypancistrus, Hypstomus, Lasiancistrus, Leporacanthicus, Otocinclus, Panaque, Peckoltia, Pseudacanthicus, Pseudolithoxus, Pterosturisoma, Pterygoplichthys, Rineloricaria, Sturisoma)
- Spiny eels (Macrognaathus, Mastacembelus)
- Rainbowfishes, blue eyes (Chilathermia, Iriathermia, Melanotaenia)
- Squeakers or upside-down catfishes (Synodontis)
- Moonyfishes of fingerfishes (Monodactylus)
- Elephantfishes (Campylomormyrus, Gnathonemus, Mormyrops, Pollimyrus)
- Moray eels (Gymnothorax)
- Asian leaf-fishes (Polycentropsis)
- African rivulines (Aphyosemion, Epiplatys, Nothobranchius)
- Featherbacks or knifefishes (Chitala, Xenomystus)
- Gouramies (Betta, Colisa, Spierichthys, Trichogaster, Trichopsis)
- Arowanas (Osteoglossum)
- Shark catfishes (Pangasius)
- Freshwater butterflyfish (Pantodon)
- Long-whiskered catfishes (Leirius, Phractocephalus, Pimelodella, Pimelodus, Sorubim)
- **Poeciliids (Poecilia, Xiphophorus)**
- Leaf-fishes (Monocirrhus, Polycentrus)
- Threadfins (Polynemus)
- Bichirs (Erpetoichthys, Polypterus)

- River stingrays (Potamotrygon)
- Flannel-mouth characiformes (Semaprochilodus)
- Blue eyes (Pseudomulgil)
- Bumblebee catfishes, dwarf marble catfishes (Microglanis)
- Sand knifefishes (Rhamphichthys)
- Scats (Scatophagus)
- Schilbid catfishes (Eutropiellus, Paraila, Schilbe)
- Sheatfishes (Kryptopterus, Ompok)
- Glass knifefishes (Eigenmannia)
- Swamp-eels (Synbranchus)
- Pipefishes, seahorses (Microphis)
- Sailfin silversides (Marosatherina)
- Puffers (Carinotetraodon, Tetraodon)
- Grunters or tigerperches (Terapon)
- Archerfishes (Toxotes)
- Unlisted between 30 degree North latitude and 30 degree South latitude

(10 V.S.A. § 4081(b), 4611; 10 V.S.A. App. §122; CVR 12-010-077)