


SE
EL

CABLE REEL
COLLECTION

by **SEIECI**
electrical supplies



SEEL showcasing a wide range of cable reels designed to meet your specific needs. Whether you require a durable solution for industrial applications or a versatile option for home or office use, we have you covered. Our catalogue features an extensive selection of plastic and metal cable reels, available in both IP20 and IP44 ratings, ensuring optimal protection and functionality in various environments.

Plastic Cable Reels:

Our plastic cable reels offer a lightweight and cost-effective solution without compromising on quality or durability. Crafted from high-grade materials, these reels provide excellent resistance against impact, corrosion, and UV radiation, making them suitable for both indoor and outdoor applications. With their ergonomic design and easy-to-use features, these reels offer convenient cable management and storage solutions for a variety of purposes.

Metal Cable Reels:

For heavy-duty applications that demand robustness and longevity, SEEL metal cable reels deliver exceptional performance. Constructed from sturdy materials, these reels provide superior strength and durability, ensuring they can withstand demanding industrial environments. The metal construction also offers enhanced protection against physical damage, ensuring the longevity of your cables even in challenging conditions.

IP20 Rated Cable Reels:

In environments where protection against solid objects, such as fingers or small tools, is paramount, our IP20 rated cable reels are an ideal choice. SEEL reels feature a closed design that shields the internal components from accidental contact, minimizing the risk of injury or damage. The IP20 rating guarantees reliable protection against solid particles while allowing ventilation for efficient heat dissipation.

IP44 Rated Cable Reels:

When it comes to areas exposed to moisture or splashes, our IP44 rated cable reels provide an extra layer of defence. With their robust construction and advanced sealing mechanisms, these reels offer reliable protection against dust and water ingress. This makes them suitable for use in workshops, garages, outdoor settings, or any environment where moisture resistance is required.

Whether you're an electrician, contractor, DIY enthusiast, or simply seeking a cable management solution for your home or office, SEEL offers a diverse range of plastic and metal cable reels in IP20 and IP44 ratings. Browse through our selection, explore the various sizes, configurations, and features available, and find the perfect reel to meet your specific requirements. Trust in our commitment to quality, reliability, and customer satisfaction as you embark on your cable management journey with us.



CABLE REELS
for **INDOOR** USE

 **IP 20**



COMFY CASSETTE REELS



IP 20



THERMAL CUT-OUT SWITCH



2 YEAR WARRANTY



POWER INDICATOR LIGHT



4 OUTLETS



16 AMP

Dimensions:

Ø: 170 mm H: 75 mm

IP20 Comfy Cassette Reels

Product Code	Cable Length	Cable Section	Cable Type	Socket	Socket Typ	Quantity In a Box
CRP-COM20-0510-H05-01-DE	5m	3 x 1,0 mm ²	H05VV-F	4x safety sockets 16A 250V	Schuko/German	4
CRP-COM20-0510-H05-01-BF	5m	3 x 1,0 mm ²	H05VV-F	4x safety sockets 16A 250V	French/Belgian	4
CRP-COM20-0510-H05-01-EN	5m	3 x 1,0 mm ²	H05VV-F	4x safety sockets 13A 250V	British	4



PRO20 Mini PLASTIC DRUM CABLE REELS



IP 20



THERMAL
CUT-OUT
SWITCH



2 YEAR
WARRANTY



POWER
INDICATOR
LIGHT



4 OUTLETS



16 AMP

Dimensions:

L: 240 mm

W: 170 mm

H: 270 mm

PRO20 Mini Cable Reels

SCHUKO/GERMAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P20-0000-000-01-DE	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRP-P20-1510-H05-01-DE	15m	3x1 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20-2010-H05-01-DE	20m	3x1 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20-1515-H05-01-DE	15m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20-2015-H05-01-DE	20m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
FRENCH/BELGIAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P20-0000-000-01-BF	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRP-P20-1510-H05-01-BF	15m	3x1 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20-2010-H05-01-BF	20m	3x1 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20-1515-H05-01-BF	15m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20-2015-H05-01-BF	20m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
BRITISH					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P20-0000-000-01-EN	Empty	Empty	Empty	4x safety sockets 13A 250V	
CRP-P20-1510-H05-01-EN	15m	3x1 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRP-P20-2010-H05-01-EN	20m	3x1 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRP-P20-1515-H05-01-EN	15m	3x1.5 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRP-P20-2015-H05-01-EN	20m	3x1.5 mm ²	H05VV-F	4x safety sockets 13A 250V	



PRO20 Max PLASTIC DRUM CABLE REELS



IP 20



THERMAL
CUT-OUT
SWITCH



2 YEAR
WARRANTY



POWER
INDICATOR
LIGHT



4 OUTLETS



16 AMP

Dimensions:

L: 280 mm

W: 210 mm

H: 370 mm

PRO20 Max Cable Reels

SCHUKO/GERMAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P20X-0000-000-01-DE	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRP-P20X-2515-H05-01-DE	25m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20X-5015-H05-01-DE	50m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20X-2525-H05-01-DE	25m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20X-4025-H05-01-DE	40m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
FRENCH/BELGIAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P20X-0000-000-01-BF	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRP-P20X-2515-H05-01-BF	25m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20X-5015-H05-01-BF	50m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20X-2525-H05-01-BF	25m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20X-4025-H05-01-BF	40m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
BRITISH					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P20X-0000-000-01-EN	Empty	Empty	Empty	4x safety sockets 13A 250V	
CRP-P20X-2515-H05-01-EN	25m	3x1.5 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRP-P20X-5015-H05-01-EN	50m	3x1.5 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRP-P20X-2525-H05-01-EN	25m	3x2,5 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRP-P20X-4025-H05-01-EN	40m	3x2,5 mm ²	H05VV-F	4x safety sockets 13A 250V	



PRO20 Max F PLASTIC DRUM CABLE REELS



IP 20



THERMAL
CUT-OUT
SWITCH



2 YEAR
WARRANTY



POWER
INDICATOR
LIGHT



4 OUTLETS



16 AMP

Dimensions:

L: 280 mm

W: 210 mm

H: 370 mm

PRO20 Max Flat Cable Reels

SCHUKO/GERMAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P20XF-0000-000-02-DE	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRP-P20XF-2515-H05-02-DE	25m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20XF-5015-H05-02-DE	50m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20XF-2525-H05-02-DE	25m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20XF-4025-H05-02-DE	40m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
FRENCH/BELGIAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P20XF-0000-000-02-BF	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRP-P20XF-2515-H05-02-BF	25m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20XF-5015-H05-02-BF	50m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20XF-2525-H05-02-BF	25m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P20XF-4025-H05-02-BF	40m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
BRITISH					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P20XF-0000-000-02-EN	Empty	Empty	Empty	4x safety sockets 13A 250V	
CRP-P20XF-2515-H05-02-EN	25m	3x1.5 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRP-P20XF-5015-H05-02-EN	50m	3x1.5 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRP-P20XF-2525-H05-02-EN	25m	3x2,5 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRP-P20XF-4025-H05-02-EN	40m	3x2,5 mm ²	H05VV-F	4x safety sockets 13A 250V	



PRO20 Metal Max METAL DRUM CABLE REELS



IP 20



THERMAL
CUT-OUT
SWITCH



2 YEAR
WARRANTY



POWER
INDICATOR
LIGHT



4 OUTLETS



16 AMP

Dimensions:

L: 300 mm

W: 220 mm

H: 405 mm

PRO20 Metal Max Cable Reels

SCHUKO/GERMAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRM-P20X-0000-000-01-DE	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRM-P20X-2515-H05-01-DE	25m	3x1,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRM-P20X-5015-H05-01-DE	50m	3x1,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRM-P20X-2525-H05-01-DE	25m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRM-P20X-4025-H05-01-DE	40m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
FRENCH/BELGIAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRM-P20X-0000-000-01-BF	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRM-P20X-2515-H05-01-BF	25m	3x1,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRM-P20X-5015-H05-01-BF	50m	3x1,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRM-P20X-2525-H05-01-BF	25m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRM-P20X-4025-H05-01-BF	40m	3x2,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
BRITISH					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRM-P20X-0000-000-01-EN	Empty	Empty	Empty	4x safety sockets 13A 250V	
CRM-P20X-2515-H05-01-EN	25m	3x1,5 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRM-P20X-5015-H05-01-EN	50m	3x1,5 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRM-P20X-2525-H05-01-EN	25m	3x2,5 mm ²	H05VV-F	4x safety sockets 13A 250V	
CRM-P20X-4025-H05-01-EN	40m	3x2,5 mm ²	H05VV-F	4x safety sockets 13A 250V	



CABLE TIDY REEL



Cable Tidy Reel

Product Code	Color	Capacity 3G1.5	Capacity 3G2.5
CTR-O	Orange	20m	15m
CTR-B	Black	20m	15m



CABLE REELS
for **OUTDOOR** USE



IP 44



IP 44



THERMAL
CUT-OUT
SWITCH



2 YEAR
WARRANTY



POWER
INDICATOR
LIGHT



4 OUTLETS



16AMP

Dimensions:

Ø: 170 mm H: 75 mm

IP44 Comfy Cassette Reels

Product Code	Cable Length	Cable Section	Cable Type	Socket	Socket Typ	Quantity In a Box
CRP-COM44-0510-H05-01-DE	5m	3 x 1,0 mm ²	H05VV-F	4x safety sockets 16A 250V	Schuko/German	4
CRP-COM44-0510-H05-01-BF	5m	3 x 1,0 mm ²	H05VV-F	4x safety sockets 16A 250V	French/Belgian	4



PRO44 Mini PLASTIC DRUM CABLE REELS



IP 44



THERMAL
CUT-OUT
SWITCH



2 YEAR
WARRANTY



POWER
INDICATOR
LIGHT



4 OUTLETS



16AMP

Dimensions:

L: 240 mm W: 170 mm H: 270 mm

PRO44 Mini Cable Reels

SCHUKO/GERMAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P44-0000-000-01-DE	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRP-P44-1515-H05-01-DE	15m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P44-2015-H05-01-DE	20m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P44-1515-H07-01-DE	15m	3x1.5 mm ²	H07RN-F	4x safety sockets 16A 250V	
CRP-P44-2015-H07-01-DE	20m	3x1.5 mm ²	H07RN-F	4x safety sockets 16A 250V	
FRENCH/BELGIAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P44-0000-000-01-BF	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRP-P44-1515-H05-01-BF	15m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P44-2015-H05-01-BF	20m	3x1.5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P44-1515-H07-01-BF	15m	3x1.5 mm ²	H07RN-F	4x safety sockets 16A 250V	
CRP-P44-2015-H07-01-BF	20m	3x1.5 mm ²	H07RN-F	4x safety sockets 16A 250V	



PRO44 Max PLASTIC DRUM CABLE REELS



IP 44



**THERMAL
CUT-OUT
SWITCH**



**2 YEAR
WARRANTY**



**POWER
INDICATOR
LIGHT**



4 OUTLETS



16AMP

Dimensions:

L: 280 mm

W: 210 mm

H: 370 mm

PRO44 Max Cable Reels

SCHUKO/GERMAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P44X-0000-000-01-DE	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRP-P44X-2515-H05-01-DE	25m	3x1,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P44X-5015-H05-01-DE	50m	3x1,5 mm ²		4x safety sockets 16A 250V	
CRP-P44X-2525-H05-01-DE	25m	3x2,5 mm ²		4x safety sockets 16A 250V	
CRP-P44X-4025-H05-01-DE	40m	3x2,5 mm ²		4x safety sockets 16A 250V	
CRP-P44X-2515-H07-01-DE	25m	3x1,5 mm ²	H07RN-F	4x safety sockets 16A 250V	
CRP-P44X-5015-H07-01-DE	50m	3x1,5 mm ²		4x safety sockets 16A 250V	
CRP-P44X-2525-H07-01-DE	25m	3x2,5 mm ²		4x safety sockets 16A 250V	
CRP-P44X-4025-H07-01-DE	40m	3x2,5 mm ²		4x safety sockets 16A 250V	
FRENCH/BELGIAN					
Product Code	Cable Length	Cable Section	Cable Type	Socket	
CRP-P44X-0000-000-01-BF	Empty	Empty	Empty	4x safety sockets 16A 250V	
CRP-P44X-2515-H05-01-BF	25m	3x1,5 mm ²	H05VV-F	4x safety sockets 16A 250V	
CRP-P44X-5015-H05-01-BF	50m	3x1,5 mm ²		4x safety sockets 16A 250V	
CRP-P44X-2525-H05-01-BF	25m	3x2,5 mm ²		4x safety sockets 16A 250V	
CRP-P44X-4025-H05-01-BF	40m	3x2,5 mm ²		4x safety sockets 16A 250V	
CRP-P44X-2515-H07-01-BF	25m	3x1,5 mm ²	H07RN-F	4x safety sockets 16A 250V	
CRP-P44X-5015-H07-01-BF	50m	3x1,5 mm ²		4x safety sockets 16A 250V	
CRP-P44X-2525-H07-01-BF	25m	3x2,5 mm ²		4x safety sockets 16A 250V	
CRP-P44X-4025-H07-01-BF	40m	3x2,5 mm ²		4x safety sockets 16A 250V	



PRO44 Metal Max METAL DRUM CABLE REELS



IP 44



**THERMAL
CUT-OUT
SWITCH**



**2 YEAR
WARRANTY**



**POWER
INDICATOR
LIGHT**



4 OUTLETS



16AMP

Dimensions:

L: 300 mm

W: 220 mm

H: 405 mm

PRO44 Metal Max Cable Reels

SCHUKO/GERMAN				
Product Code	Cable Length	Cable Section	Cable Type	Socket
CRM-P44X-0000-000-01-DE	Empty	Empty	Empty	4x safety sockets 16A 250V
CRM-P44X-2515-H05-01-DE	25m	3x1,5 mm ²	H05VV-F	4x safety sockets 16A 250V
CRM-P44X-5015-H05-01-DE	50m	3x1,5 mm ²		4x safety sockets 16A 250V
CRM-P44X-2525-H05-01-DE	25m	3x2,5 mm ²		4x safety sockets 16A 250V
CRM-P44X-4025-H05-01-DE	40m	3x2,5 mm ²		4x safety sockets 16A 250V
CRM-P44X-2515-H07-01-DE	25m	3x1,5 mm ²	H07RN-F	4x safety sockets 16A 250V
CRM-P44X-5015-H07-01-DE	50m	3x1,5 mm ²		4x safety sockets 16A 250V
CRM-P44X-2525-H07-01-DE	25m	3x2,5 mm ²		4x safety sockets 16A 250V
CRM-P44X-4025-H07-01-DE	40m	3x2,5 mm ²		4x safety sockets 16A 250V
FRENCH/BELGIAN				
Product Code	Cable Length	Cable Section	Cable Type	Socket
CRM-P44X-0000-000-01-BF	Empty	Empty	Empty	4x safety sockets 16A 250V
CRM-P44X-2515-H05-01-BF	25m	3x1,5 mm ²	H05VV-F	4x safety sockets 16A 250V
CRM-P44X-5015-H05-01-BF	50m	3x1,5 mm ²		4x safety sockets 16A 250V
CRM-P44X-2525-H05-01-BF	25m	3x2,5 mm ²		4x safety sockets 16A 250V
CRM-P44X-4025-H05-01-BF	40m	3x2,5 mm ²		4x safety sockets 16A 250V
CRM-P44X-2515-H07-01-BF	25m	3x1,5 mm ²	H07RN-F	4x safety sockets 16A 250V
CRM-P44X-5015-H07-01-BF	50m	3x1,5 mm ²		4x safety sockets 16A 250V
CRM-P44X-2525-H07-01-BF	25m	3x2,5 mm ²		4x safety sockets 16A 250V
CRM-P44X-4025-H07-01-BF	40m	3x2,5 mm ²		4x safety sockets 16A 250V

SEIEGI
electrical supplies