





Retrofit recessed downlithg with side night light



Retrofit recessed downlithg with center night light





6 inch 5CCT Recessed LED downlight+night light

MODEL: FWT06A
 Dimmable: Triac dimmer
 Material: Alu+PC
 Size: $\Phi 188 \times 50 \text{MM}$
 REFLECTOR: Diffusion shade 120°
 Voltage: 120V/60HZ
 Wattage: 15w+3w



4 inch 5CCT Recessed LED downlight+night light

MODEL: FWT04A
 Dimmable: Triac dimmer
 Material: Alu+PC
 Size: $\Phi 140 \times 50 \text{MM}$
 REFLECTOR: Diffusion shade 120°
 Voltage: 120V/60HZ
 Wattage: 9w+3w



6 inch 5CCT Recessed LED downlight+night light

MODEL: FWT06
 Dimmable: Triac dimmer
 Material: Alu+PC
 Size: $\Phi 188 \times 60 \text{MM}$
 REFLECTOR: Diffusion shade 120°
 Voltage: 120V/60HZ
 Wattage: 15w+3w



4 inch 5CCT Recessed LED downlight+night light

MODEL: FWT04
 Dimmable: Triac dimmer
 Material: Alu+PC
 Size: $\Phi 140 \times 50 \text{MM}$
 REFLECTOR: Diffusion shade 120°
 Voltage: 120V/60HZ
 Wattage: 9w+3w



Smooth trim



Baffle trim



ORB



WH



BK



**6 inch 5CCT Recessed LED
downlight+night light with J-BOX**

MODEL: XJFW06B/C
Dimmable: Triac dimmer
Material: Alu+Steel+PC
Size: $\Phi 188 \times 75 \text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 15w+3w
Night light: Side/Center



**4 inch 5CCT Recessed LED
downlight+night light with J-BOX**

MODEL: XJFW04B/C
Dimmable: Triac dimmer
Material: Alu+Steel+PC
Size: $\Phi 140 \times 75 \text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 10w+3w
Night light: Side/Center



**6 inch 5CCT Gimbal recessed LED
downlight+night light**

MODEL: FWYTTD06
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 188 \times 50 \text{MM}$
Adjustable angle: 45° vertical degree and 359°
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 15w+3w



**6 inch 5CCT LED Disk
lamp+night light**

MODEL: FWDD06
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 185 \times 30 \text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 15w+3w



Smooth trim



Baffle trim



ORB



WH



BK

Recessed LED downlight series

3



6 inch 5CCT Dimmable recessed LED downlight

MODEL: JYTD06
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 188 \times 60 \text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 15w



4 inch 5CCT Dimmable recessed LED downlight

MODEL: JYTD04
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 140 \times 50 \text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 9w



3 inch 5CCT Dimmable recessed LED downlight

MODEL: JYTD03
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 105 \times 45 \text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 8w




6 inch 5CCT Dimmable recessed LED downlight

MODEL: JYTD06A
Dimmable: Triac dimmer
Material: Steel+PC
Size: $\Phi 188 \times 50 \text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 13.5w



Recessed LED downlight series



6 inch 5CCT Gimbal recessed LED downlight

MODEL: YTTD06
Dimmable: Triac dimmer
Material: Alu+Steel+PC
Size: $\Phi 188 \times 50 \text{MM}$
Adjustable angle: 45° vertical degree and 359°
REFLECTOR: Lens 60°
Voltage: 120V/60HZ
Wattage: 15w



6 inch 5CCT Gimbal recessed LED downlight

MODEL: YTTD06B
Dimmable: Triac dimmer
Material: Alu+Steel+PC
Size: $\Phi 188 \times 50 \text{MM}$
Adjustable angle: 45° vertical degree and 359°
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 15w



6 inch Recessed LED downlight

MODEL: JJTD06
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 188 \times 60 \text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 15w



4 inch Recessed LED downlight

MODEL: JJTD04
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 128 \times 55 \text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 9w





6 inch 5CCT Dimmable recessed LED downlight

MODEL: TSTD06
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 188 \times 75 \text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120-277V/60HZ
Wattage: 17.5w



4 inch 5CCT Dimmable recessed LED downlight

MODEL: TSTD04
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 140 \times 75 \text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120-277V/60HZ
Wattage: 13w



Smooth trim



Baffle trim



ORB



WH



BK



8 inch 5CCT Dimmable recessed LED downlight

MODEL: TGTD08
Dimmable: Triac dimmer
Material: Alu+PC
Size: Φ230*65MM
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 18-40w



6 inch 5CCT Dimmable recessed LED downlight

MODEL: TGTD06
Dimmable: Triac dimmer
Material: Alu+PC
Size: Φ188*55MM
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 15-30w



4 inch 5CCT Dimmable recessed LED downlight

MODEL: TGTD04
Dimmable: Triac dimmer
Material: Alu+PC
Size: Φ130*50MM
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 10-15w



Baffle trim



Smooth trim



BK



WH



6 inch 5CCT Recessed LED downlight with J-BOX

MODEL: XJTD06
 Dimmable: Triac dimmer
 Material: Alu+Steel+PC
 size: Φ188*75MM
 finish: WH/BK
 REFLECTOR: Diffusion shade 120°
 Voltage: 120V/60HZ
 Wattage: 15w



4 inch 5CCT Recessed LED downlight with J-BOX

MODEL: XJTD04
 Dimmable: Triac dimmer
 Material: Alu+Steel+PC
 size: Φ140*75MM
 REFLECTOR: Diffusion shade 120°
 Voltage: 120V/60HZ
 Wattage: 10w



Smooth trim



Baffle trim



ORB



WH



BK



8 inch 5CCT Commercial recessed LED downlight

MODEL: SYTD08
Dimmable: Triac dimmer
Material: Alu+Galss
Size: Φ238*195MM
UGR<10
Finish: WH/BK/ORB
Beam angle: 60°
Voltage: 120V~277V /60HZ
Wattage: 30 ~ 50W



6 inch 5CCT Commercial recessed LED downlight

MODEL: SYTD06
Dimmable: Triac dimmer
Material: Alu+Galss
Size: Φ188*140MM
UGR<10
Finish: WH/BK/ORB
Beam angle: 60°
Voltage: 120V~277V /60HZ
Wattage: 20 ~ 40W



4 inch 5CCT Commercial recessed LED downlight

MODEL: SYTD04
Dimmable: Triac dimmer
Material: Alu+Galss
Size: Φ130*130MM
UGR<10
Finish: WH/BK/ORB
Beam angle: 60°
Voltage: 120V~277V /60HZ
Wattage: 15 ~ 24W



6 inch 5CCT New eyeball recessed light

MODEL: NYDXJ06
Dimmable: Triac dimmer
Material: Alu+Steel+PC
Size: $\Phi 188 \times 90 \text{MM}$
Cut-out size: 150MM
finish: WH/BK
REFLECTOR: LENS $12^\circ/24^\circ/36^\circ/60^\circ$
Voltage: 120V/60HZ
Wattage: 15w




4 inch 5CCT New eyeball recessed light

MODEL: NYDXJ04
Dimmable: Triac dimmer
Material: Alu+Steel+PC
Size: $\Phi 120 \times 60 \text{MM}$
Adjustable angle: 30° vertical degree and 360° horizontal degree
Cut-out size: 100MM
finish: WH/BK
REFLECTOR: LENS $12^\circ/24^\circ/36^\circ/60^\circ$
Voltage: 120V/60HZ
Wattage: 9w



3 inch 5CCT New eyeball recessed light

MODEL: NYDXJ03
Dimmable: Triac dimmer
Material: Alu+Steel+PC
Size: $\Phi 85 \times 50 \text{MM}$
Adjustable angle: 30° vertical degree and 360° horizontal degree
Cut-out size: 75MM
finish: WH/BK
REFLECTOR: LENS $12^\circ/24^\circ/36^\circ/60^\circ$
Voltage: 120V/60HZ
Wattage: 7w






6 inch New eyeball recessed light

MODEL: NYDTH06
Dimmable: Triac dimmer
Material: Alu+Steel+PC
Size: $\Phi 188 \times 90 \text{MM}$
Adjustable angle: 30° vertical degree and 360° horizontal degree
finish: WH/BK
REFLECTOR: LENS $12^\circ/24^\circ/36^\circ/60^\circ$
Voltage: 120V/60HZ
Wattage: 15w



4 inch New eyeball recessed light

MODEL: NYDTH04
Dimmable: Triac dimmer
Material: Alu+Steel+PC
Size: $\Phi 120 \times 60 \text{MM}$
Adjustable angle: 30° vertical degree and 360° horizontal degree
finish: WH/BK
REFLECTOR: LENS $12^\circ/24^\circ/36^\circ/60^\circ$
Voltage: 120V/60HZ
Wattage: 9w





5CCT



6 inch 5CCT Disk LED lamp

MODEL: DD06
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 185 \times 28\text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 12w



5CCT



4 inch 5CCT Disk LED lamp


MODEL: DD04
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 156 \times 28\text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 10w

11



6 inch Disk LED lamp

MODEL: DD06A
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 185 \times 28\text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 12w



4 inch Disk LED lamp

MODEL: DD04A
Dimmable: Triac dimmer
Material: Alu+PC
Size: $\Phi 156 \times 28\text{MM}$
REFLECTOR: Diffusion shade 120°
Voltage: 120V/60HZ
Wattage: 10w



BN

ORB

WH

BK

[illegible][illegible][illegible][illegible][illegible][illegible][illegible]

新 华 社 出 版 分 行			
实用新型专利证书			
本证书授予：常州润泰五金有限公司			
发 明 人：陈建东			
授 权 号：ZL 2004 2 00880-4			
发明创造名称：防松螺母及其组合			
审 查 号：ZL 2004 2 00880 专利申请日期：2004年1月1日			
授 权 期：自公告之日起至专利权届满之日止（二十年） 地 址：常州市武进区遥观镇南庄村二里路常州润泰五金有限公司 电 话：0519-88361000 邮编：213150 联系人：王 斌 电话：0519-88361006			
经审查，申请人提交的说明书、权利要求书及附图符合《中华人民共和国专利法》的有关规定，准予授予实用新型专利权。该发明专利权的保护期限为二十年，自申请日起计算。 任何单位或者个人未经专利权人许可，不得实施其专利；否则，将依法承担法律责任。 国务院专利行政部门公告：国家知识产权局公告第XXXXX号（公告日期：XXXX年XX月XX日）			
制证日期： 制证地点：			
常州润泰五金有限公司			





6 inch 5CCT Downlight body (Non assembling)

Item: TJ-JYTD06L

Material: Aluminum+PC

Size: Φ188x55mm

Finish: WH/BK/Brown

Processing : Spin forming, Injection, Stamping

Trim option: Baffle /Smooth

Sample customization or drawing customization



4 inch 5CCT Downlight body (Non assembling)

Item: TJ-JYTD04L

Material: Aluminum+PC

Size: Φ140x50mm

Finish: WH/BK/Brown

Processing : Spin forming, Injection, Stamping

Trim option: Baffle /Smooth

Sample customization or drawing customization



3 inch 5CCT Downlight body (Non assembling)

Item: TJ-JYTD03L

Material: Aluminum+PC

Size: Φ106x40mm

Finish: WH/BK/Brown

Processing : Spin forming, Injection, Stamping

Trim option: Baffle /Smooth

Sample customization or drawing customization



6 inch 5CCT Downlight body (Non assembling)

Item: TJ-JYTD06T

Material: Aluminum+PC

Size: Φ188x50mm

Finish: WH/BK/Brown

Processing : Spin forming, Injection, Stamping

Trim option: Baffle /Smooth

Sample customization or drawing customization



6 inch 5CCT Downlight body (Non assenbling)

Item: TJ-XYTD06L

Material: Aluminum+PC

Size: Φ 188x50mm

Finish: WH/BK/Brown

Processing : Spin forming, Injection, Stamping

Trim option: Baffle /Smooth

Sample customization or drawing customization



4 inch 5CCT Downlight body (Non assenbling)

Item: TJ-XYTD04L

Material: Aluminum+PC

Size: Φ 140x50mm

Finish: WH/BK/ORB

Processing : Spin forming, Injection, Stamping

Trim option: Baffle /Smooth

Sample customization or drawing customization



5CCT New design downlight With J-BOX body (Non assenbling)

Item: TJ-XJTD

Material: Aluminum+PC

Size: Φ 188x75mm (6")
 Φ 140x75mm (4")

Finish: WH/BK/ORB

Processing : Spin forming, Injection, Stamping

Trim option: Baffle /Smooth

Sample customization or drawing customization



5CCT New design downlight body (Non assenbling)

Item: TJ-XJTD

Material: Aluminum+PC

Size: Φ 230x65mm (8")
 Φ 188x55mm (6")
 Φ 130x50mm (4")

Finish: WH/BK/ORB

Processing : Spin forming, Injection, Stamping

Trim option: Baffle /Smooth

Sample customization or drawing customization



5CCT New design downlight body (Non assenbling)

Item: TJ-YTTD

Material: Aluminum+PC

Size: Φ 188x50mm (6")

Finish: WH/BK/BN/ORB

Processing : Spin forming, Injection, Stamping

Trim option: Baffle /Smooth

Sample customization or drawing customization



6 inch Eyeball recessed light body (Non assenbling)

Item: TJ-NYD06T

Material: Aluminum+Steel+PC

Size: $\Phi 186 \times 90 \text{mm}$

Finish: WH/BK/ORB

REFLECTOR: LENS 12°/24°/36°/60°

Adjustable angle: 30° vertical degree and 360° horizontal degree

Processing : Spin forming, Injection, Stamping

Sample customization or drawing customization



4 inch Eyeball recessed light body (Non assenbling)

Item: TJ-NYD04T

Material: Aluminum+Steel+PC

Size: $\Phi 130 \times 60 \text{mm}$

Finish: WH/BK/ORB

REFLECTOR: LENS 12°/24°/36°/60°

Adjustable angle: 30° vertical degree and 360° horizontal degree

Processing : Spin forming, Injection, Stamping

Sample customization or drawing customization



Eyeball light body (Non assenbling)

Item: TJ-NYDXJ

Material: Aluminum+Steel+PC

Size: $\Phi 188 \times 90 \text{mm}$ (6")

$\Phi 130 \times 60 \text{mm}$ (4")

$\Phi 100 \times 50 \text{mm}$ (3")

Finish: WH/BK/ORB

REFLECTOR: LENS 12°/24°/36°/60°

Adjustable angle: 30° vertical degree and 360° horizontal degree

Processing: Spin forming, Injection, Stamping

Sample customization or drawing customization



Eyeball light body (Non assenbling)

Item: TJ-NYDXJ01

Material: Aluminum+Steel+PC

Size: $\Phi 92.5 \times 60 \text{mm}$ (4")

$\Phi 75 \times 50 \text{mm}$ (3")

Finish: WH/BK/ORB

REFLECTOR: LENS 12°/24°/36°/60°

Adjustable angle: 30° vertical degree and 360° horizontal degree

Processing : Spin forming, Injection, Stamping

Sample customization or drawing customization



Commercial downlight body (Non assenbling)

Item: TJ-SYTD

Material: Aluminum+Glass

Size: $\Phi 238 \times 135 \text{mm}$ (8")

$\Phi 188 \times 95 \text{mm}$ (6")

$\Phi 130 \times 75 \text{mm}$ (4")

Finish: WH/BK/ORB

Beam angle: 60°

Processing : Spin forming, Injection, Stamping

Sample customization or drawing customization



6 inch Economy downlight body (Non assembling)

Item: TJ-JJTD06T

Material: Aluminum+PC

Size: $\Phi 188 \times 60 \text{mm}$

Finish: WH/BK/ORB

Processing: Spin forming, Injection, Stamping

Sample customization or drawing customization.



4 inch Economy downlight body (Non assembling)

Item: TJ-JJTD04T

Material: Aluminum+PC

Size: $\Phi 128 \times 55 \text{mm}$

Finish: WH/BK/ORB

Processing: Spin forming, Injection, Stamping

Sample customization or drawing customization.



6 inch Downlight body (Non assembling)

Item: TJ-TG06

Material: Aluminum+PC

Size: $\Phi 188 \times 60 \text{mm}$

Finish: WH/BK/ORB

Processing: Spin forming, Injection, Stamping

Sample customization or drawing customization.

Back covers in the picture are for different customers' need.



4 inch Downlight body (Non assembling)

Item: TJ-TG04

Material: Aluminum+PC

Size: $\Phi 140 \times 75 \text{mm}$

Finish: WH/BK/ORB

Processing: Spin forming, Injection, Stamping

Sample customization or drawing customization.

Back covers in the picture are for different customers' need.



Disk Downlight body (Non assembling)

Item: TJ-DD

Material: Aluminum+PC

Size: $\Phi 185 \times 25 \text{mm}$ (6")

$\Phi 156 \times 25 \text{mm}$ (4")

Finish: WH/BK/ORB

Processing: Spin forming, Injection, Stamping

Color matching: NO or 5CCT

Sample customization or drawing customization.