




INSTALLATION METHODS




吸顶式安装方式 Surface Mounted Diagram



① 安装型材至天花板
Installing profiles to ceiling




② 安装电源、光源、面罩、堵头
Installation of driver, light source
pc cover and end cap




③ 完成固定
Complete Fixed


INSTALLATION METHODS




悬挂式安装方式 Pendant Installation Diagram



① 吊线安装在型材上
Cord Installed To Profile




② 打孔钉入天花板
Nail Into The Ceiling




③ 完成固定
Complete Fixed


INSTALLATION METHODS




壁挂式安装方式 Wall Mounted Diagram



① 安装型材至墙壁
Installing profiles to wall




② 安装电源、光源、面罩、堵头
Installation of driver, light source pc cover and end cap




③ 完成固定
Complete Fixed


INSTALLATION METHODS



壁挂式安装方式 Wall Mounted Diagram




① 安装型材至墙壁
Installing profiles to wall




② 安装电源、光源、面罩、堵头
完成固定
Installation of driver, light source pc cover and end cap
Complete Fixed


INSTALLATION METHODS




嵌入式安装方式 Recessed Installation Diagram



① 卡子安装至型材上
Clip Installed To Profile




② 垂直推入槽中
Push Into The Slot




③ 完成固定
Complete Fixed


INSTALLATION METHODS




嵌入式安装方式 Recessed Installation Diagram



① 卡子安装至型材上
Clip Installed To Profile




② 直接嵌入槽中
Insert directly into the slot



③ 完成固定
Complete Fixed

PXG-103-A



Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:嵌入到墙体或者天花
Installation:Embedded in wall or ceiling

最大负载:不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过8mm
Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 8mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white


备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available



Accessories 配件



PXG-103B-M



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light. then fixed the clips,finally installing the aluminum profiles.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:吸顶卡扣安装
Installation:Surface mounted installation

最大负载:不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 8mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white


备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available



Accessories 配件



PXG-105



Product Features 产品特点

出光均匀柔和,先安装灯带,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式:吸顶安装

Installation: Surface mounted installation

最大负载:不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过12mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 12mm

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注:可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

gl-light.ca

PXG-107



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light. then fixed the clips,finally installing the aluminum profiles.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.



安装方式:吸顶卡扣安装

Installation:Surface mounted installation

最大负载:不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过5mm

Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 5mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注:可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

PXG-112-M



Product Features 产品特点

出光均匀柔和,先安装灯带,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式:吸顶安装

Installation: Surface mounted installation

最大负载:不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M 灯带,板宽不超过12mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 12mm

Accessories 配件



Unit:mm

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注:可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

gl-light.ca

PXG-112-A



Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.


安装方式:嵌入到墙体或者天花

Installation:Embedded in wall or ceiling

最大负载:不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M 灯带,板宽不超过12mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 12mm.

Accessories 配件



Unit:mm

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注:可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

PXG-113-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶安装

Installation: Surface mounted installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 192灯/M 灯带, 板宽不超过12mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 12mm

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver



黑black




白white

备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available



PXG-1010M



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。



Light is even and smooth, installing led strip light. then fixed the clips, finally installing the aluminum profiles. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式:吸顶卡扣安装

Installation: Surface mounted installation

最大负载:不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 8mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注:可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

PXG-1010A



Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。


Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fix the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式:嵌入到墙体或者天花

Installation: Embedded in wall or ceiling

最大负载:不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 8mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注:可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

PXG-114



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。


Light is even and smooth, installing led strip light. then fixed the clips, finally installing the aluminum profiles. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式:吸顶卡扣安装

Installation: Surface mounted installation

最大负载:不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 8mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注:可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

gl-light.ca

PXG-115



Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式:嵌入到墙体或者天花

Installation: Embedded in wall or ceiling

最大负载:不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 8mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注:可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

PXG-204



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶卡扣安装

Installation: Surface mounted installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 192灯/M 灯带, 板宽不超过12mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 12mm

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black

白white

备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

gl-light.ca

PXG-205



Product Features 产品特点

出光均匀柔和, 需预先挖好型材尺寸沟, 再埋装型材, 最后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 嵌入到墙体或者天花

Installation: Embedded in wall or ceiling

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 192灯/M 灯带, 板宽不超过12mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 12mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

PXG-206



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式：吸顶卡扣安装

Installation: Surface mounted installation

最大负载：不超过18W/米，光源建议选择1条DC12V/24V 2835 192灯/M 灯带，板宽不超过10mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 10mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white

备注：可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available




Accessories 配件



Unit:mm

PXG-207



Product Features 产品特点

出光均匀柔和，需预先挖好型材尺寸沟，再埋装型材，最后安装灯带，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式：嵌入到墙体或者天花

Installation: Embedded in wall or ceiling

最大负载：不超过18W/米，光源建议选择1条DC12V/24V 2835 192灯/M 灯带，板宽不超过10mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 10mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white

备注：可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available




Accessories 配件



Unit:mm

PXG-1201



Product Features 产品特点


出光均匀柔和, 需预先挖好型材尺寸沟, 再埋装型材, 最后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 嵌入到墙体或者天花
Installation: Embedded in wall or ceiling

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 120灯/M 灯带, 板宽不超过12mm
Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 12mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-1202



Product Features 产品特点


出光均匀柔和, 先安装灯带, 固定好安装卡扣, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 吸顶卡扣安装
Installation: Surface mounted installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 120灯/M 灯带, 板宽不超过12mm
Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 12mm

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-1206



Product Features 产品特点

出光均匀柔和, 需预先挖好型材尺寸沟, 再埋装型材, 最后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 嵌入到墙体或者天花
Installation: Embedded in wall or ceiling

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 120灯/M 灯带, 板宽不超过12mm
Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 12mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

Accessories 配件




Unit:mm



◀ APPLICATION SCENE
应用场所

PXG-1616



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：墙角卡扣安装

Installation: Wall corner surface mounted installation

最大负载：不超过18W/米，光源建议选择1条DC12V/24V 2835 120灯/M 灯带，板宽不超过10mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 10mm.

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注：可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

gl-light.ca

PXG-1616-90



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：墙角卡扣安装

Installation: Wall corner surface mounted installation

最大负载：不超过18W/米，光源建议选择1条DC12V/24V 2835 120灯/M 灯带，板宽不超过10mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 10mm

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注：可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

PXG-1203



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式：墙角卡扣安装

Installation: Wall corner surface mounted installation

最大负载：不超过18W/米，光源建议选择1条DC12V/24V 2835 120灯/M 灯带，板宽不超过12mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 12mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting






银silver

黑black


白white

备注：可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

Accessories 配件



PXG-2010



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。


Light is even and smooth, installing led strip light. then fixed the clips,finally installing the aluminum profiles.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:吸顶卡扣安装

Installation:Surface mounted installation

最大负载:不超过18W/米,光源建议选择1条DC12V/24V 2835 196灯/M灯带,板宽不超过16mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 196led/meter led strip light, PCB size not over 16mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver

黑black


白white

备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

APPLICATION SCENE 应用场所



PXG-3020-M



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light. then fixed the clips, finally installing the aluminum profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式:吸顶卡扣安装

Installation: Surface mounted installation

最大负载:不超过24W/米,光源建议选择1条DC12V/24V 2835 240灯/M双排灯带,板宽不超过24mm

Max watt: Less than 24W/meter. Suggest with 1pcs DC12V/24V 2835 240led/meter led strip light, PCB size not over 24mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white


备注:可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

Accessories 配件



Unit:mm

PXG-3020-A



Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fix the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式:嵌入到墙体或者天花

Installation: Embedded in wall or ceiling

最大负载:不超过24W/米,光源建议选择1条DC12V/24V 2835 240灯/M双排灯带,板宽不超过24mm

Max watt: Less than 24W/meter. Suggest with 1pcs DC12V/24V 2835 240led/meter led strip light, PCB size not over 24mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white


备注:可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

Accessories 配件



Unit:mm

PXG-3030



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣或者吊线, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 墙壁卡扣安装/吊线安装

Installation: Wall mounted installation/hanging installation

最大负载: 不超过25W/米, 光源建议选择1条DC12V/24V 2835 120/M 灯带, 板宽不超过20mm

Max watt: Less than 25w/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 20mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black



白white

备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available




Accessories 配件



Unit:mm

PXG-3030-F



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 吸顶卡扣安装

Installation: Surface mounted installation

最大负载: 不超过24W/米, 光源建议选择1条DC12V/24V 2835 240灯/M 双排灯带, 板宽不超过27mm

Max watt: Less than 24w/meter. Suggest with 1pcs DC12V/24V 2835 240led/meter double raw led strip light, PCB size not over 27mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available



Accessories 配件



Unit:mm

PXG-404 (For underground)



Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.


安装方式: 地理安装

Installation: Embedded in floor

最大负载: 不超过40W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过37mm

Max watt: Less than 40W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver



黑black





白white


备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

APPLICATION SCENE 应用场所



PXG-3520-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light. then fixed the clips, finally installing the aluminum profiles. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶卡扣安装

Installation: Surface mounted installation

最大负载: 不超过40W/米, 光源建议选择2条DC12V/24V 2835 120灯/M灯带, 板宽不超过24mm

Max watt: Less than 40W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 24mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black

白white


备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available



◀ APPLICATION SCENE
应用场所

PXG-3535-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣或者吊线, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载: 不超过40W/米, 光源建议选择2条DC12V/24V 2835 120灯/M 灯带, 板宽不超过24mm

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 24mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

gl-light.ca

PXG-3535B-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣或者吊线, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.



安装方式: 吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载: 不超过40W/米, 光源建议选择2条DC12V/24V 2835 120灯/M 灯带, 板宽不超过26mm

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

PXG-4030-M



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣或者吊线,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式:吸顶卡扣安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载:不超过36W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过24mm

Max watt: Less than 36w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 24mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white

备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

Accessories 配件



PXG-5020-M



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light. then fixed the clips,finally installing the aluminum profiles.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:吸顶卡扣安装

Installation:Surface mounted installation

最大负载:不超过40W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过37mm

Max watt: Less than 40W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white

备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

Accessories 配件



PXG-5035-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣或者吊线, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载: 不超过40W/米, 光源建议选择2条DC12V/24V 2835 120灯/M 灯带, 板宽不超过37mm

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm.

Accessories 配件



Unit:mm

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

gl-light.ca

PXG-5035B-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣或者吊线, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载: 不超过40W/米, 光源建议选择2条DC12V/24V 2835 120灯/M 灯带, 板宽不超过37mm

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm.

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-5532-M



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣或者吊线，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载：不超过40W/米，光源建议选择2条DC12V/24V 2835 120灯/M 灯带，板宽不超过37mm

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注：可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

PXG-6035-M



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣或者吊线，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载：不超过40W/米，光源建议选择2条DC12V/24V 2835 120灯/M 灯带，板宽不超过37mm

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注：可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

PXG-7035-M



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣或者吊线,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式:吸顶卡扣安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载:不超过48W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过54mm

Max watt: Less than 48w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 54mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white

备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

gl-light.ca

PXG-7520-M



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light. then fixed the clips,finally installing the aluminum profiles.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.


安装方式:吸顶卡扣安装

Installation:Surface mounted installation

最大负载:不超过70W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过60mm

Max watt: Less than 70W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 60mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

PXG-7635-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣或者吊线, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载: 不超过50W/米, 光源建议选择2条DC12V/24V 2835 120灯/M 灯带, 板宽不超过54mm

Max watt: Less than 50w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 54mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

gl-light.ca

PXG-8035-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣或者吊线, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载: 不超过48W/米, 光源建议选择2条DC12V/24V 2835 120灯/M 灯带, 板宽不超过55mm

Max watt: Less than 48w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 55mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

PXG-10235-M



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣或者吊线，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。


Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式：吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载：不超过70W/米，光源建议选择4条DC12V/24V 2835 120/M 灯带，板宽不超过80mm
Max watt: Less than 70w/meter. Suggest with 4pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 80mm.

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注：可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

APPLICATION SCENE 应用场所



PXG-12050-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣或者吊线, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶卡扣安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载: 不超过80W/米, 光源建议选择4条DC12V/24V 2835 120/M 灯带, 板宽不超过95mm

Max watt: Less than 80w/meter. Suggest with 4pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 95mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting





银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

gl-light.ca

PXG-15050-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣或者吊线, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶卡扣安装或者吊线安装

Installation: Surface mounted or Pendant installation

最大负载: 不超过100W/米, 光源建议选择4条DC12V/24V 2835 120/M 灯带, 板宽不超过125mm

Max watt: Less than 100w/meter. Suggest with 4pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 125mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting





银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

PXG-18050-M



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣或者吊线，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：吸顶卡扣安装或者吊线安装

Installation: Surface mounted or Pendant installation

最大负载：不超过120W/米，光源建议选择5条DC12V/24V 2835 120灯/M 灯带，板宽不超过154mm

Max watt: Less than 120w/meter. Suggest with 5pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 154mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting





银silver 黑black 白white

备注：可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

gl-light.ca

PXG-20050-M



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣或者吊线，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：吸顶卡扣安装或者吊线安装

Installation: Surface mounted or Pendant installation

最大负载：不超过150W/米，光源建议选择5条DC12V/24V 2835 120/M 灯带，板宽不超过174mm

Max watt: Less than 150w/meter. Suggest with 5pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 174mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white

备注：可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

PXG-5070-M



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣或者吊线，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载：不超过40W/米，光源建议选择2条DC12V/24V 2835 120灯/M 灯带，板宽不超过38mm

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 38mm.

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver



黑black



白white

备注：可以根据客户的要求定制尺寸参数


Remarks:customized design size and spec available



APPLICATION SCENE 应用场所



PXG-5075M



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminum profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.



安装方式:吸顶卡扣安装

Installation: Surface mounted installation

最大负载:不超过50W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过26mm

Max watt: Less than 50W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm.

Accessories 配件



Unit:mm

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注:可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

gl-light.ca

PXG-5575-M



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣或者吊线,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式:吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载:不超过50W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过37mm

Max watt: Less than 50w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm.

Accessories 配件



Unit:mm

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注:可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

PXG-7090-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣或者吊线, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载: 不超过70W/米, 光源建议选择2条DC12V/24V 2835 120/M 灯带, 板宽不超过55mm

Max watt: Less than 70w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 55mm.

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-7676-M



Product Features 产品特点

出光均匀柔和, 先安装灯带, 固定好安装卡扣或者吊线, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载: 不超过70W/米, 光源建议选择2条DC12V/24V 2835 120/M 灯带, 板宽不超过55mm

Max watt: Less than 70w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 55mm.

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-10270-M



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣或者吊线，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载：不超过70W/米，光源建议选择4条DC12V/24V 2835 120/M 灯带，板宽不超过80mm

Max watt: Less than 70w/meter. Suggest with 4pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 80mm.

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver

黑black


白white

备注：可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available



◀ APPLICATION SCENE

PXG-3520-A



Product Features 产品特点


出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:嵌入到墙体或者天花
Installation:Embedded in wall or ceiling

最大负载:不超过40W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过24mm
Max watt: Less than 40W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 24mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:3M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

PXG-3535-A



Product Features 产品特点


出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter,finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:嵌入到墙体或者天花
Installation: Embedded in wall or ceiling.

最大负载:不超过40W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过24mm
Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 24mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

PXG-5035-A



Product Features 产品特点


出光均匀柔和, 需预先挖好型材尺寸沟, 再埋装型材, 最后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 嵌入到墙体或者天花
Installation: Embedded in wall or ceiling

最大负载: 不超过40W/米, 光源建议选择2条DC12V/24V 2835 120灯/M 灯带, 板宽不超过37mm
Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal


最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-5035B-A



Product Features 产品特点


出光均匀柔和, 需预先挖好型材尺寸沟, 再埋装型材, 最后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 嵌入到墙体或者天花
Installation: Embedded in wall or ceiling

最大负载: 不超过40W/米, 光源建议选择2条DC12V/24V 2835 120灯/M 灯带, 板宽不超过37mm
Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal


最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-5020-A



Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter,finally installing led strip light.No dark shadows,achieve the effect of seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:嵌入到墙体或者天花
Installation:Embedded in wall or ceiling

最大负载:不超过40W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过37mm
Max watt: Less than 40W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white


备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

Accessories 配件



Unit:mm

PXG-5532-A



Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter,finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:嵌入到墙体或者天花
Installation:Embedded in wall or ceiling.

最大负载:不超过40W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过37mm
Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white


备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

Accessories 配件



Unit:mm

PXG-6613-A




Product Features 产品特点

出光均匀柔和, 需预先挖好型材尺寸沟, 再埋装型材, 最后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 嵌入到墙体或者天花
Installation: Embedded in wall or ceiling.

最大负载: 不超过40W/米, 光源建议选择2条DC12V/24V 2835 120灯/M 灯带, 板宽不超过42mm
Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 42mm.



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

APPLICATION SCENE



PXG-7520-A



Product Features 产品特点


出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter,finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:嵌入到墙体或者天花
Installation:Embedded in wall or ceiling

最大负载:不超过70W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过60mm
Max watt: Less than 70W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 60mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal


最长裁剪尺寸/Maximum length:6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

PXG-7635-A



Product Features 产品特点


出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter,then fill the proximate matter,finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:嵌入到墙体或者天花
Installation: Embedded in wall or ceiling.

最大负载:不超过50W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过54mm
Max watt: Less than 50W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 54mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal


最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

PXG-7676-A



Product Features 产品特点


出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 嵌入到墙体或者天花
Installation: Embedded in wall or ceiling

最大负载: 不超过70W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过55mm
Max watt: Less than 70w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 55mm

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting





银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

gl-light.ca

PXG-9035-A



Product Features 产品特点


出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 嵌入到墙体或者天花
Installation: Embedded in wall or ceiling

最大负载: 不超过70W/米,光源建议选择4条DC12V/24V 2835 120灯/M灯带,板宽不超过75mm
Max watt: Less than 70w/meter. Suggest with 4pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 75mm

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-9535A



Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。


Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:嵌入到墙体或者天花

Installation:Embedded in wall or ceiling

最大负载:不超过70W/米,光源建议选择4条DC12V/24V 2835 120灯/M灯带,板宽不超过79mm
Max watt: Less than 70W/meter. Suggest with 4pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 79mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注:可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

PXG-10035A



Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.


安装方式:嵌入到墙体或者天花

Installation:Embedded in wall or ceiling

最大负载:不超过70W/米,光源建议选择4条DC12V/24V 2835 120灯/M灯带,板宽不超过79mm

Max watt: Less than 70W/meter. Suggest with 4pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 79mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注:可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

PXG-110



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light. then fixed the clips,finally installing the aluminum profiles.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.


安装方式:吸顶卡扣安装

Installation:Surface mounted installation

最大负载:不超过40W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过34mm

Max watt: Less than 40W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 34mm.

Accessories 配件



Unit:mm

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注:可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

gl-light.ca

PXG-111



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light. then fixed the clips,finally installing the aluminum profiles.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.


安装方式:吸顶卡扣安装

Installation:Surface mounted installation

最大负载:不超过40W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过34mm

Max watt: Less than 40W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 34mm.

Accessories 配件



Unit:mm

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注:可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

PXG-5550-M



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣或者吊线,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式:吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载:不超过40W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过37mm

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal


最长裁剪尺寸/Maximum length: 3.6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

Accessories 配件



Unit:mm

PXG-5070S



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light. then fixed the clips,finally installing the aluminum profiles.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式:吸顶卡扣安装

Installation:Surface mounted installation

最大负载:不超过50W/米,光源建议选择2条DC12V/24V 2835 120灯/M灯带,板宽不超过36mm

Max watt: Less than 50W/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 36mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal


最长裁剪尺寸/Maximum length:6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white


Accessories 配件



Unit:mm

备注:可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

PXG-8075-S



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣或者吊线，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：吸顶安装或吊线安装

Installation: Surface mounted or Pendant installation

最大负载：不超过40W/米，光源建议选择2条DC12V/24V 2835 120灯/M 灯带，板宽不超过37mm

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 37mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3.6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注：可以根据客户的要求定制尺寸参数


Remarks: customized design size and spec available

gl-light.ca

APPLICATION SCENE



PXG-4215



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：墙壁卡扣安装

Installation: Wall mounted installation

最大负载：不超过18W/米，光源建议选择1条DC12V/24V 2835 192/M 灯带，板宽不超过12mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 12mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black


白white

备注：可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

gl-light.ca

PXG-5015



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：墙壁卡扣安装

Installation: Wall mounted installation

最大负载：不超过18W/米，光源建议选择1条DC12V/24V 2835 192灯/M 灯带，板宽不超过12mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 12mm

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver


黑black

白white

备注：可以根据客户的要求定制尺寸参数

Remarks:customized design size and spec available

PXG-4290-M



Product Features 产品特点

出光均匀柔和，先安装灯带，固定好安装卡扣或者吊线，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the clips or hanging wire, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式：墙壁安装或吊线安装

Installation: Wall mounted or Pendant installation

最大负载：不超过50W/米，光源建议选择2条DC12V/24V 2835 120灯/M 灯带，板宽不超过33mm

Max watt: Less than 50w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 33mm

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white


备注：可以根据客户的要求定制尺寸参数

Remarks: customized design size and spec available

APPLICATION SCENE 应用场所



PXG-301



Product Features 产品特点

出光均匀柔和, 先安装灯带, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 墙角安装

Installation: Wall corner surface mounted installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 120灯/M 灯带, 板宽不超过8mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 8mm.

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-302



Product Features 产品特点

出光均匀柔和, 先安装灯带, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 墙角安装

Installation: Wall corner surface mounted installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 120灯/M 灯带, 板宽不超过8mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 8mm

Accessories 配件



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-303



Product Features 产品特点

出光均匀柔和, 先安装灯带, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 墙角安装

Installation: Wall corner surface mounted installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 120灯/M 灯带, 板宽不超过8mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 8mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

gl-light.ca

PXG-304



Product Features 产品特点

出光均匀柔和, 先安装灯带, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.


安装方式: 吸顶安装

Installation: Surface mounted installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 120灯/M 灯带, 板宽不超过8mm

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 8mm

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M



适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-305



Product Features 产品特点

出光均匀柔和, 先安装灯带, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。


Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 吸顶安装

Installation: Surface mounted installation

最大负载: 不超过24W/米, 光源建议选择1条DC12V/24V 2835 240灯/M 双排灯带, 板宽不超过20mm
Max watt: Less than 24w/meter. Suggest with 1pcs DC12V/24V 2835 240led/meter double raw led strip light, PCB size not over 20mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver



黑black

白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

gl-light.ca

PXG-306



Product Features 产品特点

出光均匀柔和, 先安装灯带, 再安装型材, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。


Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 吸顶安装

Installation: Surface mounted installation

最大负载: 不超过24W/米, 光源建议选择1条DC12V/24V 2835 240灯/M 双排灯带, 板宽不超过20mm
Max watt: Less than 24w/meter. Suggest with 1pcs DC12V/24V 2835 240led/meter double raw led strip light, PCB size not over 20mm.

Accessories 配件



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 3M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver

黑black

白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-309



Product Features 产品特点


出光均匀柔和，先安装灯带，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式：墙角安装

Installation: Wall corner surface mounted installation

最大负载：不超过18W/米，光源建议选择1条DC12V/24V 2835 192灯/M灯带，板宽不超过5mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 5mm.



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注：可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

PXG-310



Product Features 产品特点


出光均匀柔和，先安装灯带，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式：墙角安装

Installation: Wall corner surface mounted installation

最大负载：不超过18W/米，光源建议选择1条DC12V/24V 2835 192灯/M灯带，板宽不超过5mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 5mm.



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注：可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available

PXG-311



Product Features 产品特点

出光均匀柔和，先安装灯带，再安装型材，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, installing led strip light, then fixed the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式：墙角安装

Installation: Wall corner surface mounted installation

最大负载：不超过18W/米，光源建议选择1条DC12V/24V 2835 192灯/M灯带，板宽不超过14mm

Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 14mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver

黑black

白white

备注：可以根据客户的要求定制尺寸参数
Remarks:customized design size and spec available



Unit:mm

APPLICATION SCENE ▶ 应用场所



PXG-503 (For Skirting lighting)



Product Features 产品特点

出光均匀柔和, 现将型材固定在墙上, 然后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, Fix the aluminum on the wall, then installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 地脚线表面安装
Installation: surface installation

最大负载: 不超过18W/米, 光源建议选择一条DC12V/24V 2835 120灯/M灯带, 板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 8mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 乳白Opal


最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

Accessories 配件



PXG-504 (For Skirting lighting)



Product Features 产品特点

出光均匀柔和, 现将型材固定在墙上, 然后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, Fix the aluminum on the wall, then installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 地脚线表面安装
Installation: surface installation

最大负载: 不超过18W/米, 光源建议选择一条DC12V/24V 2835 120灯/M灯带, 板宽不超过30mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 30mm.

Product Spec 产品参数

材料/Material: AL6063-T5


PC罩/ PC cover: 乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available



PXG-505 (For Skirting lighting)



Product Features 产品特点

出光均匀柔和, 现将型材固定在墙上, 然后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, Fix the aluminum on the wall, then installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 地脚线表面安装
Installation: surface installation

最大负载: 不超过18W/米, 光源建议选择一条DC12V/24V 2835 120灯/M灯带, 板宽不超过30mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 30mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 乳白Opal


最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting





银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available



Unit:mm

PXG-506 (For Skirting lighting)



Product Features 产品特点

出光均匀柔和, 现将型材固定在墙上, 然后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, Fix the aluminum on the wall, then installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 地脚线表面安装
Installation: surface installation

最大负载: 不超过18W/米, 光源建议选择一条DC12V/24V 2835 120灯/M灯带, 板宽不超过30mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 30mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 乳白Opal


最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available



Unit:mm

PXG-513 (For Skirting lighting)




Product Features 产品特点

出光均匀柔和, 现将型材固定在墙上, 然后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, Fix the aluminum on the wall, then installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 地脚线表面安装
Installation: surface installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 192灯/M灯带, 板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 8mm.



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5 PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M 适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-514 (For Skirting lighting)




Product Features 产品特点

出光均匀柔和, 现将型材固定在墙上, 然后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带

Light is even and smooth, Fix the aluminum on the wall, then installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 地脚线表面安装
Installation: surface installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 192灯/M灯带, 板宽不超过5mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 5mm.



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5 PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M 适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-515 (For Skirting lighting)



Product Features 产品特点

出光均匀柔和, 现将型材固定在墙上, 然后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, Fix the aluminum on the wall, then installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 地脚线表面安装
Installation: surface installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 192灯/M灯带, 板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 8mm.



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver



黑black



白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

APPLICATION SCENE ▶ 应用场所



PXG-501




Product Features 产品特点

出光均匀柔和, 现将型材固定在墙上, 然后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带。

Light is even and smooth, Fix the aluminum on the wall, then installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 地脚线表面安装
Installation: surface installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 192灯/M灯带, 板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 8mm.



Product Spec 产品参数

材料/Material: AL6063-T5 PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M 适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-502




Product Features 产品特点

出光均匀柔和, 现将型材固定在墙上, 然后安装灯带, 无暗区, 整体实现见光不见灯的效果, 建议用恒压灯带

Light is even and smooth, Fix the aluminum on the wall, then installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 地脚线表面安装
Installation: surface installation

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 192灯/M灯带, 板宽不超过5mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 5mm.



Product Spec 产品参数

材料/Material: AL6063-T5 PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M 适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-507 (For 18mm board)



Product Features 产品特点

出光均匀柔和,先安装灯带,固定好安装卡扣,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light. then fixed the clips, finally installing the aluminum profiles. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 18毫米夹层板灯
Installation: for 18mm board

最大负载: 不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 8mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white


备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

Accessories 配件



Unit:mm

PXG-508 (For 8mm glass)



Product Features 产品特点

出光均匀柔和,先安装灯带,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带

Light is even and smooth, installing led strip light, then installing the aluminum profiles. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式: 8毫米夹玻璃灯
Installation: for 8mm Glass shelf

最大负载: 不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过5mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 5mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal


最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available



Unit:mm

PXG-509 (For 10mm glass)




Product Features 产品特点

出光均匀柔和,先安装灯带,再安装型材,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, installing led strip light, then installing the aluminum profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommended.

安装方式: 10毫米夹玻璃灯
Installation: for 10mm Glass shelf

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 192灯/M灯带, 板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 8mm.



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



silver

black

white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

gl-light.ca

PXG-510 (For 10mm board)




Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommended.

安装方式: 嵌入10毫米板
Installation: for 10mm Board

最大负载: 不超过18W/米, 光源建议选择1条DC12V/24V 2835 192灯/M灯带, 板宽不超过5mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 5mm.



Unit:mm

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver

黑black

白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-511 (For 18mm board)




Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式: 嵌入18毫米板
Installation: for 18mm Board

最大负载: 不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过8mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 8mm.



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting




银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

gl-light.ca

PXG-512




Product Features 产品特点

出光均匀柔和,需预先挖好型材尺寸沟,再埋装型材,最后安装灯带,无暗区,整体实现见光不见灯的效果,建议用恒压灯带。

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

安装方式: 嵌入层板内安装
Installation: Embedded in board

最大负载: 不超过18W/米,光源建议选择1条DC12V/24V 2835 192灯/M灯带,板宽不超过5mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 5mm.



Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 磨砂Frosted/透明Transparent/乳白Opal

最长裁剪尺寸/Maximum length:6M


适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



银silver 黑black 白white

备注: 可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

PXG-507 (Black Series)



Anodized Black Profile + Black Diffuser

Product Features 产品特点

出光均匀柔和，现将型材固定在墙上，然后安装灯带，无暗区，整体实现见光不见灯的效果，建议用恒压灯带。

Light is even and smooth, Fix the aluminum on the wall, then installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

安装方式：18MM层板安装
Installation: For 18mm board

最大负载：不超过18W/米，光源建议选择一条DC12V/24V 2835 192灯/M灯带，板宽不超过12mm
Max watt: Less than 18W/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 12mm.

Product Spec 产品参数

材料/Material: AL6063-T5

PC罩/ PC cover: 黑色Black


最长裁剪尺寸/Maximum length: 6M

适用范围/Application: 商业照明Commercial lighting/办公照明Office lighting



黑black

Accessories 配件



Unit:mm

备注：可以根据客户的要求定制尺寸参数
Remarks: customized design size and spec available

