

Ceiling Fixtures

..... P01- P06



YX-82101



YX-82102



YX-82103



YX-82104

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82101	BN/BZ/WH	Alabaster Glass	11	5.5	/	1x13WxE26	10W	2700~5500K	UL/ETL
YX-82102	BN/BZ/WH	Frosted Glass	11	5.5	/	1x13WxE26	10W	2700~5500K	UL/ETL
YX-82103	BN/BZ/WH	Alabaster Glass	11	6.1	/	1x13WxE26	10W	2700~5500K	UL/ETL
YX-82104	BN/BZ/WH	Alabaster Glass	13	5.5	/	2x13WxE26	10W	2700~5500K	UL/ETL

Wall Lamp

..... P07- P21

Pendant/Chandelier

..... P22- P27



YX-82105



YX-82106



YX-82107



YX-82108

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82105	BN/BZ/WH	Alabaster Glass	15.4	5.1	/	2x13WxE26	15W	2700~5500K	UL/ETL
YX-82106	BN/BZ/WH	White Acrylic	11.8	1.57	/	N/A	AC 30W	2700~5500K	UL/ETL
YX-82107	BN/BZ/WH	Frosted White Glass	13.2	6.3	/	2x13WxE26	15W	2700~5500K	UL/ETL
YX-82108	BN/BZ/WH	Frosted White Glass	11	5.51	/	1x13WxE26	10W	2700~5500K	UL/ETL

Outdoor Fixtures

..... P28- P30

Ceiling Fixture



YX-82109



YX-82110



YX-82111



YX-82112

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82109	BN/BZ/WH	White Glass	/	/	/	/	/	2700-5500K	UL/ETL
YX-82110	BN/BZ/WH	White Fabric	15.75	2.56	/	2x13WxE26	15W	2700-5500K	UL/ETL
YX-82111	BN/BZ/WH	White Glass	13	5.51	/	2x13WxE26	10W	2700-5500K	UL/ETL
YX-82112	BN/BZ/WH	Frosted White Glass	12.2	3.74	/	2x13WxE26	10W	2700-5500K	UL/ETL

Ceiling Fixture



YX-82117



YX-82118



YX-82119



YX-82120

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82117	BN/BZ/WH	White Fabric	10	2.95	/	1x13WxE26	10W	2700-5500K	UL/ETL
YX-82118	BN/BZ/WH	White Acrylic	15.35	3.54	/	2x13WxE26	15W/20W	2700-5500K	UL/ETL
YX-82119	BN/BZ/WH	Frosted Glass	11.81	3.54	/	2x13WxE26	10W	2700-5500K	UL/ETL
YX-82120	BN/BZ/WH	Frosted White Glass	20.9	5.9	/	4x13WxE26	20W/25W	2700-5500K	UL/ETL



YX-82113



YX-82114



YX-82115



YX-82116

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82113	BN/BZ/WH	White Acrylic	20.27	4.13	/	3x13WxE26	20W/25W	2700-5500K	UL/ETL
YX-82114	BN/BZ/WH	White Acrylic	14.37	3.54	/	2x13WxE26	15W/20W	2700-5500K	UL/ETL
YX-82115	BN/BZ/WH	White Acrylic	16.14	4.53	/	2x13WxE26	20W/25W	2700-5500K	UL/ETL
YX-82116	BN/BZ/WH	White Acrylic	16.54	5.31	/	2x13WxE26	20W/25W	2700-5500K	UL/ETL



YX-82121



YX-82122



YX-82123



YX-82124

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82121	BN/BZ/WH	Frosted Glass	4.72	4.72	/	1x13WxE26	6W	2700-5500K	UL/ETL
YX-82122	BN/BZ/WH	White Glass	11.81	3.74	/	2x13WxE26	10W	2700-5500K	UL/ETL
YX-82123	BN/BZ/WH	Frosted White Glass	/	/	/	/	/	2700-5500K	UL/ETL
YX-82124	BN/BZ/WH	Frosted White Glass	12.2	4.53	/	2x13WxE26	10W	2700-5500K	UL/ETL

Ceiling Fixture



YX-82125



YX-82126



YX-82127

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82125	BN/BZ/WH	White Glass	13.39	5.12	/	2x13WxE26	15W	2700-5500K	UL/ETL
YX-82126	BN/BZ/WH	White Glass	15.16	4.72	/	3x13WxE26	15W	2700-5500K	UL/ETL
YX-82127	BN/BZ/WH	White Glass	/	/	/	/	/	2700-5500K	UL/ETL

Ceiling Fixture



YX-82132



YX-82133



YX-82134



YX-82135


Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82132	BN/BZ/WH	White Glass	20.28	5.19	/	4x13WxE26	20W	2700-5500K	UL/ETL
YX-82133	BN/BZ/WH	Frosted White Glass	14	3.94	/	2x13WxE26	15W	2700-5500K	UL/ETL
YX-82134	BN/BZ/WH	White Glass	14.57	3.54	/	2x13WxE26	15W	2700-5500K	UL/ETL
YX-82135	BN/BZ/WH	White Glass	10.43	3.35	/	1x13WxE26	10W	2700-5500K	UL/ETL



YX-82128



YX-82129



YX-82130



YX-82131

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82128	BN/BZ/WH	Frosted White Glass	12.8	4.72	/	2x13WxE26	10W	2700-5500K	UL/ETL
YX-82129	BN/BZ/WH	Crème Fabric	14.96	5.51	/	3x13WxE26	15W	2700-5500K	UL/ETL
YX-82130	BN/BZ/WH	Frosted White Glass	18.11	8.66	/	3x13WxE26	20W/25W	2700-5500K	UL/ETL
YX-82131	BN/BZ/WH	White Acrylic	11.81	11.81	3.15	2x13WxE26	10W	2700-5500K	UL/ETL



YX-82136



YX-82137



YX-82138



YX-82139

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82136	BN/BZ/WH	White Acrylic	19.49	4.33	/	4x13WxE26	20W	2700-5500K	UL/ETL
YX-82137	BN/BZ/WH	Frosted White Glass	/	/	/	/	/	2700-5500K	UL/ETL
YX-82138	BN/BZ/WH	White Acrylic	13.58	4.72	/	N/A	AC 15W	2700-5500K	UL/ETL
YX-82139	BN/BZ/WH	White Acrylic	13.58	4.72	/	N/A	AC 15W	2700-5500K	UL/ETL

Ceiling Fixture

Wall Lamp



YX-82140



YX-82141

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82140	BN/BZ/WH	White Fabric	14.96	7.68	/	3x13WxE26	15W	2700~5500K	UL/ETL
YX-82141	BN/BZ/WH	Frosted White Glass	12.99	4.72	/	2x13WxE26	10W	2700~5500K	UL/ETL



YX-32101



YX-32102



YX-32103



YX-32104

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32101	BN/BZ/WH	White Acrylic	37.6	4.72	4.33	2xT5x21W	35W	2700~5500K	UL/ETL
YX-32102	BN/BZ/WH	White Acrylic	24.02	4.33	2.56	2xT5x14W	20W	2700~5500K	UL/ETL
YX-32103	BN/BZ/WH	White Acrylic	24.41	5.51	4.13	2xT8x17W	20W	2700~5500K	UL/ETL
YX-32104	BN/BZ/WH	White Acrylic	35.83	4.33	2.95	2xT5x21W	30W	2700~5500K	UL/ETL



YX-82142



YX-82143



YX-82144

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-82142	BN/BZ/WH	Clear Glass	6.5	7.87	/	1x13WxE26	6W	2700~5500K	UL/ETL
YX-82143	BN/BZ/WH	Clear Glass	11.81	9.06	/	1x13WxE26	10W	2700~5500K	UL/ETL
YX-82144	BN/BZ/WH	Clear Glass	11.81	9.06	/	1x13WxE26	10W	2700~5500K	UL/ETL



YX-32105



YX-32106



YX-32107



YX-32108

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32105	BN/BZ/WH	White Acrylic	37.6	4.72	4.13	2xT5x21W	30W	2700~5500K	UL/ETL
YX-32106	BN/BZ/WH	White Acrylic	51.38	9.06	3.74	2xT5x28W	50W	2700~5500K	UL/ETL
YX-32107	BN/BZ/WH	White Glass	48.62	4.53	4.72	2xT8x28W	45W	2700~5500K	UL/ETL
YX-32108	BN/BZ/WH	White Acrylic	26.57	6.5	3.74	2xT5x14W	20W	2700~5500K	UL/ETL

Wall Lamp



YX-32109

YX-32110

YX-32111

YX-32112

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32109	BN/BZ/WH	White Acrylic	/	/	/	/	/	2700~5500K	UL/ETL
YX-32110	BN/BZ/WH	White Acrylic	25.71	5.39	3.94	2xGU24x13W	20W	2700~5500K	UL/ETL
YX-32111	BN/BZ/WH	White Acrylic	18.11	4.33	4.72	2xGU24x13W	15W	2700~5500K	UL/ETL
YX-32112	BN/BZ/WH	White Acrylic	23.23	4.33	2.76	2xT5x14W	20W	2700~5500K	UL/ETL

Wall Lamp



YX-32116


YX-32117

YX-32118

YX-32119

YX-32120

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32116	BN/BZ/WH	White Glass	5.12	20.08	4.33	2x60WxE26	12W	2700~5500K	UL/ETL
YX-32117	BN/BZ/WH	Crystal Glass	4.33	18.11	3.54	N/A	10W	2700~5500K	UL/ETL
YX-32118	BN/BZ/WH	White Acrylic	5.12	15.35	3.94	1x60WxE26	6W	2700~5500K	UL/ETL
YX-32119	BN/BZ/WH	White Glass	5.53	11.81	3.94	1x60WxE26	6W	2700~5500K	UL/ETL
YX-32120	BN/BZ/WH	White Glass	4.61	13.39	5.51	1x60WxE26	6W	2700~5500K	UL/ETL



YX-32113

YX-32114

YX-32115

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32113	BN/BZ/WH	White Acrylic	14.96	3.94	3.54	N/A	15W	2700~5500K	UL/ETL
YX-32114	BN/BZ/WH	Striped glass	24.02	4.53	3.35	2xT8x17W	20W	2700~5500K	UL/ETL
YX-32115	BN/BZ/WH	White Acrylic	19.88	3.94	3.54	2xGU24x13W	15W	2700~5500K	UL/ETL



YX-32121

YX-32122

YX-32123

YX-32124

YX-32125

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32121	BN/BZ/WH	White Fabric	5.12	15.75	3.74	1x60WxE26	10W	2700~5500K	UL/ETL
YX-32122	BN/BZ/WH	White Fabric	7.09	13.98	4.13	1x60WxE26	10W	2700~5500K	UL/ETL
YX-32123	BN/BZ/WH	White Fabric	6.89	12	4.13	1x60WxE26	10W	2700~5500K	UL/ETL
YX-32124	BN/BZ/WH	Metal	5.31	14.17	2.36	N/A	10W	2700~5500K	UL/ETL
YX-32125	BN/BZ/WH	Metal	/	/	/	/	/	2700~5500K	UL/ETL

Wall Lamp



YX-32126



YX-32127



YX-32128



YX-32129



YX-32130

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32126	BN/BZ/WH	White Glass	10.04	11.02	4.33	1x60WxE26	10W	2700~5500K	UL/ETL
YX-32127	BN/BZ/WH	White Glass	10.83	15.94	5.31	2x60WxE26	10W	2700~5500K	UL/ETL
YX-32128	BN/BZ/WH	White Glass	7.48	18.11	4.02	2x60WxE26	10W	2700~5500K	UL/ETL
YX-32129	BN/BZ/WH	White Acrylic	4.76	9.84	2.96	1x13WxE26	10W	2700~5500K	UL/ETL
YX-32130	BN/BZ/WH	White Acrylic	8.27	12	3.94	1x13WxE26	10W	2700~5500K	UL/ETL

Wall Lamp



YX-32136



YX-32137



YX-32138



YX-32139



YX-32140

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32136	BN/BZ/WH	Froster Glass	11.89	13.98	3.94	1x60WxE26	10W	2700~5500K	UL/ETL
YX-32137	BN/BZ/WH	N/A	/	/	/	/	/	2700~5500K	UL/ETL
YX-32138	BN/BZ/WH	White Glass	/	/	/	/	/	2700~5500K	UL/ETL
YX-32139	BN/BZ/WH	N/A	/	/	/	/	/	2700~5500K	UL/ETL
YX-32139	BN/BZ/WH	Clear Glass	/	/	/	/	/	2700~5500K	UL/ETL



YX-32131



YX-32132



YX-32133



YX-32134



YX-32135

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32131	BN/BZ/WH	White Acrylic	10.04	4.96	3.94	1x13WxE26	10W	2700~5500K	UL/ETL
YX-32132	BN/BZ/WH	White Acrylic	7.87	18.11	3.94	N/A	15W	2700~5500K	UL/ETL
YX-32133	BN/BZ/WH	White Glass	4.33	9.45	4.33	1x60WxE26	6W	2700~5500K	UL/ETL
YX-32134	BN/BZ/WH	Clear Glass	7.87	11.42	11.42	1x60WxE26	6W	2700~5500K	UL/ETL
YX-32135	BN/BZ/WH	Clear Seedy Glass	6.69	11.81	7.87	1x60WxE26	6W	2700~5500K	UL/ETL



YX-32141



YX-32142



YX-32143



YX-32144



YX-32145

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32141	BN/BZ/WH	Metal	4.72	19.96	3.94	1x60WxE26	10W	2700~5500K	UL/ETL
YX-32142	BN/BZ/WH	Opal Glass	4.53	13.39	4.13	1x60WxE26	6W	2700~5500K	UL/ETL
YX-32143	BN/BZ/WH	White Glass	/	/	/	/	/	2700~5500K	UL/ETL
YX-32144	BN/BZ/WH	White Glass	4.72	21.06	6.69	2x60WxE26	/	2700~5500K	UL/ETL
YX-32145	BN/BZ/WH	White Glass	/	/	/	/	/	2700~5500K	UL/ETL

Wall Lamp



YX-32146



YX-32147



YX-32148



YX-32149

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32146	BN/BZ/WH	Frosted Glass	6.3	3.54	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-32147	BN/BZ/WH	Clear&Frosted Acrylic	5.51	6.5	5.91	N/A	AC-2*5W	2700~5500K	UL/ETL
YX-32148	BN/BZ/WH	Opal Glass	5.12	5.91	5.91	1x60WxE26	6W	2700~5500K	UL/ETL
YX-32149	BN/BZ/WH	Froster Glass	4.72	4.92	6.1	1x60WxE26	6W	2700~5500K	UL/ETL

Wall Lamp



YX-32154



YX-32155



YX-32156



YX-32157



YX-32158

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32154	BN/BZ/WH	Smoky Glass	4.33	4.92	4.13	N/A	AC-2*5W	2700~5500K	UL/ETL
YX-32155	BN/BZ/WH	Bubble Glass	7.09	14.57	5.91	1x60WxE26	6W	2700~5500K	UL/ETL
YX-32156	BN/BZ/WH	Metal	5.98	14.49	3.15	N/A	AC-2*15W	2700~5500K	UL/ETL
YX-32157	BN/BZ/WH	Bubble Glass	5.91	12.2	4.53	N/A	10W	2700~5500K	UL/ETL
YX-32158	BN/BZ/WH	Crystal Glass	4.72	13.98	3.94	N/A	6W	2700~5500K	UL/ETL



YX-32150



YX-32151



YX-32152



YX-32153

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32150	BN/BZ/WH	Metal	10.04	4.53	3.74	1x60WxE26	15W	2700~5500K	UL/ETL
YX-32151	BN/BZ/WH	Metal	7.28	5.31	3.94	1x60WxE26	10W	2700~5500K	UL/ETL
YX-32152	BN/BZ/WH	Metal/Froster Glass	14.96	4.84	3.94	1x60WxE26	15W	2700~5500K	UL/ETL
YX-32153	BN/BZ/WH	Metal	6.02	12	1.97	N/A	15W	2700~5500K	UL/ETL



YX-32159



YX-32160



YX-32161



YX-32162

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32159	BN/BZ/WH	White Acrylic	5.97	4.33	3.54	1x60WxE26	10W	2700~5500K	UL/ETL
YX-32160	BN/BZ/WH	White Glass	7.13	9.25	3.94	1x60WxE26	10W	2700~5500K	UL/ETL
YX-32161	BN/BZ/WH	Metal	5.91	9.06	3.94	2x60WxE26	10W	2700~5500K	UL/ETL
YX-32162	BN/BZ/WH	Metal	7.68	17.32	3.35	2x60WxE26	15W	2700~5500K	UL/ETL

Wall Lamp



YX-32163 YX-32164 YX-32165 YX-32166 YX-32167

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32163	BN/BZ/WH	White Glass	6.1	8.46	7.87	1x60WxE26	5W	2700-5500K	UL/ETL
YX-32164	BN/BZ/WH	White Glass	6.1	8.46	7.87	1x60WxE26	5W	2700-5500K	UL/ETL
YX-32165	BN/BZ/WH	White Glass	14.96	8.46	7.87	2x60WxE26	10W	2700-5500K	UL/ETL
YX-32166	BN/BZ/WH	White Glass	24.02	8.46	7.87	3x60WxE26	15W	2700-5500K	UL/ETL
YX-32167	BN/BZ/WH	White Glass	36.61	8.46	7.87	4x60WxE26	20W	2700-5500K	UL/ETL

Wall Lamp



YX-32172 YX-32173 YX-32174 YX-32175

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32172	BN/BZ/WH	Metal	24.02	14.17	13.39	2x60WxE26	10W	2700-5500K	UL/ETL
YX-32173	BN/BZ/WH	White Glass	11.81	8.27	6.3	2x60WxE26	10W	2700-5500K	UL/ETL
YX-32174	BN/BZ/WH	White Glass	12.4	7.87	6.1	2x60WxE26	10W	2700-5500K	UL/ETL
YX-32175	BN/BZ/WH	Bubble Glass	24.02	9.45	7.87	3x60WxE26	15W	2700-5500K	UL/ETL



YX-32168 YX-32169 YX-32170 YX-32171

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32168	BN/BZ/WH	Clear Glass	7.09	9.45	5.5	1x60WxE26	5W	2700-5500K	UL/ETL
YX-32169	BN/BZ/WH	Clear Glass	16.14	7.09	6.69	2x60WxE26	10W	2700-5500K	UL/ETL
YX-32170	BN/BZ/WH	Clear Glass	25.2	7.09	6.69	3x60WxE26	15W	2700-5500K	UL/ETL
YX-32171	BN/BZ/WH	Clear Glass	34.25	7.09	6.69	4x60WxE26	20W	2700-5500K	UL/ETL



YX-32176 YX-32177 YX-32178

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32176	BN/BZ/WH	Clear Glass	21.26	8.86	5.59	3x60WxE26	15W	2700-5500K	UL/ETL
YX-32177	BN/BZ/WH	Clear Glass	30.51	9.06	6.5	4x60WxE26	20W	2700-5500K	UL/ETL
YX-32178	BN/BZ/WH	Clear Glass	29.92	11.42	9.45	4x60WxE26	20W	2700-5500K	UL/ETL

Wall Lamp



YX-32179



YX-32180



YX-32181

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32179	BN/BZ/WH	Metal	27.17	7.87	6.69	3x50WxGU10	15W	2700~5500K	UL/ETL
YX-32180	BN/BZ/WH	Metal	25	6.5	6.69	3x50WxGU10	15W	2700~5500K	UL/ETL
YX-32181	BN/BZ/WH	Frosted Glass	23.23	6.3	7.09	3x50WxGU10	15W	2700~5500K	UL/ETL

Wall Lamp



YX-32184



YX-32185



YX-32186

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32184	BN/BZ/WH	White Glass	35.43	9.84	8.66	4x50WxGU10	20W	2700~5500K	UL/ETL
YX-32185	BN/BZ/WH	Metal	24.02	5.91	6.3	4x50WxGU10	20W	2700~5500K	UL/ETL
YX-32186	BN/BZ/WH	Metal	32.28	11.02	5.91	4x50WxGU10	20W	2700~5500K	UL/ETL



YX-32182



YX-32183

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32182	BN/BZ/WH	Metal	36.42	7.87	6.89	4x50WxGU10	20W	2700~5500K	UL/ETL
YX-32183	BN/BZ/WH	Metal	32.28	5.12	7.09	4x50WxGU10	20W	2700~5500K	UL/ETL



YX-32187



YX-32188



YX-32189

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32187	BN/BZ/WH	White Glass	36.22	9.45	12.2	4x50WxGU10	20W	2700~5500K	UL/ETL
YX-32188	BN/BZ/WH	White Glass	31.89	7.87	6.3	4x50WxGU10	20W	2700~5500K	UL/ETL
YX-32189	BN/BZ/WH	Albaster Glass	35.83	8.27	8.27	6x60WxE26	30W	2700~5500K	UL/ETL

Wall Lamp



YX-32190

YX-32191

YX-32192

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32190	BN/BZ/WH	White Glass	20.47	8.27	4.72	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32191	BN/BZ/WH	White Glass	22.05	7.68	5.51	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32192	BN/BZ/WH	White Glass	21.85	7.68	5.91	3x60WxE26	15W	2700~5500K	UL/ETL

Wall Lamp



YX-32196

YX-32197

YX-32198

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32196	BN/BZ/WH	White Glass	23.43	8.27	5.51	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32197	BN/BZ/WH	White Glass	22.83	8.46	6.89	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32198	BN/BZ/WH	White Glass	31.5	7.87	7.48	4x60WxE26	20W	2700~5500K	UL/ETL



YX-32193

YX-32194

YX-32195

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32193	BN/BZ/WH	White Glass	18.5	8.27	5.51	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32194	BN/BZ/WH	White Glass	22.05	9.45	10.04	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32195	BN/BZ/WH	Clear&White Glass	21.26	7.68	5.51	3x60WxE26	15W	2700~5500K	UL/ETL



YX-32199

YX-32200

YX-32201

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32199	BN/BZ/WH	Frosted Glass	18.5	10.24	7.87	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32200	BN/BZ/WH	White Glass	27.36	7.48	5.91	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32201	BN/BZ/WH	White Glass	18.31	8.66	4.33	3x60WxE26	15W	2700~5500K	UL/ETL

Wall Lamp



YX-32202

YX-32203

YX-32204

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32202	BN/BZ/WH	White Glass	22.24	6.3	4.92	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32203	BN/BZ/WH	Clear&Frosted Glass	19.09	6.3	5.12	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32204	BN/BZ/WH	Clear&White Glass	21.06	7.68	5.12	3x60WxE26	15W	2700~5500K	UL/ETL

Wall Lamp



YX-32208

YX-32209

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32208	BN/BZ/WH	White Glass	31.5	7.87	5.31	4x60WxE26	20W	2700~5500K	UL/ETL
YX-32209	BN/BZ/WH	Clear&White Glass	32.28	8.86	6.3	4x60WxE26	20W	2700~5500K	UL/ETL



YX-32205

YX-32206

YX-32207

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32205	BN/BZ/WH	White Glass	24.02	9.06	7.48	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32206	BN/BZ/WH	Bubble Glass	21.65	9.06	6.3	3x60WxE26	15W	2700~5500K	UL/ETL
YX-32207	BN/BZ/WH	White Glass	28.74	9.25	5.91	4x60WxE26	20W	2700~5500K	UL/ETL



YX-32210

YX-32211

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-32210	BN/BZ/WH	White Acrylic	24.02	6.3	5.12	4x13WxE26	20W	2700~5500K	UL/ETL
YX-32211	BN/BZ/WH	White Acrylic	38.19	6.3	4.33	5x13WxE26	25W	2700~5500K	UL/ETL

Pendant/Chandelier



YX-52101 YX-52102 YX-52103 YX-52104 YX-52105

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52101	BN/BZ/WH	Clear Glass	7.09	7.28	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52102	BN/BZ/WH	Frosted Glass	7.48	6.69	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52103	BN/BZ/WH	Metal	8.66	9.06	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52104	BN/BZ/WH	Metal&White Glass	9.06	8.27	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52105	BN/BZ/WH	Clear Glass	4.72	18.11	/	1x60WxE26	6W	2700~5500K	UL/ETL

Pendant/Chandelier



YX-52111 YX-52112 YX-52113 YX-52114 YX-52115 YX-52116

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52111	BN/BZ/WH	Clear&White Glass	5.12	7.48	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52112	BN/BZ/WH	Frosted Glass	7.28	5.91	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52113	BN/BZ/WH	White Glass	4.72	5.91	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52114	BN/BZ/WH	Fabric Glass	3.94	7.48	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52115	BN/BZ/WH	Clear&White Glass	5.12	9.45	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52116	BN/BZ/WH	Clear Glass	/	/	/	1x60WxE26	6W	2700~5500K	UL/ETL



YX-52106 YX-52107 YX-52108 YX-52109 YX-52110

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52106	BN/BZ/WH	Clear Glass	5.04	10.43	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52107	BN/BZ/WH	Clear Glass	4.43	5.5	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52108	BN/BZ/WH	White Glass	5.31	12	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52109	BN/BZ/WH	Metal	7.09	7.09	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52110	BN/BZ/WH	Clear&White Glass	5.91	6.69	/	1x60WxE26	6W	2700~5500K	UL/ETL



YX-52117 YX-52118 YX-52119 YX-52120 YX-52121 YX-52122

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52117	BN/BZ/WH	Clear Hammered Glass	7.87	11.02	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52118	BN/BZ/WH	Metal	10.87	5.91	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52119	BN/BZ/WH	Clear Glass	5.12	12.2	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52120	BN/BZ/WH	Clear Glass	4.72	10.63	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52121	BN/BZ/WH	Metal	8.66	8.66	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52122	BN/BZ/WH	Metal	2.75	6.3	/	1x60WxE26	6W	2700~5500K	UL/ETL

Pendant/Chandelier



YX-52123 YX-52124 YX-521125 YX-52126 YX-52127 YX-52128

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52123	BN/BZ/WH	Metal	11.81	11.02	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52124	BN/BZ/WH	Metal	14.37	7.28	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52125	BN/BZ/WH	Metal	/	/	/	/	6W	2700~5500K	UL/ETL
YX-52126	BN/BZ/WH	Metal	13.98	17.32	/	1x60WxE26	AC 14W	2700~5500K	UL/ETL
YX-52127	BN/BZ/WH	Metal	8.07	3.94	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52128	BN/BZ/WH	Metal	12.8	11.81	/	1x60WxE26	10W	2700~5500K	UL/ETL

Pendant/Chandelier



YX-52135 YX-52136 YX-52137 YX-52138 YX-52139 YX-52140 YX-52141

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52135	BN/BZ/WH	Metal	8.66	7.48	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52136	BN/BZ/WH	Clear&White Glass	8.27	9.84	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52137	BN/BZ/WH	Clear Hammered Glass	7.09	11.42	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52138	BN/BZ/WH	Clear&Crystal Glass	4.72	12.6	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52139	BN/BZ/WH	Clear&White Glass	5.51	8.07	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52140	BN/BZ/WH	White Glass	4.72	20.08	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52141	BN/BZ/WH	White Glass	5.12	8.27	/	1x60WxE26	6W	2700~5500K	UL/ETL



YX-52129 YX-52130 YX-52131 YX-52132 YX-52133 YX-52134

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52129	BN/BZ/WH	White Fabric	18.11	8.46	/	1x60WxE26	15W	2700~5500K	UL/ETL
YX-52130	BN/BZ/WH	Metal	15.75	14.57	/	1x60WxE26	10W	2700~5500K	UL/ETL
YX-52131	BN/BZ/WH	White Acrylic	10.24	11.02	/	1x60WxE26	10W	2700~5500K	UL/ETL
YX-52132	BN/BZ/WH	FWhite Glass	11.5	17	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52133	BN/BZ/WH	Crème Fabric	16.14	5.24	/	3x13WxE26	15W	2700~5500K	UL/ETL
YX-52134	BN/BZ/WH	Clear Glass	5.91	10.24	/	1x60WxE26	6W	2700~5500K	UL/ETL



YX-52142 YX-52143 YX-52144 YX-52145 YX-52146 YX-52147

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52142	BN/BZ/WH	Metal	9.84	10.63	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52143	BN/BZ/WH	Fabric Glass	5.12	7.48	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52144	BN/BZ/WH	White Glass	3.82	15.75	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52145	BN/BZ/WH	Clear&White Glass	6.3	7.09	/	1x60WxE26	6W	2700~5500K	UL/ETL
YX-52146	BN/BZ/WH	Clear&White Glass	/	/	/	/	6W	2700~5500K	UL/ETL
YX-52147	BN/BZ/WH	Clear&Frosted Glass	9.06	0.98	OAH29.92	3x60WxE26	6W*3	2700~5500K	UL/ETL

Pendant/Chandelier



YX-52148



YX-52149



YX-52150



YX-52151

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52148	BN/BZ/WH	Frosted White Glass	15.75	1.57	/	3x13WxE26	15W	2700~5500K	UL/ETL
YX-52149	BN/BZ/WH	Frosted Linen Glass	15	13	/	1x60WxE26	20W	2700~5500K	UL/ETL
YX-52150	BN/BZ/WH	White Fabric	18.5	13.78	/	4x13WxE26	20W	2700~5500K	UL/ETL
YX-52151	BN/BZ/WH	White Fabric	17.13	15.35	/	3x60WxE26	15W	2700~5500K	UL/ETL

Pendant/Chandelier



YX-52156



YX-52157

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52156	BN/BZ/WH	Clear&Frosted Glass	/	/	/	/	/	2700~5500K	UL/ETL
YX-52157	BN/BZ/WH	Metal	/	/	/	/	/	2700~5500K	UL/ETL



YX-52152



YX-52153



YX-52154



YX-52155

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52152	BN/BZ/WH	White Fabric	16.93	10.63	/	3x13WxE26	15W	2700~5500K	UL/ETL
YX-52153	BN/BZ/WH	Alabaster Glass	15.94	13.78	/	3x60WxE26	15W	2700~5500K	UL/ETL
YX-52154	BN/BZ/WH	White Glass	12	22.05	/	1x60WxE26	15W	2700~5500K	UL/ETL
YX-52155	BN/BZ/WH	White Glass	12	22.05	/	1x60WxE26	15W	2700~5500K	UL/ETL



YX-52158



YX-52159



YX-52160

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-52158	BN/BZ/WH	White Glass	14	16.38	OAH56.63	1x60WxE26	15W	2700~5500K	UL/ETL
YX-52159	BN/BZ/WH	Metal&Frosted Glass	/	/	/	/	/	2700~5500K	UL/ETL
YX-52160	BN/BZ/WH	Clear Glass	/	/	/	/	/	2700~5500K	UL/ETL

Outdoor Fixtures



YX-12101



YX-12102



YX-12103



YX-12104

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-12101	BN/BZ/WH	White Glass	5.91	7.68	6.69	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12102	BN/BZ/WH	Clear Seedy Glass	5.28	11.02	8.27	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12103	BN/BZ/WH	Frosted Glass	7.09	12.6	7.87	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12104	BN/BZ/WH	Frosted White Glass	4.72	13.39	6.3	1x60WxE26	6W	2700-5500K	UL/ETL

Outdoor Fixtures



YX-12109



YX-12110



YX-12111



YX-12112

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-12109	BN/BZ/WH	Clear Glass	5.98	12.99	5.31	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12110	BN/BZ/WH	Clear Glass	6.5	13.78	8.27	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12111	BN/BZ/WH	Clear Glass	4.92	12.6	8.27	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12112	BN/BZ/WH	Clear Seedy Glass	6.1	16.14	7.09	1x60WxE26	6W	2700-5500K	UL/ETL



YX-12105



YX-12106



YX-12107



YX-12108

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-12105	BN/BZ/WH	Clear Glass	4.92	13.19	6.81	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12106	BN/BZ/WH	Clear Glass	5.51	12.6	7.48	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12107	BN/BZ/WH	Clear Glass	6.69	18.5	8.46	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12108	BN/BZ/WH	Frosted Glass	4.52	9.84	6.3	1x60WxE26	6W	2700-5500K	UL/ETL



YX-12113



YX-12114



YX-12115



YX-12116

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-12113	BN/BZ/WH	Clear Glass	8.46	15.75	9.65	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12114	BN/BZ/WH	Metal	10	12.2	14.3	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12115	BN/BZ/WH	Metal	18.11	17.32	24.8	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12116	BN/BZ/WH	Metal	10.24	8.46	16.18	1x60WxE26	6W	2700-5500K	UL/ETL

Outdoor Fixtures



YX-12117



YX-12118



YX-12119



YX-12120

Model	Finish	Shade	Dimensions(WxHxE)inch			Lamp	Led Lamp	Color Temp	Certification
YX-12117	BN/BZ/WH	Metal	7.87	7.09	9.25	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12118	BN/BZ/WH	Metal	8.07	10.63	9.45	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12119	BN/BZ/WH	Metal	8.07	8.46	10.63	1x60WxE26	6W	2700-5500K	UL/ETL
YX-12120	BN/BZ/WH	Metal	9.06	11.81	14.17	1x60WxE26	6W	2700-5500K	UL/ETL