

\*\*\*PRICES ARE SUBJECT TO INCREASE DEPENDING ON MARKET\*\*\*

UPC NUMBER	Catalog Number	Description	Long Description	Prc. UOM	Numeric Prc. UOM	List
61305676564	1481-03017	Crimp Die Adapter for Table Top Machines		PC	1	\$ 3,493.16
61305671722	A1-12R-C	Battery Cable Lug, 1 AWG, 1/2" Stud	Battery Cable Lug, 1 AWG, 1/2" Stud	C	100	\$ 357.90
61305671748	A1-14R-C	Battery Cable Lug, 1 AWG, 1/4" Stud	Battery Cable Lug, 1 AWG, 1/4" Stud	C	100	\$ 345.68
61305671750	A1-38R-C	Battery Cable Lug, 1 AWG, 3/8" Stud	Battery Cable Lug, 1 AWG, 3/8" Stud	C	100	\$ 359.86
61305671749	A1-56R-C	Battery Cable Lug, 1 AWG, 5/16" Stud	Battery Cable Lug, 1 AWG, 5/16" Stud	C	100	\$ 347.11
61305671753	A1/0-12R-C	Battery Cable Lug, 1/0 AWG, 1/2" Stud	Battery Cable Lug, 1/0 AWG, 1/2" Stud	C	100	\$ 480.44
61305671752	A1/0-38R-C	Battery Cable Lug, 1/0 AWG, 3/8" Stud	Battery Cable Lug, 1/0 AWG, 3/8" Stud	C	100	\$ 482.55
61305679312	A1/0-38RF-C	Battery Cable Lug, 1/0 AWG, 3/8" Stud, 90 degree bend	The A1/0-38RF-C Copper Compression Battery Cable Lug, 1/0 AWG, 3/8" Stud with a 90 degree bend are tin	C	100	\$ 645.83
61305679321	A1/0-38RH-C	Battery Cable Lug, 1/0 AWG, 3/8" Stud, 45 degree bend	The A1/0-38RH-C Copper Compression Battery Cable Lug, 1/0 AWG, 3/8" Stud with a 45 degree bend are tin	C	100	\$ 689.23
61305671751	A1/0-56R-C	Battery Cable Lug, 1/0 AWG, 5/16" Stud	Battery Cable Lug, 1/0 AWG, 5/16" Stud	C	100	\$ 469.79
07498358095	A1C12-A-C8	CordClipAdh,A1C,.12"Bdl,GRY,PK100	Adhesive backed "A1C" clip, 0.12" (3.2mm) bundle, light gray.	C	100	\$ 48.95
07498358096	A1C25-A-C8	CordClipAdh,A1C,.25"Bdl,GRY,PK100	Adhesive backed "A1C" clip, 0.25" (6.4mm) bundle, light gray.	C	100	\$ 60.33
07498358097	A1C38-A-C8	CordClipAdh,A1C,.38"Bdl,GRY,PK100	Adhesive backed "A1C" clip, 0.38" (9.7mm) bundle, light gray.	C	100	\$ 64.69
07498358098	A1C50-A-C8	CordClipAdh,.50"Bdl,GRY,PK100	Adhesive backed "A1C" clip, 0.50" (12.7mm) bundle, light gray.	C	100	\$ 71.45
61305671721	A2-12R-C	Battery Cable Lug, 2 AWG, 1/2" Stud	Battery Cable Lug, 2 AWG, 1/2" Stud	C	100	\$ 302.25
61305671745	A2-14R-C	Battery Cable Lug, 2 AWG, 1/4" Stud	Battery Cable Lug, 2 AWG, 1/4" Stud	C	100	\$ 289.60
61305679318	A2-14RH-C	Battery Cable Lug, 2 AWG, 1/4" Stud, 45 degree bend	The A2-14RH-C Copper Compression Battery Cable Lug, 2 AWG, 1/4" Stud with a 45 degree bend are tin	C	100	\$ 412.89
61305671747	A2-38R-C	Battery Cable Lug, 2 AWG, 3/8" Stud	Battery Cable Lug, 2 AWG, 3/8" Stud	C	100	\$ 289.76
61305679311	A2-38RF-C	Battery Cable Lug, 2 AWG, 3/8" Stud, 90 degree bend	The A2-38RF-C Copper Compression Battery Cable Lug, 1/0 AWG, 3/8" Stud with a 90 degree bend are tin	C	100	\$ 386.94
61305679320	A2-38RH-C	Battery Cable Lug, 2 AWG, 3/8" Stud, 45 degree bend	The A2-38RH-C Copper Compression Battery Cable Lug, 2 AWG, 3/8" Stud with a 45 degree bend are tin	C	100	\$ 412.89
61305671746	A2-56R-C	Battery Cable Lug, 2 AWG, 5/16" Stud	Battery Cable Lug, 2 AWG, 5/16" Stud	C	100	\$ 278.55
61305679331	A2-56RF-C	Battery Cable Lug, 2 AWG, 5/16" Stud, 90 degree bend	The A2-56RF-C Copper Compression Battery Cable Lug, 2/0 AWG, 1/2" Stud with a 90 degree bend are tin	C	100	\$ 372.39
61305679319	A2-56RH-C	Battery Cable Lug, 2 AWG, 5/16" Stud, 45 degree bend	The A2-56RH-C Copper Compression Battery Cable Lug, 2 AWG, 5/16" Stud with a 45 degree bend are tin	C	100	\$ 397.40
61305671755	A2/0-12R-C	Battery Cable Lug, 2/0 AWG, 1/2" Stud	Battery Cable Lug, 2/0 AWG, 1/2" Stud	C	100	\$ 624.25
61305679313	A2/0-12RF-C	Battery Cable Lug, 2/0 AWG, 1/2" Stud, 90 degree bend	The A2/0-12RF-C Copper Compression Battery Cable Lug, 2/0 AWG, 1/2" Stud with a 90 degree bend are tin	C	100	\$ 836.40
61305671754	A2/0-38R-C	Battery Cable Lug, 2/0 AWG, 3/8" Stud	Battery Cable Lug, 2/0 AWG, 3/8" Stud	C	100	\$ 569.05
61305679323	A2/0-38RH-C	Battery Cable Lug, 2/0 AWG, 3/8" Stud, 45 degree bend	The A2-56RF-C Copper Compression Battery Cable Lug, 2/0 AWG, 3/8" Stud with a 45 degree bend are tin	C	100	\$ 762.16
61305666748	A2/0-56RC-C	Battery Cable Lug, 2/0 AWG, 5/16" Stud	Battery Cable Lug, 2/0 AWG, 5/16" Stud	C	100	\$ 562.33
61305679322	A2/0-56RH-C	Battery Cable Lug, 2/0 AWG, 5/16" Stud, 45 degree bend	The A2/0-56RH-C Copper Compression Battery Cable Lug, 2/0 AWG, 5/16" Stud with a 45 degree bend are tin	C	100	\$ 753.44
07498358090	A2C12-A-C8	CordClipAdh,A2C,.12"Bdl,GRY,PK100	Adhesive backed "A2C" clip, 0.12" (3.2mm) bundle, light gray.	C	100	\$ 56.95
07498358091	A2C25-A-C8	CordClipAdh,A2C,.25"Bdl,GRY,PK100	Adhesive backed "A2C" clip, 0.25" (6.4mm) bundle, light gray.	C	100	\$ 70.54
07498358092	A2C38-A-C8	CordClipAdh,A2C,.38"Bdl,GRY,PK100	Adhesive backed "A2C" clip, 0.38" (9.7mm) bundle, light gray.	C	100	\$ 74.19
07498358093	A2C50-A-C8	CordClipAdh,.50"Bdl,GRY,PK100	Adhesive backed "A2C" clip, 0.50" (12.7mm) bundle, light gray.	C	100	\$ 80.16
61305671724	A3/0-12R-C	Battery Cable Lug, 3/0 AWG, 1/2" Stud	Battery Cable Lug, 3/0 AWG, 1/2" Stud	C	100	\$ 595.54
61305671723	A3/0-38R-C	Battery Cable Lug, 3/0 AWG, 3/8" Stud	Battery Cable Lug, 3/0 AWG, 3/8" Stud	C	100	\$ 583.44
61305671756	A3/0-56R-C	Battery Cable Lug, 3/0 AWG, 5/16" Stud	Battery Cable Lug, 3/0 AWG, 5/16" Stud	C	100	\$ 622.64
61305666845	A4-14R-C	Battery Cable Lug, 4 AWG, 1/4" Stud	Battery Cable Lug, 4 AWG, 1/4" Stud	C	100	\$ 154.45
61305671744	A4-38R-C	Battery Cable Lug, 4 AWG, 3/8" Stud	Battery Cable Lug, 4 AWG, 3/8" Stud	C	100	\$ 164.48
61305671743	A4-56R-C	Battery Cable Lug, 4 AWG, 5/16" Stud	Battery Cable Lug, 4 AWG, 5/16" Stud	C	100	\$ 157.99
61305671759	A4/0-12R-C	Battery Cable Lug, 4/0 AWG, 1/2" Stud	Battery Cable Lug, 4/0 AWG, 1/2" Stud	C	100	\$ 782.59
61305679316	A4/0-12RF-C	Battery Cable Lug, 4/0 AWG, 1/2" Stud, 90 degree bend	The A4/0-12RF-C Copper Compression Battery Cable Lug, 4/0 AWG, 1/2" Stud with a 90 degree bend are tin	C	100	\$ 1,047.30
61305679325	A4/0-12RH-C	Battery Cable Lug, 4/0 AWG, 1/2" Stud, 45 degree bend	The A4/0-12RH-C Copper Compression Battery Cable Lug, 4/0 AWG, 1/2" Stud with a 45 degree bend are tin	C	100	\$ 1,117.65
61305671758	A4/0-38R-C	Battery Cable Lug, 4/0 AWG, 3/8" Stud	Battery Cable Lug, 4/0 AWG, 3/8" Stud	C	100	\$ 723.33
61305679315	A4/0-38RF-C	Battery Cable Lug, 4/0 AWG, 3/8" Stud, 90 degree bend	The A4/0-38RF-C Copper Compression Battery Cable Lug, 4/0 AWG, 3/8" Stud with a 90 degree bend are tin	C	100	\$ 969.04
61305679324	A4/0-38RH-C	Battery Cable Lug, 4/0 AWG, 3/8" Stud, 45 degree bend	The A4/0-38RH-C Copper Compression Battery Cable Lug, 4/0 AWG, 3/8" Stud with a 45 degree bend are tin	C	100	\$ 1,034.13
61305671757	A4/0-56R-C	Battery Cable Lug, 4/0 AWG, 5/16" Stud	Battery Cable Lug, 4/0 AWG, 5/16" Stud	C	100	\$ 704.60
61305679314	A4/0-56RF-C	Battery Cable Lug, 4/0 AWG, 5/16" Stud, 90 degree bend	The A4/0-56RF-C Copper Compression Battery Cable Lug, 4/0 AWG, 5/16" Stud with a 90 degree bend are tin	C	100	\$ 942.58
61305666841	A6-10R-C	Battery Cable Lug, 6 AWG, #10 Stud	Battery Cable Lug, 6 AWG, #10 Stud	C	100	\$ 135.19
61305666839	A6-14R-C	Battery Cable Lug, 6 AWG, 1/4" Stud	Battery Cable Lug, 6 AWG, 1/4" Stud	C	100	\$ 131.74
61305679317	A6-14RH-C	Battery Cable Lug, 6 AWG, 1/4" Stud, 45 degree bend	The A6-14RH-C Copper Compression Battery Cable Lug, 6 AWG, 1/4" Stud with a 45 degree bend are tin	C	100	\$ 188.16
61305671742	A6-38R-C	Battery Cable Lug, 6 AWG, 3/8" Stud	Battery Cable Lug, 6 AWG, 3/8" Stud	C	100	\$ 148.25
61305671741	A6-56R-C	Battery Cable Lug, 6 AWG, 5/16" Stud	Battery Cable Lug, 6 AWG, 5/16" Stud	C	100	\$ 136.13
61305610793	A8-10R-C	Battery Cable Lug, 8 AWG, #10 Stud	Battery Cable Lug, 8 AWG, #10 Stud	C	100	\$ 159.89
61305610794	A8-14R-C	Battery Cable Lug, 8 AWG, 1/4" Stud	Battery Cable Lug, 8 AWG, 1/4" Stud	C	100	\$ 144.38
61305610796	A8-38R-C	Battery Cable Lug, 8 AWG, 3/8" Stud	Battery Cable Lug, 8 AWG, 3/8" Stud	C	100	\$ 140.24
61305610795	A8-56R-C	Battery Cable Lug, 8 AWG, 5/16" Stud	Battery Cable Lug, 8 AWG, 5/16" Stud	C	100	\$ 155.79
07498311593	ABDCM30-A-C	Dynamic Cable Manager, 1.2 in. WHT, PK100	The dynamic cable manager for panel strain relief in white is mounted with rubber adhesive tape. It is 1.12" lo	C	100	\$ 182.26
07498319913	ABDCM30-AV-C	Dynamic Cable Manager,VHBAdh,1.12",PK100	The dynamic cable manager for panel strain relief in white is mounted with high bond acrylic-based adhesive t	C	100	\$ 218.71
07498328105	ABM100-A-C	4-Way Cable Tie Mount, Adh,WH,100 PK	Panduit's ABM100-A-C 4-way rubber-based adhesive backed cable tie mounts have been designed for fast in	C	100	\$ 136.25
07498338441	ABM100-A-C15	4-Way Cable Tie Mount, Adh,IVY,100 PK	The 4-way adhesive backed cable tie mount in ivory is applied with rubber adhesive tape. It is 1" long x 1" wid	C	100	\$ 162.95
07498328106	ABM100-A-D	4-Way Cable Tie Mount, Adhesive,WH,500PK	Panduit's ABM100-A-D 4-way rubber-based adhesive backed cable tie mounts have been designed for fast in	M	1000	\$ 751.19
07498353202	ABM100-A-D20	4-Way Cable Tie Mount, Adhesive,BL,500PK	Panduit's ABM100-A-D20 4-way rubber-based adhesive backed cable tie mounts have been designed for fas	M	1000	\$ 986.30
07498353609	ABM100-AT-C	Cable Tie Mount, HiTemp, Adhesive, PK100	Panduit's ABM100-AT-C 4-way adhesive cable tie mounts are applied with acrylic adhesive tape and made of	C	100	\$ 142.20
07498328107	ABM100-AT-C0	Cable Tie Mount,HiTemp,Outdoor,BL,PK100	Panduit's ABM100-AT-C0 4-way acrylic-based adhesive backed cable tie mounts have been designed for fas	C	100	\$ 162.60
07498353610	ABM100-AT-D	Cable Tie Mount,HiTemp,Indoor,BL,PK500	The 4-way adhesive backed cable tie mount in white is mounted with acrylic adhesive tape. It is 1" long x 1" w	M	1000	\$ 928.88
07498328108	ABM100-AT-D0	Cable Tie Mount,HiTemp,Indoor,WH,PK500	Panduit's ABM100-AT-D0 4-way acrylic-based adhesive backed cable tie mounts have been designed for fas	M	1000	\$ 998.79
61305680458	ABM100-AV-C	Cable Tie Mount, VHB Adh., 1.0" x 1.0" (		C	100	\$ 198.73

61305680508	<b>ABM100-AV-C0</b>	Cable Tie Mount, VHB Adh., 1.0" x 1.0" (		C	100	\$	210.63
0749838445	<b>ABM100-S6-C</b>	CableTieMnt,#6 Screw,1x1in,WH,PK100		C	100	\$	112.33
07498328109	<b>ABM100-S6-C69</b>	CableTieMnt,#6 Screw,1x1in,FR,NT,PK100		C	100	\$	192.49
0749838446	<b>ABM100-S6-D</b>	CableTieMnt,#6 Screw,1x1in,WH,PK500		M	1000	\$	827.61
07498328110	<b>ABM100-S6-D69</b>	CableTieMnt,#6 Screw,1x1in,FR,NT,PK500		M	1000	\$	1,310.98
07498328111	<b>ABM112-A-C</b>	Cable Tie Mount, Adh, 1.12", White, PK100		C	100	\$	136.19
07498328112	<b>ABM112-A-D</b>	4-Way Cable Tie Mount,Adh, 1.12",WH,PK500		M	1000	\$	751.00
07498364271	<b>ABM112-A-D20</b>	Cable Tie Mount, Adh., 1.12"x1.12" (28.5		M	1000	\$	894.08
07498364264	<b>ABM112-AT-C</b>	Cable Tie Mount,HiTemp, 0.50",WH,PK100		C	100	\$	145.75
07498328113	<b>ABM112-AT-C0</b>	CableTieMt,1.12",WHR,HiTemp,OUT,BL,PK100		C	100	\$	162.68
07498364265	<b>ABM112-AT-D</b>	CableTieMt,1.12",HiTemp,IND,WH,PK500		M	1000	\$	929.21
07498328114	<b>ABM112-AT-D0</b>	CableTieMnt,1.12x1.12in,HT,WRBL,PK500		M	1000	\$	998.18
61305680502	<b>ABM112-AV-C</b>	Cable Tie Mount, VHB Adh., 1.12" x 1.12"		C	100	\$	203.91
61305680550	<b>ABM112-AV-C0</b>	Cable Tie Mount, VHB Adh., 1.12" x 1.12"		C	100	\$	215.80
07498364275	<b>ABM112-S6-C</b>	CbTieMnt,#6Screw,1.12x1.12in,WH,PK100		C	100	\$	96.05
07498364276	<b>ABM112-S6-C69</b>	CbTieMnt,#6Screw,1.12x1.12in,FR,PK100		C	100	\$	185.10
07498364276	<b>ABM112-S6-D</b>	CbTieMnt,#6Screw,1.12x1.12in,WH,PK500		M	1000	\$	794.96
07498364277	<b>ABM112-S6-D0</b>	CableTieMnt,1.12inx1.12in,WRBL,PK500		M	1000	\$	857.03
07498358062	<b>ABM11M-A-C</b>	Cable Tie Mount,Adh.,.50inx.50in,WH,PK100		C	100	\$	71.01
07498358063	<b>ABM11M-A-M</b>	CableTieMount,Adh,.50inx.50in,WH,PK100		M	1000	\$	515.64
07498358064	<b>ABM11M-AT-C</b>	CableTieMount,Hi Temp.,50x.50in,WH,PK500		C	100	\$	73.81
07498358067	<b>ABM11M-AT-M</b>	CableTieMnt,HiTemp,.50x.50in,WH,PK1000		M	1000	\$	563.38
07498345151	<b>ABM11M-AT-M0</b>	CableTieMnt,HiTemp,.50x.50in,WRBL,PK1000		M	1000	\$	590.49
07498310025	<b>ABM11M-M0</b>	CbTieMnt, w/o adh.,50x.50in,WRBL,PK1000		M	1000	\$	484.53
07498358033	<b>ABM2S-A-C</b>	Cable Tie Mount,Adh,1inx1in,WH,PK100		C	100	\$	136.28
07498383899	<b>ABM2S-A-C0</b>	CableTieMount,Adh,1inx1in,WRBL,PK100		C	100	\$	173.10
07498358028	<b>ABM2S-A-C14</b>	CableTieMount,Adh,1inx1in,GRY,PK100		C	100	\$	164.51
07498358029	<b>ABM2S-A-C15</b>	CableTieMount,Adh,1inx1in,IV,PK100		C	100	\$	164.51
07498309574	<b>ABM2S-A-C20</b>	CableTieMount,Adh,1inx1in,BL,PK100		C	100	\$	147.84
07498358030	<b>ABM2S-A-D</b>	Cable Tie Mount, Adh,1inx1in, WH, PK 500		M	1000	\$	751.25
07498358031	<b>ABM2S-A-D14</b>	CableTieMount,Adh,1inx1in,GRY,PK500		M	1000	\$	1,055.36
07498358873	<b>ABM2S-A-D20</b>	CableTieMount,Adh,1inx1in,BL,PK500		M	1000	\$	855.84
07498358496	<b>ABM2S-AT-C</b>	CableTieMount,HiTemp,Adh,1x1in,WH,PK100		C	100	\$	142.20
07498358034	<b>ABM2S-AT-C0</b>	CableTieMount,HiTemp,Adh,1inch,WRBL,PK100		C	100	\$	162.60
07498358497	<b>ABM2S-AT-D</b>	CableTieMount,HiTemp,Adh,1x1in,WH,PK500		M	1000	\$	902.80
07498358875	<b>ABM2S-AT-D0</b>	CableTieMount,HiTemp,Adh,1x1in,WRBL,PK500		M	1000	\$	969.75
07498335021	<b>ABM2S-AT-X0</b>	CableTieMount,HiTemp,Adh,2x2in,WRBL,PK100		C	100	\$	228.39
07498358056	<b>ABM2S-S6-D</b>	CableTieMount,#6 Screw,1x1in,WH,PK500		M	1000	\$	759.56
07498308962	<b>ABM2S-S6-D0</b>	CableTieMt,#6 Screw,1x1in,WRBL,PK500		M	1000	\$	1,038.26
07498358472	<b>ABM3H-A-L</b>	CableTieMount,Adh,1.5x1.5in,WH,PK200		C	100	\$	217.51
07498374609	<b>ABM3H-A-L20</b>	CableTieMount,Adh,1.5x1.5in,BL,PK50		C	100	\$	279.33
07498358473	<b>ABM3H-A-T</b>	CableTieMount,Adh,1.5x1.5in,WH,PK200		M	1000	\$	1,513.16
07498358481	<b>ABM3H-AT-L</b>	CableTieMnt,HiTemp,1.5x1.5in,WH,PK50		C	100	\$	235.58
07498332544	<b>ABM3H-AT-L0</b>	CableTieMnt,HiTemp,1.5x1.5in,WRBL,PK50		C	100	\$	242.96
07498358478	<b>ABM3H-AT-T</b>	CableTieMnt,HiTemp,1.5x1.5in,WH,PK200		M	1000	\$	1,656.56
07498339314	<b>ABM3H-AT-T0</b>	CableTieMnt,HiTemp,1.5x1.5in,WRBL,PK200		M	1000	\$	1,806.31
61305680994	<b>ABM3H-AV-L</b>	Cable Tie Mount, VHB Adh., 1.5" x 1.5" (		C	100	\$	301.23
61305680995	<b>ABM3H-AV-L0</b>	Cable Tie Mount, VHB Adh., 1.5" x 1.5" (		C	100	\$	310.00
07498358474	<b>ABM3H-S6-T</b>	CbTieMnt,#6Screw,1.5x1.5in.,WH,PK200		M	1000	\$	1,462.90
07498358476	<b>ABM4H-A-L</b>	CableTieMount,Adh,2x2in,WH,PK50		C	100	\$	243.89
07498358475	<b>ABM4H-A-T</b>	CableTieMount,Adh,2x2in,WH,PK200		M	1000	\$	1,983.31
07498358479	<b>ABM4H-AT-L</b>	CableTieMount,HiTemp,Adh,2x2in,WH,PK50		C	100	\$	289.89
07498358480	<b>ABM4H-AT-T</b>	CableTieMount,HiTemp,Adh,2",WH,PK200		M	1000	\$	2,214.05
07498339315	<b>ABM4H-AT-T0</b>	CableTieMount,HiTemp,Adh,2",BL,PK200		M	1000	\$	2,301.40
07498358477	<b>ABM4H-S6-T</b>	CableTieMount,#6 Screw 2" WH,PK200		M	1000	\$	1,921.99
07498358500	<b>ABMM-A-C</b>	CableTieMount, Adh.,.75inx.75in,WHT,PK100		C	100	\$	101.14
07498344045	<b>ABMM-A-C20</b>	CableTieMount, Adh.,.75inx.75in,BL,PK100		C	100	\$	118.84
07498358501	<b>ABMM-A-D</b>	CableTieMount,Adh.,.75x.75in,WH,PK500		M	1000	\$	660.13
07498358494	<b>ABMM-AT-C</b>	CableTieMnt,HiTemp,.75x.75in,WH,PK100		C	100	\$	108.43
07498358492	<b>ABMM-AT-C0</b>	CableTieMnt,HiTemp,.75x.75in,WRBL,PK100		C	100	\$	124.04
07498358495	<b>ABMM-AT-D</b>	CableTieMnt,HiTemp,.75x.75in,WH,PK500		M	1000	\$	759.10
07498358493	<b>ABMM-AT-D0</b>	CableTieMnt,HiTemp,.75x.75in,WRBL,PK500		M	1000	\$	810.73
61305680807	<b>ABMM-AV-C</b>	Cable Tie Mount, VHB Adh., .75" x .75" (		C	100	\$	150.14
61305680849	<b>ABMM-AV-C0</b>	Cable Tie Mount, VHB Adh., .75" x .75" (		C	100	\$	162.24
07498358516	<b>ABMM-D</b>	CableTieMount,Non Adh.,.75x.75in,WH,PK500		M	1000	\$	605.55
07498334216	<b>ABMQS-A-C</b>	MutiBrdgeCbTieMnt, Adh.,5.13L,WH,PK100		M	1000	\$	3,921.66
07498358002	<b>ABMS-A-C</b>	2WayCbTieMt,Adh,1.1x1.1in,WH,PK100		C	100	\$	152.54
07498358004	<b>ABMS-A-D</b>	2WayCbTieMt,Adh,1.1x1.1in,WH,PK500		M	1000	\$	841.16
07498358057	<b>ABMS-S6-D</b>	CbleTieMnt,#6Screw,1.1"x1.1",WH,PK500		M	1000	\$	842.54
07498319835	<b>ACB250-1AR-Q</b>	Anti-Rotation Lug 6 AWG—250 kcmil,PK25		C	100	\$	1,171.65
07498358520	<b>ACC19-A-C</b>	CordClipAdh.,.19"Bdl,Nat,PK100		C	100	\$	80.51
07498358486	<b>ACC19-A-C20</b>	CordClipAdh.,.19"Bdl,BL,PK100		C	100	\$	93.00
07498358521	<b>ACC19-A-M</b>	CordClip,Adh.,.19"Bdl,Nat,PK1000		M	1000	\$	536.11
07498358487	<b>ACC19-A-M20</b>	CordClip,Adh.,.19"Bdl,BL,PK1000		M	1000	\$	665.83
07498358878	<b>ACC19-AT-C</b>	CordClip,HiTempAdh.,.19"Bdl,Nat,PK100		C	100	\$	96.28
07498333644	<b>ACC19-AT-C0</b>	CordClip,HiTempAdh.,.19"Bdl,WRBL,PK100		C	100	\$	101.48
07498358526	<b>ACC19-AT-M</b>	CordClip,HiTempAdh.,.19"Bdl,Nat,PK1000		M	1000	\$	663.05
		The cable tie mount in white is mounted with a #6 (M3) screw or user supplied adhesive. It is 1" long x 1" wide		C	100	\$	112.33
		Panduit's ABM100-S6-C69 4-Way Cable Tie Mounts allow cable tie entry from all four sides. They can easily		C	100	\$	192.49
		The cable tie mount in white is mounted with a #6 (M3) screw or user supplied adhesive. It is 1" long x 1" wide		M	1000	\$	827.61
		The cable tie mount in natural is mounted with a #6 (M3) screw or user supplied adhesive. It is 1" long x 1" wi		M	1000	\$	1,310.98
		Panduit's ABM112-A-C 4-way rubber-based adhesive backed cable tie mounts have been designed for fast in		C	100	\$	136.19
		Panduit's ABM112-A-D 4-way rubber-based adhesive backed cable tie mounts have been designed for fast in		M	1000	\$	751.00
		Panduit's ABM112-A-D20 4-way rubber-based adhesive backed cable tie mounts have been designed for fas		M	1000	\$	894.08
		Panduit's ABM112-AT-C 4-way adhesive cable tie mounts are applied with acrylic adhesive tape and made of		C	100	\$	145.75
		Panduit's ABM112-AT-C0 4-way acrylic-based adhesive backed cable tie mounts have been designed for fas		C	100	\$	162.68
		Panduit's ABM112-AT-D 4-way acrylic-based adhesive backed cable tie mounts have been designed for fast		M	1000	\$	929.21
		Panduit's ABM112-AT-D0 4-way acrylic-based adhesive backed cable tie mounts have been designed for fas		M	1000	\$	998.18
		The cable tie mount in white uses #6 (M3) screws or user supplied adhesive. It measures 1.12" long x 1.12" w		C	100	\$	203.91
		The cable tie mount in natural uses #6 (M3) screws or user supplied adhesive. It measures 1.12" long x 1.12"		C	100	\$	215.80
		Panduit's ABM112-S6-D 4-Way Cable Tie Mounts allow cable tie entry from all four sides. They can easily be		M	1000	\$	794.96
		The cable tie mount in black uses #6 (M3) screws or user supplied adhesive. It measures 1.12" long x 1.12" w		M	1000	\$	857.03
		Panduit's ABM11M-A-C 4-way adhesive cable tie mounts are applied with acrylic adhesive tape and made of N		C	100	\$	71.01
		Panduit's ABM11M-A-M 4-way rubber-based adhesive backed cable tie mounts have been designed for fast in		M	1000	\$	515.64
		Panduit's ABM11M-AT-C 4-way adhesive cable tie mounts are applied with acrylic adhesive tape and made of		C	100	\$	73.81
		Panduit's ABM11M-AT-M 4-way adhesive cable tie mounts are applied with acrylic adhesive tape and made of		M	1000	\$	563.38
		Panduit's ABM11M-AT-M0 4-way acrylic-based adhesive backed cable tie mounts have been designed for fast		M	1000	\$	590.49
		The 4-way adhesive backed cable tie mount in black is mounted with user supplied adhesive. It is 0.50" long x		M	1000	\$	484.53
		Panduit's ABM2S-A-C 4-way rubber-based adhesive backed cable tie mounts have been designed for fast ins		C	100	\$	136.28
		Panduit's ABM2S-A-C0 4-way rubber-based adhesive backed cable tie mounts have been designed for fast i		C	100	\$	173.10
		The 4-way adhesive backed cable tie mount in gray is mounted with rubber adhesive tape. It is 1" long x 1" wi		C	100	\$	164.51
		The 4-way adhesive backed cable tie mount in ivory is mounted with rubber adhesive tape. It is 1" long x 1" w		C	100	\$	164.51
		Panduit's ABM2S-A-C20 4-way rubber-based adhesive backed cable tie mounts have been designed for fast		C	100	\$	147.84
		Panduit's ABM2S-A-D 4-way rubber-based adhesive backed cable tie mounts have been designed for fast ins		M	1000	\$	751.25
		Panduit's ABM2S-A-D14 4-way rubber-based adhesive backed cable tie mounts have been designed for fast		M	1000	\$	1,055.36
		The 4-way adhesive backed cable tie mount in black is mounted with rubber adhesive tape. It is 1" long x 1" w		M	1000	\$	855.84
		Panduit's ABM2S-AT-C 4-way adhesive cable tie mounts are applied with acrylic adhesive tape and made of		C	100	\$	142.20
		Panduit's ABM2S-AT-C0 4-way acrylic-based adhesive backed cable tie mounts have been designed for fast		C	100	\$	162.60
		Panduit's ABM2S-AT-D 4-way acrylic-based adhesive backed cable tie mounts have been designed for fast i		M	1000	\$	902.80
		Panduit's ABM2S-AT-D0 4-way acrylic-based adhesive backed cable tie mounts have been designed for fast i		M	1000	\$	969.75
		The 4-way adhesive backed cable tie mount in black is mounted with acrylic adhesive tape. It is 1" long x 1" w		C	100	\$	228.39
		Panduit's ABM2S-S6-D 4-Way Cable Tie Mounts allow cable tie entry from all four sides. They can easily be		M	1000	\$	759.56
		The cable tie mount in black uses #6 (M3) screws or user supplied adhesive. It is 1.0" long x 1.0" wide (25.4 x		M	1000	\$	1,038.26
		Panduit's ABM3H-A-L 4-way rubber-based adhesive backed cable tie mounts have been designed for fast ins		C	100	\$	217.51
		Panduit's ABM3H-A-L20 4-way rubber-based adhesive backed cable tie mounts have been designed for fast		C	100	\$	279.33
		Panduit's ABM3H-A-T 4-way rubber-based adhesive backed cable tie mounts have been designed for fast ins		M	1000	\$	1,513.16
		The 4-way adhesive backed cable tie mount in white is mounted with acrylic adhesive tape. It is 1.5" long x 1.		C	100	\$	235.58
		The 4-way adhesive backed cable tie mount in black is mounted with acrylic adhesive tape. It is 1.5" long x 1.		C	100	\$	242.96
		The 4-way adhesive backed cable tie mount in white is mounted with acrylic adhesive tape. It is 1.5" long x 1.		M	1000	\$	1,656.56
		Panduit's ABM3H-AT-T0 4-way acrylic-based adhesive backed cable tie mounts have been designed for fast		M	1000	\$	1,806.31
		The cable tie mount in white uses #6 (M3) screws or user supplied adhesive. It is 1.5" long x 1.5" wide (38.1 x		M	1000	\$	1,462.90
		Panduit's ABM4H-A-L 4-way rubber-based adhesive backed cable tie mounts have been designed for fast ins		C	100	\$	243.89

0749833645	<b>ACC19-AT-M0</b>	CordClip,HiTempAdh.,.19"Bdl,WRBL,PK1000	Panduit ACC19-AT-M0 Adhesive Cord Clips are designed to hold cords, cable or wire bundles neatly and sec	M	1000	\$	698.65
07498319488	<b>ACC19-AV-M300</b>	CordClip,VHBAdh.,.19"Bdl,WRBL,PK1000	High bond adhesive backed cord clip, .19" (4.8mm) bundle, weather resistant, black.	M	1000	\$	978.16
07498337809	<b>ACC19-M20</b>	CordClip,NoAdh.,.19"Bdl,BL,PK1000	No adhesive cord clip, .19" (4.8mm) bundle, black.	M	1000	\$	509.75
07498358522	<b>ACC38-A-C</b>	CordClip,Adh.,.38"Bdl,Nat,PK100	Panduit ACC38-A-C Adhesive Cord Clips are designed to hold cords, cable or wire bundles neatly and secure	C	100	\$	87.84
07498358488	<b>ACC38-A-C20</b>	CordClip,Adh.,.38"Bdl,BL,PK100	Adhesive backed cord clip, .38" (9.7mm) bundle, black, standard package.	C	100	\$	105.29
07498358523	<b>ACC38-A-M</b>	CordClip,Adh.,.38"Bdl,Nat,PK1000	The ACC38-A-M rubber-based adhesive backed cord clip allows you to secure cords and cable or wire bundl	M	1000	\$	587.76
07498358489	<b>ACC38-A-M20</b>	CordClip,Adh.,.38"Bdl,BL,PK1000	Adhesive backed cord clip, .38" (9.7mm) bundle, black, bulk package.	M	1000	\$	670.93
07498328257	<b>ACC38-AT-C</b>	CordClip,HiTempAdh.,.38"Bdl,Nat,PK100	Adhesive backed cord clip, high temp, .38" (9.7mm) bundle, natural, standard package.	C	100	\$	108.99
07498333646	<b>ACC38-AT-C0</b>	CordClip,HiTempAdh.,.38"Bdl,WRBL,PK100	Adhesive backed cord clip, high temp, .38" (9.7mm) bundle, weather resistant, black, standard package.	C	100	\$	110.48
07498324807	<b>ACC38-AT-M</b>	CordClip,HiTempAdh.,.38"Bdl,Nat,PK1000	Adhesive backed cord clip, high temp, .38" (9.7mm) bundle, natural, bulk package.	M	1000	\$	701.30
07498324808	<b>ACC38-AT-M0</b>	CordClip,HiTempAdh.,.38"Bdl,WRBL,PK1000	Adhesive backed cord clip, high temp, .38" (9.7mm) bundle, weather resistant, black, bulk package.	M	1000	\$	746.35
07498319494	<b>ACC38-AV-M300</b>	CordClip,VHBAdh.,.38"Bdl,WRBL,PK1000	Panduit ACC38-AV-M300 High Bond Adhesive Cord Clips provide maximum adhesion, especially in harsh, hi	M	1000	\$	949.90
07498358524	<b>ACC62-A-C</b>	CordClip,Adh.,.62"Bdl,Nat,PK100	Panduit ACC62-A-C Adhesive Cord Clips are designed to hold cords, cable or wire bundles neatly and secure	C	100	\$	119.65
07498358490	<b>ACC62-A-C20</b>	CordClip,Adh.,.62"Bdl,BL,PK100	Adhesive backed cord clip, .62" (15.8mm) bundle, black, standard package.	C	100	\$	143.63
07498358525	<b>ACC62-A-D</b>	CordClip,Adh.,.62"Bdl,Nat,PK500	The ACC62-A-D rubber-based adhesive backed cord clip allows you to secure cords and cable or wire bundle	M	1000	\$	857.31
07498358491	<b>ACC62-A-D20</b>	CordClip,Adh.,.62"Bdl,BL,PK500	Panduit ACC62-A-D20 Adhesive Cord Clips are designed to hold cords, cable or wire bundles neatly and sec	M	1000	\$	978.16
07498328258	<b>ACC62-AT-C</b>	CordClip,HiTempAdh.,.62"Bdl,Nat,PK100	Panduit ACC62-AT-C Adhesive Cord Clips are designed to hold cords, cable or wire bundles neatly and secu	C	100	\$	141.49
07498333647	<b>ACC62-AT-C0</b>	CordClip,HiTempAdh.,.62"Bdl,WRBL,PK100	Adhesive backed cord clip, high temp, .62" (15.8mm) bundle, weather resistant, black, standard package.	C	100	\$	158.19
07498324809	<b>ACC62-AT-D</b>	CordClip,HiTempAdh.,.62"Bdl,Nat,PK500	Panduit ACC62-AT-D Adhesive Cord Clips are designed to hold cords, cable or wire bundles neatly and secu	M	1000	\$	1,063.66
07498324810	<b>ACC62-AT-D0</b>	CordClip,HiTempAdh.,.62"Bdl,WR,PK1000	Adhesive backed cord clip, high temp, .62" (15.8mm) bundle, weather resistant, black, bulk package.	M	1000	\$	1,078.20
07498319425	<b>ACC62-AV-D300</b>	CordClip,VHBAdh.,.62"Bdl,WRBL,PK500	Panduit ACC19-AT-M0 High Bond Adhesive Cord Clips provide maximum adhesion, especially in harsh, high	M	1000	\$	1,510.05
07498311089	<b>ACG24K</b>	Armored Cable Grounding Kit, EA	The ACG24K Armored Cable Grounding Kit provides a secure jumper from the main grounding grid to the net	KT	1	\$	53.99
07498311712	<b>ACG24K-500</b>	Armored Cable Grounding Kits, EA	#6 AWG (16mm <sup>2</sup> ) jumper for armored cable diameter 0.85 (21.3mm) to 1.03 (26.2mm); 24 (609.6mm) length	KT	1	\$	62.40
07498341594	<b>ACG24KX-500</b>	Armored Cable Grounding Kit,EA	#6 AWG (16mm <sup>2</sup> ) jumper for armored cable diameter 0.94 (23.9mm) to 1.5 (38.1mm); 24 (609.6mm) length;	KT	1	\$	62.40
07498311063	<b>ACGK</b>	Armored Cable Grounding Kits,EA	Armored cable grounding kit with one grounding terminal for #6 AWG and one #10 mechanical clamp, 9/16",	KT	1	\$	15.80
07498358527	<b>ADCC31-AT-C10</b>	CordClip,HiTempBndles,WH,PK100	Adhesive backed dual cord clip, high temp, .33" (9.0mm) bundle, white.	C	100	\$	80.30
07498358540	<b>AJC12-A-C</b>	CordClipAdh.,.12"Bdl,GRY,PK100	Panduit AJC12-A-C Adhesive Backed J Clips are low profile and have a flexible design. This allows for easy c	C	100	\$	44.43
07498358541	<b>AJC19-A-C</b>	CordClipAdh.,.19"Bdl,GRY,PK100	Adhesive backed "J" clip, .19" (4.8mm) bundle, light gray, standard package.	C	100	\$	45.05
07498358670	<b>AJC19-A-M</b>	CordClipAdh.,.19"Bdl,GRY,PK1000	Adhesive backed "J" clip, .19" (4.8mm) bundle, light gray, bulk package.	M	1000	\$	351.95
07498358542	<b>AJC25-A-C</b>	CordClipAdh.,.25"Bdl,GRY,PK100	Panduit AJC25-A-C Adhesive Backed J Clips are low profile and have a flexible design. This allows for easy c	C	100	\$	50.70
07498358543	<b>AJC31-A-C</b>	CordClipAdh.,.31"Bdl,GRY,PK100	Panduit AJC31-A-C Adhesive Backed J Clips are low profile and have a flexible design. This allows for easy c	C	100	\$	69.41
07498358544	<b>AJC38-A-C</b>	CordClipAdh.,.38"Bdl,GRY,PK100	Adhesive backed "J" clip, .38" (9.7mm) bundle, light gray.	C	100	\$	83.79
07498358000	<b>AM2-C</b>	LowProCbleTieMt,UsrSuppliedAdh,NAT,PK1000	The low profile cable tie mount in natural is designed to keep cable bundles close to mounting surface where	C	100	\$	116.34
07498358001	<b>AM2-M</b>	LowProCbTieMt,UsrSuppliedAdh,NAT,PK1000	The low profile cable tie mount in natural is designed to keep cable bundles close to mounting surface where	M	1000	\$	905.64
07498358045	<b>AMC25-AT-C10</b>	CordClip,Adh.,.22".28"Bdl,WH,PK100	Adhesive backed mount cord clip, .22".28" (5.6mm - 7.7mm) bundle, white.	C	100	\$	46.99
07498358537	<b>ARC.68-A-C</b>	Adj.Rel.Cimp,Adh.,.69"Bdle,WH,PK100	Panduit ARC 68-A-C Adjustable Releasable Clamps are designed to contain a range of cable bundle diamete	M	1000	\$	1,179.19
07498358502	<b>ARC.68-A-C14</b>	Adj.Rel.Cimp,Adh.,.69"Bdle,GRY,PK100	Panduit ARC 68-A-C14 Adjustable Releasable Clamps are designed to contain a range of cable bundle diam	M	1000	\$	1,202.06
07498358535	<b>ARC.68-A-Q</b>	Adj.Rel.Cimp,Adh.,.69"Bdle,WH,PK25	Adjustable and releasable clamp, .69" (17.5mm) bundle, standard package.	C	100	\$	211.46
07498358881	<b>ARC.68-A-Q14</b>	Adj.Rel.Cimp,Adh.,.69"Bdle,GRY,PK25	Adjustable and releasable clamp, .69" (17.5mm) bundle, gray, standard package.	C	100	\$	207.44
07498358538	<b>ARC.68-S6-C</b>	Adj.Rel.Cimp,#6Screw,.69"Bdle,WH,PK100	Panduit ARC.68-S6-C Clincher™ Adjustable Releasable Clamps are designed to contain a range of cable bu	M	1000	\$	747.23
07498358504	<b>ARC.68-S6-C14</b>	Adj.Rel.Cimp,#6Screw,.69"Bdle,GRY,PK100	Panduit ARC.68-S6-C14 Clincher™ Adjustable Releasable Clamps are designed to contain a range of cable	M	1000	\$	762.00
07498358536	<b>ARC.68-S6-Q</b>	Adj.Rel.Cimp,#6Screw,.69"Bdle,WH,PK200	Clincher™ adjustable releasable clamp, #6 Screw (M3), .19" - .69" (4.8mm - 17.5mm) bundle, white, standar	C	100	\$	133.19
07498358882	<b>ARC.68-S6-Q14</b>	Adj.Rel.Cimp,#6Screw,.69"Bdle,GRY,PK25	Clincher™ adjustable releasable clamp, #6 Screw (M3), .19" - .69" (4.8mm - 17.5mm) bundle, gray, standard	C	100	\$	129.40
07498358006	<b>ASMS-A-T</b>	CbTieMnt,Swiv,Epoxy,1.13x1.13in,PK200	Panduit ASMS-A-T Epoxy Applied Swivel Mounts are affixed with user supplied EMA epoxy. They swivel 360	C	100	\$	620.86
07498358005	<b>ASMS-A-X</b>	CbTieMnt,Swiv,Epoxy,1.13x1.13in,PK100	Panduit ASMS-A-X Epoxy Applied Swivel Mounts are affixed with user supplied EMA epoxy. They swivel 360	PC	1	\$	7.38
07498360102	<b>AST10-5-C100</b>	AerialSuprTie,5.6in,WRPoly,BL,PK100	The aerial support tie in black with integral 1/2" (12.7mm) spacer for support strand applications is made of w	M	1000	\$	1,318.93
07498360103	<b>AST15-5-C100</b>	AerialSuprTie,6.9in,WRPoly,BL,PK100	Panduit AST15-5-C100 Aerial Support Ties with integral 1/2" (12.7mm) spacer for support strands are design	M	1000	\$	1,396.60
07498360104	<b>AST20-5-C100</b>	AerialSuprTie,8.4in,WRPoly,BL,PK100	Panduit AST25-5-C100 Aerial Support Ties with integral 1/2" (12.7mm) spacer for support strands are design	M	1000	\$	1,398.90
07498360105	<b>AST25-5-C100</b>	AerialSuprTie,10in,WRPoly,BL,PK100	Panduit AST25-5-C100 Aerial Support Ties with integral 1/2" (12.7mm) spacer for support strands are design	M	1000	\$	1,527.39
07498373899	<b>B2M2S-D</b>	MkrTie,MBarb,8L,Std,Nyl,Nat,PK500	Dome-Top® barb by marker tie, wrap, standard cross section, 8.0 (203mm) length, 1.15 x .91 (29.2 x 23.1mm	M	1000	\$	1,640.18
07498377737	<b>B3M2S-TL</b>	MkrTie,MBarb,8L,Std,Ny,Nt,1.81x.91,P250	Dome-Top® barb by marker tie, wrap, standard cross section, 8.0 (203mm) length, 1.81 x .91 (46.0 x 23.1mm	M	1000	\$	2,769.59
07498377738	<b>B3M2S-TL0</b>	MkrTie,MBarb,8L,Std,WR,BL,1.81x.91,P250	Dome-Top® barb by marker tie, wrap, standard cross section, 8.0 (203mm) length, 1.81 x .91 (46.0 x 23.1mm	M	1000	\$	3,226.16
07498377739	<b>B4M2S-TL</b>	MkrTie,MBarb,8L,Std,Ny,Nt,2.47x.91,P250	Dome-Top® barb by marker tie, wrap, standard cross section, 8.0 (203mm) length, 2.47 x .91 (62.7 x 23.1mm	M	1000	\$	3,296.73
07498373874	<b>BC1.5I-S8-M</b>	CI Tie,MBarb,6.6L,Intm,Nyl,Nat,PK1000	Dome-Top® barb by clamp tie, intermediate cross section, #8 (M4) screw, 6.6 (168mm) length, nylon 6.6, nat	M	1000	\$	336.46
07498373875	<b>BC1.5I-S8-M0</b>	CI Tie,MBarb,6.6L,Intm,WR,BL,PK1000	Dome-Top® barb by clamp tie, intermediate cross section, #8 (M4) screw, 6.6 (168mm) length, weather resist	M	1000	\$	443.39
07498373862	<b>BC1M-S4-M</b>	CI Tie,MBarb,4.6L,Mini,Nyl,Nat,PK1000	Dome-Top® barb by clamp tie, miniature cross section, #4 (M2.5) screw, 4.6 (117mm) length, nylon 6.6, natur	M	1000	\$	310.76
07498373863	<b>BC1M-S4-M0</b>	Clamp Tie, Metal Barb, 4.6"L (117mm), Mi	Dome-Top® barb by clamp tie, miniature cross section, #4 (M2.5) screw, 4.6" (117mm) length, weather resist	M	1000	\$	404.29
07498352314	<b>BC2S-S10-C</b>	CI Tie,MBarb,8.5L,Std,Nyl,Nat,PK100	The BC2S-S10-C Dome-Top® barb by clamp tie, features a unique patented design with its round smooth ed	C	100	\$	42.75
07498352315	<b>BC2S-S10-C0</b>	CI Tie,MBarb,8.5L,Std,WR,BL,PK100	Dome-Top® barb by clamp tie, standard cross section, #10 (M5) screw, 8.5 (216mm) length, weather resistan	C	100	\$	51.13
07498370776	<b>BC2S-S10-D</b>	CI Tie,MBarb,8.5L,Std,Nyl,Nat,PK500	The BC2S-S10-D Dome-Top® barb by clamp tie, features a unique patented design with its round smooth ed	M	1000	\$	297.93
07498370777	<b>BC2S-S10-D0</b>	CI Tie,MBarb,8.5L,Std,WR,BL,PK500	The BC2S-S10-D0 Dome-Top® barb by clamp tie, features a unique patented design with its round smooth ed	M	1000	\$	431.43
07498370779	<b>BC3S-S10-D</b>	CI Tie,MBarb,12.5L,Std,Nyl,Nat,PK500	Dome-Top® barb by clamp tie, standard cross section, #10 (M5) screw, 12.5 (318mm) length, nylon 6.6, natu	M	1000	\$	544.25
07498352326	<b>BC4LH-S25-L</b>	CI Tie,MBarb,15.5L,LH,Nyl,Nat,PK50	Dome-Top® barb by clamp tie, light-heavy cross section, 1/4 (M6) screw, 15.5 (394mm) length, nylon 6.6, nat	C	100	\$	126.78
07498352327	<b>BC4LH-S25-L0</b>	CI Tie,MBarb,15.5L,LH,WR,BL,PK50	The BC4LH-S25-L0 Dome-Top® barb by clamp tie, features a unique patented design with its round smooth e	C	100	\$	176.54
07498352328	<b>BC4LH-S25-TL</b>	CI Tie,MBarb,15.5L,LH,Nyl,Nat,PK250	Dome-Top® barb by clamp tie, light-heavy cross section, 1/4 (M6) screw, 15.5 (394mm) length, nylon 6.6, nat	M	1000	\$	1,145.31
07498352329	<b>BC4LH-S25-TL0</b>	CI Tie,MBarb,15.5L,LH,WR,BL,PK250	The BC4LH-S25-TL0 Dome-Top® barb by clamp tie, features a unique patented design with its round smooth	M	1000	\$	1,331.08
07498352330	<b>BC4S-S10-C</b>	CI Tie,MBarb,15.6L,Std,Nyl,Nat,PK100	Dome-Top® barb by clamp tie, standard cross section, #10 (M5) screw, 15.6 (396mm) length, nylon 6.6, natu	C	100	\$	116.78
07498352331	<b>BC4S-S10-C0</b>	CI Tie,MBarb,15.6L,Std,WR,BL,PK100	Dome-Top® barb by clamp tie, standard cross section, #10 (M5) screw, 15.6 (396mm) length, weather resista	C	100	\$	135.54
07498370782	<b>BC4S-S10-D</b>	CI Tie,MBarb,15.6L,Std,Nyl,Nat,PK500	Dome-Top® barb by clamp tie, standard cross section, #10 (M5) screw, 15.6 (396mm) length, nylon 6.6, natu	M	1000	\$	806.49
07498370783	<b>BC4S-S10-D0</b>	CI Tie,MBarb,15.6L,Std,WR,BL,PK500	Dome-Top® barb by clamp tie, standard cross section, #10 (M5) screw, 15.6 (396mm) length, weather resista	M	1000	\$	1,072.88
07498322304	<b>BEC38-A-L</b>	BevelEntryCordClip,Adh.,.38"Bdl,Nat,PK50	Panduit's BEC38-A-L rubber-based adhesive backed bevel entry clips provide a strong and reliable bond and	C	100	\$	148.96
07498322305	<b>BEC38-A-T</b>	BevelEntryCordClip,Adh.,.38"Bdl,Nat,PK200	Panduit's BEC38-A-L rubber-based adhesive backed bevel entry clips provide a strong and reliable bond and	M	1000	\$	1,066.44
07498323410	<b>BEC38-A-T20</b>	BevelEntryCordClip,Adh.,.38"Bdl,BL,PK200	Adhesive backed bevel entry clip, .38" (9.7mm) bundle, black, bulk package.	M	1000	\$	1,150.68
07498346341	<b>BEC62-A-T</b>	BevelEntryCordClip,Adh.,.62"Bdl,Nat,PK200	Panduit's BEC62-A-T rubber-based adhesive backed bevel entry clips provide a strong and reliable bond and	M	1000	\$	1,468.76
07498322306	<b>BEC75-A-L</b>	BevelEntryCordClip,Adh.,.75"Bdl,Nat,PK50	Panduit's BEC75-A-L rubber-based adhesive backed bevel entry clips provide a strong and reliable bond and	C	100	\$	230.75
07498323716	<b>BEC75-A-L20</b>	BevelEntryCordClip,Adh.,.75"Bdl,BL,PK50	Adhesive backed bevel entry clip, .75" (19.1mm) bundle, black, standard package.	C	100	\$	251.34
07498322307	<b>BEC75-A-T</b>	BevelEntryCordClip,Adh.,.75"Bdl,Nat,PK200	Panduit's BEC75-T-L rubber-based adhesive backed bevel entry clips provide a strong and reliable bond and	M	1000	\$	1,700.75

07498323416	<b>BEC75-A-T20</b>	BevelEntryCordClip,Adh.,.75"BdI,BL,PK200	Adhesive backed bevel entry clip, .75" (19.1mm) bundle, black, bulk package.	M	1000	\$	1,821.95
07498322222	<b>BECP38H25-L</b>	BevelEntryCordClip,PM,.38"BdI,WRBL,PK50	Bevel entry clip, push barb mount, .38" (9.7mm) bundle, white, standard package.	C	100	\$	112.75
07498322224	<b>BECP75H25-L</b>	BevelEntryCordClip,PM,.75"BdI,WH,PK50	Panduit's BECP75H25-L push barb bevel entry clips allow cables to be attached and detached without disturb	C	100	\$	158.46
07498323717	<b>BECP75H25-L20</b>	BevelEntryCordClip,PM,.75"BdI,BL,PK50	Bevel entry clip, push barb mount, .75" (19.1mm) bundle, black, standard package.	C	100	\$	193.60
07498322225	<b>BECP75H25-T</b>	BevelEntryCordClip,PM,.75"BdI,WH,PK200	Bevel entry clip, push barb mount, .75" (19.1mm) bundle, white, bulk package.	M	1000	\$	1,194.26
07498373954	<b>BF2M-C</b>	MkrTie,Flag,8.3L,M,Nyl,Nat,PK100	Dome-Top® barb ty marker tie, flag, miniature cross section, 8.3 (211mm) length, .36 x .81 (9.1 x 20.6mm)	C	100	\$	65.56
61305669079	<b>BG3GTH-E</b>	3mm Extended Blade Guard Kit for GTH-E	3mm Extended Blade Guard for GTH-E and GS4H-E Tools	PC	1	\$	47.76
61305668582	<b>BG3GTS-E</b>	3mm Extended Blade Guard Kit for GTS-E	3mm Extended Blade Guard for GTS-E, GS2B-E and PTS Tools	PC	1	\$	41.25
07498300852	<b>BGN1032-C</b>	Bonding Nut, threaded rail #10-32,100PK	Bonding nut for threaded #10-32 rail fasteners.	C	100	\$	185.54
07498307853	<b>BLKPSB4-2S-12</b>	Multi-Tap,SS,2P,4-14AWG,10-14AWG,PK12	Multi Tap Connector, Single Sided, Black Insulation, 2 Port, #4-#14 AWG STR, #10-#14 AWG SOL	C	100	\$	2,222.40
07498373850	<b>BM1M-C</b>	MkrTie,Wrap,4.2L,M,Nyl,Nat,PK100	Dome-Top® barb ty marker tie, wrap, miniature cross section, 4.2 (107mm) length, .29 x 1.09 (7.4 x 27.7mm)	C	100	\$	45.89
07498373851	<b>BM1M-M</b>	MkrTie,Wrap,4.2L,M,Nyl,Nat,PK1000	Dome-Top® barb ty marker tie, wrap, miniature cross section, 4.2 (107mm) length, .29 x 1.09 (7.4 x 27.7mm)	M	1000	\$	283.65
07498373853	<b>BM1M-M0</b>	MkrTie,Wrap,4.2L,M,WR,BL,PK1000	Dome-Top® barb ty marker tie, wrap, miniature cross section, 4.2 (107mm) length, .29 x 1.09 (7.4 x 27.7mm)	M	1000	\$	459.73
07498373859	<b>BM2M-M</b>	MkrTie,Wrap,7.9L,M,Nyl,Nat,PK1000	Dome-Top® barb ty marker tie, wrap, miniature cross section, 7.9 (201mm) length, .29 x 1.09 (7.4 x 27.7mm)	M	1000	\$	435.51
07498373961	<b>BM2S-D</b>	MkrTie,Wrap,8L,Std,Nyl,Nat,PK500	Dome-Top® barb ty marker tie, wrap, standard cross section, 8.0 (203mm) length, .49 x .91 (12.4 x 23.1mm)	M	1000	\$	531.19
07498373893	<b>BM4S-C</b>	MkrTie,Wrap,15.1L,Std,Nyl,Nat,PK100	Dome-Top® barb ty marker tie, wrap, miniature cross section, 15.1 (384mm) length, .50 x 2.13 (12.7 x 54.1m)	C	100	\$	118.33
07498359149	<b>BP2S-D0</b>	DTPM ties,WR NYL,STD,8.5,BLK,PK500	Panduit® Dome-top® Barb Ty Wingless Push-mount Ties provide an infinitely adjustable hold, even in confine	M	1000	\$	376.53
07498308888	<b>BR-1.25-1/4-20</b>	BRDL RNG,1.25 in DIA,1/4-20 THREAD,PK1	Bridle ring, 1.25 dia., 1/4-20 threaded.	C	100	\$	204.76
07498308891	<b>BR-1.25-10-24</b>	BRDL RNG,1.25 in DIA,10-24 THREAD,PK10	Bridle ring, 1.25 dia., 10-24 threaded.	C	100	\$	183.61
07498390844	<b>BR-1.5-1/4-20S</b>	BRDL RNG,1.50 in DIA,10-24 THREAD,PK10	Bridle ring with saddle, 1.5" dia., mounts with 1/4-20 threads.	PC	1	\$	4.43
07498306383	<b>BR-1.5-PAF</b>	BRDL RNG,1.50 in DIA,PWDR ACTU FAS,PK50	Bridle ring, 1.50 dia., with power actuated fastener.	C	100	\$	480.29
07498306385	<b>BR-1.5-SN</b>	BRDL RNG,1.50 in DIA,U/SNAIL,PK100	Bridle ring, 1.50 dia., user supplied nail or fastener.	C	100	\$	392.85
07498308894	<b>BR-2.0-1/4-20</b>	BRDL RNG,2.00 in DIA,1/4-20 THREAD,PK1	Bridle ring, 2.00 diameter., 1/4-20 threaded.	C	100	\$	217.95
07498390846	<b>BR-2.0-1/4-20S</b>	BRDL RNG,2.00 in DIA,1/4-24 THREAD,PK1	Bridle ring with saddle, 2.00" diameter., mounts with 1/4" 20 threads.	PC	1	\$	4.71
07498308896	<b>BR-2.0-14WS</b>	BRDL RNG,2"DIA,WD SCR THREAD,PK100	Bridle ring, 2.00 diameter., 10-24 wood screw threaded.	C	100	\$	222.45
07498306384	<b>BR-2.0-PAF</b>	BRDL RNG,2.00 in DIA,PWDR ACTU FAS,PK50	Bridle ring, 2.00 (50.8mm) diameter., with power actuated fastener.	C	100	\$	528.93
07498308184	<b>BR-2.0-TW</b>	BRDL RNG,2.00 in DIA,INTEG TGL SCR,PK25	Bridle ring, 2.00 diameter., with integrated toggle screw.	C	100	\$	818.84
07498308897	<b>BR-4.0-1/4-20</b>	BRDL RNG,4"DIA,1/4-20 THREAD,PK100	Bridle ring, 4.00 dia., 1/4-20 threaded.	C	100	\$	317.76
07498390847	<b>BR-4.0-1/4-20S</b>	BRDL RNG,4"DIA,Sad,1/4-20 THREAD,PK100	Bridle ring with saddle, 4"dia., mounts with 1/4-20 threads.	PC	1	\$	17.75
07498360190	<b>BR-5-E6-C</b>	BdleRetnr,.50"Bdle,#6Screw,BL,PK100	Bundle retainer, #6 screw (M3), .50" (12.7mm) bundle, 1.07" (27.2mm) standoff height, impact resistant nylon	C	100	\$	159.74
07498360191	<b>BR-75-E6-C</b>	BdleRetnr,.75"Bdle,#6Screw,BL,PK100	Bundle retainer, #6 screw (M3), .75" (19.1mm) bundle, .95" (24.1mm) standoff height, impact resistant nylon	C	100	\$	168.43
07498375504	<b>BR2-1.3-A-X</b>	BdleRetnr,2"Bdle,Adh,1.3"Pst,BL,PK10	Harness bundle retainer, 2" (50.8mm) Harness bundle, adhesive, 1.3" (33.0mm) post, black, 10 pc. package	C	100	\$	1,525.96
07498375658	<b>BR2-1.3-X</b>	BdleRetnr,2"Bdle,1.3"Pst,BL,PK10	Harness bundle retainer, 2" (50.8mm) Harness bundle, 1.3" (33.0mm) post, black.	C	100	\$	1,369.36
07498368040	<b>BR2-1.5-X</b>	BdleRetnr,2"Bdle,1.5"Pst,BL,PK10	Bundle retainer, 1/4" screw (M6), .2" (50.8mm) bundle, .1.59" (40.4mm) standoff height, glass filled nylon 6.6,	C	100	\$	1,369.36
07498352238	<b>BR2-4-X</b>	BdleRetnr,2"Bdle,4"Pst,BL,PK10	Bundle retainer, 1/4" screw (M6), .2" (50.8mm) bundle, .4.06" (103.1mm) standoff height, glass filled nylon 6.	C	100	\$	1,493.68
07498383205	<b>BS10-D</b>	Butt Splice,non-insul,12-10AWG,PK500	The BS10-D Pan-Term® Splice is a non-insulated butt splice. Internal wire stop assures proper insertion leng	M	1000	\$	388.65
07498383204	<b>BS10-L</b>	Butt Splice,non-insul,12-10AWG,PK50	Butt Splice, non-insulated, 12 – 10 AWG wire range, standard package.	C	100	\$	80.54
07498311600	<b>BS100445</b>	Braided Strap,One-Hole, Ins, 4",EA	Braided Bonding Strap, one-hole, insulated, 4.00" length x 1.06" width (101.6mm x 27.0mm).	PC	1	\$	122.98
07498311605	<b>BS100445U</b>	Braided Strap,One-Hole, Non-Ins, 4",EA	Braided Bonding Strap, one-hole, non-insulated, 4.00" length x 1.06" width (101.6mm x 27.0mm).	PC	1	\$	111.98
07498311602	<b>BS100645</b>	Braided Strap,One-Hole, Ins,6",EA	Braided Bonding Strap, one-hole, insulated, 6.00" length x 1.06" width (152.4mm x 27.0mm).	PC	1	\$	136.60
07498311606	<b>BS100645U</b>	Braided Strap,One-Hole,6",Non-Ins,EA	Braided Bonding Strap, one-hole, non-insulated, 6.00" length x 1.06" width (152.4mm x 27.0mm).	PC	1	\$	124.41
07498311603	<b>BS100845</b>	Braided Strap,One-Hole, Ins, 8",EA	The BS100845 Braided Bonding Strap is designed to electrically bond enclosure doors, motors, and machine	PC	1	\$	150.26
07498311607	<b>BS100845U</b>	Braided Strap,One-Hole,8",Non-Ins,EA	Braided Bonding Strap, one-hole, non-insulated, 8.00" length x 1.06" width (203.2mm x 27.0mm).	PC	1	\$	138.25
07498311604	<b>BS101245</b>	Braided Strap,One-Hole, Ins, 12",EA	Braided Bonding Strap, one-hole, insulated, 12.00" length x 1.06" width (304.8mm x 27.0mm).	PC	1	\$	157.41
07498311608	<b>BS101245U</b>	Braided Strap,One-Hole,12",Non-Ins,EA	Braided Bonding Strap, one-hole, non-insulated, 12.00" length x 1.06" width (304.8mm x 27.0mm).	PC	1	\$	146.29
07498383202	<b>BS14-C</b>	Butt Splice,non-insul,16-14AWG,PK100	Butt Splice, non-insulated, 16 – 14 AWG, standard package.	C	100	\$	57.64
07498383203	<b>BS14-M</b>	Butt Splice,non-insul,16-14AWG,PK1000	Butt Splice, non-insulated, 16 – 14 AWG wire range, bulk package.	M	1000	\$	270.29
07498383200	<b>BS18-C</b>	Butt Splice,non-insul,22-18AWG,PK100	Butt Splice, non-insulated, 22 – 18 AWG wire range, standard package.	C	100	\$	58.18
07498383201	<b>BS18-M</b>	Butt Splice,non-insul,22-18AWG,PK1000	Butt Splice, non-insulated, 22 – 18 AWG wire range, bulk package.	M	1000	\$	283.94
07498311611	<b>BS201246EU</b>	Braided Strap, Two-Hole, 12",Non-Ins,EA	Braided Bonding Strap, two-hole, non-insulated, 12.00" length x 1.06" width (304.8mm x 27.0mm).	PC	1	\$	153.60
07498311612	<b>BS201846EU</b>	Braided Strap, Two-Hole, 18",Non-Ins,EA	Braided Bonding Strap, two-hole, non-insulated, 18.00" length x 1.06" width (457.2mm x 27.0mm).	PC	1	\$	173.49
07498311613	<b>BS202446EU</b>	Braided Strap,Two-Hole, Non-Ins,EA	Braided Bonding Strap, two-hole, non-insulated, 24.00" length x 1.06" width (609.6mm x 27.0mm).	PC	1	\$	192.51
07498383012	<b>BS22-C</b>	Butt Splice,non-insul,26-22AWG,PK100	Butt Splice, non-insulated, 26 – 22 AWG wire range, standard package.	C	100	\$	74.40
07498383013	<b>BS22-M</b>	Butt Splice,non-insul,26-22AWG,PK1000	The BS22-M Pan-Term® Splice is a non-insulated butt splice. Internal wire stop assures proper insertion leng	M	1000	\$	289.98
07498381825	<b>BSH10-E</b>	Butt Splice, Heat Shrink, 12-10AWG,PK20	The BSH10-E Pan-Term® Splice is a heat-shrink insulated butt splice. Internal wire stop assures proper inser	C	100	\$	282.56
07498381856	<b>BSH14-D</b>	Butt Splice, Heat Shrink, 16 - 14 AWG	Heat Shrink Butt Splice, 16 – 14 AWG wire range, bulk package.	M	1000	\$	2,508.59
07498381824	<b>BSH14-Q</b>	Butt Splice, Heat Shrink, 16-14AWG,PK25	The BSH14-Q Pan-Term® Splice is a heat-shrink insulated butt splice. Internal wire stop assures proper inse	C	100	\$	260.81
07498381823	<b>BSH18-Q</b>	Butt Splice, Heat Shrink, 22-18AWG,PK25	The BSH18-Q Pan-Term® Splice is a heat-shrink insulated butt splice. Internal wire stop assures proper inse	C	100	\$	260.81
07498364555	<b>BSK10-D</b>	Butt Splice,Kynar insul,12-10AWG,PK500	Butt Splice 12 – 10 AWG, KYNAR insulated, bulk package.	M	1000	\$	3,894.04
07498364554	<b>BSK14-L</b>	Butt Splice,Kynar insul,16-14AWG,PK50	Butt Splice 16 – 14 AWG, KYNAR insulated, standard package.	C	100	\$	343.54
07498364553	<b>BSK14-M</b>	Butt Splice,Kynar insul,16-14AWG,PK1000	Butt Splice 16 – 14 AWG, KYNAR insulated, bulk package.	M	1000	\$	3,054.89
07498373308	<b>BSN10-2K</b>	Butt Splice,nyl insul,12-10AWG,REEL2000	Butt Splice, standard nylon insulated, 12 – 10 AWG wire range.	M	1000	\$	487.56
07498383005	<b>BSN10-D</b>	Butt Splice,nylon insul,12-10AWG,PK500	Butt Splice 12 – 10 AWG, nylon insulated, bulk package.	M	1000	\$	642.20
07498383004	<b>BSN10-L</b>	Butt Splice,nylon insul,12-10AWG,PK50	The BSN10-L Pan-Term® Splice is a nylon insulated butt splice. Internal wire stop assures proper insertion le	C	100	\$	155.04
07498383017	<b>BSN14-3K</b>	Butt Splice,nyl insul,18-14AWG,REEL3000	The BSN14-3K Reel Smart™ Splice is a continuously molded nylon insulated butt splice. The continuously mo	M	1000	\$	367.69
07498383002	<b>BSN14-C</b>	Butt Splice,nylon insul,16-14AWG,PK100	The BSN14-C Pan-Term® Splice is a nylon insulated butt splice. Internal wire stop assures proper insertion le	C	100	\$	105.88
07498383003	<b>BSN14-M</b>	Butt Splice,nylon insul,16-14AWG,PK1000	The BSN14-M Pan-Term® Splice is a nylon insulated butt splice. Internal wire stop assures proper insertion le	M	1000	\$	481.50
07498383016	<b>BSN18-3K</b>	Butt Splice,nyl insul,22-18AWG,REEL3000	The BSN18-3K Reel Smart™ Splice is a continuously molded nylon insulated butt splice. The continuously mo	M	1000	\$	367.69
07498383000	<b>BSN18-C</b>	Butt Splice,nylon insul,22-18AWG,PK100	The BSN18-C Pan-Term® Splice is a nylon insulated butt splice. Internal wire stop assures proper insertion le	C	100	\$	105.88
07498383001	<b>BSN18-M</b>	Butt Splice,nylon insul,22-18AWG,PK1000	The BSN18-M Pan-Term® Splice is a nylon insulated butt splice. Internal wire stop assures proper insertion le	M	1000	\$	481.50
07498383014	<b>BSN22-C</b>	Butt Splice,nylon insul,26-22AWG,PK100	The BSN22-C Pan-Term® Splice is a nylon insulated butt splice. Internal wire stop assures proper insertion le	C	100	\$	125.79
07498383015	<b>BSN22-M</b>	Butt Splice,nylon insul,26-22AWG,PK1000	Butt Splice 26 – 22 AWG, nylon insulated, bulk package.	M	1000	\$	529.79
07498383019	<b>BSP14-3K</b>	Butt Splice, prem nyl,16-14AWG,REEL3000	Butt Splice, premium nylon insulated, 18 – 14 AWG wire range.	M	1000	\$	463.40
07498383018	<b>BSP18-3K</b>	Butt Splice, prem nyl,22-18AWG,REEL3000	Butt Splice, premium nylon insulated, 22 – 16 AWG wire range.	M	1000	\$	463.40
07498383105	<b>BSV10X-D</b>	Butt Splice,vinyl insul,12-10AWG,PK500	The BSV10X-D Pan-Term® Splice is a vinyl insulated butt splice. Internal wire stop assures proper insertion I	M	1000	\$	666.45
07498334186	<b>BSV10X-E</b>	Butt Splice,vinyl insul,12-10AWG,PK20	Butt Splice, 12 – 10 AWG, vinyl insulated, convenience package.	C	100	\$	146.65
07498352161	<b>BSV10X-Q</b>	Butt Splice,vinyl insul,12-10AWG,PK25	The BSV10X-Q Pan-Term® Splice is a vinyl insulated butt splice. Internal wire stop assures proper insertion I	C	100	\$	118.34

07498334188	<b>BSV14X-E</b>	Butt Splice,vinyl insul,16-14AWG,PK20	Butt Splice, 16 – 14 AWG, vinyl insulated, convenience package.	C	100	\$	98.83
07498352162	<b>BSV14X-L</b>	Butt Splice,vinyl insul,16-14AWG,PK50	The BSV14X-L Pan-Term® Splice is a vinyl insulated butt splice. Internal wire stop assures proper insertion le	C	100	\$	79.76
07498383103	<b>BSV14X-M</b>	Butt Splice,vinyl insul,16-14AWG,PK100	The BSV14X-M Pan-Term® Splice is a vinyl insulated butt splice. Internal wire stop assures proper insertion I	M	1000	\$	449.41
07498334189	<b>BSV18X-E</b>	Butt Splice,vinyl insul,22-18AWG,PK20	Butt Splice, 22 – 18 AWG, vinyl insulated, convenience package.	C	100	\$	99.74
07498368553	<b>BSV18X-LY</b>	Butt Splice,vinyl insul,22-18AWG,PK50	The BSV18X-LY Pan-Term® Splice is a vinyl insulated butt splice. Internal wire stop assures proper insertion	C	100	\$	80.51
07498340796	<b>BSV18X-MY</b>	Butt Splice,vinyl insul,22-18AWG,PK100	The BSV18X-MY Pan-Term® Splice is a vinyl insulated butt splice. Internal wire stop assures proper insertion	M	1000	\$	449.41
07498341333	<b>BT1.5I-C</b>	CTie, MBarb, 6.1L, Intm, Nyl, Nat, PK100	The BT1.5I-C Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	C	100	\$	21.16
07498341334	<b>BT1.5I-C0</b>	CTie, MBarb, 6.1L, Intm, WR, BL, PK100	The BT1.5I-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	C	100	\$	26.14
07498341345	<b>BT1.5I-M</b>	CTie, MBarb, 6.1L, Intm, Nyl, Nat, PK1000	The BT1.5I-M Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	M	1000	\$	83.44
07498341346	<b>BT1.5I-M0</b>	CTie, MBarb, 6.1L, Intm, WR, BL, PK1000	The BT1.5I-M0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	113.44
07498341348	<b>BT1.5I-M1</b>	CTie, MBarb, 6.1L, Intm, Nyl, BR, PK1000	Dome-Top® barb ty cable tie, intermediate cross section, 6.1 (155mm) length, nylon 6.6, brown.	M	1000	\$	111.73
07498341349	<b>BT1.5I-M2</b>	CTie, MBarb, 6.1L, Intm, Nyl, RD, PK1000	Dome-Top® barb ty cable tie, intermediate cross section, 6.1 (155mm) length, nylon 6.6, red.	M	1000	\$	111.73
07498341359	<b>BT1.5I-M30</b>	CTie, MBarb, 6.1L, Intm, HS, BL, PK1000	The BT1.5I-M30 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	106.59
07498332242	<b>BT1.5I-M300</b>	CTie, MBarb, 6.1L, Intm, HSWR, BL, PK1000	The BT1.5I-M300 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paire	M	1000	\$	122.10
07498363385	<b>BT1.5I-M39</b>	CTie, MBarb, 6.1L, Intm, HS, Nat, PK1000	Dome-Top® barb ty cable tie, intermediate cross section, 6.1 (155mm) length, heat stabilized nylon 6.6, natur	M	1000	\$	132.49
07498341353	<b>BT1.5I-M6</b>	CTie, MBarb, 6.1L, Intm, Nyl, BU, PK1000	Dome-Top® barb ty cable tie, intermediate cross section, 6.1 (155mm) length, nylon 6.6, blue.	M	1000	\$	111.73
07498360294	<b>BT1.5M-C</b>	CTie, MBarb, 6.3L, Mini, Nyl, Nat, PK100	Dome-Top® barb ty cable tie, miniature cross section, 6.3 (160mm) length, nylon 6.6, natural, standard packa	C	100	\$	24.45
07498360295	<b>BT1.5M-C0</b>	CTie, MBarb, 6.3L, Mini, WR, BL, PK100	The BT1.5M-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	C	100	\$	30.28
07498360291	<b>BT1.5M-M</b>	CTie, MBarb, 6.3L, Mini, Nyl, Nat, PK1000	The BT1.5M-M Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	82.20
07498360292	<b>BT1.5M-M0</b>	CTie, MBarb, 6.3L, Mini, WR, BL, PK1000	The BT1.5M-M0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	117.06
07498360293	<b>BT1.5M-M30</b>	CTie, MBarb, 6.3L, Mini, HS, BL, PK1000	The BT1.5M-M30 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paire	M	1000	\$	101.51
07498312166	<b>BT1.5M-M69</b>	CTie, MBarb, 6.3L, Mini, FRNyl, IV, PK1000	Dome-Top® barb ty cable tie, miniature cross section, 6.3 (160mm) length, flame retardant nylon 6.6, natural	M	1000	\$	234.11
07498339062	<b>BT1.5M-XMR</b>	BT, CableTie, Min, 5.6in, Nat, RL5000	Panduit BT1.5M-XMR continuously molded barbed cable ties provide constant feeding for high productivity an	M	1000	\$	101.08
07498339072	<b>BT1.5M-XMR0</b>	BT, CableTie, Min, 5.6in, BL, RL5000	Reel-Fed barbed tie for PAT1.5M system, miniature cross section, 5.6 (142mm) length, weather resistant nyl	M	1000	\$	116.06
07498339098	<b>BT1.5M-XMR30</b>	BT, CableTie, Min, 5.6in, WRBL, RL5000	Reel-Fed barbed tie for PAT1.5M system, miniature cross section, 5.6 (142mm) length, heat stabilized nylon	M	1000	\$	116.06
07498341302	<b>BT1M-C</b>	CTie, MBarb, 4L, Mini, Nyl, Nat, PK100	The BT1M-C Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	C	100	\$	18.38
07498341303	<b>BT1M-C0</b>	CTie, MBarb, 4L, Mini, WR, BL, PK100	The BT1M-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	C	100	\$	24.08
07498341317	<b>BT1M-M</b>	CTie, MBarb, 4L, Mini, Nyl, Nat, PK1000	The BT1M-M Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	M	1000	\$	54.40
07498341318	<b>BT1M-M0</b>	CTie, MBarb, 4L, Mini, WR, BL, PK1000	The BT1M-M0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	85.15
07498341332	<b>BT1M-M30</b>	CTie, MBarb, 4L, Mini, HS, BL, PK1000	The BT1M-M30 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	72.04
07498309639	<b>BT1M-M300</b>	CTie, MBarb, 4L, Mini, HSWR, BL, PK1000	The BT1M-M300 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	94.66
07498363384	<b>BT1M-M39</b>	CTie, MBarb, 4L, Mini, HS, Nat, PK1000	Dome-Top® barb ty cable tie, miniature cross section, 4.0 (102mm) length, heat stabilized nylon 6.6, natural.	M	1000	\$	103.63
07498339018	<b>BT1M-XMR</b>	BT, CableTie, Min, 4in, Nat, RL5000	Panduit BT1M-XMR continuously molded barbed cable ties provide constant feeding for high productivity and	M	1000	\$	77.68
07498339057	<b>BT1M-XMR0</b>	BT, CableTie, Min, 4in, BL, RL5000	Panduit BT1M-XMR0 continuously molded barbed cable ties provide constant feeding for high productivity an	M	1000	\$	89.36
07498339061	<b>BT1M-XMR30</b>	BT, CableTie, Min, 4in, WRBL, RL5000	Panduit BT1M-XMR30 continuously molded barbed cable ties provide constant feeding for high productivity a	M	1000	\$	89.36
07498310240	<b>BT2HT</b>	Installation Tool, MS Strap, Lever CutOff, EA	The BT2HT Hand Installation tool tensions and cuts strapping. Designed with a multi-position rear h	PC	1	\$	1,162.15
61305617234	<b>BT2HTI</b>	Installation Tool, MS Strap, Lever Longe	Installation Tool for use with Panduit® Buckle Strap Cleats. For use with MS75 Buckles. Tensions, Cuts Strap	PC	1	\$	1,220.28
07498341360	<b>BT2I-C</b>	CTie, MBarb, 8L, I, Nyl, Nat, PK100	The BT2I-C Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired with	C	100	\$	32.03
07498341361	<b>BT2I-C0</b>	CTie, MBarb, 8L, I, WR, BL, PK100	The BT2I-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	C	100	\$	38.41
07498341362	<b>BT2I-M</b>	CTie, MBarb, 8L, I, Nyl, Nat, PK1000	The BT2I-M Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired with	M	1000	\$	106.68
07498341363	<b>BT2I-M0</b>	CTie, MBarb, 8L, I, WR, BL, PK1000	The BT2I-M0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	M	1000	\$	151.39
07498341365	<b>BT2I-M30</b>	CTie, MBarb, 8L, I, HS, BL, PK1000	The BT2I-M30 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	137.50
07498310032	<b>BT2I-M300</b>	CTie, MBarb, 8L, I, HSWR, BL, PK1000	The BT2I-M300 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	188.53
07498312164	<b>BT2I-M69</b>	CTie, MBarb, 8L, I, FR, Nyl, Nat, PK1000	Dome-Top® barb ty cable tie, intermediate cross section, 8.0 (203mm) length, flame retardant nylon 6.6, natu	M	1000	\$	307.65
07498341257	<b>BT2LH-L</b>	CTie, MBarb, 8.7L, LH, Nyl, Nat, PK50	Dome-Top® barb ty cable tie, light-heavy cross section, 8.7 (221mm) length, nylon 6.6, natural, standard pac	C	100	\$	67.53
07498341258	<b>BT2LH-L0</b>	CTie, MBarb, 8.7L, LH, WR, BL, PK50	The BT2LH-L0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	C	100	\$	72.94
07498341259	<b>BT2LH-TL</b>	CTie, MBarb, 8.7L, LH, Nyl, Nat, PK250	Dome-Top® barb ty cable tie, light-heavy cross section, 8.7 (221mm) length, nylon 6.6, natural, bulk package	M	1000	\$	538.55
07498341260	<b>BT2LH-TL0</b>	CTie, MBarb, 8.7L, LH, WR, BL, PK250	The BT2LH-TL0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	617.65
07498360285	<b>BT2M-C</b>	CTie, MBarb, 7.9L, Mini, Nyl, Nat, PK100	The BT2M-C Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	C	100	\$	25.64
07498360286	<b>BT2M-C0</b>	CTie, MBarb, 7.9L, M, WR, BL, PK100	The BT2M-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	C	100	\$	32.44
07498360288	<b>BT2M-M</b>	CTie, MBarb, 7.9L, Mini, Nyl, Nat, PK1000	The BT2M-M Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	M	1000	\$	81.50
07498360289	<b>BT2M-M0</b>	CTie, MBarb, 7.9L, M, WR, BL, PK1000	The BT2M-M0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	121.41
07498360290	<b>BT2M-M30</b>	CTie, MBarb, 7.9L, Mini, HS, BL, PK1000	The BT2M-M30 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	95.86
07498341176	<b>BT2S-C</b>	CTie, MBarb, 8L, Std, Nyl, Nat, PK100	The BT2S-C Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	C	100	\$	26.76
07498341177	<b>BT2S-C0</b>	CTie, MBarb, 8L, Std, WR, BL, PK100	The BT2S-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	C	100	\$	28.70
07498341191	<b>BT2S-M</b>	CTie, MBarb, 8L, Std, Nyl, Nat, PK1000	The BT2S-M Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	M	1000	\$	112.20
07498341192	<b>BT2S-M0</b>	CTie, MBarb, 8L, Std, WR, BL, PK1000	The BT2S-M0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	125.48
07498341202	<b>BT2S-M10</b>	CTie, MBarb, 8L, Std, Nyl, WH, PK1000	Dome-Top® barb ty cable tie, standard cross section, 8.0 (203mm) length, nylon 6.6, white.	M	1000	\$	149.83
07498341195	<b>BT2S-M2</b>	CTie, MBarb, 8L, Std, Nyl, RD, PK1000	Dome-Top® barb ty cable tie, standard cross section, 8.0 (203mm) length, nylon 6.6, red.	M	1000	\$	142.68
07498341196	<b>BT2S-M3</b>	CTie, MBarb, 8L, Std, Nyl, OR, PK1000	Dome-Top® barb ty cable tie, standard cross section, 8.0 (203mm) length, nylon 6.6, orange.	M	1000	\$	149.83
07498341205	<b>BT2S-M30</b>	CTie, MBarb, 8L, Std, HS, BL, PK1000	The BT2S-M30 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	149.84
07498310048	<b>BT2S-M300</b>	CTie, MBarb, 8L, Std, HSWR, BL, PK1000	The BT2S-M300 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	177.41
07498363386	<b>BT2S-M39</b>	CTie, MBarb, 8L, Std, HS, Nat, PK1000	The BT2S-M39 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	142.86
07498344820	<b>BT2S-M4Y</b>	CTie, MBarb, 8L, Std, Nyl, YL, PK1000	Dome-Top® barb ty cable tie, standard cross section, 8.0 (203mm) length, nylon 6.6, yellow.	M	1000	\$	149.83
07498341198	<b>BT2S-M5</b>	CTie, MBarb, 8L, Std, Nyl, GR, PK1000	Dome-Top® barb ty cable tie, standard cross section, 8.0 (203mm) length, nylon 6.6, green.	M	1000	\$	142.68
07498341199	<b>BT2S-M6</b>	CTie, MBarb, 8L, Std, Nyl, BU, PK1000	Dome-Top® barb ty cable tie, standard cross section, 8.0 (203mm) length, nylon 6.6, blue.	M	1000	\$	142.68
07498312163	<b>BT2S-M69</b>	CTie, MBarb, 8L, Std, FRNyl, Nat, PK1000	Dome-Top® barb ty cable tie, standard cross section, 8.0 (203mm) length, flame retardant nylon 6.6, natural	M	1000	\$	429.21
07498341200	<b>BT2S-M7</b>	CTie, MBarb, 8L, Std, Nyl, PU, PK1000	Dome-Top® barb ty cable tie, standard cross section, 8.0 (203mm) length, nylon 6.6, purple.	M	1000	\$	149.83
07498341201	<b>BT2S-M8</b>	CTie, MBarb, 8L, Std, Nyl, GY, PK1000	Dome-Top® barb ty cable tie, standard cross section, 8.0 (203mm) length, nylon 6.6, gray.	M	1000	\$	149.83
07498341366	<b>BT3I-C</b>	CTie, MBarb, 11.3L, Intm, Nyl, Nat, PK100	The BT3I-C Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired with	C	100	\$	39.26
07498341367	<b>BT3I-C0</b>	CTie, MBarb, 11.3L, Intm, WR, BL, PK100	The BT3I-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	C	100	\$	52.84
07498341370	<b>BT3I-M</b>	CTie, MBarb, 11.3L, Intm, Nyl, Nat, PK1000	The BT3I-M Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired with	M	1000	\$	227.06
07498341371	<b>BT3I-M0</b>	CTie, MBarb, 11.3L, Intm, WR, BL, PK1000	The BT3I-M0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	M	1000	\$	314.63
07498341373	<b>BT3I-M30</b>	CTie, MBarb, 11.3L, Intm, HS, BL, PK1000	The BT3I-M30 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	274.96
07498341262	<b>BT3LH-L</b>	CTie, MBarb, 11.8L, LH, Nyl, Nat, PK50	Dome-Top® barb ty cable tie, light-heavy cross section, 11.8 (300mm) length, nylon 6.6, natural, standard pa	C	100	\$	90.58
07498341263	<b>BT3LH-L0</b>	CTie, MBarb, 11.8L, LH, WR, BL, PK50	The BT3LH-L0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	C	100	\$	94.79
07498341264	<b>BT3LH-TL</b>	CTie, MBarb, 11.8L, LH, Nyl, Nat, PK250	Dome-Top® barb ty cable tie, light-heavy cross section, 11.8 (300mm) length, nylon 6.6, natural, bulk packag	M	1000	\$	601.01

07498341265	<b>BT3LH-TL0</b>	CTie, MBarb, 11.8L, LH, WR, BL, PK250	The BT3LH-TL0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	746.74
07498341206	<b>BT3S-C</b>	CTie, MBarb, 12L, Std, Nyl, Nat, PK100	The BT3S-C Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	C	100	\$	54.69
07498341207	<b>BT3S-C0</b>	CTie, MBarb, 12L, Std, WR, BL, PK100	The BT3S-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	C	100	\$	58.55
07498341209	<b>BT3S-C2</b>	CTie, MBarb, 12L, Std, Nyl, RD, PK100	Dome-Top® barb ty cable tie, standard cross section, 12.0 (305mm) length, nylon 6.6, red.	C	100	\$	64.30
07498341212	<b>BT3S-M</b>	CTie, MBarb, 12L, Std, Nyl, Nat, PK1000	The BT3S-M Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	M	1000	\$	298.18
07498341213	<b>BT3S-M0</b>	CTie, MBarb, 12L, Std, WR, BL, PK1000	The BT3S-M0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	354.31
07498341226	<b>BT3S-M30</b>	CTie, MBarb, 12L, Std, HS, BL, PK1000	The BT3S-M30 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	345.31
07498310053	<b>BT3S-M300</b>	CTie, MBarb, 12L, Std, HSWR, BL, PK1000	The BT3S-M300 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	482.19
07498363387	<b>BT3S-M39</b>	CTie, MBarb, 12L, Std, HS, Nat, PK1000	Dome-Top® barb ty cable tie, standard cross section, 12.0 (305mm) length, heat stabilized nylon 6.6, natural.	M	1000	\$	394.94
07498312161	<b>BT3S-M69</b>	CTie, MBarb, 12L, Std, FRNyl, Nat, PK1000	Dome-Top® barb ty cable tie, standard cross section, 12.0 (305mm) length, flame retardant nylon 6.6, natura	M	1000	\$	868.59
07498341374	<b>BT4I-C</b>	CTie, MBarb, 14.3L, Intm, Nyl, Nat, PK100	Dome-Top® barb ty cable tie, intermediate cross section, 14.3 (363mm) length, nylon 6.6, natural, standard p	C	100	\$	55.68
07498341375	<b>BT4I-C0</b>	CTie, MBarb, 14.3L, Intm, WR, BL, PK100	The BT4I-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	C	100	\$	69.30
07498341377	<b>BT4I-M</b>	CTie, MBarb, 14.3L, Intm, Nyl, Nat, PK1000	The BT4I-M Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired with	M	1000	\$	355.03
07498341378	<b>BT4I-M0</b>	CTie, MBarb, 14.3L, Intm, WR, BL, PK1000	The BT4I-M0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	M	1000	\$	471.59
07498341267	<b>BT4LH-L</b>	CTie, MBarb, 14.9L, LH, Nyl, Nat, PK50	The BT4LH-L Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	C	100	\$	89.79
07498341268	<b>BT4LH-L0</b>	CTie, MBarb, 14.9L, LH, WR, BL, PK50	The BT4LH-L0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	C	100	\$	97.64
07498341271	<b>BT4LH-LT</b>	CTie, MBarb, 14.9L, LH, Nyl, Nat, PK250	The BT4LH-LT Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	685.11
07498341272	<b>BT4LH-TL0</b>	CTie, MBarb, 14.9L, LH, WR, BL, PK250	The BT4LH-TL0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	786.46
07498341274	<b>BT4LH-TL30</b>	CTie, MBarb, 14.9L, LH, HS, BL, PK250	The BT4LH-TL30 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paire	M	1000	\$	886.63
07498310715	<b>BT4LH-TL300</b>	CTie, MBarb, 14.9L, LH, HSWR, BL, PK250	The BT4LH-TL300 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Pair	M	1000	\$	1,041.70
07498363314	<b>BT4LH-TL39</b>	CTie, MBarb, 14.9L, LH, HS, Nat, PK250	Dome-Top® barb ty cable tie, light-heavy cross section, 14.9 (378mm) length, heat stabilized nylon 6.6, natur	M	1000	\$	871.24
07498312157	<b>BT4LH-TL69</b>	CTie, MBarb, 14.9L, LH, FRNyl, IV, PK250	Dome-Top® barb ty cable tie, light-heavy cross section, 14.9 (378mm) length, flame retardant nylon 6.6, natu	M	1000	\$	1,494.84
07498360273	<b>BT4M-C</b>	CTie, MBarb, 14.2L, Mini, Nyl, Nat, PK100	Dome-Top® barb ty cable tie, miniature cross section, 14.2 (361mm) length, nylon 6.6, natural, standard pack	C	100	\$	37.35
07498360274	<b>BT4M-C0</b>	CTie, MBarb, 14.2L, Mini, WR, BL, PK100	Dome-Top® barb ty cable tie, miniature cross section, 14.2 (361mm) length, weather resistant nylon 6.6, blac	C	100	\$	49.26
07498360276	<b>BT4M-M</b>	CTie, MBarb, 14.2L, Mini, Nyl, Nat, PK1000	Dome-Top® barb ty cable tie, miniature cross section, 14.2 (361mm) length, nylon 6.6, natural, bulk package.	M	1000	\$	148.74
07498360277	<b>BT4M-M0</b>	CTie, MBarb, 14.2L, Mini, WR, BL, PK1000	The BT4M-M0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	213.05
07498341227	<b>BT4S-C</b>	CTie, MBarb, 15.1L, Std, Nyl, Nat, PK100	The BT4S-C Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	C	100	\$	61.63
07498341228	<b>BT4S-C0</b>	CTie, MBarb, 15.1L, Std, WR, BL, PK100	The BT4S-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	C	100	\$	66.03
07498341242	<b>BT4S-M</b>	CTie, MBarb, 15.1L, Std, Nyl, Nat, PK1000	The BT4S-M Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wit	M	1000	\$	333.25
07498341243	<b>BT4S-M0</b>	CTie, MBarb, 15.1L, Std, WR, BL, PK1000	The BT4S-M0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	376.29
07498341253	<b>BT4S-M10</b>	CTie, MBarb, 15.1L, Std, Nyl, WH, PK1000	Dome-Top® barb ty cable tie, standard cross section, 15.1 (384mm) length, nylon 6.6, white.	M	1000	\$	439.55
07498341246	<b>BT4S-M2</b>	CTie, MBarb, 15.1L, Std, Nyl, RD, PK1000	The BT4S-M2 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	M	1000	\$	418.61
07498341247	<b>BT4S-M3</b>	CTie, MBarb, 15.1L, Std, Nyl, OR, PK1000	Dome-Top® barb ty cable tie, standard cross section, 15.1 (384mm) length, nylon 6.6, orange.	M	1000	\$	439.55
07498341256	<b>BT4S-M30</b>	CTie, MBarb, 15.1L, Std, HS, BL, PK1000	The BT4S-M30 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	404.26
07498310714	<b>BT4S-M300</b>	CTie, MBarb, 15.1L, Std, HSWR, BL, PK1000	The BT4S-M300 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	584.63
07498363388	<b>BT4S-M39</b>	CTie, MBarb, 15.1L, Std, HS, Nat, PK1000	Dome-Top® barb ty cable tie, standard cross section, 15.1 (384mm) length, heat stabilized nylon 6.6, natural.	M	1000	\$	503.81
07498344822	<b>BT4S-M4Y</b>	CTie, MBarb, 15.1L, Std, Nyl, YL, PK1000	Dome-Top® barb ty cable tie, standard cross section, 15.1 (384mm) length, nylon 6.6, yellow.	M	1000	\$	439.55
07498341249	<b>BT4S-M5</b>	CTie, MBarb, 15.1L, Std, Nyl, GR, PK1000	Dome-Top® barb ty cable tie, standard cross section, 15.1 (384mm) length, nylon 6.6, green.	M	1000	\$	418.61
07498341250	<b>BT4S-M6</b>	CTie, MBarb, 15.1L, Std, Nyl, BU, PK1000	Dome-Top® barb ty cable tie, standard cross section, 15.1 (384mm) length, nylon 6.6, blue.	M	1000	\$	418.61
07498341277	<b>BT5LH-C</b>	CTie, MBarb, 18.1L, LH, Nyl, Nat, PK100	The BT5LH-C Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	M	1000	\$	905.44
07498341278	<b>BT5LH-C0</b>	CTie, MBarb, 18.1L, LH, WR, BL, PK100	The BT5LH-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	1,091.43
07498312073	<b>BT5LH-C300</b>	CTie, MBarb, 18.1L, LH, HSWR, BL, PK100	The BT5LH-C300 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paire	M	1000	\$	1,253.61
07498341275	<b>BT5LH-L</b>	CTie, MBarb, 18.1L, LH, Nyl, Nat, PK50	The BT5LH-L Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	C	100	\$	113.91
07498341276	<b>BT5LH-L0</b>	CTie, MBarb, 18.1L, LH, WR, BL, PK50	The BT5LH-L0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	C	100	\$	130.93
07498341282	<b>BT6LH-C</b>	CTie, MBarb, 21.2L, LH, Nyl, Nat, PK100	Dome-Top® barb ty cable tie, light-heavy cross section, 21.2 (538mm) length, nylon 6.6, natural, bulk packag	M	1000	\$	1,034.00
07498341283	<b>BT6LH-C0</b>	CTie, MBarb, 21.2L, LH, WR, BL, PK100	The BT6LH-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	1,259.88
07498341281	<b>BT6LH-L0</b>	CTie, MBarb, 21.2L, LH, WR, BL, PK50	The BT6LH-L0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	C	100	\$	152.61
07498320631	<b>BT75SDT</b>	StainlessSteelStrappingTool, EA	The BT75SDT hand-operated installation tool tensions the strap using a screw drive mechanism, providing hi	PC	1	\$	229.94
07498341287	<b>BT7LH-C</b>	CTie, MBarb, 24.4L, LH, Nyl, Nat, PK100	The BT7LH-C Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	M	1000	\$	1,199.53
07498341288	<b>BT7LH-C0</b>	CTie, MBarb, 24.4L, LH, WR, BL, PK100	The BT7LH-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	1,411.61
07498341285	<b>BT7LH-L</b>	CTie, MBarb, 24.4L, LH, Nyl, Nat, PK50	The BT7LH-L Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	C	100	\$	147.25
07498341286	<b>BT7LH-L0</b>	CTie, MBarb, 24.4L, LH, WR, BL, PK50	The BT7LH-L0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	C	100	\$	174.20
07498341294	<b>BT8LH-C0</b>	CTie, MBarb, 27.5L, LH, WR, BL, PK100	The BT8LH-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	1,666.73
07498311210	<b>BT8LH-C300</b>	CTie, MBarb, 27.5L, LH, HSWR, BL, PK100	Dome-Top® barb ty cable tie, light-heavy cross section, 27.5 (699mm) length, heat stabilized weather resista	M	1000	\$	1,860.93
07498341290	<b>BT8LH-L</b>	CTie, MBarb, 27.5L, LH, Nyl, Nat, PK50	Dome-Top® barb ty cable tie, light-heavy cross section, 27.5 (699mm) length, nylon 6.6, natural, standard pa	C	100	\$	188.46
07498341291	<b>BT8LH-L0</b>	CTie, MBarb, 27.5L, LH, WR, BL, PK50	Dome-Top® barb ty cable tie, light-heavy cross section, 27.5 (699mm) length, weather resistant nylon 6.6, bl	C	100	\$	218.91
07498341299	<b>BT9LH-C</b>	CTie, MBarb, 30.7L, LH, Nyl, Nat, PK100	The BT9LH-C Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	M	1000	\$	1,464.53
07498341300	<b>BT9LH-C0</b>	CTie, MBarb, 30.7L, LH, WR, BL, PK100	The BT9LH-C0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired	M	1000	\$	1,802.41
07498312074	<b>BT9LH-C300</b>	CTie, MBarb, 30.7L, LH, HSWR, BL, PK100	The BT9LH-C300 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paire	M	1000	\$	2,000.51
07498341297	<b>BT9LH-L</b>	CTie, MBarb, 30.7L, LH, Nyl, Nat, PK50	The BT9LH-L Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired wi	C	100	\$	191.30
07498341298	<b>BT9LH-L0</b>	CTie, MBarb, 30.7L, LH, WR, BL, PK50	The BT9LH-L0 Dome-Top® barb ty, features a unique patented design with its round smooth edges. Paired w	C	100	\$	216.79
07498375964	<b>BW1-5I-D</b>	DTPM WingTies, NYL, INTER, 6.6, NAT, PK500	Panduit® Dome-top® Barb Ty Wing Push-mount Ties have unique wings that create constant tension for a lo	M	1000	\$	338.71
07498385433	<b>BW2S-D</b>	DTPM WingTies, NYL, STD, 8.5, NAT, PK500	Panduit® Dome-top® Barb Ty Wing Push-mount Ties have unique wings that create constant tension for a lo	M	1000	\$	403.61
07498385434	<b>BW2S-D0</b>	DTPM WingTies, WR NYL, STD, 8.5, BLK, PK500	Panduit® Dome-top® Barb Ty Wing Push-mount Ties have unique wings that create constant tension for a lo	M	1000	\$	487.30
07498337901	<b>BW3S-D</b>	DTPM WingTies, NYL, STD, 12.5, NAT, PK500	Panduit® Dome-top® Barb Ty Wing Push-mount Ties have unique wings that create constant tension for a lo	M	1000	\$	625.44
07498337902	<b>BW3S-D0</b>	DTPM WingTies, WR NYL, STD, 12.5, BLK, PK500	Panduit® Dome-top® Barb Ty Wing Push-mount Ties have unique wings that create constant tension for a lo	M	1000	\$	751.31
61305622086	<b>C-920DIE</b>	CASE FOR DIES ,EA	Steel carrying case for 920 series dies	PC	1	\$	402.73
07498323000	<b>C.5LG6</b>	Duct CVR, PVC, .5W X 6', LG, 6ft	The C.5LG6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	1.34
07498300465	<b>C.5LG6-F</b>	Duct CVR w/film, PVC, .5W X 6', LG, 6ft	Duct cover with protective film, .5 W x 6' length, PVC, light gray.	FT	1	\$	1.46
07498323002	<b>C.5WH6</b>	Duct CVR, PVC, .5W X 6', WHT, 6ft	Duct cover, .5 W x 6' length, PVC, white.	FT	1	\$	1.43
07498300457	<b>C.5WH6-F</b>	Duct CVR w/film, PVC, .5W X 6', WHT, 6ft	Duct cover with protective film, .5 W x 6' length, PVC, white.	FT	1	\$	1.46
07498323019	<b>C.75BL6</b>	Duct CVR, PVC, .75W X 6', BLK, 6ft	Duct cover, .75 W x 6' length, PVC, black.	FT	1	\$	1.49
07498300473	<b>C.75BL6-F</b>	Duct CVR w/film, PVC, .75W X 6', BLK, 6ft	Duct cover with protective film, .75 W x 6' length, PVC, black.	FT	1	\$	1.53
07498323020	<b>C.75LG6</b>	Duct CVR, PVC, .75W X 6', LG, 6ft	The C.75LG6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with th	FT	1	\$	1.49
07498300466	<b>C.75LG6-F</b>	Duct CVR w/film, PVC, .75W X 6', LG, 6ft	Duct cover with protective film, .75 W x 6' length, PVC, light gray.	FT	1	\$	1.59
07498323022	<b>C.75WH6</b>	Duct CVR, PVC, .75W X 6', WHT, 6ft	The C.75WH6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with t	FT	1	\$	1.49
07498352271	<b>C025X025KBT</b>	TT, Adh Polyimide Comp Lbl., 25"x25", WH	Thermal transfer component label, 0.25" W x 0.25" H, polyimide, white, 12 labels/row, 10,000 pc. package qu	M	1000	\$	60.38

07498352272	<b>C025X025YJT</b>	TT,Adh Poly Comp Lbl, 25"x.25",WH,3"core	Thermal transfer component label, 0.25" W x 0.25" H, polyester, white, 12 labels/row, 10,000 pc. package qu	M	1000	\$	4.55
07498351794	<b>C038X038YJJ</b>	L/U,Adh Poly Comp Lbl, 38"x.38",WH	Laser/ink jet component label, 0.38" W x 0.38" H, adhesive polyester, white, 16 labels/row, 352 labels/sheet, 1	M	1000	\$	24.96
07498352276	<b>C038X038YJT</b>	TT,Adh Poly Comp Lbl, 38"x.38",WH,3"core	Thermal transfer component label, 0.38" W x 0.38" H, polyester, white, 7 labels/row, 10,000 pc. package qua	M	1000	\$	9.20
07498320726	<b>C050X020KBT</b>	TT,Adh Polyimide Comp Lbl, 5"x.2",WH	Thermal transfer component label, 0.50" W x 0.20" H, polyimide, white, 5 labels/row, 10,000 pc. package qua	M	1000	\$	53.50
07498352281	<b>C050X044CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl, 5"x.44",WH	Thermal transfer component label, 0.50" W x 0.44" H, vinyl cloth, white, 5 labels/row, 10,000 pc. package qua	M	1000	\$	24.65
07498352292	<b>C050X044KBT</b>	TT,Adh Polyimide Comp Lbl, 5"x.44",WH	Thermal transfer component label, 0.50" W x 0.44" H, polyimide, white, 5 labels/row, 10,000 pc. package qua	M	1000	\$	98.99
07498351796	<b>C050X044YJJ</b>	L/U,Adh Poly Comp Lbl, 50"x.44",WH	Laser/ink jet component label, 0.50" W x 0.44" H, adhesive polyester, white, 13 labels/row, 247 labels/sheet,	M	1000	\$	25.55
07498352293	<b>C050X044YJT</b>	TT,Adh Poly Comp Lbl, 5"x.44",WH,3"core	Thermal transfer component label, 0.50" W x 0.44" H, polyester, white, 5 labels/row, 10,000 pc. package qua	M	1000	\$	12.05
07498397419	<b>C050X125TJJ</b>	L/U, Tedlar Comp Lbl, 1.25"x.5",WH	Laser/ink jet component label, 0.50" W x 1.25" H, tedlar, white.	M	1000	\$	272.99
07498352294	<b>C060X020CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl, 60"x.20",WH	Thermal transfer component label, 0.60" W x 0.20" H, vinyl cloth, white, 3 labels/row, 10,000 pc. package qua	M	1000	\$	26.16
07498352297	<b>C060X020KBT</b>	TT,Adh Polyimide Comp Lbl, 6"x.2",WH	Thermal transfer component label, 0.60" W x 0.20" H, polyimide, white, 3 labels/row, 10,000 pc. package qua	M	1000	\$	54.13
07498334924	<b>C060X020YJC</b>	P1 Cass, Label, AdhPO, 60"Wx.20"H,WH,EA	Component label, P1 Cassette, 0.60" W x 0.20" H, polyester, white, 750 labels/cassette, 1 pc. package quant	PC	1	\$	91.13
07498351797	<b>C060X020YJJ</b>	L/U,Adh Poly Comp Lbl, 60"x.20",WH	Laser/ink jet component label, 0.60" W x 0.20" H, adhesive polyester, white, 11 labels/row, 385 labels/sheet,	M	1000	\$	26.36
07498352298	<b>C060X020YJT</b>	TT,Adh Poly Comp Lbl, 6"x.2",WH,3"core	Thermal transfer component label, 0.60" W x 0.20" H, polyester, white, 3 labels/row, 10,000 pc. package qua	M	1000	\$	8.73
07498334925	<b>C061X030FJC</b>	P1 Cass, Label, AdhPO, 61"Wx.3"H,WH,EA	Network label, P1 cassette, 0.61" W x 0.30" H, polyolefin, white, 500 labels/cassette, 1 pc. package quantity,	PC	1	\$	90.54
07498344230	<b>C061X030FJJ</b>	NetworkLabel, Adh, 61"Wx.3"H,WH,PK5000	Laser/ink jet network label, 0.61" W x 0.30" H, 1-port identifier, adhesive polyolefin, white, 13 label/row, 325 la	M	1000	\$	61.75
07498368075	<b>C061X030YPT</b>	TT,Adh Super-Tack Lbl, 61"x.30",WH	Thermal transfer component label, 0.61" W x 0.30" H, 1-port, super-tack polyester, white, 4 label/row, 2500 p	M	1000	\$	74.21
07498352299	<b>C075X025CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl, 75"x.25",WH	Thermal transfer component label, 0.75" W x 0.25" H, vinyl cloth, white, 3 labels/row, 10,000 pc. package qua	M	1000	\$	30.94
07498351798	<b>C075X025YJJ</b>	L/U,Adh Poly Comp Lbl, 75"x.25",WH	Laser/ink jet component label, 0.75" W x 0.25" H, adhesive polyester, white, 9 labels/row, 270 labels/sheet, 1	M	1000	\$	31.06
07498352307	<b>C075X025YJT</b>	TT,Adh Poly Comp Lbl, 75"x.25",WH,3"core	Thermal transfer component label, 0.75" W x 0.25" H, polyester, white, 3 labels/row, 10,000 pc. package qua	M	1000	\$	9.16
07498309964	<b>C075X050YJJ</b>	L/U,Adh Poly Comp Lbl, 75"x.5",WH	Laser/ink jet component label, 0.75" W x 0.50" H, adhesive polyester, white, 9 labels/row, 153 labels/sheet, 1	M	1000	\$	58.54
07498351803	<b>C080X020YJJ</b>	L/U,Adh Poly Comp Lbl, 8"x.2",WH	Laser/ink jet component label, 0.80" W x 0.20" H, adhesive polyester, white, 8 labels/row, 280 labels/sheet, 1	M	1000	\$	32.63
07498352494	<b>C080X020YJT</b>	TT,Adh Poly Comp Lbl, 8"x.2",WH,3"core	Thermal transfer component label, 0.80" W x 0.20" H, polyester, white, 3 labels/row, 10,000 pc. package qua	M	1000	\$	10.75
07498397411	<b>C090X025TJJ</b>	L/U, Tedlar Comp Lbl, 90"x.25",WH	Laser/ink jet component label, 0.90" W x 0.25" H, tedlar, white.	M	1000	\$	120.89
07498302320	<b>C090X025TJT</b>	TT,Adh Tedlar Comp Lbl, 9"x.25",WH	Thermal transfer component label, 0.90" W x 0.25" H, tedlar, white, 10,000 pc. package quantity..	M	1000	\$	45.08
07498302339	<b>C090X025YJT</b>	TT,Adh Poly Comp Lbl, 9"x.25",WH	Thermal transfer component label, 0.90" W x 0.25" H, polyester, white, 3 labels/row, 10,000 pc. package qua	M	1000	\$	12.46
07498323059	<b>C1.5BL6</b>	Duct CVR, PVC, 1.5W X 6", BLK, 6ft	Duct cover, 1.5 W x 6" length, PVC, black.	FT	1	\$	1.86
07498300475	<b>C1.5BL6-F</b>	Duct CVR w/film, PVC, 1.5W X 6", BLK, 6ft	Duct cover with protective film, 1.5 W x 6" length, PVC, black.	FT	1	\$	2.00
07498301806	<b>C1.5IB6</b>	Duct CVR, PVC, 1.5W X 6", IBLU, 6ft	Duct cover, 1.5 W x 6" length, PVC, intrinsic blue.	FT	1	\$	1.96
07498323060	<b>C1.5LG6</b>	Duct CVR, PVC, 1.5W X 6", LG, 6ft	The C1.5LG6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	1.86
07498300468	<b>C1.5LG6-F</b>	Duct CVR w/film, PVC, 1.5W X 6", LG, 6ft	The C1.5LG6-F PVC Duct Cover with Protective Film features a temporary protection film that protects duct c	FT	1	\$	1.86
07498323062	<b>C1.5WH6</b>	Duct CVR, PVC, 1.5W X 6", WHT, 6ft	The C1.5WH6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with t	FT	1	\$	1.86
07498300460	<b>C1.5WH6-F</b>	Duct CVR w/film, PVC, 1.5W X 6", WHT, 6ft	The C1.5WH6-F PVC Duct Cover with Protective Film features a temporary protection film that protects duct	FT	1	\$	1.86
07498301529	<b>C100X019KBT</b>	TT,Adh Polyimide Comp Lbl, 1"x.19",WH	Thermal transfer component label, 1.00" W x 0.19" H, polyimide, white, 3 labels/row, 10,000 pc. package qu	M	1000	\$	86.06
07498352673	<b>C100X025KBT</b>	TT,Adh Polyimide Comp Lbl, 1"x.25",WH	The C100X025KBT Thermal Transfer Polyimide Component Label offers crisp, clear legends with superior le	M	1000	\$	76.58
07498334927	<b>C100X025YJC</b>	P1 Cass, CompLbl, 1"Wx.25"H,WH,EA	Component label, P1 Cassette, 1.00" W x 0.25" H, polyester, white, 500 labels/cassette, 1 pc. package quant	PC	1	\$	87.70
07498351804	<b>C100X025YJJ</b>	L/U,Adh Poly Comp Lbl, 1"x.25",WH	Laser/ink jet component label, 1.00" W x 0.25" H, adhesive polyester, white, 7 labels/row, 210 labels/sheet, 1	M	1000	\$	32.74
07498352884	<b>C100X025YJT</b>	TT,Adh Poly Comp Lbl, 1"x.25",WH,3"core	Thermal transfer component label, 1.00" W x 0.25" H, polyester, white, 3 labels/row, 10,000 pc. package qua	M	1000	\$	12.44
07498308147	<b>C100X038CBT</b>	TT,Adh Vyl Cl Comp Lbl, 1"x.38",WH	Thermal transfer component label, 1.00" W x 0.38" H, vinyl cloth, white, 3 labels/row, 10,000 pc. package qua	M	1000	\$	61.23
07498371215	<b>C100X038KBT</b>	TT,Adh Polyimide Comp Lbl, 1"x.38",WH	Thermal transfer component label, 1.00" W x 0.38" H, polyimide, white, 3 labels/row, 10,000 pc. package qu	M	1000	\$	167.75
07498397414	<b>C100X038TJJ</b>	L/U, Tedlar Comp Lbl, 1"x.38",WH	Laser/ink jet component label, 1.00" W x 0.38" H, tedlar, white.	M	1000	\$	83.28
07498308126	<b>C100X038YJJ</b>	L/U,Adh Poly Comp Lbl, 1"x.38",WH	Laser/ink jet component label, 1.00" W x 0.38" H, adhesive polyester, white, 3 labels/row, 140 labels/sheet, 5	M	1000	\$	43.06
07498302701	<b>C100X038YJT</b>	TT,Adh Poly Comp Lbl, 1"x.38",WH	Thermal transfer component label, 1.00" W x 0.38" H, adhesive polyester, white, 7 labels/row, 140 labels/she	M	1000	\$	13.76
07498312260	<b>C100X050A0T</b>	TT,Raised Pnl Comp Lbl, 1"x5",BL	Thermal transfer raised panel component label, 1.00" W x 0.50" H, raised panel, black, 3 labels/row, 500 pc.	M	1000	\$	488.06
07498312259	<b>C100X050A0T</b>	TT,Raised Pnl Comp Lbl, 1"x5",YL	Thermal transfer raised panel component label, 1.00" W x 0.50" H, raised panel, yellow, 3 labels/row, 500 pc.	M	1000	\$	488.06
07498312261	<b>C100X050A0T</b>	TT,Raised Pnl Comp Lbl, 1"x5",SIL	Thermal transfer raised panel component label, 1.00" W x 0.50" H, raised panel, silver, 3 labels/row, 500 pc.	M	1000	\$	488.06
07498311214	<b>C100X050APT</b>	TT,Raised Pnl Comp Lbl, 1"x5",WH	The C100X050APT Thermal Transfer Raised Panel Component Label provides crisp, clear, and durable text.	M	1000	\$	488.06
07498312257	<b>C100X050AST</b>	TT,Raised Pnl Comp Lbl, 1"x5",GR	Thermal transfer raised panel component label, 1.00" W x 0.50" H, raised panel, green, 3 labels/row, 500 pc.	M	1000	\$	488.06
07498312258	<b>C100X050AWT</b>	TT,Raised Pnl Comp Lbl, 1"x5",RD	Thermal transfer raised panel component label, 1.00" W x 0.50" H, raised panel, red, 3 labels/row, 500 pc. pa	M	1000	\$	488.06
07498334928	<b>C100X050CBC</b>	P1 Cass, CompLbl, AdhVylCloth, 1x.5,WH,EA	Component label, P1 cassette, 1.00" W x 0.50" H, vinyl cloth, white, 175 labels/cassette, 1 pc. package quan	PC	1	\$	91.66
07498352885	<b>C100X050CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl, 1"x.5",WH	Thermal transfer component label, 1.00" W x 0.50" H, vinyl cloth, white, 3 labels/row, 10,000 pc. package qua	M	1000	\$	58.68
07498334929	<b>C100X050YJC</b>	P1 Cass, CompLbl, AdhPES, 1"Wx.5"H,WH,EA	Component label, P1 Cassette, 1.00" W x 0.50" H, polyester, white, 500 labels/cassette, 1 pc. package quant	PC	1	\$	91.85
07498358157	<b>C100X050YJJ</b>	L/U,Adh Poly Comp Lbl, 1"x.5",WH	Laser/ink jet component label, 1.00" W x 0.50" H, adhesive polyester, white, 7 labels/row, 119 labels/sheet, 1	M	1000	\$	51.94
07498352966	<b>C100X050YJT</b>	TT, CompLbl, 1.00"Wx.50"H,3",WH,PK10000	The C100X050YJT Thermal Transfer Component Label offers crisp, clear legends with superior legibility. Th	M	1000	\$	18.81
07498378611	<b>C100X050YMC</b>	P1 Adh Poly Comp Cass, 1"x.5",SIL	Component label, P1 cassette, 1.00" W x 0.50" H, polyester, silver, 500 labels/cassette, 1 pc. package quant	PC	1	\$	120.55
07498302961	<b>C100X050YMT</b>	TT,Adh Poly Comp Lbl, 1"x.5",SIL	Thermal transfer component label, 1.00" W x 0.50" H, polyester, silver, 3 labels/row, 10,000 pc. package qua	M	1000	\$	48.74
07498337238	<b>C100X050VPC</b>	P1 Poly Super-Tack Cass, 1"x.5",WH,250Lbl	Component label, P1 cassette, 1.00" W x 0.50" H, high tack polyester, white, 250 labels/cassette, 1 pc. pack	PC	1	\$	51.41
07498348990	<b>C100X050VPT</b>	TT,Adh Super-Tack Poly, 1"x.5",WH,3"core	Thermal transfer component label, 1.00" W x 0.50" H, super-tack polyester, white, 3 labels/row, 10,000 pc. pa	M	1000	\$	23.55
07498309969	<b>C100X075YJJ</b>	L/U,Adh Poly Comp Lbl, 1"x.75",WH	Polyester component label, 1.00" W x 0.75" H, adhesive polyester, white, 7 labels/row, 84 labels/sheet, 5000	M	1000	\$	107.28
07498312434	<b>C120X150A0T-22</b>	TT,Raised Pnl Push Btn, 1.2"x1.5",BL	Thermal transfer raised panel push button label, 1.20" W x 1.50" H, raised panel, black, 3 labels/row, 500 pc.	M	1000	\$	1,022.88
07498312433	<b>C120X150A0T-22</b>	TT,Raised Pnl Push Btn, 1.2"x1.5",YL	Thermal transfer raised panel push button label, 1.20" W x 1.50" H, raised panel, yellow, 3 labels/row, 500 pc	M	1000	\$	1,071.55
07498311202	<b>C120X150APT-22</b>	TT,Raised Pnl Push Btn, 1.2"x1.5",WH	Thermal transfer raised panel push button label, 1.20" W x 1.50" H, raised panel, white, 3 labels/row, 500 pc.	M	1000	\$	1,022.88
07498312423	<b>C120X150AST-22</b>	TT,Raised Pnl Push Btn, 1.2"x1.5",RD	Thermal transfer raised panel push button label, 1.20" W x 1.50" H, raised panel, green, 3 labels/row, 500 pc.	M	1000	\$	1,071.55
07498312432	<b>C120X150AWT-22</b>	TT,Raised Pnl Push Btn, 1.2"x1.5",GR	Thermal transfer raised panel push button label, 1.20" W x 1.50" H, raised panel, red, 3 labels/row, 500 pc. p	M	1000	\$	1,022.88
07498312218	<b>C120X190A0T-22</b>	TT,Raised Pnl Push Btn, 1.2"x1.9",BL	Thermal transfer raised panel push button label, 1.20" W x 1.90" H, raised panel, black, 3 labels/row, 500 pc.	M	1000	\$	1,069.76
07498312217	<b>C120X190A0T-22</b>	TT,Raised Pnl Push Btn, 1.2"x1.9",YL	Thermal transfer raised panel push button label, 1.20" W x 1.90" H, raised panel, yellow, 3 labels/row, 500 pc	M	1000	\$	1,069.76
07498311211	<b>C120X190APT-22</b>	TT,Raised Pnl Push Btn, 1.2"x1.9",WH	Thermal transfer raised panel push button label, 1.20" W x 1.90" H, raised panel, white, 3 labels/row, 500 pc.	M	1000	\$	1,018.83
07498312210	<b>C120X190AST-22</b>	TT,Raised Pnl Push Btn, 1.2"x1.9",GR	Thermal transfer raised panel push button label, 1.20" W x 1.90" H, raised panel, green, 3 labels/row, 500 pc.	M	1000	\$	1,069.76
07498312216	<b>C120X190AWT-22</b>	TT,Raised Pnl Push Btn, 1.2"x1.9",RD	Thermal transfer raised panel push button label, 1.20" W x 1.90" H, raised panel, red, 3 labels/row, 500 pc. p	M	1000	\$	1,069.76
07498342113	<b>C125X030APT</b>	RaisedPanelLabel, 1.25"Wx.3"H,WH,PK500	Thermal transfer raised panel component label, 1.25" W x 0.30" H, raised panel, white, 1 label/row, 500 pc. p	M	1000	\$	373.38
07498334930	<b>C125X030FJC</b>	P1 Cass, Label, AdhPO, 1.25"Wx.3"H,WH,EA	Network label, P1 cassette, 1.25" W x 0.30" H, polyolefin, white, 200 labels/cassette, 1 pc. package quantity,	PC	1	\$	90.74
07498344231	<b>C125X030FJJ</b>	NetworkLabel, Adh, 1.25"Wx.3"H,WH,PK2500	Laser/ink jet network label, 1.25" W x 0.30" H, 2-port identifier, adhesive polyolefin, white, 6 labels/row, 150 la	M	1000	\$	123.50
07498368076	<b>C125X030YPT</b>	TT,Adh Super-Tack Lbl, 1.25"x.3",WH	Thermal transfer component label, 1.25" W x 0.30" H, 2-port, super-tack polyester, white, 3 labels/row, 2500	M	1000	\$	139.89
07498397420	<b>C125X038TJT</b>	TT,Adh Tedlar Comp Lbl, 1.25"x.38",WH	Thermal transfer component label, 1.25" W x 0.38" H, tedlar, white, 2500 pc. package quantity..	M	1000	\$	78.79
07498395021	<b>C125X038YJT</b>	TT,Adh Poly Comp Label, 1.25"x.38",WH	Thermal transfer component label, 1.25" W x 0.38" H, polyester, white, 3 label/row, 10,000 pc. package quan	M	1000	\$	20.00
07498334931	<b>C138X019FJC</b>	P1 Cass, Label, Adh, 1.38"x0.19",WH,EA	Network label, P1 cassette, 1.38" W x 0.19" H, polyolefin, white, 200 labels/cassette, 1 pc. package quantity,	PC	1	\$	95.30
07498344237	<b>C138X019FJJ</b>	NetworkLabel, Adh, 1.38"Wx.19"H,WH,PK2500	Laser/ink jet network label, 1.38" W x 0.19" H, module identifier, adhesive polyolefin, white, 5 labels/row, 170	M	1000	\$	108.14



07498371217	<b>C150X025KBT</b>	TT,Adh Polyimide Comp Lbl,1.5"x.25",WH	Thermal transfer component label, 1.50" W x 0.25" H, polyimide, white, 2 labels/row, 5000 pc. package quant	M	1000	\$	152.43
07498309960	<b>C150X030Y1C</b>	P1 Non-Adh Poly Cass,1.5"x.3", WH	White, non-adhesive polyester label, 200/cassette, Mini-Com@ 3-port identifier.	PC	1	\$	110.85
07498310501	<b>C150X030Y1J</b>	L/U,Adh Poly Comp Lbl,1.5"x.3",WH	White, non-adhesive polyester label, Mini-Com@ 3-port identifier. Application code: FP.	M	1000	\$	199.40
07498397418	<b>C150X050Y1J</b>	L/U,Adh Poly Comp Lbl,1.5"x.5",WH	Laser/ink jet component label, 1.50" W x 0.50" H, adhesive polyester, white, 5 labels/row, 80 labels/sheet, 25	M	1000	\$	101.25
07498310752	<b>C150X050YJT</b>	TT,Adh Poly Comp Lbl,1.5"x.5",WH,3"core	Thermal transfer component label, 1.50" W x 0.50" H, polyester, white, 1 label/row, 5000 pc. package quant	M	1000	\$	27.16
07498307992	<b>C150X075CBT</b>	T,Adh Vyl Clth Lbl,1.5"x.75",WH	Thermal transfer component label, 1.50" W x 0.75" H, vinyl cloth, white, 1 labels/row, 5000 pc. package quan	M	1000	\$	109.15
07498334932	<b>C150X075YJC</b>	P1 Cass,CompLbl,1.5"Wx.75"H,WH,EA	Component label, P1 Cassette, 1.50" W x 0.75" H, polyester, white, 250 labels/cassette, 1 pc. package quant	PC	1	\$	90.16
07498351808	<b>C150X075YJJ</b>	L/U,Adh Poly Comp Lbl,1.5"x.75",WH	Laser/ink jet component label, 1.50" W x 0.75" H, adhesive polyester, white, 5 labels/row, 80 labels/sheet, 25	M	1000	\$	155.81
07498352968	<b>C150X075YJT</b>	TT,CompLbl,1.5"Wx.75"H,WH,PK5000	Thermal transfer component label, 1.50" W x 0.75" H, polyester, white, 1 label/row, 5000 pc. package quant	M	1000	\$	36.14
07498340622	<b>C150X075YPC</b>	P1 Poly Super-Tack Cass,1.5"x.75",WH	Component label, P1 cassette, 1.50" W x 0.75" H, high tack polyester, white, 175 labels/cassette, 1 pc. pack	PC	1	\$	66.36
07498352969	<b>C160X020CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl,1.6"x.2",WH	Thermal transfer component label, 1.60" W x 0.20" H, vinyl cloth, white, 1 label/row, 10,000 pc. package quan	M	1000	\$	67.68
07498352970	<b>C160X020KBT</b>	TT,Adh Polyimide Comp Lbl,1.6"x.2",WH	Thermal transfer component label, 1.60" W x 0.20" H, polyimide, white, 1 label/row, 10,000 pc. package qua	M	1000	\$	138.15
07498351809	<b>C160X020Y1J</b>	L/U,Adh Poly Comp Lbl,1.6"x.2",WH	Laser/ink jet component label, 1.60" W x 0.20" H, adhesive polyester, white, 4 labels/row, 140 labels/sheet, 5	M	1000	\$	78.74
07498395198	<b>C170X090APT</b>	RaisedPanelLabel,1.7"Wx0.9"H,WH,PK500	Thermal transfer raised panel component label, 1.70" W x 0.90" H, raised panel, white, 3 labels/row, 500 pc.	M	1000	\$	513.09
07498332042	<b>C180X130APT-30H</b>	TT,Raised Pnl Half Push Btn,1.8"x1.3",WH	Thermal transfer raised panel half push button label, 1.80" W x 1.30" H, raised panel, white, 1 label/row, 500	M	1000	\$	935.05
07498312427	<b>C180X180A0T-30</b>	TT,Raised Pnl Push Btn,1.8"x1.8",BL	Thermal transfer raised panel push button label, 1.80" W x 1.80" H, raised panel, black, 2 labels/row, 500 pc.	M	1000	\$	1,151.80
07498312426	<b>C180X180A8T-30</b>	TT,Raised Pnl Push Btn,1.8"x1.8",YL	Thermal transfer raised panel push button label, 1.80" W x 1.80" H, raised panel, yellow, 2 labels/row, 500 pc.	M	1000	\$	1,151.80
07498311212	<b>C180X180APT-30</b>	TT,Raised Pnl Push Btn,1.8"x1.8",WH	Thermal transfer raised panel push button label, 1.80" W x 1.80" H, raised panel, white, 2 labels/row, 500 pc.	M	1000	\$	1,151.80
07498312270	<b>C180X180AST-30</b>	TT,Raised Pnl Push Btn,1.8"x1.8",GR	Thermal transfer raised panel push button label, 1.80" W x 1.80" H, raised panel, green, 2 labels/row, 500 pc.	M	1000	\$	1,151.80
07498312425	<b>C180X180AWT-30</b>	TT,Raised Pnl Push Btn,1.8"x1.8",RD	Thermal transfer raised panel push button label, 1.80" W x 1.80" H, raised panel, red, 2 labels/row, 500 pc. p	M	1000	\$	1,151.80
07498334933	<b>C188X030FJC</b>	P1 Cass,Label,AdhPO,1.88"Wx.3"H,WH,EA	Network label, P1 cassette, 1.88" W x 0.30" H, polyolefin, white, 150 labels/cassette, 1 pc. package quantity.	PC	1	\$	102.01
07498344238	<b>C188X030F1J</b>	NetworkLabel,Adh,1.88"Wx.3"H,WH,PK1000	Laser/ink jet network label, 1.88" W x 0.30" H, 3-port identifier, adhesive polyolefin, white, 4 labels/row, 100 la	M	1000	\$	185.44
07498368077	<b>C188X030YPT</b>	TT,Adh Perf Super-Tack Lbl,1.88"x.30",WH	Thermal transfer component label, 1.88" W x 0.30" H, 3-port, super-tack polyester, white, 1 label/row, 2500 p	M	1000	\$	205.48
07498334934	<b>C195X040Y1C</b>	P1 Cass,CompLbl,Non-1.95"Wx.4"H,WH,EA	Component label, P1 cassette, 1.95" W x 0.40" H, single-gang faceplate, non-adhesive polyester, white, 100	PC	1	\$	86.46
07498344239	<b>C195X040Y1J</b>	CompLabel,Non-1.95"Wx.4"H,White,PK1000	Laser/ink jet component label, 1.95" W x 0.40" H, single-gang faceplate, non-adhesive polyester, white, 1000	M	1000	\$	181.28
61305680036	<b>C195X040Y1M</b>	MP Cassette, Comp Label, Non-Adhesive Po		PC	1	\$	107.05
07498312699	<b>C195X040Y1T</b>	TT,Non-Adh Poly Comp Lbl,1.95"x.4",WH	Thermal transfer component label, TT non PSA, 1.95" W x 0.40" H, single-gang faceplate, non-adhesive poly	M	1000	\$	126.30
07498323039	<b>C1BL6</b>	Duct CVR, PVC, 1W X 6', BLK, 6ft	Duct cover, 1 W x 6' length, PVC, black.	FT	1	\$	1.49
07498300474	<b>C1BL6-F</b>	Duct CVR w/film, PVC, 1W X 6',BLK,6ft	Duct cover with protective film, 1 W x 6' length, PVC, black.	FT	1	\$	1.59
07498327384	<b>C1IB6</b>	Duct CVR, PVC, 1W X 6', IBLU, 6ft	Duct cover, 1 W x 6' length, PVC, intrinsic blue.	FT	1	\$	1.55
07498323040	<b>C1LG6</b>	Duct CVR, PVC, 1W X 6', LG, 6ft	The C1LG6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	1.49
07498300467	<b>C1LG6-F</b>	Duct CVR w/film, PVC, 1W X 6',LG, 6ft	The C1LG6-F PVC Duct Cover with Protective Film features a temporary protection film that protects duct co	FT	1	\$	1.49
07498323042	<b>C1WH6</b>	Duct CVR, PVC, 1W X 6', WHT, 6ft	The C1WH6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	1.49
07498300459	<b>C1WH6-F</b>	Duct CVR w/film, PVC, 1W X 6',WHT,6ft	The C1WH6-F PVC Duct Cover with Protective Film features a temporary protection film that protects duct c	FT	1	\$	1.49
07498323099	<b>C2.5BL6</b>	Duct CVR, PVC, 2.5W X 6', BLK, 6ft	Duct cover, 2.5 W x 6' length, PVC, black.	FT	1	\$	3.05
07498323100	<b>C2.5LG6</b>	Duct CVR, PVC, 2.5W X 6', LG, 6ft	Duct cover, 2.5 W x 6' length, PVC, light gray.	FT	1	\$	2.88
07498300470	<b>C2.5LG6-F</b>	Duct CVR w/film, PVC, 2.5W X 6',LG, 6ft	Duct cover with protective film, 2.5 W x 6' length, PVC, light gray.	FT	1	\$	3.14
07498323102	<b>C2.5WH6</b>	Duct CVR, PVC, 2.5W X 6', WHT, 6ft	Duct cover, 2.5 W x 6' length, PVC, white.	FT	1	\$	3.05
07498300462	<b>C2.5WH6-F</b>	Duct CVR w/film, PVC, 2.5W X 6',WHT,6ft	Duct cover with protective film, 2.5 W x 6' length, PVC, white.	FT	1	\$	3.14
07498371218	<b>C200X025KBT</b>	TT,Adh Polyimide Comp Lbl,2"x.25",WH	Thermal transfer component label, 2.00" W x 0.25" H, polyimide, white, 1 label/row, 5000 pc. package quant	M	1000	\$	211.89
07498302691	<b>C200X025Y1J</b>	TT,Adh Poly Comp Lbl,2"x.25",WH	Thermal transfer component label, 2.00" W x 0.25" H, polyester, white, 1 label/row, 5000 pc. package quant	M	1000	\$	26.29
07498300934	<b>C200X038KBT</b>	TT,Adh Po Comp Label,2"x.38",WH	Thermal transfer component label, 2.00" W x 0.38" H, polyimide, white, 1 label/row, 5000 pc. package quant	M	1000	\$	317.84
07498397410	<b>C200X038T1J</b>	L/U Tedlar Comp Lbl,2"x.38",WH	Laser/ink jet component label, 2.00" W x 0.38" H, tedlar, white.	M	1000	\$	311.64
07498302692	<b>C200X038TJT</b>	TT,Adh Tedlar Comp Lbl,2"x.38",WH	Thermal transfer component label, 2.00" W x 0.38" H, tedlar, white, 1 label/row, 5000 pc. package quantity..	M	1000	\$	143.31
07498302693	<b>C200X038YJT</b>	TT,Adh Poly Comp Lbl,2"x.38",WH	Thermal transfer component label, 2.00" W x 0.38" H, polyester, white, 1 label/row, 5000 pc. package quant	M	1000	\$	31.16
07498353211	<b>C200X050CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl,2"x.5",WH	Thermal transfer component label, 2.00" W x 0.50" H, vinyl cloth, white, 1 label/row, 5000 pc. package quant	M	1000	\$	93.19
07498334936	<b>C200X050YJC</b>	P1 Cass,CompLbl,2.00"Wx.5"H,WH,EA	Component label, P1 Cassette, 2.00" W x 0.50" H, polyester, white, 200 labels/cassette, 1 pc. package quant	PC	1	\$	92.26
07498351818	<b>C200X050Y1J</b>	L/U,Adh Poly Comp Lbl,2"x.5",WH	Laser/ink jet component label, 2.00" W x 0.50" H, adhesive polyester, white, 4 labels/row, 64 labels/sheet, 10	M	1000	\$	83.34
07498353216	<b>C200X050YJT</b>	TT,Adh Poly Comp Lbl,2"x.5",WH,3"core	Thermal transfer component label, 2.00" W x 0.50" H, polyester, white, 1 label/row, 5000 pc. package quant	M	1000	\$	38.08
0749837239	<b>C200X050YPC</b>	P1 Poly Super-Tack Cass,2"x.5",WH,150Lbl	Component label, P1 cassette, 2.00" W x 0.50" H, high tack polyester, white, 150 labels/cassette, 1 pc. pack	PC	1	\$	72.56
07498312224	<b>C200X100A0T</b>	TT,Raised Pnl Comp Lbl,2"x1",BL	Thermal transfer raised panel component label, 2.00" W x 1.00" H, raised panel, black, 3 labels/row, 500 pc.	M	1000	\$	544.18
07498312223	<b>C200X100A8T</b>	TT,Raised Pnl Comp Lbl,2"x1",YL	Thermal transfer raised panel component label, 2.00" W x 1.00" H, raised panel, yellow, 3 labels/row, 500 pc.	M	1000	\$	544.18
07498312225	<b>C200X100AMT</b>	TT,Raised Pnl Comp Lbl,2"x1",SIL	Thermal transfer raised panel component label, 2.00" W x 1.00" H, raised panel, silver, 3 labels/row, 500 pc.	M	1000	\$	544.18
07498311215	<b>C200X100APT</b>	TT,Raised Pnl Comp Lbl,2"x1",WH	The C200X100APT Thermal Transfer Raised Panel Component Label provides crisp, clear, and durable text.	M	1000	\$	518.24
07498312221	<b>C200X100AST</b>	TT,Raised Pnl Comp Lbl,2"x1",GR	Thermal transfer raised panel component label, 2.00" W x 1.00" H, raised panel, green, 3 labels/row, 500 pc.	M	1000	\$	570.05
07498312222	<b>C200X100AWT</b>	TT,Raised Pnl Comp Lbl,2"x1",RD	Thermal transfer raised panel component label, 2.00" W x 1.00" H, raised panel, red, 3 labels/row, 500 pc. pa	M	1000	\$	544.18
07498334937	<b>C200X100FJC</b>	P1 Cass,Label,Adh,2.00"Wx1.00"H,WH,EA	Network label, P1 cassette, 2.00" W x 1.00" H, polyolefin, white, 150 labels/cassette, 1 pc. package quantity.	PC	1	\$	110.54
07498344367	<b>C200X100F1J</b>	Label,Adh,2.00"Wx1.00"H,WH,PK1000	Laser/ink jet network label, 2.00" W x 1.00" H, general identifier, adhesive polyolefin, white, 4 label/row, 36 lab	M	1000	\$	174.69
07498397421	<b>C200X100T1J</b>	TT,Adh Tedlar Comp Label,2"x1",WH	Thermal transfer component label, 2.00" W x 1.00" H, tedlar, white, 2500 pc. package quantity..	M	1000	\$	358.05
07498334938	<b>C200X100YJC</b>	P1 Cass,CompLbl,Adh,2.00"Wx1.00"H,WH,EA	Component label, P1 Cassette, 2.00" W x 1.00" H, polyester, white, 200 labels/cassette, 1 pc. package quant	PC	1	\$	111.76
07498352116	<b>C200X100Y1J</b>	L/U,Adh Poly Comp Lbl,2"x1",WH	Laser/ink jet component label, 2.00" W x 1.00" H, adhesive polyester, white, 4 labels/row, 28 labels/sheet, 10	M	1000	\$	140.98
07498353217	<b>C200X100YJT</b>	TT,CompLbl,Adh,2.00"Wx1.00"H,WH,PK2500	Thermal transfer component label, 2.00" W x 1.00" H, polyester, white, 1 label/row, 2500 pc. package quant	M	1000	\$	57.83
07498378612	<b>C200X100YMC</b>	P1 Adh Poly Comp Cass,2"x1",SIL	Component label, P1 cassette, 2.00" W x 1.00" H, polyester, silver, 150 labels/cassette, 1 pc. package quant	PC	1	\$	107.58
07498302696	<b>C200X100YMT</b>	TT,Adh Poly Comp Lbl,2"x1",SIL	Thermal transfer component label, 2.00" W x 1.00" H, polyester, silver, 1 label/row, 2500 pc. package quant	M	1000	\$	101.04
07498378613	<b>C200X100YPC</b>	P1AdhSuper-TackPolyCompCass,2"x1",WH	Component label, P1 cassette, 2.00" W x 1.00" H, high tack polyester, white, 150 labels/cassette, 1 pc. pack	PC	1	\$	95.40
07498367511	<b>C200X100YPT</b>	TT,Adh Super-Tack Lbl,2"x1",WH	Thermal transfer component label, 2.00" W x 1.00" H, super-tack polyester, white, 1 labels/row, 2500 pc. pac	M	1000	\$	72.84
07498361620	<b>C200X400A51</b>	ARC FLASH POD WARNING HDR LABEL,PK250	Die cut arc flash warning label, 4.00" x 2.00" (101.6mm x 50.8mm), warning header, polyester adhesive, oran	RL	1	\$	182.70
07498361629	<b>C200X400Y21</b>	ARC FLASH POD DANGER HDR LABEL,PK250	Die cut arc flash warning label, 4.00" x 2.00" (101.6mm x 50.8mm), danger header, polyester adhesive, red h	RL	1	\$	182.70
61305679405	<b>C225X450W1J</b>	Ink Jet, Comp Label, Vinyl, Standard Adh	Ink Jet Vinyl Component Label, 2.25 inches W x 4.5 inches L, standard adhesive.	RL	1	\$	70.16
61305679412	<b>C225X450WPI</b>	Ink Jet, Comp Label, Vinyl, Super-Tack A	Ink Jet Vinyl Component Label, 2.25 inches W x 4.5 inches L, super-tack adhesive materials designed for hig	RL	1	\$	78.64
61305678572	<b>C225X450X1J</b>	Ink Jet, Comp Label, Polyester, Standard	Ink Jet, Component Label, Adhesive Polyester, 2.25 Inch Wide x 4.5 Inch High, White, Labels can be printed	RL	1	\$	76.71
61305678558	<b>C225X450XPI</b>	Ink Jet, Comp Label, Polyester, Super-Ta	Ink Jet, Component Label, Adhesive Super-Tack Polyester, 2.25 Inch Wide x 4.5 Inch High, White, Labels ca	RL	1	\$	86.11
07498332067	<b>C235A8-30-ES</b>	TT,Raised Pnl EM Stop,2.35" dia,BL/YL	Pre-printed raised panel Emergency Stop label, Black on Yellow, 60mm diameter x 30.5mm hole.	M	1000	\$	2,804.64
07498332040	<b>C240X200APT-30H</b>	TT,Raised Pnl Half Push Btn,2.4"x2",WH	Thermal transfer raised panel half push button label, 2.40" W x 2.00" H, raised panel, white, 1 label/row, 500	M	1000	\$	935.05
07498312268	<b>C240X240A0T-30</b>	TT,Raised Pnl Push Btn,2.4"x2.4",BL	Thermal transfer raised panel push button label, 2.40" W x 2.40" H, raised panel, black, 1 label/row, 500 pc. p	M	1000	\$	1,198.60
07498312267	<b>C240X240A8T-30</b>	TT,Raised Pnl Push Btn,2.4"x2.4",YL	Thermal transfer raised panel push button label, 2.40" W x 2.40" H, raised panel, yellow, 1 label/row, 500 pc.	M	1000	\$	1,255.70
07498311213	<b>C240X240APT-30</b>	TT,Raised Pnl Push Btn,2.4"x2.4",WH	Thermal transfer raised panel push button label, 2.40" W x 2.40" H, raised panel, white, 1 label/row, 500 pc. p	M	1000	\$	1,198.60



07498312264	<b>C240X240AST-30</b>	TT,Raised Pnl Push Btn,2.4"x2.4",GR	Thermal transfer raised panel push button label, 2.40" W x 2.40" H, raised panel, green, 1 label/row, 500 pc.	M	1000	\$	1,198.60
07498312265	<b>C240X240AWT-30</b>	TT,Raised Pnl Push Btn,2.4"x2.4",RD	Thermal transfer raised panel push button label, 2.40" W x 2.40" H, raised panel, red, 1 label/row, 500 pc. pa	M	1000	\$	1,198.60
07498308914	<b>C252X030APT</b>	TT,Raised Pnl Comp Lbl,2.52"x.3",WH	Thermal transfer raised panel component label, 2.52" W x 0.10" H, raised panel, white, 1 labels/row, 500 pc.	M	1000	\$	544.18
07498334440	<b>C252X030FJC</b>	P1Cass,Label,Adh,2.52"Wx.3"H,WH,EA	The C252X030FJC Network Component P1 label cassette includes both label material and ribbon to make ch	PC	1	\$	97.15
07498344240	<b>C252X030FJJ</b>	NetworkLabel,Adh,2.52"Wx.3"H,WH,PK1000	Laser/ink jet network label, 2.52" W x 0.30" H, 4-port identifier, adhesive polyolefin, white, 3 labels/row, 75 lab	M	1000	\$	259.35
07498368078	<b>C252X030VPT</b>	TT,Adh Super-Tack Lbl,2.52"x.3",WH	Thermal transfer component label, 2.52" W x 0.30" H, super-tack polyester, white, 1 label/row, 2500 pc. pack	M	1000	\$	242.06
07498367391	<b>C252X030VPT-P</b>	TT,Adh Perf Super-Tack Lbl,2.52"x.30",WH	Thermal transfer component label, 2.52" W x 0.30" H, 1,2,3 or 4-port, perforated super-tack polyester, white,	M	1000	\$	242.06
07498334941	<b>C261X030FJC</b>	P1Cass,Label,AdhPO,2.61"Wx.3"H,WH,EA	Network label, P1 cassette, 2.61" W x 0.30" H, polyolefin, white, 125 labels/cassette, 1 pc. package quantity.	PC	1	\$	102.13
07498344358	<b>C261X030FJJ</b>	NetworkLabel,Adh,2.61"Wx.3"H,WH,PK1000	Laser/ink jet network label, 2.61" W x 0.30" H, 4-port identifier, adhesive polyolefin, white, 3 labels/row, 75 lab	M	1000	\$	249.44
07498372125	<b>C261X030VPT</b>	TT,Adh Super-Tack Poly Lbl,2.61"x.3",WH	Thermal transfer component label, 2.61" W x 0.30" H, 4-port, super-tack polyester, white, 1 label/row, 2500 p	M	1000	\$	242.06
07498334942	<b>C261X035Y1C</b>	P1Cass,CompLbl,2.61"Wx.35"H,WH,EA	White, non-adhesive polyester label, 75/cassette, Mini-Com® 4-port identifier, 2.61" x 0.35".	PC	1	\$	88.58
07498344241	<b>C261X035Y1J</b>	CompLabel,2.61"Wx.35"H,White,PK1000	White, non-adhesive polyester label, Mini-Com® 4-port identifier, 2.61" x 0.35".	M	1000	\$	261.41
61305680067	<b>C261X035Y1M</b>	MP Cassette, Comp Label, Non-Adhesive Po		PC	1	\$	116.96
07498312700	<b>C261X035Y1T</b>	TT,Non-Adh Poly Comp Lbl,2.61"x.35",WH	Thermal transfer component label, 2.61" W x 0.35" H, 4-port,non-adhesive polyester, white,2 labels/row, 1000	M	1000	\$	170.03
07498309183	<b>C275X125YJJ</b>	L/LJ,Adh Poly Comp Lbl,2.75"x1.25",WH	Laser/ink jet component label, 2.75" W x 1.25" H, adhesive polyester, white, 6 labels/row, 18 labels/sheet, 10	M	1000	\$	223.74
07498302341	<b>C275X125YJT</b>	TT,Adh Poly Comp Lbl,2.75"x1.25",WH	Thermal transfer component label, 2.75" W x 1.25" H, polyester, white, 1 label/row, 2500 pc. package quant	M	1000	\$	104.98
07498302719	<b>C275X125YMT</b>	TT,Adh Poly Comp Lbl,2.75"x1.25",SIL	Thermal transfer component label, 2.75" W x 1.25" H, polyester, silver, 1 label/row, 2500 pc. package quant	M	1000	\$	172.41
07498357483	<b>C288X040Y1C</b>	P1Cass,CompLbl,2.88"Wx.4"H,WH,EA	White, non-adhesive polyester label, 75/cassette, double-gang faceplate.	PC	1	\$	104.50
07498323079	<b>C2BL6</b>	Duct Cover,2in Wx6ft,PVC,BL,EA	The C2BL6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	2.30
07498300476	<b>C2BL6-F</b>	Duct CVR w/film, PVC, 2W X 6',BLK,6ft	Duct cover with protective film, 2 W x 6' length, PVC, black.	FT	1	\$	2.36
07498327385	<b>C2IB6</b>	Duct CVR, PVC, 2W X 6', IBLU, 6ft	Duct cover, 2 W x 6' length, PVC, intrinsic blue.	FT	1	\$	2.40
07498300481	<b>C2IB6-F</b>	Duct CVR w/film, PVC,2W X 6',IBLU,6ft	Duct cover with protective film, 2 W x 6' length, PVC, intrinsic blue.	FT	1	\$	2.49
07498323080	<b>C2LG6</b>	Duct CVR, PVC, 2W X 6', LG, 6ft	The C2LG6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	2.30
07498300469	<b>C2LG6-F</b>	Duct CVR w/film, PVC, 2W X 6',LG, 6ft	The C2LG6-F PVC Duct Cover with Protective Film features a temporary protection film that protects duct co	FT	1	\$	2.30
07498323082	<b>C2WH6</b>	Duct CVR, PVC, 2W X 6', WHT, 6ft	The C2WH6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	2.30
07498300461	<b>C2WH6-F</b>	Duct CVR w/film, PVC, 2W X 6',WHT,6ft	The C2WH6-F PVC Duct Cover with Protective Film features a temporary protection film that protects duct c	FT	1	\$	2.30
07498308822	<b>C300X038TJT</b>	TT,Adh Tedlar Comp Lbl,3"x.38",WH	Thermal transfer component label, 3.00" W x 0.38" H, tedlar, white, 5000 pc. package quantity..	M	1000	\$	169.28
07498309075	<b>C300X038YJJ</b>	L/LJ,Adh Poly Comp Lbl,3"x.38",WH	Polyester component label, 3.00" W x 0.38" H, adhesive polyester, white, 2 labels/row, 40 labels/sheet, 1000	M	1000	\$	138.00
07498308823	<b>C300X038YJT</b>	TT,Adh Poly Comp Lbl,3"x.38",WH	Thermal transfer component label, 3.00" W x 0.38" H, polyester, white, 1 label/row, 5000 pc. package quant	M	1000	\$	46.90
07498332029	<b>C300X100A0T</b>	TT,Raised Pnl Comp Lbl,3"x1",BL	Thermal transfer raised panel component label, 3.00" W x 1.00" H, raised panel, black, 1 labels/row, 500 pc.	M	1000	\$	1,003.50
07498332028	<b>C300X100A8T</b>	TT,Raised Pnl Comp Lbl,3"x1",YL	Thermal transfer raised panel component label, 3.00" W x 1.00" H, raised panel, yellow, 1 labels/row, 500 pc.	M	1000	\$	1,003.50
07498332027	<b>C300X100APT</b>	TT,Raised Pnl Comp Lbl,3"x1",WH	The C300X100APT Thermal Transfer Raised Panel Component Label provides crisp, clear, and durable text.	M	1000	\$	955.73
07498361169	<b>C300X100AWT</b>	RaisedPanelLabel,3.00"x1.00",RD,PK500	Thermal transfer raised panel component label, 3.00" W x 1.00" H, raised panel, red, 1 labels/row, 500 pc. pa	M	1000	\$	983.81
07498309970	<b>C300X100YJJ</b>	L/LJ,Adh Poly Comp Lbl,3"x1",WH	Laser/ink jet component label, 3.00" W x 1.00" H, adhesive polyester, white, 2 labels/row, 18 labels/sheet, 10	M	1000	\$	234.91
07498308819	<b>C300X100YJT</b>	TT,Adh Poly Comp Lbl,3"x1",SIL	The C300X100YJT Thermal Transfer Component Label offers crisp, clear legends with superior legibility. Th	M	1000	\$	86.96
07498308820	<b>C300X100YMT</b>	TT,Adh Poly Comp Lbl,3"x1",WH	Thermal transfer component label, 3.00" W x 1.00" H, polyester, silver, 1 label/row, 2500 pc. package quant	M	1000	\$	152.08
07498302713	<b>C300X200YJT</b>	TT,Adh Poly Comp Lbl,3"x2",SIL	Thermal transfer component label, 3.00" W x 2.00" H, polyester, white, 1 label/row, 1000 pc. package quant	M	1000	\$	172.64
07498302714	<b>C300X200YMT</b>	TT,Adh Poly Comp Lbl,3"x2",WH	Thermal transfer component label, 3.00" W x 2.00" H, silver polyester, 1 label/row, 1000 pc. package quantity	M	1000	\$	301.66
07498312430	<b>C300X250A0T</b>	TT,Raised Pnl Comp Lbl,3"x2.5",BL	Thermal transfer raised panel component label, 3.00" W x 2.50" H, raised panel, black, 1 labels/row, 500 pc.	M	1000	\$	1,518.76
07498312429	<b>C300X250A8T</b>	TT,Raised Pnl Comp Lbl,3"x2.5",YL	Thermal transfer raised panel component label, 3.00" W x 2.50" H, raised panel, yellow, 1 labels/row, 500 pc.	M	1000	\$	1,518.76
07498312481	<b>C300X250AMT</b>	TT,Raised Pnl Comp Lbl,3"x2.5",SIL	Thermal transfer raised panel component label, 3.00" W x 2.50" H, raised panel, silver, 1 labels/row, 500 pc.	M	1000	\$	1,518.76
07498311217	<b>C300X250APT</b>	TT,Raised Pnl Comp Lbl,3"x2.5",WH	Thermal transfer raised panel component label, 3.00" W x 2.50" H, raised panel, white, 1 labels/row, 500 pc.	M	1000	\$	1,518.79
07498312480	<b>C300X250AWT</b>	TT,Raised Pnl Comp Lbl,3"x2.5",RD	Thermal transfer raised panel component label, 3.00" W x 2.50" H, raised panel, red, 1 labels/row, 500 pc. pa	M	1000	\$	1,518.76
07498332069	<b>C350A8-30-ES</b>	TT,Raised Pnl EM Stop,3.5" dia,BL/YL	Pre-printed raised panel Emergency Stop label, Black on Yellow, 89mm diameter x 30.5mm hole.	M	1000	\$	3,506.10
07498309015	<b>C350X100YJT</b>	TT,Adh Poly Comp Lbl,3.5"x1",CL	Thermal transfer component label, 3.50" W x 1.00" H, polyester, white, 1 label/row, 2500 pc. package quant	M	1000	\$	115.73
07498332032	<b>C350X300A0T</b>	TT,Raised Pnl Comp Lbl,3.5"x3",BL	Thermal transfer raised panel component label, 3.50" W x 3.00" H, raised panel, black, 1 label/row, 500 pc. p	M	1000	\$	1,788.14
07498332031	<b>C350X300A8T</b>	TT,Raised Pnl Comp Lbl,3.5"x3",YL	Thermal transfer raised panel component label, 3.50" W x 3.00" H, raised panel, yellow, 1 label/row, 500 pc.	M	1000	\$	1,702.99
07498332030	<b>C350X300APT</b>	TT,Raised Pnl Comp Lbl,3.5"x3",WH	Thermal transfer raised panel component label, 3.50" W x 3.00" H, raised panel, white, 1 label/row, 500 pc. p	M	1000	\$	1,702.99
61305631120	<b>C350X500WJI</b>	Ink Jet, Comp Label, Vinyl, Standard Adh	Ink Jet Vinyl Component Label, 3.5 inches W x 5 inches L, standard adhesive.	RL	1	\$	57.18
61305679413	<b>C350X500WPI</b>	Ink Jet, Comp Label, Vinyl, Super-Tack A	Ink Jet Vinyl Component Label, 3.5 inches W x 5 inches L, super-tack adhesive materials designed for high d	RL	1	\$	64.06
61305678573	<b>C350X500XJI</b>	Ink Jet, Comp Label, Polyester, Standard	Ink Jet, Component Label, Adhesive Polyester, 3.5 Inch Wide x 5 Inch High, White, Labels can be printed in t	RL	1	\$	62.50
61305678559	<b>C350X500XPI</b>	Ink Jet, Comp Label, Polyester, Super-Ta	Ink Jet, Component Label, Adhesive Super-Tack Polyester, 3.5 Inch Wide x 5 Inch High, White, Labels can b	RL	1	\$	70.16
07498308913	<b>C379X030APT</b>	TT,Raised Pnl Comp Lbl,3.79"x.3",WH	Thermal transfer raised panel component label, 3.79" W x 0.30" H,white, 1 label/row, 500 pc. package quant	M	1000	\$	651.93
07498311084	<b>C379X030AQT</b>	RaisedPanelLabel,3.79"Wx.3"H,BU,PK500	Thermal transfer raised panel component label, 3.79" W x 0.30" H,blue, 1 label/row, 500 pc. package quantity	M	1000	\$	592.66
07498311082	<b>C379X030AWT</b>	RaisedPanelLabel,3.79"Wx.3"H,RD,PK500	Thermal transfer raised panel component label, 3.79" W x 0.30" H,red, 1 label/row, 500 pc. package quantity.	M	1000	\$	592.66
07498334946	<b>C379X030FJC</b>	P1Cass,Label,AdhPO,3.79"Wx.3"H,WH,EA	Network label, P1 cassette, 3.79" W x 0.30" H, polyolefin, white, 75 labels/cassette, 1 pc. package quantity.	PC	1	\$	101.95
07498344245	<b>C379X030FJJ</b>	NetworkLabel,Adh,3.79"Wx.3"H,WH,PK1000	Laser/ink jet network label, 3.79" W x 0.30" H, 6-port identifier, adhesive polyolefin, white, 2 label/row, 50 lab	M	1000	\$	356.59
07498368081	<b>C379X030VPT</b>	TT,Adh Super-Tack Lbl,3.79"x.3",WH	The C379X030VPT Thermal Transfer Component Label offers crisp, clear legends with superior legibility. Th	M	1000	\$	310.91
07498367443	<b>C379X030VPT-P</b>	TT,Adh Perf Super-Tack Lbl,3.79"x.30",WH	Thermal transfer component label, 3.79" W x 0.30" H, 1,2,3,4,5 or 6-port, perforated super-tack polyester, wh	M	1000	\$	284.56
07498344246	<b>C390X030Y1J</b>	CompLabel,Non-AdhesivePES,WH,PK1000	White, non-adhesive polyester label, Mini-Com® 6-port identifier.	M	1000	\$	392.05
07498323119	<b>C3BL6</b>	Duct CVR, PVC, 3W X 6', BLK, 6ft	The C3BL6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	3.49
07498300478	<b>C3BL6-F</b>	Duct CVR w/film, PVC, 3W X 6',BLK,6ft	Duct cover with protective film, 3 W x 6' length, PVC, black.	FT	1	\$	3.78
07498327386	<b>C3IB6</b>	Duct CVR, PVC, 3W X 6', IBLU, 6ft	Duct cover, 3 W x 6' length, PVC, intrinsic blue.	FT	1	\$	3.68
07498300482	<b>C3IB6-F</b>	Duct CVR w/film, PVC,3W X 6',IBLU,6ft	Duct cover with protective film, 3 W x 6' length, PVC, intrinsic blue.	FT	1	\$	3.78
07498323120	<b>C3LG6</b>	Duct CVR, PVC, 3W X 6', LG, 6ft	The C3LG6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	3.49
07498300471	<b>C3LG6-F</b>	Duct CVR w/film, PVC, 3W X 6',LG,6ft	The C3LG6-F PVC Duct Cover with Protective Film features a temporary protection film that protects duct co	FT	1	\$	3.49
07498323122	<b>C3WH6</b>	Duct CVR, PVC, 3W X 6', WHT, 6ft	The C3WH6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	3.49
07498300463	<b>C3WH6-F</b>	Duct CVR w/film, PVC, 3W X 6',WHT,6ft	The C3WH6-F PVC Duct Cover with Protective Film features a temporary protection film that protects duct c	FT	1	\$	3.49
07498312207	<b>C400X100A0T</b>	TT,Raised Pnl Comp Lbl,4"x1",BL	Thermal transfer raised panel component label, 4.00" W x 1.00" H, raised panel, black, 1 labels/row, 500 pc.	M	1000	\$	1,112.73
07498312205	<b>C400X100A8T</b>	TT,Raised Pnl Comp Lbl,4"x1",YL	Thermal transfer raised panel component label, 4.00" W x 1.00" H, raised panel, yellow, 1 labels/row, 500 pc.	M	1000	\$	1,112.73
07498312208	<b>C400X100AMT</b>	TT,Raised Pnl Comp Lbl,4"x1",SIL	Thermal transfer raised panel component label, 4.00" W x 1.00" H, raised panel, silver, 1 labels/row, 500 pc.	M	1000	\$	1,112.73
07498311216	<b>C400X100APT</b>	TT,Raised Pnl Comp Lbl,4"x1",WH	The C400X100APT Thermal Transfer Raised Panel Component Label provides crisp, clear, and durable text.	M	1000	\$	1,059.74
07498312200	<b>C400X100AST</b>	TT,Raised Pnl Comp Lbl,4"x1",GR	Thermal transfer raised panel component label, 4.00" W x 1.00" H, raised panel, green, 1 labels/row, 500 pc.	M	1000	\$	1,112.73
07498312204	<b>C400X100AWT</b>	TT,Raised Pnl Comp Lbl,4"x1",RD	Thermal transfer raised panel component label, 4.00" W x 1.00" H, raised panel, red, 1 labels/row, 500 pc. pa	M	1000	\$	1,112.73
07498352263	<b>C400X100YJJ</b>	CompLabel,Adh,4.00"Wx1.00"H,WH,PK1000	Laser/ink jet component label, 4.00" W x 1.00" H, adhesive polyester, white, 2 labels/row, 20 labels/sheet, 10	M	1000	\$	419.06
07498353566	<b>C400X100YJT</b>	TT,Adh Poly Comp Lbl,4"x1",WH,3"core	Thermal transfer component label, 4.00" W x 1.00" H, polyester, white, 1 label/row, 2500 pc. package quant	M	1000	\$	133.39
61305631130	<b>C400X200WJI</b>	Ink Jet, Comp Label, Vinyl, Standard Adh	Ink Jet Vinyl Component Label, 4 inches W x 2 inches L, white, standard adhesive.	RL	1	\$	103.34

61305679414	<b>C400X200WPI</b>	Ink Jet, Comp Label, Vinyl, Super-Tack A	Ink Jet Vinyl Component Label, 4 inches W x 2 inches L, super-tack adhesive materials designed for high dur	RL	1	\$	122.13
61305678569	<b>C400X200XJ</b>	Ink Jet, Comp Label, Polyester, Standard	Ink Jet, Component Label, Adhesive Polyester, 4 Inch Wide x 2 Inch High, White, Labels can be printed in the	RL	1	\$	114.25
61305678697	<b>C400X200XPI</b>	Ink Jet, Comp Label, Polyester, Super-Ta	Ink Jet, Component Label, Adhesive Super-Tack Polyester, 4 Inch Wide x 2 Inch High, White, Labels can be	RL	1	\$	128.25
61305678557	<b>C400X200XPI-B</b>	Ink Jet, Comp Label, Polyester, Super-Ta	Ink Jet, Component Label, Adhesive Super-Tack Polyester, 4 Inch Wide x 2 Inch High, White, Bulk Roll, Labe	RL	1	\$	612.08
07498352264	<b>C400X200YJ</b>	L/U,Adh Poly Comp Lbl,4"x2",WH	Laser/ink jet component label, 4.00" W x 2.00" H, adhesive polyester, white, 2 labels/row, 10 labels/sheet, 10	M	1000	\$	796.96
07498353567	<b>C400X200YJT</b>	TT,Adh Poly Comp Lbl,4"x2",WH,3"core	Thermal transfer component label, 4.00" W x 2.00" H, polyester, white, 1 label/row, 1000 pc. package quant	M	1000	\$	223.51
07498302720	<b>C400X200YMT</b>	TT,Adh Poly Comp Lbl,4"x2",WH	Thermal transfer component label, 4.00" W x 2.00" H, polyester, silver, 1 label/row, 1000 pc. package quant	M	1000	\$	326.71
07498308834	<b>C400X300YJT</b>	TT,Adh Poly Comp Lbl,4"x3",WH	Thermal transfer component label, 4.00" W x 3.00" H, polyester, white, 1 label/row, 2500 pc. package quant	M	1000	\$	448.23
07498348989	<b>C400X300YPT</b>	TT,Adh Super-Tack Poly,4"x3",WH,3"core	Thermal transfer component label, 4.00" W x 3.00" H, super-tack polyester, white, 1 label/row, 2500 pc. pack	M	1000	\$	444.01
07498362309	<b>C400X400A51</b>	ArcFlashPodBL/OrWmgHdrlLbl,4x4",PK250	Die cut arc flash warning label, 4.00" x 4.00" (101.6mm x 101.6mm), warning header, polyester adhesive, ora	RL	1	\$	196.41
07498306818	<b>C400X400AANT</b>	RAISED PNL POD BL/OR WRNG HDR LBL,PK250	Raised Panel Label, Die Cut, 4.0"W x 4.0"H (101.6mm x 101.6mm), White w/Orange/Black "Warning" Heade	RL	1	\$	1,517.40
61305631138	<b>C400X400WJI</b>	Ink Jet, Comp Label, Vinyl, Standard Adh	Ink Jet Vinyl Component Label, 4 inches W x 4 inches L, standard adhesive.	RL	1	\$	77.96
61305679416	<b>C400X400WPI</b>	Ink Jet, Comp Label, Vinyl, Super-Tack A	Ink Jet Vinyl Component Label, 4 inches W x 4 inches L, super-tack adhesive materials designed for high dur	RL	1	\$	87.36
61305678570	<b>C400X400XJ</b>	Ink Jet, Comp Label, Polyester, Standard	Ink Jet, Component Label, Adhesive Polyester, 4 Inch Wide x 4 Inch High, White, Labels can be printed in the	RL	1	\$	62.50
61305678561	<b>C400X400XPI</b>	Ink Jet, Comp Label, Polyester, Super-Ta	Ink Jet, Component Label, Adhesive Super-Tack Polyester, 4 Inch Wide x 4 Inch High, White, Labels can be	RL	1	\$	95.68
61305678566	<b>C400X400XPI-B</b>	Ink Jet, Comp Label, Polyester, Super-Ta	Ink Jet, Component Label, Adhesive Super-Tack Polyester, 4 Inch Wide x 4 Inch High, White, Bulk Roll, Labe	RL	1	\$	456.63
07498352265	<b>C400X400YJ</b>	L/U,Adh Poly Comp Lbl,4"x4",WH	Laser/ink jet component label, 4.00" W x 4.00" H, adhesive polyester, white, 2 labels/row, 4 labels/sheet, 100	M	1000	\$	1,673.74
07498353570	<b>C400X400YJT</b>	TT,Adh Poly Comp Lbl,4"x4",WH,3"core	Thermal transfer component label, 4.00" W x 4.00" H, polyester, white, 1 label/row, 1000 pc. package quant	M	1000	\$	462.86
07498362281	<b>C400X400YZ1</b>	ARC FLASH POD WH/IRD DNGR HDR LBL,PK250	Die cut arc flash danger label, 4.00" x 4.00" (101.6mm x 101.6mm), danger header, polyester adhesive, red h	RL	1	\$	196.41
07498344867	<b>C400X600A41</b>	THRM TRF_DNGR HDR,4.00 X 6.00 IN,PK100	Thermal transfer printable safety label, 4.00" x 6.00" (101.6mm x 152.4mm), danger header, blank (no legend	RL	1	\$	99.98
07498344869	<b>C400X600A51</b>	ArcFlashPodBL/OrWmgHdrlLbl,4x6",PK250	Die cut arc flash warning label, 4.00" x 6.00" (101.6mm x 152.4mm), warning header, polyester adhesive, ora	RL	1	\$	99.98
07498342810	<b>C400X600A61</b>	THRM TRF,CAUT, HDR,4.00 X 6.00 IN,PK100	Thermal transfer printable safety label, 4.00" x 6.00" (101.6mm x 152.4 mm), caution header, polyester adhes	RL	1	\$	114.28
07498302817	<b>C400X600AX1</b>	THRM TRF,NOTICE HDR,4.00 X 6.00 IN,PK100	Thermal transfer printable safety label, 4.00" x 6.00" (101.6mm x 152.4 mm), notice header, polyester adhesi	RL	1	\$	99.98
07498302811	<b>C400X600AY1</b>	THRM TRF,SAFETY HDR,4.00 X 6.00 IN,PK100	Thermal transfer printable safety label, 4.00" x 6.00" (101.6mm x 152.4 mm), safety first header, polyester ad	RL	1	\$	114.28
07498331591	<b>C400X600AZ1</b>	THRM TRF_POD_YL HDR,4.00 X 6.00 IN,PK100	Thermal transfer printable arc flash label, 4.00" x 6.00" (101.6mm x 152.4 mm), polyester adhesive, yellow he	RL	1	\$	114.28
61305679406	<b>C400X600WJI</b>	Ink Jet, Comp Label, Vinyl, Standard Adh	Ink Jet Vinyl Component Label, 4 inches W x 6 inches L, standard adhesive.	RL	1	\$	90.81
61305679415	<b>C400X600WPI</b>	Ink Jet, Comp Label, Vinyl, Super-Tack A	Ink Jet Vinyl Component Label, 4 inches W x 6 inches L, super-tack adhesive materials designed for high dur	RL	1	\$	95.19
61305678571	<b>C400X600XJ</b>	Ink Jet, Comp Label, Polyester, Standard	Ink Jet, Component Label, Adhesive Polyester, 4 Inch Wide x 6 Inch High, White, Labels can be printed in the	RL	1	\$	93.59
61305678562	<b>C400X600XPI</b>	Ink Jet, Comp Label, Polyester, Super-Ta	Ink Jet, Component Label, Adhesive Super-Tack Polyester, 4 Inch Wide x 6 Inch High, White, Labels can be	RL	1	\$	105.04
61305678567	<b>C400X600XPI-B</b>	Ink Jet, Comp Label, Polyester, Super-Ta	Ink Jet, Component Label, Adhesive Super-Tack Polyester, 4 Inch Wide x 6 Inch High, White, Bulk Roll, Labe	RL	1	\$	501.38
07498302812	<b>C400X600Y81</b>	THRM TRF_POD_YL LBL,4.00 X 6.00 IN,PK100	Thermal transfer printable safety label, 4.00" x 6.00" (101.6mm x 152.4 mm), polyester adhesive, yellow, 100	RL	1	\$	117.71
07498334496	<b>C400X600YJT</b>	TT,Adh Poly Comp Lbl,4"x6",WH,3"core	Thermal transfer component label, 4.00" W x 6.00" H, polyester, white, 1 label/row, 1000 pc. package quant	M	1000	\$	673.33
07498342206	<b>C400X600YX1</b>	ARCFLASH POD,OR HDR,4.00 X 6.00 IN,PK100	Thermal transfer printable arc flash label, 4.00" x 6.00" (101.6mm x 152.4 mm), polyester adhesive, orange h	RL	1	\$	103.00
07498342208	<b>C400X600YZ1</b>	ARCFLASH POD,RD HDR,4.00 X 6.00 IN,PK100	Thermal transfer printable arc flash label, 4.00" x 6.00" (101.6mm x 152.4 mm), polyester adhesive, red/white	RL	1	\$	103.00
07498323139	<b>C4BL6</b>	Duct Cover,4in Wx6ft,PVC,BL,EA	The C4BL6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	4.21
07498300479	<b>C4BL6-F</b>	Duct CVR w/finl, PVC, 4W X 6',BLK,6ft	Duct cover with protective film, 4 W x 6' length, PVC, black.	FT	1	\$	4.55
07498327387	<b>C4IB6</b>	Duct CVR, PVC, 4W X 6', IBLU, 6ft	Duct cover, 4 W x 6' length, PVC, intrinsic blue.	FT	1	\$	4.43
07498323140	<b>C4LG6</b>	Duct CVR, PVC, 4W X 6', LG, 6ft	The C4LG6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	4.21
07498300472	<b>C4LG6-F</b>	Duct CVR w/finl, PVC, 4W X 6',LG, 6ft	The C4LG6-F PVC Duct Cover with Protective Film features a temporary protection film that protects duct co	FT	1	\$	4.21
07498323142	<b>C4WH6</b>	Duct CVR, PVC, 4W X 6', WHT, 6ft	The C4WH6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	4.21
07498300464	<b>C4WH6-F</b>	Duct CVR w/finl, PVC, 4W X 6',WHT,6ft	The C4WH6-F PVC Duct Cover with Protective Film features a temporary protection film that protects duct c	FT	1	\$	4.21
61305623547	<b>C6BL6</b>	Duct Cover,6 Wx6ft,PVC,BL,EA	Duct cover, 6 W x 6' length, PVC, black.	FT	1	\$	11.75
07498341674	<b>C6LG6</b>	Duct Cover,6 Wx6ft,PVC,LG,EA	The C6LG6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	11.19
07498341675	<b>C6WH6</b>	Duct Cover,6 Wx6ft,PVC,WHT,EA	The C6WH6 PVC Flush Wiring Duct Cover features a non-slip, liner to prevent cover slide. Designed with the	FT	1	\$	11.19
07498309971	<b>C788X050YJJ</b>	L/U,Adh Poly Comp Lbl,7.88"x.50",WH	Laser/ink jet component label, 7.88" W x 0.50" H, adhesive polyester, white, 1 labels/row, 16 labels/sheet, 40	M	1000	\$	543.29
07498352267	<b>C850X1100YJJ</b>	L/U,Adh Poly Comp Lbl,8.5"x11",WH	Laser/ink jet component label, 8.50" W x 11.0" H, adhesive polyester, white, 1 label/row, 1 labels/sheet, 25 la	C	100	\$	746.35
07498376044	<b>CAMT</b>	Cut-OffAccessoryForGS4MT,EA	Cut-off accessory. Use this accessory with GS4MT tool to cut MBH or MBS continuous banding. Accessory d	PC	1	\$	215.95
07498358197	<b>CB125-14-QY</b>	CuMechLug,OSF,#6-1/0AWG,1/4Stud,PKG25Y	One-hole, copper, single barrel, offset floating tongue lug, #6 - 1/0 AWG, 1/4 (6.4mm) stud hole.	C	100	\$	722.09
07498358209	<b>CB175-38-QY</b>	CuMechLug,OSF,#4-3/0AWG,3/8Stud,PKG25Y	One-hole, copper, single barrel, offset floating tongue lug, #4 - 3/0 AWG, 3/8 (9.5mm) stud hole.	C	100	\$	1,400.46
07498358226	<b>CB70-14-CY</b>	CuMechLug,OSF,#8-#2AWG,1/4Stud,PKG100Y	The CB70-14-CY Mechanical Cable Lug one-hole copper, single barrel, is made from high strength electrolyti	C	100	\$	367.93
61305644963	<b>CBH15L50-V6</b>	Cleat Bracket, Height 15mm, Length 50mm,	The CBH15L50-V6 Mounting Cleat Bracket is an effective option for protecting against high short circuit fault	C	100	\$	3,411.39
61305644988	<b>CBH20L50-V6</b>	Cleat Bracket, Height 20mm, Length 50mm,	The CBH20L50-V6 Mounting Cleat Bracket is an effective option for protecting against high short circuit fault	C	100	\$	3,518.00
61305644989	<b>CBH25L50-V6</b>	Cleat Bracket, Height 25mm, Length 50mm,	The CBH25L50-V6 Mounting Cleat Bracket is an effective option for protecting against high short circuit fault	C	100	\$	3,581.99
61305644990	<b>CBH30L50-V6</b>	Cleat Bracket, Height 30mm, Length 50mm,	The CBH30L50-V6 Mounting Cleat Bracket is an effective option for protecting against high short circuit fault	C	100	\$	3,667.26
07498355439	<b>CBP12-C</b>	CircuitBoardPost,12"Pst,PK100	Circuit board post, 12" (3.2mm) post, standard package.	C	100	\$	28.39
07498355440	<b>CBP25-C</b>	CircuitBoardPost,25"Pst,PK100	Circuit board post, 25" (6.4mm) post, standard package.	C	100	\$	29.10
07498355442	<b>CBP37-C</b>	CircuitBoardPost,38"Pst,PK100	Circuit board post, 38" (9.7mm) post, standard package.	C	100	\$	29.63
07498355443	<b>CBP50-C</b>	CircuitBoardPost,5"Pst,PK100	Circuit board post, 50" (12.7mm) post, standard package.	C	100	\$	30.20
07498355434	<b>CBP50-M</b>	CircuitBoardPost,5"Pst,PK1000	Circuit board post, 50" (12.7mm) post, bulk package.	M	1000	\$	188.10
07498355435	<b>CBP62-M</b>	CircuitBoardPost,62",Nat,PK1000	Circuit board post, 62" (15.8mm) post, bulk package.	M	1000	\$	191.51
07498355436	<b>CBP75-M</b>	CircuitBoardPost,75",Nat,PK1000	Circuit board post, 75" (19.1mm) post, bulk package.	M	1000	\$	201.89
07498383921	<b>CBR1.5I-M</b>	CTCableTies,NYL,INTER,5.9,NAT,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	91.76
07498383922	<b>CBR1.5I-M0</b>	CTCableTies,WR NYL,INTER,5.9,BLK,PK1000	Panduit CBR1.5I-M0 Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration en	M	1000	\$	118.08
07498300705	<b>CBR1.5I-M30</b>	CTCableTies,HS NYL,INTER,5.9,BLK,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	118.93
07498383914	<b>CBR1.5M-M</b>	CTCableTies,NYL,MINI,5.6,NAT,PK1000	Panduit CBR1.5M-M Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration en	M	1000	\$	85.46
07498383915	<b>CBR1.5M-M0</b>	CTCableTies,WR NYL,MINI,5.6,BLK,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	122.81
07498383911	<b>CBR1M-M</b>	CTCableTies,NYL,MINI,4.1,NAT,PK1000	Panduit CBR1M-M Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration envi	M	1000	\$	56.64
07498383912	<b>CBR1M-M0</b>	CTCableTies,WR NYL,MINI,4.1,BLK,PK1000	Panduit CBR1M-M0 Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration env	M	1000	\$	88.70
07498378465	<b>CBR1M-M30</b>	CTCableTies,HS NYL,MINI,4.1,BLK,PK1000	Panduit CBR1M-M30 Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration e	M	1000	\$	71.64
07498384113	<b>CBR2HS-D</b>	CTCableTies,NYL,HSTD,8.0,NAT,PK500	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	443.93
07498384114	<b>CBR2HS-D0</b>	CTCableTies,WR NYL,HSTD,8.0,BLK,PK500	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	577.09
07498383916	<b>CBR2M-M</b>	CTCableTies,NYL,MINI,7.2,NAT,PK1000	Panduit CBR2M-M Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration envi	M	1000	\$	86.83
07498383917	<b>CBR2M-M0</b>	CTCableTies,WR NYL,MINI,7.2,BLK,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	134.73
07498337927	<b>CBR2M-M1</b>	CTCableTies,NYL,MINI,7.2,BRN,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	106.90
07498319000	<b>CBR2M-M10</b>	CTCableTies,NYL,MINI,7.2,WHT,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	102.04
07498337928	<b>CBR2M-M2</b>	CTCableTies,NYL,MINI,7.2,RED,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	106.90
07498337929	<b>CBR2M-M3</b>	CTCableTies,NYL,MINI,7.2,ORG,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	106.90

07498344742	<b>CBR2M-M4Y</b>	CTCableTies,NYL_MINI,7.2,YEL,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	106.90
07498337931	<b>CBR2M-M5</b>	CTCableTies,NYL_MINI,7.2,GRN,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	106.90
07498337932	<b>CBR2M-M6</b>	CTCableTies,NYL_MINI,7.2,BLU,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	106.90
07498383410	<b>CBR2S-M</b>	CTCableTies,NYL_STD,7.6,NAT,PK1000	Panduit CBR2S-M Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration enviro	M	1000	\$	123.38
07498383411	<b>CBR2S-M0</b>	CTCableTies,WR_NYL_STD,7.6,BLK,PK1000	Panduit CBR2S-M0 Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration env	M	1000	\$	133.35
07498300706	<b>CBR2S-M30</b>	CTCableTies,HS_NYL_STD,7.6,BLK,PK1000	Panduit CBR2S-M30 Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration en	M	1000	\$	154.88
07498344339	<b>CBR2S-M39</b>	CTCableTies,HS_NYL_STD,7.6,NAT,PK1000	Panduit CBR2S-M39 Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration en	M	1000	\$	156.41
07498383902	<b>CBR3I-M</b>	CTCableTies,NYL_INTER,10.4,NAT,PK1000	Panduit CBR3I-M Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration enviro	M	1000	\$	239.35
07498383903	<b>CBR3I-M0</b>	CTCableTies,WR_NYL_INTER,10.4,BLK,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	348.30
07498302207	<b>CBR3I-M10</b>	CTCableTies,NYL_INTER,10.4,WH,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	307.11
07498337936	<b>CBR3I-M3</b>	CTCableTies,NYL_INTER,10.4,ORG,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	321.73
07498337939	<b>CBR3I-M6</b>	CTCableTies,NYL_INTER,10.4,BLU,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	321.73
07498383413	<b>CBR3S-M</b>	CTCableTies,NYL_STD,10.8,NAT,PK1000	Panduit CBR3S-M Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration enviro	M	1000	\$	311.08
07498383414	<b>CBR3S-M0</b>	CTCableTies,WR_NYL_STD,10.8,BLK,PK1000	Panduit CBR3S-M0 Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration env	M	1000	\$	369.65
07498300707	<b>CBR3S-M30</b>	CTCableTies,HS_NYL_STD,10.8,BLK,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	389.30
07498383904	<b>CBR4I-M</b>	CTCableTies,NYL_INTER,13.6,BLK,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	391.11
07498383905	<b>CBR4I-M0</b>	CableTie,Interm,In-line,13.6,BLK,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	518.73
07498383906	<b>CBR4LH-TL</b>	CTCableTies,NYL_LTH,14.6,NAT,PK250	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	764.30
07498383907	<b>CBR4LH-TL0</b>	CTCableTies,WR_NYL_LTH,14.6,BLK,PK250	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	835.59
07498300709	<b>CBR4LH-TL30</b>	CTCableTies,HS_NYL_LTH,14.6,BLK,PK250	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	944.05
07498383415	<b>CBR4S-M</b>	CTCableTies,NYL_STD,14.0,NAT,PK1000	Panduit CBR4S-M Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration enviro	M	1000	\$	347.36
07498383416	<b>CBR4S-M0</b>	CTCableTies,WR_NYL_STD,14.0,BLK,PK1000	Panduit CBR4S-M0 Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration env	M	1000	\$	392.54
07498300708	<b>CBR4S-M30</b>	CTCableTies,HS_NYL_STD,14.0,BLK,PK1000	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	447.14
07498383908	<b>CBR6LH-C</b>	CTCableTies,NYL_LTH,20.9,NAT,PK100	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	1,067.40
07498383909	<b>CBR6LH-C0</b>	CTCableTies,WR_NYL_LTH,20.9,BLK,PK100	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	1,365.54
07498300710	<b>CBR6LH-C30</b>	CTCableTies,HS_NYL_LTH,20.9,BLK,PK100	Panduit Contour-Ty® Cable Ties are designed to provide consistent strength in high-vibration environments.	M	1000	\$	1,300.51
61305626069	<b>CBS35-14-C</b>	Copper Mechanical Lug, 1 Hole, 1 Barrel,		C	100	\$	357.03
61305626068	<b>CBS35-36-C</b>	Copper Mechanical Lug, 1 Hole, 1 Barrel,		C	100	\$	393.69
61305674750	<b>CCAL1H1013-X</b>	Cable Cleat, Aluminum, 1-Hole Configur	The CCAL1H1013-X One-Hole Aluminum Cable Cleat is ideal for lower to medium short circuit faults in less c	C	100	\$	4,420.93
61305673347	<b>CCAL1H1316-X</b>	Cable Cleat, Aluminum, 1-Hole Configur	The CCAL1H1316-X One-Hole Aluminum Cable Cleat is ideal for lower to medium short circuit faults in less c	C	100	\$	4,675.06
61305673744	<b>CCAL1H1619-X</b>	Cable Cleat, Aluminum, 1-Hole Configur	The CCAL1H1619-X One-Hole Aluminum Cable Cleat is ideal for lower to medium short circuit faults in less c	C	100	\$	4,725.85
61305673745	<b>CCAL1H1923-X</b>	Cable Cleat, Aluminum, 1-Hole Configur	The CCAL1H1923-X One-Hole Aluminum Cable Cleat is ideal for lower to medium short circuit faults in less c	C	100	\$	4,725.85
61305673746	<b>CCAL1H2327-X</b>	Cable Cleat, Aluminum, 1-Hole Configur	The CCAL1H2327-X One-Hole Aluminum Cable Cleat is ideal for lower to medium short circuit faults in less c	C	100	\$	4,725.85
61305673747	<b>CCAL1H2732-X</b>	Cable Cleat, Aluminum, 1-Hole Configur	Cable Cleat, Aluminum, 1-Hole Configuration w/a Cable Diameter of 27-32mm	C	100	\$	5,030.78
61305673748	<b>CCAL1H3238-X</b>	Cable Cleat, Aluminum, 1-Hole Configur	The CCAL1H3238-X One-Hole Aluminum Cable Cleat is ideal for lower to medium short circuit faults in less c	C	100	\$	5,335.63
61305673749	<b>CCAL1H3846-X</b>	Cable Cleat, Aluminum, 1-Hole Configur	The CCAL1H3846-X One-Hole Aluminum Cable Cleat is ideal for lower to medium short circuit faults in less c	C	100	\$	5,335.63
61305673750	<b>CCAL1H4651-X</b>	Cable Cleat, Aluminum, 1-Hole Configur	The CCAL1H4651-X One-Hole Aluminum Cable Cleat is ideal for lower to medium short circuit faults in less c	C	100	\$	5,945.41
61305673751	<b>CCAL1H5157-X</b>	Cable Cleat, Aluminum, 1-Hole Configur	The CCAL1H5157-X One-Hole Aluminum Cable Cleat is ideal for lower to medium short circuit faults in less c	C	100	\$	6,047.03
61305674749	<b>CCAL2H109120-X</b>	Cable Cleat, Aluminum, 2-Hole Configur	The CCAL2H109120-X Two-Hole Aluminum Cable Cleat is ideal for medium to high short circuit faults in less	C	100	\$	8,232.08
61305674743	<b>CCAL2H3846-X</b>	Cable Cleat, Aluminum, 2-Hole Configur	The CCAL2H3846-X Two-Hole Aluminum Cable Cleat is ideal for medium to high short circuit faults in less co	C	100	\$	5,495.73
61305674744	<b>CCAL2H4658-X</b>	Cable Cleat, Aluminum, 2-Hole Configur	The CCAL2H4658-X Two-Hole Aluminum Cable Cleat is ideal for medium to high short circuit faults in less co	C	100	\$	6,228.45
61305674745	<b>CCAL2H5870-X</b>	Cable Cleat, Aluminum, 2-Hole Configur	The CCAL2H5870-X Two-Hole Aluminum Cable Cleat is ideal for medium to high short circuit faults in less co	C	100	\$	6,250.33
61305674746	<b>CCAL2H7083-X</b>	Cable Cleat, Aluminum, 2-Hole Configur	The CCAL2H7083-X Two-Hole Aluminum Cable Cleat is ideal for medium to high short circuit faults in less co	C	100	\$	6,809.26
61305674747	<b>CCAL2H8397-X</b>	Cable Cleat, Aluminum, 2-Hole Configur	The CCAL2H8397-X Two-Hole Aluminum Cable Cleat is ideal for medium to high short circuit faults in less co	C	100	\$	7,368.25
61305674748	<b>CCAL2H97109-X</b>	Cable Cleat, Aluminum, 2-Hole Configur	The CCAL2H97109-X Two-Hole Aluminum Cable Cleat is ideal for medium to high short circuit faults in less c	C	100	\$	7,673.18
61305675534	<b>CCALTR2326-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR2326-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	7,954.96
61305675535	<b>CCALTR2528-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR2528-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	7,954.96
61305675536	<b>CCALTR2730-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR2730-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	8,509.28
61305675537	<b>CCALTR2932-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR2932-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	8,509.28
61305675538	<b>CCALTR3135-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR3135-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	9,659.58
61305675539	<b>CCALTR3438-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR3438-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	9,659.58
61305675540	<b>CCALTR3741-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR3741-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	9,742.74
61305675541	<b>CCALTR4044-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR4044-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	9,742.74
61305675542	<b>CCALTR4347-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR4347-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	10,948.46
61305675543	<b>CCALTR4651-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR4651-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	10,948.46
61305675544	<b>CCALTR5056-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR5056-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	12,680.79
61305675545	<b>CCALTR5561-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR5561-X Aluminum Trefoil Cable Cleat is ideal for medium-high short circuit faults in less corrosiv	C	100	\$	12,680.79
61305675546	<b>CCALTR6067-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR6067-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	14,183.91
61305675547	<b>CCALTR6675-X</b>	Cable Cleat, Aluminum, Trefoil Configura	The CCALTR6675-X Aluminum Trefoil Cable Cleat is ideal for medium to high short circuit faults in less corro	C	100	\$	14,699.59
07498360018	<b>CCH100-S10-C</b>	FxDiaClmp,1"Bd,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), 1" (25.4mm) bundle, white, standard package.	C	100	\$	38.39
07498355623	<b>CCH100-S10-C0</b>	FxDiaClmp,1"Bd,#10Screw,BL,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), 1" (25.4mm) bundle, black, standard package.	C	100	\$	42.21
07498360063	<b>CCH100-S10-D</b>	FxDiaClmp,1"Bd,#10Screw,WH,PK500	Fixed diameter cable clamp, heavy duty, #10 screw (M5), 1" (25.4mm) bundle, white, bulk package.	M	1000	\$	239.41
07498360064	<b>CCH112-S10-C</b>	FxDiaClmp,1.12"Bd,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), 1.12" (28.5mm) bundle, white, standard package.	M	1000	\$	410.51
07498359857	<b>CCH112-S10-C0</b>	FxDiaClmp,1.12"Bd,#10Screw,BL,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), 1.12" (28.5mm) bundle, black, bulk package.	M	1000	\$	472.15
07498360005	<b>CCH12-S10-C</b>	FxDiaClmp,.12"Bd,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .12" (3.2mm) bundle, white, standard package.	C	100	\$	21.19
07498354955	<b>CCH12-S10-C0</b>	FxDiaClmp,.12"Bd,#10Screw,BL,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .12" (3.2mm) bundle, black, standard package.	C	100	\$	23.31
07498360066	<b>CCH12S-S10-C</b>	FxDiaClmp,1.25"Bd,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), 1.25" (31.8mm) bundle, white.	M	1000	\$	435.91
07498360067	<b>CCH13S-S10-C</b>	FxDiaClmp,1.38"Bd,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), 1.38" (35.1mm) bundle, white.	M	1000	\$	446.01
07498360068	<b>CCH150-S10-C</b>	FxDiaClmp,1.5"Bd,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), 1.50" (38.1mm) bundle, white.	M	1000	\$	456.44
07498359861	<b>CCH150-S10-C0</b>	FxDiaClmp,.19"Bd,#10Screw,BL,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), 1.50" (38.1mm) bundle, black, bulk package.	M	1000	\$	524.81
07498360006	<b>CCH19-S10-C</b>	FxDiaClmp,.19"Bd,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .19" (4.8mm) bundle, white, standard package.	C	100	\$	21.21
07498354956	<b>CCH19-S10-C0</b>	FxDiaClmp,.19"Bd,#10Screw,BL,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .19" (4.8mm) bundle, black, standard package.	C	100	\$	23.34
07498360051	<b>CCH19-S10-M</b>	FxDiaClmp,.19"Bd,#10Screw,WH,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .19" (4.8mm) bundle, white, bulk package.	M	1000	\$	132.45
07498359844	<b>CCH19-S10-M0</b>	FxDiaClmp,.19"Bd,#10Screw,BL,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .19" (4.8mm) bundle, black, bulk package.	M	1000	\$	152.26
07498360007	<b>CCH25-S10-C</b>	FxDiaClmp,.25"Bd,#10Screw,HD,WH,SP	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .25" (6.4mm) bundle, white, standard package.	C	100	\$	21.06
07498355147	<b>CCH25-S10-C0</b>	FxDiaClmp,.25"Bd,#10Screw,HD,BL,SP	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .25" (6.4mm) bundle, black, standard package.	C	100	\$	24.30
07498360052	<b>CCH25-S10-M</b>	FxDiaClmp,.25"Bd,#10Screw,HD,WH,BP	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .25" (6.4mm) bundle, white, bulk package.	M	1000	\$	137.63

07498359845	<b>CCH25-S10-M0</b>	FxdDiaClmp.,.25"Bdl,#10Screw,BL,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .25" (6.4mm) bundle, black, bulk package.	M	1000	\$	150.76
07498360008	<b>CCH31-S10-C</b>	FxdDiaClmp.,.31"Bdl,#10Screw,WH,PK100	The fixed diameter cable clamp for heavy-duty applications uses a #10 (M5) screw and has a maximum bundle diameter of .31" (7.9mm).	C	100	\$	23.31
07498355349	<b>CCH31-S10-C0</b>	FxdDiaClmp.,.31"Bdl,#10Screw,BL,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .31" (7.9mm) bundle, black, standard package.	C	100	\$	25.61
07498360053	<b>CCH31-S10-M</b>	FxdDiaClmp.,.31"Bdl,#10Screw,WH,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .31" (7.9mm) bundle, white, bulk package.	M	1000	\$	144.98
07498359846	<b>CCH31-S10-M0</b>	FxdDiaClmp.,.31"Bdl,#10Screw,BL,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .31" (7.9mm) bundle, black, bulk package.	M	1000	\$	166.69
07498360009	<b>CCH38-S10-C</b>	FxdDiaClmp.,.38"Bdl,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .38" (9.7mm) bundle, white, standard package.	C	100	\$	23.75
07498355362	<b>CCH38-S10-C0</b>	FxdDiaClmp.,.38"Bdl,#10Screw,BL,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .38" (9.7mm) bundle, black, standard package.	C	100	\$	27.43
07498360054	<b>CCH38-S10-M</b>	FxdDiaClmp.,.38"Bdl,#10Screw,WH,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .38" (9.7mm) bundle, white, bulk package.	M	1000	\$	155.31
07498359847	<b>CCH38-S10-M0</b>	FxdDiaClmp.,.38"Bdl,#10Screw,BL,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .38" (9.7mm) bundle, black, bulk package.	M	1000	\$	178.65
07498360011	<b>CCH44-S10-C</b>	FxdDiaClmp.,.44"Bdl,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .44" (11.2mm) bundle, white, standard package.	C	100	\$	25.28
07498360055	<b>CCH44-S10-M</b>	FxdDiaClmp.,.44"Bdl,#10Screw,WH,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .44" (11.2mm) bundle, white, bulk package.	M	1000	\$	156.85
07498359848	<b>CCH44-S10-M0</b>	FxdDiaClmp.,.44"Bdl,#10Screw,BL,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .44" (11.2mm) bundle, black, bulk package.	M	1000	\$	180.43
07498360011	<b>CCH50-S10-C</b>	FxdDiaClmp.,.50"Bdl,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .50" (12.7mm) bundle, white, standard package.	C	100	\$	24.26
07498356568	<b>CCH50-S10-C0</b>	FxdDiaClmp.,.50"Bdl,#10Screw,BL,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .50" (12.7mm) bundle, black, standard package.	C	100	\$	28.01
07498360056	<b>CCH50-S10-M</b>	FxdDiaClmp.,.50"Bdl,#10Screw,WH,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .50" (12.7mm) bundle, white, bulk package.	M	1000	\$	161.46
07498356611	<b>CCH50-S10-M0</b>	FxdDiaClmp.,.50"Bdl,#10Screw,BL,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .50" (12.7mm) bundle, black, bulk package.	M	1000	\$	182.11
07498360012	<b>CCH56-S10-C</b>	FxdDiaClmp.,.56"Bdl,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .56" (14.2mm) bundle, white, standard package.	C	100	\$	27.89
07498360057	<b>CCH56-S10-M</b>	FxdDiaClmp.,.56"Bdl,#10Screw,WH,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .56" (14.2mm) bundle, white, bulk package.	M	1000	\$	173.68
07498360013	<b>CCH62-S10-C</b>	FxdDiaClmp.,.62"Bdl,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .62" (15.8mm) bundle, white, standard package.	C	100	\$	29.26
07498355488	<b>CCH62-S10-C0</b>	FxdDiaClmp.,.62"Bdl,#10Screw,BL,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .62" (15.8mm) bundle, black, standard package.	C	100	\$	32.10
07498360058	<b>CCH62-S10-M</b>	FxdDiaClmp.,.62"Bdl,#10Screw,WH,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .62" (15.8mm) bundle, white, bulk package.	M	1000	\$	181.45
07498359851	<b>CCH62-S10-M0</b>	FxdDiaClmp.,.62"Bdl,#10Screw,BL,PK1000	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .62" (15.8mm) bundle, black, bulk package.	M	1000	\$	208.75
07498360014	<b>CCH69-S10-C</b>	FxdDiaClmp.,.69"Bdl,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .69" (17.5mm) bundle, white, standard package.	C	100	\$	33.61
07498358672	<b>CCH69-S10-D</b>	FxdDiaClmp.,.69"Bdl,#10Screw,WH,PK500	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .69" (17.5mm) bundle, white, bulk package.	M	1000	\$	208.66
07498360015	<b>CCH75-S10-C</b>	FxdDiaClmp.,.75"Bdl,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .75" (19.1mm) bundle, white, standard package.	C	100	\$	34.90
07498355514	<b>CCH75-S10-C0</b>	FxdDiaClmp.,.75"Bdl,#10Screw,BL,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .75" (19.1mm) bundle, black, standard package.	C	100	\$	38.33
07498358673	<b>CCH75-S10-D</b>	FxdDiaClmp.,.75"Bdl,#10Screw,WH,PK500	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .75" (19.1mm) bundle, white, bulk package.	M	1000	\$	217.70
07498359853	<b>CCH75-S10-D0</b>	FxdDiaClmp.,.75"Bdl,#10Screw,BL,PK500	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .75" (19.1mm) bundle, black, bulk package.	M	1000	\$	250.38
07498355535	<b>CCH81-S10-C0</b>	FxdDiaClmp.,.81"Bdl,#10Screw,BL,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .81" (20.1mm) bundle, black, standard package.	C	100	\$	39.50
07498360017	<b>CCH87-S10-C</b>	FxdDiaClmp.,.87"Bdl,#10Screw,WH,PK100	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .87" (22.1mm) bundle, white, standard package.	C	100	\$	37.30
07498359855	<b>CCH87-S10-D0</b>	FxdDiaClmp.,.87"Bdl,#10Screw,BL,PK500	Fixed diameter cable clamp, heavy duty, #10 screw (M5), .87" (22.1mm) bundle, black, bulk package.	M	1000	\$	264.53
61305673292	<b>CCPL1H1013-X</b>	Cable Cleat, Polymer, 1-Hole Configurati	The CCPL1H1013-X Polymer One-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	4,019.04
61305673293	<b>CCPL1H1316-X</b>	Cable Cleat, Polymer, 1-Hole Configurati	The CCPL1H1316-X Polymer One-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	4,250.03
61305673294	<b>CCPL1H1619-X</b>	Cable Cleat, Polymer, 1-Hole Configurati	The CCPL1H1619-X Polymer One-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	4,296.24
61305673295	<b>CCPL1H1923-X</b>	Cable Cleat, Polymer, 1-Hole Configurati	The CCPL1H1923-X Polymer One-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	4,296.24
61305673296	<b>CCPL1H2327-X</b>	Cable Cleat, Polymer, 1-Hole Configurati	The CCPL1H2327-X Polymer One-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	4,296.24
61305673297	<b>CCPL1H2732-X</b>	Cable Cleat, Polymer, 1-Hole Configurati	The CCPL1H2732-X Polymer One-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	4,573.38
61305673298	<b>CCPL1H3238-X</b>	Cable Cleat, Polymer, 1-Hole Configurati	The CCPL1H3238-X Polymer One-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	4,850.58
61305673299	<b>CCPL1H3846-X</b>	Cable Cleat, Polymer, 1-Hole Configurati	The CCPL1H3846-X Polymer One-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	4,850.58
61305673300	<b>CCPL1H4651-X</b>	Cable Cleat, Polymer, 1-Hole Configurati	The CCPL1H4651-X Polymer One-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	5,404.91
61305673301	<b>CCPL1H5157-X</b>	Cable Cleat, Polymer, 1-Hole Configurati	The CCPL1H5157-X Polymer One-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	5,497.33
61305673308	<b>CCPL2H109120-X</b>	Cable Cleat, Polymer, 2-Hole Configurati	The CCPL2H109120-X Polymer Two-Hole Cable Cleat is ideal for lower to medium short circuit faults in less	C	100	\$	7,483.75
61305673309	<b>CCPL2H120135-X</b>	Cable Cleat, Polymer, 2-Hole Configurati	The CCPL2H120135-X Polymer Two-Hole Cable Cleat is ideal for lower to medium short circuit faults in less	C	100	\$	8,684.84
61305673310	<b>CCPL2H135150-X</b>	Cable Cleat, Polymer, 2-Hole Configurati	The CCPL2H135150-X Polymer Two-Hole Cable Cleat is ideal for lower to medium short circuit faults in less	C	100	\$	10,024.53
61305673311	<b>CCPL2H150165-X</b>	Cable Cleat, Polymer, 2-Hole Configurati	The CCPL2H150165-X Polymer Two-Hole Cable Cleat is ideal for lower to medium short circuit faults in less	C	100	\$	11,133.24
61305673302	<b>CCPL2H3846-X</b>	Cable Cleat, Polymer, 2-Hole Configurati	Cable Cleat, Polymer, 2-Hole Configuration w/a Cable Diameter of 38-46mm	C	100	\$	4,996.10
61305673303	<b>CCPL2H4658-X</b>	Cable Cleat, Polymer, 2-Hole Configurati	The CCPL2H4658-X Polymer Two-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	5,662.21
61305673304	<b>CCPL2H5870-X</b>	Cable Cleat, Polymer, 2-Hole Configurati	Cable Cleat, Polymer, 2-Hole Configuration w/a Cable Diameter of 58-70mm	C	100	\$	5,662.11
61305673305	<b>CCPL2H7083-X</b>	Cable Cleat, Polymer, 2-Hole Configurati	The CCPL2H7083-X Polymer Two-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	6,190.25
61305673306	<b>CCPL2H8397-X</b>	Cable Cleat, Polymer, 2-Hole Configurati	The CCPL2H8397-X Polymer Two-Hole Cable Cleat is ideal for lower to medium short circuit faults in less ha	C	100	\$	6,698.44
61305673307	<b>CCPL2H97109-X</b>	Cable Cleat, Polymer, 2-Hole Configurati	The CCPL2H97109-X Polymer Two-Hole Cable Cleat is ideal for lower to medium short circuit faults in less h	C	100	\$	6,975.61
61305669998	<b>CCPLTR2228-X</b>	Cable Cleat, Polymer, Trefoil Configur	Cable Cleat, Polymer, Trefoil Configuration w/ a Cable Diameter of 22-28mm	C	100	\$	7,231.76
61305669081	<b>CCPLTR2633-X</b>	Cable Cleat, Polymer, Trefoil Configur	Cable Cleat, Polymer, Trefoil Configuration w/ a Cable Diameter of 26-33mm	C	100	\$	7,735.74
61305669082	<b>CCPLTR3139-X</b>	Cable Cleat, Polymer, Trefoil Configur	Cable Cleat, Polymer, Trefoil Configuration w/ a Cable Diameter of 31-39mm	C	100	\$	8,781.46
61305669083	<b>CCPLTR3745-X</b>	Cable Cleat, Polymer, Trefoil Configur	Cable Cleat, Polymer, Trefoil Configuration w/ a Cable Diameter of 37-45mm	C	100	\$	8,857.05
61305669084	<b>CCPLTR4352-X</b>	Cable Cleat, Polymer, Trefoil Configur	Cable Cleat, Polymer, Trefoil Configuration w/ a Cable Diameter of 43-52mm	C	100	\$	9,953.16
61305669085	<b>CCPLTR5060-X</b>	Cable Cleat, Polymer, Trefoil Configur	Cable Cleat, Polymer, Trefoil Configuration w/ a Cable Diameter of 50-60mm	C	100	\$	11,527.99
07498359990	<b>CCS12-S8-C</b>	FxdDiaClmp.,.12"Bdl,#8Screw,WH,PK100	The fixed diameter cable clamp uses a #8 (M4) screw and has a maximum bundle diameter of .12" (3.2mm).	C	100	\$	16.08
07498354886	<b>CCS12-S8-C0</b>	FxdDiaClmp.,.12"Bdl,#8Screw,BL,PK100	Fixed diameter cable clamp, #8 screw (M4), .12" (3.2mm) bundle, black, standard package.	C	100	\$	17.68
07498360069	<b>CCS12-S8-M</b>	FxdDiaClmp.,.12"Bdl,#8Screw,WH,PK1000	Fixed diameter cable clamp, #8 screw (M4), .12" (3.2mm) bundle, white, bulk package.	M	1000	\$	100.54
07498359835	<b>CCS12-S8-M0</b>	FxdDiaClmp.,.12"Bdl,#8Screw,BL,PK1000	Fixed diameter cable clamp, #8 screw (M4), .12" (3.2mm) bundle, black, bulk package.	M	1000	\$	115.66
07498359991	<b>CCS19-S8-C</b>	FxdDiaClmp.,.19"Bdl,#8Screw,WH,PK100	Fixed diameter cable clamp, #8 screw (M4), .19" (4.8mm) bundle, white, standard package.	C	100	\$	15.39
07498354892	<b>CCS19-S8-C0</b>	FxdDiaClmp.,.19"Bdl,#8Screw,BL,PK100	Fixed diameter cable clamp, #8 screw (M4), .19" (4.8mm) bundle, black, standard package.	C	100	\$	17.79
07498360070	<b>CCS19-S8-M</b>	FxdDiaClmp.,.19"Bdl,#8Screw,WH,PK1000	Panduit CCS19-S8-M Fixed Diameter Cable Clamps bind wires and cables together and then allow them to b	M	1000	\$	96.50
07498359836	<b>CCS19-S8-M0</b>	FxdDiaClmp.,.19"Bdl,#8Screw,BL,PK1000	Fixed diameter cable clamp, #8 screw (M4), .19" (4.8mm) bundle, black, bulk package.	M	1000	\$	116.49
07498336257	<b>CCS25-S10-C</b>	FxdDiaClmp.,.25"Bdl,#10Screw,WH,SP	Fixed diameter cable clamp, #10 screw (M5), .25" (6.4mm) bundle, white, standard package.	C	100	\$	16.73
07498354902	<b>CCS25-S10-C0</b>	FxdDiaClmp.,.25"Bdl,#10Screw,BL,SP	Fixed diameter cable clamp, #10 screw (M5), .25" (6.4mm) bundle, black, standard package.	C	100	\$	18.38
07498360076	<b>CCS25-S10-M</b>	FxdDiaClmp.,.25"Bdl,#10Screw,WH,BP	Fixed diameter cable clamp, #10 screw (M5), .25" (6.4mm) bundle, white, bulk package.	M	1000	\$	104.21
07498359992	<b>CCS25-S8-C</b>	FxdDiaClmp.,.25"Bdl,#8Screw,WH,PK100	Fixed diameter cable clamp, #8 screw (M4), .25" (6.4mm) bundle, white, standard package.	C	100	\$	16.73
07498354893	<b>CCS25-S8-C0</b>	FxdDiaClmp.,.25"Bdl,#8Screw,BL,PK100	The fixed diameter cable clamp uses a #8 (M4) screw and has a maximum bundle diameter of .25" (6.4mm) .	C	100	\$	18.38
07498360071	<b>CCS25-S8-M</b>	FxdDiaClmp.,.25"Bdl,#8Screw,WH,PK1000	Panduit CCS25-S8-M Fixed Diameter Cable Clamps bind wires and cables together and then allow them to b	M	1000	\$	99.24
07498359837	<b>CCS25-S8-M0</b>	FxdDiaClmp.,.25"Bdl,#8Screw,BL,PK1000	The fixed diameter cable clamp uses a #8 (M4) screw and has a maximum bundle diameter of .25" (6.4mm) .	M	1000	\$	119.86
07498359993	<b>CCS31-S8-C</b>	FxdDiaClmp.,.31"Bdl,#8Screw,WH,PK100	Fixed diameter cable clamp, #8 screw (M4), .31" (7.9mm) bundle, white, standard package.	C	100	\$	17.16
07498354914	<b>CCS31-S8-C0</b>	FxdDiaClmp.,.31"Bdl,#8Screw,BL,PK100	Fixed diameter cable clamp, #8 screw (M4), .31" (7.9mm) bundle, black, standard package.	C	100	\$	18.88
07498360072	<b>CCS31-S8-M</b>	FxdDiaClmp.,.31"Bdl,#8Screw,WH,PK1000	Fixed diameter cable clamp, #8 screw (M4), .31" (7.9mm) bundle, white, bulk package.	M	1000	\$	106.69
07498359839	<b>CCS31-S8-M0</b>	FxdDiaClmp.,.31"Bdl,#8Screw,BL,PK1000	Fixed diameter cable clamp, #8 screw (M4), .31" (7.9mm) bundle, black, bulk package.	M	1000	\$	122.83
07498359994	<b>CCS38-S8-C</b>	FxdDiaClmp.,.38"Bdl,#8Screw,WH,PK100	Fixed diameter cable clamp, #8 screw (M4), .38" (9.7mm) bundle, white, standard package.	C	100	\$	18.13

07498354915	<b>CCS38-S8-C0</b>	FxdDiaClmp.,.38"Bdl,#8Screw,BL,PK100	Fixed diameter cable clamp, #8 screw (M4), .38" (9.7mm) bundle, black, standard package.	C	100	\$	19.91
07498360073	<b>CCS38-S8-M</b>	FxdDiaClmp.,.38"Bdl,#8Screw,WH,PK1000	Fixed diameter cable clamp, #8 screw (M4), .38" (9.7mm) bundle, white, bulk package.	M	1000	\$	113.10
07498359840	<b>CCS38-S8-M0</b>	FxdDiaClmp.,.38"Bdl,#8Screw,BL,PK1000	Fixed diameter cable clamp, #8 screw (M4), .38" (9.7mm) bundle, black, bulk package.	M	1000	\$	130.09
07498359996	<b>CCS50-S8-C</b>	FxdDiaClmp.,.50"Bdl,#8Screw,WH,PK100	Fixed diameter cable clamp, #8 screw (M4), .50" (12.7mm) bundle, white, standard package.	C	100	\$	19.20
07498354937	<b>CCS50-S8-C0</b>	FxdDiaClmp.,.50"Bdl,#8Screw,BL,PK100	Fixed diameter cable clamp, #8 screw (M4), .50" (12.7mm) bundle, black, standard package.	C	100	\$	21.10
07498360075	<b>CCS50-S8-M</b>	FxdDiaClmp.,.50"Bdl,#8Screw,WH,PK1000	Fixed diameter cable clamp, #8 screw (M4), .50" (12.7mm) bundle, white, bulk package.	M	1000	\$	119.20
07498359842	<b>CCS50-S8-M0</b>	FxdDiaClmp.,.50"Bdl,#8Screw,BL,PK1000	Fixed diameter cable clamp, #8 screw (M4), .50" (12.7mm) bundle, black, bulk package.	M	1000	\$	137.06
61305662470	<b>CCSSTR2025-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR2025-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	8,617.05
61305644928	<b>CCSSTR2328-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR2328-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	8,862.99
61305644929	<b>CCSSTR2632-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR2632-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	9,410.60
61305644930	<b>CCSSTR3036-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR3036-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	9,868.76
61305644931	<b>CCSSTR3440-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR3440-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	10,204.05
61305644932	<b>CCSSTR3844-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR3844-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	10,595.25
61305644933	<b>CCSSTR4248-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR4248-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	10,964.08
61305644934	<b>CCSSTR4652-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR4652-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	11,355.29
61305644935	<b>CCSSTR5057-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR5057-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	11,802.33
61305644936	<b>CCSSTR5461-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR5461-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	12,204.68
61305644937	<b>CCSSTR5865-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR5865-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	12,584.69
61305644938	<b>CCSSTR6269-X</b>	Cable Cleat, Stainless Steel, Trefoil Co	The CCSSTR6269-X Stainless Steel Trefoil Cable Cleat offers protection against extreme environments and	C	100	\$	12,931.16
61305667056	<b>CCT-340</b>	Ratcheting Cable Cutter (1-1/4")	Ratcheting Cable Cutter (1-1/4")	PC	1	\$	331.91
61305667057	<b>CCT-620</b>	Ratcheting Cable Cutter (2-7/16")	Ratcheting Cable Cutter (2-7/16")	PC	1	\$	434.64
61305618125	<b>CD-090</b>	DielsnUCT-2500CHCmpHdfm,EA	The CD-090 Die Insert can be used with the UP142LW benchtop press, CT-2300/ST BlackFin battery-power	PC	1	\$	259.25
07498307259	<b>CD-2001-1-SET</b>	Crimp Die for CT-2001 Fmy, #1 AWG Copper	The CD-2001-1-SET Crimp Dies provide circumferential crimp results in terminations with premium electrical	PC	1	\$	208.59
61305630960	<b>CD-2001-1/0-SET</b>	Crimp Die for CT-2001, #2 AWG Copper	The CD-2001-1/0-SET Crimp Dies provide circumferential crimp results in terminations with premium electric	PC	1	\$	208.59
61305630955	<b>CD-2001-2-SET</b>	Crimp Die for CT-2001, #2 AWG Copper	The CD-2001-2-SET Crimp Dies provide circumferential crimp results in terminations with premium electrical	PC	1	\$	208.59
61305630961	<b>CD-2001-2/0-SET</b>	Crimp Die for CT-2001, 2/0 AWG Copper, #	The CD-2001-2/0-SET Crimp Dies provide circumferential crimp results in terminations with premium electric	PC	1	\$	208.59
07498307237	<b>CD-2001-250-SET</b>	Crimp Die for CT-2001, 250 kcmil Copper,	The CD-2001-250-SET Crimp Dies provide circumferential crimp results in terminations with premium electric	PC	1	\$	208.59
07498307238	<b>CD-2001-3/0-SET</b>	Crimp Die for CT-2001, 3/0 AWG Copper, 1	The CD-2001-3/0-SET Crimp Dies provide circumferential crimp results in terminations with premium electric	PC	1	\$	208.59
07498307239	<b>CD-2001-300-SET</b>	Crimp Die for CT-2001, 300 kcmil Copper,	The CD-2001-300-SET Crimp Dies provide circumferential crimp results in terminations with premium electric	PC	1	\$	208.59
07498307240	<b>CD-2001-350-SET</b>	Crimp Die for CT-2001, 350 kcmil Copper,	The CD-2001-350-SET Crimp Dies provide circumferential crimp results in terminations with premium electric	PC	1	\$	208.59
61305630957	<b>CD-2001-4-SET</b>	Crimp Die for CT-2001, #4 AWG Copper, #6	The CD-2001-4-SET Crimp Dies provide circumferential crimp results in terminations with premium electrical	PC	1	\$	208.59
61305630956	<b>CD-2001-4/0-SET</b>	Crimp Die for CT-2001, 4/0 AWG Copper, 2	The CD-2001-4/0-SET Crimp Dies provide circumferential crimp results in terminations with premium electric	PC	1	\$	208.59
07498307241	<b>CD-2001-400-SET</b>	Crimp Die for CT-2001, 400 kcmil Copper,	The CD-2001-400-SET Crimp Dies provide circumferential crimp results in terminations with premium electric	PC	1	\$	208.59
07498307242	<b>CD-2001-500-SET</b>	Crimp Die for CT-2001, 500 kcmil Copper	The CD-2001-500-SET Crimp Dies provide circumferential crimp results in terminations with premium electric	PC	1	\$	208.59
61305630958	<b>CD-2001-6-SET</b>	Crimp Die for CT-2001, #6 AWG Copper	The CD-2001-6-SET Crimp Dies provide circumferential crimp results in terminations with premium electrical	PC	1	\$	208.59
61305630959	<b>CD-2001-8-SET</b>	Crimp Die for CT-2001, #8 AWG Copper	The CD-2001-8-SET Crimp Dies provide circumferential crimp results in terminations with premium electrical	PC	1	\$	208.59
07498307243	<b>CD-2001-BG-SET</b>	Crimp Die for CT-2001, Crimps CTAP4-4 To	Crimp dies for CT-3001 tool, #8 - #4 SOL/STR.	PC	1	\$	229.46
07498307244	<b>CD-2001-C-SET</b>	Crimp Die for CT-2001, Crimps CTAP2-4 To	Crimp dies for CT-3001 tool, #8 - #2 SOL/STR.	PC	1	\$	229.46
61305623540	<b>CD-2001-PDA</b>	PUNCHAdptrForCT-3001/CCPSERIESTOOL,EA	Punch Drive Adapter for Panduit CT-3001/CCP, CT-3001/CCPINT, CT-3001/CCPUK, CT-3001/CCPAUS, an	PC	1	\$	1,453.24
07498319857	<b>CD-2600-P2</b>	Crimp Die,CT-2600Tool,P2,EA	Used with CT-2600 to install Panduit P2 and P2-RHT6 series large wire, high temperature, non-insulated ring	PC	1	\$	272.63
07498319856	<b>CD-2600-P4</b>	CrimpDie,CT-2600Tool,P4,EA	Used with CT-2600 to install Panduit P4 and P4-RHT6 series large wire, high temperature, non-insulated ring	PC	1	\$	272.63
07498319855	<b>CD-2600-P6</b>	CrimpDie,CT-2600Tool,P6,EA	Used with CT-2600 to install Panduit P6 and P6-RHT6 series large wire, high temperature, non-insulated ring	PC	1	\$	272.63
07498319852	<b>CD-2600-P8</b>	CrimpDie,CT-2600Tool,P8,EA	Used with CT-2600 to install Panduit P8 and P8-RHT6 series large wire, high temperature, non-insulated ring	PC	1	\$	272.63
07498319861	<b>CD-2600-PV2</b>	CrimpDie,CT-2600Tool,PV2,EA	Used with CT-2600 to install Panduit PV2 and PK2 series large wire, vinyl and KYNAR insulated ring terminal	PC	1	\$	272.63
07498319860	<b>CD-2600-PV4</b>	CrimpDie,CT-2600Tool,PV4,EA	Used with CT-2600 to install Panduit PV4 and PK4 series large wire, vinyl and KYNAR insulated ring terminal	PC	1	\$	259.64
07498319859	<b>CD-2600-PV6</b>	CrimpDie,CT-2600Tool,PV6,EA	Used with CT-2600 to install Panduit PV6 and PK6 series large wire, vinyl and KYNAR insulated ring terminal	PC	1	\$	259.64
07498319858	<b>CD-2600-PV8</b>	CrimpDie,CT-2600Tool,PV8,EA	Used with CT-2600 to install Panduit PV8 and PK8 series large wire, vinyl and KYNAR insulated ring terminal	PC	1	\$	272.63
61305622083	<b>CD-3001/ST-DA</b>	W Die (CD-2001) adapter ,EA	"W" Die (CD-2001) adapter	PC	1	\$	267.08
07498310796	<b>CD-525</b>	Dielsnert,CT2500CH,22-10AWG,DISC,SPL,EA	The CD-525 Die Insert can be used with the UP142LW benchtop press, CT-2300/ST BlackFin battery-power	PC	1	\$	259.25
07498310797	<b>CD-550</b>	Dielsnert,CT2500CH,22-10AWG,INS-TERM,EA	The CD-550 Die Insert can be used with the UP142LW benchtop press, CT-2300/ST BlackFin battery-power	PC	1	\$	259.25
61305631609	<b>CD-550LOC</b>	LOCATOR FOR CD-550 DIE USED IN CT-2300/S	Locator for CD-550 Die set used in CT-2300/ST Tool	PC	1	\$	128.55
07498310798	<b>CD-570</b>	Dielsnert,CT2500CH,22-10AWG,NON-TERM,EA	The CD-570 Die Insert can be used with the UP142LW benchtop press, CT-2300/ST BlackFin battery-power	PC	1	\$	259.25
07498391442	<b>CD-920-1</b>	Crimp Die,CT-920/930,#1 AWG Cu& #4 Al,EA	The CD-920-1 Crimp Die provides circumferential crimp results in terminations with premium electrical and m	PC	1	\$	278.55
07498391443	<b>CD-920-1/0</b>	CrimpDie,CT-920/930,1/0 AWG Cu& #2 Al,EA	The CD-920-1/0 Crimp Die provides circumferential crimp results in terminations with premium electrical and	PC	1	\$	278.55
07498349034	<b>CD-920-1/0NEST</b>	NestDie,CDI-920-24Die,25mm <sup>2</sup> ,EA	Nest crimping die used with Panduit CDI-920-24 indenter die and specified tools for terminating Panduit copp	PC	1	\$	183.89
07498391441	<b>CD-920-2</b>	Crimp Die,CT-920/930,#2 AWG Cu,EA	The CD-920-2 Crimp Die provides circumferential crimp results in terminations with premium electrical and m	PC	1	\$	278.55
07498391444	<b>CD-920-2/0</b>	Crimp Die,CT-920/930,1/0 AWG Cu,#1 Al,EA	The CD-920-2/0 Crimp Die provides circumferential crimp results in terminations with premium electrical and	PC	1	\$	278.55
07498391447	<b>CD-920-250</b>	CrimpDie,CT-920/930,250kcmilCu,3/0 Al,EA	The CD-920-250 Crimp Die provides circumferential crimp results in terminations with premium electrical and	PC	1	\$	278.55
07498349036	<b>CD-920-250NEST</b>	NestDie,CDI-920-48Die,70mm <sup>2</sup> ,EA	Nest crimping die used with Panduit CDI-920-48 indenter die and specified tools for terminating Panduit copp	PC	1	\$	167.16
07498391445	<b>CD-920-3/0</b>	CrimpDie,CT-920/930,3/0AWG Cu,1/0AWGAl,EA	The CD-920-3/0 Crimp Die provides circumferential crimp results in terminations with premium electrical and	PC	1	\$	262.88
07498349035	<b>CD-920-3/0NEST</b>	NestDie,CDI-920-24Die,35/50mm <sup>2</sup> ,EA	Nest crimping die used with Panduit CDI-920-24 indenter die and specified tools for terminating Panduit copp	PC	1	\$	167.16
07498391448	<b>CD-920-300</b>	CrimpDie,CT-920/930,300kcmilCu,4/0,Al,EA	The CD-920-300 Crimp Die provides circumferential crimp results in terminations with premium electrical and	PC	1	\$	278.55
07498349046	<b>CD-920-300MXNST</b>	NestDie,CDI-920-60Die,300mm <sup>2</sup> ,EA	Nest crimping die used with Panduit CDI-920-60 indenter die and specified tools for terminating Panduit copp	PC	1	\$	211.61
07498391449	<b>CD-920-350</b>	CrimpDie,CT-920/930,350kcmilCu&250Al,EA	The CD-920-350 Crimp Die provides circumferential crimp results in terminations with premium electrical and	PC	1	\$	278.55
07498391446	<b>CD-920-4</b>	CrimpDie,CT-920/930,#4AWG Cu,#6AWG Al,EA	The CD-920-4 Crimp Die provides circumferential crimp results in terminations with premium electrical and m	PC	1	\$	278.55
07498391440	<b>CD-920-4/0</b>	CrimpDie,CT-920/930,4/0AWG Cu,2/0AWGAl,EA	The CD-920-4/0 Crimp Die provides circumferential crimp results in terminations with premium electrical and	PC	1	\$	278.55
07498391450	<b>CD-920-400</b>	Crimp Die,CT-920/930,400kcmilCu&300Al,EA	The CD-920-400 Crimp Die provides circumferential crimp results in terminations with premium electrical and	PC	1	\$	278.55
07498349037	<b>CD-920-400NEST</b>	NestDie,CDI-920-48Die,95/120/150mm <sup>2</sup> ,EA	Nest crimping die used with Panduit CDI-920-48 indenter die and specified tools for terminating Panduit copp	PC	1	\$	183.89
07498351075	<b>CD-920-4NEST</b>	NestDie,CDI-920-10Die,10/16mm <sup>2</sup> ,EA	Nest crimping die used with Panduit CDI-920-10 indenter die and specified tools for terminating Panduit copp	PC	1	\$	167.16
07498391451	<b>CD-920-500</b>	Crimp Die,CT-920/930,500kcmilCu&350Al,EA	The CD-920-500 Crimp Die provides circumferential crimp results in terminations with premium electrical and	PC	1	\$	278.55
07498391454	<b>CD-920-500A</b>	CrimpDie,CT-920/930,500 kcmilCu&350Al,EA	The CD-920-500A provides circumferential crimp results in terminations with premium electrical and mechani	PC	1	\$	278.55
07498349038	<b>CD-920-500NEST</b>	NestDie,CDI-920-48Die,185mm <sup>2</sup> ,EA	Nest crimping die used with Panduit CDI-920-48 indenter die and specified tools for terminating Panduit copp	PC	1	\$	167.16
07498391439	<b>CD-920-6</b>	Crimp Die,CT-920/930,#6 AWG,Cu,EA	The CD-920-6 provides circumferential crimp results in terminations with premium electrical and mechanical p	PC	1	\$	278.55
07498391452	<b>CD-920-600</b>	CrimpDie,CT-920/930,600kcmilCu&400Al,EA	The CD-920-600 provides circumferential crimp results in terminations with premium electrical and mechanic	PC	1	\$	278.55
07498391456	<b>CD-920-750</b>	CrimpDie,CT-920/930,750 kcmilCu&600Al,EA	The CD-920-750 provides circumferential crimp results in terminations with premium electrical and mechanic	PC	1	\$	278.55
07498349039	<b>CD-920-750NEST</b>	NestDie,CDI-920-60Die,240mm <sup>2</sup> ,EA	Nest crimping die used with Panduit CDI-920-60 indenter die and specified tools for terminating Panduit copp	PC	1	\$	183.89
07498391438	<b>CD-920-8</b>	Crimp Die for CT-920/930, #8 AWG,Cu,EA	The CD-920-8 provides circumferential crimp results in terminations with premium electrical and mechanical p	PC	1	\$	278.55

07498364653	<b>CD-920-BG</b>	CrimpDie,CT920/930,CTAP4-8-C-TAP4-4,EA	Crimp dies for CT-920, CT-920CH, CT-930, CT-930CH and CT-2920 tools, #8 - #4 SOL/STR.	PC	1	\$	566.43
07498364654	<b>CD-920-C</b>	CrimpDie,CT-920/930,CTAP2-4,CTAP2-2,EA	Crimp dies for CT-920, CT-920CH, CT-930, CT-930CH and CT-2920 tools, #8 - #2 SOL/STR.	PC	1	\$	566.43
07498364655	<b>CD-920-D3</b>	CrimpDie,CT-920/930,CTAP4/0-4/0,EA	Crimp dies for CT-920, CT-920CH, CT-930, CT-930CH and CT-2920 tools, #6 - #2 SOL/STR, 3/0 AWG - 4/0	PC	1	\$	566.43
61305630853	<b>CD-920-F87</b>	Large Ferrule Die Insert, 920 "U" shaped	Large Ferrule Die Insert, 920 "U" shaped style to crimp Panduit 1 AWG - 1/0	PC	1	\$	498.13
61305630854	<b>CD-920-F89</b>	Large Ferrule Die Insert, 920 "U" shaped	The CD-920-F89 Die insert can be used with the CT-3001/ST, CT-3001/CCP, CT-2931/ST, and CT-2920/CC	PC	1	\$	498.13
61305630855	<b>CD-920-F90</b>	Large Ferrule Die Insert, 920 "U" shaped	Large Ferrule Die Insert, 920 "U" shaped style to crimp Panduit 3/0	PC	1	\$	474.39
61305630856	<b>CD-920-F91</b>	Large Ferrule Die Insert, 920 "U" shaped	Large Ferrule Die Insert, 920 "U" shaped style to crimp Panduit 4/0 - 250 kcmil	PC	1	\$	498.13
61305630857	<b>CD-920-F92</b>	Large Ferrule Die Insert, 920 "U" shaped	Large Ferrule Die Insert, 920 "U" shaped style to crimp Panduit 300 kcmil	PC	1	\$	498.13
61305630858	<b>CD-920-F93</b>	Large Ferrule Die Insert, 920 "U" shaped	Large Ferrule Die Insert, 920 "U" shaped style to crimp Panduit 350 kcmil	PC	1	\$	498.13
61305630859	<b>CD-920-F94</b>	Large Ferrule Die Insert, 920 "U" shaped	Large Ferrule Die Insert, 920 "U" shaped style to crimp Panduit 400 kcmil	PC	1	\$	498.13
07498364656	<b>CD-920-O</b>	CrimpDie,CT-920/930,HTAP1-1Thru2/0-1,EA	Crimp dies for CT-920, CT-920CH, CT-930, CT-930CH and CT-2920 tools, #8 - #2 SOL/STR, 1/0 AWG - 2/0	PC	1	\$	566.43
6130623541	<b>CD-920-PDA</b>	PUNCHAdptrForCT-2920/CCP,EA	Punch Drive Adapter for PanduitCT-2920/CCP series hydraulic crimp tools.	PC	1	\$	1,507.78
61305675564	<b>CD-920C-500</b>	Crimp Die, CTAPR, 500 kcmil	Crimp Die, Crimps CTAPR, 500 kcmil	PC	1	\$	539.48
07498381586	<b>CD-920H-2</b>	CrimpDieforCT-920/930,CrimpsHTCT2-2PKG2	Crimp die for CT-920 and CT-930, Brown PH2.	PC	1	\$	320.58
07498381585	<b>CD-920H-6</b>	CrimpDieforCT-920/930,CrimpsHTCT6-6PKG6	Crimp die for CT-920 and CT-930, Orange PH6.	PC	1	\$	290.00
07498303009	<b>CD-930G-1/0</b>	Crimp Die,Red,Crimps GCE,GCC1/0,1PR	Crimp die for CT-930, Crimps GCE1/0-1/0, E Style Grounding Connectors and GCC6X61/0-1/0, Grounding C	PC	1	\$	186.94
07498303010	<b>CD-930G-250</b>	Crimp Die,Blk,Crimps GCE,GCC250,1PR	The CD-930G-250 provides circumferential crimp results in terminations with premium electrical and mechani	PC	1	\$	337.76
07498303011	<b>CD-930G-500</b>	Crimp Die,Blue,Crimps GCE,GCC500,1PR	Crimp die for CT-930, Crimps GCE500-1/0, GCE500-250, E Style Grounding Connectors and GCC6X6500-1	PC	1	\$	358.03
07498381587	<b>CD-930H-250</b>	CrimpDieforCT-930,HTCT250-2,8,250,EA	Crimp die for CT-930.	PC	1	\$	209.06
07498358940	<b>CD-940-1000</b>	Crimp Die,CT-940CH, 1000 kcmil CU,EA	Dies for CT-940CH remote crimp head, 1000 kcmil code.	PC	1	\$	671.49
07498359002	<b>CD-940-1000A</b>	CrimpDie,CT-940CH,1000Kcmil,AL,EA	Dies for CT-940CH remote crimp head, Brown P161.	PC	1	\$	671.49
61305636289	<b>CD-940-1250</b>	Crimp Die for CT-940CH, 1250 kcmil Copper	Crimp Die for CT-940CH, 1250 kcmil Copper	PC	1	\$	639.53
07498358941	<b>CD-940-1500</b>	CrimpDie,CT-940CH,1500Kcmil,CU,EA	Crimp Die for CT-940CH, 1500 kcmil Copper	PC	1	\$	728.54
07498358936	<b>CD-940-750</b>	Crimp Die,CT-940CH,750 kcmil CU,EA	Dies for CT-940CH remote crimp head, 750 kcmil code.	PC	1	\$	671.49
07498358942	<b>CD-940-750A</b>	Crimp Die,CT-940CH, 750 kcmil Al,EA	Dies for CT-940CH remote crimp head, Red P125.	PC	1	\$	671.49
07498344256	<b>CD-940-750X</b>	Crimp Die,CT-940CH,750 kcmil CU,Flex,EA	Dies for CT-940CH remote crimp head, 777.7 kcmil flex.	PC	1	\$	671.49
07498358937	<b>CD-940-800</b>	CrimpDie,CT-940CH,800Kcmil,CU,EA	Dies for CT-940CH remote crimp head, 800 kcmil code.	PC	1	\$	671.49
07498358958	<b>CD-940-800A</b>	CrimpDie,CT-940CH,800Kcmil,AL,EA	Dies for CT-940CH remote crimp head, Gray P140.	PC	1	\$	639.50
61305617463	<b>CD-940-920DA</b>	Crimp Die Adapter for CD-920 Dies, EA	Adapter for CD-920 Dies in 15 ton compression tools	PC	1	\$	1,123.80
07498358935	<b>CD-940-DA</b>	Die Adapter For CD-920/930 Dies,EA	Die adapter for use with Panduit CT-940CH and CT-2940 crimping tools required for installation of Panduit C	PC	1	\$	978.95
61305617464	<b>CD-940-DAPT</b>	Crimp Die Adapter for CD-940 Dies, EA	Adapter for CD-940 Dies	PC	1	\$	1,097.88
61305644879	<b>CD-940G-500</b>	Crimp Die, Crimps GCE500-500	Crimp Die, Crimps GCE500-500	PC	1	\$	405.89
61305680419	<b>CD22-2/0</b>	CD22 Series BCL Hex Crimp Die, 2/0 AWG		PC	1	\$	241.36
61305680420	<b>CD22-3/0</b>	CD22 Series BCL Hex Crimp Die, 3/0 AWG		PC	1	\$	501.29
07498395515	<b>CD70-14SL-QY</b>	Cu,MechLug,2H,1B,SFT,#8-#2A,1/4S,PK25	Two-hole, copper, single barrel, straight floating tongue lug, slotted screw, #8 - #2 AWG, 1/4 (6.4mm) stud ho	C	100	\$	587.74
07498367392	<b>CDCLP2</b>	CWD Mtg Clip for CWD2, 16pcs	The quick mounting clip is used for installing the CWD2 corner wiring duct. It is made of low-carbon steel and	PC	1	\$	7.60
07498364594	<b>CDCLP3</b>	CWD Mtg Clip for CWD3, 16pcs	The quick mounting clip is used for installing the CWD3 corner wiring duct. It is made of low-carbon steel and	PC	1	\$	7.69
07498364595	<b>CDCLP4</b>	CWD Mtg Clip for CWD4, 16pcs	The quick mounting clip is used for installing the CWD4 corner wiring duct. It is made of low-carbon steel and	PC	1	\$	7.76
07498349040	<b>CDI-920-10</b>	Indent Die,CD-920-4Nest,EA	Indenter crimping die used with Panduit CD-920-4NEST die and specified tools for terminating Panduit coppe	PC	1	\$	215.49
07498349041	<b>CDI-920-24</b>	Indent Die,CD-920-1/0Nest,EA	Indenter crimping die used with Panduit CD-920-1/0NEST die and specified tools for terminating Panduit copp	PC	1	\$	170.76
07498349042	<b>CDI-920-48</b>	Indent Die,NEST Dies,5f/6f Flex,EA	Indenter crimping die used with Panduit CD-920-250NEST die and specified tools for terminating Panduit cop	PC	1	\$	179.28
07498349043	<b>CDI-920-60</b>	Indent Die,NEST Dies,EA	Indenter crimping die used with Panduit CD-920-750NEST die and specified tools for terminating Panduit copp	PC	1	\$	187.84
61305626072	<b>CDS35-36-Q</b>	Copper Mechanical lug, 2 Hole, 1 Barrel		C	100	\$	430.11
61305623427	<b>CG-980SS</b>	CYLINDER BLOCK AND GAGE		PK	1	\$	163.60
07498365453	<b>CGJ620U</b>	Jumper Kits, Front to Back Rail,20",EA	Two #6 AWG (16mm <sup>2</sup> ) jumpers; factory terminated on both ends with 90° reverse bent lugs; provided with .1	KT	1	\$	306.70
07498365584	<b>CGJ620UB</b>	Jumper Kits,Front-Back,Two #6 AWG,20",EA	Front to back rail grounding jumper kit; two #6 AWG (16mm <sup>2</sup> ) jumpers; factory terminated on both ends with	KT	1	\$	306.70
07498365656	<b>CGJ630UB</b>	Jumper Kits,Front-Back,Two #6 AWG,30",EA	Front to back rail grounding jumper kit; two #6 AWG (16mm <sup>2</sup> ) jumpers; factory terminated on both ends with	KT	1	\$	306.70
07498365462	<b>CGJ640U</b>	Jumper Kits, Front to Back Rail,40",EA	Two #6 AWG (16mm <sup>2</sup> ) jumpers; factory terminated on both ends with 90° reverse bent lugs; provided with .1	KT	1	\$	321.29
07498365681	<b>CGJ640UB</b>	Jumper Kits,Front-Back,Two #6 AWG,40",EA	Front to back rail grounding jumper kit; two #6 AWG (16mm <sup>2</sup> ) jumpers; factory terminated on both ends with	KT	1	\$	306.70
07498366035	<b>CGK630UB</b>	Cabinet Ground, Kit, EA	Complete grounding kit for new installations on cabinets with 42 RUs, cage nut rail fasteners and rail depth up	KT	1	\$	1,011.46
07498300849	<b>CGNBSK</b>	Bonding Cage Nut Stud Kit,EA	Bonding stud kit for cage nut rail fasteners; includes 25 bonding studs and 50 bonding nuts.	KT	1	\$	169.99
07498365786	<b>CGR630U</b>	Retrofit Cabinet Grounding Kit,EA	Retrofit grounding kit for installation on cabinets with threaded #12-24 or M6 rail fasteners and rail depth up to	KT	1	\$	485.20
07498365799	<b>CGR630UB</b>	Cabinet Retrofit Grounding Kit,EA	Retrofit grounding kit for installation on cabinets with cage nut rail fasteners and rail depth up to 30" (.75m); in	KT	1	\$	462.09
07498385818	<b>CH105-A-C14</b>	CableHolder,2.5"Adh,PK100	Adhesive backed cable holder, 2.5" (63.5mm) cable width, gray, standard package.	C	100	\$	233.55
07498385819	<b>CH105-A-T14</b>	Cable Holder,2.5"Adh,PK200	Adhesive backed cable holder, 2.5" (63.5mm) cable width, gray, bulk package.	M	1000	\$	1,681.31
07498385527	<b>CH105-S6-C14</b>	CableHolder,2.5",#6Screw,PK100	Adhesive backed cable holder, #6 screw (M3), 2.5" (63.5mm) cable width, gray, standard package.	C	100	\$	243.00
07498385528	<b>CH105-S6-T14</b>	CableHolder,2.5",#6Screw,PK200	Adhesive backed cable holder, #6 screw (M3), 2.5" (63.5mm) cable width, gray, bulk package.	M	1000	\$	1,403.80
07498340220	<b>CLMAR2/0-14-Q</b>	Mechanical lug,anti-rotational,25PK	The CLMAR2/0-14-Q Copper Mechanical Lug provides an anti-rotational feature and is used to connect the m	C	100	\$	2,957.78
07498343853	<b>CLRCVR1-1</b>	Clear HTAP Cover for HTCT #8-#6 AWG,EA	Clear insulating cover for HTCT8-8-1 and HTCT6-6-1 copper compression HTAPS.	C	100	\$	3,345.89
07498344270	<b>CLRCVR2-1</b>	Clear Cover, Plastic,For HTAP,EA	The CLRCVR2-1 Insulating Cover is made of high impact plastic to provide high impact strength and 360° in	C	100	\$	4,240.76
07498344054	<b>CLRCVR3-1</b>	Clear HTAP Cover for HTCT 250 kcmil,1PK	Clear insulating cover for HTCT250-8-1, HTCT250-2-1 and HTCT250-250-1 copper compression HTAPS.	C	100	\$	4,615.80
07498362758	<b>CLT100F-1.25M3</b>	CLT slit, 1"x1250", Orange, 1rl	Corr. Loom Tubing Slit, 1" (25.4mm) X 1250' (381m), Orange	RL	1	\$	901.99
07498340648	<b>CLT100F-125M20</b>	CLT slit, 1"x1250", Black, 1rl	Corrugated loom tubing slit wall, 1" (25.4mm) x 1250' (381m), polyethylene, black.	RL	1	\$	746.99
07498328715	<b>CLT100F-C20</b>	CLT slit, 1"x100", Black, 1rl	The CLT100F-C20 Polyethylene Corrugated Loom Tubing protects cables from impact and abrasion. Featur	RL	1	\$	132.69
07498362755	<b>CLT100F-C3</b>	CLT slit, 1"x100", Orange, 1rl	The CLT100F-C3 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a s	RL	1	\$	152.58
07498382916	<b>CLT100F-C4</b>	CLT slit, 1" 100", Yellow, 1rl	The CLT100F-C4 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a s	RL	1	\$	152.58
07498391404	<b>CLT100F-X4</b>	CLT slit, 1"x10", Yellow, 1rl	Corrugated loom tubing slit wall, 1" (25.4mm) x 10' (3.0m), polyethylene, yellow.	RL	1	\$	52.66
07498340655	<b>CLT100N-125M630</b>	CLT slit, 1"x1250", HS Nylon, Blk, 1rl	The CLT100N-125M630 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Featu	RL	1	\$	1,037.68
07498328721	<b>CLT100N-C630</b>	CLT slit, 1"x100", HS Nylon,Blk, 1rl	The CLT100N-C630 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features	RL	1	\$	265.49
07498353306	<b>CLT125F-.75M20</b>	CLT Slit, 1.25"x750", Black, 1rl	Corrugated loom tubing slit wall, 1.25" (31.8mm) x 750' (228.6m), polyethylene, black.	RL	1	\$	681.25
07498353305	<b>CLT125F-L20</b>	CLT Slit, 1.25"x50", Black, 1rl	The CLT125F-L20 Polyethylene Corrugated Loom Tubing protects cables from impact and abrasion. Featur	RL	1	\$	81.89
07498362756	<b>CLT125F-L3</b>	CLT Slit, 1.25"x50", Orange, 1rl	Corrugated loom tubing slit wall, 1.25" (31.8mm) x 50' (15.2m), polyethylene, orange.	RL	1	\$	94.15
07498382917	<b>CLT125F-L4</b>	Corr. Loom Tubing Slit, 1.25" (31.8mm) X	Corr. Loom Tubing Slit, 1.25" (31.8mm) X 50' (15.2m),Yellow	RL	1	\$	98.86
07498353308	<b>CLT125N-.75M630</b>	Corr. Loom Tubing Slit, 1.25" (31.8mm) X	Corr. Loom Tubing Slit, 1.25" (31.8mm) X 750' (228.6m), HS Black	RL	1	\$	938.13
07498353307	<b>CLT125N-L630</b>	CLT Slit, 1.25"x50", HS Nylon,ORN, 1rl	Corrugated loom tubing slit wall, 1.25" (31.8mm) x 50' (15.2m), heat stabilized black nylon 6.	RL	1	\$	159.09
07498353310	<b>CLT150F-D20</b>	CLT Slit,1.5"X500ft,Black,1rl	Corrugated loom tubing slit wall, 1.50" (38.1mm) x 500' (152.4m), polyethylene, black.	RL	1	\$	691.88
07498362760	<b>CLT150F-D3</b>	CLT Slit,1.5"X500ft,Orange,1rl	Corrugated loom tubing slit wall, 1.50" (38.1mm) x 500' (152.4m), polyethylene, orange.	RL	1	\$	795.69

07498382918	CLT150F-D4	CLT Slit,1.5"X500ft,Yellow,1rl	Corrugated loom tubing slit wall, 1.50" (38.1mm) x 500' (152.4m), polyethylene, yellow.	RL	1	\$	795.69
07498382931	CLT150F-T20	CLT Slit,1.5"X200ft,Black,1rl	The CLT150F-T20 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a	RL	1	\$	364.10
07498382897	CLT150F-X20	CLT Slit,1.5"X10ft,Black,1rl	The CLT150F-X20 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a	RL	1	\$	43.90
07498382895	CLT150F-X3	CLT Slit,1.5"X10ft,Orange,1rl	Corrugated loom tubing slit wall, 1.50" (38.1mm) x 10' (3.0m), polyethylene, orange.	RL	1	\$	50.45
07498382896	CLT150F-X4	CLT Slit,1.5"X10ft,Yellow,1rl	The CLT150F-X4 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a s	RL	1	\$	50.45
07498353312	CLT150N-D630	CLT Slit,1.5"X500ft,HS Nylon,YL,1rl	Corrugated loom tubing slit wall, 1.50" (38.1mm) x 500' (152.4m), heat stabilized black nylon 6.	RL	1	\$	850.45
07498362781	CLT188F-3C20	CLT Slit, 1.88"x300', Black, 1rl	Corrugated loom tubing slit wall, 1.88" (47.8mm) x 300' (91.4m), polyethylene, black.	RL	1	\$	749.14
07498382902	CLT188F-C20	CLT Slit, 1.88"x100', Black, 1rl	The CLT188F-C20 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a	RL	1	\$	277.39
07498382900	CLT188F-C3	CLT Slit, 1.88"x100', Orange, 1rl	Corrugated loom tubing slit wall, 1.88" (47.8mm) x 100' (30.5m), polyethylene, orange.	RL	1	\$	319.05
07498382901	CLT188F-C4	CLT Slit, 1.88"x100', Yellow, 1rl	Corrugated loom tubing slit wall, 1.88" (47.8mm) x 100' (30.5m), polyethylene, yellow.	RL	1	\$	319.05
07498382732	CLT188F-X20	CLT Slit, 1.88"x10', Black, 1rl	Corrugated loom tubing slit wall, 1.88" (47.8mm) x 10' (3.0m), polyethylene, black.	RL	1	\$	56.53
07498382730	CLT188F-X3	CLT Slit, 1.88"x10', Orange, 1rl	Corrugated loom tubing slit wall, 1.88" (47.8mm) x 10' (3.0m), polyethylene, orange.	RL	1	\$	68.30
07498382731	CLT188F-X4	CLT Slit, 1.88"x10', Yellow, 1rl	Corrugated loom tubing slit wall, 1.88" (47.8mm) x 10' (3.0m), polyethylene, yellow.	RL	1	\$	68.30
07498362780	CLT188N-3C630	CLT Slit, 1.88"x300', HS NYL, Blk, 1rl	Corrugated loom tubing slit wall, 1.88" (47.8mm) x 300' (91.4m), heat stabilized black nylon 6.	RL	1	\$	819.41
07498340642	CLT25F-10M20	CLT Slit, 25"x10,000', Black, 1rl	Corrugated loom tubing slit wall, 25" (6.4mm) x 10000' (3048m), polyethylene, black.	RL	1	\$	2,205.34
07498328710	CLT25F-C20	CLT Slit, 25"x100', Black, 1rl	The CLT25F-C20 Polyethylene Corrugated Loom Tubing protects cables from impact and abrasion. Feature	RL	1	\$	57.14
07498371982	CLT25F-C3	CLT Slit, 25"x100', Orange, 1rl	Corrugated loom tubing slit wall, 25" (6.4mm) x 100' (30.5m), polyethylene, orange.	RL	1	\$	65.69
07498382910	CLT25F-C4	CLT Slit, 25"x100', Yellow, 1rl	Corrugated loom tubing slit wall, 25" (6.4mm) x 100' (30.5m), polyethylene, yellow.	RL	1	\$	68.98
07498340649	CLT25N-10M630	CLT Slit, 25"x10,000', HS NYL,BLK, 1rl	Corrugated loom tubing slit wall, 25" (6.4mm) x 10000' (3048m), heat stabilized black nylon 6.	RL	1	\$	2,746.55
07498328716	CLT25N-C630	CLT Slit, 25"x100', HS NYL,BLK, 1rl	The CLT25N-C630 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a	RL	1	\$	79.89
07498340643	CLT35F-7M20	CLT Slit, 35"x7,000', Black, 1rl	Corrugated loom tubing slit wall, 35" (8.9mm) x 7000' (2133.6m), polyethylene, black.	RL	1	\$	1,914.80
07498340640	CLT35F-C20	CLT Slit, 35"x100', Black, 1rl	Corrugated loom tubing slit wall, 35" (8.9mm) x 100' (30.5m), polyethylene, black.	RL	1	\$	65.24
07498371984	CLT35F-C3	CLT Slit, 35"x100', Orange, 1rl	Corrugated loom tubing slit wall, 35" (8.9mm) x 100' (30.5m), polyethylene, orange.	RL	1	\$	78.83
07498340641	CLT35N-C630	CLT Slit, 35"x100', HS NYL, Blk, 1rl	Corrugated loom tubing slit wall, 35" (8.9mm) x 100' (30.5m), heat stabilized black nylon 6.	RL	1	\$	81.50
07498340644	CLT38F-5M20	CLT Slit, 38"x5,000', Black, 1rl	Corrugated loom tubing slit wall, 38" (9.7mm) x 5000' (1524m), polyethylene, black.	RL	1	\$	1,333.45
07498328711	CLT38F-C20	CLT Slit, 38"x100', Black, 1rl	The CLT38F-C20 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a s	RL	1	\$	67.45
07498371986	CLT38F-C3	CLT Slit, 38"x100', Orange, 1rl	Corrugated loom tubing slit wall, 38" (9.7mm) x 100' (30.5m), polyethylene, orange.	RL	1	\$	81.54
07498382912	CLT38F-C4	CLT Slit, 38"x100', Yellow, 1rl	Corrugated loom tubing slit wall, 38" (9.7mm) x 100' (30.5m), polyethylene, yellow.	RL	1	\$	81.54
07498340651	CLT38N-5M630	CLT Slit, 35"x5,000', HS NYL, Blk, 1rl	Corrugated loom tubing slit wall, 38" (9.7mm) x 5000' (1524m), heat stabilized black nylon 6.	RL	1	\$	1,701.03
07498328717	CLT38N-C630	CLT Slit, 38"x100', HS NYL, Blk, 1rl	The CLT38N-C630 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a	RL	1	\$	86.24
07498340645	CLT50F-4M20	CLT Slit, 50"x4,000', Black, 1rl	Corrugated loom tubing slit wall, 50" (12.7mm) x 4000' (1219.2m), polyethylene, black.	RL	1	\$	1,286.88
07498328712	CLT50F-C20	CLT Slit, 50"x100', Black, 1rl	The CLT50F-C20 Polyethylene Corrugated Loom Tubing protects cables from impact and abrasion. Feature	RL	1	\$	71.54
07498371988	CLT50F-C3	CLT Slit, 50"x100', Orange, 1rl	The CLT50F-C3 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a slit	RL	1	\$	82.25
07498382913	CLT50F-C4	CLT Slit, 50"x100', Yellow, 1rl	The CLT50F-C4 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a slit	RL	1	\$	82.25
07498340652	CLT50N-4M630	CLT Slit, 50"x4,000', HS Nylon,Blk, 1rl	The CLT50N-4M630 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features	RL	1	\$	1,649.44
07498328718	CLT50N-C630	CLT Slit, 50"x100', HS Nylon,Blk, 1rl	The CLT50N-C630 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a	RL	1	\$	105.61
07498340646	CLT62F-2.5M20	CLT Slit, 62"x2,500', Black, 1rl	Corrugated Loom Tubing Slit, .67" (17.0mm) X 2500' (762m), Black	RL	1	\$	1,077.34
07498328713	CLT62F-C20	CLT Slit, 62"x100', Black, 1rl	The CLT62F-C20 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a s	RL	1	\$	84.13
07498371990	CLT62F-C3	CLT Slit, 62"x100', Orange, 1rl	Corrugated Loom Tubing Slit, .67" (17.0mm) X 100' (30.5m), Orange	RL	1	\$	101.60
07498382914	CLT62F-C4	CLT Slit, 62"x100', Yellow, 1rl	Corrugated Loom Tubing Slit, .67" (17.0mm) X 100' (30.5m), Yellow	RL	1	\$	101.60
07498340653	CLT62N-2.5M630	CLT Slit, 50"x2,500', HS Nylon,Blk, 1rl	Corrugated Loom Tubing Slit, .67" (17.0mm) X 2500' (762m), HS Black	RL	1	\$	1,388.73
07498328719	CLT62N-C630	CLT Slit, 62"x100', HS Nylon,Blk, 1rl	Corrugated Loom Tubing Slit, .67" (17.0mm) X 100' (30.5m), HS Black	RL	1	\$	128.11
07498340647	CLT75F-2M20	CLT Slit, 75"x2,000', Black, 1rl	The CLT75F-2M20 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a	RL	1	\$	962.69
07498328714	CLT75F-C20	CLT Slit, 75"x100', Black, 1rl	The CLT75F-C20 Polyethylene Corrugated Loom Tubing protects cables from impact and abrasion. Feature	RL	1	\$	102.83
07498362754	CLT75F-C3	CLT Slit, 75"x100', Orange, 1rl	The CLT75F-C3 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a slit	RL	1	\$	118.30
07498382915	CLT75F-C4	CLT Slit, 75"x100', Yellow, 1rl	The CLT75F-C4 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a slit	RL	1	\$	118.30
07498340654	CLT75N-2M630	CLT Slit, 75"x2,000', HS Nylon,Blk, 1rl	Corrugated loom tubing slit wall, 75" (19.1mm) x 2000' (609.6m), heat stabilized black nylon 6.	RL	1	\$	1,511.41
07498328720	CLT75N-C630	CLT Slit, 75"x100', HS Nylon,Blk, 1rl	The CLT75N-C630 Corrugated Loom Slit Wall Tubing protects cables from impact and abrasion. Features a	RL	1	\$	169.15
07498362254	CLTS100F-C	CLT Solid, 1"x100', Black, 1rl	Corrugated loom tubing solid wall, 1" (25.4mm) x 100', polyethylene, black.	RL	1	\$	139.34
07498362764	CLTS100F-C3	CLT Solid, 1"x100', Orange, 1rl	Corrugated loom tubing solid wall, 1" (25.4mm) x 100', polyethylene, orange.	RL	1	\$	160.20
07498362262	CLTS100N-C	CLT Solid, 1"x100', HS Nylon,Blk, 1rl	Corrugated loom tubing solid wall, 1" (25.4mm) x 100', heat stabilized nylon 6, black.	RL	1	\$	278.76
07498362255	CLTS125F-L	CLT Solid, 1.25"x50', Black, 1rl	Corrugated loom tubing solid wall, 1.25" (31.8mm) x 50', polyethylene, black.	RL	1	\$	85.99
07498362765	CLTS125F-L3	CLT Solid, 1.25"x50', Orange, 1rl	Corrugated loom tubing solid wall, 1.25" (31.8mm) x 50', polyethylene, orange.	RL	1	\$	98.86
07498362263	CLTS125N-L	CLT Solid, 1"x50', HS Nylon,Blk, 1rl	Corrugated loom tubing solid wall, 1.25" (31.8mm) x 50', heat stabilized nylon 6, black.	RL	1	\$	167.04
07498362282	CLTS150F-D	CLT Solid, 1.5"x500', Black, 1rl	Corrugated loom tubing solid wall, 1.50" (38.1mm) x 500', polyethylene, black.	RL	1	\$	726.45
07498362769	CLTS150F-D3	CLT Solid, 1.5"x500', Orange, 1rl	Corrugated loom tubing solid wall, 1.50" (38.1mm) x 500', polyethylene, orange.	RL	1	\$	835.48
07498362274	CLTS25F-10M	CLT Solid, 25"x10,000', Black, 1rl	Corrugated loom tubing solid wall, 25" (6.4mm) x 10000', polyethylene, black.	RL	1	\$	2,262.75
07498362248	CLTS25F-C	CLT Solid, 25"x100', Black, 1rl	The CLTS25F-C Corrugated Loom Solid Wall Tubing protects cables from impact and abrasion. Hold in plac	RL	1	\$	57.14
07498362256	CLTS25N-C	CLT Solid, 25"x100',HS NYL, Blk, 1rl	The CLTS25N-C Corrugated Loom Solid Wall Tubing protects cables from impact and abrasion. Hold in plac	RL	1	\$	79.89
07498362249	CLTS35F-C	CLT Solid, 35"x100', Black, 1rl	Corrugated loom tubing solid wall, .31" (7.9mm) x 100', polyethylene, black.	RL	1	\$	68.49
07498362257	CLTS35N-C	CLT Solid, 35"x100',HS NYL, Blk, 1rl	Corrugated loom tubing solid wall, .31" (7.9mm) x 100', heat stabilized nylon 6, black.	RL	1	\$	81.50
07498362250	CLTS38F-C	CLT Solid, 38"x100', Black, 1rl	Corrugated loom tubing solid wall, .38" (9.7mm) x 100', polyethylene, black.	RL	1	\$	70.81
07498362258	CLTS38N-C	CLT Solid, 38"x100',HS NYL, Blk, 1rl	Corrugated loom tubing solid wall, .38" (9.7mm) x 100', heat stabilized nylon 6, black.	RL	1	\$	90.55
07498362251	CLTS50F-C	CLT Solid, 50"x100', Black, 1rl	Corrugated loom tubing solid wall, .50" (12.7mm) x 100', polyethylene, black.	RL	1	\$	75.11
07498373543	CLTS50F-C3	CLT Solid, 50"x100', Orange, 1rl	Corrugated loom tubing solid wall, .50" (12.7mm) x 100', polyethylene, orange.	RL	1	\$	86.34
07498362259	CLTS50N-C	CLT Solid, 50"x100',HS NYL, Blk, 1rl	Corrugated loom tubing solid wall, .50" (12.7mm) x 100', heat stabilized nylon 6, black.	RL	1	\$	110.86
07498362252	CLTS62F-C	CLT Solid, 62"x100', Black, 1rl	Corrugated loom tubing solid wall, .62" (15.8mm) x 100', polyethylene, black.	RL	1	\$	88.34
07498373545	CLTS62F-C3	CLT Solid, 62"x100', Orange, 1rl	Corrugated loom tubing solid wall, .62" (15.8mm) x 100', polyethylene, orange.	RL	1	\$	101.60
07498362260	CLTS62N-C	CLT Solid, 62"x100',HS NYL, Blk, 1rl	Corrugated loom tubing solid wall, .62" (15.8mm) x 100', heat stabilized nylon 6, black.	RL	1	\$	128.11
07498362253	CLTS75F-C	CLT Solid, 75"x100', Black, 1rl	Corrugated loom tubing solid wall, .75" (19.1mm) x 100', polyethylene, black.	RL	1	\$	107.99
07498362763	CLTS75F-C3	CLT Solid, 75"x100', Orange, 1rl	Corrugated loom tubing solid wall, .75" (19.1mm) x 100', polyethylene, orange.	RL	1	\$	124.21
07498362261	CLTS75N-C	CLT Solid, 75"x100',HS NYL, Blk, 1rl	Corrugated loom tubing solid wall, .75" (19.1mm) x 100', heat stabilized nylon 6, black.	RL	1	\$	177.60
07498355460	CM4S-L2	CMkrkStrap,15.3L,PolyE,RD,PK50	Panduit CM4S-L2 Cable Marker Straps are used to fasten and identify bundles at the same time. They elimin	M	1000	\$	1,456.99
07498355461	CM4S-L8	CMkrkStrap,15.3L,PolyE,GY,PK50	Cable marker strap, standard cross section, 15.3 (387mm) length, gray.	M	1000	\$	1,529.86
61305679288	CME12-M300	Clip-on Mount, Edge Fixed, .7mm - 3mm pa	The CME12-M300 Edge Clip provides versatile mounting to edges without adhesives or drilling. When paired	M	1000	\$	641.36
61305679290	CME24-M300	Clip-on Mount, Edge Fixed, 3mm - 6mm pan	The CME24-M300 Edge Clip provides versatile mounting to edges without adhesives or drilling. When paired	M	1000	\$	1,216.35
61305677789	CMEA12-2S-C300	Mount Assembly PLT tie edge-fixed, paral	The CMEA12-2S-C300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	C	100	\$	101.04



61305679292	<b>CMEA12-2S-D300</b>	Mount Assembly PLT tie edge-fixed, paral	The CMEA12-2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	M	1000	\$	807.95
61305679303	<b>CMEA12-B2S-D300</b>	Mount Assembly BT tie edge-fixed, paral	The CMEA12-B2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile	M	1000	\$	946.81
61305677515	<b>CMEA24-2S-C300</b>	Mount Assembly PLT tie edge-fixed, paral	The CMEA24-2S-C300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	C	100	\$	141.41
61305679291	<b>CMEA24-2S-D300</b>	Mount Assembly PLT tie edge-fixed, paral	The CMEA24-2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	M	1000	\$	1,211.59
61305679305	<b>CMEA24-B2S-D300</b>	Mount Assembly BT tie edge-fixed, paral	The CMEA24-B2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile	M	1000	\$	1,359.28
61305679294	<b>CMEB12-2S-C300</b>	Mount Assembly PLT tie edge-fixed, perpe	The CMEB12-2S-C300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	C	100	\$	101.04
61305679293	<b>CMEB12-2S-D300</b>	Mount Assembly PLT tie edge-fixed, perpe	The CMEB12-2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	M	1000	\$	807.95
61305679304	<b>CMEB12-B2S-D300</b>	Mount Assembly BT tie edge-fixed, perpen	The CMEB12-B2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile	M	1000	\$	946.81
61305679296	<b>CMEB24-2S-C300</b>	Mount Assembly PLT tie edge-fixed, perpe	The CMEB24-2S-C300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	C	100	\$	141.41
61305679295	<b>CMEB24-2S-D300</b>	Mount Assembly PLT tie edge-fixed, perpe	The CMEB24-2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	M	1000	\$	1,211.59
61305679306	<b>CMEB24-B2S-D300</b>	Mount Assembly BTT tie edge-fixed, perpe	The CMEB24-B2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile	M	1000	\$	1,359.28
07498391400	<b>CMP-100-1</b>	Joint Compound,Alum.Thread,8oz,.EA	Contact aid for pad-to-pad or thread-to-thread aluminum connections, 8 oz. Operating temperature range -40	PC	1	\$	32.93
07498391401	<b>CMP-200-1</b>	JointCompound,ForAl,8OzPKG1	Contact aid for cable connections with compression connections made on aluminum conductor, 8 oz. Operati	PC	1	\$	33.78
07498302268	<b>CMP-300-1</b>	Joint Compound, 8 Oz, EA	Contact aid for copper-to-copper and copper-to-steel connections, 8 oz. Operating temperature range -40°F (	PC	1	\$	101.01
07498302267	<b>CMP-300-4-1</b>	Joint Compound, 4 Oz, EA	Contact aid for copper-to-copper and copper-to-steel connections, 4 oz. Operating temperature range -40°F (	PC	1	\$	54.13
61305679451	<b>CMS12-M300</b>	Clip-on Mount, Side Fixed, .7mm - 3mm pa	The CMS12-M300 Edge Clip provides versatile mounting to edges without adhesives or drilling. When paired	M	1000	\$	641.36
61305679287	<b>CMS24-M300</b>	Clip-on Mount, Side Fixed, 3mm - 6mm pan	The CMS24-M300 Edge Clip provides versatile mounting to edges without adhesives or drilling. When paired	M	1000	\$	1,216.35
61305677516	<b>CMSA12-2S-C300</b>	Mount Assembly PLT tie side-fixed, paral	The CMSA12-2S-C300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	C	100	\$	101.04
61305679297	<b>CMSA12-2S-D300</b>	Mount Assembly PLT tie side-fixed, paral	The CMSA12-2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	M	1000	\$	807.95
61305679307	<b>CMSA12-B2S-D300</b>	Mount Assembly BT tie side-fixed, paral	The CMSA12-B2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile	M	1000	\$	946.81
61305677517	<b>CMSA24-2S-C300</b>	Mount Assembly PLT tie side-fixed, paral	The CMSA24-2S-C300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	C	100	\$	141.41
61305679300	<b>CMSA24-2S-D300</b>	Mount Assembly PLT tie side-fixed, paral	The CMSA24-2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	M	1000	\$	1,211.59
61305679309	<b>CMSA24-B2S-D300</b>	Mount Assembly BT tie side-fixed, paral	The CMSA24-B2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile	M	1000	\$	1,359.28
61305679299	<b>CMSB12-2S-C300</b>	Mount Assembly PLT tie side-fixed, perpe	The CMSB12-2S-C300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	C	100	\$	101.04
61305679298	<b>CMSB12-2S-D300</b>	Mount Assembly PLT tie side-fixed, perpe	The CMSB12-2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	M	1000	\$	807.95
61305679308	<b>CMSB12-B2S-D300</b>	Mount Assembly BT tie side-fixed, perpen	The CMSB12-B2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile	M	1000	\$	946.81
61305679302	<b>CMSB24-2S-C300</b>	Mount Assembly PLT tie side-fixed, perpe	The CMSB24-2S-C300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	C	100	\$	141.41
61305679301	<b>CMSB24-2S-D300</b>	Mount Assembly PLT tie side-fixed, perpe	The CMSB24-2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile m	M	1000	\$	1,211.59
61305679310	<b>CMSB24-B2S-D300</b>	Mount Assembly BT tie side-fixed, perpen	The CMSB24-B2S-D300 Edge Clip with Cable Tie Mounts helps secure wire and cable bundles with versatile	M	1000	\$	1,359.28
07498334550	<b>CNVDR1S-L</b>	1" Wide Vert. Cable Mgmt. - Short	Vertical D-ring,Outside dimensions 3.26"L x 2.05"W (82.8mm x 52.1mm).	PC	1	\$	16.33
07498309816	<b>CNBAK</b>	Bonding Cage Nut Kit,4 Pack,Green,EA	Green bonding cage nut, includes 4 #12-24 bonding cage nuts (.06 - .11 thick panel) and 4 #12-24 x 1/2" bon	KT	1	\$	27.20
07498309730	<b>CNBK</b>	Bonding Cage Nut Kit, 50 Pack,Green,EA	The CNBK High Carbon Steel Bonding Cage Nut Kit creates an electrical bond between the mounting rails an	KT	1	\$	323.79
61305626073	<b>COS35-3Q</b>	Copper Mechanical Lug, 2 Hole, 1 Barrel		C	100	\$	380.45
07498363443	<b>CP-881</b>	Semi-Auto,Ferrule Tool,#20-14AWG,EA	The CP-881 semi-automated, strip & crimp tool installs single-wire ferrules onto insulated wire. This tool is us	PC	1	\$	16,282.50
61305668337	<b>CP-881-KIT4</b>	CP-881 Tool Kit, 24 AWG (0.25 mm <sup>2</sup> )		PC	1	\$	2,008.18
07498361166	<b>CP-881-E</b>	Semi-Auto,230Vac,Ferrules on Reel,EA	A semi-automated tool that provides a quick three step process (wire stripping, ferrule placement, and ferrule	PC	1	\$	16,282.50
61305666975	<b>CP-991</b>	Bowl Feeder Ferrule Crimp Press CP-991	The CP-991 semi-automated, strip & crimp tool installs single-wire ferrules onto insulated wire with quick 1.5	PC	1	\$	28,223.00
61305666951	<b>CP-992</b>	Ferrule Crimp Press with Bowl Feed	Bowl-fed ferrule crimp press for #12 (4 mm <sup>2</sup> ) to #8 AWG (10 mm <sup>2</sup> ) * requires a component kit, sold separate	PC	1	\$	28,223.00
07498361100	<b>CPH.75-S8-X</b>	CornerPost,.75"Bdl,#8Screw,High,PK10	Harness corner post, .75" (19.1mm) bundle, #8 screw (M4), high, black.	PC	1	\$	9.20
07498361099	<b>CPL.75-S8-X</b>	CornerPost,.75"Bdl,#8Screw,Low,PK10	Harness corner post, .75" (19.1mm) bundle, #8 screw (M4), low, black.	PC	1	\$	8.81
07498360086	<b>CPM122S-C</b>	CbleTieMnt,CntrlPnl,1.22"Hole,PK100	Control panel switch cable tie mount, 1.22" (31.0mm) hole.	C	100	\$	130.74
07498360085	<b>CPM87S-C</b>	CbleTieMnt,CntrlPnl,.89"Hole,PK100	Control panel switch cable tie mount, .89" (22.6mm) hole.	C	100	\$	107.71
07498372006	<b>CPPLF-5</b>	Laser/InkJet,PerfNwrkLbl,WK,PK5000	Patch Panel/Furniture Faceplate Label, 0.61" x 0.33", Laser/Dot-Matrix, White	M	1000	\$	75.56
07498360001	<b>CR2-M</b>	ClosedConnectorRing,0.33"long,Nat,PK1000	Panduit CR2-M Closed Cable Tie Connector Ring Mounts connect multiple wire bundles or hang bundles from	M	1000	\$	275.08
07498360021	<b>CR4H-M</b>	ClosedConnectorRing,0.57in.L,Nat,PK1000	Panduit CR4H-M Closed Cable Tie Connector Ring Mounts connect multiple wire bundles or hang bundles fro	M	1000	\$	389.53
07498358921	<b>CR4H-M0</b>	ClosedConnectorRing,0.57in.L,WRBL,PK1000	Panduit CR4H-M0 Closed Cable Tie Connector Ring Mounts connect multiple wire bundles or hang bundles fr	M	1000	\$	435.33
07498358922	<b>CR4H-M30</b>	ClosedConnectorRing,0.57inL,HSBL,PK1000	Panduit CR4H-M30 Closed Cable Tie Connector Ring Mounts connect multiple wire bundles or hang bundles	M	1000	\$	435.33
07498360044	<b>CROS-M</b>	CbleTieMnt,OpenConnRing,Nat,PK1000	Open Cable Tie Connector Ring, Natural.	M	1000	\$	526.93
07498395532	<b>CS125-14SL-QY</b>	CuMechlug,SFT,#2-1/0AWG,1/4StudPKG25Y	One-hole, copper, single barrel, straight floating tongue lug, slotted screw, #2 - 1/0 AWG, 1/4 (6.4mm) stud h	C	100	\$	943.61
07498325200	<b>CS1LG6</b>	Duct Corner Strip, 6' Lgth, LG, 6ft	Panduit® duct corner strip, 6' length for use with all types of PVC wiring duct, cut by user to fit duct height, lig	FT	1	\$	5.64
07498381426	<b>CSC1LG6</b>	1" Bend Radius Corner Strip, 6'L, LG,6ft	Panduit® duct corner strip with 1" bend radius control, 6' length for use with all types of PVC wiring duct, cut-	FT	1	\$	10.46
07498360091	<b>CSCS-M</b>	CbleTieMnt,CbleSpcer-Cross,Nat,PK1000	Panduit CSCS-M Cable Spacer Crosses allow you to connect two bundles at 90 degrees. They also separate	M	1000	\$	703.95
07498379056	<b>CSEH15A30-C0</b>	CableSpacer,EH,WRBL,PK100	Panduit CSEH15A30-C0 Heavy Duty Cable Spacer Crosses are designed to accommodate hoses or cable b	C	100	\$	82.01
07498360092	<b>CSH-D0</b>	CbleTieMnt,CbleSpcer,WRBL,PK500	Panduit CSH-D0 Weather Resistant Cable Spacers are designed to separate or hand cords, cables and tubin	M	1000	\$	1,048.15
07498360095	<b>CSH-D20</b>	CbleTieMnt,CbleSpcer,BL,PK500	Panduit CSH-D20 Cable Spacers are designed to separate or hang cords, cables and tubing. For use with Pa	M	1000	\$	1,000.38
07498348642	<b>CSMS-D71</b>	CbleTieMnt,CbleSpcer,PEEK,PK500	Panduit CSMS-D71 PEEK Cable Spacers are designed to separate or hang cords, cables and tubing in high t	M	1000	\$	2,902.06
61305626071	<b>CSS35-14-C</b>	Copper Mechanical Lug, 1 Hole, 1 Barrel,		C	100	\$	367.94
61305626070	<b>CSS35-36-C</b>	Copper Mechanical Lug, 1 Hole, 1 Barrel,		C	100	\$	342.01
07498342065	<b>CST114-157</b>	Cable Stripping Tool,EA	Cable stripping tool for stripping insulation from cables 3/16" to 1 9/16" diameter. Includes replacement cuttin	PC	1	\$	166.65
07498342066	<b>CST114-157B</b>	Blade Kit,Replacement,CST114-157,EA	Blade Kit Replacement for CST114-157	PC	1	\$	44.00
07498322560	<b>CST115</b>	Wire Stripper, plier type,EA	Plier nose wire stripper.	PC	1	\$	39.04
07498300982	<b>CT-1000</b>	FerruleCrimpTool,Semiauto,StripsWire,EA	The CT-1000 Contour Crimp™ Ferrule Crimp Tool has a trapezoid profile. The innovative rapid load design u	PC	1	\$	507.99
07498376435	<b>CT-1002</b>	FerruleCrimp,26-10AWG,Trapezoid,CntrlCyc	The CT-1002 Contour Crimp™ Ferrule Crimp Tool has a trapezoid profile. The controlled-cycle mechanism a	PC	1	\$	507.99
07498376436	<b>CT-1003</b>	FerruleCrimp,22-8AWG,Trapezoid,CntrlCyc	The CT-1003 Contour Crimp™ Ferrule Crimp Tool has a trapezoid profile. The controlled-cycle mechanism a	PC	1	\$	507.99
07498376437	<b>CT-1004</b>	FerruleCrimp,8-6AWG,Trapezoid,CntrlCyc	The controlled cycle crimp tool has a trapezoidal profile and is designed for strength and durability. It is intend	PC	1	\$	507.99
07498376438	<b>CT-1005</b>	FerruleCrimp,4-2AWG,ControlCycle,EA	The CT-1005 Contour Crimp™ Ferrule Crimp Tool has a trapezoid profile. The controlled-cycle mechanism a	PC	1	\$	507.99
07498376439	<b>CT-1006</b>	FerruleCrimpTool,Insul and non-insul,EA	Controlled cycle crimp tool with trapezoid profile for Panduit #1 AWG (50.0mm <sup>2</sup> ) insulated and non-insulated f	PC	1	\$	533.40
61305676451	<b>CT-100B</b>	Crimp Tool, plier type, crimps Panduit I	The CT-100B Pan-Term hand crimping tool is an excellent all-around application tool of heat-treated finished	PC	1	\$	83.78
07498353247	<b>CT-1015</b>	CrimpTool,14AWG,CntrlCycl,DblCmpDscn,EA	Crimps Panduit #22 - 14 AWG loose piece Supra-Grip™ Disconnects.	PC	1	\$	639.11
61305618124	<b>CT-1090</b>	Controlled Cycle Ferrule Crimp Tool .EA	Controlled Cycle Ferrule Crimp tool with square profile for #26 - 10 AWG (0.14-6.0mm <sup>2</sup> ) insulated and non-ins	PC	1	\$	484.90
07498371748	<b>CT-1104</b>	Ferrule,Crimp Tool,EA	Controlled cycle crimp tool with square profile for Panduit #8 - 6 AWG (10.0 - 16.0mm <sup>2</sup> ) insulated and non-in	PC	1	\$	507.99
07498371749	<b>CT-1123</b>	FerruleCrimp,8-6AWG,SquareProfl,CntrlCyc	The CT-1123 Contour Crimp™ Ferrule Crimp Tool has a square profile. The controlled-cycle mechanism ass	PC	1	\$	507.99
61305618122	<b>CT-1160</b>	CntrlCycFerrCrimpToolw/PLLocator,Hex,EA	The CT-1160 Contour Crimp™ Ferrule Crimp Tool has a hexagon profile and crimps Pan-Term® single wire	PC	1	\$	470.44
61305618123	<b>CT-1170</b>	CntrlCycFerrCrimpToolw/PLLocator,Sq,EA	The CT-1170 Contour Crimp™ Ferrule Crimp Tool has a square profile. The controlled-cycle mechanism ass	PC	1	\$	470.44
61305677732	<b>CT-1250</b>	Manual Crimping tool for #1 AWG to 250, K	Panduit CT-1250 is a simple easy to use hand crimping tool that crimps #1, 1/0, 2/0, and 4/0 AWG connector	PC	1	\$	966.10
07498372543	<b>CT-1525</b>	TermCrimp,CtrlCycle,26-22T,22-10D/D,EA	The CT-1525 Contour Crimp™ Terminal Crimp Tool crimps insulated terminals, splices, disconnects and, ins	PC	1	\$	461.81
07498353243	<b>CT-1550</b>	TermCrimp,CtrlCycle,22-10T/S/D,EA	The CT-1550 Contour Crimp™ Terminal Crimp Tool crimps non-Pan-Term® insulated terminals, splices, an	PC	1	\$	461.81

0749835354	CT-1551	Crimp Tool,insulated Terms,Disc,Sp,EA	The CT-1551 Contour Crimp™ Terminal Crimp Tool crimps insulated terminals, splices, disconnects and, ins	PC	1	\$	461.81
0749835324	CT-1570	TermCrimp,CtrlCycle,NonInsT/S/D/L,EA	The CT-1570 Contour Crimp™ Terminal Crimp Tool crimps non-insulated terminals, splices, disconnects and	PC	1	\$	461.81
07498385009	CT-160	CrimpTool,PlierType,Terms,Dis,Spl,EA	Crimps most Panduit #22 – 10 AWG insulated and non-insulated terminals disconnects and splices. Cuts three	PC	1	\$	72.96
07498372650	CT-1700	Crimp Tool,Controlled Cycle,EA	The CT-1700 Contour Crimp Controlled Cycle Tool provides a controlled cycle mechanism assuring a high qu	PC	1	\$	412.24
07498372651	CT-1701	TermCrimp,CtrlCycle,NonInsHDLgRngTrm,EA	The CT-1701 Controlled Cycle Tool features a controlled-cycle crimping ratchet mechanism along with a ergo	PC	1	\$	412.24
07498385001	CT-200	Crimp Tool, Plier Type,non-insul,EA	Crimps most Panduit #22 – 10 AWG non-insulated terminals, disconnects and splices. Cuts #22 – 10 AWG w	PC	1	\$	76.06
61305664034	CT-2002CH	6 Ton Hydraulic Crimp Head	6 Ton Hydraulic Crimp Head	PC	1	\$	2,120.78
61305617218	CT-2300/AUS	MicroCrimpTool,1.7Ton,AUS,EA	The Panduit® BlackFin® Battery Powered Micro-crimping Tool crimps 65 percent faster than a manual crimp	PC	1	\$	1,317.74
61305617215	CT-2300/ST	MicroCrimpTool,1.7Ton,USA,EA	The CT-2300/ST BlackFin® Battery Powered Crimping Tool has interchangeable crimp dies for terminating m	PC	1	\$	1,197.91
61305616915	CT-2500/L	BLKFinCrimpTool,1.7Ton,USA,EA	The Panduit® BlackFin® Crimping Tool is built with an innovative in-line ergonomic design requires less hand	PC	1	\$	3,178.55
61305623488	CT-2500/LBC	BATTERY, 10.8 VDC, EA	BATTERY, 10.8 VDC	PC	1	\$	238.16
61305623489	CT-2500/LCHR	CHARGER 10.8 VDC, 120 VAC USA, EA	CHARGER 10.8 VDC, 120 VAC USA	PC	1	\$	270.29
07498300969	CT-2500BC	RechargeToolBattery,CT-2500-CT-2600,EA	Rechargeable tool battery for use with the CT-2500 and CT-2600.	PC	1	\$	998.14
07498311194	CT-2500CH	CrimpHeadFrame,CT-2500,CD-525,550,570,EA	Crimp head frame to be used with die inserts CD-525, CD-550 or CD-570 (sold separately).	PC	1	\$	756.18
07498300970	CT-2500CHR	BatteryCharger,US,CT-2500-CT-2600,EA	U.S. compatible battery charger for use with the CT-2500 and the CT-2600.	PC	1	\$	1,256.49
61305618128	CT-2504CH	CrimpHeadFrame usew/ CT-2500, EA	Crimp Head for use with Panduit CT-2500, CT-2500/E, CT-2500/L and CT-2500/LE crimp tools. Crimps Pan	PC	1	\$	702.11
61305618127	CT-2523CH	CrimpHeadFrame usew/ 26-8AWG,CT-2500, EA	Crimps Panduit #26 - 8 AWG (0.14 - 10.0mm2) insulated and non-insulated ferrules and #22 - 12 AWG (0.50	PC	1	\$	735.53
07498300972	CT-2525CH	CrimpHead,CT-2500,Fullyinsulated,EA	Crimps Panduit #22 – 10 AWG fully insulated disconnects and insulated parallel splices.	PC	1	\$	856.65
07498300973	CT-2550CH	CrimpHead,CT-2500,Terms,Dis,Spl,EA	Crimps Panduit #22 – 10 AWG insulated terminals, disconnects, and splices.	PC	1	\$	786.34
07498300974	CT-2570CH	CrimpHead,CT-2500,Non-insulated,EA	Crimps Panduit #22 – 10 AWG non-insulated terminals, disconnects, and splices.	PC	1	\$	856.65
07498385013	CT-260	Term Crimp Tool,Plier Type,22-10AWG,EA	Crimps most Panduit #22 – 10 AWG insulated and non-insulated terminals. Cuts #22 – 10 AWG wire.	PC	1	\$	79.05
61305616977	CT-2600/L	BLKFinCrimpTool,4Ton,USA,EA	The CT-2600/L BlackFin® Battery Powered Crimping Tool quickly terminates bare, vinyl insulated, and KYN	PC	1	\$	3,446.93
61305675765	CT-2902BPHP/ST	Industrial, Hydraulic Pump, 10KPSI, Batt	Pump, 10KPSI, Battery Operated, 110V Charger & amp; 2 Batteries	PC	1	\$	8,342.40
61305675415	CT-2902BPHP/TO	Industrial, Hydraulic Pump, 10KPSI, Batt	Pump, 10KPSI, Battery Operated, Tool Only	PC	1	\$	6,945.45
61305675741	CT-2902RFS	Battery Pump, Remote Foot Switch	Remote Foot Switch for CT-2902BPHP Battery Pump	PC	1	\$	1,010.16
61305675416	CT-2902RPS	Battery Pump, Remote Pendant Switch		PC	1	\$	479.40
61305617233	CT-2920/CCP	BLKFinMultiTool,12Ton,USA,EA	The Panduit® BlackFin® Crimping Tool crimps, cuts and punches with just the touch of a button. Thanks to a	PC	1	\$	8,944.84
61305617189	CT-2920/CCPINT	BLKFinMultiTool,12Ton,INT,EA	The Panduit® BlackFin® Crimping Tool crimps, cuts and punches with just the touch of a button. Thanks to a	PC	1	\$	9,118.73
61305617228	CT-2931/ST	BLKFinCrimpTool,12Ton,USA,EA	The CT-2931/ST BlackFin® Battery Powered Crimping Tool crimps with just the touch of a button. Wires can	PC	1	\$	7,485.19
61305617229	CT-2931/STCV	BLKFinCrimpTool,PVC,12Ton,USA,EA	The Panduit® BlackFin® Crimping Tool crimps with just the touch of a button. Dies even change out quickly a	PC	1	\$	8,389.58
61305617143	CT-2931/STCVINT	BLKFinCrimpTool,PVC,12Ton,INT,EA	The Panduit® BlackFin® Crimping Tool crimps with just the touch of a button. Dies even change out quickly a	PC	1	\$	8,466.31
61305617142	CT-2931/STINT	BLKFinCrimpTool,12Ton,INT,EA	The Panduit® BlackFin® Crimping Tool crimps with just the touch of a button. Dies even change out quickly a	PC	1	\$	7,856.33
07498319554	CT-2940/L	CT-2940 Crimp Tool,Die Type,15 Ton,EA	Die type 15 ton crimping tool, 18V lithium-ion battery powered, 120 VAC charger, Jaw opening: 2" (50.8mm),	PC	1	\$	10,559.73
61305617232	CT-2940/ST	BLKFinCrimpTool,15Ton,USA,EA	The Panduit® BlackFin® Crimping Tool crimps with just the touch of a button. Dies even change out quickly a	PC	1	\$	9,894.29
61305617185	CT-2940/STINT	BLKFinCrimpTool,15Ton,INT,EA	The Panduit® BlackFin® Crimping Tool crimps with just the touch of a button. Dies even change out quickly a	PC	1	\$	9,049.60
61305617231	CT-2980/ST	BLKFinCrimpTool,6.2Ton,USA,EA	The CT-2980/ST BlackFin® Battery Powered Crimping Tool crimps with just the touch of a button. Wires can	PC	1	\$	7,701.20
61305617183	CT-2980/STINT	BLKFinCrimpTool,6.2Ton,INT,EA	The Panduit® BlackFin® 4-point Indenter Dieless Crimping Tool crimps with just the touch of a button. Wires	PC	1	\$	8,160.25
07498385002	CT-300-1	Crimp Tool,Fullyinsulated,Rgt,Dis,EA	Crimps Panduit #22 – 14 AWG fully insulated right angle disconnects (DNFR-FIB series).	PC	1	\$	553.29
61305617151	CT-3001/CCP	BLKFinMultiTool,6.7Ton,USA,EA	The CT-3001/CCP BlackFin® Battery Powered Crimp Tool designed to operate using crimp dies, cutting blad	PC	1	\$	3,659.10
61305617152	CT-3001/CCPINT	BLKFinMultiTool,6.7Ton,INT,EA	Introducing the Panduit® BlackFin® 3-in-1 in-line Lithium-ion Hydraulic Crimp, Cut and Punch Tool. Adapters	PC	1	\$	4,386.68
61305617227	CT-3001/ST	BLKFinCrimpTool,6.7Ton,Die,USA,EA	The CT-3001/ST BlackFin® Battery Powered Crimp Tool crimps easily with a 360-degree rotating flip-top crim	PC	1	\$	4,156.15
61305617225	CT-3001/STINT	BLKFinCrimpTool,6.7Ton,Die,INT,EA	Introducing the Panduit® BlackFin® 3-in-1 in-line Lithium-ion Hydraulic Crimp Tool. Adapters and dies change	PC	1	\$	4,623.06
07498320333	CT-310	CrimpTool, controlcycle,EA	Blue handle tool crimps Panduit #22 – 10 AWG heat shrink insulated terminals, disconnects, and splices.	PC	1	\$	440.84
61305617230	CT-3980	BLKFinCrimpTool,6.7Ton,Dieless,USA,EA	The CT-3980 BlackFin® Battery Powered Crimp Tool crimps easily with a 360-degree rotating flip-top crim h	PC	1	\$	5,184.10
61305617160	CT-3980/INT	BLKFinCrimpTool,6.7Ton,Dieless,INT,EA	Introducing the Panduit® BlackFin® In-line Lithium-ion Dieless Hydraulic Crimp Tool. Terminations are quick	PC	1	\$	5,437.53
61305677520	CT-810	Manual Crimping tool for #8 to 1/0 AWG L	The Panduit CT-810 is a simple and easy to use hand crimping tool that crimps #8, #6, #4, #2, #1, and 1/0 A	PC	1	\$	673.01
07498391459	CT-900HPH	Hydraulic Hose,CT-901HP, 10' (3.05m)	Electrically non-conductive 10' hose compatible with Panduit CT-901HP hydraulic pump and CT-930CH, CT-9	PC	1	\$	789.04
07498384057	CT-900LPHPH	Hydraulic Hose,CT-8250HP, 10' (3.05m)	Electrically non-conductive 10' hose compatible with Panduit CT-8250HP hydraulic pump and CT-930LPHCH a	PC	1	\$	837.99
61305617007	CT-902HP	Industrial 115V 10K PSI System Hydraulic	System Hydraulic	PC	1	\$	6,248.98
61305617009	CT-902HP-5K	industrial 115V 5K PSI System Hydraulic		PC	1	\$	6,873.86
61305617010	CT-902HP-5K220	220V 5K PSI System Hydraulic Pump (Must		PC	1	\$	6,421.56
61305631594	CT-902HP-5KRFS	5K PSI PUMP, FOOT SWITCH 115V		PC	1	\$	7,902.10
61305617008	CT-902HP220	220V 10K PSI System Hydraulic Pump (Must		PC	1	\$	6,742.63
61305631593	CT-902HPRCH	PUMP, REMOTE CRIMP HANDLE		PC	1	\$	7,963.84
61305632085	CT-902HPRFS	Pump, 10K PSI, 115V with Remote Foot Swi		PC	1	\$	7,901.60
61305617012	CT-902RCH	Remote Crimp Handle (High Pressure Only)		PC	1	\$	1,800.84
61305617011	CT-902RFS	Remote Foot Switch for CT-902HP, CT-902H		PC	1	\$	1,735.28
61305623446	CT-920	CrmpTool,HandOpd,CtrlDCY,EA	The CT-920 Manual Hydraulic Crimp Tool is a hand-operated and light weight hydraulic crimping tool that is m	PC	1	\$	3,705.25
61305617221	CT-920/CV	12 TON MANUAL HYDRAULIC TOOL, EA	Manual Hydraulic Crimping Tools, 12 Ton.	PC	1	\$	4,301.84
61305623445	CT-920CH	BLKFinCrimpTool,RemoteHydraulic,14ton,EA	When partnered as a complete Panduit set, the Panduit® BlackFin® Crimping Tool provides continuous crim	PC	1	\$	2,797.09
61305623447	CT-920CH/CCP	12 TON HYDRAULIC CRIMP HEAD, 9.75lbs,EA	12-ton 3-in-1 hydraulic, Crimp, Cut & Punch Universal Crimp head. Crimps Panduit copper compression lugs	PC	1	\$	3,740.99
61305617220	CT-920CH/CV	12 TON HYDRAULIC CRIMP HEAD, 10lbs, EA	12-ton hydraulic crimp head. C-head covered with PVC insulation. Crimps Panduit copper compression lugs a	PC	1	\$	2,844.24
07498380294	CT-930LPCH	BLKFinCrimpTool,RemoteHydraulic,10ton,EA	When partnered as a complete Panduit set, the Panduit® BlackFin® Crimping Tool provides continuous crim	PC	1	\$	2,708.73
07498358929	CT-940CH	BLKFinCrimpTool,RemoteHydraulic,15ton,EA	When partnered as a complete Panduit set, the Panduit® BlackFin® Crimping Tool provides continuous crim	PC	1	\$	5,569.39
6130567443	CT-940CH/BJO	15 Ton Crimp Head with 90 Degree Fitting	15 Ton Crimp Head with 90 Degree Fitting	PC	1	\$	5,214.66
61305656992	CT-940CHHAN	Handle Plate Assembly		PC	1	\$	491.13
07498338387	CT-980	Crimp Tool,Dieless,6.2 Ton,EA	The CT-980 Uni-Die™ Dieless Crimping Tool provides a cushioned grip to help prevent hands from slipping o	PC	1	\$	4,505.05
07498338388	CT-980CH	BLKFinCrimpTool,RemoteHydraulic,6ton,EA	When partnered as a complete Panduit set, the Panduit® BlackFin® 4-point Indenter Dieless Crimping Tool p	PC	1	\$	4,127.59
61305623486	CT-CHRMK120V	120VAC MAKITA LI-ION BATTERY CHARGER, EA	120VAC Charger for 18 volt Battery Makita with Type A Plug(North America only)	PC	1	\$	371.33
61305675612	CT-CHRMK12VDC	12 VDC MAKITA LI-ION AUTOMOTIVE BATTERY	12 VDC Makita LI-Ion Automotive Battery Charger	PC	1	\$	362.95
61305623505	CT-CHRMK230VINT	230 VAC MAKITA LI-ION CHARGER,Cplug,EA	230V Charger for 18 volt Makita Battery with Type C Plug (International Use).	PC	1	\$	371.33
61305623537	CT-LIBCMK3AH	BATTERY, 18VDC, MAKITA, 3.0A-Hr, EA	Replacement Makita Li-Ion 18V, 3AH battery (North America Use)	PC	1	\$	387.50
61305623450	CT-LIBCMK3AHINT	INT BATTERY, 18VDC, MAKITA, 3.0A-Hr, EA	Replacement Makita Li-Ion 18V, 3AH battery (International Use)	PC	1	\$	416.76
61305675613	CT-LIBCMK4AH	18VDC, MAKITA, 4.0 A-Hr USA	18 VDC, 4.0 Ah Makita Battery, North America	PC	1	\$	331.06
61305620041	CT-USB	Data Reader, Tool to FINS Software,EA	Data reader for transmitting data from tool to FINS software.	PC	1	\$	1,063.48
07498391120	CTAP2-2-X	CTAP,#2 AWG Run,#2 AWG Tap,10PK	C-Type copper compression taps, type CTAP, #2 AWG Run, #2 AWG Tap, 10pc.	C	100	\$	1,129.49
07498391119	CTAP2-4-Q	CTAP,#2-4 AWG SOL STR Run,Tap,25PK	C-Type copper compression taps, type CTAP, #2 AWG Run, #4 AWG Tap, 25pc.	C	100	\$	1,129.49

07498382130	<b>CTAP2/0-2-X</b>	CTAP, 1/0-2/0 AWG Run, #8-#2 AWG Tap, 10PK	The CTAP2/0-2-X Compression Connector Tap provides high-strength and premium electrical properties. It is	C	100	\$	2,625.30
07498382131	<b>CTAP2/0-2/0-X</b>	CTAP, 1/0-2/0 AWG STR Run, Tap, 10PK	C-type copper compression taps, type CTAP, 1/0 - 2/0 AWG Run, 1/0 - 2/0 AWG Tap, 10pc.	C	100	\$	2,625.30
07498391118	<b>CTAP4-4-L</b>	CTAP's, Heavy Duty, #4 AWG, 50PK	C-Type copper compression taps, type CTAP, #4 AWG, 50pc.	C	100	\$	838.68
07498391117	<b>CTAP4-6-L</b>	CTAP, #6 AWG, #4 AWG Run, #6 AWG Tap, 50PK	C-Type copper compression taps, type CTAP, #6 AWG, 50pc.	C	100	\$	696.51
07498382132	<b>CTAP4-8-L</b>	CTAP's, Heavy Duty run, #6-#4 AWG, 50PK	C-Type copper compression taps, type CTAP, #8 AWG, 50pc.	C	100	\$	838.68
07498383950	<b>CTAP4/0-2-X</b>	CTAP, 4/0-2 AWG STR Run, Tap, 10PK	The CTAP4/0-2-X Compression Connector Tap provides high-strength and premium electrical properties. It is	C	100	\$	3,298.91
07498383949	<b>CTAP4/0-2/0-X</b>	CTAP, 3/0-4/0AWG Run, 1/0-2/0 AWG Tap, 10PK	C-Type copper compression taps, type CTAP, 4/0 AWG Run, 10pc.	C	100	\$	3,298.91
07498391121	<b>CTAP4/0-4/0-X</b>	CTAP, 3/0-4/0 AWG STR Run, Tap, 10PK	The CTAP4/0-4/0-X Compression Connector Tap provides high-strength and premium electrical properties. It	C	100	\$	3,496.88
07498359976	<b>CTAPF1-12-C</b>	CTAP, #3-#1 AWG Run, #12-#3 AWG Tap, 100PK	C-Type copper thin wall compression tap, type CTAPF, #1 AWG - #12 AWG.	C	100	\$	833.64
07498359977	<b>CTAPF1/0-12-L</b>	CTAP, 2-1/0 AWG Run, 1-2AWG Tap, 50PK	The CTAPF1/0-12-L Compression Connector Tap provides high-strength and premium electrical properties. I	C	100	\$	1,062.89
07498379350	<b>CTAPF10-16-C</b>	CTAP, #2-1/0 AWG Run, #12-#2 AWG Tap, 100PK	C-Type copper thin wall compression tap, type CTAPF, #10 AWG - #16 AWG.	C	100	\$	355.13
07498359975	<b>CTAPF2-12-C</b>	CTAP, 4-2 AWG Run, 1-4 AWG Tap, 100PK	The CTAPF2-12-C Compression Connector Tap provides high-strength and premium electrical properties. It	C	100	\$	728.50
07498359978	<b>CTAPF2/0-12-Q</b>	CTAP, #1-2/0 AWG Run, #12-#1 AWG Tap, 25PK	C-Type copper thin wall compression tap, type CTAPF, 2/0 AWG - #12 AWG.	C	100	\$	1,255.46
07498359974	<b>CTAPF3-12-C</b>	CTAP, #5-#3 AWG Run, #12-#5 AWG Tap, 100PK	C-Type copper thin wall compression tap, type CTAPF, #3 AWG - #12 AWG.	C	100	\$	620.76
07498359979	<b>CTAPF3/0-12-Q</b>	CTAP, 1/0-3/0 AWG Run, 12-1/0 AWG Tap, PK25	C-Type copper thin wall compression tap, type CTAPF, 3/0 AWG - #12 AWG.	C	100	\$	1,337.19
07498359973	<b>CTAPF4-12-C</b>	CTAP, 6-4 AWG Run, 12-6 AWG Tap, 100PK	C-Type copper thin wall compression tap, type CTAPF.	C	100	\$	504.09
07498359972	<b>CTAPF6-12-C</b>	CTAP, 8-6 AWG Run, 12-8 AWG Tap, 100PK	C-Type copper thin wall compression tap, type CTAPF, #6 AWG - #12 AWG.	C	100	\$	419.75
07498359971	<b>CTAPF8-12-C</b>	CTAP, #10-#8 AWG Run, #12 - #10AWG Tap, 100PK	C-Type copper thin wall compression tap, type CTAPF, #8 AWG - #12 AWG.	C	100	\$	401.70
61305610807	<b>CTAPR2-2-X</b>	C-Style CU Comp Conn, #6 AWG Sol- #2 AWG	The CTAPR2-2-X Compression Connector Tap provides high-strength and premium electrical properties. It is	C	100	\$	1,058.83
61305614290	<b>CTAPR2/0-2-X</b>	C-Style CU Comp Conn, #1 AWG Str- 2/0	C-Style CU Comp Conn, #1 AWG Str- 2/0 AWG Str, 3/8" Rod (M); #6 AWG Sol- #2 AWG Str (T)	C	100	\$	2,206.45
61305614291	<b>CTAPR2/0-2/0-X</b>	C-Style CU Comp Conn, #1 AWG Str- 2/0	The CTAPR2/0-2-X Compression Connector Tap provides high-strength and premium electrical properties. It	C	100	\$	2,206.45
61305614292	<b>CTAPR250-2/0-6</b>	C-Style CU Comp Conn, 3/0 AWG Str- 250	The CTAPR250-2/0-6 Compression Connector Tap provides high-strength and premium electrical properties.	C	100	\$	3,124.93
61305623556	<b>CTAPR250-250-6</b>	C-Style CU Comp Conn, 3/0 AWG Str- 250	The CTAPR250-250-6 Compression Connector Tap provides high-strength and premium electrical properties	C	100	\$	3,124.93
61305623557	<b>CTAPR500-2/0-6</b>	C-Style CU Comp Conn, 300 kcmil- 500 k	The CTAPR500-2/0-6 Compression Connector Tap provides high-strength and premium electrical properties.	C	100	\$	4,755.45
61305623558	<b>CTAPR500-250-6</b>	C-Style CU Comp Conn, 300 kcmil- 500 k	The CTAPR500-250-6 Compression Connector Tap provides high-strength and premium electrical properties	C	100	\$	4,755.45
61305623559	<b>CTAPR500-500-6</b>	C-Style CU Comp Conn, 300 kcmil- 500 k	The CTAPR500-500-6 Compression Connector Tap provides high-strength and premium electrical properties	C	100	\$	5,361.30
61305666970	<b>CTFP-100</b>	Pneumatic Ferrule Crimping Tool for 12 -	The CTFP-100 is a pneumatic, benchtop ferrule crimp press for #12 - #8 AWG (4 - 10 mm2) loose piece fer	PC	1	\$	1,400.30
61305666968	<b>CTFP-25</b>	Pneumatic Ferrule Crimping Tool for 26 -	The CTFP-25 is a pneumatic, benchtop ferrule crimp press for #24 - #14 AWG (0.25 - 2.5 mm2) loose piece	PC	1	\$	1,183.20
61305666969	<b>CTFP-40</b>	Pneumatic Ferrule Crimping Tool for 26 -	The CTFP-40 is a pneumatic, benchtop ferrule crimp press for #24 - #12 AWG (0.25 - 4 mm2) loose piece f	PC	1	\$	1,400.30
07498345679	<b>CTH35U08-C30</b>	CTH, PushMount, .35" dia, PK100	Corrugated tubing holder push mount with umbrella, .35" (9mm) nominal diameter.	C	100	\$	33.65
07498345322	<b>CTH38U10-C30</b>	CTH, PushMount, .38" dia, PK100	Corrugated tubing holder push mount with umbrella, .38" (10mm) nominal diameter.	C	100	\$	37.24
07498345323	<b>CTH50U13-C30</b>	CTH, PushMount, .50" dia, PK100	Corrugated tubing holder push mount with umbrella, .50" (13mm) nominal diameter.	C	100	\$	38.85
07498345324	<b>CTH62U17-C30</b>	CTH, PushMount, .62" dia, PK100	Corrugated tubing holder push mount with umbrella, .62" (17mm) nominal diameter.	C	100	\$	40.75
07498345325	<b>CTH87U22-C30</b>	CTH, PushMount, .87" dia, PK100	Corrugated tubing holder push mount with umbrella, .87" (22mm) nominal diameter.	C	100	\$	42.53
07498344116	<b>CVR2-1</b>	Black H-tap Cover, w/HTCT2-2, EA	Black HTAP cover, use with HTCT2-2, CTAP2-4, CTAP2-2, and CTAP2/0-2.	C	100	\$	1,387.21
07498343877	<b>CVR250-1</b>	Black H-tap Cover, w/HTCT250-200, EA	Black HTAP cover, use with HTCT250-250 and CTAP2/0-2/0.	C	100	\$	1,585.33
07498391413	<b>CW-12-Q</b>	Belleville Washer, 1/2" Bolt PKG 25	Belleville compression washer, 1.18" diameter.	C	100	\$	323.59
07498391410	<b>CW-14-L</b>	Belleville Washer, 1/4" Bolt PKG 50	Belleville compression washer, .68" diameter.	C	100	\$	241.84
07498391412	<b>CW-38-L</b>	Belleville Washer, 3/8" Bolt PKG 50	Belleville compression washer, .93" diameter.	C	100	\$	241.84
07498364621	<b>CWD2LG6</b>	2 CWD, PVC, 3.35x2.57, LG, 6ft	PanelMax, 6 corner wiring duct, 3.35W x 2.57 H, .2 (5.0mm) slot width, light gray.	FT	1	\$	28.66
07498364623	<b>CWD2WH6</b>	2 CWD, PVC, 3.35x2.57, WHT, 6ft	PanelMax, 6 corner wiring duct, 3.35W x 2.57 H, .2 (5.0mm) slot width, white.	FT	1	\$	30.08
07498365229	<b>CWD3LG6</b>	3 CWD, PVC, 4.40x3.57, LG, 6ft	The CWD3LG6 Panduct® PanelMax™ Corner Wiring Duct is an innovative wire management product that m	FT	1	\$	34.34
07498365193	<b>CWD3WH6</b>	3 CWD, PVC, 4.40x3.57, WHT, 6ft	PanelMax, 6 corner wiring duct, 4.40W x 3.57 H, .2 (5.0mm) slot width, white.	FT	1	\$	34.34
07498365328	<b>CWD4LG6</b>	4 CWD, PVC, 5.33x4.58, LG, 6ft	The CWD4LG6 Panduct® PanelMax™ Corner Wiring Duct is an innovative wire management product that m	FT	1	\$	41.15
07498365317	<b>CWD4WH6</b>	4 CWD, PVC, 5.33x4.58, WHT, 6ft	PanelMax, 6 corner wiring duct, 5.33W x 4.58 H, .2 (5.0mm) slot width, white.	FT	1	\$	41.15
07498303047	<b>CXS125-14-Q</b>	CuMechLug, #4-1/0AWG, 1/4Stud PKG25	One-hole, copper, single barrel, straight fixed tongue lug, #4 - 1/0 AWG, 1/4 (6.4mm) stud hole.	C	100	\$	654.76
07498387833	<b>CXS35-36-C</b>	CuMechLug, SFT, #14-#6AWG, 3/16Stud PKG100	The CXS35-36-C Mechanical Connector Lug one-hole copper, single barrel, is made from high strength elect	C	100	\$	233.46
07498387867	<b>CXS35-36T-C</b>	CuMechLug, Tin-Plate, 14-6AWG, 3/16, PKG100	One-hole, copper, single barrel, straight fixed tongue, tin-plated lug, #14 - #6 AWG, 3/16 (4.8mm) stud hole.	C	100	\$	242.40
07498383730	<b>CXS70-14-C</b>	CuMechLug, SFT, #14-#4AWG, 1/4Stud PKG100	The CXS70-14-C Mechanical Connector Lug one-hole copper, single barrel, is made from high strength elect	C	100	\$	367.94
07498383731	<b>CXS70-14T-C</b>	CuMechLug, Tin-Plate, 14-4AWG, 1/4, PKG100	One-hole, copper, single barrel, straight fixed tongue, tin-plated lug, #14 - #4 AWG, 1/4 (6.4mm) stud hole.	C	100	\$	401.08
07498382750	<b>D-250A-C</b>	Disconnect Adapter, NonIns, 2Fem, 1Male, 100	The vibration resistant disconnect adapter in metallic brass couples two female tabs and one male tab all size	C	100	\$	94.94
07498321085	<b>D1.5X2LG6</b>	Round Hole Duct, PVC, 1.5X2X6', LG, 6ft	Panduct® flush cover type D round hole wiring duct, 1.5 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	7.79
07498321095	<b>D1.5X3BL6</b>	Round Hole Duct, PVC, 1.5X3X6', BLK, 6ft	Panduct® flush cover type D round hole wiring duct, 1.5 W x 3 H, 6' length, PVC, black.	FT	1	\$	10.54
07498321100	<b>D1.5X3LG6</b>	Round Hole Duct, PVC, 1.5X3X6', LG, 6ft	Panduct® flush cover type D round hole wiring duct, 1.5 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	10.06
07498321105	<b>D1.5X3WH6</b>	Round Hole Duct, PVC, 1.5X3X6', WHT, 6ft	Panduct® flush cover type D round hole wiring duct, 1.5 W x 3 H, 6' length, PVC, white.	FT	1	\$	10.54
07498321115	<b>D1.5X4LG6</b>	Round Hole Duct, PVC, 1.5X4X6', LG, 6ft	The D1.5X4LG6 Panduct Lead-Free PVC Round Hole Wiring Duct is designed with multiple rows of holes to r	FT	1	\$	11.44
07498382205	<b>D10-250-D</b>	Disconnect, Fm, Nln, .250x.032, 12-10AWG, 500	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	M	1000	\$	463.93
07498382204	<b>D10-250-L</b>	Disconnect, Fm, Nlns, .250x.032, 12-10AWG, 500	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	C	100	\$	124.85
07498382491	<b>D10-250M-D</b>	Disconnect, Ml, Nln, .250x.032, 12-10AWG, 500	The vibration resistant male disconnect in metallic copper helps overcome the failures caused by high vibrati	M	1000	\$	403.45
07498364588	<b>D14-187-M</b>	Disconnect, F, Nln, .187x.032, 16-14AWG, 1000	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	M	1000	\$	281.31
07498382208	<b>D14-188-C</b>	Disconnect, F, Nln, .187x.020, 16-14AWG, 1000	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	C	100	\$	75.68
07498382209	<b>D14-188-M</b>	Disconnect, F, Nln, .187x.020, 16-14AWG, 1000	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	M	1000	\$	281.31
07498382202	<b>D14-250-C</b>	Disconnect, F, Nln, .250x.032, 16-14AWG, 1000	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	C	100	\$	74.28
07498382203	<b>D14-250-M</b>	Disconnect, F, Nln, .250x.032, 16-14AWG, 1000	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	M	1000	\$	267.93
07498382216	<b>D14-250MB-M</b>	Disconnect, M, Nln, .250x.032, 16-14AWG, 1000	The vibration resistant male tab disconnect in metallic brass helps overcome the failures caused by high vibra	M	1000	\$	224.66
07498364586	<b>D18-187-M</b>	Disconnect, F, Nln, .187x.032, 22-18AWG, 1000	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	M	1000	\$	281.31
07498382206	<b>D18-188-C</b>	Disconnect, F, Nln, .187x.020, 22-18AWG, 1000	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	C	100	\$	75.68
07498382207	<b>D18-188-M</b>	Disconnect, F, Nln, .187x.020, 22-18AWG, 1000	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	M	1000	\$	281.31
07498382200	<b>D18-250-C</b>	Disconnect, F, Nln, .250x.032, 22-18AWG, 1000	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	C	100	\$	75.78
07498382201	<b>D18-250-M</b>	Disconnect, F, Nln, .250x.032, 22-18AWG, 1000	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	M	1000	\$	281.31
07498382218	<b>D18-250MB-M</b>	Disconnect, M, Nln, .250x.032, 22-18AWG, 1000	The vibration resistant male tab disconnect in metallic brass helps overcome the failures caused by high vibra	M	1000	\$	194.41
07498321160	<b>D1X2LG6</b>	Round Hole Duct, PVC, 1X2X6', LG, 6ft	Panduct® flush cover type D round hole wiring duct, 1 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	7.24
07498321170	<b>D1X3BL6</b>	Round Hole Duct, PVC, 1X3X6', BLK, 6ft	Panduct® flush cover type D round hole wiring duct, 1 W x 3 H, 6' length, PVC, black.	FT	1	\$	9.81
07498321175	<b>D1X3LG6</b>	Round Hole Duct, PVC, 1X3X6', LG, 6ft	Panduct® flush cover type D round hole wiring duct, 1 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	9.33
07498321185	<b>D1X4BL6</b>	Round Hole Duct, PVC, 1X4X6', BLK, 6ft	Panduct® flush cover type D round hole wiring duct, 1 W x 4 H, 6' length, PVC, black.	FT	1	\$	12.24
07498321190	<b>D1X4LG6</b>	Round Hole Duct, PVC, 1X4X6', LG, 6ft	Panduct® flush cover type D round hole wiring duct, 1 W x 4 H, 6' length, PVC, light gray.	FT	1	\$	11.63
07498321205	<b>D2.5X3LG6</b>	Round Hole Duct, PVC, 2.5X3X6', LG, 6ft	Panduct® flush cover type D round hole wiring duct, 2.5 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	11.34

07498334878	<b>D2H6</b>	SLD Divider Wall, 2"H x6", PVC,L.G, 6ft	Panduct® solid divider wall, 2.00" nominal duct height, 6' length, PVC, light gray.	FT	1	\$	3.80
07498302321	<b>D2HWH6</b>	SLD Divider Wall, 2"H x6", PVC,WHT, 6ft	Panduct® solid divider wall, 2.00" nominal duct height, 6' length, PVC, white.	FT	1	\$	3.80
07498321235	<b>D2X2LG6</b>	Round Hole Duct, PVC, 2X2X6',L.G,6ft	Panduct® flush cover type D round hole wiring duct, 2 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	7.91
07498321240	<b>D2X2WH6</b>	Round Hole Duct, PVC, 2X2X6',WHT,6ft	Panduct® flush cover type D round hole wiring duct, 2 W x 2 H, 6' length, PVC, white.	FT	1	\$	8.29
07498321245	<b>D2X3BL6</b>	Round Hole Duct, PVC, 2X3X6',BLK,6ft	Panduct® flush cover type D round hole wiring duct, 2 W x 3 H, 6' length, PVC, black.	FT	1	\$	10.46
07498321250	<b>D2X3LG6</b>	Round Hole Duct, PVC, 2X3X6',L.G,6ft	Panduct® flush cover type D round hole wiring duct, 2 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	10.44
07498321255	<b>D2X3WH6</b>	Round Hole Duct, PVC, 2X3X6',WHT,6ft	Panduct® flush cover type D round hole wiring duct, 2 W x 3 H, 6' length, PVC, white.	FT	1	\$	10.96
07498321260	<b>D2X4BL6</b>	Round Hole Duct, PVC, 2X4X6',BLK,6ft	Panduct® flush cover type D round hole wiring duct, 2 W x 4 H, 6' length, PVC, black.	FT	1	\$	12.78
07498321265	<b>D2X4LG6</b>	Round Hole Duct, PVC, 2X4X6',L.G,6ft	The D2X4LG6 Panduct Lead-Free PVC Round Hole Wiring Duct is designed with multiple rows of holes to ret	FT	1	\$	12.15
07498321270	<b>D2X4WH6</b>	Round Hole Duct, PVC, 2X4X6',WHT,6ft	Panduct® flush cover type D round hole wiring duct, 2 W x 4 H, 6' length, PVC, white.	FT	1	\$	12.78
07498334879	<b>D3H6</b>	SLD Divider Wall, 3"H x6", PVC,L.G, 6ft	Panduct® solid divider wall, 3.00" nominal duct height, 6' length, PVC, light gray.	FT	1	\$	5.39
07498302322	<b>D3HWH6</b>	SLD Divider Wall, 3"H x6", PVC,WHT, 6ft	Panduct® solid divider wall, 3.00" nominal duct height, 6' length, PVC, white.	FT	1	\$	5.64
07498321310	<b>D3X2LG6</b>	Round Hole Duct, PVC, 3X2X6',L.G,6ft	Panduct® flush cover type D round hole wiring duct, 3 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	9.78
07498321320	<b>D3X3BL6</b>	Round Hole Duct, PVC, 3X3X6',BLK,6ft	Panduct® flush cover type D round hole wiring duct, 3 W x 3 H, 6' length, PVC, black.	FT	1	\$	12.49
07498321325	<b>D3X3LG6</b>	Round Hole Duct, PVC, 3X3X6',L.G,6ft	Panduct® flush cover type D round hole wiring duct, 3 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	11.90
07498321330	<b>D3X3WH6</b>	Round Hole Duct, PVC, 3X3X6',WHT,6ft	Panduct® flush cover type D round hole wiring duct, 3 W x 3 H, 6' length, PVC, white.	FT	1	\$	12.49
07498321335	<b>D3X4BL6</b>	Round Hole Duct, PVC, 3X4X6',BLK,6ft	Panduct® flush cover type D round hole wiring duct, 3 W x 4 H, 6' length, PVC, black.	FT	1	\$	14.78
07498321340	<b>D3X4LG6</b>	Round Hole Duct, PVC, 3X4X6',L.G,6ft	Panduct® flush cover type D round hole wiring duct, 3 W x 4 H, 6' length, PVC, light gray.	FT	1	\$	14.09
07498321345	<b>D3X4WH6</b>	Round Hole Duct, PVC, 3X4X6',WHT,6ft	Panduct® flush cover type D round hole wiring duct, 3 W x 4 H, 6' length, PVC, white.	FT	1	\$	14.78
07498334880	<b>D4H6</b>	SLD Divider Wall, 4"H x6", PVC,L.G, 6ft	Panduct® solid divider wall, 4.00" nominal duct height, 6' length, PVC, light gray.	FT	1	\$	6.29
07498302323	<b>D4HWH6</b>	SLD Divider Wall, 4"H x6", PVC,WHT, 6ft	Panduct® solid divider wall, 4.00" nominal duct height, 6' length, PVC, white.	FT	1	\$	6.58
07498321370	<b>D4X2LG6</b>	Round Hole Duct, PVC, 4X2X6',L.G,6ft	Panduct® flush cover type D round hole wiring duct, 4 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	11.84
07498321385	<b>D4X3LG6</b>	Round Hole Duct, PVC, 4X3X6',L.G,6ft	Panduct® flush cover type D round hole wiring duct, 4 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	14.68
07498321395	<b>D4X4BL6</b>	Round Hole Duct, PVC, 4X4X6',BLK,6ft	Panduct® flush cover type D round hole wiring duct, 4 W x 4 H, 6' length, PVC, black.	FT	1	\$	16.86
07498321400	<b>D4X4LG6</b>	Round Hole Duct, PVC, 4X4X6',L.G,6ft	Panduct® flush cover type D round hole wiring duct, 4 W x 4 H, 6' length, PVC, light gray.	FT	1	\$	16.08
61305664128	<b>DAP-3AMP-KIT</b>	Data Access Port 3 Amp Circuit Breaker K	Data Access Port 3 Amp Circuit Breaker Kit	PC	1	\$	18.79
61305666840	<b>DAP-5AMP-KIT</b>	Data Access Port 5 Amp Circuit Breaker K	Data Access Port 5 Amp Circuit Breaker Kit	PC	1	\$	25.05
61305664126	<b>DAP3BB-S0</b>	Data Access Port, 3in. Base w/ Black Cov	Data Access Port, 3in. Base w/ Black Cover, Simplex Outlet	PC	1	\$	160.74
61305673365	<b>DAP3BC-00</b>	Data Access Port, 3in. Base, 4 blank dat	Data Access Port, 3in. Base, 4 blank data modules, no power	PC	1	\$	164.91
61305662545	<b>DAP3BC-00-55</b>	Data Access Port, 3in. Base, Two CAT 5e	Data Access Port, 3in. Base, Two CAT 5e Couplers	PC	1	\$	172.85
61305664146	<b>DAP3BC-00-55C</b>	CUSTOM MARKING Data Access Port, 3in. Ba	Data Access Port, 3in. Base, Two CAT 5e Couplers, CUSTOM MARKING	PC	1	\$	216.06
61305673431	<b>DAP3BC-00C</b>	Data Access Port, 3in. Base, 4 blank dat	Data Access Port, 3in. Base, 4 blank data modules, no power, CUSTOM MARKING	PC	1	\$	206.14
61305664125	<b>DAP3BC-S0</b>	Data Access Port, 3in. Base, Simplex Pow	Data Access Port, 3in. Base, Simplex Outlet	PC	1	\$	164.91
61305664114	<b>DAP3BC-S0-4</b>	Data Access Port, 3in. Base, Simplex Out	Data Access Port, 3in. Base, Simplex Outlet, CAT 5e Shielded Coupler	PC	1	\$	200.40
61305664115	<b>DAP3BC-S0-4C</b>	CUSTOM MARKING Data Access Port, 3in. Ba	Data Access Port, 3in. Base, Simplex Outlet, CAT 5e Shielded Coupler, CUSTOM MARKING	PC	1	\$	250.50
61305664112	<b>DAP3BC-S0-5</b>	Data Access Port, 3in. Base, Simplex Out	Data Access Port, 3in. Base, Simplex Outlet, CAT 5e Coupler	PC	1	\$	162.83
61305664110	<b>DAP3BC-S0-5S</b>	Data Access Port, 3in. Base, Simplex Out	Data Access Port, 3in. Base, Simplex Outlet, Two CAT 5e Couplers	PC	1	\$	180.36
61305664147	<b>DAP3BC-S0-55C</b>	CUSTOM MARKING Data Access Port, 3in. Ba	Data Access Port, 3in. Base, Simplex Outlet, Two CAT 5e Couplers, CUSTOM MARKING	PC	1	\$	225.45
61305664149	<b>DAP3BC-S0-5C</b>	CUSTOM MARKING Data Access Port, 3in. Ba	Data Access Port, 3in. Base, Simplex Outlet, CAT 5e Coupler, CUSTOM MARKING	PC	1	\$	203.54
61305664111	<b>DAP3BC-S0-SU</b>	Data Access Port, 3in. Base, Simplex Out	Data Access Port, 3in. Base, Simplex Outlet, CAT 5e Coupler, USB Coupler	PC	1	\$	190.38
61305664148	<b>DAP3BC-S0-SUC</b>	CUSTOM MARKING Data Access Port, 3in. Ba	Data Access Port, 3in. Base, Simplex Outlet, CAT 5e Coupler, USB Coupler, CUSTOM MARKING	PC	1	\$	237.98
61305664116	<b>DAP3BC-S0-6</b>	Data Access Port, 3in. Base, Simplex Out	Data Access Port, 3in. Base, Simplex Outlet, CAT 6 Coupler	PC	1	\$	175.35
61305664153	<b>DAP3BC-S0-6C</b>	CUSTOM MARKING Data Access Port, 3in. Ba	Data Access Port, 3in. Base, Simplex Outlet, CAT 6 Coupler, CUSTOM MARKING	PC	1	\$	219.19
61305664163	<b>DAP3BC-S0C</b>	CUSTOM MARKING Data Access Port, 3in. Ba	Data Access Port, 3in. Base, Simplex Power, CUSTOM MARKING	PC	1	\$	200.93
61305664115	<b>DAP3BC-S3-4</b>	Data Access Port, 3in. Base, Simplex Out	Data Access Port, 3in. Base, Simplex Outlet, 3 Amp Circuit Breaker, CAT 5e Shielded Coupler	PC	1	\$	232.96
61305664152	<b>DAP3BC-S3-4C</b>	CUSTOM MARKING Data Access Port, 3in. Ba	Data Access Port, 3in. Base, Simplex Outlet, 3 Amp Circuit Breaker, CAT 5e Shielded Coupler, CUSTOM MA	PC	1	\$	291.21
61305664113	<b>DAP3BC-S3-5</b>	Data Access Port, 3in. Base, Simplex Out	Data Access Port, 3in. Base, Simplex Outlet, 3 Amp Breaker, CAT 5e Coupler	PC	1	\$	191.64
61305664150	<b>DAP3BC-S3-5C</b>	CUSTOM MARKING Data Access Port, 3in. Ba	Data Access Port, 3in. Base, Simplex Outlet, 3 Amp Breaker, CAT 5e Coupler, CUSTOM MARKING	PC	1	\$	239.54
61305664117	<b>DAP3BC-S3-6</b>	Data Access Port, 3in. Base, Simplex Out	Data Access Port, 3in. Base, Simplex Outlet, 3 Amp Breaker, CAT 6 Coupler	PC	1	\$	205.41
61305664154	<b>DAP3BC-S3-6C</b>	CUSTOM MARKING Data Access Port, 3in. Ba	Data Access Port, 3in. Base, Simplex Outlet, 3 Amp Breaker, CAT 6 Coupler, CUSTOM MARKING	PC	1	\$	256.76
61305664127	<b>DAP4BB-G0</b>	Data Access Port, 4in. Base w/ Black Cov	Data Access Port, 4in. Base w/ Black Cover, GFCI Outlet	PC	1	\$	225.45
61305676225	<b>DAP4BC-Z3-5</b>	Data Access Port, 4in. Base, US/EU Outle	Data Access Port, 4in. Base, US/EU Outlet, CAT 5e Coupler, 3 Amp Breaker	PC	1	\$	323.56
61305676223	<b>DAP4BC-F3-5</b>	Data Access Port, 4in. Base, Schuko Outle	Data Access Port, 4in. Base, Schuko Outlet, CAT 5e Coupler, 3 Amp Breaker	PC	1	\$	323.56
61305664118	<b>DAP4BC-G0</b>	Data Access Port, 4in. Base, GFCI Outlet	Data Access Port, 4in. Base, GFCI Outlet	PC	1	\$	225.45
61305664121	<b>DAP4BC-G0-4</b>	Data Access Port, 4in. Base, GFCI Outlet	Data Access Port, 4in. Base, GFCI Outlet, CAT 5e Shielded Coupler	PC	1	\$	265.53
61305664159	<b>DAP4BC-G0-4C</b>	CUSTOM MARKING Data Access Port, 4in. Ba	Data Access Port, 4in. Base, GFCI Outlet, CAT 5e Shielded Coupler, CUSTOM MARKING	PC	1	\$	331.91
61305664175	<b>DAP4BC-G0-5</b>	Data Access Port, 4in. Base, GFCI Outlet	Data Access Port, 4in. Base, GFCI Outlet, CAT 5e Coupler	PC	1	\$	237.98
61305664157	<b>DAP4BC-G0-5C</b>	CUSTOM MARKING Data Access Port, 4in. Ba	Data Access Port, 4in. Base, GFCI Outlet, CAT 5e Coupler, CUSTOM MARKING	PC	1	\$	297.48
61305664119	<b>DAP4BC-G0-SU</b>	Data Access Port, 4in. Base, GFCI Outlet	Data Access Port, 4in. Base, GFCI Outlet, CAT 5e Coupler, USB Coupler	PC	1	\$	274.30
61305664156	<b>DAP4BC-G0-SUC</b>	CUSTOM MARKING Data Access Port, 4in. Ba	Data Access Port, 4in. Base, GFCI Outlet, CAT 5e Coupler, USB Coupler, CUSTOM MARKING	PC	1	\$	342.88
61305664123	<b>DAP4BC-G0-6</b>	Data Access Port, 4in. Base, GFCI Outlet	Data Access Port, 4in. Base, GFCI Outlet, CAT 6 Coupler	PC	1	\$	230.46
61305664161	<b>DAP4BC-G0-6C</b>	CUSTOM MARKING Data Access Port, 4in. Ba	Data Access Port, 4in. Base, GFCI Outlet, CAT 6 Coupler, CUSTOM MARKING	PC	1	\$	288.08
61305664155	<b>DAP4BC-G0-C</b>	CUSTOM MARKING Data Access Port, 4in. Ba	Data Access Port, 4in. Base, GFCI Outlet, CUSTOM MARKING	PC	1	\$	281.81
61305664122	<b>DAP4BC-G3-4</b>	Data Access Port, 4in. Base, GFCI Outlet	Data Access Port, 4in. Base, GFCI Outlet, CAT 5e Shielded Coupler, 3 Amp Breaker	PC	1	\$	286.83
61305664160	<b>DAP4BC-G3-4C</b>	CUSTOM MARKING Data Access Port, 4in. Ba	Data Access Port, 4in. Base, GFCI Outlet, CAT 5e Shielded Coupler, 3 Amp Breaker, CUSTOM MARKING	PC	1	\$	358.53
61305664120	<b>DAP4BC-G3-5</b>	Data Access Port, 4in. Base, GFCI Outlet	Data Access Port, 4in. Base, GFCI Outlet, CAT 5e Coupler, 3 Amp Breaker	PC	1	\$	250.50
61305664158	<b>DAP4BC-G3-5C</b>	CUSTOM MARKING Data Access Port, 4in. Ba	Data Access Port, 4in. Base, GFCI Outlet, CAT 5e Coupler, 3 Amp Breaker, CUSTOM MARKING	PC	1	\$	313.13
61305664124	<b>DAP4BC-G3-6</b>	Data Access Port, 4in. Base, GFCI Outlet	Data Access Port, 4in. Base, GFCI Outlet, CAT 6 Coupler, 3 Amp Breaker	PC	1	\$	251.75
61305664162	<b>DAP4BC-G3-6C</b>	CUSTOM MARKING Data Access Port, 4in. Ba	Data Access Port, 4in. Base, GFCI Outlet, CAT 6 Coupler, 3 Amp Breaker, CUSTOM MARKING	PC	1	\$	314.69
61305676224	<b>DAP4BC-I3-5</b>	Data Access Port, 4in. Base, China/NZ/Au	Data Access Port, 4in. Base, China/NZ/Aus Outlet, CAT 5e Coupler, 3 Amp Breaker	PC	1	\$	354.88
61305673367	<b>DAP4BC-X0</b>	Data Access Port, 4in. Base, Internation	Data Access Port, 4in Base w/ International Faceplate insert	PC	1	\$	225.45
61305673430	<b>DAP4BC-X0-C</b>	Data Access Port, 4in. Base, Internation	Data Access Port, 4in Base w/ International Faceplate insert, CUSTOM MARKING	PC	1	\$	281.81
61305675739	<b>DAP4BC-Z3-5</b>	Data Access Port, 4in. Base, Multistanda	Data Access Port, 4in. Base, Multistandard power, 3 Amp Circuit Breaker, Cat 5e Coupler	PC	1	\$	365.31
61305673369	<b>DAP1-AUSCN</b>	Australia, China, New Zealand Socket, 10	Australia, China, New Zealand Socket, 10A - 250 VAC, for use with Panduit Data Access Port DAP4BC-X0	PC	1	\$	97.08
61305673372	<b>DAP1-FRE</b>	Franco/Belgian Socket, 16A - 250 VAC, fo	Franco/Belgian Socket, 16A - 250 VAC, for use with Panduit Data Access Port DAP4BC-X0	PC	1	\$	56.36
61305673373	<b>DAP1-MULTI</b>	Universal International Socket, 15A - 12	Universal International Socket, 15A - 127VAC, 5-6-10-13A 250VAC, for use with Panduit Data Access Port D	PC	1	\$	125.25
61305673371	<b>DAP1-SCHUKO</b>	Continental Europe "Schuko", 16A - 250	Continental Europe "Schuko", 16A - 250 VAC, for use with Panduit Data Access Port DAP4BC-X0	PC	1	\$	60.54

61305673368	<b>DAPI-UK</b>	British Socket, 13A - 250 VAC, for use w	PC	1	\$	73.06
61305673370	<b>DAPI-USEU</b>	Euro/US Socket, 15A - 127 VAC, 16A - 250	PC	1	\$	62.63
07498334877	<b>DB-C</b>	Divider Wall Mtg Base, PolyCarb, 100pcs	C	100	\$	35.83
61305656962	<b>DCJBKEY</b>	Key for RJ45 Blockout device	PC	1	\$	6.24
61305656961	<b>DCPLKEY</b>	Key for RJ45 Lock-in device	PC	1	\$	5.75
07498335993	<b>DCT</b>	Duct Cuttg Tool, 1pc	PC	1	\$	193.18
07498362312	<b>DCT-BLD</b>	DCT Replacement Blade Kit, 1pc	PC	1	\$	132.94
07498376136	<b>DFCT</b>	Duct Finger Cuttg Tool, 1pc	PC	1	\$	159.83
61305636928	<b>DGCSS</b>	Disconnect Ground Clamp - Stainless Stee	PC	1	\$	555.69
07498360101	<b>DHC1.12X1.75-D0</b>	DbIHorseClampTie, 11in,WR,BL,PK500	M	1000	\$	1,534.46
07498325207	<b>DJS1LG6</b>	Duct Joining Strip, PVC, 6', LGray	FT	1	\$	4.18
07498382629	<b>DNF10-250FI-D</b>	Disc,Fm,NyIFi,12-10AWG,.250x.032",PK500	M	1000	\$	780.00
07498382628	<b>DNF10-250FI-L</b>	Disc,Fem,NyIFi,12-10AWG,.250x.032",PK50	C	100	\$	137.43
07498334839	<b>DNF10-250FIB-2K</b>	Disconnect,Fem,NyIFi,12-10AWG,Reel2000	M	1000	\$	495.86
07498374053	<b>DNF10-250FIB-D</b>	Disconnect,Fem,NyIFi,12-10AWG,PK5000	M	1000	\$	709.78
07498374052	<b>DNF10-250FIB-L</b>	Disc,Fem,NyIFi,12-10AWG,.250x.032",PK50	C	100	\$	115.66
07498382905	<b>DNF10-250FIC-L</b>	Female Disconnect, compressor tab, nyl f	C	100	\$	148.63
07498378507	<b>DNF10-250FIMB-D</b>	Disc,M,NyIFi,12-10AWG,.250x.032",BSPK500	M	1000	\$	1,094.31
07498374477	<b>DNF10-250FIMB-K</b>	Disc,M,NyI,12-10AWG,.250x.032",BS,RL1000	M	1000	\$	873.26
07498311902	<b>DNF10-250FIMB-Q</b>	Disc,M,NyI,12-10AWG,.250x.032",BS,PK25	C	100	\$	119.30
07498382772	<b>DNF10-250M-D</b>	Disc,M,NyI,12-10AWG,.250x.032",BS,PK500	M	1000	\$	790.85
07498382771	<b>DNF10-250M-L</b>	Disc,M,NyI,12-10AWG,.250x.032",FNE,PK50	C	100	\$	160.45
07498382907	<b>DNF10250FIB-C-2K</b>	Disc,Cmpr,Fem,NyIFi,12-10AWG,Reel2000	M	1000	\$	585.10
07498382650	<b>DNF14-110-C</b>	Disc,M,NyI,12-10AWG,.250x.032",BS,RL100	C	100	\$	122.33
07498382651	<b>DNF14-110-M</b>	Disc,F,NyIBI,16-14AWG,.110x.032"FNPK1000	M	1000	\$	628.19
07498382652	<b>DNF14-111-C</b>	Disc,F,NyIBI,16-14AWG,.110x.02"FN,PK100	C	100	\$	116.53
07498382653	<b>DNF14-111-M</b>	Disc,F,NyIBI,16-14AWG,.110x.02"FN,PK1000	M	1000	\$	598.28
07498382714	<b>DNF14-187-C</b>	Disc,F,NyIBI,16-14AWG,.187x.032"FNPK100	C	100	\$	136.16
07498382715	<b>DNF14-187-M</b>	Disc,F,BINy,16-14AWG,.187x.032",1000	M	1000	\$	551.45
07498370978	<b>DNF14-187FIB-3K</b>	Disc,F,NyI,16-14AWG,.187x.032",FNE,3000	M	1000	\$	349.28
07498375980	<b>DNF14-187FIB-C</b>	Disc,Fm,NyIFiln,16-14AWG,.187x.032",1000	C	100	\$	114.19
07498375984	<b>DNF14-187FIB-M</b>	Disc,FNyIFiln,16-14AWG,.187x.032",1000	M	1000	\$	486.33
07498382720	<b>DNF14-188-C</b>	Disc,F,BINy,.187x.020",16-14AWG,100	C	100	\$	136.16
07498382721	<b>DNF14-188-M</b>	Disc,F,BINy,.187 x .020",16-14AWG,51000	M	1000	\$	551.45
07498370979	<b>DNF14-188FIB-3K</b>	Disc,F,BINy,.187x.020",16-14AWG,3000	M	1000	\$	349.28
07498375981	<b>DNF14-188FIB-C</b>	Disc,F,BINy,.187x.020",16-14AWG,Btl,100	C	100	\$	114.19
07498375985	<b>DNF14-188FIB-M</b>	Disc,F,BINy,.187 x .020",16-14AWG,BS1000	M	1000	\$	463.15
07498382644	<b>DNF14-205-C</b>	Disc,F,BINy,.187 x .020",16-14AWG,100	C	100	\$	136.16
07498382694	<b>DNF14-205FIB-3K</b>	Disc,F,BINy,.205x.020",16-14AWG,3000	M	1000	\$	366.74
07498382696	<b>DNF14-205FIB-C</b>	Disc,F,BINy,.205x.020",16-14AWG,100	C	100	\$	119.90
07498382670	<b>DNF14-205FIB-M</b>	Disc,F,BINy,.205x.020",16-14AWG,1000	M	1000	\$	510.56
07498382646	<b>DNF14-206-C</b>	Disc,F,BINy,.205x.032",16-14AWG,100	C	100	\$	136.16
07498382695	<b>DNF14-206FIB-3K</b>	Disc,F,BINy,.205x.032",16-14AWG,3000	M	1000	\$	349.28
07498382671	<b>DNF14-206FIB-C</b>	Disc,F,BINy,.205i.187x.02",16-14AWG,100	C	100	\$	117.56
07498382672	<b>DNF14-206FIB-M</b>	Disc,F,BINy,.205i.187x.02",16-14AWG,1000	M	1000	\$	486.24
07498382719	<b>DNF14-250-C</b>	Disc,F, BINy,.250x.032",16-14AWG,100	C	100	\$	116.53
07498382735	<b>DNF14-250-M</b>	Disc,F,BINy,.250x.032",16-14AWG,1000	M	1000	\$	485.95
07498311906	<b>DNF14-250FI-L</b>	Disc,F,BINy,.250x.032,16-14AWG,IGS,50	C	100	\$	123.35
07498382693	<b>DNF14-250FIB-3K</b>	Disc,F, BINy,.250x.032",16-14AWG,3000	M	1000	\$	349.28
07498382171	<b>DNF14-250FIB-C</b>	Disc,F, BINy,.250x.032",16-14AWG,BS100	C	100	\$	112.01
07498334192	<b>DNF14-250FIB-E</b>	Disc,F, BINy,.250x.032",16-14AWG,BS20	C	100	\$	138.78
07498382751	<b>DNF14-250FIB-M</b>	Disc,F, BINy,.250x.032",16-14AWG,BS1000	M	1000	\$	486.24
07498382627	<b>DNF14-250FIM-2K</b>	Disc,M,BINy,.250x.032,16-14AWG,BS2000	M	1000	\$	559.16
07498352167	<b>DNF14-250FIM-L</b>	Disc,M,BINy,.250x.032",16-14AWG,BS50	C	100	\$	111.73
07498382752	<b>DNF14-250FIM-M</b>	Disc,M,BINy,.250x.032",16-14AWG,1000	M	1000	\$	716.60
07498382417	<b>DNF14-250FIMB-D</b>	Disc,M,BINy,.250x.032,16-14AWG,BS5000	M	1000	\$	710.15
07498382313	<b>DNF14-250FIMB-K</b>	Disc,M,BINy,.250x.032,16-14AWG,BS1000	M	1000	\$	587.19
07498312035	<b>DNF14-250FIMB-Q</b>	Disc,M,OvBINy,.250x.032,16-14AWG,BS25	C	100	\$	125.71
07498382718	<b>DNF14-250M-C</b>	Disc,M,BINy,.250x.032",16-14AWG,100	C	100	\$	122.13
07498382734	<b>DNF14-250M-M</b>	Disc,M,BINy,.250x.032",16-14AWG,1000	M	1000	\$	506.43
07498382780	<b>DNF14205FIBX-2K</b>	Disc,F,BINy,Xp,.205x.032",16-14AWG,2000	M	1000	\$	459.60
07498382779	<b>DNF14206FIBX-2K</b>	Disc,F,BINy,Xp,.205x.02",16-14AWG,2000	M	1000	\$	437.71
07498382778	<b>DNF14250FIBX-2K</b>	Disc,F,BINy,Xp,.250x.032",16-14AWG,2000	M	1000	\$	437.71
07498312002	<b>DNF14250FIBX-L</b>	Disc,F,BINy,Xp,.250x.032",16-14AWG,50	C	100	\$	141.33
07498356433	<b>DNF14250FIBX-M</b>	Female Disconnect, nylon fully insulated	M	1000	\$	543.44
07498334344	<b>DNF14250FIMX-2K</b>	Disc,M,BINy,Xp,.250x.032",16-14AWG,2000	M	1000	\$	614.90
07498382704	<b>DNF18-110-C</b>	Disc,F,RdNy,.110x.032",22-18AWG,100	C	100	\$	116.53
07498382705	<b>DNF18-110-M</b>	Disc,F,RdNy,.110x.032",22-18AWG,IGS,1000	M	1000	\$	604.14
07498382679	<b>DNF18-110FIB-3K</b>	Disc,F,RdNy,.110x.032",22-18AWG,3000	M	1000	\$	401.65
07498382673	<b>DNF18-110FIB-C</b>	Disc,F,RdNy,.110x.032",22-18AWG,100	C	100	\$	112.06
07498382674	<b>DNF18-110FIB-M</b>	Disc,F,RdNy,.110x.032",22-18AWG,1000	M	1000	\$	457.41
07498382706	<b>DNF18-111-C</b>	Disc,F,RdNy,.110x.02",22-18AWG,IGS,100	C	100	\$	121.20
07498382707	<b>DNF18-111-M</b>	Disc,F,RdNy,.110x.02",22-18AWG,IGS,1000	M	1000	\$	604.14
07498382680	<b>DNF18-111FIB-3K</b>	Disc,F,RdNy,.110x.02",22-18AWG,BS,1000	M	1000	\$	401.65
07498382675	<b>DNF18-111FIB-C</b>	Disc,F,RdNy,.110x.02",22-18AWG,BS,100	C	100	\$	112.06
07498382676	<b>DNF18-111FIB-M</b>	Disc,F,RdNy,.110x.02",22-18AWG,BS1000	M	1000	\$	457.41
07498382681	<b>DNF18-112FIB-3K</b>	Disc,F,NatNy,.110x.010"22-18AWG,BS,3000	M	1000	\$	421.74
		British Socket, 13A - 250 VAC, for use with Panduit Data Access Port DAP4BC-X0	PC	1	\$	73.06
		Euro/US Socket, 15A - 127 VAC, 16A - 250 VAC, for use with Panduit Data Access Port DAP4BC-X0	PC	1	\$	62.63
		The DB-C Panduct Divider Wall Mounting Base can be mounted inside any type of Panduit PVC wiring duct to	C	100	\$	35.83
			PC	1	\$	6.24
			PC	1	\$	5.75
		The Panduit DCT Tool is a Duct Cutting Tool that is sufficient to cut Wiring Duct up to 2" in width. The tool is	PC	1	\$	193.18
		Replacement Blade and Nylon Insert for DCT.	PC	1	\$	132.94
		Duct Finger Cutting Tool.	PC	1	\$	159.83
			PC	1	\$	555.69
		Double hose clamp, holds and separates two gasoline, hydraulic, or pneumatic hoses, 11.0 (279mm) length,	M	1000	\$	1,534.46
		Duct joining strip, 6' length is cut by user to fit duct height, PVC, light gray, 6 pc. package quantity.	FT	1	\$	4.18
		The DNF10-250FI-D Pan-Term™ Disconnect is a fully insulated female disconnect with a funnel entry and me	M	1000	\$	780.00
		The DNF10-250FI-L Pan-Term™ Disconnect is a fully insulated female disconnect with a funnel entry and me	C	100	\$	137.43
		The DNF10-250FIB-2K Reel Smart™ Disconnect is a continuously molded and fully insulated female disconn	M	1000	\$	495.86
		The DNF10-250FIB-D Pan-Term™ Disconnect is a fully insulated female disconnect with a funnel entry. The i	M	1000	\$	709.78
		The DNF10-250FIB-L Pan-Term™ Disconnect is a fully insulated female disconnect with a funnel entry. The i	C	100	\$	115.66
		Female compressor tab disconnect, nylon fully insulated, 12 - 10 AWG, 250 X .032, standard package.	C	100	\$	148.63
		The vibration resistant male disconnect tab is made of copper and is nickel-plated. It is fully insulated in a yello	M	1000	\$	1,094.31
		The vibration resistant male tab disconnect is made of copper and is nickel-plated. It is fully insulated in a yell	M	1000	\$	873.26
		The vibration resistant male tab disconnect is made of copper and is nickel-plated. It is fully insulated in a yell	C	100	\$	119.30
		The vibration resistant male tab disconnect is made of base metal copper and nickel-plated. It is barrel insula	M	1000	\$	790.85
		The vibration resistant male tab disconnect is made of base metal copper and is nickel-plated. It is barrel insu	C	100	\$	160.45
		The vibration resistant female disconnect compressor is made of brass and is tin-plated. It is fully insulated in	M	1000	\$	585.10
		The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a blue, nyl	C	100	\$	122.33
		The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a blue, nyl	M	1000	\$	628.19
		The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a blue, nyl	C	100	\$	116.53
		The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a blue, nyl	M	1000	\$	598.28
		The vibration resistant female disconnect in is made of brass and is tin-plated. It is barrel insulated in a blue,	C	100	\$	136.16
		The vibration resistant female is made of brass and is tin-plated. It is barrel insulated in a blue, nylon housing,	M	1000	\$	551.45
		The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, stan	M	1000	\$	349.28
		The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, nyl	C	100	\$	114.19
		The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, nylon	M	1000	\$	486.33
		The vibration resistant female is made of brass and is tin-plated. It is barrel insulated in a blue, nylon housing,	C	100	\$	136.16
		The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a blue, nyl	M	1000	\$	551.45
		The vibration resistant female is made of brass and is tin-plated. It is fully insulated in a blue, standard recept	M	1000	\$	349.28
		The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, nylon	C	100	\$	114.19
		The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, nylon	M	1000	\$	463.15
		The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a blue, nyl	C	100	\$	136.16
		The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a blue, nyl	M	1000	\$	366.74
		The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a blue, stan	C	100	\$	119.90
		The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, nylon	M	1000	\$	510.56
		The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a blue, nyl	C	100	\$	136.16
		The vibration resistant female disconnect is made of brass and housed in blue, fully insulated nylon standard r	M	1000	\$	349.28
		The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, nylon	C	100	\$	117.56
		The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, nylon	M	1000	\$	486.24
		The DNF14-250-C Pan-Term™ Disconnect is a female disconnect with a nylon insulated barrel and funnel en	C	100	\$	116.53
		The DNF14-250-M Pan-Term™ Disconnect is a female disconnect with a nylon insulated barrel and funnel en	M	1000	\$	485.95
		The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, nylon	C	100	\$	123.35
		The DNF14-250FIB-3K Reel Smart™ Disconnect is a continuously molded and fully insulated female disconn	M	1000	\$	349.28
		The DNF14-250FIB-C Pan-Term® Disconnect is a fully insulated, female disconnect with a funnel entry. The i	C	100	\$	112.01
		The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, nylon	C	100	\$	138.7

07498382708	<b>DNF18-187-C</b>	Disc,F,RdNy,.187x.032",22-18AWG,IGS,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a red, nylon	C	100	\$	121.99
07498382709	<b>DNF18-187-M</b>	Disc,F,RdNy,.187x.032",22-18AWG,IGS,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a red, nylon	M	1000	\$	530.73
07498370974	<b>DNF18-187FIB-3K</b>	Disc,F,RdNy,.187x.032",22-18AWG,BS,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, nylon	M	1000	\$	349.28
07498375978	<b>DNF18-187FIB-C</b>	Disc,F,RdNy,.187x.032",22-18AWG,BS,PK100	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, nylon	C	100	\$	113.04
07498375982	<b>DNF18-187FIB-M</b>	Disc,F,RdNy,.187x.032",22-18AWG,BS,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, nylon	M	1000	\$	457.41
07498382700	<b>DNF18-188-C</b>	Disc,F,RdNy,.187x.020",22-18AWG,IGS,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a red, nylon	C	100	\$	121.99
07498382701	<b>DNF18-188-M</b>	Disc,F,RdNy,.187x.020",22-18AWG,IGS,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a red, nylon	M	1000	\$	505.45
07498370975	<b>DNF18-188FIB-3K</b>	Disc,F,RdNy,.187x.020",22-18AWG,BS,3000	The DNF18-188FIB-3K Reel Smart™ Disconnect is a continuously molded and fully insulated female disconnect	M	1000	\$	349.28
07498375979	<b>DNF18-188FIB-C</b>	Disc,F,RdNy,.187x.020",22-18AWG,BS,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, stand	C	100	\$	113.04
07498375983	<b>DNF18-188FIB-M</b>	Disc,F,RdNy,.187x.020",22-18AWG,BS,1000	The DNF18-188FIB-M Pan-Term™ Disconnect is a fully insulated female disconnect with a funnel entry. The	M	1000	\$	459.28
07498382640	<b>DNF18-205-C</b>	Disc,F,RdNy,.205x.032",22-18AWG,IGS,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a red, nylon	C	100	\$	121.99
07498382691	<b>DNF18-205FIB-3K</b>	Disc,F,RdNy,.205x.032",22-18AWG,BS,3000	The DNF18-205FIB-3K Reel Smart™ Disconnect is a continuously molded and fully insulated female disconnect	M	1000	\$	349.28
07498311802	<b>DNF18-205FIB-L</b>	Disc,F,RdNy,.205x.032",22-18AWG,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, nylon	C	100	\$	118.70
07498382666	<b>DNF18-205FIB-M</b>	Disc,F,RdNy,.205x.032",22-18AWG,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, nylon	M	1000	\$	486.24
07498382642	<b>DNF18-206-C</b>	Disc,F,RdNy,.205x.02",22-18AWG,IGS,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a red, nylon	C	100	\$	121.99
07498382692	<b>DNF18-206FIB-3K</b>	Disc,F,RdNy,.205x.02",22-18AWG,3000	The DNF18-206FIB-3K Reel Smart™ Disconnect is a continuously molded and fully insulated female disconnect	M	1000	\$	349.28
07498312220	<b>DNF18-206FIB-L</b>	Disc,F,RdNy,.205x.02",22-18AWG,BS,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, nylon	C	100	\$	118.70
07498382668	<b>DNF18-206FIB-M</b>	Disc,F,RdNy,.205x.02",22-18AWG,BS,1000	The DNF18-206FIB-M Pan-Term™ Disconnect is a fully insulated female disconnect with a funnel entry. The	M	1000	\$	486.24
07498382702	<b>DNF18-250-C</b>	Disc,F,RdNy,.250x.032",22-18AWG,100	The DNF18-250-C Pan-Term™ Disconnect is a female disconnect with a nylon insulated barrel and funnel en	C	100	\$	116.18
07498382703	<b>DNF18-250-M</b>	Disc,F,RdNy,.250x.032",22-18AWG,IGS,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a red, nylon	M	1000	\$	486.24
07498312038	<b>DNF18-250FI-L</b>	Disc,F,RdNy,.250x.032",22-18AWG,IGS,50	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, nylon	C	100	\$	129.53
07498376149	<b>DNF18-250FI-M</b>	Disc,F,RdNy,.250x.032",22-18AWG,IGS,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, nylon	M	1000	\$	492.90
07498382690	<b>DNF18-250FIB-3K</b>	Disc,F,RdNy,.259x.032",22-18AWG,3000	The DNF18-250FIB-3K Reel Smart™ Disconnect is a continuously molded and fully insulated female disconnect	M	1000	\$	349.28
07498382711	<b>DNF18-250FIB-C</b>	Disc,F,RdNy,.250x.032",22-18AWG,BS,100	The DNF18-250FIB-C Pan-Term™ Disconnect is a fully insulated female disconnect with a funnel entry. The i	C	100	\$	113.04
07498334196	<b>DNF18-250FIB-E</b>	Disc,F,RdNy,.250x.032",22-18AWG,BS,20	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, nylon	C	100	\$	140.08
07498382769	<b>DNF18-250FIB-M</b>	Disc,F,RdNy,.250x.032",22-18AWG,BS,1000	The DNF18-250FIB-M Pan-Term™ Disconnect is a fully insulated, female disconnect with a funnel entry. The	M	1000	\$	486.24
07498382631	<b>DNF18-250FIM-2K</b>	Disc,M,RdNy,.250x.032",22-18AWG,BS,2000	The DNF18-250FIM-2K Reel Smart™ Disconnect is a continuously molded and fully insulated male disconnect	M	1000	\$	559.16
07498352169	<b>DNF18-250FIM-L</b>	Disc,M,RdNy,.250x.032",22-18AWG,BS,50	The DNF18-250FIM-L Pan-Term™ Disconnect is a fully insulated male disconnect with a funnel entry. The int	C	100	\$	111.73
07498382770	<b>DNF18-250FIM-M</b>	Disc,M,RdNy,.250x.032",22-18AWG,1000	The DNF18-250FIM-M Pan-Term™ Disconnect is a fully insulated male disconnect with a funnel entry. The in	M	1000	\$	716.60
07498382416	<b>DNF18-250FIMB-D</b>	Disc,M,RdNy,.250x.032",22-18AWG,BS,500	The vibration resistant male tab disconnect is made of brass and is nickel-plated. It is fully insulated in a red,	M	1000	\$	710.15
07498382314	<b>DNF18-250FIMB-K</b>	Disc,M,RdNy,.250x.032",22-18AWG,BS,1000	The DNF18-250FIMB-K Reel Smart™ Disconnect is a continuously molded and fully insulated male disconnect	M	1000	\$	587.19
07498382419	<b>DNF18-250FIMB-L</b>	Disc,M,RdNy,.250x.032",22-18AWG,OVH,1000	The vibration resistant male tab disconnect is made of brass and is nickel-plated. It is fully insulated in a red,	C	100	\$	123.01
07498382712	<b>DNF18-250M-C</b>	Disc,M,RdNy,.250x.032",22-18AWG,IGS,100	The vibration resistant male tab disconnect is made of copper and is nickel-plated. It is barrel insulated in a re	C	100	\$	122.13
07498382713	<b>DNF18-250M-M</b>	Disc,M,RdNy,.250x.032",22-18AWG,IGS,1000	The vibration resistant male tab disconnect is made of copper and is nickel-plated. It is barrel insulated in a re	M	1000	\$	508.43
07498382777	<b>DNF18205FIBX-2K</b>	Disc,F,RdNyXp,.205x.032",22-18AWG,2000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, nylon	M	1000	\$	459.60
07498382776	<b>DNF18206FIBX-2K</b>	Disc,F,RdNy,Xp,.205x.02",22-18AWG,2000	The DNF18206FIBX-2K Reel Smart™ Disconnect is a continuously molded and fully insulated female disconnect	M	1000	\$	437.71
07498382775	<b>DNF18250FIBX-2K</b>	Disc,F,RdNy,.250x.032",22-18AWG,BS,2000	The DNF18250FIBX-2K Reel Smart™ Disconnect is a continuously molded and fully insulated female disconnect	M	1000	\$	437.71
07498311992	<b>DNF18250FIBX-L</b>	Disc,F,RdNy,.250x.032",22-18AWG,BS,PK50	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a red, nylon	C	100	\$	134.60
07498356425	<b>DNF18250FIBX-M</b>	Female Disconnect, nylon fully insulated	Female Disconnect, (standard receptacle housings and expanded wire entry area for large wire insulation o.d.	M	1000	\$	559.73
07498334343	<b>DNF18250FIMX-2K</b>	Disc,M,RdNy,Xp,.250x.032",22-18AWG,2000	The vibration resistant male tab disconnect is made of brass and is nickel-plated. It is fully insulated in a red,	M	1000	\$	645.64
07498312465	<b>DNFR14-205B-L</b>	Disc,F,RA,BINy,.205x.032",16-14AWG,50	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is insulated in	C	100	\$	138.43
07498382664	<b>DNFR14-205B-M</b>	Disc,F,RA,BINy,.205x.032",16-14AWG,1000	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is insulated in	M	1000	\$	677.94
07498312026	<b>DNFR14-205FIB-L</b>	Disc,F,RA,BINy,.205x.032",16-14AWG,50	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	C	100	\$	137.38
07498312464	<b>DNFR14-206B-L</b>	Disc,F,RA,BINy,.205x.020",16-14AWG,50	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is insulated in	C	100	\$	138.43
07498312025	<b>DNFR14-206FIB-L</b>	Disc,F,RA,BINy,.205x.020",16-14AWG,BS50	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	C	100	\$	137.38
07498312457	<b>DNFR14-250B-L</b>	Dis,F,RA,BINy,.205x.032",16-14AWG,50	The DNFR14-250B-L Pan-Term Disconnect is a nylon insulated, right angle, female disconnect with a funnel	C	100	\$	136.03
07498382662	<b>DNFR14-250B-M</b>	Dis,F,RA,BINy,.205x.032",16-14AWG,1000	The DNFR14-250B-M Pan-Term Disconnect is a nylon insulated, right angle, female disconnect with a funnel	M	1000	\$	645.66
07498312023	<b>DNFR14-250FIB-L</b>	Dis,F,RA,Flns,BINy,.205x.032",16-14AWG,50	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	C	100	\$	130.85
07498382619	<b>DNFR14-250FIB-M</b>	Dis,F,RA,Flns,BINy,.205x.032",16-14AWG,1000	The DNFR14-250FIB-M Pan-Term™ Disconnect is a fully insulated, right angle female disconnect with a funn	M	1000	\$	673.15
07498378945	<b>DNFR14205FIB-KD</b>	Disc,F,RA,BINy,.205x.032",16-14AWG,1500	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	M	1000	\$	619.83
07498378947	<b>DNFR14206FIB-KD</b>	Disc,F,RA,BINy,.205x.020",16-14AWG,1000	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	M	1000	\$	590.30
07498378940	<b>DNFR14250FIB-KD</b>	Dis,F,RA,BINy,.205x.032",16-14AWG,1500	The DNFR14250FIB-KD Reel Smart™ Disconnect is a continuously molded, fully insulated, right angle femal	M	1000	\$	590.30
07498312463	<b>DNFR18-205B-L</b>	Dis,F,RA,RdNy,.205x.032",22-18AWG,BS50	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is insulated in	C	100	\$	138.43
07498382661	<b>DNFR18-205B-M</b>	Dis,F,RA,RdNy,.205x.032",22-18AWG,BS,1000	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is insulated in	M	1000	\$	677.94
07498312000	<b>DNFR18-205FIB-L</b>	Dis,F,RA,Flns,RdNy,.205x.032",22-18AWG,50	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	C	100	\$	138.61
07498382609	<b>DNFR18-205FIB-M</b>	Dis,F,RA,Flns,RdNy,.205x.032",22-18AWG,1000	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	M	1000	\$	713.33
07498312803	<b>DNFR18-206B-L</b>	Dis,F,RA,RdNy,.205x.02",22-18AWG,50	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is insulated in	C	100	\$	138.43
07498382660	<b>DNFR18-206B-M</b>	Dis,F,RA,RdNy,.205x.02",22-18AWG,1000	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is insulated in	M	1000	\$	677.94
07498311999	<b>DNFR18-206FIB-L</b>	Dis,F,RA,Flns,RdNy,.205x.02",22-18AWG,50	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	C	100	\$	138.61
07498382611	<b>DNFR18-206FIB-M</b>	Dis,F,RA,Flns,RdNy,.205x.02",22-18AWG,1000	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	M	1000	\$	679.35
07498312458	<b>DNFR18-250B-L</b>	Dis,F,RA,Fln,RdNy,.250x.032",22-18AWG,50	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is insulated in	C	100	\$	131.83
07498382659	<b>DNFR18-250B-M</b>	Dis,F,RA,Fln,RdNy,.250x.032",22-18AWG,1000	The DNFR18-250B-M Pan-Term Disconnect is a nylon insulated, right angle, female disconnect with a funnel	M	1000	\$	645.66
07498311803	<b>DNFR18-250FIB-L</b>	Dis,F,RA,Fln,RdNy,.25x.032",22-18AWG,BS50	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	C	100	\$	132.01
07498382613	<b>DNFR18-250FIB-M</b>	Dis,F,RA,Fln,RdNy,.250x.032",22-18AWG,1000	The DNFR18-250FIB-M Pan-Term™ Disconnect is a fully insulated, right angle female disconnect with a funn	M	1000	\$	679.35
07498378957	<b>DNFR18205FIB-KD</b>	Dis,F,RA,RdNy,.205x.032",22-18AWG,BS,1500	The DNFR18205FIB-KD Reel Smart™ Disconnect is a continuously molded, fully insulated, right angle femal	M	1000	\$	590.30
07498378959	<b>DNFR18206FIB-KD</b>	Dis,F,RA,RdNy,.205x.02",22-18AWG,1500	The DNFR18206FIB-KD Reel Smart™ Disconnect is a continuously molded, fully insulated, right angle femal	M	1000	\$	590.30
07498378952	<b>DNFR18250FIB-KD</b>	Dis,F,RA,Fln,RdNy,.250x.032",22-18AWG,1500	The DNFR18250FIB-KD Reel Smart™ Disconnect is a continuously molded, fully insulated, right angle femal	M	1000	\$	590.30
07498368741	<b>DNG14-187FB-3K</b>	SpGrp,FDis,BINy,.187x.032",16-14AWG,3000	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in blue nylon. It has	M	1000	\$	488.85
07498312039	<b>DNG14-187FB-L</b>	SpGrp,FDis,BINy,.187x.032",16-14AWG,50	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in blue nylon. It has	C	100	\$	158.25
07498312040	<b>DNG14-188FB-L</b>	SpGrp,FDis,BINy,.187x.02",16-14AWG,50	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in blue nylon. It has	C	100	\$	158.25
07498351345	<b>DNG14-250FB-3K</b>	SpGrp,FDis,BINy,.250x.032",16-14AWG,3000	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in blue nylon. It has	M	1000	\$	465.58
07498311980	<b>DNG14-250FB-L</b>	SpGrp,FDis,BINy,.250x.032",16-14AWG,50	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in blue nylon. It has	C	100	\$	158.25
07498351437	<b>DNG14-250FB-M</b>	SpGrp,FDis,BINy,.250x.032",16-14AWG,1000	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in blue nylon. It has	M	1000	\$	508.26
07498368740	<b>DNG18-187FB-3K</b>	SpGrp,FDis,RdNy,.187x.032",22-18AWG,3000	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in red nylon. It has	M	1000	\$	465.58
07498368750	<b>DNG18-187FB-C</b>	SpGrp,FDis,RdNy,.187x.032",22-18AWG,100	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in red nylon. It has	C	100	\$	158.25
07498368742	<b>DNG18-188FB-3K</b>	SpGrp,FDis,RdNy,.187x.020",22-18AWG,3000	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in red nylon. It has	M	1000	\$	488.85
07498368754	<b>DNG18-188FB-C</b>	SpGrp,FDis,RdNy,.187x.020",22-18AWG,100	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in red nylon. It has	C	100	\$	150.71

07498351432	<b>DNG18-250FIB-3K</b>	SpGrp,FDis,RdNy,.25x.032",22-18AWG,3000	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in red nylon. It has	M	1000	\$	465.58
07498351434	<b>DNG18-250FIB-M</b>	SpGrp,FDis,RdNy,.25x.032",22-18AWG,1000	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in red nylon. It has	M	1000	\$	484.08
07498381829	<b>DNH14-250FIB-Q</b>	Disc,Fem,Blu,HS,.250 x .032",12-10AWG,25	The female disconnect is made of brass and is tin-plated. It is fully insulated in blue heat shrink. It has a tab si	C	100	\$	239.00
07498381828	<b>DNH14-250FIM-Q</b>	Disc,Male,Blue,HS,.250x.032",16-14AWG,25	The male tab disconnect is made of brass and is nickel-plated. It is fully insulated in blue heat shrink. It has a	C	100	\$	250.94
07498381827	<b>DNH18-250FIB-Z</b>	Disc,Fem,Red,HS,.250x.032",22-18AWG,25	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in red heat shr	C	100	\$	250.94
07498381826	<b>DNH18-250FIM-Q</b>	Disc,Male,Red,HS,.250x.032",22-18AWG,25	The vibration resistant male disconnect is made of brass and is nickel-plated. It is fully insulated in red heat s	C	100	\$	250.94
07498325001	<b>DNT-100</b>	Duct Notching Tool, 1pc	For Removing Sidewalls for Intersections or bundles.	PC	1	\$	224.28
07498320337	<b>DPF10-250FI-D</b>	Disc,F,PremYINy,.25x.032",12-10AWG,500	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	M	1000	\$	1,052.16
07498334851	<b>DPF10-250FIB-2K</b>	Disc,F,PremYINy,.25x.032",12-10AWG,2000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in yellow prem	M	1000	\$	594.94
07498374055	<b>DPF10-250FIB-D</b>	Disc,F,PremYINy,.25x.032",12-10AWG,500	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	M	1000	\$	903.14
07498374054	<b>DPF10-250FIB-L</b>	Disc,F,PremYINy,.25x.032",12-10AWG,50	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	C	100	\$	141.01
07498370980	<b>DPF14-187FIB-3K</b>	Disc,F,PremBuNy,.187x.032",16-14AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in blue premiu	M	1000	\$	436.60
07498382375	<b>DPF14-205FIB-3K</b>	Dis,PBuNy,.187,205x.032",16-14AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in blue premiu	M	1000	\$	436.60
07498320394	<b>DPF14-205FIB-M</b>	Dis,PBuNy,.187,205x.032",16-14AWG,1000	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	M	1000	\$	462.64
07498382374	<b>DPF14-206FIB-3K</b>	Dis,PBuNy,.187,205x.02",16-14AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in blue premiu	M	1000	\$	436.60
07498320395	<b>DPF14-206FIB-M</b>	Dis,PBuNy,.187,205x.032",16-14AWG,1000	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	M	1000	\$	462.64
07498382373	<b>DPF14-250FIB-3K</b>	Dis,F,PBuNy,.25 x .032",16-14AWG,3000	The DPF14-250FIB-3K Reel Smart™ Disconnect is a continuously molded and fully insulated female disconn	M	1000	\$	415.81
07498320388	<b>DPF14-250FIB-C</b>	Dis,F,PBuNy,.25 x .032",16-14AWG,100	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	C	100	\$	139.58
07498320396	<b>DPF14-250FIB-M</b>	Dis,F,PBuNy,.25 x .032",16-14AWG,100	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	M	1000	\$	440.61
07498320328	<b>DPF14-250FIM-2K</b>	Dis,M,PBuNy,.25 x .032",16-14AWG,OH,3000	The vibration resistant male disconnect is made of brass and is nickel-plated. It is fully insulated in blue premi	M	1000	\$	645.89
07498320338	<b>DPF14-250FIM-M</b>	Dis,M,PBuNy,.250x.032",16-14AWG,1000	The vibration resistant DiscoGrip™ male disconnect is made of brass and is nickel-plated. It is fully insulated	M	1000	\$	710.56
07498320347	<b>DPF14-250FIMB-D</b>	Dis,M,PBuNy,.250x.032",16-14AWG,OH,5000	The vibration resistant DiscoGrip™ male disconnect is made of brass and is nickel-plated. It is fully insulated	M	1000	\$	746.20
07498320340	<b>DPF14-250FIMB-K</b>	Dis,M,PBuNy,.250x.032",16-14AWG,OH,1000	The vibration resistant male disconnect is made of brass and is nickel-plated. It is fully insulated in blue premi	M	1000	\$	717.31
07498382376	<b>DPF18-110FIB-3K</b>	Disc,F,PRdNy,.11x.032",22-18AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in red premium	M	1000	\$	486.54
07498320368	<b>DPF18-110FIB-C</b>	Disc,F,PRdNy,.11x.032",22-18AWG,100	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	C	100	\$	146.54
07498382415	<b>DPF18-111FIB-3K</b>	Disc,F,PRdNy,.11x.020",22-18AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in red premium	M	1000	\$	463.39
07498320375	<b>DPF18-111FIB-C</b>	Disc,F,PRdNy,.11x.020",22-18AWG,100	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	C	100	\$	146.54
07498320390	<b>DPF18-111FIB-M</b>	Disc,F,PRdNy,.11x.020",22-18AWG,1000	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	M	1000	\$	504.89
07498370976	<b>DPF18-187FIB-3K</b>	Dis,F,PRdNy,.187x.032",22-18AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in red premium	M	1000	\$	436.60
07498370977	<b>DPF18-188FIB-3K</b>	Dis,F,PRdNy,.187x.020",22-18AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in red premium	M	1000	\$	436.60
07498382372	<b>DPF18-205FIB-3K</b>	Dis,F,RdNy,.187,205x.032",22-18AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in red premium	M	1000	\$	436.60
07498320391	<b>DPF18-205FIB-M</b>	Dis,FRd,Ny,.205,187x.032",22-18AWG1000	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	M	1000	\$	462.64
07498382371	<b>DPF18-206FIB-3K</b>	Dis,FRd,Ny,.187,205x.02",22-18AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in red premium	M	1000	\$	415.81
07498320377	<b>DPF18-206FIB-C</b>	Dis,FRd,Ny,.205,187x.02",22-18AWG,100	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	C	100	\$	146.54
07498320392	<b>DPF18-206FIB-M</b>	Dis,FRd,Ny,.205,187x.02",22-18AWG1000	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	M	1000	\$	462.64
07498382370	<b>DPF18-250FIB-3K</b>	Dis,FRdRINy,.187,205x.02",22-18AWG3000	The DPF18-250FIB-3K Reel Smart™ Disconnect is a continuously molded and fully insulated female disconn	M	1000	\$	415.81
07498320378	<b>DPF18-250FIB-C</b>	Dis,F,PRdNy,.25x.032",22-18AWG,100	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	C	100	\$	146.54
07498320393	<b>DPF18-250FIB-M</b>	Dis,F,PRdNy,.25x.032",22-18AWG,1000	The DPF18-250FIB-M Pan-Term™ Disconnect is a fully insulated female disconnect with a funnel entry. The i	M	1000	\$	440.61
07498320329	<b>DPF18-250FIM-2K</b>	Dis,M,DisGrp,Rd,.250x.032",22-18AWG,3000	The vibration resistant male disconnect is made of brass and is nickel-plated. It is fully insulated in red premi	M	1000	\$	645.89
07498311920	<b>DPF18-250FIM-L</b>	Disc,M,DisGrp,Rd,.250x.032",22-18AWG,50	The vibration resistant DiscoGrip™ male disconnect is made of brass and is nickel-plated. It is fully insulated	C	100	\$	143.70
07498320338	<b>DPF18-250FIM-M</b>	Disc,M,DisGrp,Rd,.250x.032",22-18AWG,1000	The DPF18-250FIM-M Pan-Term™ Disconnect is a fully insulated male disconnect with a funnel entry. The in	M	1000	\$	676.73
07498320349	<b>DPF18-250FIMB-D</b>	Disc,M,DisGrp,RdOs,.250x.032",22-18AWG,500	The vibration resistant DiscoGrip™ male disconnect is made of brass and is nickel-plated. It is fully insulated	M	1000	\$	746.20
07498320642	<b>DPF18-250FIMB-K</b>	Disc,M,DisGrp,RdO,.250x.032",22-18AWG,1000	The vibration resistant male disconnect is made of brass and is nickel-plated. It is fully insulated in red premi	M	1000	\$	717.31
07498303015	<b>DPFR18205FIB-KD</b>	Disc,F,RA,NIns,.205x.032",22-18AWG,1500	The vibration resistant right angle female disconnect is made of brass and is tin-plated. It is fully insulated in r	M	1000	\$	718.00
07498303014	<b>DPFR18205FIB-KD</b>	Disc,F,RA,NIns,.250x.032",22-18AWG,1500	The vibration resistant right angle female disconnect is made of brass and is tin-plated. It is fully insulated in r	M	1000	\$	683.80
07498382756	<b>DR10-250-D</b>	Disc,F,RA,NIns,.250x.032",12-10AWG,500	The vibration resistant female disconnect is made of brass and is tin-plated. It is non-insulated in metallic hou	M	1000	\$	782.56
07498382736	<b>DR10-250-L</b>	Disc,F,RA,NIns,.250x.032",12-10AWG,50	The vibration resistant female disconnect is made of brass and is tin-plated. It is non-insulated in metallic hou	C	100	\$	138.78
07498382741	<b>DR14-250-C</b>	Disc,F,RA,NIns,.25x.032",16-14AWG,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is non-insulated in metallic hou	C	100	\$	83.25
07498382759	<b>DR14-250-M</b>	Disc,F,RA,NIns,.25 x .032",16-14AWG,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is non-insulated in metallic hou	M	1000	\$	386.28
07498382743	<b>DR18-205-C</b>	Disc,F,RA,NIns,.25 x .032",22-18AWG,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is non-insulated in metallic hou	C	100	\$	100.43
07498382765	<b>DR18-250-M</b>	Disc,F,RA,NIns,.250x.032",22-18AWG,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is non-insulated in metallic hou	M	1000	\$	405.58
07498311705	<b>DRD22LG6</b>	2 H PanelMax D Wire Duct,LG,6ft	The DRD22LG6 Panduct PanelMax DIN Rail Wiring Duct is a wire management solution that positions DIN ra	FT	1	\$	24.20
07498311707	<b>DRD22WH6</b>	2 H PanelMax D Wire Duct,WH,6ft	Panduct® PanelMax, DIN rail wiring duct (base, covers and DIN rail fasteners), 2 height, PVC, white.	FT	1	\$	24.20
07498311708	<b>DRD33LG6</b>	3 H PanelMax D Wire Duct,LG,6ft	The DRD33LG6 Panduct PanelMax DIN Rail Wiring Duct is a wire management solution that positions DIN ra	FT	1	\$	36.74
07498311709	<b>DRD33WH6</b>	3 H PanelMax D Wire Duct,WH,6ft	Panduct® PanelMax, DIN rail wiring duct (base, covers and DIN rail fasteners), 3 height, PVC, white.	FT	1	\$	36.74
07498311710	<b>DRD44LG6</b>	4 H PanelMax D Wire Duct,LG,6ft	The DRD44LG6 Panduct PanelMax DIN Rail Wiring Duct is a wire management solution that positions DIN ra	FT	1	\$	47.93
07498311711	<b>DRD44WH6</b>	4 H PanelMax D Wire Duct,WH,6ft	The DRD44WH6 Panduct PanelMax DIN Rail Wiring Duct is a wire management solution that positions DIN r	FT	1	\$	47.93
07498311546	<b>DRDWR2-X</b>	Wire Retainer for DRD22-6, 10pcs	The Panduct® PanelMax™ 2" (50.8mm) wire retainer in black is for the DRD22 DIN rail wiring duct. It is mad	PC	1	\$	3.80
07498311547	<b>DRDWR3-X</b>	Wire Retainer for DRD33-6, 10pcs	The Panduct® PanelMax™ 3" (76.2mm) wire retainer in black is for the DRD33 DIN rail wiring duct. It is mad	PC	1	\$	4.49
07498311549	<b>DRDWR4-X</b>	Wire Retainer for DRD44-6, 10pcs	The Panduct® PanelMax™ 4" (101.6mm) wire retainer in black is for the DRD44 DIN rail wiring duct. It is ma	PC	1	\$	5.30
07498325002	<b>DS1</b>	Duct Seal Compound,1lb,EA	The DS1 Oil-Based Duct Seal Compound fills irregular openings to protect from air, dust, or water while provi	PC	1	\$	6.54
07498325003	<b>DS5</b>	Duct Seal Compound,5lbs,EA	The DS5 Oil-Based Duct SealCompound seals irregular openings to protect from air, dust, or water while pro	PC	1	\$	24.74
07498379163	<b>DT14EH-L0</b>	DT CableTies,ACETAL,EX-H,48L,BLK,PK50	Panduit DT14EH-L0 Dura-Ty® Cable Ties are weather, chemical, and UV-resistant for harsh outdoor power a	C	100	\$	1,720.08
07498360966	<b>DT28EH-C0</b>	DT CableTies,ACETAL,EX-H,96L,BLK,PK100	Panduit DT28EH-C0 Dura-Ty® Cable Ties are weather, chemical, and UV-resistant for harsh outdoor power	C	100	\$	2,921.88
07498360967	<b>DT44EH-C0</b>	DT CableTies,ACETAL,EX-H,144L,BLK,PK100	Panduit DT44EH-C0 Dura-Ty® Cable Ties are weather, chemical, and UV-resistant for harsh outdoor power	C	100	\$	4,255.66
07498378908	<b>DT4EH-L0</b>	DT CableTies,ACETAL,EX-H,13.5L,BLK,PK50	Panduit DT4EH-L0 Dura-Ty® Cable Ties are weather, chemical, and UV-resistant for harsh outdoor power an	C	100	\$	223.99
07498378909	<b>DT8EH-Q0</b>	DT CableTies,ACETAL,EX-H,27L,BLK,PK25	Panduit DT8EH-Q0 Dura-Ty® Cable Ties are weather, chemical, and UV-resistant for harsh outdoor power a	C	100	\$	424.05
07498378911	<b>DTHEH-Q0</b>	DT CableTieHead,ACETAL,EX-H,BLK,PK25	Panduit DTHEH-Q0 Dura-Ty® Cable Tie Heads are weather, chemical, and UV-resistant for harsh outdoor po	C	100	\$	75.86
07498302114	<b>DTHH-Q0</b>	DT CableTieHead,ACETAL,H,BLK,PK25	Panduit DTHH-Q0 Dura-Ty® Cable Tie Heads are weather, chemical, and UV-resistant for harsh outdoor pow	C	100	\$	68.30
07498378913	<b>DTKEH-0</b>	DT CableTieKit,ACETAL,EX-H,50,BLK,EA	Panduit DTKEH-0 Dura-Ty® Cable Tie Kit is weather, chemical, and UV-resistant for harsh outdoor power an	KT	1	\$	106.21
07498301069	<b>DTKH-0</b>	DT CableTieKit,ACETAL,H,50,BLK,EA	Panduit DTKH-0 Dura-Ty® Cable Tie Kit is weather, chemical, and UV-resistant for harsh outdoor power and	KT	1	\$	95.59
07498378910	<b>DTRH-LR0</b>	DT CableTieStrap,ACETAL,EX-H,50,BLK,EA	Panduit DTRH-LR0 Dura-Ty® Cable Tie Strapping is weather, chemical, and UV-resistant for harsh outdoor	RL	1	\$	63.75
07498302115	<b>DTRH-LR0</b>	DT CableTieStrap,ACETAL,H,50,BLK,EA	Panduit DTRH-LR0 Dura-Ty® Cable Tie Strapping is weather, chemical, and UV-resistant for harsh outdoor p	RL	1	\$	57.58
07498382555	<b>DV10-250-2K</b>	Disc,F,YlwVinyl,.250x.032",12-10AWG,2000	The DV10-250-2K Reel Smart™ Disconnect is a continuously molded female disconnect with vinyl insulated	M	1000	\$	653.45
07498382105	<b>DV10-250-D</b>	Disc,F,YlwVinyl,.250x.032",12-10AWG,500	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in yellow viny	M	1000	\$	634.45
07498382104	<b>DV10-250-L</b>	Disc,F,YlwVinyl,.250x.032",12-10AWG,PK50	The DV10-250-L Pan-Term™ Disconnect is a female disconnect with a vinyl insulated barrel and funnel entry.	C	100	\$	135.10
07498372271	<b>DV10-250-C</b>	Disc,F,Com,YlVn,.250x.032",12-10AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in yellow viny	M	1000	\$	669.36



07498382410	<b>DV10-250M-L</b>	Disc,M,YlvVinyI,.250x.032",12-10AWG,PK50	The vibration resistant male disconnect is made of copper and is nickel-plated. It is barrel insulated in yellow v	C	100	\$	127.46
07498368610	<b>DV14-187B-3K</b>	Disc,F,BiVn,.187x.032"16-14AWG,BS,RL3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	M	1000	\$	347.46
07498346015	<b>DV14-187B-C</b>	Disc,F,BiVn,.187x.032"16-14AWG,BS,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	C	100	\$	95.36
07498368611	<b>DV14-188B-3K</b>	Disc,F,BiVn,.187x.02",16-14AWG,BS,RL3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	M	1000	\$	347.46
07498382540	<b>DV14-188B-C</b>	Disc,F,BiVn,.187x.02",16-14AWG,BS,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	C	100	\$	95.36
07498382553	<b>DV14-188B-M</b>	Disc,F,BiVn,.187x.02",16-14AWG,BS,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	M	1000	\$	326.13
07498382118	<b>DV14-205B-3K</b>	Disc,F,BiVn,.187/.205x.032"16-14AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	M	1000	\$	347.46
07498382119	<b>DV14-206B-3K</b>	Disc,F,BiVn,.187/.205x.02",16-14AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	M	1000	\$	347.46
07498382120	<b>DV14-250B-3K</b>	Disc,F,BiVn,.25x.032",16-14AWG,RL3000	The DV14-250B-3K Reel Smart™ Disconnect is a continuously molded female disconnect with vinyl insulate	M	1000	\$	330.94
07498382538	<b>DV14-250B-C</b>	Disc,F,BiVn,.25x.032",16-14AWG,PK100	The DV14-250B-C Pan-Term™ Disconnect is a female disconnect with a vinyl insulated barrel and funnel ent	C	100	\$	98.09
07498382551	<b>DV14-250B-M</b>	Disc,F,BiVn,.25x.032",16-14AWG,1000	The DV14-250B-M Pan-Term™ Disconnect is a female disconnect with a vinyl insulated barrel and funnel ent	M	1000	\$	335.46
07498382225	<b>DV14-250MB-C</b>	Disc,M,BiVn,.25x.032",16-14AWG,1000	The vibration resistant male disconnect is made of copper and is nickel-plated. It is barrel insulated in blue vin	C	100	\$	108.11
61305675782	<b>DV14-250P-LYY</b>	Piggyback Disconnect, vinyl barrel insul	The vibration resistant piggyback disconnect is made of brass and is tin-plated. It is barrel insulated in blue vi	C	100	\$	202.74
61305675783	<b>DV14-250P-MYY</b>	Piggyback Disconnect, vinyl barrel insul	The vibration resistant piggyback disconnect is made of brass and is tin-plated. It is barrel insulated in blue vi	M	1000	\$	865.06
07498368608	<b>DV18-187B-3K</b>	Disc,F,RdVn,.187 x .032",22-18AWG,RL3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	M	1000	\$	347.46
07498368556	<b>DV18-187B-CY</b>	Disc,M,BiVn,.187 x .032",22-18AWG,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	C	100	\$	101.95
07498368609	<b>DV18-188B-3K</b>	Disc,F,RdVn,.187x.02",22-18AWG,RL3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	M	1000	\$	347.46
07498340880	<b>DV18-188B-MY</b>	Disc,F,RdVn,.187x.02",22-18AWG,PK1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	M	1000	\$	313.65
07498382115	<b>DV18-205B-3K</b>	Disc,F,RdVn,.187/.205x.032"22-18AWG,3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	M	1000	\$	330.94
07498382116	<b>DV18-206B-3K</b>	Disc,F,RdVn.187/0.205x0.02",22-18AWG3000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	M	1000	\$	330.94
07498382117	<b>DV18-250B-3K</b>	Disc,F,RdVn,.25x .032",22-18AWG,RL3000	The DV18-250B-3K Reel Smart™ Disconnect is a continuously molded female disconnect with vinyl insulate	M	1000	\$	330.94
07498368561	<b>DV18-250B-CY</b>	Disc,F,RdVn,.25x .032",22-18AWG,BS,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	C	100	\$	92.45
07498340920	<b>DV18-250B-MY</b>	Disc,M,RdVn,.25x .032"22-18AWG,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	M	1000	\$	298.70
07498368562	<b>DV18-250MB-CY</b>	Disc,M,RdVn,.25x .032"22-18AWG,100	The vibration resistant male disconnect is made of copper and is nickel-plated. It is barrel insulated in red viny	C	100	\$	107.28
07498341028	<b>DV18-250MB-MY</b>	Disc,M,RdVn,.25x .032"22-18AWG,1000	The vibration resistant male disconnect is made of copper and is nickel-plated. It is barrel insulated in red viny	M	1000	\$	406.23
61305675784	<b>DV18-250P-LYY</b>	Piggyback Disconnect, vinyl barrel insul	The vibration resistant piggyback disconnect is made of brass and is tin-plated. It is barrel insulated in red vin	C	100	\$	202.74
61305675785	<b>DV18-250P-MYY</b>	Piggyback Disconnect, vinyl barrel insul	The vibration resistant piggyback disconnect is made of brass and is tin-plated. It is barrel insulated in red vin	M	1000	\$	856.78
07498382077	<b>DVF14-188-M</b>	Disc,F,BiVn,.205/.187x.032",16-14AWG1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	M	1000	\$	495.20
07498382072	<b>DVF14-250-C</b>	Disc,Fm,BluVin,.250x.032",16-14AWG,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	C	100	\$	118.46
07498382073	<b>DVF14-250-M</b>	Disc,Fm,BluVin,.250x.032",16-14AWG,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	M	1000	\$	471.63
07498341038	<b>DVF18-187-MY</b>	Disc,Fem,RedVin,.187x.032",22-18AWG,2000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	M	1000	\$	495.20
07498341058	<b>DVF18-188-MY</b>	Disc,F,VinRd,22-18AWG,.187x.02FN,PK1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	M	1000	\$	495.20
07498368644	<b>DVF18-250-CY</b>	Disc,F,VinRd,22-18AWG,.25x.03FN,PK100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	C	100	\$	133.44
07498341068	<b>DVF18-250-MY</b>	Disc,F,VinRd,22-18AWG,.25x.03FN,PK1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	M	1000	\$	493.06
61305634173	<b>EBNF14-4FIB-Q</b>	Fully Insulated Nylon Female Bullet Disc	StrongHold™ Female Bullet Disconnect, nylon fully insul, 16 - 14 AWG	C	100	\$	38.83
61305634174	<b>EBNF14-4FIM-Q</b>	Fully Insulated Nylon Male Bullet Disc	StrongHold™ Male Bullet Disconnect, nylon fully insul, 16 - 14 AWG	C	100	\$	38.43
61305634175	<b>EBNF18-4FIB-Q</b>	Fully Insulated Nylon Female Bullet Disc	StrongHold™ Female Bullet Disconnect, nylon fully insul, 22 - 16 AWG	C	100	\$	35.70
61305634176	<b>EBNF18-4FIM-Q</b>	Fully Insulated Nylon Male Bullet Disc	StrongHold™ Male Bullet Disconnect, nylon fully insul, 22 - 16 AWG	C	100	\$	35.70
61305634186	<b>EBV14-4B-Q</b>	Insulated Vinyl Female Bullet Disconnect	StrongHold™ Female Bullet Disconnect, vinyl insul, 16 - 14 AWG	C	100	\$	28.45
61305634180	<b>EBV14-4MB-Q</b>	Insulated Vinyl Male Bullet Disconnects	StrongHold™ Male Bullet Disconnect, vinyl insul, 16 - 14 AWG	C	100	\$	25.83
61305634185	<b>EBV18-4B-Q</b>	Insulated Vinyl Female Bullet Disconnect	StrongHold™ Female Bullet Disconnect, vinyl insul, 22 - 16 AWG	C	100	\$	26.64
61305634181	<b>EBV18-4MB-Q</b>	Insulated Vinyl Male Bullet Disconnects	StrongHold™ Male Bullet Disconnect, vinyl insul, 22 - 16 AWG	C	100	\$	24.43
07498327979	<b>EDNF10-250FI-Q</b>	Stronghold FEMALE DISCONNECT, PK25	StrongHold™ Female Disconnect, nylon fully insulated, 12 - 10 AWG, .250 x .032 tab size.	C	100	\$	50.98
07498329039	<b>EDNF10250FIMB-Q</b>	StrongholdMaDISCON,NyIFullInsul,12,PK25	StrongHold™ Male Disconnect, nylon fully insulated, 12 - 10 AWG, .250 x .032 tab size.	C	100	\$	50.98
61305634227	<b>EDNF14-187MB-Q</b>	Nylon Insulated Male Disconnect 187 Seri	StrongHold™ Male Disconnect, nylon insul, 16 - 14 AWG, .187 x .032 tab size	C	100	\$	29.13
07498327993	<b>EDNF14-188FIB-L</b>	StrongholdFemDISCON,NyIFullInsul,16,PK50	StrongHold™ Female Disconnect, nylon fully insulated, 16 - 14 AWG, .187 X .020 tab size.	C	100	\$	47.58
61305636623	<b>EDNF14-188FIB-Q</b>	StrongHoldFemDISCON,NyIFullInsul,16,PK25	StrongHold™ Female Disconnect, nylon fully insulated, 16 - 14 AWG, .187 X .020 tab size.	C	100	\$	45.30
07498327994	<b>EDNF14-250FIB-L</b>	Stronghold FEMALE DISCONNECT, PK50	StrongHold™ Female Disconnect, nylon fully insulated, 16 - 14 AWG, .250 X .032 tab size.	C	100	\$	47.58
61305636624	<b>EDNF14-250FIB-Q</b>	StrongHoldFemDISCON,NyIFullInsul,16,PK25	StrongHold™ Female Disconnect, nylon fully insulated, 16 - 14 AWG, .250 X .032 tab size.	C	100	\$	45.20
07498328139	<b>EDNF14250FIMB-L</b>	StrongholdMaDISCON,NyIFullInsul,PK50	StrongHold™ Male Disconnect, nylon fully insulated, 16 -14 AWG, .250 x .032 tab size.	C	100	\$	47.58
61305636664	<b>EDNF14250FIMB-Q</b>	StrongHoldMaDISCON,NyIFullInsul,PK25	StrongHold™ Male Disconnect, nylon fully insulated, 16 -14 AWG, .250 x .032 tab size.	C	100	\$	45.05
61305634228	<b>EDNF18-187MB-Q</b>	Nylon Insulated Male Disconnect 187 Seri	StrongHold™ Male Disconnect, nylon insul, 22 - 16 AWG, .187 x .032 tab size	C	100	\$	25.89
07498327995	<b>EDNF18-188FIB-L</b>	StrongholdFemDISCON,NyIFullInsul,22,PK50	StrongHold™ Female Disconnect, nylon fully insulated, 22 - 18 AWG, .187 x .020 tab size.	C	100	\$	44.18
61305636625	<b>EDNF18-188FIB-Q</b>	StrongHoldFemDISCON,NyIFullInsul,22,PK25	StrongHold™ Female Disconnect, nylon fully insulated, 22 - 18 AWG, .187 x .020 tab size.	C	100	\$	42.09
07498327996	<b>EDNF18-250FIB-L</b>	StrongholdFemDISCON,NyIFullInsul,22,PK50	StrongHold™ Female Disconnect, nylon fully insulated, 22 - 18 AWG, .250 X .032 tab size.	C	100	\$	44.18
61305636626	<b>EDNF18-250FIB-Q</b>	StrongHoldFemDISCON,NyIFullInsul,22,PK25	StrongHold™ Female Disconnect, nylon fully insulated, 22 - 18 AWG, .250 X .032 tab size.	C	100	\$	41.98
07498328155	<b>EDNF18250FIMB-L</b>	StrongholdMaDISCON,NyIFullInsul,22,PK50	StrongHold™ Male Disconnect, nylon fully insulated, 22 -18 AWG, .250 x .032 tab size.	C	100	\$	44.18
61305636665	<b>EDNF18250FIMB-Q</b>	StrongHoldMaDISCON,NyIFullInsul,22,PK25	StrongHold™ Male Disconnect, nylon fully insulated, 22 -18 AWG, .250 x .032 tab size.	C	100	\$	41.79
61305634156	<b>EDV10-11MB-Q</b>	Insulated Vinyl Blade Terminal for Wire	StrongHold™ Blade Terminal, vinyl insul, 12 - 10 AWG	C	100	\$	36.55
07498327980	<b>EDV10-250-Q</b>	Stronghold FEMALE DISCONNECT, PK25	StrongHold EDV10-250M-Q Contractor Grade Vinyl Insulated Female Disconnects are a reliable and econom	C	100	\$	42.09
61305634182	<b>EDV10-250FIB-Q</b>	Fully Insulated Vinyl Female - 250 Serie	StrongHold™ Female Disconnect, vinyl fully insul, 12 - 10 AWG, .250 x .032 tab	C	100	\$	32.63
07498328156	<b>EDV10-250M-Q</b>	StrongholdMaDISCON,VyIBrInInsul,12,PK25	StrongHold EDV10-250M-Q Contractor Grade Vinyl Insulated Male Disconnects are a reliable and economica	C	100	\$	32.36
61305634177	<b>EDV10-250P-Q</b>	Insulated Vinyl Piggy Back - 250 Series	StrongHold™ Piggyback Disconnect, vinyl barrel insul, 12 - 10 AWG, .250 x.032 tab	C	100	\$	33.09
61305634229	<b>EDV14-187MB-Q</b>	Vinyl Insulated Male Disconnect 187 Seri	StrongHold™ Male Disconnect, vinyl insul, 16 - 14 AWG, .187 x .032 tab size	C	100	\$	29.13
07498327997	<b>EDV14-188B-L</b>	Stronghold FEMALE DISCONNECT, PK50	StrongHold™ Female Disconnect, vinyl barrel insulated, 16 - 14 AWG, .187 X .020 tab size.	C	100	\$	33.99
61305636627	<b>EDV14-188B-Q</b>	StrongHoldFemDISCON,VyIBrInInsul,16,PK25	StrongHold™ Female Disconnect, vinyl barrel insulated, 16 - 14 AWG, .187 X .020 tab size.	C	100	\$	32.09
07498327998	<b>EDV14-250B-L</b>	Stronghold FEMALE DISCONNECT, PK50	StrongHold™ Female Disconnect, vinyl barrel insulated, 16 - 14 AWG, .250 x .032 tab size.	C	100	\$	33.99
61305636628	<b>EDV14-250B-Q</b>	StrongHoldFemDISCON,VyIBrInInsul,16,PK25	StrongHold™ Female Disconnect, vinyl barrel insulated, 16 - 14 AWG, .250 x .032 tab size.	C	100	\$	32.21
61305634183	<b>EDV14-250FIB-Q</b>	Fully Insulated Vinyl Female - 250 Serie	StrongHold™ Female Disconnect, vinyl fully insul, 16 - 14 AWG, .250 x .032 tab.	C	100	\$	29.31
07498328157	<b>EDV14-250M-L</b>	StrongholdMaDISCON,VyIBrInInsul,16,PK50	StrongHold™ Male Disconnect, vinyl barrel insulated, 16 - 14 AWG, .250 x .032 tab size.	C	100	\$	30.56
61305636666	<b>EDV14-250M-Q</b>	StrongHoldMaDISCON,VyIBrInInsul,16,PK25	StrongHold™ Male Disconnect, vinyl barrel insulated, 16 - 14 AWG, .250 x .032 tab size.	C	100	\$	29.13
61305675786	<b>EDV14-250P-LYY</b>	Piggyback Disconnect, vinyl barrel insul	StrongHold™ Piggyback Disconnect, vinyl barrel insulated, 16 - 14 AWG, .250 x .032 tab size.	C	100	\$	29.13
61305634178	<b>EDV14-250P-Q</b>	StrongHoldPBDISCON,VyIBrInInsul,16,PK25	StrongHold™ Piggyback Disconnect, vinyl barrel insulated, 16 - 14 AWG, .250 x .032 tab size.	C	100	\$	28.75
61305634157	<b>EDV14-87MB-Q</b>	Insulated Vinyl Blade Terminal for Wire	StrongHold™ Blade Terminal, vinyl insul, 16 - 14 AWG	C	100	\$	27.89
61305634230	<b>EDV18-187MB-Q</b>	Vinyl Insulated Male Disconnect 187 Seri	StrongHold™ Male Disconnect, vinyl insul, 22 - 16 AWG, .187 x .032 tab size	C	100	\$	25.68
07498328011	<b>EDV18-188B-L</b>	Stronghold FEMALE DISCONNECT, PK50	StrongHold™ Female Disconnect, vinyl barrel insulated, 22 - 18 AWG, .187 x .020 tab size.	C	100	\$	27.18
61305636629	<b>EDV18-188B-Q</b>	StrongHoldFemDISCON,VyIBrInInsul,22,PK25	StrongHold™ Female Disconnect, vinyl barrel insulated, 22 - 18 AWG, .187 x .020 tab size.	C	100	\$	25.89

07498328013	<b>EDV18-250B-L</b>	StrongholdFemDISCON,VyBrInsul,22,PK50	StrongHold™ Female Disconnect, vinyl barrel insulated, 22 - 18 AWG, .250 x .032 tab size.	C	100	\$	27.18
61305636630	<b>EDV18-250B-Q</b>	StrongHoldFemDISCON,VyBrInsul,22,PK25	StrongHold™ Female Disconnect, vinyl barrel insulated, 22 - 18 AWG, .250 x .032 tab size.	C	100	\$	25.89
61305634184	<b>EDV18-250FIB-Q</b>	Fully Insulated Vinyl Female - 250 Serie	StrongHold™ Female Disconnect, vinyl fully insul, 22 - 16 AWG, .250 x .032 tab	C	100	\$	26.10
07498328158	<b>EDV18-250M-L</b>	StrongholdMaDISCON,VyBrInsul,22,PK50	StrongHold™ Male Disconnect, vinyl barrel insulated, 22 - 18 AWG, .250 x .032 tab size.	C	100	\$	27.18
61305636667	<b>EDV18-250M-Q</b>	StrongHoldMaDISCON,VyBrInsul,22,PK25	StrongHold™ Male Disconnect, vinyl barrel insulated, 22 - 18 AWG, .250 x .032 tab size.	C	100	\$	25.68
61305675787	<b>EDV18-250P-LYY</b>	Insulated Vinyl Piggy Back - 250 Series	StrongHold™ Piggyback Disconnect, vinyl barrel insulated, 22 - 18 AWG, .250 x .032 tab size.	C	100	\$	25.89
61305634179	<b>EDV18-250P-Q</b>	StrongHoldPBDISCON,VyBrInsul,22,PK25	StrongHold™ Piggyback Disconnect, vinyl barrel insulated, 22 - 18 AWG, .250 x .032 tab size.	C	100	\$	24.43
61305634158	<b>EDV18-87MB-Q</b>	Insulated Vinyl Blade Terminal for Wire	StrongHold™ Blade Terminal, vinyl insul, 22 - 16 AWG	C	100	\$	27.86
07498328199	<b>EJN218-216-L</b>	Stronghold WIRE JOINT ,PK50	StrongHold™ Insulated Nylon Wire Joint for Wire Range 22-16	C	100	\$	27.18
61305636742	<b>EJN218-216-Q</b>	StrongHoldWireJoint,NyInsul,#22,PK25	StrongHold™ Insulated Nylon Wire Joint for Wire Range 22-16	C	100	\$	25.84
61305639481	<b>EJN314-412-Q</b>	StrongHold Wire Joint, Nylon Insul, 3 #1	StrongHold™ Insulated Nylon Wire Joint for Wire Range 22-16	C	100	\$	29.13
07498328200	<b>EJN418-212-Q</b>	Stronghold WIRE JOINT ,PK25	StrongHold™ Insulated Nylon Wire Joint for Wire Range 16-14	C	100	\$	30.56
07498358019	<b>EMA-X</b>	EMA Epoxy Mount Kit, Adhesive,PK10	The two-part epoxy cable tie mount kit in gray includes 10 epoxy cups and 10 mixer sticks. It is designed for i	PC	1	\$	7.60
61305616847	<b>EMPLUS-2GO</b>	EasyMarkLabelSoftware,USB Version	Panduit Easy-Mark Plus Labeling Software creates custom labels to suit the specific needs of the regulatory c	PC	1	\$	563.50
61305625453	<b>EMPLUS-CD</b>	EasyMarkLabelSoftware,CD-ROM Version	Panduit Easy-Mark Plus Labeling Software creates custom labels to suit the specific needs of regulatory com	PC	1	\$	501.94
61305625454	<b>EMPLUS-DL</b>	EasyMarkLabelSoftware,Download Version	Panduit Easy-Mark Plus Labeling Software creates custom labels to suit the specific needs of the regulatory c	PC	1	\$	527.03
61305625455	<b>EMPLUS-SERVER</b>	EasyMarkLabelSoftware,Server Version	Panduit Easy-Mark Plus Labeling Software creates custom labels to suit the specific needs of the regulatory c	PC	1	\$	709.40
61305616846	<b>EMPLUS-SL5</b>	Software Site License - 5	Easy-Mark Plus Software Site License for 5 Additional Users, Software.	PC	1	\$	119.40
07498358015	<b>EMS-A-C</b>	CableTieMnt,EpoxyApplied,NAT,PK100	The epoxy applied cable tie mount in natural color is affixed with EMA epoxy adhesive. It is made of nylon 6.6	C	100	\$	131.30
07498358017	<b>EMS-A-C0</b>	CableTieMnt,EpoxyApplied,WRLB,PK100	Panduit EMS-A-C0 Epoxy Applied Cable Tie Mounts provide a fast, strong, economical method to secure wir	C	100	\$	144.50
07498358016	<b>EMS-A-D</b>	CableTieMnt,EpoxyApplied,Nat,PK500	The epoxy applied cable tie mount in natural color is affixed with EMA epoxy adhesive. It is made of nylon 6.6	M	1000	\$	781.70
07498358018	<b>EMS-A-D0</b>	CableTieMnt,EpoxyApplied,WRLB,PK500	Panduit EMS-A-D0 Epoxy Applied Cable Tie Mounts provide a fast, strong, economical method to secure wir	M	1000	\$	988.23
07498358023	<b>EMSK12-4-12-X0</b>	EpoxyMntngKit,12MntsandTies,PK10	The epoxy applied cable tie mount kit in black is made of two-part epoxy and nylon 6.6, which increases mech	PC	1	\$	47.60
07498327904	<b>EMSK3-1-3-0</b>	EpoxyMntngKit,3MntsandTies,BL,PK1	The epoxy applied cable tie mount kit in black is made of two-part epoxy and nylon 6.6, which increases mech	PC	1	\$	16.33
07498358027	<b>EMSK3-1-X0</b>	EpoxyMntngKit,3 Mounts,BL,PK10	The epoxy applied cable tie mount kit in black is made of two-part epoxy and nylon 6.6, which increases mech	PC	1	\$	12.74
61305634232	<b>EQSP10-18D-Q</b>	12-10 to 18-14 AWG (4 to 0.75-2.5mm2) Qu	StrongHold™ Quick Splice, 12 - 10 to 18 - 14 AWG (4 to 0.75-1.5mm2)	C	100	\$	62.31
61305634190	<b>EQSP10-Q</b>	Insulated Vinyl Quick Splice for Wire Ra	StrongHold™ Quick Splice, vinyl insul 12 - 10 AWG	C	100	\$	48.45
61305634191	<b>EQSP14-Q</b>	Insulated Vinyl Quick Splice for Wire Ra	StrongHold™ Quick Splice, vinyl insul 16 - 14 AWG	C	100	\$	38.85
61305634233	<b>EQSP14D-Q</b>	18-14 AWG (0.75-2.5MM2) Quick Splice Blu	StrongHold™ Quick Splice, 18 - 14 AWG (0.75-2.5mm2)	C	100	\$	44.25
61305634192	<b>EQSP18-Q</b>	Insulated Vinyl Quick Splice for Wire Ra	StrongHold™ Quick Splice, vinyl insul 22 - 18 AWG	C	100	\$	36.26
61305634231	<b>EQSP18D-Q</b>	22-18 (0.5-1.0) AWG (0.5-0.75mm2) Quick	StrongHold™ Quick Splice, 22 - 18 AWG (0.5-1.5mm2)	C	100	\$	23.50
07498361030	<b>ER.5-E4-X</b>	ElasticRetnr,.50"Bdle,#4Screw,PK10	Harness elastic retainer, .50" (12.7mm) bundle, #4 screw.	PC	1	\$	21.40
07498361031	<b>ER1.25-E4-X</b>	ElasticRetnr,1.25"Bdle,#4Screw,PK10	Panduit ER1.25-E4-X Elastic Harness Board Retainers aid in maintaining a uniform height for the harness. Ca	PC	1	\$	21.96
61305645197	<b>ESBE16-C2</b>	Pan Steel 201 SS Buckles for use with ES	StrongHold ESBE16T-C2 is designed to maintain a safe and secure connection. Built with 201 stainless steel	C	100	\$	59.30
61305634163	<b>ESV10-ESV14-Q</b>	Insulated Vinyl Step-Down Butt Splice fo	StrongHold ESV10-ESV14-Q Contractor Grade Vinyl Insulated Step-Down Butt Splices are a reliable and eco	C	100	\$	293.74
61305634164	<b>ESV10-ESV18-Q</b>	Insulated Vinyl Step-Down Butt Splice fo	StrongHold ESV10-ESV18-Q Contractor Grade Vinyl Insulated Step-Down Butt Splices are a reliable and eco	C	100	\$	263.31
07498327978	<b>ESV10BX-Q</b>	StrongholdButtSpl,VyInsul,12,10AWG,PK25	StrongHold ESV10BX-Q Contractor Grade Vinyl Insulated Butt Splices are a reliable and economical option t	C	100	\$	32.36
61305634165	<b>ESV14-ESV18-Q</b>	Insulated Vinyl Step-Down Butt Splice fo	StrongHold ESV14-ESV18-Q Contractor Grade Vinyl Insulated Step-Down Butt Splices are a reliable and eco	C	100	\$	135.94
07498327981	<b>ESV14BX-L</b>	StrongholdButtSpl,VyInsul,16,14AWG,PK50	StrongHold™ Butt Splice, Vinyl Insulated, 16 - 14 AWG, Blue.	C	100	\$	29.13
61305636616	<b>ESV14BX-Q</b>	StrongHoldButtSpl,VyInsul,16,14AWG,PK25	StrongHold ESV14BX-Q Contractor Grade Vinyl Insulated Butt Splices are a reliable and economical option t	C	100	\$	28.98
07498327982	<b>ESV18BX-L</b>	StrongholdButtSpl,VyInsul,22,18AWG,PK50	StrongHold™ Butt Splice, Vinyl Insulated, 22 - 18 AWG, Red.	C	100	\$	27.18
61305636618	<b>ESV18BX-Q</b>	StrongHoldButtSpl,VyInsul,22,18AWG,PK25	StrongHold ESV18BX-Q Contractor Grade Vinyl Insulated Butt Splices are a reliable and economical option t	C	100	\$	25.74
61305634169	<b>ESV6-ESV8-Q</b>	Insulated Vinyl Step-Down Butt Splice fo	StrongHold ESV6-ESV8-Q Contractor Grade Vinyl Insulated Step-Down Butt Splices are a reliable and econo	C	100	\$	468.41
61305634170	<b>ESV8-ESV10-Q</b>	Insulated Vinyl Step-Down Butt Splice fo	StrongHold ESV8-ESV10-Q Contractor Grade Vinyl Insulated Step-Down Butt Splices are a reliable and econ	C	100	\$	455.04
61305634172	<b>ESV8-ESV14-Q</b>	Insulated Vinyl Step-Down Butt Splice fo	StrongHold ESV8-ESV14-Q Contractor Grade Vinyl Insulated Step-Down Butt Splices are a reliable and econ	C	100	\$	455.04
61305645196	<b>ESW16T76-CR2</b>	Pan Steel Custom Strapping, 201 SS, 16mm	StrongHold ESW16T76-CR2, custom stainless steel strapping can be cut to meet your project needs. Built wi	RL	1	\$	88.95
07498328020	<b>EV10-10FB-Q</b>	StrongholdForkTerm,VyInsul,12,PK25	StrongHold EV10-10FB-Q Contractor Grade Vinyl Insulated Fork Terminals are a reliable and economical opt	C	100	\$	32.36
61305634222	<b>EV10-10FNB-Q</b>	Insulated Vinyl Fork Terminal for Wire R	StrongHold™ Narrow Fork Terminal, vinyl insul, 12 - 10 AWG, #10 Stud Size	C	100	\$	36.51
07498328041	<b>EV10-10LFB-Q</b>	StrongholdLkgForkTerm,VyInsul,PK25	StrongHold™ Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #10 Stud Size.	C	100	\$	33.99
07498328185	<b>EV10-10RB-Q</b>	StrongholdRingTerm,VyInsul,12,PK25	StrongHold EV10-10RB-Q Contractor Grade Vinyl Insulated Ring Terminals are a reliable and economical op	C	100	\$	32.36
61305634193	<b>EV10-12RB-Q</b>	Insulated Vinyl Ring Terminal for Wire R	StrongHold™ Ring Terminal, vinyl insul, 12 - 10 AWG, 1/2 Stud Size	C	100	\$	32.25
07498328021	<b>EV10-14FB-Q</b>	StrongholdForkTerm,VyInsul,12,PK25	StrongHold EV10-14FB-Q Contractor Grade Insulated Fork Terminals are a reliable and economical option th	C	100	\$	32.36
07498328042	<b>EV10-14LFB-Q</b>	StrongholdLkgForkTerm,VyInsul,12,PK25	StrongHold™ Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, 1/4" Stud Size.	C	100	\$	33.99
07498328186	<b>EV10-14RB-Q</b>	StrongholdRingTerm,VyInsul,12,PK25	StrongHold EV10-14RB-Q Contractor Grade Vinyl Insulated Ring Terminals are a reliable and economical op	C	100	\$	32.36
07498328188	<b>EV10-38RB-Q</b>	StrongholdRingTerm,VyInsul,12,PK25	StrongHold™ Ring Terminal, vinyl insulated, 12 - 10 AWG, #3/8" Stud Size.	C	100	\$	33.99
61305634187	<b>EV10-56FB-Q</b>	Insulated Vinyl Fork Terminal for Wire R	StrongHold™ Fork Terminal, vinyl insul, 12 - 10 AWG, 5/16 Stud Size.	C	100	\$	32.44
07498328187	<b>EV10-56RB-Q</b>	StrongholdRingTerm,VyInsul,12,PK25	StrongHold™ Ring Terminal, vinyl insulated, 12 - 10 AWG, #5/16" Stud Size.	C	100	\$	33.99
07498328018	<b>EV10-6FB-Q</b>	StrongholdForkTerm,VyInsul,12,PK25	StrongHold EV10-6FB-Q Contractor Grade Insulated Fork Terminals are a reliable and economical option th	C	100	\$	32.36
07498328039	<b>EV10-6LFB-Q</b>	StrongholdLkgForkTerm,VyInsul,12,PK25	StrongHold™ Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #6 Stud Size.	C	100	\$	33.99
07498328182	<b>EV10-6RB-Q</b>	StrongholdRingTerm,VyInsul,12,PK25	StrongHold EV10-6RB-Q Contractor Grade Vinyl Insulated Ring Terminals are a reliable and economical opti	C	100	\$	32.36
07498328019	<b>EV10-8FB-Q</b>	StrongholdForkTerminal,vyInsul,PK25	StrongHold EV10-8FB-Q Contractor Grade Vinyl Insulated Fork Terminals are a reliable and economical optio	C	100	\$	32.36
61305634223	<b>EV10-8FNB-Q</b>	Insulated Vinyl Fork Terminal for Wire R	StrongHold™ Narrow Fork Terminal, vinyl insul, 12 - 10 AWG, #8 Stud Size	C	100	\$	36.51
07498328040	<b>EV10-8LFB-Q</b>	StrongholdLkgForkTerm,VyInsul,PK25	StrongHold™ Locking Fork Terminal, vinyl insulated, 12 - 10 AWG, #8 Stud Size.	C	100	\$	33.99
07498328183	<b>EV10-8RB-Q</b>	StrongholdRingTerm,VyInsul,12,PK25	StrongHold EV10-8RB-Q Contractor Grade Vinyl Insulated Ring Terminals are a reliable and economical opti	C	100	\$	32.36
61305675788	<b>EV10-P55-QYY</b>	Stronghold Pin Terminal, vinyl insulated	StrongHold™ Pin Terminal, vinyl insulated, 12 - 10 AWG, .55 pin length.	C	100	\$	32.36
07498328030	<b>EV14-10FB-L</b>	StrongholdForkTerm,VyInsul,16,PK50	StrongHold™ Fork Terminal, vinyl insulated, 16 - 14 AWG, #10 Stud Size.	C	100	\$	30.56
61305636643	<b>EV14-10FB-Q</b>	StrongHoldForkTerm,VyInsul,16,PK25	StrongHold EV14-10FB-Q Contractor Grade Insulated Fork Terminals are a reliable and economical option th	C	100	\$	29.01
61305634224	<b>EV14-10FNB-Q</b>	Insulated Vinyl Fork Terminal for Wire R	StrongHold™ Narrow Fork Terminal, vinyl insul, 16 - 14 AWG, #10 Stud Size	C	100	\$	29.23
07498328097	<b>EV14-10LFB-L</b>	StrongholdLkgForkTerm,VyInsul,PK50	StrongHold™ Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #10 Stud Size.	C	100	\$	30.56
61305636658	<b>EV14-10LFB-Q</b>	StrongHoldLkgForkTerm,VyInsul,16,PK25	StrongHold™ Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #10 Stud Size.	C	100	\$	29.13
07498328191	<b>EV14-10RB-L</b>	StrongholdRingTerm,VyInsul,16,PK50	StrongHold™ Ring Terminal, vinyl insulated, 16 - 14 AWG, #10 Stud Size.	C	100	\$	30.56
61305636732	<b>EV14-10RB-Q</b>	StrongHoldRingTerm,VyInsul,16,PK25	StrongHold EV14-10RB-Q Contractor Grade Insulated Ring Terminals are a reliable and economical option th	C	100	\$	28.75
61305634188	<b>EV14-14FB-Q</b>	Insulated Vinyl Fork Terminal for Wire R	StrongHold EV14-14FB-Q Contractor Grade Insulated Fork Terminals are a reliable and economical option th	C	100	\$	29.16
07498328192	<b>EV14-14RB-L</b>	StrongholdRingTerm,VyInsul,16,PK50	StrongHold™ Ring Terminal, vinyl insulated, 16 - 14 AWG, #1/4" Stud Size.	C	100	\$	30.56
61305636733	<b>EV14-14RB-Q</b>	StrongHoldRingTerm,VyInsul,16,PK25	StrongHold EV14-14RB-Q Contractor Grade Insulated Ring Terminals are a reliable and economical option th	C	100	\$	28.66
61305634195	<b>EV14-38RB-Q</b>	Insulated Vinyl Ring Terminal for Wire R	StrongHold™ Ring Terminal, vinyl insul, 16 - 14 AWG, 3/8 Stud Size	C	100	\$	28.73
07498328193	<b>EV14-56RB-L</b>	StrongholdRingTerm,VyInsul,16,PK50	StrongHold™ Ring Terminal, vinyl insulated, 16 - 14 AWG, 5/16" Stud Size.	C	100	\$	30.56

61305636734	<b>EV14-56RB-Q</b>	StrongHoldRingTerm,VylInsul,16,PK25	StrongHold™ Ring Terminal, vinyl insulated, 16 - 14 AWG, 5/16" Stud Size.	C	100	\$	28.75
07498328028	<b>EV14-6FB-L</b>	StrongholdForkTerm,VylInsul,16,PK50	StrongHold™ Fork Terminal, vinyl insulated, 16 - 14 AWG, #6 Stud Size.	C	100	\$	30.56
61305636638	<b>EV14-6FB-Q</b>	StrongHoldForkTerm,VylInsul,16,PK25	StrongHold EV14-6FB-Q Contractor Grade Insulated Fork Terminals are a reliable and economical option th	C	100	\$	28.85
61305634225	<b>EV14-6FNB-Q</b>	Insulated Vinyl Fork Terminal for Wire R	StrongHold™ Narrow Fork Terminal, vinyl insul, 16 - 14 AWG, #6 Stud Size	C	100	\$	30.65
07498328095	<b>EV14-6LFB-L</b>	StrongholdLkgForkTerm,VylInsulated,PK50	StrongHold™ Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #6 Stud Size.	C	100	\$	30.56
61305636653	<b>EV14-6LFB-Q</b>	StrongHoldLkgForkTerm,VylInsul,16,PK25	StrongHold™ Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #6 Stud Size.	C	100	\$	29.13
07498328189	<b>EV14-6RB-L</b>	StrongholdRingTerm,VylInsul,16,PK50	StrongHold™ Ring Terminal, vinyl insulated, 16 - 14 AWG, #6 Stud Size.	C	100	\$	30.56
61305636728	<b>EV14-6RB-Q</b>	StrongHoldRingTerm,VylInsul,16,PK25	StrongHold EV14-6RB-Q Contractor Grade Insulated Ring Terminals are a reliable and economical option th	C	100	\$	28.95
07498328029	<b>EV14-8FB-L</b>	StrongholdForkTerm,VylInsul,16,PK50	StrongHold™ Fork Terminal, vinyl insulated, 16 - 14 AWG, #6 Stud Size.	C	100	\$	30.56
61305636642	<b>EV14-8FB-Q</b>	StrongHoldForkTerm,VylInsul,16,PK25	StrongHold EV14-8FB-Q Contractor Grade Insulated Fork Terminals are a reliable and economical option th	C	100	\$	29.00
61305634226	<b>EV14-8FNB-Q</b>	Insulated Vinyl Fork Terminal for Wire R	StrongHold™ Narrow Fork Terminal, vinyl insul, 16 - 14 AWG, #8 Stud Size	C	100	\$	30.65
07498328096	<b>EV14-8LFB-L</b>	StrongholdLkgForkTerm,VylInsul,16,PK50	StrongHold™ Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #8 Stud Size.	C	100	\$	30.56
61305636657	<b>EV14-8LFB-Q</b>	StrongHoldLkgForkTerm,VylInsul,16,PK25	StrongHold™ Locking Fork Terminal, vinyl insulated, 16 - 14 AWG, #8 Stud Size.	C	100	\$	29.13
07498328190	<b>EV14-8RB-L</b>	StrongholdRingTerm,VylInsul,16,PK50	StrongHold™ Ring Terminal, vinyl insulated, 16 - 14 AWG, #8 Stud Size.	C	100	\$	30.56
61305636731	<b>EV14-8RB-Q</b>	StrongHoldRingTerm,VylInsul,16,PK25	StrongHold EV14-8RB-Q Contractor Grade Insulated Ring Terminals are a reliable and economical option th	C	100	\$	28.95
07498328161	<b>EV14-P47B-L</b>	StrongholdPinTerm,VylInsul,16,14AWG,PK50	StrongHold™ Pin Terminal, vinyl insulated, 16 - 14 AWG, 49 pin length.	C	100	\$	30.56
61305636713	<b>EV14-P47B-Q</b>	StrongHoldPinTerm,VylInsul,16,14AWG,PK25	StrongHold™ Pin Terminal, vinyl insulated, 16 - 14 AWG, 49 pin length.	C	100	\$	29.13
07498328033	<b>EV18-10FB-L</b>	StrongholdForkTerm,VylInsul,22,PK50	StrongHold™ Fork Terminal, vinyl insulated, 22 - 18 AWG, #10 Stud Size.	C	100	\$	27.18
61305636646	<b>EV18-10FB-Q</b>	StrongHoldForkTerm,VylInsul,22,PK25	StrongHold EV18-10FB-Q Contractor Grade Insulated Fork Terminals are a reliable and economical option th	C	100	\$	25.68
07498328130	<b>EV18-10LFB-L</b>	StrongholdLkgForkTerm,VylInsul,22,PK50	StrongHold™ Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #10 Stud Size.	C	100	\$	27.18
61305636661	<b>EV18-10LFB-Q</b>	StrongHoldLkgForkTerm,VylInsul,22,PK25	StrongHold™ Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #10 Stud Size.	C	100	\$	25.89
07498328196	<b>EV18-10RB-L</b>	StrongholdRingTerm,VylInsul,PK50	StrongHold™ Ring Terminal, vinyl insulated, 22 - 18 AWG, #10 Stud Size.	C	100	\$	27.18
61305636737	<b>EV18-10RB-Q</b>	StrongHoldRingTerm,VylInsul,PK25	StrongHold EV18-10RB-Q Contractor Grade Insulated Ring Terminals are a reliable and economical option th	C	100	\$	25.65
61305634189	<b>EV18-14FB-Q</b>	Insulated Vinyl Fork Terminal for Wire R	StrongHold EV18-14FB-Q Contractor Grade Insulated Fork Terminals are a reliable and economical option th	C	100	\$	25.93
07498328197	<b>EV18-14RB-L</b>	StrongholdRingTerm,VylInsul,22,PK50	StrongHold™ Ring Terminal, vinyl insulated, 22 - 18 AWG, #1/4" Stud Size.	C	100	\$	27.18
61305636738	<b>EV18-14RB-Q</b>	StrongHoldRingTerm,VylInsul,22,PK25	StrongHold EV18-14RB-Q Contractor Grade Insulated Ring Terminals are a reliable and economical option th	C	100	\$	25.89
07498328198	<b>EV18-56RB-L</b>	StrongholdRingTerm,VylInsul,22,PK50	StrongHold™ Ring Terminal, vinyl insulated, 22 - 18 AWG, #5/16" Stud Size.	C	100	\$	28.45
61305636739	<b>EV18-56RB-Q</b>	StrongHoldRingTerm,VylInsul,22,PK25	StrongHold™ Ring Terminal, vinyl insulated, 22 - 18 AWG, #5/16" Stud Size.	C	100	\$	25.89
07498328031	<b>EV18-6FB-L</b>	StrongholdForkTerm,VylInsulated,22,PK50	StrongHold™ Fork Terminal, vinyl insulated, 22 - 18 AWG, #6 Stud Size.	C	100	\$	27.18
61305636644	<b>EV18-6FB-Q</b>	StrongHoldForkTerm,VylInsul,22,PK25	StrongHold EV18-6FB-Q Contractor Grade Insulated Fork Terminals are a reliable and economical option th	C	100	\$	25.80
07498328098	<b>EV18-6LFB-L</b>	StrongholdLkgForkTerm,VylInsulated,PK50	StrongHold™ Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #6 Stud Size.	C	100	\$	27.18
61305636659	<b>EV18-6LFB-Q</b>	StrongHoldLkgForkTerm,VylInsul,22,PK25	StrongHold™ Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #6 Stud Size.	C	100	\$	25.89
07498328194	<b>EV18-6RB-L</b>	StrongholdRingTerm,VylInsul,22,PK50	StrongHold™ Ring Terminal, vinyl insulated, 22 - 18 AWG, #6 Stud Size.	C	100	\$	27.18
61305636735	<b>EV18-6RB-Q</b>	StrongHoldRingTerm,VylInsul,22,PK25	StrongHold EV18-6RB-Q Contractor Grade Insulated Ring Terminals are a reliable and economical option th	C	100	\$	25.58
07498328032	<b>EV18-8FB-L</b>	StrongholdForkTerm,VylInsul,22,PK50	StrongHold™ Fork Terminal, vinyl insulated, 22 - 18 AWG, #8 Stud Size.	C	100	\$	27.18
61305636645	<b>EV18-8FB-Q</b>	StrongHoldForkTerm,VylInsul,22,PK25	StrongHold™ Fork Terminal, vinyl insulated, 22 - 18 AWG, #8 Stud Size.	C	100	\$	25.74
07498328129	<b>EV18-8LFB-L</b>	StrongholdLkgForkTerm,VylInsul,22,PK50	StrongHold™ Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #8 Stud Size.	C	100	\$	27.18
61305636660	<b>EV18-8LFB-Q</b>	StrongHoldLkgForkTerm,VylInsul,22,PK25	StrongHold™ Locking Fork Terminal, vinyl insulated, 22 - 18 AWG, #8 Stud Size.	C	100	\$	25.89
07498328195	<b>EV18-8RB-L</b>	StrongholdRingTerm,VylInsul,22,PK50	StrongHold™ Ring Terminal, vinyl insulated, 22 - 18 AWG, #8 Stud Size.	C	100	\$	27.18
61305636736	<b>EV18-8RB-Q</b>	StrongHoldRingTerm,VylInsul,22,PK25	StrongHold EV18-8RB-Q Contractor Grade Insulated Ring Terminals are a reliable and economical option th	C	100	\$	25.76
07498328162	<b>EV18-P47B-L</b>	StrongholdPinTerm,VylInsul,22,18AWG,PK50	StrongHold™ Pin Terminal, vinyl insulated, 22 - 18 AWG, 49 pin length.	C	100	\$	27.18
61305636714	<b>EV18-P47B-Q</b>	StrongHoldPinTerm,VylInsul,22,18AWG,PK25	StrongHold™ Pin Terminal, vinyl insulated, 22 - 18 AWG, 49 pin length.	C	100	\$	25.89
61305634196	<b>EV6-10R-Q</b>	Insulated Vinyl Ring Terminal for Wire R	StrongHold™ Ring Terminal, vinyl insul, 6 AWG, #10 Stud Size	C	100	\$	137.80
61305634197	<b>EV6-12R-Q</b>	Insulated Vinyl Ring Terminal for Wire R	StrongHold™ Ring Terminal, vinyl insul, 6 AWG, #12 Stud Size	C	100	\$	150.84
61305634198	<b>EV6-38R-Q</b>	Insulated Vinyl Ring Terminal for Wire R	StrongHold™ Ring Terminal, vinyl insul, 6 AWG, 3/8 Stud Size	C	100	\$	137.80
61305634199	<b>EV6-56R-Q</b>	Insulated Vinyl Ring Terminal for Wire R	StrongHold™ Ring Terminal, vinyl insul, 6 AWG, 5/16 Stud Size	C	100	\$	137.80
61305634214	<b>EV8-12R-Q</b>	Insulated Vinyl Ring Terminal for Wire R	StrongHold™ Ring Terminal, vinyl insul, 8 AWG, 1/2 Stud Size	C	100	\$	127.44
61305634215	<b>EV8-14R-Q</b>	Insulated Vinyl Ring Terminal for Wire R	StrongHold™ Ring Terminal, vinyl insul, 8 AWG, 1/4 Stud Size	C	100	\$	119.03
61305634216	<b>EV8-38R-Q</b>	Insulated Vinyl Ring Terminal for Wire R	StrongHold™ Ring Terminal, vinyl insul, 8 AWG, 3/8 Stud Size	C	100	\$	119.03
61305634217	<b>EV8-56R-Q</b>	Insulated Vinyl Ring Terminal for Wire R	StrongHold™ Ring Terminal, vinyl insul, 8 AWG, 5/16 Stud Size	C	100	\$	116.75
61305634219	<b>EV8-8R-Q</b>	Insulated Vinyl Ring Terminal for Wire R	StrongHold™ Ring Terminal, vinyl insul, 8 AWG, #8 Stud Size	C	100	\$	116.75
07498337478	<b>F.5X.5LG6</b>	NAR Slot Duct, PVC, .5x.5x6', LG, 6ft	Panduct® type F narrow slot wiring duct, .5 W x 5 H, 6' length, PVC, light gray.	FT	1	\$	4.43
07498337481	<b>F.5X.5LG6-A</b>	NAR Slot ADH Duct,PVC,.5x.5x6',LG,6ft	Panduct® type F narrow slot wiring duct, .5 W x 5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	5.33
07498337477	<b>F.5X.5WH6</b>	NAR Slot Duct, PVC, .5x.5x6', WHT, 6ft	Panduct® type F narrow slot wiring duct, .5 W x 5 H, 6' length, PVC, white.	FT	1	\$	4.43
07498337483	<b>F.5X1LG6</b>	NAR Slot Duct, PVC, .5x1x6', LG, 6ft	Panduct® type F narrow slot wiring duct, .5 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	4.99
07498337487	<b>F.5X1LG6-A</b>	NAR Slot ADH Duct,PVC,.5x1x6',LG,6ft	Panduct® type F narrow slot wiring duct, .5 W x 1 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	6.10
07498337482	<b>F.5X1WH6</b>	NAR Slot Duct, PVC, .5x1x6', WHT, 6ft	Panduct® type F narrow slot wiring duct, .5 W x 1 H, 6' length, PVC, white.	FT	1	\$	5.26
07498337489	<b>F.75X.75LG6</b>	NAR Slot Duct, PVC, .75x.75x6', LG, 6ft	Panduct® type F narrow slot wiring duct, .75 W x .75 H, 6' length, PVC, light gray.	FT	1	\$	4.99
07498337493	<b>F.75X.75LG6-A</b>	NAR Slot ADH Dct,PVC,.75x.75x6',LG,6ft	Panduct® type F narrow slot wiring duct, .75 W x .75 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	6.51
07498337488	<b>F.75X.75WH6</b>	NAR Slot Duct, PVC, .75x.75x6', WHT, 6ft	Panduct® type F narrow slot wiring duct, .75 W x .75 H, 6' length, PVC, white.	FT	1	\$	5.26
07498337497	<b>F.75X1.5LG6</b>	NAR Slot Duct, PVC, .75x1.5x6', LG, 6ft	The F.75X1.5LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that	FT	1	\$	6.66
07498333757	<b>F.75X1.5LG6-A</b>	NAR Slot ADH Dct,PVC,.75x1.5x6',LG,6ft	Panduct® type F narrow slot wiring duct, .75 W x 1.5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	7.66
07498337496	<b>F.75X1.5WH6</b>	NAR Slot Duct, PVC, .75x1.5x6', WHT, 6ft	The F.75X1.5WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that	FT	1	\$	6.66
07498307416	<b>F1.5X1.5BL6</b>	NAR Slot Duct,PVC,1.5x1.5x6',BL,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 1.5 H, 6' length, PVC, black.	FT	1	\$	7.66
07498301790	<b>F1.5X1.5IB6</b>	NAR Slot Duct, PVC, .75x1.5x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 1.5 H, 6' length, PVC, intrinsic blue.	FT	1	\$	7.66
07498337527	<b>F1.5X1.5LG6</b>	NAR Slot Duct, PVC, 1.5x1.5x6', LG, 6ft	The F1.5X1.5LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that	FT	1	\$	7.29
07498338111	<b>F1.5X1.5LG6-A</b>	NAR Slot ADH Dct,PVC,1.5x1.5x6',LG,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 1.5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.79
07498337526	<b>F1.5X1.5WH6</b>	NAR Slot Duct, PVC, 1.5x1.5x6', WHT, 6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 1.5 H, 6' length, PVC, white.	FT	1	\$	7.29
07498337523	<b>F1.5X1LG6</b>	NAR Slot Duct, PVC, 1.5x1x6', LG, 6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	6.11
07498337522	<b>F1.5X1WH6</b>	NAR Slot Duct, PVC, 1.5x1x6', WHT, 6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 1 H, 6' length, PVC, white.	FT	1	\$	6.43
07498307417	<b>F1.5X2BL6</b>	NAR Slot Duct,PVC,1.5x2x6',BL,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 2 H, 6' length, PVC, black.	FT	1	\$	8.33
07498301791	<b>F1.5X2IB6</b>	NAR Slot Duct, PVC, 1.5x2x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 2 H, 6' length, PVC, intrinsic blue.	FT	1	\$	8.33
07498337533	<b>F1.5X2LG6</b>	NAR Slot Duct, PVC, 1.5x2x6', LG, 6ft	The F1.5X2LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that d	FT	1	\$	7.95
07498333817	<b>F1.5X2LG6-A</b>	NAR Slot ADH Dct,PVC,1.5x2x6',LG,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 2 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	9.14
07498337532	<b>F1.5X2WH6</b>	NAR Slot Duct, PVC, 1.5x2x6', WHT, 6ft	The F1.5X2WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that c	FT	1	\$	7.95
07498301792	<b>F1.5X3IB6</b>	NAR Slot Duct, PVC, 1.5x3x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 3 H, 6' length, PVC, intrinsic blue.	FT	1	\$	10.40
07498337537	<b>F1.5X3LG6</b>	NAR Slot Duct, PVC, 1.5x3x6', LG, 6ft	The F1.5X3LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that cl	FT	1	\$	9.90

0749833825	F1.5X3LG6-A	NAR Slot ADH Dct,PVC,1.5x3x6',LG,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 3 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	10.98
07498337536	F1.5X3WH6	NAR Slot Duct, PVC, 1.5x3x6',WHT,6ft	The F1.5X3WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that c	FT	1	\$	9.90
0749833824	F1.5X3WH6-A	NAR Slot ADH Dct,PVC,1.5x3x6',WH,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 3 H, 6' length, PVC, adhesive, white.	FT	1	\$	11.10
07498307476	F1.5X4BL6	NAR Slot Duct,PVC,1.5x4x6',BL,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 4 H, 6' length, PVC, black.	FT	1	\$	12.30
07498301793	F1.5X4IB6	NAR Slot Duct, PVC, 1.5x4x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 4 H, 6' length, PVC, intrinsic blue.	FT	1	\$	12.30
07498337541	F1.5X4LG6	NAR Slot Duct, PVC, 1.5x4x6',LG,6ft	The F1.5X4LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that cl	FT	1	\$	11.71
07498333833	F1.5X4LG6-A	NAR Slot ADH Dct,PVC,1.5x4x6',LG,6ft	Panduct® type F narrow slot wiring duct, 1.5 W x 4 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	13.65
07498337540	F1.5X4WH6	NAR Slot Duct, PVC, 1.5x4x6',WHT,6ft	The F1.5X4WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that c	FT	1	\$	11.71
07498311586	F100X150AJC	P1 Poly Flag Cass,1"x1.5",WH	The F100X150AJC Thermal Transfer Flag Label offers improved legibility and more informational space for s	PC	1	\$	79.61
07498311503	F100X150AJT	TT, Poly Flag Lbl,1"x1.5"x.38",WH	The F100X150AJT Thermal Transfer Flag Label offers improved legibility and more informational space for s	M	1000	\$	96.44
07498311504	F100X213AJT	TT, Poly Flag Lbl,1"x2.13"x1",WH	The F100X213AJT Thermal Transfer Flag Label offers improved legibility and more informational space for s	M	1000	\$	119.84
07498311505	F100X300AJT	TT, Poly Flag Lbl,1"x3"x.38",WH	The F100X300AJT Thermal Transfer Flag Label offers improved legibility and more informational space for s	M	1000	\$	138.61
07498311506	F100X363AJT	TT, Poly Flag Lbl,1"x3.63"x1",WH	Thermal transfer, flag label, 1.0" W x 3.63" H, 1.00" width, print on area, polyester, white, 2500 pc. package q	M	1000	\$	165.16
07498361612	F102X220FJJ	NetworkLabel,Adh,1.02"Wx2.2"H,WH,PK500	Polyolefin network label, 1.02" W x 2.20" H, adhesive polyolefin, white.	M	1000	\$	447.41
07498307419	F1X1.5BL6	NAR Slot Duct,PVC,1x1.5x6',BL,6ft	Panduct® type F narrow slot wiring duct, 1 W x 1.5 H, 6' length, PVC, black.	FT	1	\$	7.69
07498301795	F1X1.5IB6	NAR Slot Duct, PVC, 1x1.5x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 1 W x 1.5 H, 6' length, PVC, intrinsic blue.	FT	1	\$	7.69
07498337507	F1X1.5LG6	NAR Slot Duct, PVC, 1x1.5x6',LG,6ft	The F1X1.5LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that cl	FT	1	\$	7.31
07498333771	F1X1.5LG6-A	NAR Slot ADH Dct,PVC,1x1.5x6',LG,6ft	Panduct® type F narrow slot wiring duct, 1 W x 1.5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.39
07498337506	F1X1.5WH6	NAR Slot Duct, PVC, 1x1.5x6',WHT,6ft	The F1X1.5WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that c	FT	1	\$	7.31
07498337503	F1X1LG6	NAR Slot Duct, PVC, 1x1x6',LG,6ft	The F1X1LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clos	FT	1	\$	5.30
07498333763	F1X1LG6-A	NAR Slot ADH Dct,PVC,1x1x6',LG,6ft	Panduct® type F narrow slot wiring duct, 1 W x 1 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	6.55
07498337502	F1X1WH6	NAR Slot Duct, PVC, 1x1x6',WHT,6ft	The F1X1WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clos	FT	1	\$	5.30
07498307426	F1X2BL6	NAR Slot Duct,PVC,1x2x6',BL,6ft	Panduct® type F narrow slot wiring duct, 1 W x 2 H, 6' length, PVC, black.	FT	1	\$	7.60
07498301796	F1X2IB6	NAR Slot Duct, PVC, 1x2x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 1 W x 2 H, 6' length, PVC, intrinsic blue.	FT	1	\$	7.23
07498337511	F1X2LG6	NAR Slot Duct, PVC, 1x2x6',LG,6ft	The F1X2LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clos	FT	1	\$	7.23
07498333779	F1X2LG6-A	NAR Slot ADH Dct,PVC,1x2x6',LG,6ft	Panduct® type F narrow slot wiring duct, 1 W x 2 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.31
07498337510	F1X2WH6	NAR Slot Duct, PVC, 1x2x6',WHT,6ft	The F1X2WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clo	FT	1	\$	7.23
07498333778	F1X2WH6-A	NAR Slot ADH Dct,PVC,1x2x6',WH,6ft	Panduct® type F narrow slot wiring duct, 1 W x 2 H, 6' length, PVC, adhesive, white.	FT	1	\$	8.73
07498307464	F1X3BL6	NAR Slot Duct,PVC,1x3x6',BL,6ft	Panduct® type F narrow slot wiring duct, 1 W x 3 H, 6' length, PVC, black.	FT	1	\$	9.84
07498301797	F1X3IB6	NAR Slot Duct, PVC, 1x3x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 1 W x 3 H, 6' length, PVC, intrinsic blue.	FT	1	\$	9.84
07498337515	F1X3LG6	NAR Slot Duct, PVC, 1x3x6',LG,6ft	The F1X3LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clos	FT	1	\$	9.35
07498333787	F1X3LG6-A	NAR Slot ADH Dct,PVC,1x3x6',LG,6ft	Panduct® type F narrow slot wiring duct, 1 W x 3 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	10.69
07498337514	F1X3WH6	NAR Slot Duct, PVC, 1x3x6',WHT,6ft	The F1X3WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clo	FT	1	\$	9.35
07498333786	F1X3WH6-A	NAR Slot ADH Dct,PVC,1x3x6',WH,6ft	Panduct® type F narrow slot wiring duct, 1 W x 3 H, 6' length, PVC, adhesive, white.	FT	1	\$	11.23
07498307477	F1X4BL6	NAR Slot Duct,PVC,1x4x6',BL,6ft	Panduct® type F narrow slot wiring duct, 1 W x 4 H, 6' length, PVC, black.	FT	1	\$	12.11
07498301798	F1X4IB6	NAR Slot Duct, PVC, 1x4x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 1 W x 4 H, 6' length, PVC, intrinsic blue.	FT	1	\$	11.53
07498337519	F1X4LG6	NAR Slot Duct, PVC, 1x4x6',LG,6ft	The F1X4LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clos	FT	1	\$	11.53
07498333795	F1X4LG6-A	NAR Slot ADH Dct,PVC,1x4x6',LG,6ft	Panduct® type F narrow slot wiring duct, 1 W x 4 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	13.83
07498337518	F1X4WH6	NAR Slot Duct, PVC, 1x4x6',WHT,6ft	The F1X4WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clo	FT	1	\$	11.53
07498333794	F1X4WH6-A	NAR Slot ADH Dct,PVC,1x4x6',WH,6ft	Panduct® type F narrow slot wiring duct, 1 W x 4 H, 6' length, PVC, adhesive, white.	FT	1	\$	13.83
07498300382	F2.5X3LG6	NAR Slot Duct, PVC, 2.5x3x6',LG,6ft	The F2.5X3LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that cl	FT	1	\$	10.96
07498300383	F2.5X3WH6	NAR Slot Duct, PVC, 2.5x3x6',WHT,6ft	Panduct® type F narrow slot wiring duct, 2.5 W x 3 H, 6' length, PVC, white.	FT	1	\$	11.50
07498337549	F2X1.5LG6	NAR Slot Duct, PVC, 2x1.5x6',LG,6ft	Panduct® type F narrow slot wiring duct, 2 W x 1.5 H, 6' length, PVC, light gray.	FT	1	\$	8.14
07498333849	F2X1.5LG6-A	NAR Slot ADH Dct,PVC,2x1.5x6',LG,6ft	Panduct® type F narrow slot wiring duct, 2 W x 1.5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	9.35
07498337548	F2X1.5WH6	NAR Slot Duct, PVC, 2x1.5x6',WH,6ft	Panduct® type F narrow slot wiring duct, 2 W x 1.5 H, 6' length, PVC, white.	FT	1	\$	8.14
07498337545	F2X1LG6	NAR Slot Duct, PVC, 2x1x6',LG,6ft	Panduct® type F narrow slot wiring duct, 2 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	7.41
07498337544	F2X1WH6	NAR Slot Duct, PVC, 2x1x6',WHT,6ft	Panduct® type F narrow slot wiring duct, 2 W x 1 H, 6' length, PVC, white.	FT	1	\$	7.41
07498307470	F2X2BL6	NAR Slot Duct,PVC,2x2x6',BL,6ft	Panduct® type F narrow slot wiring duct, 2 W x 2 H, 6' length, PVC, black.	FT	1	\$	8.16
07498301799	F2X2IB6	NAR Slot Duct, PVC, 2x2x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 2 W x 2 H, 6' length, PVC, intrinsic blue.	FT	1	\$	8.16
07498337553	F2X2LG6	NAR Slot Duct, PVC, 2x2x6',LG,6ft	The F2X2LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clos	FT	1	\$	7.76
07498333857	F2X2LG6-A	NAR Slot ADH Dct,PVC,2x2x6',LG,6ft	Panduct® type F narrow slot wiring duct, 2 W x 2 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.94
07498337552	F2X2WH6	NAR Slot Duct, PVC, 2x2x6',WHT,6ft	The F2X2WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clo	FT	1	\$	7.76
07498307478	F2X3BL6	NAR Slot Duct,PVC,2x3x6',BL,6ft	Panduct® type F narrow slot wiring duct, 2 W x 3 H, 6' length, PVC, black.	FT	1	\$	10.66
07498301800	F2X3IB6	NAR Slot Duct, PVC, 2x3x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 2 W x 3 H, 6' length, PVC, intrinsic blue.	FT	1	\$	10.66
07498337557	F2X3LG6	NAR Slot Duct, PVC, 2x3x6',LG,6ft	The F2X3LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clos	FT	1	\$	10.16
07498333865	F2X3LG6-A	NAR Slot ADH Dct,PVC,2x3x6',LG,6ft	Panduct® type F narrow slot wiring duct, 2 W x 3 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	11.69
07498337556	F2X3WH6	NAR Slot Duct, PVC, 2x3x6',WHT,6ft	The F2X3WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clo	FT	1	\$	10.16
07498333864	F2X3WH6-A	NAR Slot ADH Dct,PVC,2x3x6',WH,6ft	Panduct® type F narrow slot wiring duct, 2 W x 3 H, 6' length, PVC, adhesive, white.	FT	1	\$	12.28
07498307481	F2X4BL6	NAR Slot Duct,PVC,2x4x6',BL,6ft	Panduct® type F narrow slot wiring duct, 2 W x 4 H, 6' length, PVC, black.	FT	1	\$	12.88
07498301801	F2X4IB6	NAR Slot Duct, PVC, 2x4x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 2 W x 4 H, 6' length, PVC, intrinsic blue.	FT	1	\$	12.28
07498337561	F2X4LG6	NAR Slot Duct, PVC, 2x4x6',LG,6ft	The F2X4LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clos	FT	1	\$	12.28
07498333873	F2X4LG6-A	NAR Slot ADH Dct,PVC,2x4x6',LG,6ft	Panduct® type F narrow slot wiring duct, 2 W x 4 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	13.89
07498337560	F2X4WH6	NAR Slot Duct, PVC, 2x4x6',WHT,6ft	The F2X4WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clo	FT	1	\$	12.28
07498333872	F2X4WH6-A	NAR Slot ADH Dct,PVC,2x4x6',WH,6ft	Panduct® type F narrow slot wiring duct, 2 W x 4 H, 6' length, PVC, adhesive, white.	FT	1	\$	14.78
07498337565	F2X5LG6	NAR Slot Duct, PVC, 2x5x6',LG,6ft	The F2X5LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clos	FT	1	\$	17.23
07498337564	F2X5WH6	NAR Slot Duct, PVC, 2x5x6',WHT,6ft	The F2X5WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clo	FT	1	\$	17.23
07498337569	F3X1LG6	NAR Slot Duct, PVC, 3x1x6',LG,6ft	Panduct® type F narrow slot wiring duct, 3 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	8.54
07498337573	F3X2LG6	NAR Slot Duct, PVC, 3x2x6',LG,6ft	The F3X2LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clos	FT	1	\$	9.69
07498333897	F3X2LG6-A	NAR Slot ADH Dct,PVC,3x2x6',LG,6ft	Panduct® type F narrow slot wiring duct, 3 W x 2 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	11.71
07498337572	F3X2WH6	NAR Slot Duct, PVC, 3x2x6',WHT,6ft	The F3X2WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clo	FT	1	\$	9.69
07498307479	F3X3BL6	NAR Slot Duct,PVC,3x3x6',BL,6ft	Panduct® type F narrow slot wiring duct, 3 W x 3 H, 6' length, PVC, black.	FT	1	\$	12.40
07498301802	F3X3IB6	NAR Slot Duct, PVC, 3x3x6',IBU,6ft	Panduct® type F narrow slot wiring duct, 3 W x 3 H, 6' length, PVC, intrinsic blue.	FT	1	\$	12.40
07498337577	F3X3LG6	NAR Slot Duct, PVC, 3x3x6',LG,6ft	The F3X3LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clos	FT	1	\$	11.81
07498333905	F3X3LG6-A	NAR Slot ADH Dct,PVC,3x3x6',LG,6ft	Panduct® type F narrow slot wiring duct, 3 W x 3 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	14.09
07498337576	F3X3WH6	NAR Slot Duct, PVC, 3x3x6',WHT,6ft	The F3X3WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that clo	FT	1	\$	11.81
07498333904	F3X3WH6-A	NAR Slot ADH Dct,PVC,3x3x6',WH,6ft	Panduct® type F narrow slot wiring duct, 3 W x 3 H, 6' length, PVC, adhesive, white.	FT	1	\$	14.09
07498307498	F3X4BL6	NAR Slot Duct,PVC,3x4x6',BL,6ft	Panduct® type F narrow slot wiring duct, 3 W x 4 H, 6' length, PVC, black.	FT	1	\$	15.36

07498301803	<b>F3X4IB6</b>	NAR Slot Duct, PVC, 3x4x6", IBU, 6ft	Panduct® type F narrow slot wiring duct, 3 W x 4 H, 6' length, PVC, intrinsic blue.	FT	1	\$	14.64
07498337581	<b>F3X4LG6</b>	NAR Slot Duct, PVC, 3x4x6", LG, 6ft	The F3X4LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closes	FT	1	\$	14.64
07498333913	<b>F3X4LG6-A</b>	NAR Slot ADH Dct,PVC, 3x4x6", LG, 6ft	Panduct® type F narrow slot wiring duct, 3 W x 4 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	17.68
07498337580	<b>F3X4WH6</b>	NAR Slot Duct, PVC, 3x4x6", WH, 6ft	The F3X4WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closes	FT	1	\$	14.64
07498333912	<b>F3X4WH6-A</b>	NAR Slot ADH Dct,PVC, 3x4x6", WH, 6ft	Panduct® type F narrow slot wiring duct, 3 W x 4 H, 6' length, PVC, adhesive, white.	FT	1	\$	17.45
07498337585	<b>F3X5LG6</b>	NAR Slot Duct, PVC, 3x5x6", LG, 6ft	The F3X5LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closes	FT	1	\$	19.38
07498333921	<b>F3X5LG6-A</b>	NAR Slot ADH Dct,PVC, 3x5x6", LG, 6ft	Panduct® type F narrow slot wiring duct, 3 W x 5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	23.24
07498337584	<b>F3X5WH6</b>	NAR Slot Duct, PVC, 3x5x6", WH, 6ft	The F3X5WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closes	FT	1	\$	19.38
07498337589	<b>F4X2LG6</b>	NAR Slot Duct, PVC, 4x2x6", LG, 6ft	Panduct® type F narrow slot wiring duct, 4 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	11.31
07498337588	<b>F4X2WH6</b>	NAR Slot Duct, PVC, 4x2x6", WH, 6ft	Panduct® type F narrow slot wiring duct, 4 W x 2 H, 6' length, PVC, white.	FT	1	\$	11.88
07498301804	<b>F4X3IB6</b>	NAR Slot Duct, PVC, 4x3x6", IBU, 6ft	Panduct® type F narrow slot wiring duct, 4 W x 3 H, 6' length, PVC, intrinsic blue.	FT	1	\$	13.74
07498337593	<b>F4X3LG6</b>	NAR Slot Duct, PVC, 4x3x6", LG, 6ft	The F4X3LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closes	FT	1	\$	13.11
07498333937	<b>F4X3LG6-A</b>	NAR Slot ADH Dct,PVC, 4x3x6", LG, 6ft	Panduct® type F narrow slot wiring duct, 4 W x 3 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	15.43
07498337592	<b>F4X3WH6</b>	NAR Slot Duct, PVC, 4x3x6", WH, 6ft	The F4X3WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closes	FT	1	\$	13.11
07498307499	<b>F4X4BL6</b>	NAR Slot Duct,PVC, 4x4x6", BL, 6ft	Panduct® type F narrow slot wiring duct, 4 W x 4 H, 6' length, PVC, black.	FT	1	\$	16.54
07498301805	<b>F4X4IB6</b>	NAR Slot Duct, PVC, 4x4x6", IBU, 6ft	Panduct® type F narrow slot wiring duct, 4 W x 4 H, 6' length, PVC, intrinsic blue.	FT	1	\$	16.54
07498337597	<b>F4X4LG6</b>	NAR Slot Duct, PVC, 4x4x6", LG, 6ft	The F4X4LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closes	FT	1	\$	15.76
07498333945	<b>F4X4LG6-A</b>	NAR Slot ADH Dct,PVC, 4x4x6", LG, 6ft	Panduct® type F narrow slot wiring duct, 4 W x 4 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	18.64
07498337596	<b>F4X4WH6</b>	NAR Slot Duct, PVC, 4x4x6", WH, 6ft	The F4X4WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closes	FT	1	\$	15.76
07498333944	<b>F4X4WH6-A</b>	NAR Slot ADH Dct,PVC, 4x4x6", WH, 6ft	Panduct® type F narrow slot wiring duct, 4 W x 4 H, 6' length, PVC, adhesive, white.	FT	1	\$	18.64
07498337601	<b>F4X5LG6</b>	NAR Slot Duct, PVC, 4x5x6", LG, 6ft	The F4X5LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closes	FT	1	\$	22.69
07498333952	<b>F4X5LG6-A</b>	NAR Slot ADH Dct,PVC, 4x5x6", LG, 6ft	Panduct® type F narrow slot wiring duct, 4 W x 5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	26.26
07498337600	<b>F4X5WH6</b>	NAR Slot Duct, PVC, 4x5x6", WH, 6ft	The F4X5WH6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closes	FT	1	\$	22.69
61305620741	<b>F6X4BL6</b>	NAR Slot Duct, PVC, 6"x4"x6", BL, 6ft	Panduct® type F narrow slot wiring duct, 6" W x 4" H, 6' length, PVC, black.	FT	1	\$	22.88
07498322087	<b>F6X4LG6</b>	NAR Slot Duct, PVC, 6"x4"x6", LG, 6ft	The F6X4LG6 Panduct Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that closes	FT	1	\$	21.79
07498322088	<b>F6X4WH6</b>	NAR Slot Duct, PVC, 6"x4"x6", WH, 6ft	Panduct® type F narrow slot wiring duct, 6" W x 4" H, 6' length, PVC, white.	FT	1	\$	21.78
07498376316	<b>F73-5-M</b>	Ferrule,Non-Insul,24AWG,5mmLEN,PK1000	Ferrule, non-insulated, 24 AWG wire range, 0.20(5.0mm) length.	M	1000	\$	108.46
07498376317	<b>F73-7-M</b>	Ferrule,Non-Insul,24AWG,7mmLEN,PK1000	Ferrule, non-insulated, 24 AWG wire range, 0.28(7.0mm) length.	M	1000	\$	108.46
07498376318	<b>F74-5-M</b>	Ferrule,Non-Insul,22AWG,5mmLEN,PK1000	Ferrule, non-insulated, 22 - 24 AWG (0.34mm <sup>2</sup> ) wire range, 0.20(5.0mm) length.	M	1000	\$	108.46
07498376319	<b>F74-7-M</b>	Ferrule,Non-Insul,22AWG,7mmLEN,PK1000	Ferrule, non-insulated, 22 - 24 AWG (0.34mm <sup>2</sup> ) wire range, 0.28(7.0mm) length.	M	1000	\$	108.46
07498376322	<b>F75-10-M</b>	Ferrule,Non-Insul,20AWG,10mmLEN,PK1000	The F75-10-M Pan-Term® Ferrule is designed with a seamless barrel to contain loose wire strands for superior	M	1000	\$	118.36
07498376320	<b>F75-6-M</b>	Ferrule,Non-Insul,20AWG,6mmLEN,PK1000	Ferrule, non-insulated, 22 - 20 AWG wire range, 0.24(6.0mm) length.	M	1000	\$	124.29
07498376321	<b>F75-8-M</b>	Ferrule,Non-Insul,20AWG,8mmLEN,PK1000	Ferrule, non-insulated, 22 - 20 AWG wire range, 0.31(8.0mm) length.	M	1000	\$	124.29
07498376325	<b>F76-10-M</b>	Ferrule,Non-Insul,18AWG,10mmLEN,PK1000	Ferrule, non-insulated, 18 AWG wire range, 0.39(10.0mm) length.	M	1000	\$	124.29
07498376323	<b>F76-6-M</b>	Ferrule,Non-Insul,18AWG,6mmLEN,PK1000	Ferrule, non-insulated, 18 AWG wire range, 0.24(6.0mm) length.	M	1000	\$	124.29
07498376324	<b>F76-8-M</b>	Ferrule,Non-Insul,18AWG,8mmLEN,PK1000	Ferrule, non-insulated, 18 AWG wire range, 0.31(8.0mm) length.	M	1000	\$	124.29
07498376328	<b>F77-10-M</b>	Ferrule,Non-Insul,1mm2,10mmLEN,PK1000	Ferrule, non-insulated, 1mm2 wire range, 0.39(10.0mm) length.	M	1000	\$	118.36
07498376329	<b>F77-12-M</b>	Ferrule,Non-Insul,1mm2,12mmLEN,PK1000	Ferrule, non-insulated, 1mm2 wire range, 0.47(12.0mm) length.	M	1000	\$	118.36
07498376326	<b>F77-6-M</b>	Ferrule,Non-Insul,1mm2,6mmLEN,PK1000	Ferrule, non-insulated, 1mm2 wire range, 0.24(6.0mm) length.	M	1000	\$	124.29
07498376419	<b>F77-7-M</b>	Ferrule,Non-Insul,1mm2,7mmLEN,PK1000	Ferrule, non-insulated, 1mm2 wire range, 0.28(7.0mm) length.	M	1000	\$	124.29
07498376327	<b>F77-8-M</b>	Ferrule,Non-Insul,1mm2,8mmLEN,PK1000	Ferrule, non-insulated, 1mm2 wire range, 0.31(8.0mm) length.	M	1000	\$	124.29
07498376331	<b>F78-10-M</b>	Ferrule,Non-Insul,16AWG,10mmLEN,PK1000	Ferrule, non-insulated, 16 AWG wire range, 0.39(10.0mm) length.	M	1000	\$	130.66
07498376332	<b>F78-12-M</b>	Ferrule,Non-Insul,16AWG,12mmLEN,PK1000	Ferrule, non-insulated, 16 AWG wire range, 0.47(12.0mm) length.	M	1000	\$	137.19
07498376330	<b>F78-7-M</b>	Ferrule,Non-Insul,16AWG,7mmLEN,PK1000	Ferrule, non-insulated, 16 AWG wire range, 0.28(7.0mm) length.	M	1000	\$	137.19
07498376420	<b>F78-8-M</b>	Ferrule,Non-Insul,16AWG,8mmLEN,PK1000	The F78-8-M Pan-Term® Ferrule is designed with a seamless barrel to contain loose wire strands for superior	M	1000	\$	130.66
07498376337	<b>F80-10-M</b>	Ferrule,Non-Insul,14AWG,10mmLEN,PK1000	Ferrule, non-insulated, 14 AWG wire range, 0.39(10.0mm) length.	M	1000	\$	138.46
07498376338	<b>F80-12-M</b>	Ferrule,Non-Insul,14AWG,12mmLEN,PK1000	Ferrule, non-insulated, 14 AWG wire range, 0.47(12.0mm) length.	M	1000	\$	138.46
07498376339	<b>F80-15-M</b>	Ferrule,Non-Insul,14AWG,15mmLEN,PK1000	Ferrule, non-insulated, 14 AWG wire range, 0.59(15.0mm) length.	M	1000	\$	235.10
07498376340	<b>F80-18-M</b>	Ferrule,Non-Insul,14AWG,18mmLEN,PK1000	Ferrule, non-insulated, 14 AWG wire range, 0.71(18.0mm) length.	M	1000	\$	235.10
07498376336	<b>F80-7-M</b>	Ferrule,Non-Insul,14AWG,7mmLEN,PK1000	Ferrule, non-insulated, 14 AWG wire range, 0.28(7.0mm) length.	M	1000	\$	145.40
07498376421	<b>F80-8-M</b>	Ferrule,Non-Insul,14AWG,8mmLEN,PK1000	Ferrule, non-insulated, 14 AWG wire range, 0.31(8.0mm) length.	M	1000	\$	145.40
07498376423	<b>F81-10-M</b>	Ferrule,Non-Insul,12AWG,10mmLEN,PK1000	Ferrule, non-insulated, 12 AWG wire range, 0.39(10.0mm) length.	M	1000	\$	203.86
07498376342	<b>F81-12-M</b>	Ferrule,Non-Insul,12AWG,12mmLEN,PK1000	Ferrule, non-insulated, 12 AWG wire range, 0.47(12.0mm) length.	M	1000	\$	203.86
07498376343	<b>F81-15-M</b>	Ferrule,Non-Insul,12AWG,15mmLEN,PK1000	Ferrule, non-insulated, 12 AWG wire range, 0.59(15.0mm) length.	M	1000	\$	301.98
07498376344	<b>F81-18-M</b>	Ferrule,Non-Insul,12AWG,18mmLEN,PK1000	Ferrule, non-insulated, 12 AWG wire range, 0.71(18.0mm) length.	M	1000	\$	301.98
07498376341	<b>F81-9-M</b>	Ferrule,Non-Insul,12AWG,9mmLEN,PK1000	Ferrule, non-insulated, 12 AWG wire range, 0.35(9.0mm) length.	M	1000	\$	203.86
07498376346	<b>F82-10-M</b>	Ferrule,Non-Insul,10AWG,10mmLEN,PK1000	Ferrule, non-insulated, 10 AWG wire range, 0.39(10.0mm) length.	M	1000	\$	196.01
07498376347	<b>F82-12-M</b>	Ferrule,Non-Insul,10AWG,12mmLEN,PK1000	Ferrule, non-insulated, 10 AWG wire range, 0.47(12.0mm) length.	M	1000	\$	196.01
07498376348	<b>F82-15-M</b>	Ferrule,Non-Insul,10AWG,15mmLEN,PK1000	Ferrule, non-insulated, 10 AWG wire range, 0.59(15.0mm) length.	M	1000	\$	342.60
07498376349	<b>F82-18-M</b>	Ferrule,Non-Insul,10AWG,18mmLEN,PK1000	Ferrule, non-insulated, 10 AWG wire range, 0.71(18.0mm) length.	M	1000	\$	359.74
07498376350	<b>F82-20-M</b>	Ferrule,Non-Insul,10AWG,20mmLEN,PK1000	Ferrule, non-insulated, 10 AWG wire range, 0.79(20.0mm) length.	M	1000	\$	359.74
07498376351	<b>F83-12-D</b>	Ferrule,Non-Insul,8AWG,12mmLEN,PK500	The F83-12-D Pan-Term® Ferrule is designed with a seamless barrel to contain loose wire strands for superior	M	1000	\$	280.79
07498376352	<b>F83-15-D</b>	Ferrule,Non-Insul,8AWG,15mmLEN,PK500	Ferrule, non-insulated, 8 AWG wire range, 0.59(15.0mm) length.	M	1000	\$	351.11
07498376353	<b>F83-18-D</b>	Ferrule,Non-Insul,8AWG,18mmLEN,PK500	Ferrule, non-insulated, 8 AWG wire range, 0.71(18.0mm) length.	M	1000	\$	351.11
07498376355	<b>F83-25-D</b>	Ferrule,Non-Insul,8AWG,25mmLEN,PK500	Ferrule, non-insulated, 8 AWG wire range, 0.98(25.0mm) length, 500 pc. package quantity.	M	1000	\$	463.26
07498376356	<b>F84-12-TL</b>	Ferrule,Non-Insul,6AWG,12mmLEN,PK250	Ferrule, non-insulated, 6 AWG wire range, 0.47(12.0mm) length.	M	1000	\$	325.19
07498376357	<b>F84-15-TL</b>	Ferrule,Non-Insul,6AWG,15mmLEN,PK250	Ferrule, non-insulated, 6 AWG wire range, 0.59(15.0mm) length.	M	1000	\$	421.34
07498376358	<b>F84-18-TL</b>	Ferrule,Non-Insul,6AWG,18mmLEN,PK250	Ferrule, non-insulated, 6 AWG wire range, 0.71(18.0mm) length.	M	1000	\$	421.34
07498376359	<b>F84-20-TL</b>	Ferrule,Non-Insul,6AWG,20mmLEN,PK250	Ferrule, non-insulated, 6 AWG wire range, 0.79(20.0mm) length.	M	1000	\$	603.50
07498376360	<b>F84-25-TL</b>	Ferrule,Non-Insul,6AWG,25mmLEN,PK250	Ferrule, non-insulated, 6 AWG wire range, 0.98(25.0mm) length, 250 pc. package quantity.	M	1000	\$	603.50
07498376362	<b>F85-12-C</b>	Ferrule,Non-Insul,4AWG,12mmLEN,PK100	Ferrule, non-insulated, 4 AWG wire range, 0.47(12.0mm) length.	M	1000	\$	510.29
07498376363	<b>F85-15-C</b>	Ferrule,Non-Insul,4AWG,15mmLEN,PK100	Ferrule, non-insulated, 4 AWG wire range, 0.59(15.0mm) length.	M	1000	\$	633.43
07498376364	<b>F85-18-C</b>	Ferrule,Non-Insul,4AWG,18mmLEN,PK100	Ferrule, non-insulated, 4 AWG wire range, 0.71(18.0mm) length.	M	1000	\$	633.43
07498376365	<b>F85-25-C</b>	Ferrule,Non-Insul,4AWG,25mmLEN,PK100	Ferrule, non-insulated, 4 AWG wire range, 0.98(25.0mm) length.	M	1000	\$	1,007.95
07498376366	<b>F85-32-C</b>	Ferrule,Non-Insul,4AWG,32mmLEN,PK100	Ferrule, non-insulated, 4 AWG wire range, 1.26(32.0mm) length.	M	1000	\$	1,058.34
07498376367	<b>F86-18-C</b>	Ferrule,Non-Insul,2AWG,18mmLEN,PK100	Ferrule, non-insulated, 2 AWG wire range, 0.71(18.0mm) length.	M	1000	\$	1,223.69
07498376368	<b>F86-20-C</b>	Ferrule,Non-Insul,2AWG,20mmLEN,PK100	Ferrule, non-insulated, 2 AWG wire range, 0.79(20.0mm) length.	M	1000	\$	1,223.69

07498376369	<b>F86-25-C</b>	Ferrule,Non-Insul,2AWG,25mmLEN,PK100	The F86-25-C Pan-Term® Ferrule is designed with a seamless barrel to contain loose wire strands for superi	M	1000	\$	1,722.84
07498376370	<b>F86-32-C</b>	Ferrule,Non-Insul,2AWG,32mmLEN,PK100	Ferrule, non-insulated, 2 AWG wire range, 1.26(32.0mm) length.	M	1000	\$	2,367.45
07498376371	<b>F87-18-C</b>	Ferrule,Non-Insul,1/0-1AWG,18mmLEN,PK100	Ferrule, non-insulated, 1 AWG wire range, 0.71(18.0mm) length.	M	1000	\$	1,943.61
07498376372	<b>F87-22-C</b>	Ferrule,Non-Insul,1/0-1AWG,22mmLEN,PK100	Ferrule, non-insulated, 1 AWG wire range, 0.79(20.0mm) length.	M	1000	\$	2,370.00
07498376373	<b>F87-25-C</b>	Ferrule,Non-Insul,1/0-1AWG,25mmLEN,PK100	Ferrule, non-insulated, 1 AWG wire range, 0.98(25.0mm) length.	M	1000	\$	2,721.38
07498376374	<b>F87-32-C</b>	Ferrule,Non-Insul,1/0-1AWG,32mmLEN,PK100	Ferrule, non-insulated, 1 AWG wire range, 1.26(32.0mm) length.	M	1000	\$	3,693.16
07498365095	<b>F89-25-L</b>	Ferrule,Non-Insul,2/0AWG,25mmLEN,PK50	The F89-25-L Pan-Term® Ferrule is designed with a seamless barrel to contain loose wire strands for superi	M	1000	\$	3,587.20
07498365096	<b>F89-32-L</b>	Ferrule,Non-Insul,2/0AWG,32mmLEN,PK50	Ferrule, non-insulated, 2/0 AWG wire range, 1.26(32.0mm) length.	M	1000	\$	3,964.88
07498365097	<b>F90-25-L</b>	Ferrule,Non-Insul,3/0AWG,25mmLEN,PK50	Ferrule, non-insulated, 3/0 AWG wire range, 0.98(25.0mm) length.	M	1000	\$	4,220.26
07498365098	<b>F90-30-L</b>	Ferrule,Non-Insul,3/0AWG,30mmLEN,PK50	Ferrule, non-insulated, 3/0 AWG wire range, 1.18(30.0mm) length.	M	1000	\$	4,442.39
07498365099	<b>F90-32-L</b>	Ferrule,Non-Insul,3/0AWG,32mmLEN,PK50	Ferrule, non-insulated, 3/0 AWG wire range, 1.26(32.0mm) length.	M	1000	\$	4,676.16
07498333352	<b>F91-32-L</b>	Ferrule,NonIns,4/0-250kcmil32mmLEN,PK50	Ferrule, non-insulated, 4/0 AWG wire range,250 kcmil (120.0mm <sup>2</sup> ) Wire Size, 1.25 (32.0mm) Pin Length.	M	1000	\$	4,288.66
07498333353	<b>F91-40-L</b>	Ferrule,NonIns,4/0-250kcmil40mmLEN,PK50	Ferrule, non-insulated, 4/0 AWG wire range, 250 kcmil (120.0mm <sup>2</sup> ) Wire Size, 1.57 (40.0mm) Pin Length.	M	1000	\$	5,443.03
07498333354	<b>F92-32-L</b>	Ferrule,NonIns,300kcmil,32mmLEN,PK50	Ferrule, non-insulated, 300 kcmil wire range, 1.26 (32.0mm) Pin Length.	M	1000	\$	5,134.56
07498333356	<b>F92-38-L</b>	Ferrule,NonIns,300kcmil,38mmLEN,PK50	Ferrule, non-insulated, 300 kcmil wire range, 1.50 (38.0mm) Pin Length.	M	1000	\$	5,924.01
07498333359	<b>F93-32-Q</b>	Ferrule,NonIns,350kcmil,32mmLEN,PK25	Ferrule, non-insulated, 350 kcmil wire range, 1.26 (32.0mm) Pin Length.	M	1000	\$	6,242.60
07498333357	<b>F93-40-Q</b>	Ferrule,NonIns,350kcmil,40mmLEN,PK25	Ferrule, non-insulated, 350 kcmil wire range, 1.57 (44.0mm) Pin Length.	M	1000	\$	8,395.96
07498333358	<b>F94-40-Q</b>	Ferrule,Non-Insul,400kcmil,40mmLEN,PK25	Ferrule, non-insulated, 400 kcmil wire range, 1.57 (44.0mm) Pin Length.	M	1000	\$	15,851.33
07498359200	<b>FCBH-S10-C20</b>	FlatCableBase,1in,#10Screw,BL,PK100	The flat cable mounting system uses one base, one corresponding size plate (FCPI), and one intermediate cr	C	100	\$	57.85
07498359201	<b>FCBH-S10-M20</b>	FlatCableBase,1in,#10Screw,BL,PK1000	The flat cable mounting system uses one base, one corresponding size plate (FCPI), and one intermediate cr	M	1000	\$	471.31
07498359220	<b>FCBIZ-S10-C20</b>	FlatCableBase,2in,Wcbl,#10Screw,BL,PK100	The flat cable mounting system uses one base, one corresponding size plate (FCPI), and one intermediate cr	C	100	\$	64.90
07498359221	<b>FCBIZ-S10-M20</b>	FlatCableBase,2in,Wcbl,#10Screw,BL,PK1000	The flat cable mounting system uses one base, one corresponding size plate (FCPI), and one intermediate cr	M	1000	\$	522.41
07498359347	<b>FCC-A-C8</b>	FlatCableClip,Adh,1.09"W,SP	Panduit FCC-A-C8 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They can be	C	100	\$	55.40
07498359324	<b>FCC-A-D8</b>	FlatCableClip,Adh,1.09"W,BP	Panduit FCC-A-D8 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They can be	M	1000	\$	384.85
07498359322	<b>FCC5-A-C8</b>	FlatCableClip,Adh,.56"W,SP	Flat cable clips, any width flat cable, .56" (14.2mm) width, gray, standard package.	C	100	\$	46.64
07498359323	<b>FCC5-A-D8</b>	FlatCableClip,Adh,.56"W,BP	Panduit FCC5-A-D8 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They can be	M	1000	\$	343.38
07498372228	<b>FCH2-A-C14</b>	FltCbleHldr,Adh,2"Wcble,PK100	Latching flat cable holders, 2" (50.8mm) cable width, gray, standard package.	C	100	\$	240.23
07498372229	<b>FCH2-A-T14</b>	FltCbleHldr,Adh,2"Wcble,PK200	Panduit FCH2-A-T14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They can b	M	1000	\$	1,716.80
07498372230	<b>FCH2-S6-C14</b>	FltCbleHldr,ScrewApplied,2"Wcble,PK100	Panduit FCH2-S6-C14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They can	C	100	\$	216.85
07498359350	<b>FCM1-A-C14</b>	FltCbleMnt,Adh,1"Wcble,PK100	Panduit FCM1-A-C14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They can	C	100	\$	151.48
07498359362	<b>FCM1-A-T14</b>	FltCbleMnt,Adh,1"Wcble,PK200	Panduit FCM1-A-T14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They can b	M	1000	\$	1,159.71
07498359352	<b>FCM1-S6-C14</b>	FltCbleMnt,#6Screw,1"Wcble,PK100	Latching flat cable mount, #6 screw (M3), 1" (25.4mm) cable width, gray, standard package.	C	100	\$	138.00
07498359363	<b>FCM1-S6-T14</b>	FltCbleMnt,#6Screw,1"Wcble,PK200	Latching flat cable mount, #6 screw (M3), 1" (25.4mm) cable width, gray, bulk package.	M	1000	\$	990.39
07498359007	<b>FCM1.2-A-C14</b>	FltCbleMnt,Adh,1.20"Wcble,PK100	Panduit FCM1.2-A-C14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They ca	C	100	\$	158.81
07498359005	<b>FCM1.2-A-T14</b>	FltCbleMnt,Adh,1.20"Wcble,PK200	Latching flat cable mount, 1.20" (30.5mm) cable width, gray, bulk package.	M	1000	\$	1,371.20
07498359009	<b>FCM1.2-S6-C14</b>	FltCbleMnt,#6Screw,1.20"Wcble,PK100	Panduit FCM1.2-S6-C14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They c	C	100	\$	148.11
07498359010	<b>FCM1.2-S6-T14</b>	FltCbleMnt,#6Screw,1.20"Wcble,PK200	Panduit FCM1.2-S6-T14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They c	M	1000	\$	1,420.29
07498359354	<b>FCM2-A-C14</b>	FltCbleMnt,Adh,2"Wcble,PK100	Panduit FCM2-A-C14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They can	C	100	\$	168.55
07498359364	<b>FCM2-A-T14</b>	FltCbleMnt,Adh,2"Wcble,PK200	Panduit FCM2-A-T14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They can b	M	1000	\$	1,553.69
07498359356	<b>FCM2-S6-C14</b>	FltCbleMnt,#6Screw,2"Wcble,PK100	Panduit FCM2-S6-C14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They can	C	100	\$	153.48
07498359365	<b>FCM2-S6-T14</b>	FltCbleMnt,#6Screw,2"Wcble,PK200	Panduit FCM2-S6-T14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They can	M	1000	\$	1,402.08
07498359366	<b>FCM3.25-A-L14</b>	FltCbleMnt,Adh,3.25"Wcble,PK50	Latching flat cable mount, 3.25" (82.6mm) cable width, gray, standard package.	C	100	\$	243.24
07498359367	<b>FCM3.25-A-T14</b>	FltCbleMnt,Adh,3.25"Wcble,PK200	Panduit FCM3.25-A-T14 Flat Cable Clips have a low profile design and hold wires, cables and tubing. They c	M	1000	\$	2,038.86
07498359368	<b>FCM3.25-S6-L14</b>	FltCbleMnt,#6Screw,3.25"Wcble,PK50	Latching flat cable mount, #6 screw (M3), 3.25" (82.6mm) cable width, gray, standard package.	C	100	\$	209.44
07498359369	<b>FCM3.25-S6-T14</b>	FltCbleMnt,#6Screw,3.25"Wcble,PK200	Latching flat cable mount, #6 screw (M3), 3.25" (82.6mm) cable width, gray, bulk package.	M	1000	\$	1,902.86
07498359000	<b>FCPIH-C20</b>	FlatCablePlate,1"Wcble,BL,PK100	Flat cable mounting system, FCPI plate, 1" (25.4mm) cable width, black, standard package.	C	100	\$	41.28
07498359020	<b>FCPIZ-C20</b>	FlatCablePlate,2"Wcble,BL,PK100	Flat cable mounting system, FCPI plate, 2" (50.8mm) cable width, black, standard package.	C	100	\$	46.98
61305666753	<b>FIG6-2-2</b>	Grounding "Figure 6" Style Connector, 6	Grounding "Figure 6" Style Connector, 6 Sol - 2 Str (10-35mm2) Main, 6 Sol - 2 Str (10-35mm2) Tap	PC	1	\$	23.68
61305666836	<b>FIG6-2-26</b>	Grounding "Figure 6" Style Connector, 6	Grounding "Figure 6" Style Connector, 6 Sol - 2 Str (10-35mm2) Main, Quantity 1 or 2 Wires 8 Sol - 6 Str (8-1	PC	1	\$	33.15
61305666754	<b>FIG6-250-2</b>	Grounding "Figure 6" Style Connector, 2	Grounding "Figure 6" Style Connector, 2 Str - 250 kcmil (35-120mm2), 1/2 - 5/8 Rod (12.7-15.9mm), or #3 - #	PC	1	\$	39.83
61305666755	<b>FIG6-250-2/0</b>	Grounding "Figure 6" Style Connector, 2	Grounding "Figure 6" Style Connector, 2 Str - 250 kcmil (35-120mm2), 1/2 - 5/8 Rod (12.7-15.9mm), or #3 - #	PC	1	\$	39.83
61305666833	<b>FIG6-250-250</b>	Grounding "Figure 6" Style Connector, 2	Grounding "Figure 6" Style Connector, 2 Str - 250 kcmil (35-120mm2), 1/2 - 5/8 Rod (12.7-15.9mm), or #3 - #	PC	1	\$	39.83
61305666837	<b>FIG6-250-26</b>	Grounding "Figure 6" Style Connector, 2	Grounding "Figure 6" Style Connector, 2 Str - 250 kcmil (35-120mm2), 1/2 - 5/8 Rod (12.7-15.9mm), or #3 - #	PC	1	\$	86.76
61305668577	<b>FIG6-5/8-26</b>	Grounding "Figure 6" Style Connector, 1/	Grounding "Figure 6" Style Connector, 1/2 - 5/8 Rod (12.7-15.9mm) Main, Quantity 1 or 2 Wires 6 Sol - 2 Sol	PC	1	\$	34.45
61305668578	<b>FIG6-5/8-26TP</b>	Tin Plated Grounding "Figure 6" Style Co	Tin Plated Grounding "Figure 6" Style Connector, 1/2 - 5/8 Rod (12.7-15.9mm) Main, Quantity 1 or 2 Wires 6	PC	1	\$	34.89
61305668579	<b>FIG6-500-2</b>	Grounding "Figure 6" Style Connector, 25	Grounding "Figure 6" Style Connector, 250 - 500 kcmil (120-240mm2), 5/8 - 3/4 Rod (15.9-19.1mm), or #5 -	PC	1	\$	56.90
61305668580	<b>FIG6-500-2/0</b>	Grounding "Figure 6" Style Connector, 25	The FIG6-500-2/0 Compression Connector Tap provides high-strength and premium electrical properties. It is	PC	1	\$	56.90
61305668834	<b>FIG6-500-250</b>	Grounding "Figure 6" Style Connector, 25	The FIG6-500-250 Compression Connector Tap provides high-strength and premium electrical properties. It i	PC	1	\$	56.90
61305668835	<b>FIG6-500-500</b>	Grounding "Figure 6" Style Connector, 25	The FIG6-500-500 Compression Connector Tap provides high-strength and premium electrical properties. It i	PC	1	\$	60.50
61305675636	<b>FIG8-1-2/0</b>	Grounding "Figure 8" Style Connector, 1"	Grounding "Figure 8" Style Connector, 1" Rod (25.4mm), 2 Str - 2/0 Str (35-70mm2) Copper Cable	PC	1	\$	68.68
61305675648	<b>FIG8-1-2/0TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 1" Rod (25.4mm), 2 Str - 2/0 Str (35-70mm2) Copper Cable	PC	1	\$	72.10
61305675640	<b>FIG8-1-250</b>	Grounding "Figure 8" Style Connector, 1"	Grounding "Figure 8" Style Connector, 1" Rod (25.4mm), 3/0 Str - 250 kcmil (85-120mm2) Copper Cable	PC	1	\$	68.68
61305675652	<b>FIG8-1-250TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 1" Rod (25.4mm), 3/0 Str - 250 kcmil (85-120mm2) Copper	PC	1	\$	72.10
61305675643	<b>FIG8-1-500</b>	Grounding "Figure 8" Style Connector, 1"	Grounding "Figure 8" Style Connector, 1" Rod (25.4mm), 300 - 500 kcmil (150-240mm2) Copper Cable	PC	1	\$	76.93
61305675655	<b>FIG8-1-500TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 1" Rod (25.4mm), 300 - 500 kcmil (150-240mm2) Copper C	PC	1	\$	80.79
61305675633	<b>FIG8-1/2-2/0</b>	Grounding "Figure 8" Style Connector, 1/	Grounding "Figure 8" Style Connector, 1/2" Rod (12.7mm), 2 Str - 2/0 Str (35-70mm2) Copper Cable	PC	1	\$	52.41
61305675645	<b>FIG8-1/2-2/0TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 1/2" Rod (12.7mm), 2 Str - 2/0 Str (35-70mm2) Copper Ca	PC	1	\$	55.03
61305675637	<b>FIG8-1/2-250</b>	Grounding "Figure 8" Style Connector, 1/	Grounding "Figure 8" Style Connector, 1/2" Rod (12.7mm), 3/0 Str - 250 kcmil (85-120mm2) Copper Cable	PC	1	\$	52.41
61305675649	<b>FIG8-1/2-250TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 1/2" Rod (12.7mm), 3/0 Str - 250 kcmil (85-120mm2) Copp	PC	1	\$	55.03
61305675635	<b>FIG8-3/4-2/0</b>	Grounding "Figure 8" Style Connector, 3/	Grounding "Figure 8" Style Connector, 3/4" Rod (19.1mm), 2 Str - 2/0 Str (35-70mm2) Copper Cable	PC	1	\$	55.28
61305675647	<b>FIG8-3/4-2/0TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 3/4" Rod (19.1mm), 2 Str - 2/0 Str (35-70mm2) Copper Ca	PC	1	\$	58.04
61305675639	<b>FIG8-3/4-250</b>	Grounding "Figure 8" Style Connector, 3/	Grounding "Figure 8" Style Connector, 3/4" Rod (19.1mm), 3/0 Str - 250 kcmil (85-120mm2) Copper Cable	PC	1	\$	55.28
61305675651	<b>FIG8-3/4-250TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 3/4" Rod (19.1mm), 3/0 Str - 250 kcmil (85-120mm2) Copp	PC	1	\$	58.04
61305675642	<b>FIG8-3/4-500</b>	Grounding "Figure 8" Style Connector, 3/	Grounding "Figure 8" Style Connector, 3/4" Rod (19.1mm), 300 - 500 kcmil (150-240mm2) Copper Cable	PC	1	\$	67.39
61305675654	<b>FIG8-3/4-500TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 3/4" Rod (19.1mm), 300 - 500 kcmil (150-240mm2) Copper	PC	1	\$	70.75
61305675634	<b>FIG8-5/8-2/0</b>	Grounding "Figure 8" Style Connector, 5/	Grounding "Figure 8" Style Connector, 5/8" Rod (15.9mm), 2 Str - 2/0 Str (35-70mm2) Copper Cable	PC	1	\$	50.04
61305675646	<b>FIG8-5/8-2/0TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 5/8" Rod (15.9mm), 2 Str - 2/0 Str (35-70mm2) Copper Ca	PC	1	\$	52.54

61305675638	<b>FIG8-5/8-250</b>	Grounding "Figure 8" Style Connector, 5/	Grounding "Figure 8" Style Connector, 5/8" Rod (15.9mm), 3/0 Str - 250 kcmil (85-120mm2) Copper Cable	PC	1	\$	54.80
61305675650	<b>FIG8-5/8-250TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 5/8" Rod (15.9mm), 3/0 Str - 250 kcmil (85-120mm2) Copp	PC	1	\$	57.54
61305675644	<b>FIG8-5/8-32</b>	Grounding "Figure 8" Style Connector, 5/	Grounding "Figure 8" Style Connector, 5/8" Rod (15.9mm), Quantity 1, 2, or 3 Wires 2 Sol (35mm2)	PC	1	\$	66.30
61305675656	<b>FIG8-5/8-32TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 5/8" Rod (15.9mm), Quantity 1, 2, or 3 Wires 2 Sol (35mm2)	PC	1	\$	69.60
61305675641	<b>FIG8-5/8-500</b>	Grounding "Figure 8" Style Connector, 5/	Grounding "Figure 8" Style Connector, 5/8" Rod (15.9mm), 300 - 500 kcmil (150-240mm2) Copper Cable	PC	1	\$	59.64
61305675653	<b>FIG8-5/8-500TP</b>	Tin Plated Grounding "Figure 8" Style Co	Tin Plated Grounding "Figure 8" Style Connector, 5/8" Rod (15.9mm), 300 - 500 kcmil (150-240mm2) Copper	PC	1	\$	62.60
07498337924	<b>FL12X12LG-A</b>	FlexDuct ADH,PolyProp,12mmx12mmx500mm,LG	The FL12X12LG-A Panduct Flexible Wiring Duct is a one-piece, slotted sidewall, open finger design meant to	PC	1	\$	7.01
07498337925	<b>FL25X25LG-A</b>	FlexDuct ADH,PolyProp,25mmx25mmx500mm,LG	The FL25X25LG-A Panduct Flexible Wiring Duct is a one-piece, slotted sidewall, open finger design meant to	PC	1	\$	11.41
07498337926	<b>FL50X50LG-A</b>	FlexDuct ADH,PolyProp,50mmx50mmx500mm,LG	Panduct® type FL flexible wiring duct, 50.0mm W x 50.0mm H, 19.7" length, flexible polypropylene, adhesive,	PC	1	\$	20.85
07498333956	<b>FS.5X.5LG6</b>	SLD Duct, PVC, .5x5x6", LG, 6ft	Panduct® type FS solid wall wiring duct, .5 W x .5 H, 6' length, PVC, light gray.	FT	1	\$	4.21
07498333958	<b>FS.5X.5LG6NM</b>	SLD Duct NMTG, PVC, .5x5x6", LG, 6ft	Panduct® type FS solid wall wiring duct, .5 W x .5 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	3.83
07498333957	<b>FS.5X.5WH6NM</b>	SLD Duct NMTG, PVC, .5x5x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, .5 W x .5 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	4.01
07498333964	<b>FS.5X1LG6</b>	SLD Duct, PVC, .5x1x6", LG, 6ft	Panduct® type FS solid wall wiring duct, .5 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	4.99
07498333966	<b>FS.5X1LG6NM</b>	SLD Duct NMTG, PVC, .5x1x6", LG, 6ft	Panduct® type FS solid wall wiring duct, .5 W x 1 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	4.74
07498333974	<b>FS.75X.75LG6NM</b>	SLD Duct NMTG, PVC, .75x.75x6", LG,6ft	Panduct® type FS solid wall wiring duct, .75 W x .75 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	4.49
07498360980	<b>FS1.5X1.5BL6</b>	SLD Duct, PVC, 1.5x1.5x6", BLK, 6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 1.5 H, 6' length, PVC, black.	FT	1	\$	7.10
07498334032	<b>FS1.5X1.5LG6</b>	SLD Duct, PVC, 1.5x1.5x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 1.5 H, 6' length, PVC, light gray.	FT	1	\$	7.04
07498334036	<b>FS1.5X1.5LG6-A</b>	SLD Duct, ADH,PVC, 1.5x1.5x6", LG,6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 1.5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.25
07498334034	<b>FS1.5X1.5LG6NM</b>	SLD Duct NMTG, PVC, 1.5x1.5x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 1.5 H, 6' length, PVC, light gray, no mounting holes	FT	1	\$	6.68
07498334031	<b>FS1.5X1.5WH6</b>	SLD Duct, PVC, 1.5x1.5x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 1.5 H, 6' length, PVC, white.	FT	1	\$	7.04
07498334033	<b>FS1.5X1.5WH6NM</b>	SLD Duct NMTG, PVC, 1.5x1.5x6", WHT,6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 1.5 H, 6' length, PVC, white, no mounting holes	FT	1	\$	7.01
07498334026	<b>FS1.5X1LG6NM</b>	SLD Duct NMTG, PVC, 1.5x1x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 1 H, 6' length, PVC, light gray, no mounting holes	FT	1	\$	5.89
07498334025	<b>FS1.5X1WH6NM</b>	SLD Duct NMTG, PVC, 1.5x1x6", WHT,6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 1 H, 6' length, PVC, white, no mounting holes	FT	1	\$	5.89
07498334038	<b>FS1.5X2LG6</b>	SLD Duct, PVC, 1.5x2x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	8.33
07498334040	<b>FS1.5X2LG6NM</b>	SLD Duct NMTG, PVC, 1.5x2x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 1 H, 6' length, PVC, light gray, no mounting holes	FT	1	\$	7.94
07498334046	<b>FS1.5X3LG6</b>	SLD Duct, PVC, 1.5x2x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	10.50
07498334048	<b>FS1.5X3LG6NM</b>	SLD Duct NMTG, PVC, 1.5x2x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 1.5 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	9.98
07498333992	<b>FS1X1.5LG6</b>	SLD Duct, PVC, 1x1.5x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 1 W x 1.5 H, 6' length, PVC, light gray.	FT	1	\$	6.68
07498333994	<b>FS1X1.5LG6NM</b>	SLD Duct NMTG, PVC, 1x1.5x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 1 W x 1.5 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	6.35
0749831450	<b>FS1X1BL6</b>	SLD Duct, PVC, 1x1x6", BLK, 6ft	Panduct® type FS solid wall wiring duct, 1 W x 1 H, 6' length, PVC, black.	FT	1	\$	5.14
07498333984	<b>FS1X1LG6</b>	SLD Duct, PVC, 1x1x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 1 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	5.14
07498333986	<b>FS1X1LG6NM</b>	SLD Duct NMTG, PVC, 1x1x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 1 W x 1 H, 6' length, PVC, light gray, no mounting holes	FT	1	\$	4.89
07498333983	<b>FS1X1WH6</b>	SLD Duct, PVC, 1x1x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 1 W x 1 H, 6' length, PVC, white.	FT	1	\$	5.41
07498333985	<b>FS1X1WH6NM</b>	SLD Duct NMTG, PVC, 1x1x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 1 W x 1 H, 6' length, PVC, white, no mounting holes	FT	1	\$	5.11
07498334002	<b>FS1X2LG6NM</b>	SLD Duct NMTG, PVC, 1x2x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 1 W x 2 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	6.45
07498334010	<b>FS1X3LG6NM</b>	SLD Duct NMTG, PVC, 1x3x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 1 W x 3 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	8.58
07498334070	<b>FS2X1.5LG6</b>	SLD Duct, PVC, 2x1.5x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 1.5 H, 6' length, PVC, light gray.	FT	1	\$	7.23
07498334072	<b>FS2X1.5LG6NM</b>	SLD Duct NMTG, PVC,2x1.5x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 1.5 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	6.86
07498334069	<b>FS2X1.5WH6</b>	SLD Duct, PVC, 2x1.5x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 1.5 H, 6' length, PVC, white.	FT	1	\$	7.23
07498361076	<b>FS2X2BL6</b>	SLD Duct, PVC, 2x2x6", BLK, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 2 H, 6' length, PVC, black.	FT	1	\$	7.60
07498361078	<b>FS2X2BL6NM</b>	SLD Duct NMTG, PVC,2x2x6", BLK, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 2 H, 6' length, PVC, black, no mounting holes.	FT	1	\$	7.20
07498334078	<b>FS2X2LG6</b>	SLD Duct, PVC, 2x2x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	7.23
07498334080	<b>FS2X2LG6NM</b>	SLD Duct NMTG, PVC,2x2x6", LG, 6ft	The FS2X2LG6NM Panduct Lead-Free PVC Solid Wall Wiring Duct design fully encloses cables providing m	FT	1	\$	6.86
07498334077	<b>FS2X2WH6</b>	SLD Duct, PVC, 2x2x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 2 H, 6' length, PVC, white.	FT	1	\$	7.23
07498334079	<b>FS2X2WH6NM</b>	SLD Duct NMTG, PVC,2x2x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 2 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	6.86
07498334086	<b>FS2X3LG6</b>	SLD Duct, PVC, 2x3x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	9.85
07498334088	<b>FS2X3LG6NM</b>	SLD Duct NMTG, PVC,2x3x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 3 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	9.35
07498334085	<b>FS2X3WH6</b>	SLD Duct, PVC, 2x3x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 3 H, 6' length, PVC, white.	FT	1	\$	9.85
07498334087	<b>FS2X3WH6NM</b>	SLD Duct NMTG, PVC,2x3x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 3 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	9.35
07498334094	<b>FS2X4LG6</b>	SLD Duct, PVC, 2x4x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 4 H, 6' length, PVC, light gray.	FT	1	\$	11.49
07498334096	<b>FS2X4LG6NM</b>	SLD Duct NMTG, PVC,2x4x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 2 W x 4 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	10.40
07498334110	<b>FS3X1LG6</b>	SLD Duct, PVC,3x1x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	7.58
07498334112	<b>FS3X1LG6NM</b>	SLD Duct NMTG, PVC,3x1x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 1 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	7.18
07498361150	<b>FS3X2BL6NM</b>	SLD Duct NMTG, PVC,3x2x6", BLK, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 2 H, 6' length, PVC, black, no mounting holes.	FT	1	\$	8.39
07498334118	<b>FS3X2LG6</b>	SLD Duct, PVC, 3x2x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	9.26
07498334120	<b>FS3X2LG6NM</b>	SLD Duct NMTG, PVC,3x2x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 2 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	8.81
07498334117	<b>FS3X2WH6</b>	SLD Duct, PVC, 3x2x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 2 H, 6' length, PVC, white.	FT	1	\$	9.26
07498334119	<b>FS3X2WH6NM</b>	SLD Duct NMTG, PVC,3x2x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 2 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	8.81
07498361158	<b>FS3X3BL6NM</b>	SLD Duct NMTG, PVC,3x3x6", BLK, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 3 H, 6' length, PVC, black, no mounting holes.	FT	1	\$	10.75
07498334126	<b>FS3X3LG6</b>	SLD Duct, PVC, 3x3x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	10.78
07498334128	<b>FS3X3LG6NM</b>	SLD Duct NMTG, PVC,3x3x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 3 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	10.23
07498334127	<b>FS3X3WH6NM</b>	SLD Duct NMTG, PVC,3x3x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 3 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	10.75
07498334136	<b>FS3X4LG6NM</b>	SLD Duct NMTG, PVC,3x4x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 3 W x 4 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	13.06
07498373676	<b>FS4X1.5LG6</b>	SLD Duct, PVC, 4x1.5x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 1.5 H, 6' length, PVC, light gray.	FT	1	\$	8.64
07498334150	<b>FS4X2LG6</b>	SLD Duct, PVC, 4x2x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	10.56
07498334152	<b>FS4X2LG6NM</b>	SLD Duct NMTG, PVC,4x2x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 2 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	9.59
07498334151	<b>FS4X2WH6NM</b>	SLD Duct NMTG, PVC,4x2x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 2 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	10.54
07498334158	<b>FS4X3LG6</b>	SLD Duct, PVC, 4x3x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	12.56
07498334160	<b>FS4X3LG6NM</b>	SLD Duct NMTG, PVC,4x3x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 3 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	11.35
07498334159	<b>FS4X3WH6NM</b>	SLD Duct NMTG, PVC,4x3x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 3 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	12.55
07498361229	<b>FS4X4BL6</b>	SLD Duct, PVC, 4x4x6", BLK, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 4 H, 6' length, PVC, black.	FT	1	\$	15.21
07498361235	<b>FS4X4BL6NM</b>	SLD Duct NMTG, PVC,4x4x6", BLK, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 4 H, 6' length, PVC, black, no mounting holes.	FT	1	\$	14.49
07498334166	<b>FS4X4LG6</b>	SLD Duct, PVC, 4x4x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 4 H, 6' length, PVC, light gray.	FT	1	\$	14.51
07498334168	<b>FS4X4LG6NM</b>	SLD Duct NMTG, PVC,4x4x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 4 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	13.78
07498334165	<b>FS4X4WH6</b>	SLD Duct, PVC,4x4x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 4 H, 6' length, PVC, white.	FT	1	\$	15.21
07498334167	<b>FS4X4WH6NM</b>	SLD Duct NMTG, PVC,4x4x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 4 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	14.49
61305620746	<b>FS6X4BL6</b>	SLD Duct, PVC, 6x4x6",BL, 6ft	Panduct® type FS solid wall wiring duct, 4 W x 4 H, 6' length, PVC, Black.	FT	1	\$	36.10



61305620747	<b>FS6X4BL6NM</b>	SLD Duct NMTG, PVC, 6x4x6", BL, 6ft	Panduct® type FS solid wall wiring duct, 6 W x 4 H, 6' length, PVC, Black, no mounting holes.	FT	1	\$	24.49
07498364139	<b>FS6X4LG6</b>	SLD Duct, PVC, 6x4x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 6 W x 4 H, 6' length, PVC, light gray.	FT	1	\$	26.10
07498354377	<b>FS6X4LG6-A</b>	SLD Duct NMTG ADH,PVC,6x4x6",WHT, 6ft	Panduct® type FS solid wall wiring duct, 6 W x 4 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	29.76
07498335770	<b>FS6X4LG6NM</b>	SLD Duct NMTG, PVC, 6x4x6", LG, 6ft	Panduct® type FS solid wall wiring duct, 6 W x 4 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	23.31
07498335769	<b>FS6X4WH6NM</b>	SLD Duct NMTG, PVC, 6x4x6", WHT, 6ft	Panduct® type FS solid wall wiring duct, 6 W x 4 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	24.49
07498376393	<b>FSD72-6-D</b>	Ferrule,Insul,26AWG,6mmPIN,GRY,PK500	Polypropylene insulated ferrules single wire gray DIN end sleeve, 26 AWG (14mm), .24(6.0mm) pin length.	M	1000	\$	279.19
07498376394	<b>FSD72-8-D</b>	Ferrule,Insul,26AWG,10.5mmLong,GY,500	The single wire DIN end sleeve insulated ferrule in gray has a funnel entry for faster insertion and lower install	M	1000	\$	265.90
07498376395	<b>FSD73-6-D</b>	Ferrule,Insul,24AWG,6mmPIN,YL,PK500	Polypropylene insulated ferrules single wire yellow DIN end sleeve, 24 AWG (0.25mm <sup>2</sup> ), .24(6.0mm) pin leng	M	1000	\$	265.90
07498376396	<b>FSD73-8-D</b>	Ferrule,Insul,24AWG,12.5mmLong,YL,500	The FSD73-8-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless b	M	1000	\$	265.90
07498333321	<b>FSD73-8-K</b>	Ferrule,Insul,24AWG,8mmPIN,YL,REEL1000	Insulated ferrules, single wire yellow DIN end sleeve on mini-reel, #24 AWG (0.25mm <sup>2</sup> ) Wire Size, 0.31 (8.0	M	1000	\$	294.84
07498376397	<b>FSD74-6-D</b>	Ferrule,Insul,22AWG,10.5mmLong,TURQS,500	The single wire DIN end sleeve insulated ferrule in turquoise has a funnel entry for faster insertion and lower i	M	1000	\$	265.90
07498376398	<b>FSD74-8-D</b>	Ferrule,Insul,22AWG,12.5mmLong,TURQS,500	The FSD74-8-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless b	M	1000	\$	265.90
07498333337	<b>FSD74-8-K</b>	Ferrule,Ins,22AWG,8mmPIN,TURQS,REEL1000	Insulated ferrules, single wire turquoise DIN end sleeve on mini-reel, #22 AWG (0.34mm <sup>2</sup> ) Wire Size, 0.31 (8.	M	1000	\$	281.44
07498376246	<b>FSD75-10-D</b>	Ferrule,Insul,20AWG,10mmPIN,WH,PK500	The FSD75-10-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	223.14
07498376244	<b>FSD75-6-D</b>	Ferrule,Insul,20AWG,6mmPIN,WH,PK500	Polypropylene insulated ferrules single wire whiteDIN end sleeve, 20 AWG (.50mm <sup>2</sup> ), .24(6.0mm) pin length.	M	1000	\$	223.14
07498390982	<b>FSD75-8-3K10</b>	Ferrule,Insul,20AWG,8mmPIN,WH,REEL3000	Insulated ferrules, single wire white DIN end sleeve on reel, 22 - 20AWG (0.50mm <sup>2</sup> ), 8mm Pin Length.	M	1000	\$	101.26
07498376245	<b>FSD75-8-D</b>	Ferrule,Insul,20AWG,13.5mmLong,WH,500	The FSD75-8-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless b	M	1000	\$	223.14
07498300986	<b>FSD75-8-DSL10</b>	Ferrule,Insul,20AWG,8mmPIN,WH,STRIP500	Insulated ferrules, on strip, single wire white DIN end sleeve, 20 AWG (0.50mm <sup>2</sup> ), 0.31(8.0mm) pin length.	M	1000	\$	99.36
07498333338	<b>FSD75-8-K</b>	Ferrule,Insul,20AWG,8mmPIN,WH,REEL1000	Insulated ferrules, single wire white DIN end sleeve on mini-reel, 22 - 20 AWG (0.50mm <sup>2</sup> ), 0.31 (8.0mm) pin l	M	1000	\$	226.23
07498376249	<b>FSD76-10-D</b>	Ferrule,Insul,18AWG,10mmPIN,GRY,PK500	The FSD76-10-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	223.14
07498376250	<b>FSD76-12-D</b>	Ferrule,Insul,18AWG,12mmPIN,GRY,PK500	Polypropylene insulated ferrules single wire gray DIN end sleeve,18 AWG (.75mm <sup>2</sup> ), .47(12.0mm) pin length.	M	1000	\$	223.14
07498376247	<b>FSD76-6-D</b>	Ferrule,Insul,18AWG,6mmPIN,GRY,PK500	Polypropylene insulated ferrules single wire gray DIN end sleeve,18 AWG (.75mm <sup>2</sup> ), .24(6.0mm) pin length.	M	1000	\$	234.30
07498390983	<b>FSD76-8-3K8</b>	Ferrule,Insul,18AWG,8mmPIN,GRY,REEL3000	Insulated ferrules, single wire gray DIN end sleeve on reel, 18AWG (0.75mm <sup>2</sup> ), 8mm Pin Length.	M	1000	\$	106.31
07498376248	<b>FSD76-8-D</b>	Ferrule,Insul,18AWG,14mmLong,GRY,500	The FSD76-8-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless b	M	1000	\$	223.14
07498300988	<b>FSD76-8-DSL8</b>	Ferrule,Insul,18AWG,8mmPIN,GRY,STRIP500	Insulated ferrules, on strip, single wire gray DIN end sleeve, 18 AWG (0.75mm <sup>2</sup> ), 0.31(8.0mm) pin length.	M	1000	\$	104.34
07498333339	<b>FSD76-8-K</b>	Ferrule,Insul,18AWG,8mmPIN,GRY,REEL1000	Insulated ferrules, single wire gray DIN end sleeve on mini-reel, 18 AWG (0.75mm <sup>2</sup> ), 0.31 (8.0mm) pin length	M	1000	\$	226.23
07498376253	<b>FSD77-10-D</b>	Ferrule,Insul,1mm2,10mmPIN,RD,PK500	The FSD77-10-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	223.14
07498376254	<b>FSD77-12-D</b>	Ferrule,Insul,18AWG,18.5mmLong,RD,500	The FSD77-12-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	223.14
07498376251	<b>FSD77-6-D</b>	Ferrule,Insul,1mm2,6mmPIN,RD,PK500	The FSD77-6-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless b	M	1000	\$	223.14
07498390984	<b>FSD77-8-3K2</b>	Ferrule,Insul,1mm2,8mmPIN,RD,REEL3000	The FSD77-8-3K2 Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	101.26
07498376252	<b>FSD77-8-D</b>	Ferrule,Insul,18AWG,14.5mmLong,RD,500	The FSD77-8-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless b	M	1000	\$	223.14
07498300991	<b>FSD77-8-DSL2</b>	Ferrule,Insul,1mm2,8mmPIN,RD,STRIP500	Insulated ferrules, on strip, single wire red DIN end sleeve, 18 AWG (1.0mm <sup>2</sup> ), 0.31(8.0mm) pin length.	M	1000	\$	99.36
07498333343	<b>FSD77-8-K</b>	Ferrule,Insul,1mm2,8mmPIN,RD,REEL1000	The FSD77-8-K Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless b	M	1000	\$	226.23
07498376256	<b>FSD78-10-D</b>	Ferrule,Insul,16AWG,10mmPIN,BL,PK500	The FSD78-10-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	318.91
07498376257	<b>FSD78-12-D</b>	Ferrule,Insul,16AWG,18.5mmLong,BL,500	The FSD78-12-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	318.91
07498376258	<b>FSD78-18-D</b>	Ferrule,Insul,16AWG,18mmPIN,BL,PK500	Polypropylene insulated ferrules single wire black DIN end sleeve, 16 AWG (1.5mm <sup>2</sup> ), .71(18.0mm) pin lengt	M	1000	\$	318.91
07498376399	<b>FSD78-6-D</b>	Ferrule,Insul,16AWG,6mmPIN,BL,PK500	Polypropylene insulated ferrules single wire black DIN end sleeve, 16 AWG (1.5mm <sup>2</sup> ), .24(6.0mm) pin length	M	1000	\$	286.93
07498390986	<b>FSD78-8-2KD0</b>	Ferrule,Insul,16AWG,8mmPIN,BL,REEL2500	The FSD78-8-2KD0 Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamle	M	1000	\$	108.90
07498376255	<b>FSD78-8-D</b>	Ferrule,Insul,16AWG,14.5mmLong,BL,500	The FSD78-8-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless b	M	1000	\$	286.93
07498300992	<b>FSD78-8-DSL0</b>	Ferrule,Insul,16AWG,8mmPIN,BL,STRIP500	The FSD78-8-DSL0 Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamle	M	1000	\$	106.84
07498333344	<b>FSD78-8-K</b>	Ferrule,Insul,16AWG,8mmPIN,BL,REEL1000	Insulated ferrules, single wire black DIN end sleeve on mini-reel, 16 AWG (1.5mm <sup>2</sup> ), 0.31 (8.0mm) pin length.	M	1000	\$	226.23
07498376400	<b>FSD79-8-D</b>	Ferrule,Insul,14AWG,8mmPIN,YL,PK500	Polypropylene insulated ferrules single wire yellow DIN end sleeve, 14 AWG (2.1mm <sup>2</sup> ), .31(8.0mm) pin lengt	M	1000	\$	318.91
07498376260	<b>FSD80-12-D</b>	Ferrule,Insul,14AWG,19mmLong,BU,500	The FSD80-12-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	382.66
07498376261	<b>FSD80-18-D</b>	Ferrule,Insul,14AWG,18mmPIN,BU,PK500	Polypropylene insulated ferrules single wire blue DIN end sleeve, 14 AWG (2.5mm <sup>2</sup> ), .71(18.0mm) pin length	M	1000	\$	414.56
07498376259	<b>FSD80-8-D</b>	Ferrule,Insul,14AWG,15mmLong,BU,K500	The FSD80-8-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless b	M	1000	\$	318.91
07498333345	<b>FSD80-8-DK</b>	Ferrule,Insul,14AWG,8mmPIN,BU,REEL500	Insulated ferrules, single wire blue DIN end sleeve on mini-reel, 14 AWG (2.5mm <sup>2</sup> ), 0.31 (8.0mm) pin length.	M	1000	\$	281.44
07498302080	<b>FSD80-8-DSL6</b>	Ferrule,Insul,14AWG,8mmPIN,BU,STRIP500	Insulated ferrules, on strip, single wire blue DIN end sleeve, 14 AWG (2.5mm <sup>2</sup> ), 0.31(8.0mm) pin length.	M	1000	\$	116.84
07498390987	<b>FSD80-8-KD6</b>	Ferrule,Insul,14AWG,8mmPIN,BU,REEL1500	Insulated ferrules, single wire blue DIN end sleeve on reel, 14AWG (2.50mm <sup>2</sup> ), 8mm Pin Length.	M	1000	\$	119.08
07498376262	<b>FSD81-10-D</b>	Ferrule,Insul,12AWG,17.5mmLong,GRY,500	The FSD81-10-D Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	382.66
07498376745	<b>FSD81-12-C</b>	Ferrule,Insul,12AWG,20mmLong,GRY,100	The FSD81-12-C Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	382.66
07498376264	<b>FSD81-18-C</b>	Ferrule,Insul,12AWG,18mmPIN,GRY,PK100	Polypropylene insulated ferrules single wire gray DIN end sleeve, 12 AWG (4.0mm <sup>2</sup> ), .71(18.0mm) pin length	M	1000	\$	637.86
07498376265	<b>FSD82-12-C</b>	Ferrule,Insul,10AWG,20mmLong,YL,100	The FSD82-12-C Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	510.31
07498376266	<b>FSD82-18-C</b>	Ferrule,Insul,10AWG,18mmPIN,YL,PK100	Polypropylene insulated ferrules single wire yellow DIN end sleeve, 10 AWG (6.0mm <sup>2</sup> ), .71(18.0mm) pin leng	M	1000	\$	701.80
07498376267	<b>FSD83-12-C</b>	Ferrule,Insul,8AWG,21mmLong,RD,100	The FSD83-12-C Pan-Term® Ferrule is a covered, single-wire ferrule end sleeve. Designed with a seamless	M	1000	\$	574.15
07498376268	<b>FSD83-18-C</b>	Ferrule,Insul,8AWG,18mmPIN,RD,PK100	Polypropylene insulated ferrules single wire red DIN end sleeve, 8 AWG (10.0mm <sup>2</sup> ), .71(18.0mm) pin length.	M	1000	\$	765.59
07498376269	<b>FSD84-12-C</b>	Ferrule,Twn,Insul,6AWG,23mmLong,BU,100	The single wire DIN end sleeve insulated ferrule in blue has a funnel entry for faster insertion and lower install	M	1000	\$	701.80
07498376270	<b>FSD84-18-C</b>	Ferrule,Insul,6AWG,18mmPIN,BU,PK100	Polypropylene insulated ferrules single wire blue DIN end sleeve, 6 AWG (16.0mm <sup>2</sup> ), .71(18.0mm) pin length	M	1000	\$	829.34
07498376271	<b>FSD85-16-L</b>	Ferrule,Insul,4AWG,29mmLong,YL,PK50	The single wire DIN end sleeve insulated ferrule in yellow has a funnel entry for faster insertion and lower inst	M	1000	\$	1,020.76
07498376272	<b>FSD85-18-L</b>	Ferrule,Insul,4AWG,31mmLong,YL,PK50	The single wire DIN end sleeve insulated ferrule in yellow has a funnel entry for faster insertion and lower inst	M	1000	\$	1,148.41
07498376273	<b>FSD85-22-L</b>	Ferrule,Insul,4AWG,22mmPIN,YL,PK50	Polypropylene insulated ferrules single wire yellow DIN end sleeve, 4 AWG (25.0mm <sup>2</sup> ), .87(22.0mm) pin leng	M	1000	\$	1,339.84
07498376274	<b>FSD86-16-L</b>	Ferrule,Insul,2AWG,16mmPIN,RD,PK50	Polypropylene insulated ferrules single wire red DIN end sleeve, 2 AWG (35.0mm <sup>2</sup> ), .63(16.0mm) pin length.	M	1000	\$	1,595.10
07498376275	<b>FSD86-18-L</b>	Ferrule,Insul,2AWG,18mmPIN,RD,PK50	Polypropylene insulated ferrules single wire red DIN end sleeve, 2 AWG (35.0mm <sup>2</sup> ), .71(18.0mm) pin length.	M	1000	\$	1,786.50
07498376276	<b>FSD86-25-L</b>	Ferrule,Insul,2AWG,25mmPIN,RD,PK50	Polypropylene insulated ferrules single wire red DIN end sleeve, 2 AWG (35.0mm <sup>2</sup> ), .98(25.0mm) pin length.	M	1000	\$	2,076.85
07498376277	<b>FSD87-20-L</b>	Ferrule,Insul,1/0-1AWG,20mmPIN,BU,PK50	Polypropylene insulated ferrules single wire blue DIN end sleeve, 1 AWG (50.0mm <sup>2</sup> ), .79(20.0mm) pin length	M	1000	\$	3,349.90
07498376278	<b>FSD87-25-Q</b>	Ferrule,Insul,1/0-1AWG,25mmPIN,BU,PK25	Polypropylene insulated ferrules single wire blue DIN end sleeve, 1 AWG (50.0mm <sup>2</sup> ), .98(25.0mm) pin length	M	1000	\$	3,943.98
07498333370	<b>FSD89-27-Q</b>	Ferrule,Insul,2/0AWG,27mmPIN,YL,PK25	Polypropylene insulated ferrules single wire yellow DIN end sleeve, 2/0 AWG (70mm <sup>2</sup> ) Wire Size, 1.06 (27.0	M	1000	\$	5,699.96
07498333371	<b>FSD90-25-Q</b>	Ferrule,Insul,3/0AWG,25mmPIN,RED,PK25	Polypropylene insulated ferrules single wire red DIN end sleeve, 3/0 AWG (95.0mm <sup>2</sup> ) Wire Size, 0.98 (25.0m	M	1000	\$	6,821.80
07498333372	<b>FSD91-27-Q</b>	Ferrule,Ins,4/0-250kcmil,27mmPIN,BU,PK25	Polypropylene insulated ferrules single wire blue DIN end sleeve, 4/0 AWG - 250 kcmil (120.0mm <sup>2</sup> ) Wire Siz	M	1000	\$	7,315.50
07498333373	<b>FSD92-32-Q</b>	Ferrule,Insul,300kcmil,32mmPIN,YL,PK25	Polypropylene insulated ferrules single wire yellow DIN end sleeve, 300 kcmil (150.0mm <sup>2</sup> ) Wire Size, 1.26 (3	M	1000	\$	8,303.10
07498333374	<b>FSDX75-8-D</b>	Ferrule,Insul,Exp,20AWG,8mmPIN,WH,PK500	Polypropylene insulated ferrules single wire white DIN color expanded end sleeve, #22 - 20 AWG (0.5mm <sup>2</sup> )	M	1000	\$	99.11
07498333375	<b>FSDX76-8-D</b>	Ferrule,Insul,Exp,18AWG,8mmPIN,GRY,PK500	Polypropylene insulated ferrules single wire gray DIN color expanded end sleeve, #18 AWG (0.75mm <sup>2</sup> ) Wire	M	1000	\$	99.11
07498333376	<b>FSDX77-8-D</b>	Ferrule,Insul,Exp,1mm2,8mmPIN,RED,PK500	Polypropylene insulated ferrules single wire red DIN color expanded end sleeve, (1.0mm <sup>2</sup> ) Wire Size, 0.31 (8	M	1000	\$	99.11
07498333377	<b>FSDX78-8-D</b>	Ferrule,Insul,Exp,16AWG,8mmPIN,BL,PK500	Polypropylene insulated ferrules single wire black DIN color expanded end sleeve, #16 AWG (1.50mm <sup>2</sup> ) Wire	M	1000	\$	99.11
61305666664	<b>FSDX80-12-D</b>	Ferrule, Expanded Blue Sleeve, #14 AWG (	Polypropylene insulated ferrules single wire blue DIN color expanded end sleeve, #14 AWG (2.5mm <sup>2</sup> ) Wire Si	M	1000	\$	173.68
61305666665	<b>FSDX80-8-D</b>	Ferrule, Expanded Blue Sleeve, #14 AWG (	Polypropylene insulated ferrules single wire blue DIN color expanded end sleeve, #14 AWG (2.5mm <sup>2</sup> ) Wire Si	M	1000	\$	130.26
61305666666	<b>FSDX81-10-D</b>	Ferrule, Expanded Gray Sleeve, #12 AWG (	Polypropylene insulated ferrules single wire gray DIN color expanded end sleeve, #12 AWG (4.0mm <sup>2</sup> ) Wire S	M	1000	\$	260.53
61305666667	<b>FSDX81-12-D</b>	Ferrule, Expanded Gray Sleeve, #12 AWG (	Polypropylene insulated ferrules single wire gray DIN color expanded end sleeve, #12 AWG (4.0mm <sup>2</sup> ) Wire S	M	1000	\$	303.94

07498333378	<b>FSDX84-12-C</b>	Ferrule,Insul,Exp,6AWG,12mmPIN,BU,PK100	Polypropylene insulated ferrules single wire blue DIN color expanded end sleeve, #6 AWG (16.0mm <sup>2</sup> ) Wire Si	M	1000	\$	516.51
07498333380	<b>FSDXL78-10-C</b>	Ferrule,Ins,ShiCrt,16AWG10mmPIN,BL,PK100	Polypropylene insulated ferrules single wire black DIN color expanded short circuit protection end sleeve, 14 A	M	1000	\$	530.73
07498333382	<b>FSDXL80-12-C</b>	Ferrule,Ins,ShiCrt,14AWG,12mmPIN,BU,PK100	Polypropylene insulated ferrules single wire blue DIN color expanded short circuit protection end sleeve, 14 A	M	1000	\$	559.45
07498333384	<b>FSDXL81-10-C</b>	Ferrule,Ins,ShiCrt,12AWG,10mmPIN,GRYPK100	Polypropylene insulated ferrules single wire gray DIN color expanded short circuit protection end sleeve, 12 A	M	1000	\$	516.51
07498333384	<b>FSDXL82-12-C</b>	Ferrule,Ins,ShiCrt,10AWG,12mmPIN,YL,PK100	Polypropylene insulated ferrules single wire yellow DIN color expanded short circuit protection end sleeve, 10 A	M	1000	\$	788.85
07498376305	<b>FTD75-8-D</b>	Ferrule,Insul,22AWG,15mmLong,WH,500	The FTD75-8-D Pan-Term® Ferrule is a covered, twin-wire ferrule end sleeve. Designed with a seamless bar	M	1000	\$	350.76
07498376307	<b>FTD76-10-D</b>	Ferrule,Ins,Twin,2x18AWG,10mm,GRY,PK500	Polypropylene insulated ferrules twin wire gray DIN color end sleeve, 18 AWG (0.75mm <sup>2</sup> ), 0.39(10.0mm) pin	M	1000	\$	446.50
07498376306	<b>FTD76-8-D</b>	Ferrule,Insul,Twin,2x18AWG,8mm,GRY,PK500	Polypropylene insulated ferrules twin wire gray DIN color end sleeve, 18 AWG (0.75mm <sup>2</sup> ), 0.31(8.0mm) pin I	M	1000	\$	414.56
07498376309	<b>FTD77-10-D</b>	Ferrule,Insul,Twin,2x1mm2,10mm,RED,PK500	The FTD77-10-D Pan-Term® Ferrule is a covered, twin-wire ferrule end sleeve. Designed with a seamless bar	M	1000	\$	478.48
07498376308	<b>FTD77-8-D</b>	Ferrule,Insul,Twin,2x1mm2,8mm,RED,PK500	The FTD77-8-D Pan-Term® Ferrule is a covered, twin-wire ferrule end sleeve. Designed with a seamless bar	M	1000	\$	446.50
07498376311	<b>FTD78-12-D</b>	Ferrule,Insul,Twin,2x16AWG,12mm,BL,PK500	The FTD78-12-D Pan-Term® Ferrule is a covered, twin-wire ferrule end sleeve. Designed with a seamless bar	M	1000	\$	478.48
07498376310	<b>FTD78-8-D</b>	Ferrule,Insul,Twin,2x16AWG,8mm,BL,PK500	The FTD78-8-D Pan-Term® Ferrule is a covered, twin-wire ferrule end sleeve. Designed with a seamless bar	M	1000	\$	510.29
07498376312	<b>FTD80-10-TL</b>	Ferrule,Insul,Twin,2x14AWG,10mm,BU,PK250	The FTD80-10-TL Pan-Term® Ferrule is a covered, twin-wire ferrule end sleeve. Designed with a seamless bar	M	1000	\$	701.80
07498376313	<b>FTD80-13-TL</b>	Ferrule,Insul,Twin,2x14AWG,13mm,BU,PK250	The FTD80-13-TL Pan-Term® Ferrule is a covered, twin-wire ferrule end sleeve. Designed with a seamless bar	M	1000	\$	797.43
07498376314	<b>FTD81-12-C</b>	Ferrule,Insul,Twin,2x12AWG,12mm,GRYPK100	The FTD81-12-C Pan-Term® Ferrule is a covered, twin-wire ferrule end sleeve. Designed with a seamless bar	M	1000	\$	861.29
07498376315	<b>FTD82-14-C</b>	Ferrule,Insul,Twin,2x10AWG,14mm,YL,PK100	The FTD82-14-C Pan-Term® Ferrule is a covered, twin-wire ferrule end sleeve. Designed with a seamless bar	M	1000	\$	949.21
07498333394	<b>FTD83-14-C</b>	Ferrule,Insul,Twin,2x8AWG,14mm,RD,PK100	Polypropylene insulated ferrules twin wire red DIN color end sleeve, 8 AWG (10.0mm <sup>2</sup> ), 0.55(14.0mm) pin le	M	1000	\$	1,132.86
07498333395	<b>FTD84-16-C</b>	Ferrule,Insul,Twin,2x6AWG,16mm,BU,PK100	Polypropylene insulated ferrules twin wire blue DIN color end sleeve, 6 AWG (16.0mm <sup>2</sup> ), 0.63(16.0mm) pin le	M	1000	\$	1,577.49
07498334875	<b>FWR-C</b>	NAR F"ger Wire Reta"er/Label, 100pcs	Product® type F and HN duct wire retainer/labeling device, 1.50" - 4.00" duct width, PVC, dark beige, 100 pc	C	100	\$	129.01
07498364235	<b>G.5X.5LG6</b>	Wide Slot Duct, PVC, .5x.5x6",LG,6ft	Product® type G wide slot wiring duct, .5 W x .5 H, 6' length, PVC, light gray.	FT	1	\$	4.43
07498364240	<b>G.5X.5LG6-A</b>	Wide Slot ADH Duct,PVC,.5x.5x6",LG,6ft	Product® type G wide slot wiring duct, .5 W x .5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	5.33
07498364236	<b>G.5X.5WH6</b>	Wide Slot Duct, PVC, .5x.5x6",WH,6ft	Product® type G wide slot wiring duct, .5 W x .5 H, 6' length, PVC, white.	FT	1	\$	4.43
07498363960	<b>G.5X.5WH6-A</b>	Wide Slot ADH Duct,PVC,.5x.5x6",WH,6ft	Product® type G wide slot wiring duct, .5 W x .5 H, 6' length, PVC, adhesive, white.	FT	1	\$	5.33
07498363880	<b>G.5X1LG6</b>	Wide Slot Duct, PVC, .5x1x6",LG,6ft	Product® type G wide slot wiring duct, .5 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	4.99
07498364241	<b>G.5X1LG6-A</b>	Wide Slot ADH Duct,PVC,.5x1x6",LG,6ft	Product® type G wide slot wiring duct, .5 W x 1 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	6.10
07498363881	<b>G.5X1WH6</b>	Wide Slot Duct, PVC, .5x1x6",WH,6ft	Product® type G wide slot wiring duct, .5 W x 1 H, 6' length, PVC, white.	FT	1	\$	5.26
07498345343	<b>G.5X2LG6</b>	Wide Slot Duct, PVC, .5x2x6",LG,6ft	The G.5X2LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct features a wide slot/finger design that provide	FT	1	\$	7.20
07498381462	<b>G.5X2WH6</b>	Wide Slot Duct, PVC, .5x2x6",WH,6ft	Product® type G wide slot wiring duct, .5 W x 2 H, 6' length, PVC, white.	FT	1	\$	7.20
07498378046	<b>G.5X4LG6</b>	Slotted Duct, PVC, 5"X4"X6",LGRY	Product® type G wide slot wiring duct, 0.69" W x 4.10" H, 6' length, PVC, light gray.	FT	1	\$	12.93
07498363886	<b>G.75X.75LG6</b>	Wide Slot Duct, PVC, .75x.75x6",LG,6ft	Product® type G wide slot wiring duct, .75 W x .75 H, 6' length, PVC, light gray.	FT	1	\$	4.99
07498363973	<b>G.75X.75LG6-A</b>	W Slot ADH Duct,PVC,.75x.75x6",LG,6ft	Product® type G wide slot wiring duct, .75 W x .75 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	6.16
07498363887	<b>G.75X.75WH6</b>	Wide Slot Duct, PVC, .75x.75x6",WH,6ft	Product® type G wide slot wiring duct, .75 W x .75 H, 6' length, PVC, white.	FT	1	\$	5.26
07498354551	<b>G.75X1.5LG6</b>	Wide Slot Duct, PVC, .75x1.5x6",LG,6ft	Product® type G wide slot wiring duct, .75 W x 1.5 H, 6' length, PVC, light gray.	FT	1	\$	6.66
07498354555	<b>G.75X1.5LG6-A</b>	W Slot ADH Duct,PVC,.75x1.5x6",LG,6ft	Product® type G wide slot wiring duct, .75 W x 1.5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.06
07498354552	<b>G.75X1.5WH6</b>	Wide Slot Duct, PVC, .75x1.5x6",WH,6ft	Product® type G wide slot wiring duct, .75 W x 1.5 H, 6' length, PVC, white.	FT	1	\$	6.99
07498354556	<b>G.75X1.5WH6-A</b>	W Slot ADH Duct,PVC,.75x1.5x6",WH,6ft	Product® type G wide slot wiring duct, .75 W x 1.5 H, 6' length, PVC, adhesive, white.	FT	1	\$	8.06
07498363893	<b>G.75X1LG6</b>	Wide Slot Duct,PVC,.75x1x6",LG,6ft	Product® type G wide slot wiring duct, .75 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	5.20
07498363982	<b>G.75X1LG6-A</b>	W Slot ADH Duct,PVC,.75x1x6",LG,6ft	Product® type G wide slot wiring duct, .75 W x 1 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	6.18
07498363894	<b>G.75X1WH6</b>	Wide Slot Duct, PVC, .75x1x6",WH,6ft	Product® type G wide slot wiring duct, .75 W x 1 H, 6' length, PVC, white.	FT	1	\$	5.45
07498363983	<b>G.75X1WH6-A</b>	W Slot ADH Duct,PVC,.75x1x6",WH,6ft	Product® type G wide slot wiring duct, .75 W x 1 H, 6' length, PVC, adhesive, white.	FT	1	\$	6.29
07498363905	<b>G.75X2BL6</b>	Wide Slot Duct, PVC, .75x2x6",BLK,6ft	Product® type G wide slot wiring duct, .75 W x 2 H, 6' length, PVC, black.	FT	1	\$	8.01
07498363902	<b>G.75X2LG6</b>	Wide Slot Duct,PVC,.75x2x6",LG,6ft	The G.75X2LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct features a wide slot/finger design that provide	FT	1	\$	7.63
07498363990	<b>G.75X2LG6-A</b>	W Slot ADH Duct,PVC,.75x2x6",LG,6ft	Product® type G wide slot wiring duct, .75 W x 2 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.75
07498363903	<b>G.75X2WH6</b>	Wide Slot Duct, PVC, .75x2x6",WH,6ft	Product® type G wide slot wiring duct, .75 W x 2 H, 6' length, PVC, white.	FT	1	\$	7.63
07498363991	<b>G.75X2WH6-A</b>	W Slot ADH Duct,PVC,.75x2x6",WH,6ft	Product® type G wide slot wiring duct, .75 W x 2 H, 6' length, PVC, adhesive, white.	FT	1	\$	9.19
07498361309	<b>G1.5X1.5BL6</b>	Wide Slot Duct, PVC, 1.5x1.5x6",BL,6ft	Product® type G wide slot wiring duct, 1.5 W x 1.5 H, 6' length, PVC, black.	FT	1	\$	7.29
07498354578	<b>G1.5X1.5LG6</b>	Wide Slot Duct, PVC, 1.5x1.5x6",LG,6ft	The G1.5X1.5LG6 Panduct Lead-Free PVCWide Slot Wiring Duct feature a wide slot/finger design that provide	FT	1	\$	7.29
07498354680	<b>G1.5X1.5LG6-A</b>	W Slot ADH Duct,PVC,1.5x1.5x6",LG,6ft	Product® type G wide slot wiring duct, 1.5 W x 1.5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.38
07498354599	<b>G1.5X1.5WH6</b>	Wide Slot Duct, PVC, 1.5x1.5x6",WH,6ft	Product® type G wide slot wiring duct, 1.5 W x 1.5 H, 6' length, PVC, white.	FT	1	\$	7.29
07498354701	<b>G1.5X1.5WH6-A</b>	W Slot ADH Duct,PVC,1.5x1.5x6",WH,6ft	Product® type G wide slot wiring duct, 1.5 W x 1.5 H, 6' length, PVC, adhesive, white.	FT	1	\$	8.79
07498363921	<b>G1.5X1LG6</b>	Wide Slot Duct, PVC, 1.5x1x6",LG,6ft	Product® type G wide slot wiring duct, 1.5 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	6.43
07498364008	<b>G1.5X1LG6-A</b>	W Slot ADH Duct,PVC,1.5x1x6",LG,6ft	Product® type G wide slot wiring duct, 1.5 W x 1 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	7.41
07498363922	<b>G1.5X1WH6</b>	Wide Slot Duct, PVC, 1.5x1x6",WH,6ft	Product® type G wide slot wiring duct, 1.5 W x 1 H, 6' length, PVC, white.	FT	1	\$	6.11
07498364009	<b>G1.5X1WH6-A</b>	W Slot ADH Duct,PVC,1.5x1x6",WH,6ft	Product® type G wide slot wiring duct, 1.5 W x 1 H, 6' length, PVC, adhesive, white.	FT	1	\$	7.41
07498361358	<b>G1.5X2BL6</b>	Wide Slot Duct, PVC, 1.5x2x6",BL,6ft	The G1.5X2BL6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provide	FT	1	\$	7.95
07498301785	<b>G1.5X2IB6</b>	Wide Slot Duct, PVC, 1.5x2x6",IB,6ft	Product® type G wide slot wiring duct, 1.5 W x 2 H, 6' length, PVC, intrinsic blue.	FT	1	\$	8.33
07498354579	<b>G1.5X2LG6</b>	Wide Slot Duct, PVC, 1.5x2x6",LG,6ft	The G1.5X2LG6 Panduct Lead-Free PVCWide Slot Wiring Duct feature a wide slot/finger design that provide	FT	1	\$	7.95
07498354681	<b>G1.5X2LG6-A</b>	W Slot ADH Duct,PVC,1.5x2x6",LG,6ft	Product® type G wide slot wiring duct, 1.5 W x 2 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	9.60
07498354618	<b>G1.5X2WH6</b>	Wide Slot Duct, PVC, 1.5x2x6",WH,6ft	The G1.5X2WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provide	FT	1	\$	7.95
07498354705	<b>G1.5X2WH6-A</b>	W Slot ADH Duct,PVC,1.5x2x6",WH,6ft	Product® type G wide slot wiring duct, 1.5 W x 2 H, 6' length, PVC, adhesive, white.	FT	1	\$	9.60
07498361366	<b>G1.5X3BL6</b>	Wide Slot Duct, PVC, 1.5x3x6",BL,6ft	Product® type G wide slot wiring duct, 1.5 W x 3 H, 6' length, PVC, black.	FT	1	\$	9.90
07498301786	<b>G1.5X3IB6</b>	Wide Slot Duct, PVC, 1.5x3x6",IB,6ft	Product® type G wide slot wiring duct, 1.5 W x 3 H, 6' length, PVC, intrinsic blue.	FT	1	\$	10.40
07498354580	<b>G1.5X3LG6</b>	Wide Slot Duct, PVC, 1.5x3x6",LG,6ft	The G1.5X3LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct features a wide slot/finger design that provide	FT	1	\$	9.90
07498354682	<b>G1.5X3LG6-A</b>	W Slot ADH Duct,PVC,1.5x3x6",LG,6ft	Product® type G wide slot wiring duct, 1.5 W x 3 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	11.53
07498354619	<b>G1.5X3WH6</b>	Wide Slot Duct, PVC, 1.5x3x6",WH,6ft	The G1.5X3WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provide	FT	1	\$	9.90
07498354711	<b>G1.5X3WH6-A</b>	W Slot ADH Duct,PVC,1.5x3x6",WH,6ft	Product® type G wide slot wiring duct, 1.5 W x 3 H, 6' length, PVC, adhesive, white.	FT	1	\$	11.53
07498361374	<b>G1.5X4BL6</b>	Wide Slot Duct, PVC, 1.5x4x6",BL,6ft	Product® type G wide slot wiring duct, 1.5 W x 4 H, 6' length, PVC, black.	FT	1	\$	12.30
07498301787	<b>G1.5X4IB6</b>	Wide Slot Duct, PVC, 1.5x4x6",IB,6ft	Product® type G wide slot wiring duct, 1.5 W x 4 H, 6' length, PVC, intrinsic blue.	FT	1	\$	12.30
07498354581	<b>G1.5X4LG6</b>	Wide Slot Duct, PVC, 1.5x4x6",LG,6ft	The G1.5X4LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provide	FT	1	\$	11.71
07498354683	<b>G1.5X4LG6-A</b>	W Slot ADH Duct,PVC,1.5x4x6",LG,6ft	Product® type G wide slot wiring duct, 1.5 W x 4 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	13.65
07498354620	<b>G1.5X4WH6</b>	Wide Slot Duct, PVC, 1.5x4x6",WH,6ft	The G1.5X4WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provide	FT	1	\$	11.71
07498354713	<b>G1.5X4WH6-A</b>	W Slot ADH Duct,PVC,1.5x4x6",WH,6ft	Product® type G wide slot wiring duct, 1.5 W x 4 H, 6' length, PVC, adhesive, white.	FT	1	\$	13.78
07498361492	<b>G1X1.5BL6</b>	Wide Slot Duct, PVC, 1x1.5x6",BL,6ft	Product® type G wide slot wiring duct, 1 W x 1.5 H, 6' length, PVC, black.	FT	1	\$	7.31
07498354543	<b>G1X1.5LG6</b>	Wide Slot Duct, PVC, 1x1.5x6",LG,6ft	The G1X1.5LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provide	FT	1	\$	7.31
07498354676	<b>G1X1.5LG6-A</b>	W Slot ADH Duct,PVC,1x1.5x6",LG,6ft	Product® type G wide slot wiring duct, 1 W x 1.5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.81
07498354595	<b>G1X1.5WH6</b>	Wide Slot Duct, PVC, 1x1.5x6",WH,6ft	The G1X1.5WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provide	FT	1	\$	7.31
07498354697	<b>G1X1.5WH6-A</b>	W Slot ADH Duct,PVC,1x1.5x6",WH,6ft	Product® type G wide slot wiring duct, 1 W x 1.5 H, 6' length, PVC, adhesive, white.	FT	1	\$	8.81

07498363914	<b>G1X1BL6</b>	Wide Slot Duct, PVC, 1x1x6',BL,6ft	Panduct® type G wide slot wiring duct, 1 W x 1 H, 6' length, PVC, black.	FT	1	\$	5.30
07498363911	<b>G1X1LG6</b>	Wide Slot Duct, PVC, 1x1x6',LG,6ft	The G1X1LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	5.30
07498363998	<b>G1X1LG6-A</b>	W Slot ADH Duct,PVC,1x1x6',LG,6ft	The G1X1LG6-A Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	6.26
07498363912	<b>G1X1WH6</b>	Wide Slot Duct, PVC, 1x1x6',WH,6ft	Panduct® type G wide slot wiring duct, 1 W x 1 H, 6' length, PVC, white.	FT	1	\$	5.30
07498363999	<b>G1X1WH6-A</b>	W Slot ADH Duct,PVC,1x1x6',WH,6ft	Panduct® type G wide slot wiring duct, 1 W x 1 H, 6' length, PVC, adhesive, white.	FT	1	\$	6.55
07498361500	<b>G1X2BL6</b>	Wide Slot Duct, PVC, 1x2x6',BL,6ft	Panduct® type G wide slot wiring duct, 1 W x 2 H, 6' length, PVC, black.	FT	1	\$	7.23
07498361546	<b>G1X2IB6</b>	Wide Slot Duct, PVC, 1x2x6',IB,6ft	Panduct® type G wide slot wiring duct, 1 W x 2 H, 6' length, PVC, intrinsic blue.	FT	1	\$	7.60
07498354544	<b>G1X2LG6</b>	Wide Slot Duct, PVC, 1x2x6',LG,6ft	The G1X2LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	7.23
07498354677	<b>G1X2LG6-A</b>	W Slot ADH Duct,PVC,1x2x6',LG,6ft	The G1X2LG6-A Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	8.31
07498354596	<b>G1X2WH6</b>	Wide Slot Duct, PVC, 1x2x6',WH,6ft	The G1X2WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	7.23
07498354698	<b>G1X2WH6-A</b>	W Slot ADH Duct,PVC,1x2x6',WH,6ft	Panduct® type G wide slot wiring duct, 1 W x 2 H, 6' length, PVC, adhesive, white.	FT	1	\$	8.73
07498361550	<b>G1X3BL6</b>	Wide Slot Duct, PVC, 1x3x6',BL,6ft	Panduct® type G wide slot wiring duct, 1 W x 3 H, 6' length, PVC, black.	FT	1	\$	9.35
07498366140	<b>G1X3IB6</b>	Wide Slot Duct, PVC, 1x3x6',IB,6ft	Panduct® type G wide slot wiring duct, 1 W x 3 H, 6' length, PVC, intrinsic blue.	FT	1	\$	9.84
07498354545	<b>G1X3LG6</b>	Wide Slot Duct, PVC, 1x3x6',LG,6ft	The G1X3LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	9.35
07498354678	<b>G1X3LG6-A</b>	W Slot ADH Duct,PVC,1x3x6',LG,6ft	The G1X3LG6-A Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	10.69
07498354597	<b>G1X3WH6</b>	Wide Slot Duct, PVC, 1x3x6',WH,6ft	The G1X3WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	9.35
07498354699	<b>G1X3WH6-A</b>	W Slot ADH Duct,PVC,1x3x6',WH,6ft	Panduct® type G wide slot wiring duct, 1 W x 3 H, 6' length, PVC, adhesive, white.	FT	1	\$	11.23
07498361557	<b>G1X4BL6</b>	Wide Slot Duct, PVC, 1x4x6',BL,6ft	Panduct® type G wide slot wiring duct, 1 W x 4 H, 6' length, PVC, black.	FT	1	\$	12.11
07498301788	<b>G1X4IB6</b>	Wide Slot Duct, PVC, 1x4x6',IB,6ft	Panduct® type G wide slot wiring duct, 1 W x 4 H, 6' length, PVC, intrinsic blue.	FT	1	\$	12.11
07498354577	<b>G1X4LG6</b>	Wide Slot Duct, PVC, 1x4x6',LG,6ft	The G1X3WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	11.53
07498354679	<b>G1X4LG6-A</b>	W Slot ADH Duct,PVC,1x4x6',LG,6ft	Panduct® type G wide slot wiring duct, 1 W x 4 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	13.83
07498354598	<b>G1X4WH6</b>	Wide Slot Duct, PVC, 1x4x6',WH,6ft	The G1X4WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	11.53
07498354700	<b>G1X4WH6-A</b>	W Slot ADH Duct,PVC,1x4x6',WH,6ft	Panduct® type G wide slot wiring duct, 1 W x 4 H, 6' length, PVC, adhesive, white.	FT	1	\$	13.83
07498363938	<b>G2.5X3BL6</b>	Wide Slot Duct, PVC, 2.5x3x6',BL,6ft	Panduct® type G wide slot wiring duct, 2.5 W x 3 H, 6' length, PVC, black.	FT	1	\$	10.94
07498363935	<b>G2.5X3LG6</b>	Wide Slot Duct, PVC, 2.5x3x6',LG,6ft	Panduct® type G wide slot wiring duct, 2.5 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	10.94
07498363936	<b>G2.5X3WH6</b>	Wide Slot Duct, PVC, 2.5x3x6',WH,6ft	Panduct® type G wide slot wiring duct, 2.5 W x 3 H, 6' length, PVC, white.	FT	1	\$	11.49
07498354582	<b>G2X1.5LG6</b>	Wide Slot Duct, PVC, 2x1.5x6',LG,6ft	The G2X1.5LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	7.75
07498354684	<b>G2X1.5LG6-A</b>	W Slot ADH Duct,PVC,2x1.5x6',LG,6ft	Panduct® type G wide slot wiring duct, 2 W x 1.5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.89
07498354621	<b>G2X1.5WH6</b>	Wide Slot Duct, PVC, 2x1.5x6',WH,6ft	Panduct® type G wide slot wiring duct, 2 W x 1.5 H, 6' length, PVC, white.	FT	1	\$	7.75
07498363930	<b>G2X1BL6</b>	Wide Slot Duct, PVC, 2x1x6',BL,6ft	Panduct® type G wide slot wiring duct, 2 W x 1 H, 6' length, PVC, black.	FT	1	\$	7.41
07498363927	<b>G2X1LG6</b>	Wide Slot Duct, PVC, 2x1x6',LG,6ft	Panduct® type G wide slot wiring duct, 2 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	7.05
07498364014	<b>G2X1LG6-A</b>	W Slot ADH Duct,PVC,2x1x6',LG,6ft	Panduct® type G wide slot wiring duct, 2 W x 1 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.63
07498363928	<b>G2X1WH6</b>	Wide Slot Duct, PVC, 2x1x6',WH,6ft	Panduct® type G wide slot wiring duct, 2 W x 1 H, 6' length, PVC, white.	FT	1	\$	7.41
07498360465	<b>G2X2BL6</b>	Wide Slot Duct, PVC, 2x2x6',BL,6ft	The G2X2BL6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	7.76
07498361569	<b>G2X2BL6-A</b>	W Slot ADH Duct,PVC,2x2x6',BL,6ft	Panduct® type G wide slot wiring duct, 2 W x 2 H, 6' length, PVC, adhesive, black.	FT	1	\$	9.40
07498361952	<b>G2X2IB6</b>	Wide Slot Duct, PVC, 2x2x6',IB,6ft	Panduct® type G wide slot wiring duct, 2 W x 2 H, 6' length, PVC, intrinsic blue.	FT	1	\$	7.76
07498354583	<b>G2X2LG6</b>	Wide Slot Duct, PVC, 2x2x6',LG,6ft	The G2X2LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	7.76
07498354685	<b>G2X2LG6-A</b>	W Slot ADH Duct,PVC,2x2x6',LG,6ft	Panduct® type G wide slot wiring duct, 2 W x 2 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	8.94
07498339256	<b>G2X2LG6EMI</b>	Shielded Duct, PVC, 2x2x6',LG,6ft	Shielded wiring duct, 2 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	23.74
07498354622	<b>G2X2WH6</b>	Wide Slot Duct, PVC, 2x2x6',WH,6ft	The G2X2WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	7.76
07498354717	<b>G2X2WH6-A</b>	W Slot ADH Duct,PVC,2x2x6',WH,6ft	Panduct® type G wide slot wiring duct, 2 W x 2 H, 6' length, PVC, adhesive, white.	FT	1	\$	9.40
07498361956	<b>G2X3BL6</b>	Wide Slot Duct, PVC, 2x3x6',BL,6ft	The G2X3BL6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	10.16
07498361963	<b>G2X3IB6</b>	Wide Slot Duct, PVC, 2x3x6',IB,6ft	Panduct® type G wide slot wiring duct, 2 W x 3 H, 6' length, PVC, intrinsic blue.	FT	1	\$	10.66
07498354584	<b>G2X3LG6</b>	Wide Slot Duct, PVC, 2x3x6',LG,6ft	The G2X3LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct features a wide slot/finger design that provides	FT	1	\$	10.16
07498354686	<b>G2X3LG6-A</b>	W Slot ADH Duct,PVC,2x3x6',LG,6ft	The G2X3LG6-A Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	11.69
07498339257	<b>G2X3LG6EMI</b>	Shielded Duct, PVC, 2x3x6',LG,6ft	Shielded wiring duct, 2 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	27.91
07498354623	<b>G2X3WH6</b>	Wide Slot Duct, PVC, 2x3x6',WH,6ft	The G2X3WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	10.16
07498354719	<b>G2X3WH6-A</b>	W Slot ADH Duct,PVC,2x3x6',WH,6ft	Panduct® type G wide slot wiring duct, 2 W x 3 H, 6' length, PVC, adhesive, white.	FT	1	\$	11.69
07498361967	<b>G2X4BL6</b>	Wide Slot Duct, PVC, 2x4x6',BL,6ft	Panduct® type G wide slot wiring duct, 2 W x 4 H, 6' length, PVC, black.	FT	1	\$	12.28
07498366216	<b>G2X4IB6</b>	Wide Slot Duct, PVC, 2x4x6',IB,6ft	Panduct® type G wide slot wiring duct, 2 W x 4 H, 6' length, PVC, intrinsic blue.	FT	1	\$	12.28
07498354585	<b>G2X4LG6</b>	Wide Slot Duct, PVC, 2x4x6',LG,6ft	The G2X4LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct features a wide slot/finger design that provides	FT	1	\$	12.28
07498354687	<b>G2X4LG6-A</b>	W Slot ADH Duct,PVC,2x4x6',LG,6ft	Panduct® type G wide slot wiring duct, 2 W x 4 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	14.09
07498339258	<b>G2X4LG6EMI</b>	Shielded Duct, PVC, 2x4x6',LG,6ft	Shielded wiring duct, 2 W x 4 H, 6' length, PVC, light gray.	FT	1	\$	32.09
07498354624	<b>G2X4WH6</b>	Wide Slot Duct, PVC, 2x4x6',WH,6ft	The G2X4WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	12.28
07498354728	<b>G2X4WH6-A</b>	W Slot ADH Duct,PVC,2x4x6',WH,6ft	Panduct® type G wide slot wiring duct, 2 W x 4 H, 6' length, PVC, adhesive, white.	FT	1	\$	14.09
61305602285	<b>G2X5IB6</b>	Wide Slot Duct, PVC, 2x5x6',IB,6ft	Panduct® type G wide slot wiring duct, 2 W x 5 H, 6' length, PVC, intrinsic blue.	FT	1	\$	18.08
07498354586	<b>G2X5LG6</b>	Wide Slot Duct, PVC, 2x5x6',LG,6ft	The G2X5LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	17.23
07498354625	<b>G2X5WH6</b>	Wide Slot Duct, PVC, 2x5x6',WH,6ft	Panduct® type G wide slot wiring duct, 2 W x 5 H, 6' length, PVC, white.	FT	1	\$	17.23
07498363943	<b>G3X1LG6</b>	Wide Slot Duct, PVC, 3x1x6',LG,6ft	Panduct® type G wide slot wiring duct, 3 W x 1 H, 6' length, PVC, light gray.	FT	1	\$	8.13
07498363944	<b>G3X1WH6</b>	Wide Slot Duct, PVC, 3x1x6',WH,6ft	Panduct® type G wide slot wiring duct, 3 W x 1 H, 6' length, PVC, white.	FT	1	\$	8.13
07498361986	<b>G3X2BL6</b>	Wide Slot Duct, PVC, 3x2x6',BL,6ft	Panduct® type G wide slot wiring duct, 3 W x 2 H, 6' length, PVC, black.	FT	1	\$	9.69
07498354587	<b>G3X2LG6</b>	Wide Slot Duct, PVC, 3x2x6',LG,6ft	The G3X2LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	9.69
07498354689	<b>G3X2LG6-A</b>	W Slot ADH Duct,PVC,3x2x6',LG,6ft	Panduct® type G wide slot wiring duct, 3 W x 2 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	11.71
07498354626	<b>G3X2WH6</b>	Wide Slot Duct, PVC, 3x2x6',WH,6ft	Panduct® type G wide slot wiring duct, 3 W x 2 H, 6' length, PVC, white.	FT	1	\$	9.69
07498360466	<b>G3X3BL6</b>	Wide Slot Duct,PVC,3x3x6',BL,6ft	The G3X3BL6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	11.81
07498361993	<b>G3X3BL6-A</b>	W Slot ADH Duct,PVC,3x3x6',BL,6ft	Panduct® type G wide slot wiring duct, 3 W x 3 H, 6' length, PVC, adhesive, black.	FT	1	\$	14.24
07498361999	<b>G3X3IB6</b>	Wide Slot Duct,PVC,3x3x6',IB,6ft	Panduct® type G wide slot wiring duct, 3 W x 3 H, 6' length, PVC, intrinsic blue.	FT	1	\$	12.40
07498354588	<b>G3X3LG6</b>	Wide Slot Duct, PVC, 3x3x6',LG,6ft	The G3X3LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	11.81
07498354690	<b>G3X3LG6-A</b>	W Slot ADH Duct,PVC,3x3x6',LG,6ft	Panduct® type G wide slot wiring duct, 3 W x 3 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	13.43
07498354627	<b>G3X3WH6</b>	Wide Slot Duct, PVC, 3x3x6',WH,6ft	The G3X3WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	11.81
07498354780	<b>G3X3WH6-A</b>	W Slot ADH Duct,PVC,3x3x6',WH,6ft	Panduct® type G wide slot wiring duct, 3 W x 3 H, 6' length, PVC, adhesive, white.	FT	1	\$	13.43
07498360467	<b>G3X4BL6</b>	Wide Slot Duct,PVC,3x4x6',BL,6ft	Panduct® type G wide slot wiring duct, 3 W x 4 H, 6' length, PVC, black.	FT	1	\$	14.64
07498354589	<b>G3X4LG6</b>	Wide Slot Duct, PVC, 3x4x6',LG,6ft	The G3X4LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	14.64
07498354691	<b>G3X4LG6-A</b>	W Slot ADH Duct,PVC,3x4x6',LG,6ft	Panduct® type G wide slot wiring duct, 3 W x 4 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	17.68
07498354628	<b>G3X4WH6</b>	Wide Slot Duct, PVC, 3x4x6',WH,6ft	The G3X4WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	14.64
07498354786	<b>G3X4WH6-A</b>	W Slot ADH Duct,PVC,3x4x6',WH,6ft	Panduct® type G wide slot wiring duct, 3 W x 4 H, 6' length, PVC, adhesive, white.	FT	1	\$	17.45
61305602296	<b>G3X5IB6</b>	Wide Slot Duct, PVC, 3x5x6',IB,6ft	Panduct® type G wide slot wiring duct, 3 W x 5 H, 6' length, PVC, intrinsic blue.	FT	1	\$	20.34

07498354590	<b>G3X5LG6</b>	Wide Slot Duct, PVC, 3x5x6",LG,6ft	The G3X5LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	19.38
07498354692	<b>G3X5LG6-A</b>	W Slot ADH Duct,PVC,3x5x6",LG,6ft	Panduct® type G wide slot wiring duct, 3 W x 5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	23.24
07498354629	<b>G3X5WH6</b>	Wide Slot Duct, PVC, 3x5x6",WH,6ft	Panduct® type G wide slot wiring duct, 3 W x 5 H, 6' length, PVC, white.	FT	1	\$	19.38
07498363951	<b>G4X1.5LG6</b>	Wide Slot Duct, PVC, 4x1.5x6",LG,6ft	Panduct® type G wide slot wiring duct, 4 W x 1.5 H, 6' length, PVC, light gray.	FT	1	\$	10.15
07498363952	<b>G4X1.5WH6</b>	Wide Slot Duct, PVC, 4x1.5x6",WH,6ft	Panduct® type G wide slot wiring duct, 4 W x 1.5 H, 6' length, PVC, white.	FT	1	\$	10.15
07498362014	<b>G4X2BL6</b>	Wide Slot Duct, PVC, 4x2x6",BL,6ft	Panduct® type G wide slot wiring duct, 4 W x 2 H, 6' length, PVC, black.	FT	1	\$	11.88
07498354591	<b>G4X2LG6</b>	Wide Slot Duct, PVC, 4x2x6",LG,6ft	Panduct® type G wide slot wiring duct, 4 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	11.31
07498354693	<b>G4X2LG6-A</b>	W Slot ADH Duct,PVC,4x2x6",LG,6ft	Panduct® type G wide slot wiring duct, 4 W x 2 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	13.65
07498354630	<b>G4X2WH6</b>	Wide Slot Duct, PVC, 4x2x6",WH,6ft	Panduct® type G wide slot wiring duct, 4 W x 2 H, 6' length, PVC, white.	FT	1	\$	11.88
07498362022	<b>G4X3BL6</b>	Wide Slot Duct, PVC, 4x3x6",BL,6ft	Panduct® type G wide slot wiring duct, 4 W x 3 H, 6' length, PVC, black.	FT	1	\$	13.11
07498354592	<b>G4X3LG6</b>	Wide Slot Duct, PVC, 4x3x6",LG,6ft	The G4X3LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	13.11
07498354694	<b>G4X3LG6-A</b>	W Slot ADH Duct,PVC,4x3x6",LG,6ft	Panduct® type G wide slot wiring duct, 4 W x 3 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	15.43
07498354631	<b>G4X3WH6</b>	Wide Slot Duct, PVC, 4x3x6",WH,6ft	Panduct® type G wide slot wiring duct, 4 W x 3 H, 6' length, PVC, white.	FT	1	\$	13.11
07498360468	<b>G4X4BL6</b>	Wide Slot Duct, PVC, 4x4x6",BL,6ft	The G4X4BL6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	15.76
07498362036	<b>G4X4IB6</b>	Wide Slot Duct, PVC, 4x4x6",IB,6ft	Panduct® type G wide slot wiring duct, 4 W x 4 H, 6' length, PVC, intrinsic blue.	FT	1	\$	16.54
07498354593	<b>G4X4LG6</b>	Wide Slot Duct, PVC, 4x4x6",LG,6ft	The G4X4LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	15.76
07498354695	<b>G4X4LG6-A</b>	W Slot ADH Duct,PVC,4x4x6",LG,6ft	Panduct® type G wide slot wiring duct, 4 W x 4 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	18.64
07498354632	<b>G4X4WH6</b>	Wide Slot Duct, PVC, 4x4x6",WH,6ft	The G4X4WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	15.76
07498354805	<b>G4X4WH6-A</b>	W Slot ADH Duct,PVC,4x4x6",WH,6ft	Panduct® type G wide slot wiring duct, 4 W x 4 H, 6' length, PVC, adhesive, white.	FT	1	\$	18.64
07498362040	<b>G4X5BL6</b>	Wide Slot Duct, PVC, 4x5x6",BL,6ft	Panduct® type G wide slot wiring duct, 4 W x 5 H, 6' length, PVC, black.	FT	1	\$	23.81
61305602294	<b>G4X5IB6</b>	Wide Slot Duct, PVC, 4x5x6",IB,6ft	Panduct® type G wide slot wiring duct, 4 W x 5 H, 6' length, PVC, intrinsic blue.	FT	1	\$	23.81
07498354594	<b>G4X5LG6</b>	Wide Slot Duct, PVC, 4x5x6",LG,6ft	The G4X5LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	22.69
07498354696	<b>G4X5LG6-A</b>	W Slot ADH Duct,PVC,4x5x6",LG,6ft	Panduct® type G wide slot wiring duct, 4 W x 5 H, 6' length, PVC, adhesive, light gray.	FT	1	\$	26.26
07498354633	<b>G4X5WH6</b>	Wide Slot Duct, PVC, 4x5x6",WH,6ft	Panduct® type G wide slot wiring duct, 4 W x 5 H, 6' length, PVC, white.	FT	1	\$	22.69
61305620745	<b>G6X4BL6</b>	Wide Slot Duct, PVC, 6x4x6",BL,6ft	Panduct® type G wide slot wiring duct, 6 W x 4 H, 6' length, PVC, Black.	FT	1	\$	21.78
07498372241	<b>G6X4LG6</b>	Wide Slot Duct, PVC, 6x4x6",LG,6ft	The G6X4LG6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	21.78
07498372259	<b>G6X4WH6</b>	Wide Slot Duct, PVC, 6x4x6",WH,6ft	The G6X4WH6 Panduct Lead-Free PVC Wide Slot Wiring Duct feature a wide slot/finger design that provides	FT	1	\$	21.78
07498399941	<b>GACB-1</b>	Auxiliary Cable Bracket, 1.25,Steel,EA	Auxiliary cable bracket, 1.25" (31.8mm) width, 7.00" (177.8mm) height, 4.87" (123.7mm) depth, provided with	KT	1	\$	53.93
07498333316	<b>GACB-2</b>	Auxiliary Cable Bracket, 1.63,Steel,EA	The GACB-2 Auxiliary Cable Bracket bonds ladder racks, wire baskets, and Panduit® Wyr-Grid® Systems to	KT	1	\$	61.63
07498333317	<b>GACB-3</b>	Auxiliary Cable Bracket, 1.88,Steel,EA	The GACB-3 Auxiliary Cable Bracket bonds ladder racks, wire baskets, and Panduit® Wyr-Grid® Systems to	KT	1	\$	61.63
07498308979	<b>GACBJ612U</b>	Auxiliary Bracket Jumper, #6 AWG, 12",EA	Auxiliary cable bracket jumper for bonding pathway sections; #6 AWG (16mm <sup>2</sup> ); 12.0 (302.5mm) length; factory	KT	1	\$	52.21
07498399943	<b>GACBJ618U</b>	Auxiliary Bracket Jumper, #6 AWG, 18",EA	Auxiliary cable bracket jumper for bonding pathway sections; #6 AWG (16mm <sup>2</sup> ); 18.0 (457mm) length; factory	KT	1	\$	60.89
07498308977	<b>GACBJ68U</b>	Auxiliary Bracket Jumper, #6 AWG, 8",EA	Auxiliary cable bracket jumper for bonding pathway sections; #6 AWG (16mm <sup>2</sup> ); 8.0 (203mm) length; factory	KT	1	\$	49.33
61305675411	<b>GAR440-2-X</b>	Pipe Clamp; 1 Wire: 4AWG - 4/0 Parallel	Bronze Ground Clamp Connector,Parallel or Perpendicular to Pipe, 4 AWG -4/0 AWG Str. copper wire to 1/2"	C	100	\$	4,163.56
61305675412	<b>GAR440-3-3</b>	Pipe Clamp; 1 Wire: 4AWG - 4/0 Parallel	Bronze Ground Clamp Connector,Parallel or Perpendicular to Pipe, 4 AWG -4/0 AWG Str. copper wire to 1-1/2"	C	100	\$	6,795.63
61305675413	<b>GAR440-5-2</b>	Pipe Clamp; 1 Wire: 4AWG - 4/0 Parallel	Bronze Ground Clamp Connector,Parallel or Perpendicular to Pipe, 4 AWG -4/0 AWG Str. copper wire to 4"	C	100	\$	15,754.95
61305628736	<b>GB2A18I</b>	Grounding Busbar 1/4" X 2" X 24"	Grounding Busbar 1/4" X 2" X 24"	PC	1	\$	245.64
07498365926	<b>GB2B0304TPI-1</b>	Grounding Busbar,Tin Plated,10 in,EA	The GB2B0304TPI-1 Grounding Busbar meets BICSI and J-STD-607-A requirements for network systems gr	PC	1	\$	148.68
07498365927	<b>GB2B0306TPI-1</b>	Grounding Busbar,Tin Plated,.25x2x12",EA	The GB2B0306TPI-1 Grounding Busbar meets BICSI and J-STD-607-A requirements for network systems gr	PC	1	\$	159.06
07498365929	<b>GB2B0312TPI-1</b>	Grounding Busbar,Tin Plated,20 in,EA	The GB2B0312TPI-1 Grounding Busbar meets BICSI and J-STD-607-A requirements for network systems gr	PC	1	\$	200.69
07498312559	<b>GB2B0514TPI-1</b>	Grounding Busbar,1/4" X 2" X 24",EA	1/4" X 2" X 24" Telecommunications Grounding Busbars.	PC	1	\$	430.03
07498311055	<b>GB2D0008TPI-1</b>	Grounding Busbar, 1/4" x 2" x 12",EA	1/4" x 2" x 12" Grounding Busbar.	PC	1	\$	249.13
07498312355	<b>GB2D0021TPI-1</b>	Grounding Busbar, 1/4" x 2" x 24",EA	1/4" x 2" x 24" Grounding Busbar.	PC	1	\$	420.31
07498311057	<b>GB2D0033TPI-1</b>	Grounding Busbar, 1/4" x 2" x 36",EA	1/4" x 2" x 36" Grounding Busbar.	PC	1	\$	581.75
07498311058	<b>GB2D0044TPI-1</b>	Grounding Busbar, 1/4" x 2" x 48",EA	1/4" x 2" x 48" Grounding Busbar.	PC	1	\$	763.24
07498311059	<b>GB2D0056TPI-1</b>	Grounding Busbar, 1/4" x 2" x 60",EA	1/4" x 2" x 60" Grounding Busbar.	PC	1	\$	922.05
61305628738	<b>GB4A0606I</b>	Grounding Busbar 1/4" x 4" x 12"	Grounding Busbar 1/4" x 4" x 12"	PC	1	\$	232.63
07498334540	<b>GB4B0612TPI-1</b>	Grounding Busbar,Tin Plated,.25x4x12",EA	The GB4B0612TPI-1 Grounding Busbar meets BICSI and J-STD-607-A requirements for network systems gr	PC	1	\$	221.99
07498334541	<b>GB4B0624TPI-1</b>	Grounding Busbar,Tin Plated,20 in,EA	The GB4B0624TPI-1 Grounding Busbar meets BICSI and J-STD-607-A requirements for network systems gr	PC	1	\$	284.18
07498312560	<b>GB4B1028TPI-1</b>	Grounding Busbar, 1/4" X 4" X 24",EA	The GB4B1028TPI-1 Grounding Busbar meets BICSI and J-STD-607-A requirements for network systems gr	PC	1	\$	745.78
07498311049	<b>GB4N0007TPI-1</b>	Grounding Busbar, 1/4" X 4" X 12",EA	The GB4N0007TPI-1 Grounding Busbar meets BICSI and J-STD-607-A requirements for network systems gr	PC	1	\$	386.63
07498311050	<b>GB4N0016TPI-1</b>	Grounding Busbar,Tin Plated,24in,EA	The GB4N0016TPI-1 Grounding Busbar meets BICSI and J-STD-607-A requirements for network systems gr	PC	1	\$	681.68
07498311051	<b>GB4N0024TPI-1</b>	Grounding Busbar, 1/4" X 4" X 36",EA	The GB4N0024TPI-1 Grounding Busbar meets BICSI and J-STD-607-A requirements for network systems gr	PC	1	\$	981.44
07498312354	<b>GB4N0026TPI-1</b>	Grounding Busbar, 1/4" x 4" x 48",EA	1/4" x 4" x 48" Grounding Busbar.	PC	1	\$	1,364.91
07498311053	<b>GB4N0034TPI-1</b>	Grounding Busbar, 1/4" X 4" X 60",EA	1/4" x 4" x 60" Grounding Busbar.	PC	1	\$	1,668.58
07498307208	<b>GBC2250-12-X</b>	Ground Bar Clamp,2/0 SOL-250kcmil,PK10	Ground bar Clamp 2/0 SOL-250 kcmil	C	100	\$	13,164.38
61305657965	<b>GBC3500-12-X</b>	Mechanical Grounding Connector, 2 Cables	Mechanical Grounding Connector, 2 Cables to Bar, 300 kcmil - 500 kcmil, 1/2" Stud	C	100	\$	24,389.11
61305657963	<b>GBC4300-12-X</b>	Mechanical Grounding Connector, 2 Cables	Mechanical Grounding Connector, 2 Cables to Bar, 4 Str. - 300 kcmil, 1/2" Stud	C	100	\$	6,278.66
07498345137	<b>GC-15A-Q</b>	Al Grnd Clmp,Dual Rated,14-1/0 AWG,25PK	Aluminum dual rated ground clamp, type GC, conduit pipe or water tube size 1/2" - 3/4" - 1".	C	100	\$	790.85
07498345138	<b>GC-18A-X</b>	Al Grnd Clmp,Dual Rated,6-250kcmil,10PK	Aluminum dual rated ground clamp, type GC, conduit pipe or water tube size 1 1/4" - 1", 1/2" - 2".	C	100	\$	2,085.75
07498345139	<b>GC-22A-4</b>	Al Grnd Clmp, Dual Rated, #6-250,4PK	Aluminum dual rated ground clamp, type GC, conduit pipe or water tube size 2 1/2" - 3" - 3 1/2" - 4".	C	100	\$	5,846.50
61305668832	<b>GCC6-2-2</b>	Grounding "6x6" Style Cross Connector, 6	The GCC6-2-2 Compression Connector Tap provides high-strength and premium electrical properties. It is su	PC	1	\$	62.60
61305671733	<b>GCC6-250-2</b>	Grounding "6x6" Style Cross Connector, 2	Grounding "6x6" Style Cross Connector, 2 Str - 250 kcmil (35-120mm2), 1/2 - 5/8 Rod (12.7-15.9mm), or #3	PC	1	\$	89.74
61305671789	<b>GCC6-250-250</b>	Grounding "6x6" Style Cross Connector, 2	Grounding "6x6" Style Cross Connector, 2 Str - 250 kcmil (35-120mm2), 1/2 - 5/8 Rod (12.7-15.9mm), or #3	PC	1	\$	89.74
61305668576	<b>GCC6-500-2</b>	Grounding "6x6" Style Cross Connector, 2	Grounding "6x6" Style Cross Connector, 250 - 500 kcmil (120-240mm2), 5/8 - 3/4 Rod (15.9-19.1mm), or #5	PC	1	\$	130.14
61305668838	<b>GCC6-500-250</b>	Grounding "6x6" Style Cross Connector, 2	Grounding "6x6" Style Cross Connector, 250 - 500 kcmil (120-240mm2), 5/8 - 3/4 Rod (15.9-19.1mm), or #5	PC	1	\$	130.14
61305668575	<b>GCC6-500-500</b>	Grounding "6x6" Style Cross Connector, 2	Grounding "6x6" Style Cross Connector, 250 - 500 kcmil (120-240mm2), 5/8 - 3/4 Rod (15.9-19.1mm), or #5	PC	1	\$	155.44
07498300946	<b>GCC6X610-1/0</b>	Cross Connector,Copper,1/0-1/0,EA	Grounding cross connector for #6 SOL - 1/0 STR AWG (16 - 50mm <sup>2</sup> ) wire size.	PC	1	\$	73.06
07498300947	<b>GCC6X6250-1/0</b>	Cross Connector,Copper,250-1/0,EA	The GCC6X6250-1/0 Compression Connector Tap provides high-strength and premium electrical properties.	PC	1	\$	116.84
07498300948	<b>GCC6X6250-250</b>	Cross Connector,Copper,250-250,EA	The GCC6X6250-250 Compression Connector Tap provides high-strength and premium electrical properties.	PC	1	\$	116.84
07498300950	<b>GCC6X6500-250</b>	Cross Connector,Copper,500-250,EA	The GCC6X6500-250 Compression Connector Tap provides high-strength and premium electrical properties.	PC	1	\$	169.44
61305673282	<b>GCC8-1-250</b>	Grounding "8x6" Style Cross Connector, 1	The GCC8-1-250 Compression Connector Tap provides high-strength and premium electrical properties. It is	PC	1	\$	116.56
61305673283	<b>GCC8-1-250TP</b>	Tin Plated Grounding "8x6" Style Cross C	Tin Plated Grounding "8x6" Style Cross Connector, 1" Rod (25.4mm), 2 Str - 250 kcmil (35-120mm2) Copper	PC	1	\$	118.20
61305673290	<b>GCC8-1-500</b>	Grounding "8x6" Style Cross Connector, 1	The GCC8-1-500 Compression Connector Tap provides high-strength and premium electrical properties. It is	PC	1	\$	165.96
61305673291	<b>GCC8-1-500TP</b>	Tin Plated Grounding "8x6" Style Cross C	Tin Plated Grounding "8x6" Style Cross Connector, 1" Rod (25.4mm), 250 - 500 kcmil (120-240mm2) Copper	PC	1	\$	167.85
61305673276	<b>GCC8-1/2-250</b>	Grounding "8x6" Style Cross Connector, 1	The GCC8-1/2-250 Compression Connector Tap provides high-strength and premium electrical properties. It	PC	1	\$	123.85
61305673277	<b>GCC8-1/2-250TP</b>	Tin Plated Grounding "8x6" Style Cross C	Tin Plated Grounding "8x6" Style Cross Connector, 1/2" Rod (12.7mm), 2 Str - 250 kcmil (35-120mm2) Copp	PC	1	\$	124.25

61305673284	<b>GCC8-1/2-500</b>	Grounding "8x6" Style Cross Connector, 1	The GCC8-1/2-500 Compression Connector Tap provides high-strength and premium electrical properties. It	PC	1	\$	133.23
61305673285	<b>GCC8-1/2-500TP</b>	Tin Plated Grounding "8x6" Style Cross C	Tin Plated Grounding "8x6" Style Cross Connector, 1/2" Rod (12.7mm), 250 - 500 kcmil (120-240mm2) Copp	PC	1	\$	133.69
61305673280	<b>GCC8-3/4-250</b>	Grounding "8x6" Style Cross Connector, 3	The GCC8-3/4-250 Compression Connector Tap provides high-strength and premium electrical properties. It	PC	1	\$	150.49
61305673281	<b>GCC8-3/4-250TP</b>	Tin Plated Grounding "8x6" Style Cross C	Tin Plated Grounding "8x6" Style Cross Connector, 3/4" Rod (19.1mm), 2 Str - 250 kcmil (35-120mm2) Copp	PC	1	\$	150.93
61305673288	<b>GCC8-3/4-500</b>	Grounding "8x6" Style Cross Connector, 3	The GCC8-3/4-500 Compression Connector Tap provides high-strength and premium electrical properties. It	PC	1	\$	150.93
61305673289	<b>GCC8-3/4-500TP</b>	Tin Plated Grounding "8x6" Style Cross C	Tin Plated Grounding "8x6" Style Cross Connector, 3/4" Rod (19.1mm), 250 - 500 kcmil (120-240mm2) Copp	PC	1	\$	151.85
61305673278	<b>GCC8-5/8-250</b>	Grounding "8x6" Style Cross Connector, 5	The GCC8-5/8-250 Compression Connector Tap provides high-strength and premium electrical properties. It	PC	1	\$	144.83
61305673279	<b>GCC8-5/8-250TP</b>	Tin Plated Grounding "8x6" Style Cross C	Tin Plated Grounding "8x6" Style Cross Connector, 5/8" Rod (15.9mm), 2 Str - 250 kcmil (35-120mm2) Copp	PC	1	\$	146.98
61305673286	<b>GCC8-5/8-500</b>	Grounding "8x6" Style Cross Connector, 5	The GCC8-5/8-500 Compression Connector Tap provides high-strength and premium electrical properties. It	PC	1	\$	144.76
61305673287	<b>GCC8-5/8-500TP</b>	Tin Plated Grounding "8x6" Style Cross C	Tin Plated Grounding "8x6" Style Cross Connector, 5/8" Rod (15.9mm), 250 - 500 kcmil (120-240mm2) Copp	PC	1	\$	144.69
7498300954	<b>GCE1/0-1/0</b>	Grounding Connector,Copper 1/0-1/0,EA	The GCE1/0-1/0 Style Grounding Connector is designed to enhance the crimp process using technology that	PC	1	\$	27.36
7498300955	<b>GCE250-1/0</b>	Grounding Connector,Copper 250-1/0,EA	The GCE250-1/0 E Style Grounding Connector is designed to enhance the crimp process using technology th	PC	1	\$	46.11
7498300956	<b>GCE250-250</b>	Grounding Connector,Copper 250-250,EA	The GCE250-250 E Style Grounding Connector is designed to enhance the crimp process using technology t	PC	1	\$	46.11
7498300957	<b>GCE500-1/0</b>	Ground "E" Style Conn., EA	The GCE500-1/0 Style Grounding Connector is designed to enhance the crimp process using technology that	PC	1	\$	65.84
7498300958	<b>GCE500-250</b>	Grounding Connector,Copper 500-250,EA	The GCE500-250 E Style Grounding Connector is designed to enhance the crimp process using technology t	PC	1	\$	65.84
61305671713	<b>GCESTUD-14-X</b>	Copper Plated Steel Grounding Weld Stud,	Copper Clad Steel Grounding Weld Stud, 1/4"	C	100	\$	765.36
61305671716	<b>GCESTUD-34-X</b>	Copper Plated Steel Grounding Weld Stud,	Copper Clad Steel Grounding Weld Stud, 3/4"	C	100	\$	4,026.35
61305671714	<b>GCESTUD-38-X</b>	Copper Plated Steel Grounding Weld Stud,	Copper Clad Steel Grounding Weld Stud, 3/8"	C	100	\$	1,127.60
61305671715	<b>GCESTUD-916-X</b>	Copper Plated Steel Grounding Weld Stud,	Copper Clad Steel Grounding Weld Stud, 9/16"	C	100	\$	2,221.58
7498360134	<b>GE128-C</b>	Grom Edg Slit, .22"x.16",NYL,NAT,100pcs	The GE128-C National Aerospace Standard Grommet Edging protects and prevents wires and cables from c	C	100	\$	156.88
7498360165	<b>GE128-C69</b>	Grom Edg Slit, .22"x.16",FR,NYL,NAT,100pcp	Military standard grommet edging strip, .128" thickness, flame retardant nylon 6.6, natural.	C	100	\$	261.25
7498360136	<b>GE192-L</b>	Grom Edg Slit, .33"x.23",NYL,NAT,50pcs	The GE128-C National Aerospace Standard Grommet Edging protects and prevents wires and cables from c	C	100	\$	206.26
7498360166	<b>GE192-L69</b>	Grom Edg Slit, .33"x.23",FR,NYL,NAT,50pc	Military standard grommet edging strip, .192" thickness, flame retardant nylon 6.6, natural.	C	100	\$	327.96
7498360138	<b>GE255-L</b>	Grom Edg Slit, .39"x.24",NYL,NAT,50pcs	The GE255-L National Aerospace Standard Slotted Grommet Edging protects and prevents wires and cables	C	100	\$	324.53
7498360140	<b>GE318-L</b>	Grom Edg Slit, .46"x.26",NYL,NAT,50pcs	Military standard grommet edging strip, .318" thickness, nylon 6.6, natural.	C	100	\$	380.80
7498360142	<b>GE380-Q</b>	Grom Edg Slit, .52"x.26",NYL,NAT,25pcs	Military standard grommet edging strip, .380" thickness, nylon 6.6, natural.	C	100	\$	433.45
7498360144	<b>GE510-Q</b>	Grom Edg Slit, .64"x.26",NYL,NAT,25pcs	Military standard grommet edging strip, .510" thickness, nylon 6.6, natural.	C	100	\$	443.93
7498360130	<b>GE52-C</b>	Grom Edg Slit, .15"x.16",NYL,NAT,100pcs	Military standard grommet edging strip, .052" thickness, nylon 6.6, natural.	C	100	\$	135.46
7498360167	<b>GE52-C69</b>	Grom Edg Slit, .15"x.16",FR,NYL,NAT,100pc	Military standard grommet edging strip, .052" thickness, flame retardant nylon 6.6, natural.	C	100	\$	209.19
7498360132	<b>GE85-C</b>	Grom Edg Slit, .18"x.16",NYL,NAT,100pcs	The GE85-C National Aerospace Standard Slotted Grommet Edging protects and prevents wires and cables	C	100	\$	143.06
7498360168	<b>GE85-C69</b>	Grom Edg Slit, .18"x.16",FR,NYL,NAT,100pc	Military standard grommet edging strip, .085" thickness, flame retardant nylon 6.6, natural.	C	100	\$	223.18
7498360200	<b>GEE134N-C</b>	Grom Edg Slit, .21"x.14",NYL,NAT,1rl	Slotted grommet edging, .142" thickness, nylon 6, natural.	RL	1	\$	171.55
7498362716	<b>GEE144F-A-C</b>	Grom Edg ADH Slit, .21"x.22",NAT,1rl	The GEE144F-A-C Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chafi	RL	1	\$	91.50
7498362717	<b>GEE144F-A-C0</b>	Grom Edg ADH Slit, .21"x.22",BLK,1rl	The GEE144F-A-C0 Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chaf	RL	1	\$	100.18
7498360169	<b>GEE144F-C</b>	Grom Edg Slit, .21"x.22",NAT,1rl	The GEE144F-C Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chafing	RL	1	\$	73.28
7498360170	<b>GEE144F-C0</b>	Grom Edg Slit, .21"x.22",BLK,1rl	Slotted grommet edging, .144" thickness, weather resistant polyethylene, black.	RL	1	\$	84.25
7498310758	<b>GEE144FR-CY</b>	Grom Edg Slit, .21"x.22",FR,NAT,1rl	Slotted grommet edging, .144" thickness, flame retardant polyethylene, natural.	RL	1	\$	109.89
7498360171	<b>GEE36F-C</b>	Grom Edg Slit, .11"x.12",NAT,1rl	Slotted grommet edging, .036" thickness, polyethylene, natural.	RL	1	\$	54.81
7498360172	<b>GEE36F-C0</b>	Grom Edg Slit, .11"x.12",BLK,1rl	Slotted grommet edging, .036" thickness, weather resistant polyethylene, black.	RL	1	\$	65.96
7498310862	<b>GEE36FR-CY</b>	Grom Edg Slit, .11"x.12",FR,NAT,1rl	Slotted grommet edging, .036" thickness, flame retardant polyethylene, natural.	RL	1	\$	81.19
7498360201	<b>GEE47N-C</b>	Grom Edg Slit, .13"x.14",.055",Ny,NAT,1rl	Slotted grommet edging, .055" thickness, nylon 6, natural.	RL	1	\$	149.96
7498360202	<b>GEE55N-C</b>	Grom Edg Slit, .13"x.14",.063",Ny,NAT,1rl	Slotted grommet edging, .063" thickness, nylon 6, natural.	RL	1	\$	152.14
7498362712	<b>GEE62F-A-C</b>	Grom Edg ADH Slit, .13"x.16",NAT,1rl	The GEE62F-A-C Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chafin	RL	1	\$	70.73
7498362713	<b>GEE62F-A-C0</b>	Grom Edg ADH Slit, .13"x.16",BLK,1rl	The GEE62F-A-C0 Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chafi	RL	1	\$	80.18
7498360173	<b>GEE62F-C</b>	Grom Edg Slit, .13"x.16",NAT,1rl	The GEE62F-C Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chafing	RL	1	\$	56.68
7498360174	<b>GEE62F-C0</b>	Grom Edg Slit, .13"x.16",BLK,1rl	Slotted grommet edging, .062" thickness, weather resistant polyethylene, black.	RL	1	\$	67.40
7498310754	<b>GEE62FR-CY</b>	Grom Edg Slit, .13"x.16",FR,NAT,1rl	Slotted grommet edging, .062" thickness, flame retardant polyethylene, natural, 100 ft.	RL	1	\$	76.49
7498360203	<b>GEE71N-C</b>	Grom Edg Slit, .15"x.14",NYL,NAT,1rl	Slotted grommet edging, .079" thickness, nylon 6, natural.	RL	1	\$	148.19
7498360204	<b>GEE98N-C</b>	Grom Edg Slit, .18"x.14",NYL,NAT,1rl	Slotted grommet edging, .106" thickness, nylon 6, natural.	RL	1	\$	153.36
7498362714	<b>GEE99F-A-C</b>	Grom Edg ADH Slit, .17"x.19",NAT,1rl	The GEE99F-A-C Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chafin	RL	1	\$	80.94
7498362715	<b>GEE99F-A-C0</b>	Grom Edg ADH Slit, .17"x.19",BLK,1rl	The GEE99F-A-C0 Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chafi	RL	1	\$	88.68
7498360175	<b>GEE99F-C</b>	Grom Edg Slit, .17"x.19",NAT,1rl	The GEE99F-C Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chafing	RL	1	\$	64.81
7498360176	<b>GEE99F-C0</b>	Grom Edg Slit, .17"x.19",BLK,1rl	Slotted grommet edging, .099" thickness, weather resistant polyethylene, black.	RL	1	\$	74.59
7498310756	<b>GEE99FR-CY</b>	Grom Edg Slit, .17"x.19",FR,NAT,1rl	Slotted grommet edging, .099" thickness, flame retardant polyethylene, natural.	RL	1	\$	100.24
7498340561	<b>GES144F-A-C</b>	Grom Edg ADH SLD, .21"x.22",NAT,1rl	Solid grommet edging with adhesive lined (use one straight edges only), .144" thickness, polyethylene, natura	RL	1	\$	65.69
7498362708	<b>GES144F-A-C0</b>	Grom Edg ADH SLD, .21"x.22",BLK,1rl	Solid grommet edging with adhesive lined (use one straight edges only), .144" thickness, weather resistant po	RL	1	\$	72.59
7498360177	<b>GES144F-C</b>	Grom Edg SLD, .21"x.22",NAT,1rl	Solid grommet edging (use one straight edges only), .144" thickness, polyethylene, natural.	RL	1	\$	55.61
7498360178	<b>GES144F-C0</b>	Grom Edg SLD, .21"x.22",BLK,1rl	Solid grommet edging (use one straight edges only), .144" thickness, weather resistant polyethylene, black.	RL	1	\$	64.61
7498310759	<b>GES144FR-CY</b>	Grom Edg SLD, .21"x.22",FR,NAT,1rl	Solid grommet edging (use one straight edges only), .144" thickness, flame retardant polyethylene, natural, 1	RL	1	\$	87.68
7498350154	<b>GES189F-C</b>	Grom Edg SLD, .30"x.30",NAT,1rl	Solid grommet edging (use one straight edges only), .189" thickness, polyethylene, natural.	RL	1	\$	80.69
7498350396	<b>GES189F-C0</b>	Grom Edg SLD, .30"x.30",BLK,1rl	Solid grommet edging (use one straight edges only), .189" thickness, weather resistant polyethylene, black.	RL	1	\$	87.64
7498360179	<b>GES36F-C</b>	Grom Edg SLD, .11"x.12",NAT,1rl	Solid grommet edging (use one straight edges only), .036" thickness, polyethylene, natural.	RL	1	\$	44.93
7498360180	<b>GES36F-C0</b>	Grom Edg SLD, .11"x.12",BLK,1rl	Solid grommet edging (use one straight edges only), .036" thickness, weather resistant polyethylene, black.	RL	1	\$	49.10
7498340559	<b>GES62F-A-C</b>	Grom Edg ADH SLD, .13"x.16",NAT,1rl	The GES62F-A-C Polyethylene Solid Grommet Edging protects and prevents wires and cables from chafing a	RL	1	\$	50.91
7498362706	<b>GES62F-A-C0</b>	Grom Edg ADH SLD, .13"x.16",BLK,1rl	The GES62F-A-C0 Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chafi	RL	1	\$	56.03
7498360181	<b>GES62F-C</b>	Grom Edg SLD, .13"x.16",NAT,1rl	Solid grommet edging (use one straight edges only), .062" thickness, polyethylene, natural.	RL	1	\$	43.24
7498360182	<b>GES62F-C0</b>	Grom Edg SLD, .13"x.16",BLK,1rl	Solid grommet edging (use one straight edges only), .062" thickness, weather resistant polyethylene, black.	RL	1	\$	49.94
7498310755	<b>GES62FR-CY</b>	Grom Edg SLD, .13"x.16",FR,NAT,1rl	Solid grommet edging (use one straight edges only), .062" thickness, flame retardant polyethylene, natural.	RL	1	\$	59.16
7498340560	<b>GES99F-A-C</b>	Grom Edg ADH SLD, .17"x.19",NAT,1rl	The GES99F-A-C Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chafin	RL	1	\$	58.51
7498362707	<b>GES99F-A-C0</b>	Grom Edg ADH SLD, .17"x.19",BLK,1rl	The GES99F-A-C0 Polyethylene Slotted Grommet Edging protects and prevents wires and cables from chafi	RL	1	\$	65.19
7498360183	<b>GES99F-C</b>	Grom Edg SLD, .17"x.19",NAT,1rl	Solid grommet edging (use one straight edges only), .099" thickness, polyethylene, natural.	RL	1	\$	52.03
7498360184	<b>GES99F-C0</b>	Grom Edg SLD, .17"x.19",BLK,1rl	Solid grommet edging (use one straight edges only), .099" thickness, weather resistant polyethylene, black.	RL	1	\$	57.48
7498310757	<b>GES99FR-CY</b>	Grom Edg SLD, .17"x.19",FR,NAT,1rl	Solid grommet edging (use one straight edges only), .099" thickness, flame retardant polyethylene, natural, 1	RL	1	\$	80.44
61305658087	<b>GH-1-Q</b>	2-Piece, 2 Cable to Bar Clamp, #8 Sol. -	2-Piece, 2 Cable to Bar Clamp, #8 Sol. - #4 Str.	C	100	\$	6,710.90
61305658088	<b>GH-2-X</b>	2-Piece, 2 Cable to Bar Clamp, #4 Sol. -	2-Piece, 2 Cable to Bar Clamp, #4 Sol. - /20 Str.	C	100	\$	7,679.85
61305658089	<b>GH-5-1</b>	2-Piece, 2 Cable to Bar Clamp, 500 kcmil	2-Piece, 2 Cable to Bar Clamp, 500 kcmil - 700 kcmil	C	100	\$	38,456.46
61305658090	<b>GH-6-1</b>	2-Piece, 2 Cable to Bar Clamp, 750 kcmil	2-Piece, 2 Cable to Bar Clamp, 750 kcmil - 1000 kcmil	C	100	\$	109,553.03

07498376021	<b>GHH</b>	Cable Tie Gun Tool Holster,EA	Cable Tie Gun Tool Holster - Designed to hold PANDUIT® GTS-E, GTH-E, GS2B-E,GS2B, GS2BL, GS4H-E	PC	1	\$	45.43
61305668570	<b>GIBC2/0-4</b>	Grounding Clamp for H-Beam	Bronze Ground Clamp for H-Beam, 4 AWG SOL. - 2/0 AWG STR. Wire to 1-7/8" - 2-1/2" H-Beam	C	100	\$	31,521.09
61305657969	<b>GJ1000-58-1</b>	750 kcmil - 1000 kcmil Bronze Ground Cla	750 kcmil - 1000 kcmil Bronze Ground Clamp Connector, 5/8" Bolts, 2 Piece Clamp & 2 Bolts	C	100	\$	192,323.56
61305657941	<b>GJ2/0-38-5</b>	4 AWG (Sol.) - 2/0 AWG (Str.) Bronze Gro	4 AWG (Sol.) - 2/0 AWG (Str.) Bronze Ground Clamp Connector, 3/8" Bolts, 2 Piece Clamp & 2 Bolts	C	100	\$	10,310.19
61305657966	<b>GJ250-12-3</b>	2/0 AWG (Sol.) - 250 kcmil Bronze Ground Gro	2/0 AWG (Sol.) - 250 kcmil Bronze Ground Clamp Connector, 1/2" Bolts, 2 Piece Clamp & 2 Bolts	C	100	\$	23,345.33
61305657939	<b>GJ4-38-5</b>	8 AWG (Sol.) - 4 AWG (Str.) Bronze Ground	8 AWG (Sol.) - 4 AWG (Str.) Bronze Ground Clamp Connector, 3/8" Bolts, 2 Piece Clamp & 2 Bolts	C	100	\$	30,799.39
61305657967	<b>GJ500-12-1</b>	300 kcmil - 500 kcmil Bronze Ground Clamp	300 kcmil - 500 kcmil Bronze Ground Clamp Connector, 1/2" Bolts, 2 Piece Clamp & 2 Bolts	C	100	\$	37,767.05
07498309006	<b>GJ6120UH</b>	Dual Term Gnd Jumper,#6AWG,120In,EA	One 120 length #6 AWG green wire with yellow horizontal stripe. Jumper is pre-terminated on one end with L	KT	1	\$	91.69
07498309064	<b>GJ6144UH</b>	Dual Term Gnd Jumper,#6AWG,144In,EA	One 144 length #6 AWG green wire with yellow horizontal stripe. Jumper is pre-terminated on one end with L	KT	1	\$	96.13
07498309010	<b>GJ6240UH</b>	Dual Term Gnd Jumper,#6AWG,240In,EA	One 240 length #6 AWG green wire with yellow horizontal stripe. Jumper is pre-terminated on one end with L	KT	1	\$	114.00
07498309011	<b>GJ6264UH</b>	Dual Term Gnd Jumper,#6AWG,264In,EA	One 264 length #6 AWG green wire with yellow horizontal stripe. Jumper is pre-terminated on one end with L	KT	1	\$	118.45
07498309012	<b>GJ6288UH</b>	Dual Term Gnd Jumper,#6AWG,288In,EA	One 288 length #6 AWG green wire with yellow horizontal stripe. Jumper is pre-terminated on one end with L	KT	1	\$	122.95
07498309004	<b>GJ672UH</b>	Dual Term Gnd Jumper,#6AWG,72In,EA	One 72 length #6 AWG green wire with yellow horizontal stripe. Jumper is pre-terminated on one end with LC	KT	1	\$	82.75
07498309005	<b>GJ696UH</b>	Dual Term Gnd Jumper,#6AWG,96In,EA	One 96 length #6 AWG green wire with yellow horizontal stripe. Jumper is pre-terminated on one end with LC	KT	1	\$	87.20
61305657968	<b>GJ750-58-1</b>	500 kcmil - 750 kcmil Bronze Ground Clamp	500 kcmil - 750 kcmil Bronze Ground Clamp Connector, 5/8" Bolts, 2 Piece Clamp & 2 Bolts	C	100	\$	82,660.43
07498308994	<b>GJS6120U</b>	Jumper Kit,#6AWG,120In,EA	One 120" length #6 AWG green wire with yellow horizontal stripe. Jumper is pre-terminated on one end with L	KT	1	\$	70.73
07498308995	<b>GJS6180U</b>	Jumper Kit,#6AWG,180In,EA	One 180" length #6 AWG green wire with yellow horizontal stripe. Jumper is pre-terminated on one end with L	KT	1	\$	78.66
07498308996	<b>GJS660U</b>	Jumper Kit,#6AWG,60In,EA	#6 AWG green wire with yellow horizontal stripe. Jumper is pre-terminated on one end with LCC6-14JAW-L.	KT	1	\$	53.75
07498308993	<b>GJS696U</b>	Jumper Kit,#6AWG,96In,EA	#6 AWG (16mm <sup>2</sup> ) green wire with yellow horizontal stripe. Jumper is pre-terminated on one end with LCC6-14	KT	1	\$	60.45
61305666739	<b>GL2/0-38-5</b>	3 AWG (Str.) - 2/0 AWG (Str.) Bronze Gro	3 AWG (Str.) - 2/0 AWG (Str.) Bronze Ground Clamp Connector, 3/8" Bolt, 2 Piece Clamp & 1 Bolt	C	100	\$	10,654.69
61305666737	<b>GL250-38-5</b>	3/0 AWG (Str.) - 250 kcmil (Str.) Bronze	3/0 AWG (Str.) - 250 kcmil (Str.) Bronze Ground Clamp Connector, 3/8" Stud, 2 Piece Clamp & 1 Bolt	C	100	\$	14,192.48
61305666738	<b>GL4-38-X</b>	8 AWG (Str.) - 4 AWG (Str.) Bronze Groun	8 AWG (Str.) - 4 AWG (Str.) Bronze Ground Clamp Connector, 3/8" Bolt, 2 Piece Clamp & 1 Bolt	C	100	\$	7,086.34
07498360513	<b>GM-2-Q</b>	Ground Clamp,Bronze#4sol-2/0str,PK25	Bronze grounding clamp, #4 SOL - 2/0 STR.	C	100	\$	4,300.75
07498360514	<b>GM-3-Q</b>	Ground Clamp,Bronze#2/0-2/50,PK25	The GM-3-Q Bronze Grounding Clamp is used to ground copper code conductor to flat surfaces. Cast from h	C	100	\$	8,821.31
61305657952	<b>GM-3E-X</b>	Bronze Grounding Clamp, 4 Sol. - 300 kcm	The GM-3E-X Bronze Grounding Clamp is used to ground copper code conductor to flat surfaces. Cast from	C	100	\$	4,971.68
07498379672	<b>GM-4-X</b>	BrzGNDGCLP300Kcmil,500Kcmil,PK10	Bronze grounding clamp, 300 kcmil - 500 kcmil.	C	100	\$	12,276.31
07498342138	<b>GMS-1-X</b>	Grounding Clamp, #8 SOL-#4 STR,10PK	Bronze grounding toe clamp.	C	100	\$	2,455.69
07498360511	<b>GMS-2-Q</b>	Grounding Clamp,#4 SOL-2/0 STR,25PK	Bronze grounding toe clamp.	C	100	\$	3,872.44
07498360512	<b>GMS-3-Q</b>	Grounding Clamp,2/0 SOL-250 kcmil,25PK	Bronze grounding toe clamp.	C	100	\$	5,940.69
61305658092	<b>GMS-4-X</b>	Bronze Grounding Toe Clamp, 1 Cable to B	Bronze grounding toe clamp, 1 Cable to Bar or Flat surface, 300 kcmil - 500 kcmil	C	100	\$	7,754.69
61305657995	<b>GPAS1420SF</b>	Generic, 14.00" x 20.00" Sign, Safety Fi		PC	1	\$	69.51
07498367040	<b>GPC2-1-Q</b>	Pipe Clamp,Water Pipe 1/2-1 in,25PK	Bronze grounding clamp, #10 SOL - #2 STR AWG conductor size range, 1/2" - 1" (12.7mm - 25.4mm) iron pi	C	100	\$	787.83
07498366254	<b>GPC2-1D-C</b>	Pipe Clamp,Bronze,DB,1/2-1 in,100PK	Bronze grounding clamp, Direct burial, #10 SOL - #2 STR AWG conductor size range, 1/2" - 1" (12.7mm - 25	C	100	\$	1,432.49
07498366926	<b>GPC2-2-L</b>	Pipe Clamp,Water Pipe 1 -1/4-2 in,50PK	Bronze grounding clamp, #10 SOL - #2 STR AWG conductor size range, 1 1/4" - 2" (31.8mm - 50.8mm) iron	C	100	\$	2,703.21
07498366930	<b>GPC2-2D-L</b>	Pipe Clamp,Bronze,DB,1-1/4-2 in,50PK	Bronze grounding clamp, Direct burial, #10 SOL - #2 STR AWG conductor size range, 1 1/4" - 2" (31.8mm -	C	100	\$	5,248.39
07498366359	<b>GPC2-4-X</b>	Pipe Clamp,Water Pipe 2-1/2-4 in,10PK	Bronze grounding clamp, #10 SOL - #2 STR AWG conductor size range, 2 1/2" - 4" (63.5mm - 101.6mm) iro	C	100	\$	7,931.54
07498371985	<b>GPC22/0-38-X</b>	Grounding Clamp, 2 cables,3/8" IPS,10PK	Bronze grounding clamp, U-bolt for 2 cables, #4 SOL - 2/0 STR copper conductor size range, 3/8" (9.5mm) ir	C	100	\$	11,232.63
07498371989	<b>GPC2250-38-X</b>	Grounding Clamp, 2 cable,3/8"IPS,10PK	Bronze grounding clamp, U-bolt for 2 cables, 2/0 SOL - 250 kcmil copper conductor size range, 5/8" (1.6mm)	C	100	\$	12,429.51
07498371991	<b>GPC3250-38-X</b>	Grounding Clamp, 3 cables,3/8"IPS,10PK	Bronze grounding clamp, U-bolt for 3 cables, 2/0 - 250 kcmil copper conductor size range, 5/8" (1.6mm) or 3/	C	100	\$	23,651.35
07498300959	<b>GPC4H250-2</b>	Ground Plate connector,#2sol-250kcmil,EA	Ground plate connector for #2 AWG - 250 kcmil (35 - 120mm <sup>2</sup> ) wire size.	PC	1	\$	207.58
07498368955	<b>GPCM-18BW</b>	GENERIC MARKER CARDS		C	100	\$	459.06
07498344982	<b>GPCM-20BW</b>	GENERIC MARKER CARDS 20 MARKERS PER CARD		C	100	\$	459.06
07498368956	<b>GPCM-25BW</b>	GENERIC MARKER CARDS 25 MARKERS/CARD		C	100	\$	459.06
07498368957	<b>GPCM-36BW</b>	GENERIC MARKER CARDS 36 MARKERS/CARD		C	100	\$	459.06
07498368958	<b>GPCMH-18BW</b>	GENERIC MARKER CARDS 36 MARKERS/CARD		C	100	\$	437.20
07498344983	<b>GPCMH-20BW</b>	GENERIC MARKER CARDS 40 MARKERS PER CARD		C	100	\$	480.91
07498368959	<b>GPCMH-25BW</b>	GENERIC MARKER CARDS 50 MARKERS/CARD		C	100	\$	459.06
07498368960	<b>GPCMH-36BW</b>	GENERIC MARKER CARDS 72 MARKERS/CARD		C	100	\$	459.06
07498357597	<b>GPCV-AOY</b>	GENERIC PS VOLTAGE MARKERBLK ON ORN, 10		CG	1	\$	6.48
07498357605	<b>GPCV-BOY</b>	GENERIC PS VOLTAGE MARKERBLK ON ORN, 10		CG	1	\$	6.48
07498357620	<b>GPCV-COY</b>	GENERIC PS VOLTAGE MARKERBLK ON ORN, 10		CG	1	\$	6.48
07498357629	<b>GPCV-MOY</b>	GENERIC PM PCV SIZE M-***NLK ON ORN, 10		PC	1	\$	31.63
07498360492	<b>GPL-10-Q</b>	Grnd,U.Bolt,2/0 SOL-250 kcmil,1/2IPS,25PK	Bronze grounding clamp, .365-.575" wire dia. range, 7/8" or 1" rod, 1/2" or 3/4" IPS.	C	100	\$	11,404.26
07498360493	<b>GPL-14-X</b>	Grnd,U.Bolt,#8 SOL-#4 STR,1"IPS,10PK	Bronze grounding clamp, .128-.232" wire dia. range, 1" IPS.	C	100	\$	10,530.26
07498360494	<b>GPL-15-X</b>	Grounding Clamp, U-Bolt, 1" IPS,10PK	Bronze grounding clamp, .204-.419" wire dia. range, 1" IPS.	C	100	\$	10,769.58
07498342142	<b>GPL-16-X</b>	Grnd,U.Bolt,2/0 SOL-250 kcmil,1"IPS,10PK	Bronze grounding clamp, .365-.575" wire dia. range, 1" IPS.	C	100	\$	11,416.38
07498360495	<b>GPL-20-X</b>	Grnd,U.Bolt,#8 SOL-#4 STR, 1 1/4"IPS,10PK	Bronze grounding clamp, .128-.232" wire dia. range, 1 1/4" IPS.	C	100	\$	11,031.73
07498360496	<b>GPL-21-X</b>	Grnd,U.Bolt,#4 SOL-2/0 STR, 1 1/4"IPS,10PK	Bronze grounding clamp, .204-.419" wire dia. range 1 1/4" IPS.	C	100	\$	11,944.96
07498360497	<b>GPL-22-X</b>	Grnd,U.Bolt,2/0 SOL-250, 1 1/4"IPS,10PK	The GPL-22-X Grounding Clamp, Bronze is used to ground copper conductors parallel or at a right angle to a	C	100	\$	11,231.03
07498360498	<b>GPL-26-X</b>	Grnd,U.Bolt,#8 SOL-#4 STR, 1 1/2"IPS,10PK	Bronze grounding clamp, .128-.232" wire dia. range, 1 1/2" IPS.	C	100	\$	11,402.01
07498360499	<b>GPL-27-X</b>	Grnd,U.Bolt,#4 SOL-2/0STR, 1 1/2"IPS,10PK	Bronze grounding clamp, .204-.419" wire dia. range 1 1/2" IPS.	C	100	\$	11,792.56
07498360500	<b>GPL-28-X</b>	Grnd,U.Bolt,2/0 -250 kcmil,1 1/2"IPS,10PK	Bronze grounding clamp, .365-.575" wire dia. range 1 1/2" IPS.	C	100	\$	12,518.58
61305657221	<b>GPL-29-1</b>	Bronze Grounding Clamp, 300 kcmil - 500	Bronze Ground Clamp Connector, 300-500 kcmil copper wire to 1-1/2" IPS	C	100	\$	22,057.78
07498360501	<b>GPL-32-3</b>	Grnd,U.Bolt, #8 SOL-#4 STR, 2"IPS,3PK	Bronze grounding clamp, .128-.232" wire dia. range, 2" IPS.	C	100	\$	12,980.33
07498360502	<b>GPL-33-3</b>	Grnd,U.Bolt, #4 SOL-2/0 STR, 2" IPS,3PK	Bronze grounding clamp, .204-.419" wire dia. range, 2" IPS.	C	100	\$	14,561.61
07498360503	<b>GPL-34-3</b>	Grnd,U.Bolt, 2/0 SOL-250 kcmil,2"IPS,3PK	Bronze grounding clamp, .365-.575" wire dia. range, 2" IPS.	C	100	\$	16,384.76
61305657222	<b>GPL-35-1</b>	Bronze Grounding Clamp, 300 kcmil - 500	Bronze Ground Clamp Connector, 300-500 kcmil copper wire to 2" IPS	C	100	\$	22,561.93
61305657223	<b>GPL-38-1</b>	Bronze Grounding Clamp, 8 SOL- 4 STR, 2-	Bronze Ground Clamp Connector, 8 AWG Sol.-4 AWG Str. copper wire to 2-1/2" IPS	C	100	\$	15,863.14
07498360504	<b>GPL-39-3</b>	Grnd,U.Bolt,#4 SOL-2/0 STR, 2 1/2"IPS,3PK	Bronze grounding clamp, .204-.419" wire dia. range, 2 1/2" IPS.	C	100	\$	17,653.14
07498360487	<b>GPL-4-Q</b>	Grnd,U.Bolt,#8 SOL-#4 STR,3/8"IPS,25PK	Bronze grounding clamp, .128-.232" wire dia. range, 5/8" or 3/4" rod, 3/8" IPS.	C	100	\$	7,202.15
07498360505	<b>GPL-40-3</b>	Grnd Clamp,U.Bolt,2/0-250,2 1/2"IPS,3PK	Bronze grounding clamp, .365-.575" wire dia. range, 2 1/2" IPS.	C	100	\$	18,448.03
61305657225	<b>GPL-41-1</b>	Bronze Grounding Clamp, 300 kcmil - 500	Bronze Ground Clamp Connector, 300-500 kcmil copper wire to 2-1/2" IPS	C	100	\$	54,717.95
07498342143	<b>GPL-44-1</b>	Grnd Clamp,U.Bolt,#8 -#4 , 3" IPS,EA	Bronze grounding clamp, .128-.232" wire dia. range, 3" IPS.	C	100	\$	19,178.11
07498360506	<b>GPL-45-1</b>	Grounding Clamp, U-Bolt,3" IPS, 1 PK	Bronze grounding clamp, .204-.419" wire dia. range, 3" IPS.	C	100	\$	21,618.43
07498360507	<b>GPL-46-1</b>	Grnd Clamp,U.Bolt,2/0-250,3"IPS,EA	Bronze grounding clamp, .365-.575" wire dia. range, 3" IPS.	C	100	\$	23,442.00
61305657226	<b>GPL-47-1</b>	Bronze Grounding Clamp, 300 kcmil - 500	Bronze Ground Clamp Connector, 300-500 kcmil copper wire to 3" IPS	C	100	\$	21,244.14
07498360488	<b>GPL-5-Q</b>	Grnd Clamp,U.Bolt, #4-2/0,3/8"IPS,25PK	Bronze grounding clamp, .204-.419" wire dia. range, 5/8" or 3/4" rod, 3/8" IPS.	C	100	\$	7,397.64

07498360508	<b>GPL-51-1</b>	Grnd Clamp,U-Bolt, #4-2/0, 3 1/2"IPS,EA	Bronze grounding clamp, .204-.419" wire dia. range, 3 1/2" IPS.	C	100	\$ 25,301.40
07498342144	<b>GPL-52-1</b>	Ground,U-Bolt, 2/0 -250, 3 1/2" IPS,EA	Bronze grounding clamp, .365-.575" wire dia. range, 3 1/2" IPS.	C	100	\$ 32,436.11
61305657227	<b>GPL-56-X</b>	Bronze Grounding Clamp, 8 SOL -4 STR, 4	Bronze Ground Clamp Connector, 8 AWG Sol.-4 AWG Str. copper wire to 4" IPS	C	100	\$ 25,006.60
07498360509	<b>GPL-57-1</b>	Grnd Clamp, U-Bolt, #4 -2/0, 4" IPS,EA	Bronze grounding clamp, .204-.419" wire dia. range, 4" IPS.	C	100	\$ 28,501.95
07498360510	<b>GPL-58-1</b>	Grnd Clamp, U-Bolt, 2/0- 250, 4" IPS,EA	Bronze grounding clamp, .365-.575" wire dia. range, 4" IPS.	C	100	\$ 31,059.25
61305657228	<b>GPL-59-1</b>	Bronze Grounding Clamp, 300 kcmil - 500	Bronze Ground Clamp Connector, 300-500 kcmil copper wire to 4" IPS	C	100	\$ 30,538.51
07498360489	<b>GPL-6-Q</b>	Grnd Clamp,U-Bolt, 2/0-250, 3/8"IPS,25PK	The GPL-6-Q Grounding Clamp, Bronze is used to ground copper conductors parallel or at a right angle to	C	100	\$ 7,540.74
61305657229	<b>GPL-68-1</b>	Bronze Grounding Clamp, 8 SOL -4 STR, 5	Bronze Ground Clamp Connector, 8 AWG Sol.-4 AWG Str. copper wire to 5" IPS	C	100	\$ 42,647.06
61305657230	<b>GPL-69-1</b>	Bronze Grounding Clamp, 4 SOL -2/0 STR,	Bronze Ground Clamp Connector, 4 AWG -2/0 AWG Str. copper wire to 5" IPS	C	100	\$ 31,313.38
61305657231	<b>GPL-70-1</b>	Bronze Grounding Clamp, 2/0 SOL - 250 ktr,	Bronze Ground Clamp Connector, 2/0 AWG- 250 kcmil Str. copper wire to 5" IPS	C	100	\$ 33,367.90
61305657232	<b>GPL-71-1</b>	Bronze Grounding Clamp, 300 kcmil - 500	Bronze Ground Clamp Connector, 300-500 kcmil copper wire to 5" IPS	C	100	\$ 73,523.03
07498302253	<b>GPL-75-X</b>	Grounding Clamp, U-Bolt, 6"IPS, 10PK	Bronze grounding clamp.	C	100	\$ 27,783.85
07498371981	<b>GPL-76-1</b>	Grounding Clamp,2/0 SOL-250 kcmil, EA	Bronze grounding clamp, U-bolt, 2/0 SOL-250 kcmil copper conductor size range, 6" (152.4mm) iron pipe size	C	100	\$ 30,341.15
07498360490	<b>GPL-8-Q</b>	Grnd Clamp,U-Bolt,8-4, 1/2 & 3/4"IPS,25EA	Bronze grounding clamp, .128-.232" wire dia. range, 7/8" or 1" rod, 1/2" or 3/4" IPS.	C	100	\$ 10,214.24
07498360491	<b>GPL-9-Q</b>	Grounding Clamp,U-Bolt,1/2or 3/4IPS,25PK	Bronze grounding clamp, .204-.419" wire dia. range, 7/8" or 1" rod, 1/2" or 3/4" IPS.	C	100	\$ 11,944.96
07498381913	<b>GPPM-25BW</b>	GENERIC MARKER CARDS 25 MARKERS/CARD		C	100	\$ 562.65
07498381912	<b>GPPM-36BW</b>	GENERIC MARKER CARDS 36 MARKERS/CARD		C	100	\$ 590.76
07498309851	<b>GPQC07-1/0</b>	Grounding Clamp,3/4-7/8 Round,EA	Access floor grounding clamp for 3/4" and 7/8" round pedestals.	KT	1	\$ 61.50
07498309846	<b>GPQC10-1/0</b>	Grounding Clamp,7/8 Sq,1-11/8 Round,EA	The GPQC10-1/0 access floor grounding clamp is used to bond mesh common bonding network (MCBN) con	KT	1	\$ 68.35
07498309847	<b>GPQC12-1/0</b>	Grounding Clamp,1 1/4 Round,EA	Access floor grounding clamp for 1 1/4" round pedestals.	KT	1	\$ 78.93
07498309848	<b>GPQC15-1/0</b>	Grounding Clamp,1 1/2 Round,EA	Access floor grounding clamp for 1 1/2" round pedestals.	KT	1	\$ 82.66
07498309853	<b>GPQC17-1/0</b>	Grounding Clamp,1 3/4 Round,EA	Access floor grounding clamp for 1 3/4" round pedestals.	KT	1	\$ 95.53
07498309849	<b>GPQC20-1/0</b>	Grounding Clamp,2"Round,EA	Access floor grounding clamp for 2" round pedestals.	KT	1	\$ 105.00
07498376658	<b>GPRS1420C</b>	GENERIC 14" X 20" SIGN BLK ON YEL,CAUTIO		PC	1	\$ 53.16
07498375400	<b>GPRS1420D</b>	GENERIC 14" X 20" SIGN BLK ON WHT, DANGE		PC	1	\$ 53.16
07498376659	<b>GPRS1420SF</b>	GENERIC PRS 14"X 20" SIGNBLK/WHT, SAFETY		PC	1	\$ 53.16
07498371261	<b>GPSL-12KA</b>	Compact-Body Padlock, Keyed Alike, Color		PC	1	\$ 38.36
07498394966	<b>GPSL-12MK</b>	Compact-Body Padlock, Master Keyed, Colo		PC	1	\$ 52.25
07498303841	<b>GPSL-12MKEY</b>	MASTER KEY FOR GPSL-12 LOCKS		PC	1	\$ 18.10
61305636600	<b>GPSL-13AKA</b>	Custom Corrosion Resistant Security Padl		PC	1	\$ 10.78
61305636601	<b>GPSL-13BKA</b>	Custom Corrosion Resistant Security Padl		PC	1	\$ 13.15
61305636602	<b>GPSL-13CKA</b>	Custom Corrosion Resistant Security Padl		PC	1	\$ 16.91
61305636610	<b>GPSL-13D-LSKA</b>	Custom Corrosion Resistant Security Padl		PC	1	\$ 21.28
61305636603	<b>GPSL-13DKA</b>	Custom Corrosion Resistant Security Padl		PC	1	\$ 20.66
61305636611	<b>GPSL-13EKA</b>	Custom Corrosion Resistant Security Padl		PC	1	\$ 32.55
61305636640	<b>GPSL-14ABLKA</b>	All Weather Security Padlock, 1.42" Soli		PC	1	\$ 30.69
61305636639	<b>GPSL-14BYL-LSKA</b>	Custom All Weather Security Padlock, 1.9		PC	1	\$ 37.33
61305636641	<b>GPSL-14BYLKA</b>	Custom All Weather Security Padlock, 1.9		PC	1	\$ 36.70
61305636686	<b>GPSL-15ABU-LSKA</b>	Custom Weather Proof Security Padlock, 1		PC	1	\$ 53.09
61305636685	<b>GPSL-15ABU-LSMK</b>	Custom Weather Proof Security Padlock, 1		PC	1	\$ 62.35
61305636684	<b>GPSL-15ABUKA</b>	Custom Weather Proof Security Padlock, 1		PC	1	\$ 42.19
61305636687	<b>GPSL-15ABUMK</b>	Custom Weather Proof Security Padlock, 1		PC	1	\$ 51.46
61305636688	<b>GPSL-15BBUKA</b>	Custom Weather Proof Security Padlock, 1		PC	1	\$ 59.95
61305636689	<b>GPSL-15BBUMK</b>	Custom Weather Proof Security Padlock, 1		PC	1	\$ 69.24
61305636693	<b>GPSL-16AKA</b>	Custom All Weather Security Padlock, .93		PC	1	\$ 15.66
61305636668	<b>GPSL-16BKA</b>	Custom All Weather Security Padlock, 1.1		PC	1	\$ 18.79
61305636705	<b>GPSL-16C-LSKA</b>	Custom All Weather Security Padlock, 1.5		PC	1	\$ 26.93
61305636694	<b>GPSL-16CKA</b>	Custom All Weather Security Padlock, 1.5		PC	1	\$ 23.68
61305636695	<b>GPSL-16DKA</b>	Custom All Weather Security Padlock, 1.6		PC	1	\$ 27.66
61305636696	<b>GPSL-16EKA</b>	Custom All Weather Security Padlock, 1.8		PC	1	\$ 35.70
61305636697	<b>GPSL-16FKA</b>	Custom All Weather Security Padlock, 2.2		PC	1	\$ 46.46
61305636774	<b>GPSL-17BBLKA</b>	Custom Non-Sparking Padlock, 2.09" Solid		PC	1	\$ 46.33
07498371390	<b>GPSL-4MK</b>	1.5" X 1.75" PLCK W/LABELMASTER KEYED		PC	1	\$ 82.08
61305636670	<b>GPSL-6ABU-LSKA</b>	Custom Corrosion Resistant, 1.38" Lamina		PC	1	\$ 33.30
61305636669	<b>GPSL-6ABUKA</b>	Custom Corrosion Resistant, 1.38" Lamina		PC	1	\$ 30.04
61305636671	<b>GPSL-6ABUMK</b>	Custom Corrosion Resistant, 1.38" Lamina		PC	1	\$ 39.81
61305636673	<b>GPSL-6BU-LSKA</b>	Custom Corrosion Resistant, 1.73" Lamina		PC	1	\$ 38.33
61305636674	<b>GPSL-6BU-LSMK</b>	Custom Corrosion Resistant, 1.73" Lamina		PC	1	\$ 48.08
61305636672	<b>GPSL-6BUKA</b>	Custom Corrosion Resistant, 1.73" Lamina		PC	1	\$ 33.30
61305636675	<b>GPSL-6BUMK</b>	Custom Corrosion Resistant, 1.73" Lamina		PC	1	\$ 43.06
61305636678	<b>GPSL-6CBU-LSKA</b>	Custom Corrosion Resistant, 1.92" Lamina		PC	1	\$ 41.59
61305636679	<b>GPSL-6CBU-LSMK</b>	Custom Corrosion Resistant, 1.92" Lamina		PC	1	\$ 51.34
61305636677	<b>GPSL-6CBUKA</b>	Custom Corrosion Resistant, 1.92" Lamina		PC	1	\$ 37.33
61305636680	<b>GPSL-6CBUMK</b>	Custom Corrosion Resistant, 1.92" Lamina		PC	1	\$ 47.08
61305636682	<b>GPSL-6DBU-LSKA</b>	Custom Corrosion Resistant, 2.09" Lamina		PC	1	\$ 49.33
61305636681	<b>GPSL-6DBUKA</b>	Custom Corrosion Resistant, 2.07" Lamina		PC	1	\$ 45.34
61305636683	<b>GPSL-6DBUMK</b>	Custom Corrosion Resistant, 2.07" Lamina		PC	1	\$ 54.84
07498321941	<b>GPSL-6KA</b>	3/4" SHACKLE PADLOCK, KEYED ALIKE, COLOR		PC	1	\$ 35.15
07498321949	<b>GPSL-6LSKA</b>	2" SHACKLE PADLOCK, KEYED ALIKE, COLOR A		PC	1	\$ 44.74
07498321950	<b>GPSL-6LSKAMK</b>	2" SHACKLE PADLOCK, KEYED ALIKE AND MAST		PC	1	\$ 54.68
07498321951	<b>GPSL-6LSMK</b>	2" SHACKLE PADLOCK, MASTER KEYED, COLOR		PC	1	\$ 57.41
07498321943	<b>GPSL-6MK</b>	3/4" SHACKLE PADLOCK, MASTER KEYED, COLO		PC	1	\$ 42.96
07498321952	<b>GPSL-7KA</b>	1" SHACKLE PADLOCK, KEYED ALIKE, COLOR A		PC	1	\$ 44.74
07498321961	<b>GPSL-7KAMK</b>	1" SHACKLE PADLOCK, KEYED ALIKE AND MAST		PC	1	\$ 54.68
07498322008	<b>GPSL-7LSKA</b>	3" SHACKLE PADLOCK, KEYED ALIKE, COLOR A		PC	1	\$ 47.95
07498322009	<b>GPSL-7LSKAMK</b>	3" Shackle Padlock, Keyed Like And Maste		PC	1	\$ 61.54
07498322010	<b>GPSL-7LSMK</b>	3" SHACKLE PADLOCK, MASTER KEYED, COLOR		PC	1	\$ 61.54



07498321962	<b>GPSL-7MK</b>	1" Shackle Padlock, Master Keyed, Color		PC	1	\$	57.41
07498322007	<b>GPSL-7MKEY</b>	MASTER KEY FOR GPSL-7 LOCKS		PC	1	\$	18.29
07498321839	<b>GPSL-8KA</b>	1.5" SHACKLE PLASTIC BODY, KEYED ALIKE P		PC	1	\$	37.43
07498301518	<b>GPSL-8KA-P</b>	Non-Conductive Padlock, Keyed Alike, Col		PC	1	\$	60.70
07498321840	<b>GPSL-8KAMK</b>	1.5" SHACKLE PLASTIC BODY, KEYED ALIKE A		PC	1	\$	50.41
07498301467	<b>GPSL-8KAMK-P</b>	Non-Conductive Padlock, Keyed Alike/Mast		PC	1	\$	65.90
07498366238	<b>GPSL-8KD-E</b>	1.5" Shackle, Plastic Non-Conductive Bod		PC	1	\$	54.80
07498397105	<b>GPSL-8LBKA</b>	1.50" Shackle, Plastic Non-Conductive Lo		PC	1	\$	45.30
07498397107	<b>GPSL-8LBKAMK</b>	1.50" Shackle, Plastic Non-Conductive Lo		PC	1	\$	58.10
07498397106	<b>GPSL-8LBMK</b>	1.50" Shackle, Plastic Non-Conductive Lo		PC	1	\$	61.00
07498321849	<b>GPSL-8MK</b>	1.5" SHACKLE PLASTIC BODY PADLOCK, MASTE		PC	1	\$	47.99
07498333410	<b>GPSL-8MK-3KEY</b>	ABUS 74/40 MASTER KEYED LOCKS WITH THREE		PC	1	\$	50.48
07498366239	<b>GPSL-8MK-E</b>	1.5" Shackle, Plastic Non-Conductive Bod		PC	1	\$	65.90
07498321852	<b>GPSL-8MKEY</b>	MASTER KEY FOR GPSL-8 LOCKS		PC	1	\$	17.43
07498360486	<b>GPSL-PK-E</b>	LOCKOUT KIT - ELECTRICIAN, WITHOUT PANDUI	Electrician Lockout Kit without Panduit Logo	KT	1	\$	210.21
07498354980	<b>GPVT-RBW2</b>	GENERIC PVT, PRINT 25 TAGS & TIES/BAG		PK	1	\$	80.16
61305676726	<b>GPWC2/0-L-1</b>	Bronze Ground Clamp 4 STR - 2/0 STR, lar	Bronze Ground Clamp 4 STR - 2/0 STR, Larger than 6" IPS	PC	1	\$	422.21
61305676727	<b>GPWC2/0-S-1</b>	Bronze Ground Clamp 4 STR - 2/0 STR, 6"	Bronze Ground Clamp 4 STR - 2/0 STR, 6" IPS max	PC	1	\$	422.21
61305676724	<b>GPWC250-L-1</b>	Bronze Ground Clamp 2/0 STR - 250 kcmil,	Bronze Ground Clamp 2/0 STR - 250 kcmil, Larger than 6" IPS	PC	1	\$	507.93
61305676725	<b>GPWC250-S-1</b>	Bronze Ground Clamp 2/0 STR - 250 kcmil,	Bronze Ground Clamp 2/0 STR - 250 kcmil, 6" IPS max	PC	1	\$	552.84
61305675409	<b>GR125-10-1</b>	Pipe Clamp, Braided Strap: 1" x 1/8" to	Pipe Clamp, Braided Strap: 1" x 1/8" to Pipe or Rod; Direct Burial, 1-1/4" Pipe	C	100	\$	15,291.75
61305675410	<b>GR150-10-1</b>	Pipe Clamp, Braided Strap: 1" x 1/8" to	Pipe Clamp, Braided Strap: 1" x 1/8" to Pipe or Rod; Direct Burial, 1-1/2" Pipe	C	100	\$	16,921.30
07498364690	<b>GRC2-12-TL</b>	Ground Rod Clamp,DB,1/2 in Rod,250PK	Bronze ground rod clamp, standard duty, direct burial, 1/2" (12.7mm) ground rod size, #10 SOL - #2 STR AW	C	100	\$	907.25
07498364692	<b>GRC2-34-T</b>	Ground Rod Clamp,DB,3/4 in Rod,200PK	Bronze ground rod clamp, standard duty, direct burial, 3/4" (19.1mm) ground rod size, #10 SOL - #2 STR AW	C	100	\$	1,524.65
07498364691	<b>GRC2-58-TL</b>	Ground Rod Clamp,DB,5/8 in Rod,250PK	Bronze ground rod clamp, standard duty, direct burial, 5/8" (15.9mm) ground rod size, #10 SOL - #2 STR AW	C	100	\$	955.95
07498364688	<b>GRC4-38-TL</b>	Ground Rod Clamp,DB,3/8 in Rod,250PK	Bronze ground rod clamp, standard duty, direct burial, 3/8" (9.5mm) ground rod size, #10 SOL - #4 STR AW	C	100	\$	646.28
07498364696	<b>GRCH1/0-34-E</b>	Hvy Duty Ground Rod Clamp,3/4 in,20PK	Bronze ground rod clamp, heavy duty, direct burial, 3/4" (19.1mm) ground rod size, #8 SOL - 1/0 STR AWG	C	100	\$	1,163.28
07498364694	<b>GRCH1/0-58-T</b>	Hvy Duty Ground Rod Clamp,5/8 in,200PK	Bronze ground rod clamp, heavy duty, direct burial, 5/8" (15.9mm) ground rod size, #8 SOL - 1/0 STR AWG	C	100	\$	956.45
07498364693	<b>GRCH2-12-T</b>	Hvy Duty Ground Rod Clamp,1/2 in,200PK	Bronze ground rod clamp, heavy duty, direct burial, 1/2" (12.7mm) ground rod size, #10 SOL - #2 STR AWG	C	100	\$	744.74
61305623648	<b>GS2B-E</b>	CblTieToolForSM,Min,Int,StdTies,EA	Panduit offers the most preferred hand-operated tools in the industry. The GS2B-E Ergonomic Cable Tie Han	PC	1	\$	451.53
61305625570	<b>GS4EH-E</b>	CblTieToolForLH,HEHTies,AdjTension,EA	Panduit offers the most preferred hand-operated tools in the industry. The GS4H-E Ergonomic Cable Tie Han	PC	1	\$	728.89
61305625569	<b>GS4H-E</b>	CblTieToolForS,HS,LH,HTies,AdjTension,EA	Panduit offers the most preferred hand-operated tools in the industry. The GS4H-E Ergonomic Cable Tie Han	PC	1	\$	677.29
61305644920	<b>GS4MT-E</b>	Metal Housing Ergonomic Stainless Steel	The GS4MT-E Stainless Steel Cable Tie hand tool provides higher performance and reliability. With the state-	PC	1	\$	1,278.36
61305658323	<b>GSC10-32-38-C</b>	Slotted, #2 Philips, Hex Head with Cutti	Green Thread Forming Bonding Screw, #10-32 Thread Size, 3/8" Long, Slotted, #2 Philips, Hex Head with Cu	C	100	\$	15.43
61305658324	<b>GSH10-32-38-C</b>	Slotted, #2 Philips, Hex Head, #2 Robert	Green Bonding Screw, #10-32 Thread Size, 3/8" Long, Slotted, #2 Philips, Hex Head, #2 Robertson with Tap	C	100	\$	15.43
61305600889	<b>GSP1-10-4-C</b>	Service Post,#10SOL-#4STR,M,1C,PK100	Bronze, service post connectors, #10SOL-#4STR, male, one cable, type GSP1.	C	100	\$	3,010.26
61305600890	<b>GSP1-12-6-C</b>	Service Post,#12SOL-#6STR,M,1C,PK100	Bronze, service post connectors, #12SOL-#6STR, male, one cable, type GSP1.	C	100	\$	2,023.06
61305600884	<b>GSP1-4-2/0-L</b>	Service Post,#4SOL-#2/0STR,M,1C,PK50	Bronze, service post connectors, #4SOL-#2/0STR, male, one cable, type GSP1.	C	100	\$	5,553.10
61305600888	<b>GSP1-6-2-C</b>	Service Post,#6SOL-#2STR,M,1C,PK100	Bronze, service post connectors, #6SOL-#2STR, male, one cable, type GSP1.	C	100	\$	4,264.36
61305600891	<b>GSP2-10-2-C</b>	Service Post,#10SOL-#2STR,M,2C,PK100	Bronze, service post connector, #10SOL-#2STR, male, two cable, type GSP2.	C	100	\$	4,489.04
61305600892	<b>GSP2-10-4-C</b>	Service Post,#10SOL-#4STR,M,2C,PK100	Bronze, service post connector, #10SOL-#4STR, male, two cable, type GSP2.	C	100	\$	2,912.25
61305600893	<b>GSP2-12-6-C</b>	Service Post,#12SOL-#6STR,M,2C,PK100	Bronze, service post connector, #12SOL-#6STR, male, two cable, type GSP2.	C	100	\$	2,262.95
61305600885	<b>GSP2-2-2/0-L</b>	Service Post,#2SOL-#2/0STR,M,2C,PK50	Bronze, service post connector, #2SOL-#2/0STR, male, two cable, type GSP2.	C	100	\$	5,842.89
07498307178	<b>GTC1/0-L</b>	CABLE TRY CLAMP-6 SOL-1/0 STR	CABLE TRY CLAMP-6 SOL-1/0 STR	C	100	\$	7,354.68
07498307055	<b>GTC2/0-L</b>	CABLE TRY CLAMP-2 SOL-2/0 STR	CABLE TRY CLAMP-2 SOL-2/0 STR	C	100	\$	7,244.41
07498307056	<b>GTC250-L</b>	CABLE TRY CLAMP- 2/0 STR - 250kcmil	CABLE TRY CLAMP- 2/0 STR - 250kcmil	C	100	\$	7,886.46
07498307405	<b>GTCDB1/0-L</b>	CABLE TRY CLAMP, DIRECT BURIAL-6 SOL-1/0	CABLE TRY CLAMP, DIRECT BURIAL-6 SOL-1/0 STR	C	100	\$	7,946.05
07498307406	<b>GTCDB2/0-L</b>	CABLE TRY CLAMP, DIRECT BURIAL-2 SOL-2/0	CABLE TRY CLAMP, DIRECT BURIAL-2 SOL-2/0 STR	C	100	\$	7,545.29
07498307407	<b>GTCDB250-L</b>	CABLE TRY CLAMP, DIRECT BURIAL- 2/0 STR	CABLE TRY CLAMP, DIRECT BURIAL- 2/0 STR - 250kcmil	C	100	\$	8,180.58
61305601223	<b>GTH-E</b>	Erg Cable Tie Tool,S,HS,LH,H,GY/RD,EA	Panduit offers the most preferred hand-operated tools in the industry. The GTH-E Ergonomic Cable Tie Hand	PC	1	\$	423.58
61305601222	<b>GTS-E</b>	Erg Cable Tie Tool,SM,M,I,S,GY/BL,EA	Panduit offers the most preferred hand-operated tools in the industry. The GTS-E Ergonomic Cable Tie Hand	PC	1	\$	263.43
61305668548	<b>GTW025-250-1</b>	Bronze Grounding Clamp, U-Bolt, 3 cables	Bronze Ground Clamp Connector, 3-Wire, Parallel to Pipe, 4 AWG SOL - 250 kcmil, 1/4" Pipe Size	C	100	\$	17,832.60
61305668549	<b>GTW038-250-1</b>	Bronze Grounding Clamp, U-Bolt, 2 cables	Bronze Ground Clamp Connector, 3-Wire, Parallel to Pipe, 4 AWG SOL - 250 kcmil, 3/8" Pipe Size	C	100	\$	18,559.90
61305675977	<b>GTW050-250-1</b>	Bronze Grounding Clamp, U-Bolt, 3 Cables	Bronze Ground Clamp Connector, 3-Wire, Parallel to Pipe, 4 AWG SOL - 250 kcmil, 3/4" Pipe Size	C	100	\$	24,784.79
61305668550	<b>GTW075-250-1</b>	Bronze Grounding Clamp, U-Bolt, 3 cables	Bronze Ground Clamp Connector, 3-Wire, Parallel to Pipe, 4 AWG SOL - 250 kcmil, 1" Pipe Size	C	100	\$	21,404.45
61305668551	<b>GTW100-250-1</b>	Bronze Grounding Clamp, U-Bolt, 3 cables	Bronze Ground Clamp Connector, 3-Wire, Parallel to Pipe, 4 AWG SOL - 250 kcmil, 1-1/4" Pipe Size	C	100	\$	27,565.19
61305668552	<b>GTW125-250-1</b>	Bronze Grounding Clamp, U-Bolt, 3 cables	Bronze Ground Clamp Connector, 3-Wire, Parallel to Pipe, 4 AWG SOL - 250 kcmil, 1-1/2" Pipe Size	C	100	\$	30,661.04
61305668553	<b>GTW150-250-1</b>	Bronze Grounding Clamp, U-Bolt, 3 cables	Bronze Ground Clamp Connector, 3-Wire, Parallel to Pipe, 4 AWG SOL - 250 kcmil, 2" Pipe Size	C	100	\$	34,340.90
61305668554	<b>GTW200-250-1</b>	Bronze Grounding Clamp, U-Bolt, 3 cables	Bronze Ground Clamp Connector, 3-Wire, Parallel to Pipe, 4 AWG SOL - 250 kcmil, 2-1/2" Pipe Size	C	100	\$	44,978.76
61305668555	<b>GTW250-250-1</b>	Bronze Grounding Clamp, U-Bolt, 3 cables	Bronze Grounding Clamp, U-bolt, for two cables, #4 SOL-2/0 STR copper conductor size range, 2" (50.8mm) i	C	100	\$	25,253.83
07498371983	<b>GU-11-X</b>	Grounding Clamp,2 cable,2"IPS,10PK	Bronze Ground Clamp Connector, 2-Wire, Parallel to Pipe, 4 AWG - 250 kcmil,2" Pipe Size	C	100	\$	22,597.96
61305668583	<b>GU-12P-1</b>	Bronze Grounding Clamp, U-Bolt, 2 cables	Bronze grounding clamp, type GU, .634-.815" wire dia. range, 2" IPS.	C	100	\$	39,241.89
07498342153	<b>GU-13-3</b>	Grnd Clamp, U-Bolt,2 cables,2"IPS,3PK	Bronze Ground Clamp Connector, 2-Wire, Parallel to Pipe, 4 AWG - 250 kcmil,2-1/2" Pipe Size	C	100	\$	23,692.10
61305668585	<b>GU-15P-1</b>	Bronze Grounding Clamp, U-Bolt, 2 cables	Pipe Clamp; 2 Wires: 2/0 - 250 kcmil Parallel with Pipe or Rod; Direct Burial, 2-1/2" Pipe	C	100	\$	24,784.79
61305675414	<b>GU-16P-3</b>	Pipe Clamp; 2 Wires: 2/0 - 250 kcmil Par	Bronze grounding clamp, type GU, .204-.419" wire dia. range, 1" IPS.	C	100	\$	17,588.88
07498342151	<b>GU-2-X</b>	Grnd Clamp, U-Bolt 2 cables,1"IPS,10PK	Bronze Ground Clamp Connector, 2-Wire, Parallel to Pipe, 4 AWG - 250 kcmil,3" Pipe Size	C	100	\$	29,267.25
61305668586	<b>GU-21P-1</b>	Bronze Grounding Clamp, U-Bolt, 2 cables	Bronze Ground Clamp Connector, 2-Wire, Parallel to Pipe, 4 AWG - 250 kcmil,3-1/2" Pipe Size	C	100	\$	32,647.53
61305668587	<b>GU-27P-1</b>	Bronze Grounding Clamp, U-Bolt, 2 cables	Bronze Ground Clamp Connector, 2-Wire, Parallel to Pipe, 4 AWG - 250 kcmil,1" Pipe Size	C	100	\$	17,107.48
61305668589	<b>GU-3P-5</b>	Bronze Grounding Clamp, U-Bolt, 2 cables	Bronze Ground Clamp Connector, 2-Wire, Parallel to Pipe, 4 AWG - 250 kcmil,1-1/2" Pipe Size	C	100	\$	18,559.90
61305668588	<b>GU-9P-5</b>	Bronze Grounding Clamp, U-Bolt, 2 cables	Light duty beam grounding clamp for #6 SOL - 4/0 STR wire size.	PC	1	\$	132.91
61305625517	<b>GUBC4/0-6</b>	Grounding Unvrsl Beam Clamp,4/0-6AWG,EA	The GUBC500-6 Universal beam grounding clamp fits on a wide range of standard (angled) and wide flange (	PC	1	\$	344.50
07498300961	<b>GUBC500-6</b>	Beam Grounding Clamp,Copper,EA	Tin Plated Universal beam grounding clamp for #6 AWG - 500 kcmil (16 - 240mm <sup>2</sup> ) wire size.	PC	1	\$	372.43
61305634732	<b>GUBC500-6TP</b>	Universal Beam Connector, #6 AWG - 500 k	The H000X025H1C Military-Grade Polyolefin Heat-Shrink Label Cassette contains an integrated memory dev	PC	1	\$	68.83
07498366367	<b>H000X025H1C</b>	P1 Cass,HS,Tubing,8ft x.25",WH,EA	The Portable Printer Continuous Heat Shrink Labels in White are made of Military-Grade Polyolefin. They me	PC	1	\$	70.31
07498367602	<b>H000X025H1M</b>	MP Cassette, Continuous Heat Shrink Tubi	The portable printer continuous heat shrink labels in yellow are made of military-grade polyolefin. They measu	PC	1	\$	68.83
07498366368	<b>H000X025H2C</b>	P1 Cass,HS,Tubing,8ft x.25",YL,EA	The Portable Printer continuous Heat Shrink Labels in Yellow are made of Military-Grade Polyolefin. They me	PC	1	\$	70.31
61305677603	<b>H000X025H2M</b>	MP Cassette, Continuous Heat Shrink Tubi		PC	1	\$	70.31

07498366369	<b>H000X034H1C</b>	P1 Cass,HS,Tubing,8ft x.34",WH,EA	The H000X034H1C Military-Grade Polyolefin Heat-Shrink Label Cassette contains an integrated memory dev	PC	1	\$	75.34
61305678703	<b>H000X034H1M</b>	MP Cassette, Continuous Heat Shrink Tubi	The Portable Printer continuous Heat Shrink Labels in White are made of Military-Grade Polyolefin. They mea	PC	1	\$	74.43
07498366370	<b>H000X034H2C</b>	P1 Cass,HS,Tubing,8ft x.34",YL,EA	The H000X034H2C Military-Grade Polyolefin Heat-Shrink Label Cassette contains an integrated memory dev	PC	1	\$	75.34
61305678701	<b>H000X034H2M</b>	MP Cassette, Continuous Heat Shrink Tubi	The Portable Printer continuous Heat Shrink Labels in Yellow are made of Military-Grade Polyolefin. They me	PC	1	\$	74.43
07498366371	<b>H000X044H1C</b>	P1 Cass,HS,Tubing,6ft x.44",WH,EA	The H000X044H1C Military-Grade Polyolefin Heat-Shrink Label Cassette contains an integrated memory dev	PC	1	\$	65.68
61305677604	<b>H000X044H1M</b>	MP Cassette, Continuous Heat Shrink Tubi	The Portable Printer continuous Heat Shrink Labels in White are made of Military-Grade Polyolefin. They mea	PC	1	\$	87.89
07498366372	<b>H000X044H2C</b>	P1 Cass,HS,Tubing,6ft x.44",YL,EA	The portable printer continuous heat shrink labels in yellow are made of military-grade polyolefin. They measu	PC	1	\$	65.68
61305678702	<b>H000X044H2M</b>	MP Cassette, Continuous Heat Shrink Tubi	The Portable Printer continuous Heat Shrink Labels in Yellow are made of Military-Grade Polyolefin. They me	PC	1	\$	87.89
07498331925	<b>H000X064H1C</b>	P1 Cont Heat Shrink Cass,6"x.64",YL	The H000X064H1C Military-Grade Polyolefin Heat-Shrink Label Cassette contains an integrated memory dev	PC	1	\$	85.93
07498331926	<b>H000X064H2C</b>	P1 Cont Heat Shrink Cass,6"x.64",WH	The portable printer continuous heat shrink labels in yellow are made of military-grade polyolefin. They measu	PC	1	\$	90.23
07498366373	<b>H000X084H1C</b>	P1 Cass,HS,Tubing,6ft x.84",WH,EA	The H000X084H1C Military-Grade Polyolefin Heat-Shrink Label Cassette contains an integrated memory dev	PC	1	\$	99.68
07498366374	<b>H000X084H2C</b>	P1 Cass,HS,Tubing,6ft x.84",YL,EA	The portable printer continuous heat shrink labels in yellow are made of military-grade polyolefin. They measu	PC	1	\$	99.68
07498351847	<b>H050X025H1T</b>	TT,HeatShrink,5"x.25",13"dia,WH,2000PC	The H050X025H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	431.78
07498351848	<b>H050X025H1T-B</b>	TT,HeatShrmk,5"x.25",13"dia,WH,1000PC	The H050X025H1T-B Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, c	RL	1	\$	1,888.08
07498351849	<b>H050X025H2T</b>	TT,HeatShrink,5"x.25",13"dia,YL,2000PC	The thermal transfer military grade heat-shrink label in yellow is single sided with a 1/8" (3.175mm) diameter	RL	1	\$	453.34
07498351850	<b>H050X034H1T</b>	TT,HeatShrink,5"x.34",19"dia,WH,2000PC	The H050X034H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	546.70
07498351851	<b>H050X034H1T-B</b>	TT,HeatShrmk,5"x.34",19"dia,WH,1000PC	The H050X034H1T-B Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, c	RL	1	\$	2,391.71
07498351852	<b>H050X034H2T</b>	TT,HeatShrink,5"x.34",19"dia,YL,2000PC	The thermal transfer military grade heat-shrink label in yellow is single sided with a 3/16" (4.76mm) diameter	RL	1	\$	574.04
07498351853	<b>H050X044H1T</b>	TT,HeatShrink,5"x.44",25"dia,WH,2000PC	The H050X044H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	740.09
07498351854	<b>H050X044H1T-B</b>	TT,H/S,5"x.44",25" dia,WH,10,000PC	The H050X044H1T-B Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, c	RL	1	\$	2,894.93
07498351855	<b>H050X044H2T</b>	TT,HeatShrink,5"x.44",25"dia,YL,2000PC	The thermal transfer military grade heat-shrink label in yellow is single sided with a 1/4" (6.35mm) diameter a	RL	1	\$	777.08
07498351856	<b>H050X064H1T</b>	TT,HeatShrink,5"x.64",38"dia,WH,2000PC	The thermal transfer military grade heat-shrink label in white is single sided with a 3/8" (9.525mm) diameter a	RL	1	\$	974.96
07498351857	<b>H050X064H1T-B</b>	TT,H/S,5"x.64",38" dia,WH,10,000PC	The thermal transfer military grade heat-shrink label in white is single sided with a 3/8" (9.525mm) diameter a	RL	1	\$	4,255.48
07498351858	<b>H050X064H2T</b>	TT,HS,Tubing,50"Wx.64"H,YL,2000PC	The thermal transfer military grade heat-shrink label in yellow is single sided with a 3/8" (9.525mm) diameter	RL	1	\$	1,169.96
07498303997	<b>H050X084H1T</b>	TT,HS,Tubing,0.50"Wx.84"H,WH,2000PC	The thermal transfer military grade heat-shrink label in white is single sided with a .5" (12.7mm) diameter and	RL	1	\$	1,169.98
07498303988	<b>H050X165H1T</b>	TT,HS,Tubing,0.50"Wx.165"H,WH,1000PC	The thermal transfer military grade heat-shrink label in white is single sided with a .5" (12.7mm) diameter and	RL	1	\$	716.49
07498351859	<b>H075X025H1T</b>	TT,H/S,75"x.25",13" dia,WH,1000PC	The H075X025H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	392.10
07498351860	<b>H075X025H1T-B</b>	TT,HS,Tubing,75"Wx.25"H,WH,2000PC	The thermal transfer military grade heat-shrink label in white is single sided with a 1/8" (3.175mm) diameter a	RL	1	\$	1,699.01
07498351861	<b>H075X034H1T</b>	TT,H/S,75"x.34",19" dia,WH,1000PC	The thermal transfer military grade heat-shrink label in white is single sided with a 3/16" (4.76mm) diameter a	RL	1	\$	496.66
07498351862	<b>H075X034H1T-B</b>	TT,H/S,75"x.34",19" dia,WH,5000PC	The H075X034H1T-B Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, c	RL	1	\$	2,151.59
07498351863	<b>H075X044H1T</b>	TT,HS,Tubing,75"Wx.44"H,WH,1000PC	The H075X044H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	601.29
07498351864	<b>H075X044H1T-B</b>	TT,HS,Tubing,75"Wx.44"H,WH,5000PC	The H075X044H1T-B Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, c	RL	1	\$	2,604.91
07498314262	<b>H1.5X2BL6</b>	Slot Hinge Duct,PVC,1.5X2X6",BL, 6ft	The H1.5X2BL6 PVC Hinged-Cover Wide Slot Wiring Duct features a hinged cover and wide finger/slot desig	FT	1	\$	9.14
07498313843	<b>H1.5X2LG6</b>	Slot Hinge Duct,PVC,1.5X2X6",LG, 6ft	The H1.5X2LG6 PVC Hinged-Cover Wide Slot Wiring Duct features a hinged cover and wide finger/slot desig	FT	1	\$	9.14
07498313858	<b>H1.5X2WH6</b>	Slot Hinge Duct,PVC,1.5X2X6",WH, 6ft	The H1.5X2WH6 PVC Hinged-Cover Wide Slot Wiring Duct features a hinged cover and wide finger/slot desig	FT	1	\$	9.60
07498314346	<b>H1.5X3BL6</b>	Slot Hinge Duct,PVC,1.5X3X6",BL, 6ft	Product@ type H hinged cover wide slot wiring duct, 1.5 W x 3 H, 6' length, PVC, black.	FT	1	\$	11.94
07498313844	<b>H1.5X3LG6</b>	Slot Hinge Duct,PVC,1.5X3X6",LG, 6ft	Product@ type H hinged cover wide slot wiring duct, 1.5 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	11.38
07498301012	<b>H100X025H1C</b>	P1 Heat Shrink Cass,1"x.25"x.13" dia,WH	The H100X025H1C Military-Grade Polyolefin Heat-Shrink Label Cassette contains an integrated memory dev	PC	1	\$	85.34
07498351865	<b>H100X025H1T</b>	TT,HS,Tubing,1.00"Wx.25"H,WH,1000PC	The H100X025H1T Military-Grade Polyolefin Heat-Shrink Label is single-sided printable. It offers crisp, clear	RL	1	\$	431.78
07498308846	<b>H100X025H1T-2</b>	TT,2-Sided HS,1"x.25"x.13" dia,WH,1000PC	The thermal transfer military grade heat-shrink label in white is 2-sided with a 1/8" (3.175mm) diameter and m	RL	1	\$	431.78
07498319489	<b>H100X025H1T-2-B</b>	TT,2-Sided HS,1"x.25",13" dia,WH,5000PC	The thermal transfer military grade heat-shrink label in white is 2-sided with a 1/8" (3.175mm) diameter and m	RL	1	\$	1,982.48
07498351866	<b>H100X025H1T-B</b>	TT,HS,Tubing,1.00"Wx.25"H,WH,5000PC	The H100X025H1T-B Military-Grade Polyolefin Heat-Shrink Label is single-sided printable. It offers crisp, cle	RL	1	\$	1,888.08
07498301013	<b>H100X025H2C</b>	P1 Heat Shrink Cass,1"x.25"x.13" dia,YL	The portable printer die-cut heat shrink labels in yellow are made of military-grade polyolefin. They measure 0	PC	1	\$	89.61
07498351867	<b>H100X025H2T</b>	TT,HS,Tubing,1.00"Wx.25"H,YL,1000PC	The thermal transfer military grade heat-shrink label in yellow is single sided with a 1/8" (3.175mm) diameter	RL	1	\$	431.78
07498308847	<b>H100X025H2T-2</b>	TT,2-Sided HS,1"x.25"x.13" dia,YL,1000PC	The thermal transfer military grade heat-shrink label in yellow is 2-sided with a 1/8" (3.175mm) diameter and	RL	1	\$	453.34
07498341057	<b>H100X025HFT-2</b>	2-sided,HFFR,HSLBl,1.00"x.25",WH,1000PC	The thermal transfer halogen free heat-shrink label in white is 2-sided with a 1/8" (3.175mm) diameter and ma	RL	1	\$	965.73
07498341061	<b>H100X025HGT-2</b>	2-sided,HFFR,HSLBl,1.00"x.25",YL,1000PC	The H100X025HGT-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	965.73
07498301014	<b>H100X034H1C</b>	P1 Heat Shrink Cass,1"x.34"x.19" dia,WH	The H100X034H1C Military-Grade Polyolefin Heat-Shrink Label Cassette contains an integrated memory dev	PC	1	\$	93.66
07498352215	<b>H100X034H1T</b>	TT,HS,Tubing,1.00"Wx.34"H,WH,1000PC	The H100X034H1T Military-Grade Polyolefin Heat-Shrink Label is single-sided printable. It offers crisp, clear	RL	1	\$	546.70
07498308851	<b>H100X034H1T-2</b>	TT,2-Sided HS,1"x.34"x.19" dia,WH,1000PC	The thermal transfer military grade heat-shrink label in white is 2-sided with a 3/16" (4.76mm) diameter and m	RL	1	\$	574.04
07498319496	<b>H100X034H1T-2-B</b>	TT,2-Sided HS,1"x.34",19" dia,WH,5000PC	The thermal transfer military grade heat-shrink label in white is 2-sided with a 3/16" (4.76mm) diameter and m	RL	1	\$	2,391.71
07498352225	<b>H100X034H1T-B</b>	TT,HS,Tubing,1.00"Wx.34"H,WH,5000PC	The H100X034H1T-B Military-Grade Polyolefin Heat-Shrink Label is single-sided printable. It offers crisp, cle	RL	1	\$	2,391.71
07498301015	<b>H100X034H2C</b>	P1 Heat Shrink Cass,1"x.34"x.19" dia,YL	The portable printer die-cut heat shrink labels in yellow are made of military-grade polyolefin. They measure 0	PC	1	\$	98.34
07498352255	<b>H100X034H2T</b>	TT,HS,Tubing,1.00"Wx.34"H,YL,1000PC	The H100X034H2T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	546.70
07498308853	<b>H100X034H2T-2</b>	TT,2-Sided HS,1"x.34"x.19" dia,YL,1000PC	The thermal transfer military grade heat-shrink label in yellow is 2-sided with a 3/16" (4.76mm) diameter and	RL	1	\$	574.04
07498341065	<b>H100X034HFT-2</b>	2-sided,HFFR,HSLBl,3/16"Dia,WH,1000PC	The thermal transfer halogen free heat-shrink label in white is 2-sided with a 3/16" (4.76mm) diameter and ma	RL	1	\$	1,221.69
07498341067	<b>H100X034HGT-2</b>	2-sided,HFFR,HSLBl,3/16"Dia,YL,1000PC	The H100X034HGT-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	1,163.51
07498301016	<b>H100X044H1C</b>	P1 Heat Shrink Cass,1"x.44"x.25" dia,WH	The H100X044H1C Military-Grade Polyolefin Heat-Shrink Label Cassette contains an integrated memory dev	PC	1	\$	112.41
07498352256	<b>H100X044H1T</b>	TT,HS,Tubing,1.00"Wx.44"H,WH,1000/100	The H100X044H1T Military-Grade Polyolefin Heat-Shrink Label is single-sided printable. It offers crisp, clear	RL	1	\$	740.09
07498308859	<b>H100X044H1T-2</b>	TT,2-Sided HS,1"x.44"x.25" dia,WH,1000PC	The thermal transfer military grade heat-shrink label in white is 2-sided with a 1/4" (6.35mm) diameter and ma	RL	1	\$	740.09
07498319500	<b>H100X044H1T-2-B</b>	TT,2-Sided HS,1"x.44",25" dia,WH,5000PC	The thermal transfer military grade heat-shrink label in white is 2-sided with a 1/4" (6.35mm) diameter and ma	RL	1	\$	3,246.44
07498352257	<b>H100X044H1T-B</b>	TT,HS,Tubing,1.00"Wx.44"H,5,WH,5000PC	The H100X044H1T-B Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, c	RL	1	\$	3,091.86
07498301017	<b>H100X044H2C</b>	P1 Heat Shrink Cass,1"x.44"x.25" dia,YL	The portable printer die-cut heat shrink labels in yellow are made of military-grade polyolefin. They measure 0	PC	1	\$	118.03
07498352258	<b>H100X044H2T</b>	TT,HS,Tubing,1.00"Wx.44"H,YL,1000PC	The thermal transfer military grade heat-shrink label in yellow is single sided with a 1/4" (6.35mm) diameter a	RL	1	\$	740.09
07498308860	<b>H100X044H2T-2</b>	TT,2-Sided HS,1"x.44"x.25" dia,YL,1000PC	The thermal transfer military grade heat-shrink label in yellow is 2-sided with a 1/4" (6.35mm) diameter and m	RL	1	\$	777.08
07498336234	<b>H100X044H2T-B</b>	TT,HS,2"x.84",5" dia,WH,2500PC	The H100X044H2T-B Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, c	RL	1	\$	3,091.86
07498341073	<b>H100X044HFT-2</b>	2-sided,HFFR,HSLBl,1.00"x.44",WH,1000PC	The thermal transfer halogen free heat-shrink label in white is 2-sided with a 1/4" (6.35mm) diameter and mad	RL	1	\$	1,677.85
07498341075	<b>H100X044HGT-2</b>	2-sided,HFFR,HSLBl,1.00"x.44",YL,1000PC	The H100X044HGT-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	1,917.56
07498332302	<b>H100X064H1C</b>	P1 Heat Shrink Cass,1"x.64",WH,75lbs	The H100X064H1C Military-Grade Polyolefin Heat-Shrink Label Cassette contains an integrated memory dev	PC	1	\$	121.80
07498352259	<b>H100X064H1T</b>	TT,HS,Tubing,1"Wx.64"H,WH,1000PC	The H100X064H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	928.54
07498308862	<b>H100X064H1T-2</b>	TT,2-Sided HS,1"x.64"x.38" dia,WH,1000PC	The thermal transfer military grade heat-shrink label in white is 2-sided with a 3/8" (9.525mm) diameter and m	RL	1	\$	974.96
07498319505	<b>H100X064H1T-2-B</b>	TT,2-Sided HS,1"x.64",38" dia,WH,5000PC	The thermal transfer military grade heat-shrink label in white is 2-sided with a 3/8" (9.525mm) diameter and m	RL	1	\$	4,255.48
07498352260	<b>H100X064H1T-B</b>	TT,HS,Tubing,1"Wx.64"H,WH,5000PC	The thermal transfer military grade heat-shrink label in white is single sided with a 3/8" (9.525mm) diameter a	RL	1	\$	4,255.48
07498352261	<b>H100X064H2T</b>	TT,HS,Tubing,1"Wx.64"H,YL,1000PC	The thermal transfer military grade heat-shrink label in yellow is single sided with a 3/8" (9.525mm) diameter	RL	1	\$	974.96
07498308863	<b>H100X064H2T-2</b>	TT,2-Sided HS,1"x.64"x.38" dia,YL,1000PC	The thermal transfer military grade heat-shrink label in yellow is 2-sided with a 3/8" (9.525mm) diameter and	RL	1	\$	1,114.25
07498341077	<b>H100X064HFT-2</b>	Two-sided,HS Label,1.0"x.64",WH,1000PC	The thermal transfer halogen free heat-shrink label in white is 2-sided with a 3/8" (9.525mm) diameter and ma	RL	1	\$	1,833.10
07498341079	<b>H100X064HGT-2</b>	Two-sided,HS Label,1.0"x.64",YL,1000PC	The H100X064HGT-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	1,666.45

07498301018	<b>H100X084H1C</b>	P1 Heat Shrink Cass,1"x.84"x.5" dia,WH	The portable printer die-cut heat shrink labels in white are made of military-grade polyolefin. They measure 0.	PC	1	\$	128.68
07498352262	<b>H100X084H1T</b>	TT,Heat Shrink,1"x.84",.5" dia,WH,1000PC	The H100X084H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	972.49
07498308868	<b>H100X084H1T-2</b>	TT,2-Sided HS,1"x.84"x.5" dia,WH,1000PC	The thermal transfer military grade heat-shrink label in white is 2-sided with a 1/2" (12.7mm) diameter and ma	RL	1	\$	1,021.10
07498329141	<b>H100X084H1T-2-B</b>	TT,2-Sided HS,1"x.84",.5" dia,WH,5000PC	The thermal transfer military grade heat-shrink label in white is 2-sided with a 1/2" (12.7mm) diameter and ma	RL	1	\$	5,330.16
07498352270	<b>H100X084H2T</b>	TT,Heat Shrink,1"x.84",.5" dia,YL,1000PC	The thermal transfer military grade heat-shrink label in yellow is single sided with a 1/2" (12.7mm) diameter a	RL	1	\$	1,021.10
07498308869	<b>H100X084H2T-2</b>	TT,2-Sided HS,1"x.84"x.5" dia,YL,1000PC	The thermal transfer military grade heat-shrink label in yellow is 2-sided with a 1/2" (12.7mm) diameter and m	RL	1	\$	1,021.10
07498341082	<b>H100X084HFT-2</b>	2-Sided LSZH HS Lbl,WH,.5" dia,1000/roll	The thermal transfer halogen free heat-shrink label in white is 2-sided with a 1/2" (12.7mm) diameter and mad	RL	1	\$	2,127.89
07498341084	<b>H100X084HGT-2</b>	2-Sided LSZH HS Lbl,YL,.5" dia,1000/roll	The H100X084HGT-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	1,861.89
07498320723	<b>H100X122H1T-2</b>	TT,2-Sided HS,1"x1.22",.75" dia,WH,500PC	The H100X122H1T-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	561.83
07498320724	<b>H100X122H2T-2</b>	TT,2-Sided HS,1"x1.22",.75" dia,YL,500PC	The thermal transfer military grade heat-shrink label in yellow is 2-sided with a .75" (19mm) diameter and ma	RL	1	\$	589.93
07498352277	<b>H100X165H1T</b>	TT,Heat Shrink,1"x1.65",1" dia,WH,500PC	The H100X165H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	682.36
07498308874	<b>H100X165H1T-2</b>	TT,2-Sided HS,1"x1.65",1" dia,WH,500PC	The thermal transfer military grade heat-shrink label in white is 2-sided with a 1" (25.4mm) diameter and mad	RL	1	\$	716.49
07498352278	<b>H100X165H2T</b>	TT,Heat Shrink,1"x1.65",1" dia,YL,500PC	The thermal transfer military grade heat-shrink label in yellow is single sided with a 1" (25.4mm) diameter and	RL	1	\$	716.49
07498308918	<b>H100X165H2T-2</b>	TT,2-Sided HS,1"x1.65"x1" dia,YL,500PC	The thermal transfer military grade heat-shrink label in yellow is 2-sided with a 1" (25.4mm) diameter and ma	RL	1	\$	818.84
07498341087	<b>H100X165HFT-2</b>	2-Sided LSZH HS Lbl,WH,1" dia,500/roll	The thermal transfer halogen free heat-shrink label in white is 2-sided with a 1" (25.4mm) diameter and made	RL	1	\$	1,570.28
07498341055	<b>H100X165HGT-2</b>	2-Sided LSZH HS Lbl,YL,1" dia,500/roll	The H100X165HGT-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	1,570.28
07498352279	<b>H150X025H1T</b>	TT,H/S,1.5"x.25",.13" dia,WH,500PC	The thermal transfer military grade heat-shrink label in white is single sided with a 1/8" (3.175mm) diameter a	RL	1	\$	392.10
07498352280	<b>H150X025H1T-B</b>	TT,HS,Tubing,1.5"Wx.25"H,WH,2500/roll	The thermal transfer military grade heat-shrink label in white is single sided with a 1/8" (3.175mm) diameter a	RL	1	\$	1,783.85
07498309266	<b>H150X025H2T</b>	TT,HST,1.5"x.25",.13" dia,YL,500/roll	The thermal transfer military grade heat-shrink label in yellow is single sided with a 1/8" (3.175mm) diameter	RL	1	\$	411.71
07498352282	<b>H150X034H1T</b>	TT,HS,Tubing,1.5"Wx.34"H,WH,500/roll	The H150X034H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	496.66
07498352283	<b>H150X034H1T-B</b>	TT,HS,Tubing,1.5"Wx.34"H,WH,2500/roll	The H150X034H1T-B Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, c	RL	1	\$	2,222.90
07498309268	<b>H150X034H2T</b>	TT,HST,1.5"x.34",.19" dia,YL,500/roll	The thermal transfer military grade heat-shrink label in yellow is single sided with a 3/16" (4.76mm) diameter	RL	1	\$	521.50
07498352284	<b>H150X044H1T</b>	TT,HS,Tubing,1.5"Wx.44"H,WH,500/roll	The H150X044H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	601.29
07498352295	<b>H150X044H1T-B</b>	TT,HS,Tubing,1.5"Wx.44"H,WH,2500/roll	The H150X044H1T-B Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, c	RL	1	\$	2,604.91
07498309272	<b>H150X044H2T</b>	TT,HST,1.5"x.44",.25" dia,YL,500/roll	The thermal transfer military grade heat-shrink label in yellow is single sided with a 1/4" (6.35mm) diameter a	RL	1	\$	601.29
07498352506	<b>H200X025H1T</b>	TT,Heat Shrink,2"x.25",.13" dia,WH,500PC	The H200X025H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	431.78
07498308848	<b>H200X025H1T-2</b>	TT,2-Sided HS,2"x.25"x.13" dia,WH,500PC	2-sided Military Grade printable heat shrink label, white, 1/8" (3.1 mm) diameter polyolefin, 500/roll.	RL	1	\$	453.34
07498319495	<b>H200X025H1T-2-B</b>	TT,2-Sided HS,2"x.25",.13" dia,WH,2500PC	2-sided Military Grade printable heat shrink label, white, 1/8" (3.1 mm) diameter polyolefin, 2500/roll.	RL	1	\$	1,963.44
07498352558	<b>H200X025H1T-B</b>	TT,HS,Tubing,2"Wx.25"H,2500PC,WH,EA	The H200X025H1T-B Military-Grade Polyolefin Heat-Shrink Label is single-sided printable. It offers crisp, clea	RL	1	\$	1,869.93
07498352559	<b>H200X025H2T</b>	TT,Heat Shrink,2"x.25",.13" dia,YL,500PC	The thermal transfer military grade heat-shrink label in yellow is one-sided with a 1/8" (3.2 mm) diameter and	RL	1	\$	453.34
07498308850	<b>H200X025H2T-2</b>	TT,2-Sided HS,2"x.25"x.13" dia,YL,500PC	The thermal transfer military grade heat-shrink label in yellow is two-sided with a 1/8" (3.2 mm) diameter and	RL	1	\$	453.34
07498301507	<b>H200X025H3T</b>	TT,Heat Shrink,2"x.25",.13" dia,BL,500PC	The thermal transfer military grade heat-shrink label in black is one-sided with a 1/8" (3.2 mm) diameter and	RL	1	\$	518.14
07498308089	<b>H200X025H4T</b>	TT,Heat Shrink,2"x.25",.13" dia,RD,500PC	Red, 1/8" diameter polyolefin, 500/roll, 2.00" x 0.25".	RL	1	\$	453.34
07498341060	<b>H200X025HFT-2</b>	2-Sided LSZH HS Lbl,WH,.13" dia,500/roll	The H200X025HFT-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	919.75
07498341063	<b>H200X025HGT-2</b>	2-Sided LSZH HS Lbl,YL,.13" dia,500/roll	The thermal transfer halogen-free, flame retardant, low smoke heat-shrink label in yellow is two-sided with a 1	RL	1	\$	1,103.70
07498352560	<b>H200X034H1T</b>	TT,Heat Shrink,2"x.34",.19" dia,WH,500PC	The H200X034H1T Military-Grade Polyolefin Heat-Shrink Label is single-sided printable. It offers crisp, clear I	RL	1	\$	546.70
07498308854	<b>H200X034H1T-2</b>	TT,2-Sided HS,2"x.34"x.19" dia,WH,500PC	2-sided Military Grade printable heat shrink label, white, 3/16" (4.7 mm) diameter polyolefin, 500/roll.	RL	1	\$	546.70
07498319498	<b>H200X034H1T-2-B</b>	TT,2-Sided HS,2"x.34",.19" dia,WH,2500PC	2-sided Military Grade printable heat shrink label, white, 3/16" (4.7 mm) diameter polyolefin, 2500/roll.	RL	1	\$	2,487.13
07498352561	<b>H200X034H1T-B</b>	TT,HS,Tubing,2"Wx.34"H,2500PC,WH,EA	The H200X034H1T-B Military-Grade Polyolefin Heat-Shrink Label is single-sided printable. It offers crisp, clea	RL	1	\$	2,368.71
07498352599	<b>H200X034H2T</b>	TT,Heat Shrink,2"x.34",.19" dia,YL,500PC	The H200X034H2T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	546.70
07498308855	<b>H200X034H2T-2</b>	TT,2-Sided HS,2"x.34"x.19" dia,YL,500PC	The thermal transfer military grade printable heat-shrink label in yellow is two-sided with a 3/16" (4.8 mm) dia	RL	1	\$	601.36
07498301508	<b>H200X034H3T</b>	TT,Heat Shrink,2"x.34",.19" dia,BL,500PC	Black, 3/16" diameter polyolefin, 500/roll. Width: 2.00".	RL	1	\$	601.36
07498308093	<b>H200X034H4T</b>	TT,Heat Shrink,2"x.34",.19" dia,RD,500PC	The thermal transfer military grade heat-shrink label in red is one-sided with a 3/16" (4.8 mm) diameter and m	RL	1	\$	574.04
07498341066	<b>H200X034HFT-2</b>	2-Sided LSZH HS Lbl,WH,.19" dia,500/roll	The H200X034HFT-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	1,163.51
07498341070	<b>H200X034HGT-2</b>	2-Sided LSZH HS Lbl,YL,.19" dia,500/roll	The thermal transfer halogen-free, flame retardant, low smoke heat-shrink label in yellow is two-sided with a 3	RL	1	\$	1,535.84
07498352607	<b>H200X044H1T</b>	TT,Heat Shrink,2"x.44",.25" dia,WH,500PC	The H200X044H1T Military-Grade Polyolefin Heat-Shrink Label is single-sided printable. It offers crisp, clear	RL	1	\$	740.09
07498308857	<b>H200X044H1T-2</b>	TT,2-Sided HS,2"x.44"x.25" dia,WH,500PC	2-sided Military Grade printable heat shrink label, white, 1/4" (6.3mm) diameter polyolefin, 500/roll.	RL	1	\$	777.08
07498319503	<b>H200X044H1T-2-B</b>	TT,2-Sided HS,2"x.44",.25" dia,WH,2500PC	The H200X044H1T-2-B Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame reta	RL	1	\$	2,867.10
07498352608	<b>H200X044H1T-B</b>	TT,HS,Tubing,2"Wx.44"H,2500PC,WH,EA	The H200X044H1T-B Military-Grade Polyolefin Heat-Shrink Label is single-sided printable. It offers crisp, clea	RL	1	\$	2,867.10
07498352653	<b>H200X044H2T</b>	TT,Heat Shrink,2"x.44",.25" dia,YL,500PC	The H200X044H2T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	740.09
07498308858	<b>H200X044H2T-2</b>	TT,2-Sided HS,2"x.44"x.25" dia,YL,500PC	The thermal transfer military grade printable heat-shrink label in yellow is two-sided with a 1/4" (6.4 mm) diam	RL	1	\$	777.08
07498301512	<b>H200X044H3T</b>	TT,Heat Shrink,2"x.44",.25" dia,BL,500PC	Black, 1/4" diameter polyolefin, 500/roll. Width: 2.00".	RL	1	\$	777.08
07498308101	<b>H200X044H4T</b>	TT,Heat Shrink,2"x.44",.25" dia,RD,500PC	Red, 1/4" diameter polyolefin, 500/roll, 2.00" x 0.44".	RL	1	\$	777.08
07498341074	<b>H200X044HFT-2</b>	2-Sided LSZH HS Lbl,WH,.25" dia,500/roll	The H200X044HFT-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	1,597.96
07498341076	<b>H200X044HGT-2</b>	2-Sided LSZH HS Lbl,YL,.25" dia,500/roll	The thermal transfer halogen-free, flame retardant, low smoke heat-shrink label in yellow is two-sided with a 1	RL	1	\$	1,677.85
07498352655	<b>H200X064H1T</b>	TT,HS,Tubing,2"Wx.64"H,500PC,WH,EA	The H200X064H1T Military-Grade Heat-Shrink Super-Tack Polyester Label is single-sided and mounted on a	RL	1	\$	928.54
07498308864	<b>H200X064H1T-2</b>	TT,2-Sided HS,2"x.64"x.38" dia,WH,500PC	2-sided Military Grade printable heat shrink label, white, 3/8" (9.5mm) diameter polyolefin, 500/roll.	RL	1	\$	974.96
07498319508	<b>H200X064H1T-2-B</b>	TT,2-Sided HS,2"x.64",.38" dia,WH,2500PC	2-sided Military Grade printable heat shrink label, white, 3/8" (9.7 mm) diameter polyolefin, 2500/roll.	RL	1	\$	4,013.74
07498352656	<b>H200X064H1T-B</b>	TT,HS,Tubing,2"Wx.64"H,2500PC,WH,EA	The H200X064H1T-B Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, c	RL	1	\$	4,013.74
07498352663	<b>H200X064H2T</b>	TT,Heat Shrink,2"x.64",.38" dia,YL,500PC	Yellow, 3/8" diameter polyolefin, 500/roll.	RL	1	\$	928.54
07498308865	<b>H200X064H2T-2</b>	TT,2-Sided HS,2"x.64"x.38" dia,YL,500PC	2-sided Military Grade printable heat shrink label, yellow, 3/8" (9.7 mm) diameter polyolefin, 500/roll.	RL	1	\$	974.96
07498301513	<b>H200X064H3T</b>	TT,Heat Shrink,2"x.64",.38" dia,BL,500PC	Black, 3/8" diameter polyolefin, 500/roll.	RL	1	\$	974.96
07498308105	<b>H200X064H4T</b>	TT,HS,Tubing,2"Wx.64"H,500PC,RD,EA	Red, 3/8" diameter polyolefin, 500/roll.	RL	1	\$	974.96
07498341078	<b>H200X064HFT-2</b>	2-Sided LSZH HS Lbl,.38" dia,WH,500/roll	The H200X064HFT-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	1,666.45
07498341080	<b>H200X064HGT-2</b>	2-Sided LSZH HS Lbl,.38" dia,YL,500/roll	The thermal transfer halogen-free, flame retardant, low smoke heat-shrink label in yellow is two-sided with a 3	RL	1	\$	1,749.79
07498352665	<b>H200X084H1T</b>	TT,Heat Shrink,2"x.84",.5" dia,WH,500PC	The H200X084H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	972.49
07498308866	<b>H200X084H1T-2</b>	TT,2-Sided HS,2"x.84"x.5" dia,WH,500PC	The thermal transfer military grade printable heat-shrink label in white is two-sided with a 1/2" (12.7 mm) dia	RL	1	\$	1,021.10
07498329142	<b>H200X084H1T-2-B</b>	TT,2-Sided HS,2"x.84",.5" dia,WH,2500PC	The H200X084H1T-2-B Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retar	RL	1	\$	4,230.28
07498352666	<b>H200X084H2T</b>	TT,Heat Shrink,2"x.84",.5" dia,YL,500PC	The thermal transfer military grade printable heat-shrink label in yellow is one-sided with a 1/2" (12.7 mm) dia	RL	1	\$	972.49
07498308867	<b>H200X084H2T-2</b>	TT,2-Sided HS,2"x.84"x.5" dia,YL,500PC	The thermal transfer military grade printable heat-shrink label in yellow is two-sided with a 1/2" (12.7 mm) dia	RL	1	\$	1,021.10
07498301514	<b>H200X084H3T</b>	TT,Heat Shrink,2"x.84",.5" dia,BL,500PC	The thermal transfer military grade heat-shrink label in black is one-sided with a 1/2" (12.7 mm) diameter and	RL	1	\$	1,021.10
07498308107	<b>H200X084H4T</b>	TT,Heat Shrink,2"x.84",.5" dia,RD,500PC	The thermal transfer military grade heat-shrink label in red is one-sided with a 1/2" (12.7 mm) diameter and m	RL	1	\$	1,021.10
07498341083	<b>H200X084HFT-2</b>	2-Sided LSZH HS Lbl,.5" dia,WH,500/roll	The H200X084HFT-2 Thermal Transfer Halogen-Free Heat-Shrink Label is 2-sided and made of flame retard	RL	1	\$	1,773.23
07498341086	<b>H200X084HGT-2</b>	2-Sided LSZH HS Lbl,.5" dia,YL,500/roll	The thermal transfer halogen-free, flame retardant, low smoke heat-shrink label in yellow is two-sided with a 1	RL	1	\$	1,861.89
07498320725	<b>H200X122H1T-2</b>	TT,2-Sided HS,2"x1.22",.75" dia,WH,250PC	The thermal transfer military grade printable heat-shrink label in white is two-sided with a 0.75" (19.1 mm) dia	RL	1	\$	561.83
07498320727	<b>H200X122H2T-2</b>	TT,2-Sided HS,2"x1.22",.75" dia,YL,250PC	The thermal transfer military grade printable heat-shrink label in yellow is two-sided with a 0.75" (19.1 mm) di	RL	1	\$	589.93
07498352677	<b>H200X165H1T</b>	TT,Heat Shrink,2"x1.65",1" dia,WH,250PC	The H200X165H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	682.36

07498308919	<b>H200X165H1T-2</b>	TT,2-Sided HS,2"x1.65"x1" dia,WH,250PC	The thermal transfer military grade printable heat-shrink label in white is two-sided with a 1.0" (25.4 mm) diam	RL	1	\$	716.49
07498352678	<b>H200X165H2T</b>	TT,Heat Shrink,2"x1.65",1" dia,YL,250PC	The thermal transfer military grade heat-shrink label in yellow is one-sided with a 1.0" (25.4 mm) diameter an	RL	1	\$	682.36
07498308920	<b>H200X165H2T-2</b>	TT,2-Sided HS,2"x1.65"x1" dia,YL,250PC	The thermal transfer military grade printable heat-shrink label in yellow is two-sided with a 1.0" (25.4 mm) dia	RL	1	\$	716.49
07498301515	<b>H200X165H3T</b>	TT,Heat Shrink,2"x1.65",1" dia,BL,250C	The thermal transfer military grade heat-shrink label in black is one-sided with a 1.0" (25.4 mm) diameter and	RL	1	\$	716.49
07498308109	<b>H200X165H4T</b>	TT,Heat Shrink,2"x1.65",1" dia,RD,250C	The thermal transfer military grade heat-shrink label in red is one-sided with a 1.0" (25.4 mm) diameter and m	RL	1	\$	716.49
07498341088	<b>H200X165HFT-2</b>	2-Sided LSZH HS Lbl,1" dia,WH,250/roll	The thermal transfer halogen-free, flame retardant, low smoke heat-shrink label in white is two-sided with a 1	RL	1	\$	1,495.50
07498341056	<b>H200X165HGT-2</b>	2-Sided LSZH HS Lbl,1" dia,YL,250/roll	The thermal transfer halogen-free, flame retardant, low smoke heat-shrink label in yellow is two-sided with a 1	RL	1	\$	1,884.35
07498373060	<b>H200X240H1T</b>	TT,Heat-ShrinkTubing,2.0"x2.4",WH,100PC	The H200X240H1T Military-Grade Polyolefin Heat-Shrink Label is a single-sided printable. It offers crisp, clea	RL	1	\$	328.83
07498373075	<b>H200X240H2T</b>	TT,Heat-ShrinkTubing,2.0"x2.4",YL,100PC	The thermal transfer military grade heat-shrink label in yellow is one-sided with a 1 1/2" (38.1 mm) diameter	RL	1	\$	345.25
07498363222	<b>H2L21-2N-2</b>	Cu,MechLug,ZH,2B,2/0-4/0STR,1/2S,PK2	Two-hole, copper, two barrel lug, straight tongue, NEMA hole sizes and spacing, 2/0 STR - 4/0 STR, 1/2 (12.	C	100	\$	23,633.00
07498385414	<b>H2X2BL6</b>	Slot Hinge Duct,PVC,2X2X6',BL, 6ft	Panduct® type H hinged cover wide slot wiring duct, 2 W x 2 H, 6' length, PVC, black.	FT	1	\$	8.94
07498385411	<b>H2X2LG6</b>	Slot Hinge Duct,PVC,2X2X6',LG, 6ft	Panduct® type H hinged cover wide slot wiring duct, 2 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	8.94
07498345120	<b>H2X2WH6</b>	Slot Hinge Duct,PVC,2X2X6',WH, 6ft	Panduct® type H hinged cover wide slot wiring duct, 2 W x 2 H, 6' length, PVC, white.	FT	1	\$	9.40
07498314605	<b>H2X3BL6</b>	Slot Hinge Duct,PVC,2X3X6',BL, 6ft	Panduct® type H hinged cover wide slot wiring duct, 2 W x 3 H, 6' length, PVC, black.	FT	1	\$	12.28
07498313847	<b>H2X3LG6</b>	Slot Hinge Duct,PVC,2X3X6',LG, 6ft	Panduct® type H hinged cover wide slot wiring duct, 2 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	11.69
07498313865	<b>H2X3WH6</b>	Slot Hinge Duct,PVC,2X3X6',WH, 6ft	Panduct® type H hinged cover wide slot wiring duct, 2 W x 3 H, 6' length, PVC, white.	FT	1	\$	12.28
07498358238	<b>H2X4BL6</b>	Slot Hinge Duct,PVC,2X4X6',BL, 6ft	Panduct® type H hinged cover wide slot wiring duct, 2 W x 4 H, 6' length, PVC, black.	FT	1	\$	14.78
07498358239	<b>H2X4LG6</b>	Slot Hinge Duct,PVC,2X4X6',LG, 6ft	The H2X4LG6 PVC Hinged-Cover Wide Slot Wiring Duct features a hinged cover and wide finger/slot design	FT	1	\$	14.09
07498358246	<b>H2X4WH6</b>	Slot Hinge Duct,PVC,2X4X6',WH, 6ft	Panduct® type H hinged cover wide slot wiring duct, 2 W x 4 H, 6' length, PVC, white.	FT	1	\$	14.78
07498314788	<b>H3X3BL6</b>	Slot Hinge Duct,PVC,3X3X6',BL, 6ft	Panduct® type H hinged cover wide slot wiring duct, 3 W x 3 H, 6' length, PVC, black.	FT	1	\$	13.58
07498313848	<b>H3X3LG6</b>	Slot Hinge Duct,PVC,3X3X6',LG, 6ft	Panduct® type H hinged cover wide slot wiring duct, 3 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	13.58
07498313870	<b>H3X3WH6</b>	Slot Hinge Duct,PVC,3X3X6',WH, 6ft	Panduct® type H hinged cover wide slot wiring duct, 3 W x 3 H, 6' length, PVC, white.	FT	1	\$	14.24
07498314824	<b>H3X4BL6</b>	Slot Hinge Duct,PVC,3X4X6',BL, 6ft	Panduct® type H hinged cover wide slot wiring duct, 3 W x 4 H, 6' length, PVC, black.	FT	1	\$	17.68
07498313851	<b>H3X4LG6</b>	Slot Hinge Duct,PVC,3X4X6',LG, 6ft	The H3X4LG6 PVC Hinged-Cover Wide Slot Wiring Duct features a hinged cover design with wide finger/slot	FT	1	\$	16.83
07498385422	<b>H4X4BL6</b>	Slot Hinge Duct,PVC,4X4X6',BL, 6ft	Panduct® type H hinged cover wide slot wiring duct, 4 W x 4 H, 6' length, PVC, black.	FT	1	\$	18.13
07498385421	<b>H4X4LG6</b>	Slot Hinge Duct,PVC,4X4X6',LG, 6ft	Panduct® type H hinged cover wide slot wiring duct, 4 W x 4 H, 6' length, PVC, light gray.	FT	1	\$	18.13
07498345122	<b>H4X4WH6</b>	Slot Hinge Duct,PVC,4X4X6',WH, 6ft	Panduct® type H hinged cover wide slot wiring duct, 4 W x 4 H, 6' length, PVC, white.	FT	1	\$	19.04
07498361101	<b>HBN.75-T</b>	HrnessBrdNail,Std,.75",PK200	Harness board nail, standard, .75" (19.1mm) length.	C	100	\$	89.14
07498361102	<b>HBN1-T</b>	HrnessBrdNail,Std,1",PK200	Harness board nail, standard, 1.0" (25.4mm) length.	C	100	\$	87.28
07498361103	<b>HBN1.5-T</b>	HrnessBrdNail,Std,1.5",PK200	Panduit HBN1.5-T Harness Board Nails aid in routing wires throughout the harness. The nails are 1.5" (38.1m	C	100	\$	89.68
07498361105	<b>HBN2-T</b>	HrnessBrdNail,Std,2",PK200	Panduit HBN2-T Harness Board Nails aid in routing wires throughout the harness. The nails are 2.0" (50.8mm	C	100	\$	91.39
07498361104	<b>HBN2.5-T</b>	HrnessBrdNail,Std,2.5",PK200	Panduit HBN2.5-T Harness Board Nails aid in routing wires throughout the harness. The nails are 2.5" (63.5m	C	100	\$	94.03
07498361106	<b>HBN3-T</b>	HrnessBrdNail,Std,3",PK200	Harness board nail, standard, 3.0" (76.2mm) length.	C	100	\$	115.53
07498361107	<b>HBN4-T</b>	HrnessBrdNail,Std,4",PK200	Harness board nail, standard, 4.0" (101.6mm) length.	C	100	\$	133.51
07498314826	<b>HC1.5BL6</b>	Hinged Duct Cover, PVC,1.5 X 6',BL, 6ft	Hinged duct cover, 1.5 W x 6' length, PVC, black.	FT	1	\$	2.15
07498313852	<b>HC1.5LG6</b>	Hinged Duct Cover, PVC,1.5 X 6',LG, 6ft	Hinged duct cover, 1.5 W x 6' length, PVC, light gray.	FT	1	\$	2.15
07498313969	<b>HC1.5WH6</b>	Hinged Duct Cover, PVC,1.5 X 6',WH, 6ft	Hinged duct cover, 1.5 W x 6' length, PVC, white.	FT	1	\$	2.25
07498385420	<b>HC2BL6</b>	Hinged Duct Cover, PVC,2 X 6',BL, 6ft	Hinged duct cover, 2 W x 6' length, PVC, black.	FT	1	\$	2.63
07498385417	<b>HC2LG6</b>	Hinged Duct Cover, PVC,2 X 6',LG, 6ft	Hinged duct cover, 2 W x 6' length, PVC, light gray.	FT	1	\$	2.63
07498345121	<b>HC2WH6</b>	Hinged Duct Cover, PVC,2 X 6',WH, 6ft	Hinged duct cover, 2 W x 6' length, PVC, white.	FT	1	\$	2.75
07498314827	<b>HC3BL6</b>	Hinged Duct Cover, PVC,3 X 6',BL, 6ft	Hinged duct cover, 3 W x 6' length, PVC, black.	FT	1	\$	4.01
07498313853	<b>HC3LG6</b>	Hinged Duct Cover, PVC,3 X 6',LG, 6ft	The HC3LG6 PVC Hinged Wiring Duct Cover features a dual-sided hinged cover that opens up to 100° from	FT	1	\$	4.01
07498314226	<b>HC3WH6</b>	Hinged Duct Cover, PVC,3 X 6',WH, 6ft	Hinged duct cover, 3 W x 6' length, PVC, white.	FT	1	\$	4.21
07498385426	<b>HC4BL6</b>	Hinged Duct Cover, PVC,4 X 6',BL, 6ft	Hinged duct cover, 4 W x 6' length, PVC, black.	FT	1	\$	5.08
07498385425	<b>HC4LG6</b>	Hinged Duct Cover, PVC,4 X 6',LG, 6ft	Hinged duct cover, 4 W x 6' length, PVC, light gray.	FT	1	\$	4.84
07498345123	<b>HC4WH6</b>	Hinged Duct Cover, PVC,4 X 6',WH, 6ft	Hinged duct cover, 4 W x 6' length, PVC, white.	FT	1	\$	5.08
07498336168	<b>HCME04Y09-M30</b>	HarnessClipEdgeMt.,16in.-35in,HS,PK1000	Nylon edge clip, .16" - .35" (4.0mm - 9.0mm) bundle range, nylon 6.6 heat stabilized, black, bulk package.	M	1000	\$	265.74
07498373556	<b>HCME06A12-M130</b>	HarnessClipEdgeMt.,24in.-47in,BL,PK1000	Panduit HCME06A12-M130 Weather Resistant Harness Edge Clips area equipped with an integral "spring" th	M	1000	\$	174.56
07498370752	<b>HCME06Y12-M30</b>	HarnessClipEdgeMt.,16in.-35in,BL,PK1000	Panduit HCME06Y12-M30 Weather Resistant Harness Edge Clips area equipped with an integral "spring" th	M	1000	\$	217.51
07498358185	<b>HCMP06B12-M20</b>	HrnessClpWngdPshMnt,.24"- .47",BL,PK1000	Panduit HCMP06B12-M20 Weather Resistant Harness Edge Clips area equipped with an integral "spring" th	M	1000	\$	225.70
07498358187	<b>HCMP06C12-M20</b>	HrnsClpWngdPshMnt,Hor,.24"- .47",BL,PK1000	Harness clip, winged push barb mount, horizontal, .24" - .47" (5.9mm - 12.5mm) bundle range, black, bulk pa	M	1000	\$	216.81
07498375433	<b>HCMU04C13-M20</b>	Harness Clip Harness,Black,PK1000	Harness Clip	M	1000	\$	206.48
07498310496	<b>HDW1/4-A-KT</b>	Mounting Hardware Kit,1/4,10-32, M5,EA	Stainless steel mounting hardware for busbar; two 1/4-20 hex bolts, two 1/4-20 hex nuts, four 1/4 flat washers	KT	1	\$	16.80
07498310495	<b>HDW3/8-KT</b>	Mounting Hardware Kit,3/8,12-24,M6,EA	Stainless steel mounting hardware for busbar; two 3/8-16 hex bolts, two 3/8-16 hex nuts, four 3/8 flat washers	KT	1	\$	33.30
07498363242	<b>HHL21-2N-5</b>	Cu,MechLug,ZH,Tandem,NEMA,2/0-4/0(OSTR,PK5	Two-hole, copper, tandem set screw lug, straight tongue, NEMA hole sizes and spacing, 2/0 STR - 4/0 STR,	C	100	\$	19,209.89
07498363193	<b>HL21-1-5</b>	Cu,MechLug,2/0STR,4/0STR,3/8StudPKG5	One-hole, copper, single barrel, straight tongue lug with internal pressure plate, 2/0 STR - 4/0 STR, 3/8 (9.5m	C	100	\$	9,241.61
07498363204	<b>HL4-2-X</b>	Cu,MechLug,ZH,IntriPresPit,PK10	Two-hole, copper, single barrel, straight tongue lug with internal pressure plate, #8 SOL - #4 STR, 1/4 (6.4mm	C	100	\$	5,005.05
07498363195	<b>HL50-1-2</b>	Cu,MechLug,300-500kcmil,1/2StudPKG2	One-hole, copper, single barrel, straight tongue lug with internal pressure plate, 300 - 500 kcmil, 1/2 (12.7mm	C	100	\$	17,896.74
07498363209	<b>HL50-2-2</b>	Cu,MechLug,ZH,IntriPresPit,300-500K,PK2	Two-hole, copper, single barrel, straight tongue lug with internal pressure plate, 300 - 500 kcmil, 3/8 (9.5mm)	C	100	\$	19,167.53
07498302854	<b>HN1.5X2LG6</b>	NAR Hinge Duct,PVC,1.5X2X6',LG, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 1.5 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	9.60
07498302862	<b>HN1.5X2WH6</b>	NAR Hinge Duct,PVC,1.5X2X6',WH, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 1.5 W x 2 H, 6' length, PVC, white.	FT	1	\$	9.60
07498302855	<b>HN1.5X3LG6</b>	NAR Hinge Duct,PVC,1.5X3X6',LG, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 1.5 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	11.38
07498302863	<b>HN1.5X3WH6</b>	NAR Hinge Duct,PVC,1.5X3X6',WH, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 1.5 W x 3 H, 6' length, PVC, white.	FT	1	\$	11.94
07498302856	<b>HN2X2LG6</b>	NAR Hinge Duct,PVC,2X2X6',LG, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 2 W x 2 H, 6' length, PVC, light gray.	FT	1	\$	9.40
07498302857	<b>HN2X3LG6</b>	NAR Hinge Duct,PVC,2X3X6',LG, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 2 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	11.69
07498302858	<b>HN2X4LG6</b>	NAR Hinge Duct,PVC,2X4X6',LG, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 2 W x 4 H, 6' length, PVC, light gray.	FT	1	\$	14.09
07498302866	<b>HN2X4WH6</b>	NAR Hinge Duct,PVC,2X4X6',WH, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 2 W x 4 H, 6' length, PVC, white.	FT	1	\$	14.78
07498302859	<b>HN3X3LG6</b>	NAR Hinge Duct,PVC,3X3X6',LG, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 3 W x 3 H, 6' length, PVC, light gray.	FT	1	\$	14.24
07498302860	<b>HN3X4LG6</b>	NAR Hinge Duct,PVC,3X4X6',LG, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 3 W x 4 H, 6' length, PVC, light gray.	FT	1	\$	17.68
07498302868	<b>HN3X4WH6</b>	NAR Hinge Duct,PVC,3X4X6',WH, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 3 W x 4 H, 6' length, PVC, white.	FT	1	\$	17.68
07498302861	<b>HN4X4LG6</b>	NAR Hinge Duct,PVC,4X4X6',LG, 6ft	Panduct® type HN hinged cover narrow slot wiring duct, 4 W x 4 H, 6' length, PVC, light gray.	FT	1	\$	19.04
07498346245	<b>HS1.5X2LG6NM</b>	SLD Hinge DCT,PVC,1.5X2X6',LG,NMTG,6ft	Solid hinged duct, 1.5 W x 2 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	8.69
07498346252	<b>HS1.5X2WH6NM</b>	SLD Hinge DCT,PVC,1.5X2X6',WH,NMTG,6ft	Solid hinged duct, 1.5 W x 2 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	9.13
07498312820	<b>HS1.5X3BL6NM</b>	SLD Hinge DCT,PVC,1.5X3X6',BL,NMTG,6ft	Solid hinged duct, 1.5 W x 3 H, 6' length, PVC, black, no mounting holes.	FT	1	\$	11.49
07498346246	<b>HS1.5X3LG6NM</b>	SLD Hinge DCT,PVC,1.5X3X6',LG,NMTG,6ft	Solid hinged duct, 1.5 W x 3 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	11.49
07498346253	<b>HS1.5X3WH6NM</b>	SLD Hinge DCT,PVC,1.5X3X6',WH,NMTG,6ft	Solid hinged duct, 1.5 W x 3 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	11.49
07498342423	<b>HS2X2LG6NM</b>	SLD Hinge DCT,PVC,2X2X6',LG,NMTG,6ft	Solid hinged duct, 2 W x 2 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	7.91

07498346254	<b>HS2X2WH6NM</b>	SLD Hinge DCT,PVC,2X2X6',WH,NMTG,6ft	Solid hinged duct, 2 W x 2 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	8.29
07498346247	<b>HS2X3LG6NM</b>	SLD Hinge DCT,PVC,2X3X6',LG,NMTG,6ft	Solid hinged duct, 2 W x 3 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	10.78
07498312821	<b>HS2X4BL6NM</b>	SLD Hinge DCT,PVC,2X4X6',BL,NMTG,6ft	Solid hinged duct, 2 W x 4 H, 6' length, PVC, black, no mounting holes.	FT	1	\$	12.56
07498302284	<b>HS3X3BL6NM</b>	SLD Hinge DCT,PVC,3X3X6',BL,NMTG,6ft	Solid hinged duct, 3 W x 3 H, 6' length, PVC, black, no mounting holes.	FT	1	\$	12.36
07498346249	<b>HS3X3LG6NM</b>	SLD Hinge DCT,PVC,3X3X6',LG,NMTG,6ft	Solid hinged duct, 3 W x 3 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	11.78
07498346257	<b>HS3X3WH6NM</b>	SLD Hinge DCT,PVC,3X3X6',WH,NMTG,6ft	Solid hinged duct, 3 W x 3 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	12.36
07498346250	<b>HS3X4LG6NM</b>	SLD Hinge DCT,PVC,3X4X6',LG,NMTG,6ft	Solid hinged duct, 3 W x 4 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	15.01
07498346258	<b>HS3X4WH6NM</b>	SLD Hinge DCT,PVC,3X4X6',WH,NMTG,6ft	Solid hinged duct, 3 W x 4 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	15.01
07498357394	<b>HS4X4BL6</b>	SLD Hinge DCT,PVC,4X4X6',BL,6ft	Solid hinged duct, 4 W x 4 H, 6' length, PVC, black.	FT	1	\$	17.49
07498346260	<b>HS4X4BL6NM</b>	SLD Hinge DCT,PVC,4X4X6',BL,NMTG,6ft	Solid hinged duct, 4 W x 4 H, 6' length, PVC, black, no mounting holes.	FT	1	\$	16.66
07498346251	<b>HS4X4LG6NM</b>	SLD Hinge DCT,PVC,4X4X6',LG,NMTG,6ft	Solid hinged duct, 4 W x 4 H, 6' length, PVC, light gray, no mounting holes.	FT	1	\$	15.85
07498346259	<b>HS4X4WH6NM</b>	SLD Hinge DCT,PVC,4X4X6',WH,NMTG,6ft	Solid hinged duct, 4 W x 4 H, 6' length, PVC, white, no mounting holes.	FT	1	\$	16.66
07498391330	<b>HSEC0.5-X</b>	Heat Shrink Thick Adh End Cap,0.5in,PK10	The HSEC0.5-X Crosslinked Polyolefin Heat Shrink End Cap features an adhesive lined inner wall that seals	PC	1	\$	7.73
07498341572	<b>HSEC0.8-X</b>	Heat Shrink Thick Adh End Cap,0.8in,PK10	The HSEC0.8-X Crosslinked Polyolefin Heat Shrink End Cap features an adhesive lined inner wall that seals	PC	1	\$	9.38
07498391331	<b>HSEC1.0-X</b>	Heat Shrink Thick Adh End Cap,1.0in,PK10	Heat shrink end cap adhesive lined, 1" (26mm) min. expanded I.D., adhesive lined black cross-linked polyolef	PC	1	\$	12.24
07498340700	<b>HSEC1.5-5</b>	Heat Shrink Thick Adh End Cap,1.5in,PK5	Heat shrink end cap adhesive lined, 1.6" (40mm) min. expanded I.D., adhesive lined black cross-linked polyol	PC	1	\$	16.73
07498391333	<b>HSEC2.0-5</b>	Heat Shrink Thick Adh End Cap,2.0in,PK5	Heat shrink end cap adhesive lined, 2.2" (57mm) min. expanded I.D., adhesive lined black cross-linked polyol	PC	1	\$	18.04
07498340699	<b>HSEC4.0-2</b>	Heat Shrink Thick Adh End Cap,4.0in,PK2	Heat shrink end cap adhesive lined, 4.1" (105mm) min. expanded I.D., adhesive lined black cross-linked poly	PC	1	\$	32.78
07498310683	<b>HSECFR0.5-XY</b>	HeatShrinkThickAdhEndCap,0.5in,FR,PK10	Heat shrink end cap flame retardant adhesive lined, .5" (13mm) min. expanded I.D., flame retardant cross-lin	PC	1	\$	7.63
07498310704	<b>HSECFR0.8-XY</b>	HeatShrinkThickAdhEndCap,0.8in,FR,PK10	Heat shrink end cap flame retardant adhesive lined, .8" (20mm) min. expanded I.D., flame retardant cross-lin	PC	1	\$	11.96
07498338884	<b>HSG-115V-650</b>	Heat Shrink Gun,115V,High Temp,EA	Heat shrink gun with stand, temperature range of 650°F (343°C) to 900°F (482°C) plus stand.	PC	1	\$	299.85
07498310708	<b>HST0.4-3-QY</b>	HeatShrinkThickAdh,.4"Dia,BL,PK25	Thick wall adhesive lined, .4" (10.2mm) diameter, 3.0" (76.2mm) length, adhesive lined black cross-linked pol	PC	1	\$	7.14
07498310711	<b>HST0.4-48-5-2Y</b>	HeatShrinkThickAdh,.4"Dia,RD,PK5	Thick wall adhesive lined, .4" (10.2mm) diameter, 48.0" (1219.2mm) length, adhesive lined red cross-linked p	PC	1	\$	40.96
07498310710	<b>HST0.4-48-5Y</b>	HeatShrinkThickAdh,.4inID,.4/48",BL,PK5	The HST0.4-48-5Y Thick Wall Heat Shrink features an adhesive lined inner wall that seals and provides excel	PC	1	\$	39.01
07498310718	<b>HST0.4-6-X2Y</b>	HeatShrinkThickAdh,.4"Dia,RD,PK10	Thick wall adhesive lined, .4" (10.2mm) diameter, 6.0" (152.4mm) length, adhesive lined red cross-linked poly	PC	1	\$	9.23
07498310717	<b>HST0.4-6-XY</b>	HeatShrinkThickAdh,.4"Dia,BL,PK10	Thick wall adhesive lined, .4" (10.2mm) diameter, 6.0" (152.4mm) length, adhesive lined black cross-linked p	PC	1	\$	9.23
07498310719	<b>HST0.8-12-5Y</b>	HeatShrinkThickAdh,.8"Dia,BL,PK5	Thick wall adhesive lined, .8" (20.3mm) diameter, 12.0" (304.8mm) length, adhesive lined black cross-linked	PC	1	\$	13.18
07498310722	<b>HST0.8-48-5-2Y</b>	HeatShrinkThkAdh,.8"D/48",RD,PK5	Thick wall adhesive lined, .8" (20.3mm) diameter, 48.0" (1219.2mm) length, adhesive lined red cross-linked p	PC	1	\$	43.25
07498310721	<b>HST0.8-48-5Y</b>	HeatShrinkThkAdh,.4inID,.8/48",BL,PK5	The HST0.8-48-5Y Thick Wall Heat Shrink features an adhesive lined inner wall that seals and provides excel	PC	1	\$	41.19
07498310725	<b>HST0.8-6-XY</b>	HeatShrinkThkAdh,.4inID,.8/6",BL,PK10	The HST0.8-6-XY Thick Wall Heat Shrink features an adhesive lined inner wall that seals and provides excell	PC	1	\$	9.26
07498310728	<b>HST0.8-9-X2Y</b>	HeatShrinkThkAdh,.8"D/9",RD,PK10	Thick wall adhesive lined, .8" (20.3mm) diameter, 9.0" (228.6mm) length, adhesive lined red cross-linked poly	PC	1	\$	10.85
07498310729	<b>HST1.1-12-5Y</b>	HeatShrinkThickAdh,1.1"Dia,BL,PK5	Thick wall adhesive lined, 1.1" (27.9mm) diameter, 12.0" (304.8mm) length, adhesive lined black cross-linked	PC	1	\$	16.58
07498310732	<b>HST1.1-48-5-2Y</b>	HeatShrinkThkAdh,1.1"D/48",RD,PK5	Thick wall adhesive lined, 1.1" (27.9mm) diameter, 48.0" (1219.2mm) length, adhesive lined red cross-linked	PC	1	\$	49.10
07498310731	<b>HST1.1-48-5Y</b>	HeatShrinkThkAdh,.4inID,1.1/48",BL,PK5	The HST1.1-48-5Y Thick Wall Heat Shrink features an adhesive lined inner wall that seals and provides excel	PC	1	\$	46.76
07498310733	<b>HST1.1-6-XY</b>	HeatShrinkThickAdh,1.1"Dia,BL,PK10	Thick wall adhesive lined, 1.1" (27.9mm) diameter, 6.0" (152.4mm) length, adhesive lined black cross-linked	PC	1	\$	13.03
07498310741	<b>HST1.1-9-X2Y</b>	HeatShrinkThkAdh,1.1"D/9",RD,PK10	Thick wall adhesive lined, 1.1" (27.9mm) diameter, 9.0" (228.6mm) length, adhesive lined red cross-linked po	PC	1	\$	13.83
07498310735	<b>HST1.1-9-XY</b>	HeatShrinkThkAdh,.4inID,1.1/9",BL,PK10	Thick wall adhesive lined, 1.1" (27.9mm) diameter, 9.0" (228.6mm) length, adhesive lined black cross-linked	PC	1	\$	13.83
07498310736	<b>HST1.5-12-5Y</b>	HeatShrinkThickAdh,1.5"Dia,BL,PK5	Thick wall adhesive lined, 1.5" (38.1mm) diameter, 12.0" (304.8mm) length, adhesive lined black cross-linked	PC	1	\$	21.94
07498311362	<b>HST1.5-48-5-2Y</b>	HeatShrinkThickAdh,1.5"Dia,RD,PK5	Thick wall adhesive lined, 1.5" (38.1mm) diameter, 48.0" (1219.2mm) length, adhesive lined red cross-linked	PC	1	\$	76.64
07498310737	<b>HST1.5-48-5Y</b>	HeatShrinkThkAdh,.4inID,1.5/48",BL,PK5	The HST1.5-48-5Y Thick Wall Heat Shrink features an adhesive lined inner wall that seals and provides excel	PC	1	\$	72.98
07498310738	<b>HST1.5-9-XY</b>	HeatShrinkThickAdh,1.5"Dia,BL,PK10	Thick wall adhesive lined, 1.5" (38.1mm) diameter, 9.0" (228.6mm) length, adhesive lined black cross-linked	PC	1	\$	20.15
07498310742	<b>HST2.0-12-2Y</b>	Heat Shrink Thick Adh,2.0in ID,BLK,PK2	Thick wall adhesive lined, 2" (50.8mm) diameter, 12.0" (304.8mm) length, adhesive lined black cross-linked p	PC	1	\$	29.54
07498310743	<b>HST2.0-48-2Y</b>	HeatShrinkThkAdh,.4inID,2/48",BL,PK2	The HST2.0-48-2Y Thick Wall Heat Shrink features an adhesive lined inner wall that seals and provides excel	PC	1	\$	85.43
07498333294	<b>HST2.7-48-2Y</b>	HeatShrinkThkAdh,2.7"D/48",BL,PK2	Thick wall adhesive lined, 2.7" (68.6mm) diameter, 48.0" (1219.2mm) length, adhesive lined black cross-lin	PC	1	\$	103.14
07498361695	<b>HST3.0-48-2</b>	HeatShrinkThkAdh,.4inID,3/48",BL,PK2	The HST3.0-48-2 Thick Wall Heat Shrink features an adhesive lined inner wall that seals and provides excelle	PC	1	\$	110.54
07498333296	<b>HST3.5-48-2Y</b>	HeatShrinkThkAdh,3.5"D/48",BL,PK2	Thick wall adhesive lined, 3.5" (88.9mm) diameter, 48.0" (1219.2mm) length, adhesive lined black cross-lin	PC	1	\$	127.65
07498390769	<b>HSTT-YK1</b>	Heat Shrink Thin,2PcEa,06"-50",BL,EA	Thin wall heat shrink in 6" pieces, black, multiple diameters, .06" - .50" (1.5mm - 12.7 mm) diameter, cross-lin	PK	1	\$	16.08
07498390770	<b>HSTT-YK2</b>	Heat Shrink Thin,2PcEa,38"-1",BL,EA	Thin wall heat shrink in 6" pieces, black, multiple diameters, .38" - 1" (9.7mm - 25.4mm) diameter, cross-lin	PK	1	\$	16.86
07498390586	<b>HSTT05-48-Q</b>	HeatShrink,CLPOLY,0.05"Dx3.94",BLK,25pc	Panduit Thin-wall Heat Shrink Tubing shrinks around wires, connectors, joints and terminals when heated to p	PC	1	\$	3.05
07498390633	<b>HSTT05-48-Q6</b>	Heat Shrink Thin,.05"Dia,BU,PK25	Thin wall heat shrink, .05" (1.2mm) diameter, blue cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.05
07498390657	<b>HSTT05-48-QC</b>	Heat Shrink Thin,.05"Dia,Clear,PK25	Thin wall heat shrink, .05" (1.2mm) diameter, clear cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.05
07498375997	<b>HSTT05-48-TLC</b>	Heat Shrink Thin,.05"Dia,Clear,PK250	Thin wall heat shrink, .05" (1.2mm) diameter, clear cross-linked polyolefin, 250 pc. package quantity.	PC	1	\$	2.53
07498375680	<b>HSTT05-C</b>	HeatShrinkThn,.05"Dia,BL,EA,100f	Thin wall heat shrink, .05" (1.2mm) diameter, black cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	81.26
07498375753	<b>HSTT05-CC</b>	HeatShrinkThn,.05"Dia,CL,EA,100f	Thin wall heat shrink, .05" (1.2mm) diameter, clear cross-linked polyolefin, 100 ft. (30.5) per reel.	RL	1	\$	81.26
07498391324	<b>HSTT05-M</b>	HeatShrinkThn,.05"Dia,BL,EA,1000f	Thin wall heat shrink, .05" (1.2mm) diameter, black cross-linked polyolefin, 1000 ft. (304.8) per reel.	RL	1	\$	767.24
07498390587	<b>HSTT06-48-Q</b>	HeatShrink,CLPOLY,0.06"Dx3.94",BLK,25pc	Panduit Thin-wall Heat Shrink Tubing shrinks around wires, connectors, joints and terminals when heated to p	PC	1	\$	2.93
07498390601	<b>HSTT06-48-Q2</b>	Heat Shrink Thin,.06"Dia,RD,PK25	Thin wall heat shrink, .06" (1.6mm) diameter, red cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.09
07498390625	<b>HSTT06-48-Q5</b>	Heat Shrink Thin,.06"Dia,GR,PK25	Thin wall heat shrink, .06" (1.6mm) diameter, green cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.09
07498390634	<b>HSTT06-48-Q6</b>	Heat Shrink Thin,.06"Dia,BU,PK25	Thin wall heat shrink, .06" (1.6mm) diameter, blue cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.09
07498390658	<b>HSTT06-48-QC</b>	Heat Shrink Thin,.06"Dia,Clear,PK25	Thin wall heat shrink, .06" (1.6mm) diameter, clear cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	2.93
07498374699	<b>HSTT06-C</b>	HeatShrinkThn,.06"Dia,BL,EA,100f	Thin wall heat shrink, .06" (1.6mm) diameter, black cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	81.26
07498384876	<b>HSTT06-C10</b>	HeatShrinkThn,.06"Dia,WH,EA,100f	Thin wall heat shrink, .06" (1.6mm) diameter, white cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	81.26
07498384873	<b>HSTT06-C4</b>	HeatShrinkThn,.06"Dia,YL,EA,100f	Thin wall heat shrink, .06" (1.6mm) diameter, yellow cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	81.26
07498384874	<b>HSTT06-C5</b>	HeatShrinkThn,.06"Dia,GR,EA,100f	Thin wall heat shrink, .06" (1.6mm) diameter, green cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	81.26
07498374715	<b>HSTT06-CC</b>	HeatShrink,CLPOLY,0.06"Dx100",BLK,EA	The HSTT06-CC Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when	RL	1	\$	77.40
07498391322	<b>HSTT06-M</b>	HeatShrinkThn,.06"Dia,BL,EA,1000f	Thin wall heat shrink, .06" (1.6mm) diameter, black cross-linked polyolefin, 1000 ft. (304.8m) per reel.	RL	1	\$	782.63
07498376542	<b>HSTT06-Q</b>	HeatShrinkThn,.06"Dia,BL,EA,25f	Thin wall heat shrink on 25 foot reel, .06" (1.6mm) diameter, black cross-linked polyolefin.	RL	1	\$	27.33
07498390695	<b>HSTT06-Y</b>	HeatShrinkThn,.06"Dia,BL,EA	Thin wall heat shrink in 6" pieces, black, single diameter, .06" (1.6mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390760	<b>HSTT06-YK1</b>	HeatShrinkThn,.06"Dia,MC,EA	Thin wall heat shrink in 6" pieces, multi-color, single diameter, .06" (1.6mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390588	<b>HSTT09-48-Q</b>	HeatShrink,CLPOLY,0.09"Dx3.94",BLK,25pc	The HSTT09-48-Q Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals whe	PC	1	\$	3.39
07498390647	<b>HSTT09-48-Q10</b>	Heat Shrink Thin,.09"Dia,WH,PK25	Thin wall heat shrink, .09" (2.4mm) diameter, white cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.58
07498390602	<b>HSTT09-48-Q2</b>	Heat Shrink Thin,.09"Dia,RD,PK25	Thin wall heat shrink, .09" (2.4mm) diameter, red cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.58
07498390626	<b>HSTT09-48-Q5</b>	Heat Shrink Thin,.09"Dia,GR,PK25	Thin wall heat shrink, .09" (2.4mm) diameter, green cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.58
07498390659	<b>HSTT09-48-QC</b>	Heat Shrink Thin,.09"Dia,Clear,PK25	Thin wall heat shrink, .09" (2.4mm) diameter, clear cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.58
07498374700	<b>HSTT09-C</b>	HeatShrinkThn,.09"Dia,BL,EA,100f	Thin wall heat shrink, .09" (2.4mm) diameter, black cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	87.90
07498384878	<b>HSTT09-C5</b>	HeatShrinkThn,.09"Dia,GR,EA,100f	Thin wall heat shrink, .09" (2.4mm) diameter, green cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	87.90
07498374716	<b>HSTT09-CC</b>	HeatShrinkThn,.09"Dia,CL,EA,100f	Thin wall heat shrink, .09" (2.4mm) diameter, clear cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	87.90

07498391323	HSTT09-M	HeatShrinkThn,.09"Dia,BL,EA,1000f	Thin wall heat shrink, .09" (2.4mm) diameter, black cross-linked polyolefin, 1000 ft. (304.8m) per reel.	RL	1	\$	853.76
07498376547	HSTT09-Q	HeatShrinkThn,.09"Dia,BL,EA,25f	Thin wall heat shrink on 25 foot reel, .09" (2.4mm) diameter, black cross-linked polyolefin.	RL	1	\$	30.75
07498390696	HSTT09-Y	HeatShrinkThn,.09"Dia,BL,EA	Thin wall heat shrink in 6" pieces, black, single diameter, .09" (2.4mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390761	HSTT09-YK1	HeatShrinkThn,.09"Dia,MC,EA	Thin wall heat shrink in 6" pieces, multi-color, single diameter, .09" (2.4mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390595	HSTT100-48-5	HeatShrink,CLPOLY,1.00"Dx3.94"L,BLK,5pc	The HSTT100-48-5 Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals whe	PC	1	\$	12.99
07498352547	HSTT100-48-5-1	Heat Shrink Thin,1"Dia,BR,PK5	Thin wall heat shrink, 1" (25.4mm) diameter, brown cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	13.64
07498390654	HSTT100-48-5-10	Heat Shrink Thin,1"Dia,WH,PK5	Thin wall heat shrink, 1" (25.4mm) diameter, white cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	13.64
07498390609	HSTT100-48-5-2	Heat Shrink Thin,1"Dia,RD,PK5	Thin wall heat shrink, 1" (25.4mm) diameter, red cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	13.64
07498362277	HSTT100-48-5-3	Heat Shrink Thin,1In.Dia,OR,PK5	02 Ready to be merged	PC	1	\$	13.64
07498390621	HSTT100-48-5-4	Heat Shrink Thin,1"Dia,YL,PK5	Thin wall heat shrink, 1" (25.4mm) diameter, yellow cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	13.64
07498334885	HSTT100-48-5-5	Heat Shrink Thin,1"Dia,GR,PK5	Thin wall heat shrink, 1" (25.4mm) diameter, green cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	13.64
07498390642	HSTT100-48-5-6	Heat Shrink Thin,1"Dia,BU,PK5	Thin wall heat shrink, 1" (25.4mm) diameter, blue cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	13.64
07498352065	HSTT100-48-5-45	Heat Shrink Thin,1"Dia,YL/GR,PK5	Thin wall heat shrink, 1" (25.4mm) diameter, yellow/green cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	25.40
07498390666	HSTT100-48-5C	Heat Shrink Thin,1"Dia,Clear,PK5	Thin wall heat shrink, 1" (25.4mm) diameter, clear cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	12.99
07498391391	HSTT100-C	Heat Shrink Thin,1.00in ID,BLK,EA	The HSTT100-C Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when h	RL	1	\$	331.88
07498391556	HSTT100-C10	Heat Shrink Thin,1"Dia,WH,EA	Thin wall heat shrink, 1" (25.4mm) diameter, white cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	348.46
07498391509	HSTT100-C2	Heat Shrink Thin,1"Dia,RD,EA	Thin wall heat shrink, 1" (25.4mm) diameter, red cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	348.46
07498352073	HSTT100-C45	Heat Shrink Thin,1"Dia,YL/GR,EA	Thin wall heat shrink, 1" (25.4mm) diameter, yellow/green cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	609.71
07498338889	HSTT100-C5	Heat Shrink Thin,1"Dia,GR,EA	Thin wall heat shrink, 1" (25.4mm) diameter, green cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	348.46
07498391545	HSTT100-C6	Heat Shrink Thin,1"Dia,BU,EA	Thin wall heat shrink, 1" (25.4mm) diameter, blue cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	348.46
07498391567	HSTT100-CC	Heat Shrink Thin,1.00in ID,CLR,EA	The HSTT100-CC Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when	RL	1	\$	331.88
07498390703	HSTT100-Y	HeatShrinkThn,1"Dia,BL,EA	Thin wall heat shrink in 6" pieces, black, single diameter, 1" (25.4mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390768	HSTT100-YK1	HeatShrinkThn,1"Dia,MC,EA	Thin wall heat shrink in 6" pieces, multi-color, single diameter, 1" (25.4mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390589	HSTT12-48-Q	HeatShrink,CLPOLY,0.12"Dx3.94"L,BLK,25pc	Panduit Thin-wall Heat Shrink Tubing shrinks around wires, connectors, joints and terminals when heated to p	PC	1	\$	3.58
07498390648	HSTT12-48-Q10	Heat Shrink Thin, .12"Dia,WH,PK25	Thin wall heat shrink, .12" (3.2mm) diameter, white cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.74
07498390603	HSTT12-48-Q2	Heat Shrink Thin, .12"Dia,RD,PK25	Thin wall heat shrink, .12" (3.2mm) diameter, red cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.74
07498390615	HSTT12-48-Q4	Heat Shrink Thin, .12"Dia,YL,PK25	Thin wall heat shrink, .12" (3.2mm) diameter, yellow cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.74
07498352059	HSTT12-48-Q45	Heat Shrink Thin, .12"Dia,YL/GR,PK25	Thin wall heat shrink, .12" (3.2mm) diameter, yellow/green cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	6.05
07498390627	HSTT12-48-Q5	Heat Shrink Thin, .12"Dia,GR,PK25	Thin wall heat shrink, .12" (3.2mm) diameter, green cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.74
07498390636	HSTT12-48-Q6	Heat Shrink Thin, .12"Dia,BU,PK25	Thin wall heat shrink, .12" (3.2mm) diameter, blue cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.74
07498390660	HSTT12-48-QC	Heat Shrink Thin, .12"Dia,Clear,PK25	Thin wall heat shrink, .12" (3.2mm) diameter, clear cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	3.58
07498374701	HSTT12-C	HeatShrinkThn,.12"Dia,BL,EA,100f	Thin wall heat shrink, .12" (3.2mm) diameter, black cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	88.53
07498384884	HSTT12-C10	HeatShrinkThn,.12"Dia,WH,EA,100f	Thin wall heat shrink, .12" (3.2mm) diameter, white cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	92.96
07498374709	HSTT12-C2	HeatShrinkThn,.12"Dia,RD,EA,100f	Thin wall heat shrink, .12" (3.2mm) diameter, red cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	92.96
07498384882	HSTT12-C5	HeatShrinkThn,.12"Dia,GR,EA,100f	Thin wall heat shrink, .12" (3.2mm) diameter, green cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	92.96
07498374717	HSTT12-CC	HeatShrinkThn,.125in ID,BL,EA,100f	The HSTT12-CC Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when	RL	1	\$	88.53
07498391385	HSTT12-M	HeatShrinkThn,.125in ID,BL,EA,1000f	Thin wall heat shrink, .12" (3.2mm) diameter, black cross-linked polyolefin, 1000 ft. (304.8m) per reel.	RL	1	\$	876.46
07498376552	HSTT12-Q	HeatShrinkThn,.12"Dia,BL,EA,25f	Thin wall heat shrink on 25 foot reel, .12" (3.2mm) diameter, black cross-linked polyolefin.	RL	1	\$	32.71
07498390697	HSTT12-Y	HeatShrinkThn,.12"Dia,BL,EA	Thin wall heat shrink in 6" pieces, black, single diameter, .12" (3.2mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390762	HSTT12-YK1	HeatShrinkThn,.12"Dia,MC,EA	Thin wall heat shrink in 6" pieces, multi-color, single diameter, .12" (3.2mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390596	HSTT150-48-5	HeatShrink,CLPOLY,1.50"Dx3.94"L,BLK,5pc	The HSTT150-48-5 Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals whe	PC	1	\$	24.39
07498390655	HSTT150-48-5-10	Heat Shrink Thin,1.5"Dia,WH,PK5	Thin wall heat shrink, 1.5" (38.1mm) diameter, white cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	25.59
07498390610	HSTT150-48-5-2	Heat Shrink Thin,1.5"Dia,RD,PK5	Thin wall heat shrink, 1.5" (38.1mm) diameter, red cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	25.59
07498390622	HSTT150-48-5-4	Heat Shrink Thin,1.5"Dia,YL,PK5	Thin wall heat shrink, 1.5" (38.1mm) diameter, yellow cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	25.59
61305644891	HSTT150-48-5-5	Heat Shrink Thin, 1.5" (38.1mm) Dia., Gr		PC	1	\$	24.39
07498390643	HSTT150-48-5-6	Heat Shrink Thin,1.5"Dia,BU,PK5	Thin wall heat shrink, 1.5" (38.1mm) diameter, blue cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	25.59
07498390667	HSTT150-48-5C	Heat Shrink Thin,1.50in ID,CLR,PK5	The HSTT150-48-5C Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals wh	PC	1	\$	24.39
07498391493	HSTT150-C	Heat Shrink Thin,1.50in ID,BLK,EA	The HSTT150-C Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when h	RL	1	\$	637.25
07498391510	HSTT150-C2	Heat Shrink Thin,1.5"Dia,RD,EA	Thin wall heat shrink, 1.5" (38.1mm) diameter, red cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	669.13
07498391526	HSTT150-C4	Heat Shrink Thin,1.5"Dia,YL,EA	Thin wall heat shrink, 1.5" (38.1mm) diameter, yellow cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	669.13
07498391568	HSTT150-CC	Heat Shrink Thin,1.5"Dia,Clear,EA	Thin wall heat shrink, 1.5" (38.1mm) diameter, clear cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	637.25
07498390590	HSTT19-48-Q	HeatShrink,CLPOLY,0.19"Dx3.94"L,BLK,25pc	The HSTT19-48-Q Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals whe	PC	1	\$	4.33
07498362267	HSTT19-48-Q1	Heat Shrink Thin, .19"Dia,BR,PK25	Thin wall heat shrink, .19" (4.8mm) diameter, brown cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	4.53
07498390649	HSTT19-48-Q10	Heat Shrink Thin, .19"Dia,WH,PK25	Thin wall heat shrink, .19" (4.8mm) diameter, white cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	4.53
07498390604	HSTT19-48-Q2	Heat Shrink Thin, .19"Dia,RD,PK25	Thin wall heat shrink, .19" (4.8mm) diameter, red cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	4.53
07498362271	HSTT19-48-Q3	Heat Shrink Thin,0.19In.Dia,OR,PK25	Thin wall heat shrink, .19" (4.8mm) diameter, orange cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	4.53
07498390616	HSTT19-48-Q4	Heat Shrink Thin, .19"Dia,YL,PK25	Thin wall heat shrink, .19" (4.8mm) diameter, yellow cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	4.53
07498352060	HSTT19-48-Q45	Heat Shrink Thin, .19"Dia,YL/GR,PK25	The HSTT19-48-Q45 Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals w	PC	1	\$	7.63
07498390628	HSTT19-48-Q5	Heat Shrink Thin, .19"Dia,GR,PK25	Thin wall heat shrink, .19" (4.8mm) diameter, green cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	4.53
07498390637	HSTT19-48-Q6	Heat Shrink Thin, .19"Dia,BU,PK25	Thin wall heat shrink, .19" (4.8mm) diameter, blue cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	4.53
07498390661	HSTT19-48-QC	Heat Shrink Thin, .19"Dia,Clear,PK25	Thin wall heat shrink, .19" (4.8mm) diameter, clear cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	4.53
07498374702	HSTT19-C	Heat Shrink Thin,187in ID,BLK,EA	Thin wall heat shrink, .19" (4.8mm) diameter, black cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	107.46
07498384888	HSTT19-C10	HeatShrinkThn,.19"Dia,WH,EA,100f	Thin wall heat shrink, .19" (4.8mm) diameter, white cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	112.85
07498374710	HSTT19-C2	HeatShrinkThn,.19"Dia,RD,EA,100f	Thin wall heat shrink, .19" (4.8mm) diameter, red cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	112.85
07498384886	HSTT19-C5	HeatShrinkThn,.19"Dia,GR,EA,100f	Thin wall heat shrink, .19" (4.8mm) diameter, green cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	112.85
07498374718	HSTT19-CC	HeatShrinkThn,.19"Dia,CL,EA,100f	Thin wall heat shrink, .19" (4.8mm) diameter, clear cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	112.85
07498391386	HSTT19-M	HShrinkThin,.19"Dia,BL,EA	Thin wall heat shrink, .19" (4.8mm) diameter, black cross-linked polyolefin, 1000 ft. (304.8m) per reel.	RL	1	\$	1,066.59
07498376557	HSTT19-Q	HeatShrinkThn,.19"Dia,BL,EA,25f	Thin wall heat shrink on 25 foot reel, .19" (4.8mm) diameter, black cross-linked polyolefin.	RL	1	\$	39.39
07498390698	HSTT19-Y	HeatShrinkThn,.19"Dia,BL,EA	Thin wall heat shrink in 6" pieces, black, single diameter, .19" (4.8mm) diameter, cross-linked polyolefin.	PK	1	\$	16.88
07498390763	HSTT19-YK1	HeatShrinkThn,.19"Dia,MC,EA	Thin wall heat shrink in 6" pieces, multi-color, single diameter, .19" (4.8mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390597	HSTT200-48-5	HeatShrink,CLPOLY,2.00"Dx3.94"L,BLK,5pc	The HSTT200-48-5 Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals whe	PC	1	\$	38.36
07498390656	HSTT200-48-5-10	Heat Shrink Thin,2"Dia,WH,PK5	Thin wall heat shrink, 2" (50.8mm) diameter, white cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	40.26
07498390611	HSTT200-48-5-2	Heat Shrink Thin,2"Dia,RD,PK5	Thin wall heat shrink, 2" (50.8mm) diameter, red cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	40.26
07498390623	HSTT200-48-5-4	Heat Shrink Thin,2"Dia,YL,PK5	Thin wall heat shrink, 2" (50.8mm) diameter, yellow cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	40.26
07498390644	HSTT200-48-5-6	Heat Shrink Thin,2"Dia,BU,PK5	Thin wall heat shrink, 2" (50.8mm) diameter, blue cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	40.26
07498390668	HSTT200-48-5C	Heat Shrink Thin,2"Dia,Clear,PK5	Thin wall heat shrink, 2" (50.8mm) diameter, clear cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	38.36
07498391494	HSTT200-L	Heat Shrink Thin,2in ID,BLK,EA	The HSTT200-L Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when h	RL	1	\$	444.55

07498390591	HSTT25-48-Q	HeatShrink,CLPOLY,0.25"Dx3.94"L,BLK,25pc	The HSTT25-48-Q Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals whe	PC	1	\$	5.43
07498362268	HSTT25-48-Q1	Heat Shrink Thin,.25"Dia,BR,PK25	Thin wall heat shrink,.25" (6.4mm) diameter, brown cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	5.73
07498390650	HSTT25-48-Q10	Heat Shrink Thin,.25"Dia,WH,PK25	Thin wall heat shrink,.25" (6.4mm) diameter, white cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	5.73
07498390605	HSTT25-48-Q2	Heat Shrink Thin,.25"Dia,RD,PK25	Thin wall heat shrink,.25" (6.4mm) diameter, red cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	5.73
07498362273	HSTT25-48-Q3	Heat Shrink Thin,0.25In.Dia,OR,PK25	Thin wall heat shrink,.25" (6.4mm) diameter, orange cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	5.73
07498390617	HSTT25-48-Q4	Heat Shrink Thin,.25"Dia,YL,PK25	Thin wall heat shrink,.25" (6.4mm) diameter, yellow cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	5.73
07498352061	HSTT25-48-Q45	Heat Shrink Thin,.25"Dia,YL/GR,PK25	Thin wall heat shrink,.25" (6.4mm) diameter, yellow/green cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	9.20
07498390629	HSTT25-48-Q5	Heat Shrink Thin,.25"Dia,GR,PK25	Thin wall heat shrink,.25" (6.4mm) diameter, green cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	5.73
07498390638	HSTT25-48-Q6	Heat Shrink Thin,.25"Dia,BU,PK25	Thin wall heat shrink,.25" (6.4mm) diameter, blue cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	5.73
07498390662	HSTT25-48-QC	Heat Shrink Thin,.25in ID,CLR,PK25	The HSTT25-48-QC Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals wh	PC	1	\$	5.43
07498374703	HSTT25-C	HeatShrinkThn,.25in ID,BLK,EA,100f	The HSTT25-C Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when he	RL	1	\$	135.91
07498384892	HSTT25-C10	HeatShrinkThn,.25"Dia,WH,EA,100f	Thin wall heat shrink,.25" (6.4mm) diameter, white cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	142.73
07498374711	HSTT25-C2	HeatShrinkThn,.25"Dia,RD,EA,100f	Thin wall heat shrink,.25" (6.4mm) diameter, red cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	142.73
07498384890	HSTT25-C5	HeatShrinkThn,.25"Dia,GR,EA,100f	Thin wall heat shrink,.25" (6.4mm) diameter, green cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	142.73
07498384891	HSTT25-C6	HeatShrinkThn,.25"Dia,BU,EA,100f	Thin wall heat shrink,.25" (6.4mm) diameter, blue cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	142.73
07498341422	HSTT25-CC	HeatShrinkThn,.25"Dia,CL,EA,100f	Thin wall heat shrink,.25" (6.4mm) diameter, clear cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	135.91
07498391387	HSTT25-D	HeatShrinkThn,.25in ID,BLK,EA,500f	Thin wall heat shrink,.25" (6.4mm) diameter, black cross-linked polyolefin, 500 ft. (152.4m) per reel.	RL	1	\$	661.49
07498376562	HSTT25-Q	HeatShrinkThn,.25"Dia,BL,EA,25f	Thin wall heat shrink on 25 foot reel,.25" (6.4mm) diameter, black cross-linked polyolefin.	RL	1	\$	45.90
07498390699	HSTT25-Y	HeatShrinkThn,.25"Dia,BL,EA	Thin wall heat shrink in 6" pieces, black, single diameter,.25" (6.4mm) diameter, cross-linked polyolefin.	PK	1	\$	16.08
07498390764	HSTT25-YK1	HeatShrinkThn,.25"Dia,MC,EA	Thin wall heat shrink in 6" pieces, multi-color, single diameter,.25" (6.4mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390598	HSTT300-48-2	Heat Shrink Thin,3"Dia,BL,PK2	Thin wall heat shrink, 3" (76.2mm) diameter, black cross-linked polyolefin, 2 pc. package quantity.	PC	1	\$	87.76
07498390669	HSTT300-48-2C	Heat Shrink Thin,3"Dia,Clear,PK2	Thin wall heat shrink, 3" (76.2mm) diameter, clear cross-linked polyolefin, 2 pc. package quantity.	PC	1	\$	89.43
07498391394	HSTT300-L	Heat Shrink Thin,3in ID,BLK,EA	The HSTT300-L Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when h	RL	1	\$	852.76
07498390592	HSTT38-48-Q	HeatShrink,CLPOLY,0.38"Dx3.94"L,BLK,25pc	The HSTT38-48-Q Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals whe	PC	1	\$	6.10
07498390651	HSTT38-48-Q10	Heat Shrink Thin,.38"Dia,WH,PK25	Thin wall heat shrink,.38" (9.5mm) diameter, white cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	6.41
07498390606	HSTT38-48-Q2	Heat Shrink Thin,.38"Dia,RD,PK25	Thin wall heat shrink,.38" (9.5mm) diameter, red cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	6.41
07498390618	HSTT38-48-Q4	Heat Shrink Thin,.38"Dia,YL,PK25	Thin wall heat shrink,.38" (9.5mm) diameter, yellow cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	6.41
07498352062	HSTT38-48-Q45	Heat Shrink Thin,.38"Dia,YL/GR,PK25	Thin wall heat shrink,.38" (9.5mm) diameter, yellow/green cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	10.23
07498390630	HSTT38-48-Q5	Heat Shrink Thin,.38"Dia,GR,PK25	Thin wall heat shrink,.38" (9.5mm) diameter, green cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	6.41
07498390639	HSTT38-48-Q6	Heat Shrink Thin,.38"Dia,BU,PK25	Thin wall heat shrink,.38" (9.5mm) diameter, blue cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	6.41
07498390663	HSTT38-48-QC	Heat Shrink Thin,.38"Dia,Clear,PK25	Thin wall heat shrink,.38" (9.5mm) diameter, clear cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	6.10
07498374704	HSTT38-C	HeatShrinkThn,.375in ID,BLK,EA,100f	The HSTT38-C Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when he	RL	1	\$	148.30
07498384896	HSTT38-C10	HeatShrinkThn.38"Dia,WH,EA,100f	Thin wall heat shrink,.38" (9.5mm) diameter, white cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	155.65
07498374712	HSTT38-C2	HeatShrinkThn.38"Dia,RD,EA,100f	Thin wall heat shrink,.38" (9.5mm) diameter, red cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	155.73
07498384893	HSTT38-C4	HeatShrinkThn.38"Dia,YL,EA,100f	Thin wall heat shrink,.38" (9.5mm) diameter, yellow cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	155.73
07498384894	HSTT38-C5	HeatShrinkThn.38"Dia,GR,EA,100f	Thin wall heat shrink,.38" (9.5mm) diameter, green cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	155.73
07498384895	HSTT38-C6	HeatShrinkThn.38"Dia,BU,EA,100f	Thin wall heat shrink,.38" (9.5mm) diameter, blue cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	155.73
07498374719	HSTT38-CC	HeatShrinkThn.38"Dia,CL,EA,100f	Thin wall heat shrink,.38" (9.5mm) diameter, clear cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	148.30
07498376567	HSTT38-Q	HeatShrinkThn.38"Dia,BL,EA,25f	Thin wall heat shrink on 25 foot reel,.38" (9.5mm) diameter, black cross-linked polyolefin.	RL	1	\$	49.31
07498391388	HSTT38-T	HeatShrinkThn,.375in ID,BLK,EA,200f	Thin wall heat shrink,.38" (9.5mm) diameter, black cross-linked polyolefin, 200 ft. (61.0m) per reel.	RL	1	\$	293.84
07498352070	HSTT38-T45	HeatShrinkThn.38"Dia,YL/GR,EA,200f	Thin wall heat shrink,.38" (9.5mm) diameter, yellow/green cross-linked polyolefin, 200 ft. (61.0m) per reel.	RL	1	\$	497.16
07498391564	HSTT38-TC	HeatShrinkThn.38"Dia,CL,EA,200f	Thin wall heat shrink,.38" (9.5mm) diameter, clear cross-linked polyolefin, 200 ft. (61.0m) per reel.	RL	1	\$	293.84
07498390700	HSTT38-Y	HeatShrinkThn,.38"Dia,BL,EA	Thin wall heat shrink in 6" pieces, black, single diameter,.38" (9.5mm) diameter, cross-linked polyolefin.	PK	1	\$	16.08
07498390765	HSTT38-YK1	HeatShrinkThn,.38"Dia,MC,EA	Thin wall heat shrink in 6" pieces, multi-color, single diameter,.38" (9.5mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390599	HSTT400-48-2	Heat Shrink Thin,4"Dia,BL,PK2	Thin wall heat shrink, 4" (101.6mm) diameter, black cross-linked polyolefin, 2 pc. package quantity.	PC	1	\$	119.64
07498390670	HSTT400-48-2C	Heat Shrink Thin,4"Dia,Clear,PK2	Thin wall heat shrink, 4" (101.6mm) diameter, clear cross-linked polyolefin, 2 pc. package quantity.	PC	1	\$	119.64
07498391395	HSTT400-L	Heat Shrink Thin,4"Dia,BL,EA	Thin wall heat shrink, 4" (101.6mm) diameter, black cross-linked polyolefin, 50 ft. (15.2m) per reel.	RL	1	\$	1,255.56
07498311449	HSTT4A125-48-5	HShrink4:1.1260"MinExpandedID,BL,PK5	4:1 Thin wall adhesive lined heat shrink, 1.26" (32.0mm) diameter, 4" (1.2m) length, adhesive lined black cross	PC	1	\$	49.14
07498311443	HSTT4A15-48-Q	HShrink4:1.158"MinExpandedID,BL,PK25	4:1 Thin wall adhesive lined heat shrink,.158" (4.0mm) diameter, 4" (1.2m) length, adhesive lined black cross	PC	1	\$	15.21
07498311452	HSTT4A200-48-5	HShrink4:1.2050"MinExpandedID,BL,PK5	4:1 Thin wall adhesive lined heat shrink, 2.05" (32.0mm) diameter, 4" (1.2m) length, adhesive lined black cross	PC	1	\$	81.39
07498311444	HSTT4A31-48-Q	HShrink4:1.315"MinExpandedID,BL,PK25	4:1 Thin wall adhesive lined heat shrink,.315" (8.0mm) diameter, 4" (1.2m) length, adhesive lined black cross	PC	1	\$	18.76
07498311445	HSTT4A47-48-Q	HShrink4:1.472"MinExpandedID,BL,PK25	4:1 Thin wall adhesive lined heat shrink,.472" (12.0mm) diameter, 4" (1.2m) length, adhesive lined black cross	PC	1	\$	21.21
07498311447	HSTT4A62-48-5	HShrink4:1.630"MinExpandedID,BL,PK5	4:1 Thin wall adhesive lined heat shrink,.63" (16.0mm) diameter, 4" (1.2m) length, adhesive lined black cross	PC	1	\$	24.83
07498311448	HSTT4A94-48-5	HShrink4:1.945"MinExpandedID,BL,PK5	4:1 Thin wall adhesive lined heat shrink,.945" (24.0mm) diameter, 4" (1.2m) length, adhesive lined black cross	PC	1	\$	35.20
07498390593	HSTT50-48-5	Heat Shrink Thin,.50in ID,BLK,PK5	The HSTT50-48-5 Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when	PC	1	\$	6.91
07498390652	HSTT50-48-5-10	Heat Shrink Thin,.50"Dia,WH,PK5	Thin wall heat shrink,.50" (12.7mm) diameter, white cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	7.24
07498390607	HSTT50-48-5-2	Heat Shrink Thin,.50"Dia,RD,PK5	Thin wall heat shrink,.50" (12.7mm) diameter, red cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	7.24
07498390631	HSTT50-48-5-5	Heat Shrink Thin,.50"Dia,GR,PK5	Thin wall heat shrink,.50" (12.7mm) diameter, green cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	7.24
07498390640	HSTT50-48-5-6	Heat Shrink Thin,.50"Dia,BU,PK5	Thin wall heat shrink,.50" (12.7mm) diameter, blue cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	7.24
07498352063	HSTT50-48-545	Heat Shrink Thin,.50"Dia,YL/GR,PK5	Thin wall heat shrink,.50" (12.7mm) diameter, yellow/green cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	12.25
07498390664	HSTT50-48-5C	Heat Shrink Thin,.50"Dia,Clear,PK5	Thin wall heat shrink,.50" (12.7mm) diameter, clear cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	6.91
07498383390	HSTT50-48-Q	Heat Shrink Thin,.50in ID,BLK,PK25	Thin wall heat shrink,.50" (12.7mm) diameter, black cross-linked polyolefin, black, 25 pc. package quantity.	PC	1	\$	6.86
07498383395	HSTT50-48-Q10	HeatShrinkThn,.50"-25Pcs/Pk,WH,PK25	Thin wall heat shrink,.50" (12.7mm) diameter, black cross-linked polyolefin, white, 25 pc. package quantity.	PC	1	\$	7.20
07498383391	HSTT50-48-Q2	HeatShrinkThn,.50"-25Pcs/Pk,RD,PK25	Thin wall heat shrink,.50" (12.7mm) diameter, black cross-linked polyolefin, red, 25 pc. package quantity.	PC	1	\$	7.20
07498362275	HSTT50-48-Q3	Heat Shrink Thin,0.5In.Dia,OR,PK25	Thin wall heat shrink,.50" (12.7mm) diameter, orange cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	7.20
07498383392	HSTT50-48-Q4	Heat Shrink Thin,.50"-25Pcs/Pk,YL,PK25	Thin wall heat shrink,.50" (12.7mm) diameter, yellow cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	7.20
07498383393	HSTT50-48-Q5	HeatShrinkThn,.50"-25Pcs/Pk,GR,PK25	Thin wall heat shrink,.50" (12.7mm) diameter, black cross-linked polyolefin, green, 25 pc. package quantity.	PC	1	\$	7.20
07498383394	HSTT50-48-Q6	HeatShrinkThn,.50"-25Pcs/Pk,BU,PK25	Thin wall heat shrink,.50" (12.7mm) diameter, black cross-linked polyolefin, blue, 25 pc. package quantity.	PC	1	\$	7.20
07498383396	HSTT50-48-QC	HeatShrinkThn,.50"-25Pcs/Pk,CL,PK25	Thin wall heat shrink,.50" (12.7mm) diameter, black cross-linked polyolefin, clear, 25 pc. package quantity.	PC	1	\$	7.20
07498374705	HSTT50-C	HeatShrinkThn.50in ID,BLK,EA,100f	The HSTT50-C Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when he	RL	1	\$	165.96
07498384900	HSTT50-C10	HeatShrinkThn.50"Dia,WH,EA,100f	Thin wall heat shrink,.50" (12.7mm) diameter, white cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	174.24
07498374713	HSTT50-C2	HeatShrinkThn.50"Dia,RD,EA,100f	Thin wall heat shrink,.50" (12.7mm) diameter, red cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	174.24
07498384898	HSTT50-C5	HeatShrinkThn.50"Dia,GR,EA,100f	Thin wall heat shrink,.50" (12.7mm) diameter, green cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	174.24
07498384899	HSTT50-C6	HeatShrinkThn.50"Dia,BU,EA,100f	Thin wall heat shrink,.50" (12.7mm) diameter, blue cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	174.24
07498374720	HSTT50-CC	HeatShrinkThn.50"Dia,CL,EA,100f	The HSTT50-CC Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when	RL	1	\$	165.96
07498376572	HSTT50-Q	HeatShrinkThn.50"Dia,BL,EA,25f	Thin wall heat shrink on 25 foot reel,.50" (12.7mm) diameter, black cross-linked polyolefin.	RL	1	\$	57.08
07498391389	HSTT50-T	HeatShrinkThn.50in ID,BLK,EA,200f	Thin wall heat shrink,.50" (12.7mm) diameter, black cross-linked polyolefin, 200 ft. (61.0m) per reel.	RL	1	\$	332.70

07498352071	HSTT50-T45	HeatShrinkThn.50"Dia,YL/GR,EA,200f	Thin wall heat shrink, .50" (12.7mm) diameter, yellow/green cross-linked polyolefin, 200 ft. (61.0m) per reel.	RL	1	\$	588.21
07498390701	HSTT50-Y	HeatShrinkThn.,50"Dia,BL,EA	Thin wall heat shrink in 6" pieces, black, single diameter, .50" (12.7mm) diameter, cross-linked polyolefin.	PK	1	\$	16.08
07498390766	HSTT50-YK1	HeatShrinkThn.,50"Dia,MC,EA	Thin wall heat shrink in 6" pieces, multi-color, single diameter, .50" (12.7mm) diameter, cross-linked polyolefin	PK	1	\$	16.86
07498390594	HSTT75-48-5	HeatShrink,CLPOLY,0.75"Dx3.94",BLK,5pc	The HSTT75-48-5 Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when	PC	1	\$	9.29
07498352546	HSTT75-48-5-1	Heat Shrink Thin.,75"Dia,BR,PK5	Thin wall heat shrink, .75" (19.0mm) diameter, brown cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	9.75
07498390653	HSTT75-48-5-10	Heat Shrink Thin.,75"Dia,WH,PK5	Thin wall heat shrink, .75" (19.0mm) diameter, white cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	9.75
07498390608	HSTT75-48-5-2	Heat Shrink Thin.,75"Dia,RD,PK5	Thin wall heat shrink, .75" (19.0mm) diameter, red cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	9.75
07498362276	HSTT75-48-5-3	Heat Shrink Thin.0.75In.Dia,OR,PK5	Thin wall heat shrink, .75" (19.0mm) diameter, orange cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	9.75
07498390620	HSTT75-48-5-4	Heat Shrink Thin.,75"Dia,YL,PK5	Thin wall heat shrink, .75" (19.0mm) diameter, yellow cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	9.75
07498390632	HSTT75-48-5-5	Heat Shrink Thin.,75"Dia,GR,PK5	Thin wall heat shrink, .75" (19.0mm) diameter, green cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	9.75
07498390641	HSTT75-48-5-6	Heat Shrink Thin.,75"Dia,BU,PK5	Thin wall heat shrink, .75" (19.0mm) diameter, blue cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	9.75
07498352064	HSTT75-48-545	HEAT SHRINK THIN.,75"DIA,YL/GR,PK5	Thin wall heat shrink, .75" (19.0mm) diameter, yellow/green cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	17.94
07498390665	HSTT75-48-5C	Heat Shrink Thin.,75"Dia,Clear,PK5	Thin wall heat shrink, .75" (19.0mm) diameter, clear cross-linked polyolefin, 5 pc. package quantity.	PC	1	\$	9.29
07498374706	HSTT75-C	HeatShrinkThn.75in ID,BLK,EA,100f	The HSTT75-C Thin Wall Heat Shrink Tubing shrinks around wires, connectors, joints, and terminals when he	RL	1	\$	224.24
07498374714	HSTT75-C2	HeatShrinkThn.75"Dia,RD,EA,100f	Thin wall heat shrink, .75" (19.0mm) diameter, red cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	235.45
07498374721	HSTT75-CC	HeatShrinkThn.75"Dia,CL,EA,100f	Thin wall heat shrink, .75" (19.0mm) diameter, clear cross-linked polyolefin, 100 ft. (30.5m) per reel.	RL	1	\$	235.45
07498376577	HSTT75-Q	HeatShrinkThn.,75"Dia,BL,EA,25f	Thin wall heat shrink on 25 foot reel, .75" (19.0mm) diameter, black cross-linked polyolefin.	RL	1	\$	77.95
07498391390	HSTT75-T	HeatShrinkThn.75in ID,BLK,EA,200f	Thin wall heat shrink, .75" (19.0mm) diameter, black cross-linked polyolefin, 200 ft. (61.0m) per reel.	RL	1	\$	448.85
07498352072	HSTT75-T45	HeatShrinkThn.75"Dia,YL/GR,EA,200f	Thin wall heat shrink, .75" (19.0mm) diameter, yellow/green cross-linked polyolefin, 200 ft. (61.0m) per reel.	RL	1	\$	870.24
07498391566	HSTT75-TC	HeatShrinkThn.75"Dia,CL,EA,200f	Thin wall heat shrink, .75" (19.0mm) diameter, clear cross-linked polyolefin, 200 ft. (61.0m) per reel.	RL	1	\$	471.30
07498390702	HSTT75-Y	HeatShrinkThn.,75"Dia,BL,EA	Thin wall heat shrink in 6" pieces, black, single diameter, .75" (19.0mm) diameter, cross-linked polyolefin.	PK	1	\$	16.86
07498390767	HSTT75-YK1	HeatShrinkThn.,75"Dia,MC,EA	Thin wall heat shrink in 6" pieces, multi-color, single diameter, .75" (19.0mm) diameter, cross-linked polyolefin	PK	1	\$	16.86
07498336995	HSTTA100-48-5	HeatShrinkThnAdh.,1inID,BL,PK5	The HSTTA100-48-5 Heat Shrink features an adhesive lined inner wall that seals and provides excellent prote	PC	1	\$	44.68
07498378476	HSTTA100-48-L	HeatShrinkThin,Adh.,1"Dia,BL,PK50	Thin wall adhesive lined heat shrink 4' pieces, 1" (25.4mm) diameter, adhesive lined black cross-linked polyol	PC	1	\$	32.23
61305657950	HSTTA100-48-L2	Heat Shrink Thin, Adhesive, 1.00" (19.0m		PC	1	\$	32.23
61305657947	HSTTA100-48-L6	Heat Shrink Thin, Adhesive, 1.00" (19.0m		PC	1	\$	32.23
07498370361	HSTTA100-Y	HeatShrinkThin,Adh.,1"Dia,BL,EA	Thin wall adhesive lined heat shrink in 6" pieces, 1" (25.4mm) diameter, adhesive lined black cross-linked pol	PK	1	\$	16.86
07498336971	HSTTA150-48-5	HeatShrinkThin,Adh.,1.5"Dia,BL,PK5	The HSTTA150-48-5 Thin Wall Heat Shrink features an adhesive lined inner wall that seals and provides exc	PC	1	\$	70.48
07498378479	HSTTA150-48-Q	HeatShrinkThin,Adh.,1.5"Dia,BL,PK25	The HSTTA150-48-Q Thin Wall Heat Shrink features an adhesive lined inner wall that seals and provides exc	PC	1	\$	59.66
07498370370	HSTTA150-Y	HeatShrinkThin,Adh.,1.5"Dia,BL,EA	Thin wall adhesive lined heat shrink in 6" pieces, 1.5" (38.1mm) diameter, adhesive lined black cross-linked p	PK	1	\$	16.86
07498336990	HSTTA19-48-Q	HeatShrinkThin,Adh.,.19"Dia,BL,PK25	Thin wall adhesive lined heat shrink 4' pieces, .19" (4.8mm) diameter, adhesive lined black cross-linked poly	PC	1	\$	13.19
07498370362	HSTTA19-Y	HeatShrinkThin,Adh.,.19"Dia,BL,EA	Thin wall adhesive lined heat shrink in 6" pieces, .19" (4.8mm) diameter, adhesive lined black cross-linked po	PK	1	\$	16.86
07498336991	HSTTA25-48-Q	Heat Shrink Thin Adh.,.25In ID,BLK,PK25	Thin wall adhesive lined heat shrink 4' pieces, .25" (6.4mm) diameter, adhesive lined black cross-linked polyo	PC	1	\$	16.24
07498377829	HSTTA25-48-TL	HeatShrinkThin,Adh.,.25"Dia,BL,PK250	The HSTTA25-48-TL Thin Wall Heat Shrink features an adhesive lined inner wall that seals and provides exc	PC	1	\$	13.55
07498370357	HSTTA25-Y	HeatShrinkThin,Adh.,.25"Dia,BL,EA	Thin wall adhesive lined heat shrink in 6" pieces, .25" (6.4mm) diameter, adhesive lined black cross-linked po	PK	1	\$	16.86
07498336992	HSTTA38-48-Q	HeatShrinkThin,Adh.,.375inID,BL,PK25	Thin wall adhesive lined heat shrink 4' pieces, .38" (9.5mm) diameter, adhesive lined black cross-linked poly	PC	1	\$	13.38
07498377830	HSTTA38-48-TL	HeatShrinkThin,Adh.,.38"Dia,BL,PK250	Thin wall adhesive lined heat shrink 4' pieces, .38" (9.5mm) diameter, adhesive lined black cross-linked poly	PC	1	\$	16.30
07498370358	HSTTA38-Y	HeatShrinkThin,Adh.,.38"Dia,BL,EA	Thin wall adhesive lined heat shrink in 6" pieces, .38" (9.5mm) diameter, adhesive lined black cross-linked po	PK	1	\$	16.86
07498336993	HSTTA50-48-5	Heat Shrink Thin Adh.,50in ID,BLK,PK5	The HSTTA50-48-5 Thin Wall Heat Shrink features an adhesive lined inner wall that seals and provides excel	PC	1	\$	21.50
07498377831	HSTTA50-48-T	HeatShrinkThin,Adh.,50"Dia,BL,PK200	Thin wall adhesive lined heat shrink 4' pieces, .50" (12.7mm) diameter, adhesive lined black cross-linked poly	PC	1	\$	18.50
61305657948	HSTTA50-48-T2	Heat Shrink Thin, Adhesive, .50" (19.0mm)		PC	1	\$	17.60
61305657949	HSTTA50-48-T6	Heat Shrink Thin, Adhesive, .50" (19.0mm)		PC	1	\$	17.60
07498370359	HSTTA50-Y	HeatShrinkThin,Adh.,50"Dia,BL,EA	Thin wall adhesive lined heat shrink in 6" pieces, .50" (12.7mm) diameter, adhesive lined black cross-linked p	PK	1	\$	16.86
07498336994	HSTTA75-48-5	Heat Shrink Thin Adh.,75in ID,BLK,PK5	The HSTTA75-48-5 Thin Wall Heat Shrink features an adhesive lined inner wall that seals and provides excel	PC	1	\$	30.48
07498378475	HSTTA75-48-C	HeatShrinkThin,Adh.,75"Dia,BL,PK100	Thin wall adhesive lined heat shrink 4' pieces, .75" (19.0mm) diameter, adhesive lined black cross-linked poly	PC	1	\$	24.96
61305644889	HSTTA75-48-C2	Heat Shrink Thin, Adhesive, .75" (19.0mm)		PC	1	\$	23.78
61305644890	HSTTA75-48-C6	Heat Shrink Thin, Adhesive, .75" (19.0mm)		PC	1	\$	23.78
07498370360	HSTTA75-Y	HeatShrinkThin,Adh.,75"Dia,BL,EA	Thin wall adhesive lined heat shrink in 6" pieces, .75" (19.0mm) diameter, adhesive lined black cross-linked p	PK	1	\$	16.86
07498336980	HSTTK05-48-Q	HeatShrink,ThinKynar,.05"Dia,PK25	Thin wall PVDF KYNAR heat shrink, .05" (1.2mm) diameter, clear cross-linked polyvinylidene fluoride, 25 pc.	PC	1	\$	7.04
07498336981	HSTTK06-48-Q	HeatShrink,ThinKynar,.06"Dia,PK25	Thin wall PVDF KYNAR heat shrink, .06" (1.6mm) diameter, clear cross-linked polyvinylidene fluoride, 25 pc.	PC	1	\$	7.16
07498336982	HSTTK09-48-Q	HeatShrink,ThinKynar,.09In.Dia,PK25	Thin wall PVDF KYNAR heat shrink, .09" (2.4mm) diameter, clear cross-linked polyvinylidene fluoride, 25 pc.	PC	1	\$	8.16
07498336989	HSTTK100-48-5	HeatShrink,ThinKynar,1In.Dia,PK5	Thin wall PVDF KYNAR heat shrink, 1" (25.4mm) diameter, clear cross-linked polyvinylidene fluoride, 5 pc. p	PC	1	\$	115.59
07498336983	HSTTK12-48-Q	HeatShrink,ThinKynar,12"Dia,PK25	Thin wall PVDF KYNAR heat shrink, .12" (3.2mm) diameter, clear cross-linked polyvinylidene fluoride, 25 pc.	PC	1	\$	9.00
07498336984	HSTTK19-48-Q	HeatShrink,ThinKynar,19"Dia,PK25	Thin wall PVDF KYNAR heat shrink, .19" (4.8mm) diameter, clear cross-linked polyvinylidene fluoride, 25 pc.	PC	1	\$	13.86
07498336985	HSTTK25-48-Q	HeatShrink,ThinKynar,25"Dia,PK25	Thin wall PVDF KYNAR heat shrink, .25" (6.4mm) diameter, clear cross-linked polyvinylidene fluoride, 25 pc.	PC	1	\$	17.39
07498336986	HSTTK38-48-Q	HeatShrink,ThinKynar,38"Dia,PK25	Thin wall PVDF KYNAR heat shrink, .38" (9.5mm) diameter, clear cross-linked polyvinylidene fluoride, 25 pc.	PC	1	\$	22.96
07498336987	HSTTK50-48-5	HeatShrink,ThinKynar,.50In.Dia,PK5	Thin wall PVDF KYNAR heat shrink, .50" (12.7mm) diameter, clear cross-linked polyvinylidene fluoride, 5 pc.	PC	1	\$	34.15
07498336988	HSTTK75-48-5	HeatShrink,ThinKynar,.75"Dia,PK5	Thin wall PVDF KYNAR heat shrink, .75" (19.0mm) diameter, clear cross-linked polyvinylidene fluoride, 5 pc.	PC	1	\$	62.91
07498381349	HSTTPN100-CC	Heat Shrink,Clear,1"PVC,EA	Crystal clear thin wall PVC heat shrink, 1" (25.4mm) diameter, clear polyvinyl chloride, 100 ft. (30.5m) per ree	RL	1	\$	499.08
07498381350	HSTTPN150-CC	Heat Shrink,Clear,1.5"PVC,EA	Crystal clear thin wall PVC heat shrink, 1.5" (38.1mm) diameter, clear polyvinyl chloride, 100 ft. (30.5m) per r	RL	1	\$	919.46
07498381352	HSTTPN200-CC	Heat Shrink,2"PVC,EA	Crystal clear thin wall PVC heat shrink, 2" (50.8mm) diameter, clear polyvinyl chloride, 100 ft. (30.5m) per ree	RL	1	\$	1,907.08
07498381313	HSTTPN50-CC	Heat Shrink,Clear,.50"PVC,EA	Crystal clear thin wall PVC heat shrink, .50" (12.7mm) diameter, clear polyvinyl chloride, 100 ft. (30.5m) per r	RL	1	\$	415.33
07498345433	HSTTPN62-CC	Heat Shrink,Clear,.63"PVC,EA	Crystal clear thin wall PVC heat shrink, .63" (15.8mm) diameter, clear polyvinyl chloride, 100 ft. (30.5m) per r	RL	1	\$	506.61
07498381348	HSTTPN75-CC	Heat Shrink,Clear,.75"PVC,EA	Crystal clear thin wall PVC heat shrink, .75" (19.1mm) diameter, clear polyvinyl chloride, 100 ft. (30.5m) per r	RL	1	\$	595.88
07498336970	HSTTRA100-48-5	HShrinkThinSemi-Rigid,Adh1"Dia,BL,PK5	Semi-Rigid adhesive lined heat shrink, 1" (25.4mm) diameter, adhesive lined black cross-linked polyolefin, 5 p	PC	1	\$	45.01
07498336964	HSTTRA12-48-Q	HShrinkThinSemi-Rigid,Adh.12"Dia,BL,PK25	Semi-Rigid adhesive lined heat shrink, .12" (3.2mm) diameter, adhesive lined black cross-linked polyolefin, 25	PC	1	\$	10.23
07498336965	HSTTRA19-48-Q	HShrinkThinSemi-Rigid,Adh.19"Dia,BL,PK25	Semi-Rigid adhesive lined heat shrink, .19" (4.8mm) diameter, adhesive lined black cross-linked polyolefin, 25	PC	1	\$	12.46
07498336966	HSTTRA25-48-Q	HShrinkThinSemi-Rigid,Adh.25"Dia,BL,PK25	Semi-Rigid adhesive lined heat shrink, .25" (6.4mm) diameter, adhesive lined black cross-linked polyolefin, 25	PC	1	\$	14.76
07498336967	HSTTRA38-48-Q	HShrinkThinSemi-Rigid,Adh.38"Dia,BL,PK25	Semi-Rigid adhesive lined heat shrink, .38" (9.5mm) diameter, adhesive lined black cross-linked polyolefin, 25	PC	1	\$	17.24
07498336968	HSTTRA50-48-5	HShrinkThinSemi-Rigid,Adh.50"Dia,BL,PK5	The HSTTRA50-48-5 Semi-Rigid Heat Shrink features an adhesive lined inner wall that seals and provides ex	PC	1	\$	19.41
07498336969	HSTTRA75-48-5	HShrinkThinSemi-Rigid,Adh.75"Dia,BL,PK5	Semi-Rigid adhesive lined heat shrink, .75" (19.0mm) diameter, adhesive lined black cross-linked polyolefin, 5	PC	1	\$	31.48
07498337421	HSTTT03-48-Q	Heat Shrink Thin,TFE,30AWGDia,Clear,PK25	Thin wall TFE heat shrink, 30 AWG (0.9mm) diameter, polytetrafluoroethylene (TFE), clear, 25 pc. package q	PC	1	\$	13.61
07498337422	HSTTT04-48-Q	Heat Shrink Thin,TFE,28AWGDia,Clear,PK25	Thin wall TFE heat shrink, 28 AWG (1.0mm) diameter, polytetrafluoroethylene (TFE), clear, 25 pc. package q	PC	1	\$	12.86
07498337427	HSTTT08-48-Q	Heat Shrink Thin,TFE,18AWGDia,Clear,PK25	The HSTTT08-48-Q Thin Wall Heat Shrink is designed to insulate and protect wires and cables in high temper	PC	1	\$	10.94
07498337441	HSTTT112-48-5	Heat Shrink Thin,TFE,1.12"Dia,PK5	Thin wall TFE heat shrink, 1 1/8" (28.6mm) diameter, polytetrafluoroethylene (TFE), clear, 5 pc. package qua	PC	1	\$	234.33
07498337429	HSTTT12-48-Q	Heat Shrink Thin,TFE,14AWGDia,Clear,PK25	Thin wall TFE heat shrink, 14 AWG (3.0mm) diameter, polytetrafluoroethylene (TFE), clear, 25 pc. package q	PC	1	\$	12.46
07498337430	HSTTT15-48-Q	Heat Shrink Thin,TFE,12AWGDia,Clear,PK25	Thin wall TFE heat shrink, 12 AWG (3.8mm) diameter, polytetrafluoroethylene (TFE), clear, 25 pc. package q	PC	1	\$	13.74



07498337443	HSTTT150-48-2	Heat Shrink Thin,TFE,1.50"Dia,PK2	Thin wall TFE heat shrink, 1 1/2" (38.1mm) diameter, polytetrafluoroethylene (TFE), clear, 2 pc. package qua	PC	1	\$	355.09
07498337431	HSTTT19-48-Q	Heat Shrink Thin,TFE,10AWGDia,Clear,PK25	Thin wall TFE heat shrink, 10 AWG (4.9mm) diameter, polytetrafluoroethylene (TFE), clear, 25 pc. package q	PC	1	\$	15.86
07498337432	HSTTT24-48-Q	Heat Shrink Thin,TFE,8AWGDia,Clear,PK25	Thin wall TFE heat shrink, 8 AWG (6.0mm) diameter, polytetrafluoroethylene (TFE), clear, 25 pc. package qu	PC	1	\$	26.60
07498337433	HSTTT30-48-Q	Heat Shrink Thin,TFE,6AWGDia,Clear,PK25	The HSTTT30-48-Q Thin Wall Heat Shrink is designed to insulate and protect wires and cables in high temper	PC	1	\$	29.35
07498337434	HSTTT37-48-Q	Heat Shrink Thin,TFE,4AWGDia,Clear,PK25	Thin wall TFE heat shrink, 4 AWG (9.4mm) diameter, polytetrafluoroethylene (TFE), clear, 25 pc. package qu	PC	1	\$	34.90
07498337435	HSTTT43-48-Q	Heat Shrink Thin,TFE,2AWGDia,Clear,PK25	Thin wall TFE heat shrink, 2 AWG (10.9mm) diameter, polytetrafluoroethylene (TFE), clear, 25 pc. package q	PC	1	\$	41.90
07498337436	HSTTT47-48-Q	Heat Shrink Thin,TFE,0AWGDia,Clear,PK25	Thin wall TFE heat shrink, 0 AWG (11.9mm) diameter, polytetrafluoroethylene (TFE), clear, 25 pc. package q	PC	1	\$	50.60
07498337437	HSTTT56-48-5	Heat Shrink Thin,TFE,.56"Dia,PK5	Thin wall TFE heat shrink, 9/16" (14.2mm) diameter, polytetrafluoroethylene (TFE), clear, 5 pc. package quan	PC	1	\$	90.11
07498337439	HSTTT75-48-5	Heat Shrink Thin,TFE,.93"Dia,PK5	Thin wall TFE heat shrink, 3/4" (19.1mm) diameter, polytetrafluoroethylene (TFE), clear, 5 pc. package quant	PC	1	\$	123.63
07498375755	HSTTV05-C	HeatShrinkThinVW-1.05"Dia,BL,EA,100f	Thin wall VW-1 heat shrink on 100 foot reel, .05" (1.2mm) diameter, black cross-linked polyolefin.	RL	1	\$	86.19
07498374722	HSTTV06-C	HeatShrinkThinVW-1.06"Dia,BL,EA,100f	Thin wall VW-1 heat shrink on 100 foot reel, .06" (1.6mm) diameter, black cross-linked polyolefin.	RL	1	\$	86.19
07498390672	HSTTV06-M	HShrinkThinVW-1,.06"Dia,BL,BulkReel,EA	Thin wall VW-1 heat shrink on bulk reel, .06" (1.6mm) diameter, black cross-linked polyolefin.	RL	1	\$	830.29
07498374723	HSTTV09-C	Heat Shrink ThinVW-1,.09"Dia,BL,EA	Thin wall VW-1 heat shrink on 100 foot reel, .09" (2.4mm) diameter, black cross-linked polyolefin.	RL	1	\$	90.55
07498390680	HSTTV100-C	HeatShrinkThinVW-1,1"Dia,BL,EA,100f	Thin wall VW-1 heat shrink on 100 foot reel, 1" (25.4mm) diameter, black cross-linked polyolefin.	RL	1	\$	362.45
07498374724	HSTTV12-C	HeatShrinkThinVW-1.12"Dia,BL,EA,100f	Thin wall VW-1 heat shrink on 100 foot reel, .12" (3.2mm) diameter, black cross-linked polyolefin.	RL	1	\$	96.74
07498390674	HSTTV12-M	HeatShrinkThinVW-1,.12"Dia,BL,EA,BikRI	Thin wall VW-1 heat shrink on bulk reel, .12" (3.2mm) diameter, black cross-linked polyolefin.	RL	1	\$	947.89
07498390681	HSTTV150-C	Heat Shrink ThinVW-1,1.50"Dia,BL,EA	Thin wall VW-1 heat shrink on 100 foot reel, 1.50" (38.1mm) diameter, black cross-linked polyolefin.	RL	1	\$	675.70
07498374725	HSTTV19-C	HeatShrinkThinVW-1.19"Dia,BL,EA,100f	Thin wall VW-1 heat shrink on 100 foot reel, .19" (4.8mm) diameter, black cross-linked polyolefin.	RL	1	\$	115.09
07498390675	HSTTV19-M	HeatShrinkThinVW-1,.19"Dia,BL,EA,BikRI	Thin wall VW-1 heat shrink on bulk reel, .19" (4.8mm) diameter, black cross-linked polyolefin.	RL	1	\$	1,153.54
07498390688	HSTTV25-48-Q	Heat Shrink ThinVW-1,.25"Dia,BL,PK25	Thin wall VW-1 heat shrink, .25" (6.4mm) diameter, black cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	5.73
07498374726	HSTTV25-C	HeatShrinkThinVW-1.25"Dia,BL,EA,100f	Thin wall VW-1 heat shrink on 100 foot reel, .25" (6.4mm) diameter, black cross-linked polyolefin.	RL	1	\$	142.73
07498390676	HSTTV25-D	HeatShrinkThinVW-1,.25"Dia,BL,EA,BikRI	Thin wall VW-1 heat shrink on bulk reel, .25" (6.4mm) diameter, black cross-linked polyolefin.	RL	1	\$	715.41
07498390689	HSTTV38-48-Q	Heat Shrink ThinVW-1,.38"Dia,BL,PK25	Thin wall VW-1 heat shrink, .38" (9.5mm) diameter, black cross-linked polyolefin, 25 pc. package quantity.	PC	1	\$	6.41
07498374727	HSTTV38-C	HeatShrinkThinVW-1.38"Dia,BL,EA,100f	Thin wall VW-1 heat shrink on 100 foot reel, .38" (9.5mm) diameter, black cross-linked polyolefin.	RL	1	\$	155.73
07498390677	HSTTV38-T	HeatShrinkThinVW-1,.38"Dia,BL,EA,BikRI	Thin wall VW-1 heat shrink on bulk reel, .38" (9.5mm) diameter, black cross-linked polyolefin.	RL	1	\$	317.76
07498372635	HSTTV38-Y	HeatShrinkThinVW-1,.38"Dia,BL,EA	Thin wall VW-1 heat shrink in 6" pieces, .38" (9.5mm) diameter, black cross-linked polyolefin.	PK	1	\$	16.86
07498374728	HSTTV50-C	HeatShrinkThinVW-1.50"Dia,BL,EA,100f	Thin wall VW-1 heat shrink on 100 foot reel, .50" (12.7mm) diameter, black cross-linked polyolefin.	RL	1	\$	174.24
07498390678	HSTTV50-T	HeatShrinkThinVW-1,.50"Dia,BL,EA,BikRI	Thin wall VW-1 heat shrink on bulk reel, .50" (12.7mm) diameter, black cross-linked polyolefin.	RL	1	\$	363.33
07498374729	HSTTV75-C	HeatShrinkThinVW-1.75"Dia,BL,EA,100f	Thin wall VW-1 heat shrink on 100 foot reel, .75" (19.0mm) diameter, black cross-linked polyolefin.	RL	1	\$	242.55
07498390679	HSTTV75-T	HeatShrinkThinVW-1,.75"Dia,BL,EA,BikRI	Thin wall VW-1 heat shrink on bulk reel, .75" (19.0mm) diameter, black cross-linked polyolefin.	RL	1	\$	485.39
07498336978	HSTTV100-48-5	HeatShrinkThinAdh,Fix,1iniD,BL,PK5	Flexible adhesive lined heat shrink in 4' pieces, 1" (25.4mm) diameter, adhesive lined black cross-linked poly	PC	1	\$	39.60
07498361751	HSTTV100-Y	HeatShrinkThin,Adh,.12"Dia,EA	Flexible adhesive lined heat shrink in 6" pieces, 1" (25.4mm) diameter, adhesive lined black cross-linked poly	PK	1	\$	16.86
07498336972	HSTTV12-48-Q	HeatShrinkThin,Adh,.12"Dia,PK25	Flexible adhesive lined heat shrink in 4' pieces, .12" (3.2mm) diameter, adhesive lined black cross-linked poly	PC	1	\$	11.96
07498361745	HSTTV12-Y	HeatShrinkThin,Adh,.12"Dia,EA	Flexible adhesive lined heat shrink in 6" pieces, .12" (3.2mm) diameter, adhesive lined black cross-linked poly	PK	1	\$	16.86
07498336979	HSTTV150-48-5	Heat Shrink Thin Adh, 1.5in ID,BLK,PK5	Flexible adhesive lined heat shrink in 4' pieces, 1.50" (38.1mm) diameter, adhesive lined black cross-linked p	PC	1	\$	53.78
07498336973	HSTTV19-48-Q	HeatShrinkThin,Adh,.19"Dia,PK25	Flexible adhesive lined heat shrink in 4' pieces, .19" (4.8mm) diameter, adhesive lined black cross-linked poly	PC	1	\$	13.19
07498361746	HSTTV19-Y	HeatShrinkThin,Adh,.19"Dia,EA	Flexible adhesive lined heat shrink in 6" pieces, .19" (4.8mm) diameter, adhesive lined black cross-linked poly	PK	1	\$	16.86
07498336974	HSTTV25-48-Q	HeatShrinkThin,Adh,.25"Dia,PK25	Flexible adhesive lined heat shrink in 4' pieces, .25" (6.4mm) diameter, adhesive lined black cross-linked poly	PC	1	\$	15.01
07498361747	HSTTV25-Y	HeatShrinkThin,Adh,.25"Dia,EA	Flexible adhesive lined heat shrink in 6" pieces, .25" (6.4mm) diameter, adhesive lined black cross-linked poly	PK	1	\$	16.86
07498336975	HSTTV38-48-Q	HeatShrinkThinAdh,Fix,.375iniD,BL,PK25	Flexible adhesive lined heat shrink in 4' pieces, .38" (9.5mm) diameter, adhesive lined black cross-linked poly	PC	1	\$	16.70
07498361748	HSTTV38-Y	HeatShrinkThin,Adh,.38"Dia,EA	Flexible adhesive lined heat shrink in 6" pieces, .38" (9.5mm) diameter, adhesive lined black cross-linked poly	PK	1	\$	16.86
07498336976	HSTTV50-48-5	HeatShrinkThin,Adh,.50"Dia,PK5	Flexible adhesive lined heat shrink in 4' pieces, .50" (12.7mm) diameter, adhesive lined black cross-linked pol	PC	1	\$	20.81
07498361749	HSTTV50-Y	HeatShrinkThin,Adh,.50"Dia,EA	Flexible adhesive lined heat shrink in 6" pieces, .50" (12.7mm) diameter, adhesive lined black cross-linked po	PK	1	\$	16.86
07498336977	HSTTV75-48-5	HeatShrinkThin,Adh,.75"Dia,PK5	Flexible adhesive lined heat shrink in 4' pieces, .75" (19.0mm) diameter, adhesive lined black cross-linked pol	PC	1	\$	34.71
07498361750	HSTTV75-Y	HeatShrinkThin,Adh,.75"Dia,EA	Flexible adhesive lined heat shrink in 6" pieces, .75" (19.0mm) diameter, adhesive lined black cross-linked po	PK	1	\$	16.86
07498397200	HT2S-BLK-YEL	HZ TAPE,BL/YL STRIPE 2.00 IN X 18 YD,RL1	Hazard tape, 2.00" W x 54.0' length, adhesive continuous tape, vinyl, black/yellow striped, 1 pc. package qua	RL	1	\$	54.18
07498344563	HTB3-C-M	BARRICADE TAPE,"CAUTION",BL/YL,RL1	Barriade tape, 3.00" H x 1000' length, "Caution" (legend), non-adhesive polyethylene film, black/yellow, 1 pc.	RL	1	\$	81.41
07498344075	HTCT2-2-1	HTAP,Code&Flex,Tin Plated Copper,EA	Copper Compression HTAP with code #2 - #6 AWG STR/SOL Run and Tap 1, code #8 - #14 AWG Tap 2 an	PC	1	\$	25.86
07498344081	HTCT250-2-1	HTAP,Code&Flex,Tin-Plated,EA	The HTCT250-2-1 Compression Connector Tap Used to tap into continuous conductors as a splice or pig tail	PC	1	\$	33.18
07498344084	HTCT250-250-1	HTAP,Code & Flex,Tin-Plated, EA	Copper Compression HTAP with code 250 kcmil - #2 AWG Run and Tap 1 or flex 4/0 - #2 AWG Run and Tap	PC	1	\$	34.53
07498332271	HTCT6X-6X-1	HTAP,copper,tin plated,EA	Copper Compression HTAP with code #6 - #14 AWG Run, code #6 - #14 AWG Tap 1 or flex #6 - #14 AWG	PC	1	\$	21.50
07498341215	HTDU3B-W	UGND DETECTABLE TAPE,WATER LINE,BL,RL1	Underground hazard tape, 3.00" H x 1000' length, 'Caution water line buried below' (legend), detectable lamin	RL	1	\$	334.71
07498397335	HTDU3O-FO	UGND DETECTABLE TAPE,FIBER OPTIC,OR,RL1	Underground hazard tape, 3.00" H x 1000' length, 'Caution fiber optic cable buried below' (legend), detectable	RL	1	\$	318.76
07498397337	HTDU3R-E	UGND DETECTABLE TAPE,ELEC LINE,RD,RL1	Underground hazard tape, 3.00" H x 1000' length, 'Caution electric line buried below' (legend), detectable lamin	RL	1	\$	318.76
07498397339	HTDU6O-FO	UGND DETECTABLE TAPE,FIBER OPTIC,OR,RL1	Underground hazard tape, 6.00" H x 1000' length, 'Caution fiber optic cable buried below' (legend), detectable	RL	1	\$	595.21
07498397355	HTDU6O-T	UGND DETECTABLE TAPE,TELEPHONE,OR,RL1	Underground hazard tape, 6.00" H x 1000' length, 'Caution telephone line buried below' (legend), detectable la	RL	1	\$	643.68
07498397341	HTDU6R-E	UGND DETECTABLE TAPE,ELEC LINE,RD,RL1	The HTDU6R-E Underground Hazard Tape is designed for harsh, outdoor environments. The legend reads,	RL	1	\$	613.01
61305601537	HTMLT10WEH-LP	HeatTraceWaveTie,304SS,35.9L,PK50	Panduit® Heat Trace MLT Wave-Ty® Ties are designed for superior electric heat trace installation and built	M	1000	\$	9,478.75
61305601538	HTMLT12WEH-Q	HeatTraceWaveTie,304SS,43.0L,PK25	Panduit® Heat Trace MLT Wave-Ty® Ties are designed for superior electric heat trace installation and built	M	1000	\$	11,758.45
61305601539	HTMLT16WEH-Q	HeatTraceWaveTie,304SS,55.75L,PK25	Panduit® Heat Trace MLT Wave-Ty® Ties are designed for superior electric heat trace installation and built	M	1000	\$	12,758.33
61305601542	HTMLT2.7WEH-LP	HeatTraceWaveTie,304SS,10.2L,PK50	Panduit® Heat Trace MLT Wave-Ty® Ties are designed for superior electric heat trace installation and built	M	1000	\$	3,999.49
61305601541	HTMLT26WEH-Q	HeatTraceWaveTie,304SS,87.0L,PK25	Panduit® Heat Trace MLT Wave-Ty® Ties are designed for superior electric heat trace installation and built	M	1000	\$	16,089.30
61305601540	HTMLT38WEH-Q	HeatTraceWaveTie,304SS,124.75L,PK25	Panduit® Heat Trace MLT Wave-Ty® Ties are designed for superior electric heat trace installation and built	M	1000	\$	47,753.74
61305601534	HTMLT4WEH-LP	HeatTraceWaveTie,304SS,17.1L,PK50	Panduit® Heat Trace MLT Wave-Ty® Ties are designed for superior electric heat trace installation and built	M	1000	\$	4,679.40
61305601535	HTMLT6WEH-LP	HeatTraceWaveTie,304SS,23.4L,PK50	Panduit® Heat Trace MLT Wave-Ty® Ties are designed for superior electric heat trace installation and built	M	1000	\$	5,879.24
61305601536	HTMLT8WEH-LP	HeatTraceWaveTie,304SS,29.7L,PK50	Panduit® Heat Trace MLT Wave-Ty® Ties are designed for superior electric heat trace installation and built	M	1000	\$	7,319.05
07498376047	HTMT	Tool,MLT Ties,S,L,H,H,Cross Section,EA	Installation tool for use with the following stainless steel cross section ties:Type MLT: Standard, light-heavy, a	PC	1	\$	32.74
07498345659	HTU3O-FO-M	UGND TAPE,FIBER OPTIC,OR,3.00 IN,RL1	Underground hazard tape, 3.00" H x 1000' length, 'Caution buried fiber optic cable' (legend), polyethylene, bla	RL	1	\$	82.35
07498345662	HTU3Y-E-M	UGND TAPE,ELECTRIC LINE,YL,3.00 IN,RL1	Underground hazard tape, 3.00" H x 1000' length, 'Caution electric line buried below' (legend), polyethylene, b	RL	1	\$	82.35
07498397206	HTU6O-FO	UGND TAPE,FIBER OPTIC,OR,6.00 IN,RL1	Underground hazard tape, 6.00" H x 1000' length, 'Caution buried fiber optic cable' (legend), polyethylene, bla	RL	1	\$	164.58
07498397017	HTU6O-T	UGND TAPE,TELEPHONE,OR,6.00 IN,RL1	Underground hazard tape, 6.00" H x 1000' length, 'Caution telephone line buried below' (legend), polyethylene	RL	1	\$	171.11
07498397015	HTU6R-E	UGND TAPE,ELECTRIC LINE,RD,6.00 IN,RL1	Underground hazard tape, 6.00" H x 1000' length, 'Caution electric line buried below' (legend), polyethylene, b	RL	1	\$	162.98
07498397023	HTU6Y-E	UGND TAPE,ELECTRIC LINE,YL,6.00 IN,RL1	Underground hazard tape, 6.00" H x 1000' length, 'Caution electric line buried below' (legend), polyethylene, b	RL	1	\$	174.51
07498342020	HTWC2-2-1	HTAP,Tin Plated Copper,Cover Kit,EA	The HTWC2-2-1 kit includes HTCT2-2-1 HTAP and CLRCVR2-1 clear cover and is used to tap into continuou	PC	1	\$	82.00
07498342022	HTWC250-2-1	Copper Compression HTAPs,Cover,EA	The HTWC250-2-1 HTAP Kit has a two-piece high impact plastic clear cover to provide 360° inspection of cri	PC	1	\$	99.86
07498342023	HTWC250-250-1	Copper Compression HTAP With Cover,EA	Kit contains HTCT250-250-1 HTAP and CLRCVR3-1 clear cover, terminates code 250 kcmil - #2 AWG Run	PC	1	\$	100.43
07498332273	HTWC6X-6X-1	HTAP with clear cover EA	Kit contains HTCT6X-6X-1 HTAP and CLRCVR1-1 clear cover, terminates code or flex #6 - #14 AWG Run,	PC	1	\$	63.48

07498378314	<b>HV9100-C0</b>	HyperVTie,WR,NYL,14.4L,BLK,PK100	Panduit HV9100-C0 Hyper-VTTM in line cable ties have a perfect balance of strong and flexible. They are flex	M	1000	\$	834.23
07498378317	<b>HV9150-C0</b>	HyperVTie,WR,NYL,20.7L,BLK,PK100	Panduit HV9150-C0 Hyper-VTTM in line cable ties have a perfect balance of strong and flexible. They are flex	M	1000	\$	1,533.35
07498378316	<b>HV9150-CP0</b>	HyperVTieBox,WR,NYL,20.7L,BLK,PK100	Panduit HV9150-CP0 Hyper-VTTM in line cable ties have a perfect balance of strength and flexibility. They ar	M	1000	\$	1,945.89
07498378349	<b>HV9250-C0</b>	HyperVTie,WR,NYL,33.1L,BLK,PK100	Panduit HV9250-C0 Hyper-VTTM in line cable ties have a perfect balance of strength and flexibility. They are	M	1000	\$	2,163.80
07498378312	<b>HV965-C0</b>	HyperVTie,WR,NYL,10.4L,BLK,PK100	Panduit HV965-C0 Hyper-VTTM in line cable ties have a perfect balance of strong and flexible. They are flexi	M	1000	\$	710.28
07498378350	<b>HVMPM-08-C0</b>	HyperVMasonryPshMnt,BL,PK100	Panduit HVMPM-08-C0 Hyper V masonry push mounts are mounted by tree barb, providing smooth surfaces	C	100	\$	113.35
07498301004	<b>HVTM-06-C0</b>	HyperVCableTieMnt,BL,PK100	Panduit HVTM-06-C0 Hyper V masonry push mounts are mounted by tree barb, providing smooth surfaces o	C	100	\$	106.63
07498398656	<b>HWS2819-C</b>	WireSdle,Hrzn,19"x.28"Bdle,PK100	Horizontal Wire Saddle, 100 pc.	C	100	\$	20.56
07498398657	<b>HWS2819-M</b>	WireSdle,Hrzn,19"x.28"Bdle,PK100	Panduit HWS2819-M Horizontal Wire Saddles are designed with a funnel entry to allow fast insertion of wires	M	1000	\$	126.93
07498376694	<b>ILT2S-C</b>	BeltTyTie,NYL,STD,8.3L,NAT,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	C	100	\$	32.56
07498376695	<b>ILT2S-C0</b>	BeltTyTie,WR,NYL,STD,8.3L,BLK,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	C	100	\$	36.36
07498376696	<b>ILT2S-M</b>	BeltTyTie,NYL,STD,8.3L,NAT,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	126.25
07498376697	<b>ILT2S-M0</b>	BeltTyTie,WR,NYL,STD,8.3L,BLK,PK1000	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	140.05
07498376670	<b>ILT3S-C0</b>	BeltTyTie,WR,NYL,STD,11.5L,BLK,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	C	100	\$	70.94
07498376672	<b>ILT3S-M0</b>	BeltTyTie,WR,NYL,STD,11.5L,BLK,PK1000	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	406.15
07498379516	<b>ILT4LH-TL</b>	BeltTyTie,NYL,LT-H,14.8L,NAT,PK250	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	802.79
07498379517	<b>ILT4LH-TL0</b>	BeltTyTie,WR,NYL,LT-H,14.8L,BLK,PK250	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	884.63
07498376674	<b>ILT4S-C0</b>	BeltTyTie,WR,NYL,STD,14.7L,BLK,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	C	100	\$	75.31
07498376675	<b>ILT4S-M</b>	BeltTyTie,NYL,STD,14.7L,NAT,PK1000	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	404.01
07498379519	<b>ILT6LH-C0</b>	BeltTyTie,WR,NYL,LT-H,21.2L,BLK,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,434.11
61305602377	<b>IMLT102H-L</b>	IMLT Tie, 304 SS, Heavy, 362mm (14.3")	StrongHold IMLT102H-L Self-Locking Metal Ties offer contractors an economical metal cable tie option for co	M	1000	\$	984.26
61305602302	<b>IMLT102H-L6L</b>	Japan,MLT, I-Series,362mm,316SS,PK50	StrongHold IMLT102H-L6L Self-Locking Metal Ties offer contractors an economical metal cable tie option for	M	1000	\$	1,163.21
61305602378	<b>IMLT102S-C</b>	IMLT Tie, 304 SS, Standard, 362mm (14.3")	StrongHold IMLT102S-C Self-Locking Metal Ties offer contractors an economical metal cable tie option for co	M	1000	\$	782.94
61305602359	<b>IMLT102S-C6L</b>	IMLT Tie, 316L SS, Standard, 362mm (14.3")	StrongHold IMLT102S-C6L Metal Locking Ties are suitable for a variety of environments, from general purpo	M	1000	\$	969.29
61305602379	<b>IMLT152H-L</b>	IMLT Tie, 304 SS, Heavy, 521mm (20.5")	Stronghold IMLT Tie, 304 SS, Heavy, 521mm (20.5"), 0.25 mm (0.010") thick	M	1000	\$	1,313.50
61305602303	<b>IMLT152H-L6L</b>	IMLT Tie, 316L SS, Heavy, 521mm (20.5")	Stronghold IMLT Tie, 316L SS, Heavy, 521mm (20.5"), 0.25 mm (0.010") thick	M	1000	\$	1,792.91
61305602380	<b>IMLT152S-C</b>	IMLT Tie, 304 SS, Standard, 521mm (20.5")	Stronghold IMLT Tie, 304 SS, Standard, 521mm (20.5"), 0.25 mm (0.010") thick	M	1000	\$	1,094.60
61305602381	<b>IMLT152S-C6L</b>	IMLT Tie, 316L SS, Standard, 521mm (20.5")	Stronghold IMLT Tie, 316L SS, Standard, 521mm (20.5"), 0.25 mm (0.010") thick	M	1000	\$	1,494.13
61305602382	<b>IMLT203H-L</b>	Japan,MLT, I-Series,679mm,304SS,PK50	Stronghold IMLT Tie, 304 SS, Heavy, 679mm (26.8"), 0.25 mm (0.010") thick	M	1000	\$	1,694.26
61305602304	<b>IMLT203H-L6L</b>	IMLT Tie, 316L SS, Heavy, 679mm (26.8")	Stronghold IMLT Tie, 316L SS, Heavy, 679mm (26.8"), 0.25 mm (0.010") thick	M	1000	\$	2,202.60
61305602383	<b>IMLT203S-C</b>	IMLT Tie, 304 SS, Standard, 679mm (26.8")	Stronghold IMLT Tie, 304 SS, Standard, 679mm (26.8"), 0.25 mm (0.010") thick	M	1000	\$	1,553.01
61305602384	<b>IMLT203S-C6L</b>	IMLT Tie, 316L SS, Standard, 679mm (26.8")	Stronghold IMLT Tie, 316L SS, Standard, 679mm (26.8"), 0.25 mm (0.010") thick	M	1000	\$	1,835.41
61305602361	<b>IMLT254H-L6L</b>	Japan,MLT, I-Series,838mm,316L,PK50	Stronghold IMLT Tie, 316L SS, Heavy, 838mm (33.0"), 0.25 mm (0.010") thick	M	1000	\$	2,753.16
61305602362	<b>IMLT254S-C</b>	Japan,MLT, I-Series,838mm,304SS,PK100	Stronghold IMLT Tie, 304 SS, Standard, 838mm (33.0"), 0.25 mm (0.010") thick	M	1000	\$	1,764.84
61305602363	<b>IMLT254S-C6L</b>	Japan,MLT, I-Series,838mm,316L,PK100	Stronghold IMLT Tie, 316L SS, Standard, 838mm (33.0"), 0.25 mm (0.010") thick	M	1000	\$	2,294.29
61305602368	<b>IMLT25S-C</b>	Japan,MLT, I-Series,127mm,304SS,PK100	Stronghold IMLT Tie, 304 SS,Standard, 127mm (5.0"), 0.25 mm (0.010") thick	M	1000	\$	608.25
61305602369	<b>IMLT25S-C6L</b>	Japan,MLT, I-Series,127mm,316L,PK100	Stronghold IMLT Tie, 316L SS,Standard, 127mm (5.0"), 0.25 mm (0.010") thick	M	1000	\$	869.80
61305602559	<b>IMLT304H-Q6L</b>	IMLT Tie, 316L SS, Heavy, 998mm (39.3")	Stronghold IMLT Tie, 316L SS, Heavy, 998mm (39.3"), 0.25 mm (0.010") thick	M	1000	\$	3,785.60
61305602365	<b>IMLT304S-Q</b>	IMLT Tie, 304 SS, Standard, 998mm (39.3")	Stronghold IMLT Tie, 304 SS, Standard, 998mm (39.3"), 0.25 mm (0.010") thick	M	1000	\$	2,206.09
61305602557	<b>IMLT304S-Q6L</b>	IMLT Tie, 316L SS, Standard, 998mm (39.3")	Stronghold IMLT Tie, 316L SS, Standard, 998mm (39.3"), 0.25 mm (0.010") thick	M	1000	\$	3,154.63
61305602326	<b>IMLT355H-Q</b>	IMLT Tie, 304 SS, Heavy, 1156mm (45.4")	Stronghold IMLT Tie, 304 SS, Heavy, 1156mm (45.4"), 0.25mm (0.010") thick	M	1000	\$	3,309.09
61305602305	<b>IMLT355H-Q6L</b>	IMLT Tie, 316L SS, Heavy, 1156mm (45.4")	Stronghold IMLT Tie, 316L SS, Heavy, 1156mm (45.4"), 0.25mm (0.010") thick	M	1000	\$	4,732.01
61305602374	<b>IMLT51H-L</b>	Japan,MLT, I-Series,201mm,304SS,PK50	Stronghold IMLT Tie, 304 SS, Heavy, 201mm (7.9"), 0.25 mm (0.010") thick	M	1000	\$	747.48
61305602306	<b>IMLT51H-L6L</b>	IMLT Tie, 316L SS, Heavy, 201mm (7.9")	StrongHold IMLT51H-L6L Self-Locking Metal Ties offer contractors an economical metal cable tie option for c	M	1000	\$	1,020.31
61305602375	<b>IMLT51S-C</b>	IMLT Tie, 304 SS,Standard, 201mm (7.9")	Stronghold IMLT Tie, 304 SS,Standard, 201mm (7.9"), 0.25 mm (0.010") thick	M	1000	\$	622.89
61305602376	<b>IMLT51S-C6L</b>	IMLT Tie, 316L SS,Standard, 201mm (7.9")	StrongHold IMLT51S-C6L Metal Locking Ties are suitable for a variety of environments, from general purpos	M	1000	\$	809.76
61305602371	<b>IMLT69H-L6L</b>	IMLT Tie, 316L SS, Heavy, 259mm (10.2")	Stronghold IMLT Tie, 316L SS, Heavy, 259mm (10.2"), 0.25 mm (0.010") thick	M	1000	\$	1,169.71
61305602373	<b>IMLT69S-C6L</b>	IMLT Tie, 316L SS, Standard, 259mm (10.2")	Stronghold IMLT Tie, 316L SS, Standard, 259mm (10.2"), 0.25 mm (0.010") thick	M	1000	\$	926.76
61305610873	<b>IMLTFC102H-L6L</b>	Fully Coated IMLT Tie, 316L SS,Heavy, 36	StrongHold IMLTFC102H-L6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	2,035.56
61305610860	<b>IMLTFC102S-C6L</b>	Fully Coated IMLT Tie, 316L SS,Standard,	StrongHold IMLTFC102S-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	1,685.83
61305610882	<b>IMLTFC137H-C6L</b>	Fully Coated IMLT Tie, 316L SS,Heavy, 46	StrongHold IMLTFC137H-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	3,160.66
61305610878	<b>IMLTFC137S-C6L</b>	Fully Coated IMLT Tie, 316L SS,Standard,	StrongHold IMLTFC137S-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	2,588.46
61305610874	<b>IMLTFC152H-L6L</b>	Fully Coated IMLT Tie, 316L SS, Heavy, 5	StrongHold IMLTFC152H-L6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	3,048.03
61305610865	<b>IMLTFC152S-C6L</b>	Fully Coated IMLT Tie, 316L SS, Standard,	StrongHold IMLTFC152S-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	2,838.98
61305610875	<b>IMLTFC203H-L6L</b>	Fully Coated IMLT Tie, 316L SS, Heavy, 6	StrongHold IMLTFC203H-L6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	3,931.54
61305610866	<b>IMLTFC203S-C6L</b>	Fully Coated IMLT Tie, 316L SS, Standard	StrongHold IMLTFC203S-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	3,844.99
61305610879	<b>IMLTFC38H-C6L</b>	Fully Coated IMLT Tie, 316L SS,Heavy, 15	StrongHold IMLTFC38H-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	1,764.71
61305610853	<b>IMLTFC38S-C6L</b>	Fully Coated IMLT Tie, 316L SS,Standard,	StrongHold IMLTFC38S-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	1,367.53
61305610871	<b>IMLTFC51H-L6L</b>	Fully Coated IMLT Tie, 316L SS,Heavy, 20	StrongHold IMLTFC51H-L6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	2,035.65
61305610854	<b>IMLTFC51S-C6L</b>	Fully Coated IMLT Tie, 316L SS,Standard,	StrongHold IMLTFC51S-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	1,445.43
61305610880	<b>IMLTFC64H-C6L</b>	Fully Coated IMLT Tie, 316L SS,Heavy, 23	StrongHold IMLTFC64H-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	2,012.01
61305610876	<b>IMLTFC64S-C6L</b>	Fully Coated IMLT Tie, 316L SS,Standard,	StrongHold IMLTFC64S-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	1,515.24
61305610872	<b>IMLTFC69H-L6L</b>	Fully Coated IMLT Tie, 316L SS,Heavy, 25	Stronghold Fully Coated IMLT Tie, 316L SS, Heavy, 259mm (10.2"), 0.25 mm (0.010") thick	M	1000	\$	2,141.99
61305610881	<b>IMLTFC86H-C6L</b>	Fully Coated IMLT Tie, 316L SS,Heavy, 31	StrongHold IMLTFC86H-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	2,291.29
61305610877	<b>IMLTFC86S-C6L</b>	Fully Coated IMLT Tie, 316L SS,Standard,	StrongHold IMLTFC86S-C6L Fully Coated Metal Locking Ties are suitable for a variety of environments, fro	M	1000	\$	1,601.99
61305601525	<b>IMS12T35-QR6L</b>	PanSteel ISeries Strapping,316L, 21mm,25m	Panduit® Pan-Steel® StrongHold™ Custom Strapping can be cut to meet your many project needs. Built with	RL	1	\$	62.34
61305601526	<b>IMS16T35-QR6L</b>	PanSteel ISeries Strapping,316L, 16mm,25m	Panduit® Pan-Steel® StrongHold™ Custom Strapping can be cut to meet your many project needs. Built with	RL	1	\$	73.29
61305601523	<b>IMS19T75-QR6L</b>	Custom Strapping,316L, 19mm,25m	StrongHold IMS19T75-QR6L Metal Strapping Coils offer contractors an economical option for mechanical fas	RL	1	\$	257.45
61305601524	<b>IMS9.5T35-QR6L</b>	PanSteel ISeriesStrapping,316L, 9.5mm,25m	Panduit® Pan-Steel® StrongHold™ Custom Strapping can be cut to meet your many project needs. Built with	RL	1	\$	58.76
61305601531	<b>IMSBE19-C6L</b>	PanSteel Buckle E,316SS,0.8"W,PK100	StrongHold IMSBE19-C6L E Style Buckles for metal strapping have a fold-over lock design to maintain a safe	C	100	\$	204.76
61305601532	<b>IMSBL12-C6L</b>	PanSteel Buckle L,316SS,0.5"W,PK100	StrongHold IMSBL12-C6L L Style Buckles are designed to maintain a safe and secure connec	C	100	\$	47.91
61305601533	<b>IMSBL16-C6L</b>	PanSteel Buckle L,316SS,0.6"W,PK100	StrongHold IMSBL16-C6L L Style Buckles for metal strapping have a fold-over lock design to maintain a safe	C	100	\$	62.29
61305601530	<b>IMSBL9.5-C6L</b>	PanSteel Buckle L,316SS,0.4"W,PK100	StrongHold IMSBL9.5-C6L L Style Buckles for metal strapping have a fold-over lock design to maintain a safe	C	100	\$	43.13
61305601528	<b>IMSP12T35-QR6L</b>	PanSteel ISeriesStrapping,E316L, 5",82'	StrongHold IMSP12T35-QR6L Coated Metal Strapping Coils offer contractors an economical option for mech	RL	1	\$	111.95
61305601529	<b>IMSP16T35-QR6L</b>	PanSteel ISeriesStrapping,E316L, 6",82'	StrongHold IMSP16T35-QR6L Coated Metal Strapping Coils offer contractors an economical option for mech	RL	1	\$	125.44
61305616848	<b>IMSP16T35-QR6L-B</b>	IMS Strapping Blue, 316L SS, Epoxy FC, 16m (63')	Stronghold IMS Strapping Blue, 316L SS, Epoxy FC, 16m (63')	RL	1	\$	137.99
61305601527	<b>IMSP9.5T35-QR6L</b>	PanSteel ISeriesStrapping,E316L, 4",82'	StrongHold IMSP9.5T35-QR6L Coated Metal Strapping Coils offer contractors an economical option for mec	RL	1	\$	84.46

07498341579	<b>IT9100-C0</b>	BeltTyTie,WR NYL,LT-H,14.1L,BLK,PK100	Panduit IT9100-C0 Belt-Ty™ In-Line Locking Ties are easy to use because of their low-profile snag-free head	M	1000	\$	802.13
07498353494	<b>IT9100-CUV2</b>	BeltTyTie,WR NYL,LT-H,14.1L,RED,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	802.13
0749834404	<b>IT9100-CUV4Y</b>	BeltTyTie,WR NYL,LT-H,14.1L,YEL,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	802.13
07498353496	<b>IT9100-CUV6</b>	BeltTyTie,WR NYL,LT-H,14.1L,D,BLU,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	842.23
07498353497	<b>IT9100-CUV6A</b>	BeltTyTie,WR NYL,LT-H,14.1L,L,BLU,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	842.23
07498353498	<b>IT9100-CUV7A</b>	BeltTyTie,WR NYL,LT-H,14.1L,PUR,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	842.23
07498351828	<b>IT9115-C0</b>	BeltTyTie,WR NYL,LT-H,15.3L,BLK,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498350405	<b>IT9115-CUV18B</b>	BeltTyTie,WR NYL,LT-H,15.3L,MAG,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498365373	<b>IT9115-CUV18</b>	BeltTyTie,WR NYL,LT-H,15.3L,TAN,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498350398	<b>IT9115-CUV2</b>	BeltTyTie,WR NYL,LT-H,15.3L,RED,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498334548	<b>IT9115-CUV2A</b>	BeltTyTie,WR NYL,LT-H,15.3L,B,RED,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	994.34
61305639738	<b>IT9115-CUV3</b>	Cable Tie, In-Line, 15.3L (389mm) Light	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498362677	<b>IT9115-CUV4A</b>	BeltTyTie,WR NYL,LT-H,15.3L,BSTCH,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,053.98
07498344005	<b>IT9115-CUV4Y</b>	BeltTyTie,WR NYL,LT-H,15.3L,YEL,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498350400	<b>IT9115-CUV5A</b>	BeltTyTie,WR NYL,LT-H,15.3L,GRN,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498368604	<b>IT9115-CUV5B</b>	BeltTyTie,WR NYL,LT-H,15.3L,H,GRN,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498350401	<b>IT9115-CUV6</b>	BeltTyTie,WR NYL,LT-H,15.3L,D,BLU,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498350402	<b>IT9115-CUV6A</b>	BeltTyTie,WR NYL,LT-H,15.3L,L,BLU,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498368605	<b>IT9115-CUV6B</b>	BeltTyTie,WR NYL,LT-H,15.3L,C,BLU,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498350403	<b>IT9115-CUV7A</b>	BeltTyTie,WR NYL,LT-H,15.3L,PUR,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498350404	<b>IT9115-CUV8</b>	BeltTyTie,WR NYL,LT-H,15.3L,GRY,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,003.78
07498344843	<b>IT9115-CUV8A</b>	BeltTyTie,WR NYL,LT-H,15.3L,C,GRY,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,053.98
07498341493	<b>IT940-C0</b>	BeltTyTie,WR NYL,LT-H,6.8L,BLK,PK100	Panduit IT940-C0 Belt-Ty™ In-Line Locking Ties are easy to use because of their low-profile snag-free heads	M	1000	\$	585.28
07498341577	<b>IT965-C0</b>	BeltTyTie,WR NYL,LT-H,10.1L,BLK,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	682.95
07498384101	<b>J214-312-2M</b>	Wire Joint,Non-Ins,2#14-3#12AWG,PK2000	Wire Joint, non-insulated, 2 #14 - 3 #12 AWG, bulk package.	M	1000	\$	342.13
07498384105	<b>J216-410-D</b>	Wire Joint,Non-Ins,2#16-4#10AWG,PK500	Wire Joint, non-insulated, 2 #16 - 4 #10 AWG, bulk package.	M	1000	\$	666.63
07498384102	<b>J318-412-T</b>	Wire Joint,Non-Ins,3#18-4#12AWG,PK200	Wire Joint, non-insulated, 3 #18 - 4 #12 AWG, standard package.	C	1000	\$	33.71
07498338059	<b>JMCB-X</b>	CHAINING BRACKET,PK10	Chaining bracket to extend J-Mod® capacity one level. Capacity: three levels maximum. For use with all singl	PC	1	\$	8.08
07498338188	<b>JMCMB25-1-X</b>	SINGLE-LEVEL CEILING MOUNT BRACKET,PK10	Single-level ceiling mount bracket with one 1/4 (M6) mounting hole.	PC	1	\$	4.84
07498338191	<b>JMCMB25-3-X</b>	THREE-LEVEL CEILING MOUNT BRACKET,PK10	Three-level ceiling mount bracket with one 1/4 (M6) mounting hole. Maximum capacity of six J Hooks.	PC	1	\$	7.24
07498338196	<b>JMDWB-1-X</b>	SINGLE-LEVEL DROP WIRE BRACKET,PK10	Single-level drop wire bracket. Attaches to #12 wire or 3/8 (9.5mm) threaded rod. Maximum capacity of one J	PC	1	\$	7.24
07498343288	<b>JMJH2-X20</b>	J-MOD,USE with BRACKETS,BLACK,PK10	J Hook with snap lock attachments for use with all brackets listed below. Black.	PC	1	\$	5.35
07498343289	<b>JMJH2W-X20</b>	J-MOD,2.00 in,WALL MOUNT,BLACK,PK10	J Hook for wall mount applications only. Two 1/4 (M6) mounting holes for user supplied screws.	PC	1	\$	5.80
07498339533	<b>JMSBC87-1-X</b>	SINGLE-LEVEL SCREW-ON BEAM CLAMP,PK10	Single-level screw-on beam clamp bracket for use with flanges up to 3/4 (19.1mm) thick.	PC	1	\$	11.29
07498339534	<b>JMSBC87-3-X</b>	THREE-LEVEL SCREW-ON BEAM CLAMP,PK10	Three-level screw-on beam clamp bracket for use with flanges up to 3/4 (19.1mm) thick. Maximum capacity o	PC	1	\$	14.53
07498338200	<b>JMTRB38-3-X</b>	THREE-LEVEL THREADED ROD BRACKET,PK10	Three-level threaded rod bracket. Accepts 1/4" - 3/8" (6.4mm - 9.5mm) threaded rod. Maximum capacity of s	PC	1	\$	10.90
07498384000	<b>JN218-216-C</b>	Wire Joint,Nylon Ins,CMA 1284-5160,PK100	The JN218-216-C is a nylon insulated wire joint designed to accommodate multiple wire sizes in varying com	C	100	\$	54.93
07498384001	<b>JN218-216-M</b>	Wire Joint,Nylon Ins,CMA1284-5160,PK1000	The JN218-216-M is a nylon insulated wire joint designed to accommodate multiple wire sizes in varying com	M	1000	\$	267.35
07498383998	<b>JN224-318-C</b>	Wire Joint,Nylon Ins,CMA 808-5160,PK100	Wire Joint, nylon insulated, 2 #24 - 2 #16 AWG, standard package.	C	1000	\$	56.51
07498383999	<b>JN224-318-M</b>	Wire Joint,Nylon Ins,CMA808-5160,PK1000	The JN224-318-M is a nylon insulated wire joint designed to accommodate multiple wire sizes in varying com	M	1000	\$	267.35
07498384004	<b>JN314-412-C</b>	Wire Joint,Nylon,CMA 10320-26120,PK100	The JN314-412-C is a nylon insulated wire joint designed to accommodate multiple wire sizes in varying com	C	100	\$	106.06
07498384002	<b>JN418-212-C</b>	Wire Joint,Nylon,CMA 6480-14750,PK100	The JN418-212-C is a nylon insulated wire joint designed to accommodate multiple wire sizes in varying com	C	100	\$	84.93
07498339994	<b>JN418-212-D</b>	Wire Joint,Nylon,CMA 6480-14750,PK500	The JN418-212-D is a nylon insulated wire joint designed to accommodate multiple wire sizes in varying com	M	1000	\$	494.96
07498396635	<b>JP131CMB-L20</b>	J-PRO, 1.31 in,CEILING MOUNT,BL,PK50	StrongHold JP2CMB-L20 J-Hook with Ceiling Mount Bracket has a patented design, featuring complete horiz	C	100	\$	524.40
07498344050	<b>JP131CP-L20</b>	J-PRO, 1.31 in,C-PURLIN CLIP,BL,PK50	J-PRO Cable support system, with c-purlin clip for use with vertical flanges up to 1/4 (6.4mm) thick, 1.31 (33.	C	100	\$	576.84
07498344040	<b>JP131DW-L20</b>	J-PRO, 1.31 in,DROP WIRE CLIP,BL,PK50	Panduit JP131DW-L20 J-Hook with Drop Wire and Rod Clip has a patented design, featuring complete horizo	C	100	\$	535.51
6130566642	<b>JP131HBC25RBL10</b>	J-Pro Cable Support System Hammer-On Bea	J-Pro Cable Support System Hammer-On Bea	C	100	\$	725.89
07498397705	<b>JP131HBC25RBL20</b>	J-PRO,1.31 in,1/4 HMR-ON,ROTATES,BL,PK50	StrongHold JP131HBC25RBL-L20 J-Pro™ J hook with Hammer-On Beam Clamps have a patented design, fe	C	100	\$	721.09
07498397707	<b>JP131HBC50RBL20</b>	J-PRO,1.31 in,1/2 HMR-ON,ROTATES,BL,PK50	StrongHold JP131HBC50RBL-L20 J-Pro™ J hook with Hammer-On Beam Clamps have a patented design, fe	C	100	\$	775.03
07498397718	<b>JP131HBC75RBL20</b>	J-PRO,1.31 in with 3/4 Hmr-on Beam,PK50	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 9/16 3/4 (14.3mm 19.1mm	C	100	\$	839.33
07498344041	<b>JP131SBC50-L20</b>	J-PRO,1.31 in,1/2 SCREW-ON CLAMP,BL,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, 1.31	C	100	\$	669.15
07498301615	<b>JP131SBC50RB-L</b>	J-PRO,1.31 in,1/2 SCR-ON,ROTATE,NAT,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, rotat	C	100	\$	900.25
07498397729	<b>JP131SBC50RBL20</b>	J-PRO,1.31 in,1/2 SCR-ON,ROTATES,BL,PK50	StrongHold JP131SBC50RB-L20 J-Pro™ J hook with Screw-On Beam Clamps have a patented design, featu	C	100	\$	745.53
07498344053	<b>JP131SBC87-L20</b>	J-PRO,1.31 in,3/4 SCREW-ON CLAMP,BL,PK50	StrongHold JP131SBC87-L20 J-Pro™ J hook with Screw-On Beam Clamps have a patented design, featurin	C	100	\$	760.96
07498397730	<b>JP131SBC87RBL20</b>	J-PRO,1.31 in,3/4 SCR-ON,ROTATES,BL,PK50	StrongHold JP131SBC87RBL-L20 J-Pro™ J hook with Screw-On Beam Clamps have a patented design, featu	C	100	\$	874.63
07498344051	<b>JP131UF100-L20</b>	J-PRO,1.31 in,UNDER FLR PED CLMP,BL,PK50	J-PRO Cable support system, with underfloor clamp for use with pedestal support 7/8 square or 1 1/8 - 1 3/8	C	100	\$	546.43
07498340869	<b>JP131W-L2</b>	J-PRO, 1.31in,WALL MT 1/4"SCR,RD,PK50	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	453.43
07498344038	<b>JP131W-L20</b>	J-PRO,1.31 in,WALL MOUNT,BL,PK50	StrongHold JP131W-L20 J-Pro™ J hook with Wall Mount Bracket have a patented design, featuring complete	C	100	\$	362.95
07498396633	<b>JP131WP2B-L20</b>	J-PRO, 1.31 in,WALL MOUNT BRKT, BL,PK50	J-PRO Cable support system, for powder actuated installation on walls, one 5/32 (M4) mounting hole for user	C	100	\$	397.63
07498344049	<b>JP131ZP-L20</b>	J-PRO,1.31 in,Z-PURLIN CLIP,BL,PK50	J-PRO Cable support system, with z-purlin clip for use with angled flanges up to 1/4 (6.4mm) thick, 1.31 (33	C	100	\$	576.81
61305625940	<b>JP2CMB-L</b>	J-Pro Cable Support System with Ceiling	J-Pro Cable Support System with Ceiling Mount, White	C	100	\$	733.05
07498396611	<b>JP2CMB-L20</b>	J-PRO,2.00 in,CEILING MOUNT,BL,PK50	Panduit JP2CMB-L20 J-Hook with Ceiling Mount Bracket has a patented design, featuring complete horizonta	C	100	\$	607.09
61305639577	<b>JP2CMB-L6</b>	J-Pro Cable Support System Ceiling Mount	J-PRO Cable support system, with ceiling mount bracket that has one 3/16 (M5), 1/4 (M6), and 3/8 (M10) mo	C	100	\$	675.20
07498357125	<b>JP2CP-L20</b>	J-PRO,2.00 in,C-PURLIN CLIP,BL,PK50	J-PRO Cable support system, with c-purlin clip for use with vertical flanges up to 1/4 (6.4mm) thick, 2.00 (50.	C	100	\$	663.64
07498310110	<b>JP2DW-L</b>	J-PRO,2.00 in,DROP WIRE CLIP,RED,PK50	J-PRO Cable support system, with clip for use with #12 wire and threaded rod up to 3/8 (9.5mm) in diameter	C	100	\$	745.95
07498301339	<b>JP2DW-L2</b>	J-PRO,2.00 in,DROP WIRE CLIP,NAT,PK50	J-PRO Cable support system, with clip for use with #12 wire and threaded rod up to 3/8 (9.5mm) in diameter	C	100	\$	745.95
07498357115	<b>JP2DW-L20</b>	J-PRO,2.00 in,DROP WIRE CLIP,BL,PK50	Panduit JP2DW-L20 J-Hook with Drop Wire and Rod Clip has a patented design, featuring complete horizont	C	100	\$	617.78
07498307914	<b>JP2DW-L6</b>	J-PRO,2.00 in,DROP WIRE CLIP,BU,PK50	J-PRO Cable support system, with clip for use with #12 wire and threaded rod up to 3/8 (9.5mm) in diameter	C	100	\$	745.95
61305658018	<b>JP2HBC25RB-L</b>	J-Pro Cable Support System Hammer-On Bea	J-Pro Cable Support System Hammer-On Bea	C	100	\$	776.68
61305664788	<b>JP2HBC25RB-L10</b>	J-Pro Cable Support System Hammer-On Bea	J-Pro Cable Support System Hammer-On Bea	C	100	\$	876.91
07498396613	<b>JP2HBC25RB-L20</b>	J-PRO,2.00 in,1/4 HMR-ON,ROTATES,BL,PK50	StrongHold JP2HBC25RB-L20 J-Pro™ J hook with Hammer-On Beam Clamps have a patented design, featu	C	100	\$	810.04
07498396625	<b>JP2HBC50RB-L</b>	J-PRO,2.00 in,1/2 HMR-ON,ROTATES,BL,PK50	StrongHold JP2HBC50RB-L20 J-Pro™ J hook with Hammer-On Beam Clamps have a patented design, featu	C	100	\$	820.79
07498396639	<b>JP2HBC75RB-L20</b>	J-PRO,2.00 in,3/4 HMR-ON,ROTATES,BL,PK50	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 9/16 3/4 (14.3mm 19.1mm	C	100	\$	926.10
07498357118	<b>JP2SBC50-L20</b>	J-PRO,2.00 in,1/2 SCREW-ON CLAMP,BL,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, 2.00	C	100	\$	719.85
07498396610	<b>JP2SBC50RB-L</b>	J-PRO,2.00 in,1/2 SCR-ON,ROTATE,NAT,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, rotat	C	100	\$	1,047.59
07498396615	<b>JP2SBC50RB-L20</b>	J-PRO,2.00 in,1/2 SCR-ON,ROTATES,BL,PK50	Panduit JP2SBC50RB-L20 J-Hook Screw on Beam Clamp has a patented design, featuring complete horizon	C	100	\$	828.14
07498353369	<b>JP2SBC87-L20</b>	J-PRO,2.00 in,3/4 SCREW-ON CLMP,BL,PK50	StrongHold JP2SBC87-L20 J-Pro™ J hook with Screw-On Beam Clamps have a patented design, featuring c	C	100	\$	848.44

07498396624	<b>JP2SBC87RB-L20</b>	J-PRO,2.00 in,3/4 SCR-ON,ROTATES,BL,PK50	StrongHold JP2SBC87RB-L20 J-Pro™ J hook with Screw-On Beam Clamps have a patented design, featurin	C	100	\$	916.29
07498357126	<b>JP2UF100-L20</b>	J-PRO,2.00 in,UNDER FLR PED CLMP,BL,PK50	J-PRO Cable support system, with underfloor clamp for use with pedestal support 7/8 square or 1 1/8 - 1 3/8	C	100	\$	603.10
07498312199	<b>JP2W-L</b>	J-PRO,2.00 in,WALL MOUNT,NAT,PK50	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	576.18
07498301338	<b>JP2W-L2</b>	J-PRO,2.00 in,WALL MOUNT,RED,PK50	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	603.60
07498357112	<b>JP2W-L20</b>	J-PRO,2.00 in,WALL MOUNT,BL,PK50	Panduit JP2W-L20 J-Hook for wall mount application have a patented design, featuring complete horizontal a	C	100	\$	438.46
07498312596	<b>JP2W-L3</b>	J-PRO,2.00 in,WALL MOUNT,OR,PK50	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	576.18
07498307912	<b>JP2W-L6</b>	J-PRO,2.00 in,WALL MOUNT,BU,PK50	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	576.18
07498396602	<b>JP2WFP2B-L20</b>	J-PRO,2.00 in,WALL MOUNT BRKT,BL,PK50	J-PRO Cable support system, for powder actuated installation on walls, one 5/32 (M4) mounting hole for user	C	100	\$	480.28
07498357124	<b>JP2ZP-L20</b>	J-PRO,2.00 in,Z-PURLIN CLIP,BL,PK50	J-PRO Cable support system, with z-purlin clip for use with angled flanges up to 1/4 (6.4mm) thick, 2.00 (50.8	C	100	\$	663.64
07498396614	<b>JP4CMB-X20</b>	J-PRO,4.00 in,CEILING MOUNT,BL,PK10	StrongHold JP4CMB-X20 J-Hook with Ceiling Mount Bracket has a patented design, featuring complete horiz	C	100	\$	1,108.18
61305602291	<b>JP4DW-X20</b>	J-Pro Cable Support System Drop Wire and	Panduit JP4DW-X20 J-Hook with Drop Wire and Rod Clip has a patented design, featuring complete horizont	C	100	\$	1,165.80
61305658019	<b>JP4HBC25RB-X</b>	J-Pro Cable Support System Hammer-On Bea	J-Pro Cable Support System Hammer-On Beam Clamps, Natural	C	100	\$	1,232.46
61305664767	<b>JP4HBC25RB-X10</b>	J-Pro Cable Support System Hammer-On Bea		C	100	\$	1,278.76
07498397733	<b>JP4HBC25RB-X20</b>	J-PRO,4.00 in,1/4 HMR-ON,ROTATES,BL,PK10	StrongHold JP4HBC25RB-X20 J-Pro™ J hook with Hammer-On Beam Clamps have a patented design, feat	C	100	\$	1,244.31
07498397737	<b>JP4HBC50RB-X20</b>	J-PRO,4.00 in,1/2 HMR-ON,ROTATE,BL,PK10	StrongHold JP4HBC50RB-X20 J-Pro™ J hook with Hammer-On Beam Clamps have a patented design, feat	C	100	\$	1,251.39
07498397738	<b>JP4HBC75RB-X20</b>	J-PRO,4.00 in,3/4 HMR-ON,ROTATE,BL,PK10	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 9/16 3/4 (14.3mm 19.1mm	C	100	\$	1,378.23
07498344059	<b>JP4SBC50-X20</b>	J-PRO,4.00 in,1/2 SCREW-ON CLMP,BL,PK10	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, 4.00	C	100	\$	1,207.98
07498397739	<b>JP4SBC50RB-X</b>	J-PRO,4.00in,1/2 SCREW-ON CLMP,NAT,PK10	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, rotat	C	100	\$	1,447.48
07498397741	<b>JP4SBC50RB-X20</b>	J-PRO,4.00 in,1/2 SCR-ON,ROTATES,BL,PK10	StrongHold JP4SBC50RB-X20 J-Pro™ J hook with Screw-On Beam Clamps have a patented design, featuri	C	100	\$	1,258.68
07498363697	<b>JP4SBC87-X</b>	J-PRO,4.00 in,3/4 SCREW-ON CLMP,NAT,PK10	J-Pro Cable Support System Screw-On Beam Clamp	C	100	\$	1,599.63
07498344073	<b>JP4SBC87-X20</b>	J-PRO,4.00 in,3/4 SCREW-ON CLMP,BL,PK10	StrongHold JP4SBC87-X20 J-Pro™ J hook with Screw-On Beam Clamps have a patented design, featuring c	C	100	\$	1,327.75
07498397742	<b>JP4SBC87RB-X20</b>	J-PRO,4.00 in,3/4 SCR-ON,ROTATES,BL,PK50	StrongHold JP4SBC87RB-X20 J-Pro™ J hook with Screw-On Beam Clamps have a patented design, featur	C	100	\$	1,377.38
07498344070	<b>JP4UF100-X20</b>	J-PRO,4.00 in,UNDER FLR PED CLMP,BL,PK10	J-PRO Cable support system, with underfloor clamp for use with pedestal support 7/8 square or 1 1/8 - 1 3/8	C	100	\$	1,083.56
07498310159	<b>JP4W-X</b>	J-PRO,4.00 in,WALL MOUNT,NAT,PK10	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	1,097.56
07498344056	<b>JP4W-X20</b>	J-PRO,4.00 in,WALL MOUNT,BL,PK10	StrongHold JP4W-X20 J-Pro™ J hook with Wall Mount Bracket have a patented design, featuring complete h	C	100	\$	852.51
07498396638	<b>JP4WP2B-X20</b>	J-PRO,4.00 in,WALL MOUNT BRKT,BL,PK10	J-PRO Cable support system, for powder actuated installation on walls, one 5/32 (M4) mounting hole for user	C	100	\$	910.84
07498344067	<b>JP4ZP-X20</b>	J-PRO,4.00 in,Z-PURLIN CLIP,BL,PK10	J-PRO Cable support system, with z-purlin clip for use with angled flanges up to 1/4 (6.4mm) thick, 4.00 (101	C	100	\$	1,168.91
07498331766	<b>JP75CMB-L20</b>	J-PRO, .75 in,CEILING MOUNT,BL,PK50	StrongHold JP75CMB-L20 J-Hook with Ceiling Mount Bracket has a patented design, featuring complete hori	C	100	\$	366.44
07498344031	<b>JP75CP-L20</b>	J-PRO, .75 in,C-PURLIN CLIP,BL,PK50	J-PRO Cable support system, with c-purlin clip for use with vertical flanges up to 1/4 (6.4mm) thick, 0.75 (19.	C	100	\$	419.95
07498301335	<b>JP75DW-L2</b>	J-PRO, .75 in,DROP WIRE CLIP,RED,PK50	J-PRO Cable support system, with clip for use with #12 wire and threaded rod up to 3/8 (9.5mm) in diameter	C	100	\$	456.25
07498344022	<b>JP75DW-L20</b>	J-PRO, .75 in,DROP WIRE CLIP,BL,PK50	Panduit JP75DW-L20 J-Hook with Drop Wire and Rod Clip has a patented design, featuring complete horizon	C	100	\$	377.86
07498397743	<b>JP75HBC25RB-L20</b>	J-PRO, .75 in,1/4 HMR-ON,ROTATES,BL,PK50	StrongHold JP75HBC25RB-L20 J-Pro™ J hook with Hammer-On Beam Clamps have a patented design, fea	C	100	\$	533.68
07498397745	<b>JP75HBC50RB-L2</b>	J-PRO, .75 in,1/2 HMR-ON,ROTATES,RED,PK50	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 5/16 1/2 (7.9mm 12.7mm)	C	100	\$	634.73
07498397746	<b>JP75HBC50RB-L20</b>	J-PRO, .75 in,1/2 HMR-ON,ROTATES,BL,PK50	StrongHold JP75HBC50RB-L20 J-Pro™ J hook with Hammer-On Beam Clamps have a patented design, fea	C	100	\$	551.94
07498397747	<b>JP75HBC75RB-L20</b>	J-PRO, .75 in,3/4 HMR-ON,ROTATES,BL,PK50	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 9/16 3/4 (14.3mm 19.1mm	C	100	\$	641.03
07498344023	<b>JP75SBC50-L20</b>	J-PRO, .75 in,1/2 SCREW-ON CLMP,BL,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, 0.75	C	100	\$	503.21
07498397732	<b>JP75SBC50RB-L20</b>	J-PRO, .75 in,1/2 SCR-ON,ROTATE,BL,PK50	StrongHold JP75SBC50RB-L20 J-Pro™ J hook with Screw-On Beam Clamps have a patented design, featur	C	100	\$	587.55
07498344035	<b>JP75SBC87-L20</b>	J-PRO, .75 in,3/4 SCREW-ON CLMP,BL,PK50	StrongHold JP75SBC87-L20 J-Pro™ J hook with Screw-On Beam Clamps have a patented design, featuring	C	100	\$	622.70
07498397754	<b>JP75SBC87RB-L20</b>	J-PRO, .75 in,3/4 SCR-ON,ROTATE,BL,PK50	StrongHold JP75SBC87RB-L20 J-Pro™ J hook with Screw-On Beam Clamps have a patented design, featur	C	100	\$	708.14
07498344032	<b>JP75UF100-L20</b>	J-PRO, .75 in,UNDER FLR PED CLMP,BL,PK50	J-PRO Cable support system, with underfloor clamp for use with pedestal support 7/8 square or 1 1/8 - 1 3/8	C	100	\$	380.55
07498301334	<b>JP75W-L2</b>	J-PRO, .75 in,WALL MOUNT,RED,PK50	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	263.15
07498344020	<b>JP75W-L20</b>	J-PRO, .75 in,WALL MOUNT,BL,PK50	StrongHold JP75W-L20 J-Pro™ J hook with Wall Mount Bracket have a patented design, featuring complete	C	100	\$	210.65
07498397111	<b>JP75WP2B-L20</b>	J-PRO, .75 in,WALL MOUNT BRKT,BL,PK50	J-PRO Cable support system, for powder actuated installation on walls, one 5/32 (M4) mounting hole for user	C	100	\$	230.75
07498344029	<b>JP75ZP-L20</b>	J-PRO, .75 in,Z-PURLIN CLIP,BL,PK50	J-PRO Cable support system, with z-purlin clip for use with angled flanges up to 1/4 (6.4mm) thick, 0.75 (19.0	C	100	\$	419.95
07498386225	<b>K-1000</b>	Empty Steel Terminal Kit Box	Empty steel box, 20 terminal compartments and one tool compartment, dimensions: 2.00H x 13.33W x 9.33	PK	1	\$	114.31
07498379730	<b>K-1102Y</b>	Vinyl Terminal Kit in Steel Box	Includes the following: (100) PV18-6LF; PV18-8LF; PV14-8LF; PV14-10LF; BSV18X; BSV14X; (50) PV10-10	KT	1	\$	927.50
07498379731	<b>K-1103Y</b>	Disconnect Kit in Steel Box	Includes the following: (100) DV18-250B; DV14-250B; DV14-250MB; D18-250; D14-250; (50) DV10-250; D1	KT	1	\$	894.98
07498386234	<b>K-1104</b>	Nylon Terminal Kit in Steel Box	Includes the following: (50) PN18-10R; PN14-6R; PN14-10R; PN18-6F; PN14-6F; PN14-10F; (25) PN10-10	PK	1	\$	970.96
07498386100	<b>K-205</b>	CableTie,TerminalKit,SteelBox,EA	Kit for Indoor Use Pan-Ty® Cable Ties, cable tie installation tool, terminals, splices and crimp tool: (1) GTS-E	KT	1	\$	808.78
07498350406	<b>K1-PNKIT</b>	Nylon Terminal Industrial Maint Kit	The K1-PNKIT Industrial Maintenance Kit provides individual compartments for storing Panduit Terminals. Th	KT	1	\$	823.73
07498376004	<b>K2-BLD2</b>	Blade Kit,GS2B,GS2BL,PPTS Tools,EA	Blade Replacement Kit for GS2B and PPTS (all versions).	KT	1	\$	49.91
07498379732	<b>K2-PVKITY</b>	Vinyl Terminal Industrial Maint Kit	The K2-PVKITY Industrial Maintenance Kit provides individual compartments for storing Panduit Terminals. T	PC	1	\$	631.51
07498362313	<b>K4EH-BLD</b>	Replacement Blade Kit,GS4EH Tool,EA	Blade Replacement Kit for GS4EH Series.	PC	1	\$	78.05
07498375922	<b>K4H-BLD</b>	Replacement Blade Kit,GS4H Tool,EA	Blade Replacement Kit for GS4H Series (3-screw blade guard only).	KT	1	\$	48.51
07498375915	<b>K4M-BLD</b>	Blade Replacement Kit For GS4MT,EA	Replacement cutter blade for GS4MT.	KT	1	\$	184.16
07498375923	<b>K4MTG</b>	Gripper Replacement Kit For GS4MT,EA	Replacement tension gripper for GS4MT.	KT	1	\$	335.68
61305617432	<b>KA22-1</b>	Aluminum Hex Die, 6 ton, #1 AWG.	KA22 Series, Aluminum Hex Die, 6 ton, #1 AWG.	PC	1	\$	214.68
61305617433	<b>KA22-1/0</b>	Aluminum Hex Die, 6 ton, 1/0 AWG.	KA22 Series, Aluminum Hex Die, 6 ton, 1/0 AWG.	PC	1	\$	217.19
61305617431	<b>KA22-2</b>	Aluminum Hex Die, 6 ton, #2 AWG.	KA22 Series, Aluminum Hex Die, 6 ton, #2 AWG.	PC	1	\$	214.68
61305617434	<b>KA22-2/0</b>	Aluminum Hex Die, 6 ton, 2/0 AWG.	KA22 Series, Aluminum Hex Die, 6 ton, 2/0 AWG.	PC	1	\$	227.54
61305617437	<b>KA22-250</b>	Aluminum Hex Die, 6 ton, 250 kcmil.	KA22 Series, Aluminum Hex Die, 6 ton, 250 kcmil.	PC	1	\$	227.54
61305617435	<b>KA22-3/0</b>	Aluminum Hex Die, 6 ton, 3/0 AWG.	KA22 Series, Aluminum Hex Die, 6 ton, 3/0 AWG.	PC	1	\$	227.54
61305617438	<b>KA22-300</b>	Aluminum Hex Die, 6 ton, 300 kcmil.	KA22 Series, Aluminum Hex Die, 6 ton, 300 kcmil.	PC	1	\$	227.54
61305617439	<b>KA22-350</b>	Aluminum Hex Die, 6 ton, 350 kcmil.	KA22 Series, Aluminum Hex Die, 6 ton, 350 kcmil.	PC	1	\$	227.54
61305617430	<b>KA22-4</b>	Aluminum Hex Die, 6 ton, #4 AWG.	KA22 Series, Aluminum Hex Die, 6 ton, #4 AWG.	PC	1	\$	214.68
61305617436	<b>KA22-4/0</b>	Aluminum Hex Die, 6 ton, 4/0 AWG.	KA22 Series, Aluminum Hex Die, 6 ton, 4/0 AWG.	PC	1	\$	227.54
61305617429	<b>KA22-6</b>	Aluminum Hex Die, 6 ton, #6 AWG.	KA22 Series, Aluminum Hex Die, 6 ton, #6 AWG.	PC	1	\$	214.68
61305617457	<b>KA4-1</b>	Aluminum Hex Die, 4 ton, #1 AWG.	KA4 Series, Aluminum Hex Die, 4 ton, #1 AWG.	PC	1	\$	216.95
61305617458	<b>KA4-1/0</b>	Aluminum Hex Die, 4 ton, 1/0 AWG.	KA4 Series, Aluminum Hex Die, 4 ton, 1/0 AWG.	PC	1	\$	216.95
61305617456	<b>KA4-2</b>	Aluminum Hex Die, 4 ton, #2 AWG.	KA4 Series, Aluminum Hex Die, 4 ton, #2 AWG.	PC	1	\$	238.64
61305617459	<b>KA4-2/0</b>	Aluminum Hex Die, 4 ton, 2/0 AWG.	KA4 Series, Aluminum Hex Die, 4 ton, 2/0 AWG.	PC	1	\$	238.64
61305617455	<b>KA4-4</b>	Aluminum Hex Die, 4 ton, #4 AWG.	KA4 Series, Aluminum Hex Die, 4 ton, #4 AWG.	PC	1	\$	238.64
61305617454	<b>KA4-6</b>	Aluminum Hex Die, 4 ton, #6 AWG.	KA4 Series, Aluminum Hex Die, 4 ton, #6 AWG.	PC	1	\$	238.64
07498353620	<b>KB-550</b>	CbleTieAssortKit,PLT Ties,EA	Assortment Pack for Indoor and Outdoor UsePan-Ty® Cable Ties:Natural Nylon 6.6(15) PLT1M(15) PLT1.5(	KT	1	\$	35.39
07498362614	<b>KB-551</b>	CbleTieAssortKit,BT Ties,EA	Assortment Pack for Indoor and Outdoor UseDome-Top® Barb Ty Cable Ties:Natural Nylon 6.6(15) BT1M(1	KT	1	\$	37.05
07498304113	<b>KBGPAT</b>	Bevel Gear & Bevel Pin & Hardware Spare		KT	1	\$	-
61305671765	<b>KC22-1</b>	KC22 Series Hex Crimp Die, #1 AWG	KC22 Series Hex Crimp Die, #1 AWG	PC	1	\$	195.19

61305671766	KC22-1/0	KC22 Series Hex Crimp Die, 1/0 AWG	KC22 Series Hex Crimp Die, 1/0 AWG	PC	1	\$	195.19
61305671764	KC22-2	KC22 Series Hex Crimp Die, #2 AWG	KC22 Series Hex Crimp Die, #2 AWG	PC	1	\$	195.19
61305671767	KC22-2/0	KC22 Series Hex Crimp Die, 2/0 AWG	KC22 Series Hex Crimp Die, 2/0 AWG	PC	1	\$	195.19
61305671768	KC22-3/0	KC22 Series Hex Crimp Die, 3/0 AWG		PC	1	\$	195.19
61305671763	KC22-4	KC22 Series Hex Crimp Die, #4 AWG	KC22 Series Hex Crimp Die, #4 AWG	PC	1	\$	195.19
61305671769	KC22-4/0	KC22 Series Hex Crimp Die, 4/0 AWG	KC22 Series Hex Crimp Die, 4/0 AWG	PC	1	\$	195.19
61305671770	KC22-400	KC22 Series Hex Crimp Die, 400kcmil		PC	1	\$	195.19
61305671762	KC22-6	KC22 Series Hex Crimp Die, #6 AWG	KC22 Series Hex Crimp Die, #6 AWG	PC	1	\$	195.19
61305617465	KC22-600B	Copper Code Hex Die, 600 kcmil.	The KC22-600B Hex style crimp die is for use with 600 kcmil copper code conductor in Panduit tools: CT-300	PC	1	\$	195.16
61305671760	KC22-8	KC22 Series Hex Crimp Die, #8 AWG	KC22 Series Hex Crimp Die, #8 AWG	PC	1	\$	195.19
61305617445	KC4-1	Copper Code Hex Die, 4 ton, #1 AWG.	Crimp die for use with #1 AWG copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, CT-	PC	1	\$	227.54
61305617446	KC4-1/0	Copper Code Hex Die, 4 ton, 1/0 AWG.	Crimp die for use with #1/0 AWG copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, C	PC	1	\$	227.54
61305617444	KC4-2	Copper Code Hex Die, 4 ton, #2 AWG.	Crimp die for use with #2 AWG copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, CT-	PC	1	\$	217.19
61305617447	KC4-2/0	Copper Code Hex Die, 4 ton, 2/0 AWG.	Crimp die for use with #2/0 AWG copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, C	PC	1	\$	227.54
61305617450	KC4-250	Copper Code Hex Die, 4 ton, 250 kcmil.	Crimp die for use with 250 kcmil copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, CT	PC	1	\$	214.68
61305617448	KC4-3/0	Copper Code Hex Die, 4 ton, 3/0 AWG.	Crimp die for use with 3/0 AWG copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, CT	PC	1	\$	227.54
61305617451	KC4-300	Copper Code Hex Die, 4 ton, 300 kcmil.	Crimp die for use with 300 kcmil copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, CT	PC	1	\$	214.68
61305617443	KC4-4	Copper Code Hex Die, 4 ton, #4 AWG.	Crimp die for use with #4 AWG copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, CT-	PC	1	\$	217.19
61305617449	KC4-4/0	Copper Code Hex Die, 4 ton, 4/0 AWG.	Crimp die for use with #4/0 AWG copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, C	PC	1	\$	227.54
61305617442	KC4-6	Copper Code Hex Die, 4 ton, #6 AWG.	Crimp die for use with #6 AWG copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, CT-	PC	1	\$	217.19
61305617441	KC4-8	Copper Code Hex Die, 4 ton, #8 AWG.	Crimp die for use with #8 AWG copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, CT-	PC	1	\$	217.19
61305617441	KC4-8	Copper Code Hex Die, 4 ton, #8 AWG.	Crimp die for use with #8 AWG copper Code conductor size in Panduit tools: CT-2600/L, CT-2600/LINT, CT-	PC	1	\$	217.19
61498342216	KCT100X	Spring Kit for CT-1002 Ferrule Crimp Tool	Spring kit for CT-1002 Ferrule crimping tool.	PC	1	\$	34.21
61305668593	GS24-ETLS	GS2B-E, GS4H-E Tension Lockout Kit	Screw Type Tension Lockout Kit for GS2B-E, GS4H-E, GS4EH-E and GS4MT-E Cable Tie Tools	PC	1	\$	24.74
61305616632	KGTH-EBLD	BLADE REPLACEMENT	Blade Replacement Kit (Compatible with GTH-E and GS4H-E Tools).	PC	1	\$	56.84
61305623568	KGTH-EWBLD	Wider Blade Replacement Kit*GTH-E	Wider Blade Replacement Kit (Compatible with GTH-E tools made after December 2018)	PC	1	\$	54.13
61305616632	KGTH-EBLD	Replacement Blade Kit,GTH Tool,EA	Blade Replacement Kit for GTH.	PC	1	\$	56.84
61305602556	KGTS-ETL	Tool Tension. Lock Kit,GTS-E Tool,EA	Snap-in Type Tension Lockout Kit for GTS-E, GTH-E, GS2B-E, GS4H-E, GS4EH-E and GS4MT-E Cable Ti	PC	1	\$	19.45
61305664933	KGTS-ETLS	Screw-Type Tension Lockout Kit for GTS-E	Screw Type Tension Lockout Kit for GTS-E and GTH-E Cable Tie Tool	PC	1	\$	24.74
61305635806	KIMS-H366-C2	CbleTieMnt,Knck-InLowProf,RD,PK1000	The push rivet applied low profile cable tie mount in red with 0.144" (3.7 mm) hole keeps bundle close to mou	C	100	\$	58.36
61305635807	KIMS-H366-M2	CbleTieMnt,Knck-InLowProf,RD,PK1000	The push rivet applied low profile cable tie mount in red with 0.144" (3.7 mm) hole keeps bundle close to mou	M	1000	\$	371.55
61305635808	KIMS-H430-C6	CbleTieMnt,Knck-InLowProf,BU,PK1000	The push rivet applied low profile cable tie mount in blue with 0.169" (4.3 mm) hole keeps bundle close to mou	C	100	\$	59.48
61305635809	KIMS-H430-M6	CbleTieMnt,Knck-InLowProf,BU,PK1000	Panduit KIMS-H430-M6 Push Rivet low profile cable tie mounts keep bundles close to the mounting surface a	M	1000	\$	343.56
61305635810	KIMS-H500-C4	CbleTieMnt,Knck-InLowProf,YL,PK1000	The push rivet applied low profile cable tie mount in yellow with 0.196" (5.0 mm) hole keeps bundle close to m	C	100	\$	60.10
61305635811	KIMS-H500-M4	CbleTieMnt,Knck-InLowProf,YL,PK1000	Panduit KIMS-H500-M4 Push Rivet low profile cable tie mounts keep bundles close to the mounting surface a	M	1000	\$	346.99
613056302305	KMTRTH	InstallationKit,MTRT Tool,Hvy,MRT Tie,EA	Change over kits allow for installation of heavy cross section MRT and MRS style ties, and MRT double wrap	PC	1	\$	906.73
613056302306	KMTRTLS	InstallationKit,MTRT Tool,S-LH,MRTTie,EA	Change over kits allow for installation of light-heavy and standard cross section MRT and MRS style ties, and	PC	1	\$	906.73
61305639745	KP-1075Y	Plastic Kit Assort Ins Terminal w/0 Tool	Terminal kit without crimping tool. Includes the following: (20) PV18-8R; PV18-6F; PV14-8F; PV14-10R; (10)	KT	1	\$	107.06
61305639733	KP-1165Y	Plastic Kit Assort Ins Terminal w/0 Tool	Includes the following: (18) PV18-8R; PV14-10R; PV18-6F; PV14-8F; (10) PV10-8R; PV10-10R; BSV18X; BS	KT	1	\$	221.31
61305636246	KP-1166	Plastic Kit Assort Non-Ins Terminal w/0 Tool	Includes the following: (18) P18-8R; P14-10R; P18-6F; P14-8F; (10) P10-8R; P10-10R; BS18; BS14; BS10;	PK	1	\$	199.75
61305635991	KP-506A	CbleTie,MountKit,PlasticBox,EA	Kit for Indoor UsePan-Ty@ Cable Ties and Mounts:Natural Nylon 6.6 (100) PLT1M(100) PLT1.5I(100) PLT2S	KT	1	\$	118.70
61305635992	KP-506A-0	CbleTie,MountKit,PlasticBox,W/WR,EA	Kit for Outdoor UsePan-Ty@ Cable Ties and Mounts:Black Weather Resistant Nylon 6.6(100) PLT1M-0(100)	KT	1	\$	133.00
613056349653	KP-507	Fixed Dia Clamp Kit,Nat,EA	Cable clamp kit for indoor use contains an assortment of fixed diameter clamps made of Nylon 6.6 in a sturdy	KT	1	\$	221.44
61305635817	KP-509	CableandWireAcc.Kit,Indoor,EA	Cable tie and accessory kit for indoor use contains Pan-Ty@ Cable Ties in different styles, sizes, and colors a	KT	1	\$	287.04
613056377234	KP-F1	Ferrule Kit, Assort Non-Insul, 22-14AWG	Ferrule kit includes: #22 " 14 AWG non-insulated ferrules. Case includes: 500 pieces of F75-6, 400 pieces ea	PK	1	\$	220.28
613056377235	KP-F2	Ferrule Kit, Assort Non-Insul, 12-6AWG	Ferrule kit includes: #12 " 6 AWG non-insulated ferrules. Case includes: 150 pieces of F81-9, 100 pieces of F	PK	1	\$	147.93
613056377231	KP-FSD1	Ferrule Kit, Assort Insulated, 24-18AWG	Ferrule kit includes: #24 " 18 AWG insulated DIN ferrules. Case includes: 30 pieces each of FSD73-6, FSD7	PK	1	\$	136.94
613056377232	KP-FSD2	Ferrule Kit, Assort Insulated, 22-14AWG	The Panduit KP-FSD2 Ferrule Assortment Kit is suitable for storing and transporting an assortment of Pandui	PK	1	\$	162.39
613056377233	KP-FSD3	Ferrule Kit, Assort Insulated, 12-6AWG	Ferrule kit includes: #12 " 6 AWG insulated DIN ferrules. Case includes: 50 pieces of FSD81-10, 20 pieces e	PK	1	\$	143.79
613056370364	KP-HSTT1	Heat Shrink ThinK,.19"-50",BL,EA	Heat shrink kit box - plastic case, various sizes, various colors. For DRY Locations.	KT	1	\$	99.45
613056370365	KP-HSTT2	HeatShrinkThinK,.19"-50",Multi-color,EA	Heat shrink kit box - plastic case, various sizes, various colors. For DRY Locations.	KT	1	\$	99.45
613056370366	KP-HSTTA	HeatShrinkThinAdhK,.19"-1",BL,EA	Dual Wall Adhesive Lined Thin Wall Heat Shrink: Plastic Kit Box - Black only. For DAMP Locations.	KT	1	\$	158.80
613056391237	KPTSTL	Tool Tension Kit,PTS-PTH Tools,EA	Tension Locking Kit used with PTS and PTH tools. Cover to prevent changing tension settings.	PC	1	\$	17.83
613056311291	KRT2BLD	Replacement Blade for RT2HT-BT2HT,EA	Replacement cutter blade for RT2HT and BT2HT.	PC	1	\$	386.78
613056311292	KRT2HNDL	Replacement Handle for RT2HT- BT2HT,EA	Replacement cutter handle for RT2HT and BT2HT.	PC	1	\$	96.69
61305676673	KST100-BLDS	Straight Blade Kit for ST-100 Strip Tool	Straight Blade Replacement Kit for ST-100 Strip Tool	PC	1	\$	36.24
61305676672	KST100-BLDV	V-Blade Kit for ST-100 Strip Tool	V-Blade Replacement Kit for ST-100 Strip Tool	PC	1	\$	57.95
61305633614	KT2MG	GripperReplKitForBT2MS75&ST2MT,EA	Replacement tension gripper for BT2MS75 and ST2MT tool.Easy to install on tool.Can be part of a maintenan	PC	1	\$	154.54
613056391019	LAA1-14-X	AlLug,#1AWG,1/4StudPKG10	One-hole, aluminum, long barrel, #1 AWG, 1/4 (6.4mm) stud hole.	C	100	\$	1,600.33
613056391021	LAA1-38-X	AlLug,#1AWG,3/8StudPKG10	One-hole, aluminum, long barrel, #1 AWG, 3/8 (9.5mm) stud hole.	C	100	\$	1,600.33
613056391027	LAA1/0-12-X	AlLug,1/0AWG,1/2StudPKG10	One-hole, aluminum, long barrel, 1/0 AWG, 1/2 (12.7mm) stud hole.	C	100	\$	1,811.89
613056391026	LAA1/0-38-X	AlLug,1/0AWG,3/8StudPKG10	One-hole, aluminum, long barrel, 1/0 AWG, 3/8 (9.5mm) stud hole.	C	100	\$	1,779.28
613056391025	LAA1/0-56-X	AlLug,1/0AWG,5/16StudPKG10	One-hole, aluminum, long barrel, 1/0 AWG, 5/16 (7.9mm) stud hole.	C	100	\$	1,866.63
613056391090	LAA1000-58-1	AlLug,1000kcmil,5/8StudPKG10	One-hole, aluminum, long barrel, 1000 kcmil, 5/8 (15.9mm) stud hole.	C	100	\$	17,026.05
613056391014	LAA2-14-X	AlLug,#2AWG,1/4StudPKG10	One-hole, aluminum, long barrel, #2 AWG, 1/4 (6.4mm) stud hole.	C	100	\$	1,281.38
613056391016	LAA2-38-X	AlLug,#2AWG,3/8StudPKG10	One-hole, aluminum, long barrel, #2 AWG, 3/8 (9.5mm) stud hole.	C	100	\$	1,281.38
613056391015	LAA2-56-X	AlLug,#2AWG,5/16StudPKG10	One-hole, aluminum, long barrel, #2 AWG, 5/16 (7.9mm) stud hole.	C	100	\$	1,301.48
613056391030	LAA2/0-38-5	AlLug,2/0AWG,3/8StudPKG5	One-hole, aluminum, long barrel, 2/0 AWG, 3/8 (9.5mm) stud hole.	C	100	\$	2,330.05
613056391046	LAA250-12-5	AlLug,250kcmil,1/2StudPKG5	The LAA250-12-5 Aluminum Compression Connector Lug, one-hole, is manufactured from high conductivity t	C	100	\$	3,572.36
613056391045	LAA250-38-5	AlLug,250kcmil,3/8StudPKG5	One-hole, aluminum, long barrel, 250 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	3,747.31
613056391036	LAA3/0-12-5	AlLug,3/0AWG,1/2StudPKG5	One-hole, aluminum, long barrel, 3/0 AWG, 1/2 (12.7mm) stud hole.	C	100	\$	3,180.31
613056391035	LAA3/0-38-5	AlLug,3/0AWG,3/8StudPKG5	One-hole, aluminum, long barrel, 3/0 AWG, 3/8 (9.5mm) stud hole.	C	100	\$	3,126.93
613056391050	LAA300-38-2	AlLug,300kcmil,3/8StudPKG2	One-hole, aluminum, long barrel, 300 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	4,754.74
613056391055	LAA350-12-2	AlLug,350kcmil,1/2StudPKG2	One-hole, aluminum, long barrel, 350 kcmil, 1/2 (12.7mm) stud hole.	C	100	\$	4,508.34
613056391009	LAA4-14-X	AlLug,#4AWG,1/4StudPKG10	One-hole, aluminum, long barrel, #4 AWG, 1/4 (6.4mm) stud hole.	C	100	\$	1,095.60
613056391011	LAA4-38-X	AlLug,#4AWG,3/8StudPKG10	One-hole, aluminum, long barrel, #4 AWG, 3/8 (9.5mm) stud hole.	C	100	\$	1,095.60
613056391010	LAA4-56-X	AlLug,#4AWG,5/16StudPKG10	One-hole, aluminum, long barrel, #4 AWG, 5/16 (7.9mm) stud hole.	C	100	\$	1,115.20
613056391041	LAA4/0-12-5	AlLug,4/0AWG,1/2StudPKG5	One-hole, aluminum, long barrel, 4/0 AWG, 1/2 (12.7mm) stud hole.	C	100	\$	3,471.49

07498391040	<b>LAA40-38-5</b>	AlLug,4/0AWG,3/8StudPKG5	One-hole, aluminum, long barrel, 4/0 AWG, 3/8 (9.5mm) stud hole.	C	100	\$	3,645.06
07498306992	<b>LAA400-58-2R</b>	Aluminum Compression Lug, 1 Hole, 400 kc	Aluminum Compression Lug, 1 Hole, 400 kcmil, 5/8" (15.9mm) Stud	C	100	\$	6,273.65
07498391064	<b>LAA500-12-2</b>	AlLug,500kcmil,1/2StudPKG2	The LAA500-12-2 Aluminum Compression Connector Lug, one-hole, is manufactured from high conductivity T	C	100	\$	9,167.65
07498391005	<b>LAA6-14-X</b>	AlLug,#6AWG,1/4StudPKG10	One-hole, aluminum, long barrel, #6 AWG, 1/4 (6.4mm) stud hole.	C	100	\$	1,042.04
07498391006	<b>LAA6-56-X</b>	AlLug,#6AWG,5/16StudPKG10	One-hole, aluminum, long barrel, #6 AWG, 5/16 (7.9mm) stud hole.	C	100	\$	1,042.56
07498302597	<b>LAA750-12-1</b>	Aluminum Compression Lug, 1 Hole, 750 kc	Aluminum Compression Lug, 1 Hole, 750 kcmil, 1/2" (15.9mm) Stud	C	100	\$	10,906.65
07498391075	<b>LAA750-58-1</b>	AlLug,750kcmil,5/8StudPKG1	One-hole, aluminum, long barrel, 750 kcmil, 5/8 (15.9mm) stud hole.	C	100	\$	10,003.89
07498302590	<b>LAB110-12-X</b>	AlCompLug,2Hole,1/0AWG,1/2Stud,PK10	Aluminum Compression Lug, 2 Hole, 1/0 AWG, 1/2 (12.7mm) Stud	C	100	\$	2,284.50
07498391190	<b>LAB1000-12-1</b>	AlLug,2Hole,1000kcmil,1/2StudPKG1	Two-hole, aluminum, long barrel, 1000 kcmil, 1/2 (12.7mm) stud hole.	C	100	\$	15,996.58
07498391130	<b>LAB210-12-5</b>	AlLug,2Hole,2/0AWG,1/2StudPKG5	Two-hole, aluminum, long barrel, 2/0 AWG, 1/2 (12.7mm) stud hole.	C	100	\$	3,405.96
07498391145	<b>LAB250-12-5</b>	AlLug,2Hole,250kcmil,1/2StudPKG5	Two-hole, aluminum, long barrel, 250 kcmil, 1/2 (12.7mm) stud hole.	C	100	\$	4,548.26
07498391135	<b>LAB310-12-5</b>	AlLug,2Hole,3/0AWG,1/2StudPKG5	Two-hole, aluminum, long barrel, 3/0 AWG, 1/2 (12.7mm) stud hole.	C	100	\$	4,255.79
07498306986	<b>LAB350-12-2R</b>	R-AlLug,2Hole,300kcmil,1/2StudPK2	Aluminum Compression Lug, 2 Hole, 350 kcmil 1/2 (12.7mm) Stud	C	100	\$	4,590.08
07498306985	<b>LAB40-12-5R</b>	R-AlLug,2Hole,4/0AWG,1/2StudPK5	Aluminum Compression Lug, 2 Hole, 4/0 AWG, 1/2 (12.7mm) Stud	C	100	\$	4,237.09
07498391160	<b>LAB400-12-2</b>	AlLug,2Hole,400kcmil,1/2StudPK2	Two-hole, aluminum, long barrel, 400 kcmil, 1/2 (12.7mm) stud hole.	C	100	\$	6,474.84
07498306988	<b>LAB500-12-2R</b>	AlCompLug,2Hole,500Kcmil,1/2StudPK2	The LAB500-12-2R Tin-Plated Aluminum Compression Lug, two-hole, has color-coded barrels marked with P	C	100	\$	9,167.74
07498391170	<b>LAB600-12-2</b>	AlLug,2Hole,600kcmil,1/2StudPK2	The LAB600-12-2 Tin-Plated Aluminum Compression Lug, two-hole, long barrel, has color-coded barrels mar	C	100	\$	9,927.06
07498306990	<b>LAB750-12-1R</b>	R-AlLug,2Hole,750kcmil,1/2StudPK1	The LAB750-12-1R Tin-Plated Aluminum Compression Lug, two-hole, has color-coded barrels marked with P	C	100	\$	10,084.31
61305677585	<b>LAB750-12-20R</b>	Aluminum Compression Lug, 2 Hole, 750 kc	The LAB750-12-20R Aluminum Compression Connector Lug, two-hole, is manufactured from high conductiv	C	100	\$	10,084.31
07498397024	<b>LAB900-12-1</b>	Two-hole,Al,LgBrl,900Kcmil,12-1,EA	Two-hole, aluminum, long barrel, 900 kcmil, 1/2 (12.7mm) stud hole.	C	100	\$	9,791.15
07498359218	<b>LAM2A110-14-6Y</b>	Al Lug,2 Barrel,14-1/0AWG,1/4In Stud,PK6	The LAM2A110-14-6Y Tin-Plated Aluminum Mechanical Lug, one-hole, two barrel, is made from extruded alu	C	100	\$	776.49
07498359253	<b>LAM2A210-14-6Y</b>	Al Lug,2 Brl,14-2/0 AWG,1/4In Stud,PK6	One-hole, aluminum, two barrel lug, dual barrel, type LAM2A, NEMA hole sizes and spacing, #14 - 2/0 AWG,	C	100	\$	872.23
07498359255	<b>LAM2A250-38-6Y</b>	Al Lug,6AWG-250kcmil,3/8In Stud,PK6	The LAM2A250-38-6Y Tin-Plated Aluminum Mechanical Lug, one-hole, two barrel, is made from extruded alu	C	100	\$	2,250.54
07498359269	<b>LAM2A350-12-6Y</b>	Al Lug,#6AWG-350 kcmil,1/2In Stud,PK6	The LAM2A350-12-6Y Tin-Plated Aluminum Mechanical Connector, one-hole, two barrel, is made from extrud	C	100	\$	3,112.96
07498359270	<b>LAM2A600-12-6Y</b>	Al Lug,#4 AWG-600 kcmil,1/2In Stud,PK6	The LAM2A600-12-6Y Tin-Plated Aluminum Mechanical Lug, one-hole, two barrel, is made from extruded alu	C	100	\$	4,836.84
07498359281	<b>LAM2B350-12-3Y</b>	Al Lug,#6AWG-350 kcmil,1/2In Stud,PK3	Two-hole, aluminum, two barrel lug, dual barrel, type LAM2B, NEMA hole sizes and spacing, #6 AWG - 350 k	C	100	\$	4,053.51
07498398125	<b>LAM2SA300-38-3</b>	Al,MechLug,1H,Vert2B,#6A-300K,3/8S,PK3	One-hole, aluminum, vertical two barrel lug, dual barrel, type LAM2SA, #6 AWG - 300 kcmil, 3/8 (9.5mm) stu	C	100	\$	2,841.96
07498342320	<b>LAM2SA300-56-3</b>	Al Lug,#6AWG-300 kcmil,5/16In Stud,PK3	One-hole, aluminum, vertical two barrel lug, dual barrel, type LAM2SA, #6 AWG - 300 kcmil, 5/16 (7.9mm) st	C	100	\$	2,706.64
07498359285	<b>LAM2SB600-38-1Y</b>	Al Lug,#2AWG-600 kcmil,3/8In Stud,EA	Two-hole, aluminum, two barrel lug, dual barrel, type LAM2SB, #2 AWG - 600 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	12,167.91
07498359286	<b>LAM2SB750-38-1Y</b>	Al,MechLug,2H,2B,3/0A-750K,3/8S,EA	Two-hole, aluminum, two barrel lug, dual barrel, type LAM2SB, 3/0 AWG - 750 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	13,502.14
07498359289	<b>LAM3B110-38-6Y</b>	Al,MechLug,2H,3B,#12-1/0A,3/8S,PK6	Two-hole, aluminum, three barrel lug, type LAM3B, NEMA hole sizes and spacing, #12 - 1/0 AWG, 3/8 (9.5m	C	100	\$	5,289.48
07498359290	<b>LAM3B2-14-6Y</b>	Al,MechLug,2H,3B,#14-#2A,1/4S,PK6	Two-hole, aluminum, three barrel lug, type LAM3B, NEMA hole sizes and spacing, #14 - #2 AWG, 1/4 (6.4m	C	100	\$	4,151.16
07498359292	<b>LAM3B250-12-1Y</b>	Al,MechLug,2H,3B,#6A-250K,1/2S,EA	Two-hole, aluminum, three barrel lug, type LAM3B, NEMA hole sizes and spacing, #6 AWG - 250 kcmil, 1/2 (	C	100	\$	10,181.21
07498359293	<b>LAM3B310-12-3Y</b>	Al,MechLug,2H,3B,#6-3/0A,1/2S,PK3	Two-hole, aluminum, three barrel lug, type LAM3B, NEMA hole sizes and spacing, #6 - 3/0 AWG, 1/2 (12.7m	C	100	\$	7,899.58
07498359294	<b>LAM3B350-12-1Y</b>	Al,MechLug,2H,3B,#6A-350K,1/2S,EA	Two-hole, aluminum, three barrel lug, type LAM3B, NEMA hole sizes and spacing, #6 AWG - 350 kcmil, 1/2 (	C	100	\$	16,675.10
07498332584	<b>LAM3LB600-12-1</b>	Al,MechLug,2H,3B,#2A-600K,1/2S,EA	Two-hole, aluminum, three barrel lug, type LAM3B, NEMA hole sizes and spacing, #2 AWG - 600 kcmil, 1/2 (	C	100	\$	19,456.41
07498363012	<b>LAM3LD1000-121Y</b>	Al,MechLug,4H,3B,500-1000K,1/2S,EA	Four-hole, aluminum, three barrel lug, type LAM3D, NEMA hole sizes and spacing, 500 - 1000 kcmil, 1/2 (12.	C	100	\$	38,294.60
07498332585	<b>LAM3LD600-12-1</b>	AlMechLug,4Hole,3Brl,#2-600,1/2StudPK1	Four-hole, aluminum, three barrel lug, type LAM3D, NEMA hole sizes and spacing, #2 AWG - 600 kcmil, 1/2 (	C	100	\$	19,677.49
07498359500	<b>LAM4D250-12-1Y</b>	Al Lug,4Brl,6AWG-250kcmil,1/2In Stud,EA	Four-hole, aluminum, four barrel lug, type LAM4D, NEMA hole sizes and spacing, #6 AWG - 250 kcmil, 1/2 (1	C	100	\$	13,639.70
07498359501	<b>LAM4D350-12-1Y</b>	Al,MechLug,4H,4B,#6A-350K,1/2S,EA	Four-hole, aluminum, four barrel lug, type LAM4D, NEMA hole sizes and spacing, #6 AWG - 350 kcmil, 1/2 (1	C	100	\$	18,021.99
07498332586	<b>LAM4LD600-12-1</b>	AlMechLug,4Hole,4Brl,#2-600,1/2StudPK1	Four-hole, aluminum, four barrel lug, type LAM4D, NEMA hole sizes and spacing, #2 AWG - 600 kcmil, 1/2 (1	C	100	\$	19,455.40
07498359504	<b>LAM4SB600-38-1Y</b>	Al Lug,4Brl,2AWG-600kcmil,3/8In Stud,EA	Two-hole, aluminum, vertical four barrel lug, type LAM4SB, #2 AWG - 600 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	15,470.31
07498359505	<b>LAM4SB750-38-1Y</b>	Al,MechLug,2H,4B,1/0A,750K,3/8S,EA	Two-hole, aluminum, vertical four barrel lug, type LAM4SB, 1/0 AWG - 750 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	17,905.33
07498359531	<b>LAMA110-14-QY</b>	AlMechLug,#14-1/0AWG,1/4StudPKG25Y	The LAMA110-14-QY Tin-Plated Aluminum Mechanical Lug, one-hole, single barrel, is made from extruded al	C	100	\$	393.63
07498337742	<b>LAMA110-56-QY</b>	AlMechLug,5/16StudPKG25	One-hole, aluminum, single barrel lug, type LAMA, 5/16 (7.9mm) stud hole, bulk package.	C	100	\$	413.33
07498359612	<b>LAMA2-14-QY</b>	AlMechLug,#14-#2AWG,1/4StudPKG25Y	The LAMA2-14-QY Tin-Plated Aluminum Mechanical Connector, one-hole, single barrel, is made from extrud	C	100	\$	277.51
07498359611	<b>LAMA210-14-QY</b>	AlMechLug,#14-2/0AWG,1/4StudPKG25Y	The LAMA210-14-QY Tin-Plated Aluminum Mechanical Connector, one-hole, single barrel, is made from extru	C	100	\$	441.78
07498359613	<b>LAMA250-56-QY</b>	AlMechLug,#6AWG-250kcmil,5/16StudPKG25Y	The LAMA250-56-QY in-Plated Aluminum Mechanical Lug, one-hole, single barrel, is made from extruded alu	C	100	\$	937.69
07498359614	<b>LAMA300-56-QY</b>	AlMechLug,#6AWG-300kcmil,5/16StudPKG25Y	One-hole, aluminum, single barrel lug, type LAMA, #6 AWG - 300 kcmil, 5/16 (7.9mm) stud hole.	C	100	\$	1,181.68
07498359615	<b>LAMA350-38-QY</b>	AlMechLug,#6AWG-350kcmil,3/8StudPKG25Y	The LAMA350-38-QY Tin-Plated Aluminum Mechanical Lug, one-hole, single barrel, is made from extruded a	C	100	\$	1,215.11
07498359616	<b>LAMA500-38-6Y</b>	AlMechLug,#4AWG-500kcmil,3/8StudPKG2Y	One-hole, aluminum, single barrel lug, type LAMA, 4 AWG - 500 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	2,361.46
07498359619	<b>LAMA6-14-QY</b>	AlMechLug,#14-#6AWG,1/4StudPKG25Y	The LAMA6-14-QY Tin-Plated Aluminum Mechanical Connector, one-hole, single barrel, is made from extrud	C	100	\$	205.58
61305866736	<b>LAMAR210-14-Q</b>	Aluminum Mechanical Connector, One Hole,	Anti-Rotational/Aluminum Mechanical Connector, One Hole, Single Barrel Lug - #14 - 2/0 AWG, .257 (6.53m	C	100	\$	760.44
61305671790	<b>LAMAR350-56-Q</b>	Aluminum Mechanical Connector, One Hole,	Anti-Rotational/Aluminum Mechanical Connector, One Hole, Single Barrel Lug - #6 - 350 kcmil, .437 (11.10m	C	100	\$	1,628.25
07498358571	<b>LC10-A-L8</b>	LtchingClip,Adh.,93SqrlnchBdle,PK50	Panduit LC10-A-L8 Adhesive Backed Latching Clips are a quick to install mount with a locked cover to withsta	C	100	\$	103.79
07498358569	<b>LC3-A-C8</b>	LtchingClip,Adh.,20SqrlnchBdle,PK100	Panduit LC3-A-C8 Adhesive Backed Latching Clips are a quick to install mount with a locked cover to withsta	C	100	\$	57.76
07498339644	<b>LC3-A-M8</b>	LtchingClip,Adh.,20SqrlnchBdle,PK100	Adhesive backed latching clip, .20" (5.1mm) square bundle, light gray, bulk package.	M	1000	\$	470.94
07498358570	<b>LC5-A-C8</b>	LtchingClip,Adh.,36SqrlnchBdle,PK100	Panduit LC5-A-C8 Adhesive Backed Latching Clips are a quick to install mount with a locked cover to withsta	C	100	\$	74.25
07498390022	<b>LCA1-12-E</b>	CuLug,#1AWG,1/2Stud,90°PKG20	One-hole, standard barrel with window lug, #1 AWG wire, 1/2 stud hole.	C	100	\$	984.49
07498355917	<b>LCA1-12F-E</b>	CuLug,#1AWG,1/2Stud,90°PKG20	One-hole, standard barrel with window lug, #1 AWG wire, 90° angle tongue, 1/2 stud hole.	C	100	\$	1,395.41
07498390019	<b>LCA1-14-E</b>	CuLug,#1AWG,1/4StudPKG20	The LCA1-14-E Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	836.50
07498355914	<b>LCA1-14F-E</b>	CuLug,#1AWG,1/4Stud,90°PKG20	One-hole, standard barrel with window lug, #1 AWG wire, 90° angle tongue, 1/4 stud hole.	C	100	\$	1,185.80
07498355830	<b>LCA1-14H-E</b>	CuLug,#1AWG,1/4Stud,45°PKG20	One-hole, standard barrel with window lug, #1 AWG wire, 45° angle tongue, 1/4 stud hole.	C	100	\$	1,185.80
07498390021	<b>LCA1-38-E</b>	CuLug,#1AWG,3/8StudPKG20	The LCA1-38-E Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	962.65
07498355916	<b>LCA1-38F-E</b>	CuLug,#1AWG,3/8Stud,90°PKG20	One-hole, standard barrel with window lug, #1 AWG wire, 90° angle tongue, 3/8 stud hole.	C	100	\$	1,364.60
07498390020	<b>LCA1-56-E</b>	CuLug,#1AWG,5/16StudPKG20	One-hole, standard barrel with window lug, #1 AWG wire, 5/16 stud hole.	C	100	\$	962.65
07498355915	<b>LCA1-56F-E</b>	CuLug,#1AWG,5/16Stud,90°PKG20	One-hole, standard barrel with window lug, #1 AWG wire, 90° angle tongue, 5/16 stud hole.	C	100	\$	1,325.63
07498355831	<b>LCA1-56H-E</b>	CuLug,#1AWG,5/16Stud,45°PKG20	One-hole, standard barrel with window lug, #1 AWG wire, 45° angle tongue, 5/16 stud hole.	C	100	\$	1,325.63
07498390027	<b>LCA110-12-X</b>	STDLug,1/0AWG,.5in stud,WIDW,PK10	One-hole, standard barrel with window lug, 1/0 AWG wire, 1/2 stud hole, standard package.	C	100	\$	1,027.30
07498355921	<b>LCA110-12F-X</b>	CuLugSBW,1/0AWG,1/2Stud,90°PKG10	One-hole, standard barrel with window lug, 1/0 AWG wire, 90° angle tongue, 1/2 stud hole.	C	100	\$	1,456.24
07498355849	<b>LCA110-12H-X</b>	CuLugSBW,1/0AWG,1/2Stud,45°PKG10	One-hole, standard barrel with window lug, 1/0 AWG wire, 45° angle tongue, 1/2 stud hole.	C	100	\$	1,456.24
07498390114	<b>LCA110-14-X</b>	CuLugSBW,1/0AWG,1/4StudPKG10	The LCA110-14-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,088.99
07498355918	<b>LCA110-14F-X</b>	CuLugSBW,1/0AWG,1/4Stud,90°PKG10	One-hole, standard barrel with window lug, 1/0 AWG wire, 90° angle tongue, 1/4 stud hole.	C	100	\$	1,543.63
07498355837	<b>LCA110-14H-X</b>	CuLugSBW,1/0AWG,1/4Stud,45°PKG10	One-hole, standard barrel with window lug, 1/0 AWG wire, 45° angle tongue, 1/4 stud hole.	C	100	\$	1,543.63
07498390026	<b>LCA110-38-X</b>	CuLug,SBW,1/0AWG,3/8StudPKG10	The LCA110-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,027.30
07498356470	<b>LCA110-38F-X</b>	CuLugSBW,1/0AWG,3/8Stud,90°PKG10	One-hole, standard barrel with window lug, 1/0 AWG wire, 90° angle tongue, 3/8 stud hole.	C	100	\$	1,456.24
07498355848	<b>LCA110-38H-X</b>	CuLugSBW,1/0AWG,3/8Stud,45°PKG10	One-hole, standard barrel with window lug, 1/0 AWG wire, 45° angle tongue, 3/8 stud hole.	C	100	\$	1,456.24

07498390025	<b>LCA1/0-56-X</b>	CuLugSBW,1/0AWG,5/16StudPKG10	The LCA1/0-56-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,027.30
07498355919	<b>LCA1/0-56F-X</b>	CuLugSBW,1/0AWG,5/16Stud,90°PKG10	One-hole, standard barrel with window lug, 1/0 AWG wire, 90° angle tongue, 5/16 stud hole.	C	100	\$	1,456.24
07498355847	<b>LCA1/0-56H-X</b>	CuLugSBW,1/0AWG,5/16Stud,45°PKG10	One-hole, standard barrel with window lug, 1/0 AWG wire, 45° angle tongue, 5/16 stud hole.	C	100	\$	1,456.24
07498397204	<b>LCA10-10-L</b>	CuLug,#10AWG,#10StudPKG50	The LCA10-10-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels ma	C	100	\$	91.88
07498344442	<b>LCA10-10F-L</b>	CuLug,#10AWG,#10Stud,90°PKG50	One-hole, standard barrel with window lug, #10 AWG wire, 90° angle tongue, #10 stud hole.	C	100	\$	130.26
07498397207	<b>LCA10-14-L</b>	CuLug,#10AWG,1/4StudPKG50	One-hole, standard barrel with window lug, #10 AWG wire, 1/4 stud hole.	C	100	\$	100.86
07498397208	<b>LCA10-14F-L</b>	CuLug,#10AWG,1/4Stud,90°PKG50	One-hole, standard barrel with window lug, #10 AWG wire, 90° angle tongue, 1/4 stud hole.	C	100	\$	150.11
07498397209	<b>LCA10-14H-L</b>	CuLug,#10AWG,1/4Stud,45°PKG50	One-hole, standard barrel with window lug, #10 AWG wire, 45° angle tongue, 1/4 stud hole.	C	100	\$	150.11
07498397211	<b>LCA10-38-L</b>	CuLug,#10AWG,3/8StudPKG50	One-hole, standard barrel with window lug, #10 AWG wire, 3/8 stud hole.	C	100	\$	105.90
07498397210	<b>LCA10-56-L</b>	CuLug,#10AWG,5/16StudPKG50	One-hole, standard barrel with window lug, #10 AWG wire, 5/16 stud hole.	C	100	\$	98.96
07498390018	<b>LCA2-12-Q</b>	CuLug,#2AWG,1/2StudPKG25	The LCA2-12-Q Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	928.13
07498355913	<b>LCA2-12F-Q</b>	CuLug,#2AWG,1/2Stud,90°PKG25	One-hole, standard barrel with window lug, #2 AWG wire, 90° angle tongue, 1/2 stud hole.	C	100	\$	1,315.65
07498390015	<b>LCA2-14-Q</b>	CuLug,#2AWG,1/4StudPKG25	The LCA2-14-Q Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	912.46
07498355909	<b>LCA2-14F-Q</b>	CuLug,#2AWG,1/4Stud,90°PKG25	One-hole, standard barrel with window lug, #2 AWG wire, 90° angle tongue, 1/4 stud hole.	C	100	\$	1,293.34
07498355826	<b>LCA2-14H-Q</b>	CuLug,#2AWG,1/4Stud,45°PKG25	One-hole, standard barrel with window lug, #2 AWG wire, 45° angle tongue, 1/4 stud hole.	C	100	\$	1,293.34
07498390017	<b>LCA2-38-Q</b>	CuLug,#2AWG,3/8StudPKG25	The LCA2-38-Q Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	912.46
07498355912	<b>LCA2-38F-Q</b>	CuLug,#2AWG,3/8Stud,90°PKG25	One-hole, standard barrel with window lug, #2 AWG wire, 90° angle tongue, 3/8 stud hole.	C	100	\$	1,293.34
07498390016	<b>LCA2-56-Q</b>	CuLug,#2AWG,5/16StudPKG25	The LCA2-56-Q Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	912.46
07498355911	<b>LCA2-56F-Q</b>	CuLug,#2AWG,5/16Stud,90°PKG25	One-hole, standard barrel with window lug, #2 AWG wire, 90° angle tongue, 5/16 stud hole.	C	100	\$	1,293.40
07498355827	<b>LCA2-56H-Q</b>	CuLug,#2AWG,5/16Stud,45°PKG25	One-hole, standard barrel with window lug, #2 AWG wire, 45° angle tongue, 5/16 stud hole.	C	100	\$	1,293.40
07498338229	<b>LCA2/0-00-X</b>	CuLug,Blank,2/0AWGPKG10	Blank tongue, standard barrel lug, #2/0 AWG wire.	C	100	\$	1,326.53
07498390031	<b>LCA2/0-12-X</b>	STDLug,2/0AWG,.5in stud,WDW,PK10	The LCA2/0-12-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,191.78
07498355927	<b>LCA2/0-12F-X</b>	CuLugSBW,2/0AWG,1/2Stud,90°PKG10	One-hole, standard barrel with window lug, 2/0 AWG wire, 90° angle tongue, 1/2 stud hole.	C	100	\$	1,689.41
07498355854	<b>LCA2/0-12H-X</b>	CuLugSBW,2/0AWG,1/2Stud,45°PKG10	One-hole, standard barrel with window lug, 2/0 AWG wire, 45° angle tongue, 1/2 stud hole.	C	100	\$	1,689.41
07498390115	<b>LCA2/0-14-X</b>	CuLugSBW,2/0AWG,1/4StudPKG10	One-hole, standard barrel with window lug, 2/0 AWG wire, 1/4 stud hole.	C	100	\$	1,263.35
07498355922	<b>LCA2/0-14F-X</b>	CuLugSBW,2/0AWG,1/4Stud,90°PKG10	One-hole, standard barrel with window lug, 2/0 AWG wire, 90° angle tongue, 1/4 stud hole.	C	100	\$	1,705.43
07498355851	<b>LCA2/0-14H-X</b>	CuLugSBW,2/0AWG,1/4Stud,45°PKG10	One-hole, standard barrel with window lug, 2/0 AWG wire, 45° angle tongue, 1/4 stud hole.	C	100	\$	1,790.70
07498390030	<b>LCA2/0-38-X</b>	STDLug,2/0AWG,.38in stud,WDW,PK10	The LCA2/0-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,191.78
07498355926	<b>LCA2/0-38F-X</b>	CuLugSBW,2/0AWG,3/8Stud,90°PKG10	One-hole, standard barrel with window lug, 2/0 AWG wire, 90° angle tongue, 3/8 stud hole.	C	100	\$	1,608.94
07498355853	<b>LCA2/0-38H-X</b>	CuLugSBW,2/0AWG,3/8Stud,45°PKG10	One-hole, standard barrel with window lug, 2/0 AWG wire, 45° angle tongue, 3/8 stud hole.	C	100	\$	1,689.41
07498390116	<b>LCA2/0-56-X</b>	CuLugSBW,2/0AWG,5/16StudPKG10	The LCA2/0-56-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,263.35
07498355925	<b>LCA2/0-56F-X</b>	CuLugSBW,2/0AWG,5/16Stud,90°PKG10	The LCA2/0-56F-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,705.43
07498355852	<b>LCA2/0-56H-X</b>	CuLugSBW,2/0AWG,5/16Stud,45°PKG10	One-hole, standard barrel with window lug, 2/0 AWG wire, 45° angle tongue, 5/16 stud hole.	C	100	\$	1,790.70
07498390045	<b>LCA250-12-X</b>	STDLug,250mcm,.5in stud,WDW,PK10	The LCA250-12-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,904.85
07498355949	<b>LCA250-12F-X</b>	CuLugSBW,250kcmil,1/2Stud,90°PKG10	One-hole, standard barrel with window lug, 250 kcmil cable, 90° angle tongue, 1/2 stud hole.	C	100	\$	2,699.95
07498355869	<b>LCA250-12H-X</b>	CuLugSBW,250kcmil,1/2Stud,45°PKG10	One-hole, standard barrel with window lug, 250 kcmil cable, 45° angle tongue, 1/2 stud hole.	C	100	\$	2,699.95
07498390192	<b>LCA250-14-X</b>	CuLugSBW,250kcmil,1/4StudPKG10	One-hole, standard barrel with window lug, 250 kcmil cable, 1/4 stud hole.	C	100	\$	2,112.71
07498390194	<b>LCA250-38-X</b>	STDLug,250mcm,.38in stud,WDW,PK10	The LCA250-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	2,018.40
07498355948	<b>LCA250-38F-X</b>	CuLugSBW,250kcmil,3/8Stud,90°PKG10	One-hole, standard barrel with window lug, 250 kcmil cable, 90° angle tongue, 3/8 stud hole.	C	100	\$	2,860.99
07498355868	<b>LCA250-38H-X</b>	CuLugSBW,250kcmil,3/8Stud,45°PKG10	One-hole, standard barrel with window lug, 250 kcmil cable, 45° angle tongue, 3/8 stud hole.	C	100	\$	2,860.99
07498390193	<b>LCA250-56-X</b>	CuLugSBW,250kcmil,5/16StudPKG10	One-hole, standard barrel with window lug, 250 kcmil cable, 5/16 stud hole.	C	100	\$	2,018.40
07498390036	<b>LCA3/0-12-X</b>	STDLug,3/0AWG,.5in stud,WDW,PK10	The LCA3/0-12-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,470.00
07498355932	<b>LCA3/0-12F-X</b>	STDLug,3/0AWG,.5in,90°,WDW,PK10	One-hole, standard barrel with window lug, 3/0 AWG wire, 90° angle tongue, 1/2 stud hole.	C	100	\$	2,083.79
07498390117	<b>LCA3/0-14-X</b>	STDLug,3/0AWG,.25in,WDW,PK10	One-hole, standard barrel with window lug, 3/0 AWG wire, 1/4 stud hole.	C	100	\$	1,564.06
07498355928	<b>LCA3/0-14F-X</b>	STDLug,3/0AWG,.25in,90°,WDW,PK10	One-hole, standard barrel with window lug, 3/0 AWG wire, 90° angle tongue, 1/4 stud hole.	C	100	\$	2,111.46
07498390035	<b>LCA3/0-38-X</b>	STDLug,3/0AWG,.38in stud,WDW,PK10	The LCA3/0-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,405.30
07498355930	<b>LCA3/0-38F-X</b>	STDLug,3/0AWG,.38in,90°,WDW,PK10	One-hole, standard barrel with window lug, 3/0 AWG wire, 90° angle tongue, 3/8 stud hole.	C	100	\$	1,897.13
07498355858	<b>LCA3/0-38H-X</b>	STDLug,3/0AWG,.38in,45°,WDW,PK10	One-hole, standard barrel with window lug, 3/0 AWG wire, 45° angle tongue, 3/8 stud hole.	C	100	\$	1,991.98
07498390118	<b>LCA3/0-56-X</b>	STDLug,3/0AWG,.3in,WDW,PK10	The LCA3/0-56-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,489.56
07498355929	<b>LCA3/0-56F-X</b>	STDLug,3/0AWG,.3in,90°,WDW,PK10	One-hole, standard barrel with window lug, 3/0 AWG wire, 90° angle tongue, 5/16 stud hole.	C	100	\$	2,111.46
07498355857	<b>LCA3/0-56H-X</b>	STDLug,3/0AWG,.3in,45°,WDW,PK10	The LCA3/0-56H-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	2,111.46
07498371937	<b>LCA300-00-X</b>	CuLug,Blank,300KcmilPKG10	Blank tongue, standard barrel lug, 300 Kcmil Cable.	C	100	\$	2,208.91
07498390050	<b>LCA300-12-X</b>	CuLug,300kcmil,1/2StudPKG10	One-hole, standard barrel with window lug, 300 kcmil cable, 1/2 stud hole.	C	100	\$	2,280.34
07498386961	<b>LCA300-12F-X</b>	CuLug,300kcmil,1/2Stud,90°PKG10	One-hole, standard barrel with window lug, 300 kcmil cable, 90° angle tongue, 1/2 stud hole.	C	100	\$	3,232.41
07498390196	<b>LCA300-38-X</b>	STDLug,300mcm,.38in,WDW,PK10	One-hole, standard barrel with window lug, 300 kcmil cable, 3/8 stud hole, standard package.	C	100	\$	2,103.73
07498390197	<b>LCA300-58-X</b>	CuLug,300kcmil,5/8StudPKG10	The LCA300-58-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	2,208.91
07498390055	<b>LCA350-12-X</b>	CuLug,350kcmil,1/2StudPKG10	The LCA350-12-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	2,422.09
07498386969	<b>LCA350-12F-X</b>	CuLug,350kcmil,1/2Stud,90°PKG10	One-hole, standard barrel with window lug, 350 kcmil cable, 90° angle tongue, 1/2 stud hole.	C	100	\$	3,433.31
07498386968	<b>LCA350-12H-X</b>	CuLug,350kcmil,1/2Stud,45°PKG10	One-hole, standard barrel with window lug, 350 kcmil cable, 45° angle tongue, 1/2 stud hole.	C	100	\$	3,433.31
07498371938	<b>LCA350-38-X</b>	CuLug,350kcmil,3/8StudPKG10	The LCA350-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	2,306.63
07498386967	<b>LCA350-38F-X</b>	CuLug,350kcmil,3/8Stud,90°PKG10	One-hole, standard barrel with window lug, 350 kcmil cable, 90° angle tongue, 3/8 stud hole.	C	100	\$	3,269.69
07498390198	<b>LCA350-58-X</b>	CuLug,350kcmil,5/8StudPKG10	One-hole, standard barrel with window lug, 350 kcmil cable, 5/8 stud hole.	C	100	\$	2,421.94
07498386970	<b>LCA350-58H-X</b>	CuLug,350kcmil,5/8Stud,45°PKG10	One-hole, standard barrel with window lug, 350 kcmil cable, 45° angle tongue, 5/8 stud hole.	C	100	\$	3,269.69
07498338225	<b>LCA4-00-L</b>	CuLug,Blank,#4AWGPKG50	Blank tongue, standard barrel lug, #4 AWG wire.	C	100	\$	505.34
07498390010	<b>LCA4-10-L</b>	CuLugSBW,4-3AWGSTR,2AWGSOL,#10StudPKG50	One-hole, standard barrel with window lug, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole.	C	100	\$	481.30
07498355905	<b>LCA4-10F-L</b>	CuCompLugSB,1H,#4-#3A,#2A,#10S,90°,PK50	One-hole, standard barrel with window lug, #4 — #3 AWG STR, #2 AWG SOL wire, 90° angle tongue, #10 st	C	100	\$	682.28
07498344821	<b>LCA4-12-L</b>	CuLug,#4-#3AWGSTR,#2AWGSOL,1/2StudPKG50	One-hole, standard barrel with window lug, #4 AWG wire, 1/2 stud hole.	C	100	\$	709.69
07498312666	<b>LCA4-12F-L</b>	Cu,CompLug,1H,#4-#3A,#2A,1/2S,90°,PK50	One-hole, standard barrel with window lug, #4 — #3 AWG STR, #2 AWG SOL wire, 90° angle tongue, 1/2 stu	C	100	\$	1,027.83
07498390011	<b>LCA4-14-L</b>	STDLug,2-4AWG,.25in stud,WDW,PK50	The LCA4-14-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	481.30
07498355906	<b>LCA4-14F-L</b>	CuCompLugSB,1H,#4-#3A,#2A,1/4S,90°,PK50	One-hole, standard barrel with window lug, #4 — #3 AWG STR, #2 AWG SOL wire, 90° angle tongue, 1/4 stu	C	100	\$	682.28
07498355823	<b>LCA4-14H-L</b>	CuCompLugSB,1H,#4-#3A,#2A,1/4S,45°,PK50	One-hole, standard barrel with window lug, #4 — #3 AWG STR, #2 AWG SOL wire, 45° angle tongue, 1/4 stu	C	100	\$	682.28
07498390013	<b>LCA4-38-L</b>	STDLug,2-4AWG,.38in stud,NoWDW,PK50	The LCA4-38-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	481.30
07498355908	<b>LCA4-38F-L</b>	Cu,CompLug,1H,#4-#3A,#2A,3/8S,90°,PK50	One-hole, standard barrel with window lug, #4 — #3 AWG STR, #2 AWG SOL wire, 90° angle tongue, 3/8 stu	C	100	\$	682.28
07498390012	<b>LCA4-56-L</b>	Cu,Lug,#4-3AWG STR,2SOL,5/16in Stud,PK50	The LCA4-56-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	481.30
07498355907	<b>LCA4-56F-L</b>	Cu,CompLug,1H,#4-#3A,#2A,5/16S,90°,PK50	One-hole, standard barrel with window lug, #4 — #3 AWG STR, #2 AWG SOL wire, 90° angle tongue, 5/16 s	C	100	\$	682.28
07498355824	<b>LCA4-56H-L</b>	Cu,CompLug,1H,#4-#3A,#2A,5/16S,45°,PK50	One-hole, standard barrel with window lug, #4 — #3 AWG STR, #2 AWG SOL wire, 45° angle tongue, 5/16 s	C	100	\$	682.28
07498390041	<b>LCA4/0-12-X</b>	STDLug,4/0AWG,.5in stud,WDW,PK10	The LCA4/0-12-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,773.31

07498355945	LCA4/0-12F-X	STDLug,4/0AWG,.5in,90°,WDW,PK10	One-hole, standard barrel with window lug, 4/0 AWG wire, 90° angle tongue, 1/2 stud hole.	C	100	\$	2,393.86
07498355864	LCA4/0-12H-X	STDLug,4/0AWG,.5in,45°,WDW,PK10	One-hole, standard barrel with window lug, 4/0 AWG wire, 45° angle tongue, 1/2 stud hole.	C	100	\$	2,513.54
07498390119	LCA4/0-14-X	STDLug,4/0AWG,.25in,WDW,PK10	One-hole, standard barrel with window lug, 4/0 AWG wire, 1/4 stud hole.	C	100	\$	1,692.68
07498390040	LCA4/0-38-X	STDLug,4/0AWG,.38in stud,WDW,PK10	The LCA4/0-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,612.05
07498355935	LCA4/0-38F-X	STDLug,4/0AWG,.38in,90°,WDW,PK10	One-hole, standard barrel with window lug, 4/0 AWG wire, 90° angle tongue, 3/8 stud hole.	C	100	\$	2,285.06
07498355863	LCA4/0-38H-X	STDLug,4/0AWG,.38in,45°,WDW,PK10	One-hole, standard barrel with window lug, 4/0 AWG wire, 45° angle tongue, 3/8 stud hole.	C	100	\$	2,398.33
07498390120	LCA4/0-56-X	STDLug,4/0AWG,.3in,WDW,PK10	One-hole, standard barrel with window lug, 4/0 AWG wire, 5/16 stud hole.	C	100	\$	1,612.05
07498371943	LCA400-00-6	CuLug,Blank,400KcmilPKG6	Blank tongue, standard barrel lug, 400 Kcmil Cable.	C	100	\$	2,609.98
07498390059	LCA400-12-6	CuLug,400kcmil,1/2StudPKG6	The LCA400-12-6 Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	2,609.98
07498386977	LCA400-12F-6	CuLug,400kcmil,1/2Stud,90°PKG6	One-hole, standard barrel with window lug, 400 kcmil cable, 90° angle tongue, 1/2 stud hole.	C	100	\$	3,699.64
07498386976	LCA400-12H-6	CuLug,400kcmil,1/2Stud,45°PKG6	One-hole, standard barrel with window lug, 400 kcmil cable, 45° angle tongue, 1/2 stud hole.	C	100	\$	3,699.64
07498371941	LCA400-38-6	CuLug,400kcmil,3/8StudPKG6	One-hole, standard barrel with window lug, 400 kcmil cable, 3/8 stud hole.	C	100	\$	2,485.69
07498390060	LCA400-58-6	CuLug,400kcmil,5/8StudPKG6	One-hole, standard barrel with window lug, 400 kcmil cable, 5/8 stud hole.	C	100	\$	2,609.98
07498386981	LCA400-78F-6	CuLug,400kcmil,7/8Stud,90°PKG6	One-hole, standard barrel with window lug, 400 kcmil cable, 90° angle tongue, 7/8 stud hole.	C	100	\$	3,523.43
07498371948	LCA500-00-6	CuLug,Blank,500KcmilPKG6	Blank tongue, standard barrel lug, 500 Kcmil Cable.	C	100	\$	3,140.88
07498390064	LCA500-12-6	STDLug,500mcm,.5in stud,WDW,PK6	The LCA500-12-6 Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	3,140.81
07498386985	LCA500-12F-6	CuLug,500kcmil,1/2Stud,90°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 90° angle tongue, 1/2 stud hole.	C	100	\$	4,452.20
07498386984	LCA500-12H-6	CuLug,500kcmil,1/2Stud,45°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 45° angle tongue, 1/2 stud hole.	C	100	\$	4,452.20
07498371944	LCA500-38-6	CuLug,1H,500kcmil,3/8StudPKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 3/8 stud hole.	C	100	\$	3,140.81
07498386983	LCA500-38F-6	CuLug,1H,500kcmil,3/8Stud,90°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 90° angle tongue, 3/8 stud hole.	C	100	\$	4,452.20
07498390065	LCA500-58-6	CuLug,1H,500kcmil,5/8StudPKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 5/8 stud hole.	C	100	\$	3,297.85
07498390005	LCA6-10-L	CuLugSBW,#6AWG,#10StudPKG50	The LCA6-10-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	367.00
07498355901	LCA6-10F-L	CuLug,SBW#6AWG,#10Stud,90°PKG50	One-hole, standard barrel with window lug, #6 AWG wire, 90° angle tongue, #10 stud hole.	C	100	\$	520.29
07498355805	LCA6-10H-L	CuLugSBW,#6AWG,#10Stud,45°PKG50	One-hole, standard barrel with window lug, #6 AWG wire, 45° angle tongue, #10 stud hole.	C	100	\$	520.29
07498390006	LCA6-14-L	CuLug,1H,#6AWG,1/4StudPKG50	The LCA6-14-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	367.00
07498355902	LCA6-14F-L	CuLugSBW,#6AWG,1/4Stud,90°PKG50	One-hole, standard barrel with window lug, #6 AWG wire, 90° angle tongue, 1/4 stud hole.	C	100	\$	495.51
07498355806	LCA6-14H-L	CuLugSBW,#6AWG,1/4Stud,45°PKG50	One-hole, standard barrel with window lug, #6 AWG wire, 45° angle tongue, 1/4 stud hole.	C	100	\$	520.29
07498390008	LCA6-38-L	STDLug,6AWG,.38in stud,WDW,PK50	The LCA6-38-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	367.00
07498355904	LCA6-38F-L	CuLugSBW,#6AWG,3/8Stud,90°PKG50	One-hole, standard barrel with window lug, #6 AWG wire, 90° angle tongue, 3/8 stud hole.	C	100	\$	520.29
07498390007	LCA6-56-L	CuLugSBW,#6AWG,5/16StudPKG50	The LCA6-56-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	367.00
07498355810	LCA6-56H-L	CuLugSBW,#6AWG,5/16Stud,45°PKG50	One-hole, standard barrel with window lug, #6 AWG wire, 45° angle tongue, 5/16 stud hole.	C	100	\$	520.29
07498371950	LCA600-00-6	CuLug,Blank,600KcmilPKG6	Blank tongue, standard barrel lug, 600 Kcmil Cable.	C	100	\$	6,494.90
07498390069	LCA600-12-6	CuLug,600kcmil,1/2StudPKG6	The LCA600-12-6 Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	6,185.61
07498386995	LCA600-12F-6	CuLug,600kcmil,1/2Stud,90°PKG6	One-hole, standard barrel with window lug, 600 kcmil cable, 90° angle tongue, 1/2 stud hole.	C	100	\$	8,768.13
07498390070	LCA600-58-6	CuLug,600kcmil,5/8StudPKG6	One-hole, standard barrel with window lug, 600 kcmil cable, 5/8 stud hole.	C	100	\$	6,494.90
61305601619	LCA750-12-6	Copper compression lug, 1 hole, 750 kcmil	Copper compression lug, 1 hole, 750 kcmil Code conductor, standard barrel, 1/2 stud hole.	C	100	\$	6,705.61
07498344844	LCA750-58-6	CuLug,750kcmil,5/8StudPKG6	One-hole, standard barrel with window lug, 750 kcmil cable, 5/8 stud hole.	C	100	\$	10,137.24
07498390000	LCA8-10-L	CuLugSBW,#8AWG,#10StudPKG50	The LCA8-10-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	332.89
07498355892	LCA8-10F-L	CuLugSBW,#8AWG,#10Stud,90°PKG50	One-hole, standard barrel with window lug, #8 AWG wire, 90° angle tongue, #10 stud hole.	C	100	\$	495.45
07498355801	LCA8-10H-L	CuLugSBW,#8AWG,#10Stud,45°PKG50	One-hole, standard barrel with window lug, #8 AWG wire, 45° angle tongue, #10 stud hole.	C	100	\$	495.45
07498390001	LCA8-14-L	STDLug,8AWG,.25in stud,WDW,PK50	The LCA8-14-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	332.89
07498355898	LCA8-14F-L	CuLugSBW,#8AWG,1/4Stud,90°PKG50	One-hole, standard barrel with window lug, #8 AWG wire, 90° angle tongue, 1/4 stud hole.	C	100	\$	495.45
07498355802	LCA8-14H-L	CuLugSBW,#8AWG,1/4Stud,45°PKG50	One-hole, standard barrel with window lug, #8 AWG wire, 45° angle tongue, 1/4 stud hole.	C	100	\$	495.45
07498390088	LCA8-38-L	STDLug,8AWG,.38in stud,WDW,PK50	The LCA8-38-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels mar	C	100	\$	332.89
07498355900	LCA8-38F-L	CuLugSBW,#8AWG,3/8Stud,90°PKG50	One-hole, standard barrel with window lug, #8 AWG wire, 90° angle tongue, 3/8 stud hole.	C	100	\$	495.45
07498390087	LCA8-56-L	CuLugSBW,#8AWG,5/16StudPKG50	One-hole, standard barrel with window lug, #8 AWG wire, 5/16 stud hole.	C	100	\$	332.89
07498355899	LCA8-56F-L	CuLugSBW,#8AWG,5/16Stud,90°PKG50	One-hole, standard barrel with window lug, #8 AWG wire, 90° angle tongue, 5/16 stud hole.	C	100	\$	495.45
07498355803	LCA8-56H-L	CuLugSBW,#8AWG,5/16Stud,45°PKG50	One-hole, standard barrel with window lug, #8 AWG wire, 45° angle tongue, 5/16 stud hole.	C	100	\$	495.45
07498355752	LCAF1-12-X	CuLug,#1AWG,Flared,1/2StudPKG10	One-hole, flared barrel, #1 AWG wire, 1/2 stud hole.	C	100	\$	1,082.94
07498355749	LCAF1-14-X	CuLug,1H,#1AWG,Flared,1/4StudPKG10	One-hole, flared barrel, #1 AWG wire, 1/4 stud hole.	C	100	\$	957.26
07498355751	LCAF1-38-X	CuLug,#1AWG,Flared,3/8StudPKG10	One-hole, flared barrel, #1 AWG wire, 3/8 stud hole.	C	100	\$	1,096.38
07498355750	LCAF1-56-X	CuLug,#1AWG,Flared,5/16StudPKG10	One-hole, flared barrel, #1 AWG wire, 5/16 stud hole.	C	100	\$	1,101.74
07498387252	LCAF1-56F-X	CuLug,#1AWG,Flared,5/16Stud,90°PKG10	One-hole, flared barrel, #1 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	1,561.73
07498355772	LCAF1/0-12-X	CuLug,1/0AWG,Flared,1/2StudPKG10	One-Hole, flared barrel, 1/0 AWG wire, 1/2 stud hole.	C	100	\$	1,304.16
07498387264	LCAF1/0-12F-X	CuLug,1/0AWG,Flared,1/2Stud,90°PKG10	One-Hole, flared barrel, 1/0 AWG wire, 1/2 stud hole, 90° angle tongue.	C	100	\$	1,760.76
07498355758	LCAF1/0-14-X	CuLug,1/0AWG,Flared,1/4StudPKG10	One-Hole, flared barrel, 1/0 AWG wire, 1/4 stud hole.	C	100	\$	1,170.96
07498387258	LCAF1/0-14F-X	CuLug,1/0AWG,Flared,1/4Stud,90°PKG10	One-Hole, flared barrel, 1/0 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	1,580.74
07498355771	LCAF1/0-38-X	CuLug,1/0AWG,Flared,3/8StudPKG10	One-Hole, flared barrel, 1/0 AWG wire, 3/8 stud hole.	C	100	\$	1,214.61
07498355770	LCAF1/0-56-X	CuLug,1/0AWG,Flared,5/16StudPKG10	One-Hole, flared barrel, 1/0 AWG wire, 5/16 stud hole.	C	100	\$	1,275.34
07498355748	LCAF2-12-E	CuLug,#2AWG,Flared,1/2StudPKG20	One-hole, flared barrel, #2 AWG wire, 1/2 stud hole.	C	100	\$	1,064.50
07498355745	LCAF2-14-E	CuLug,#2AWG,Flared,1/4StudPKG20	One-hole, flared barrel, #2 AWG wire, 1/4 stud hole.	C	100	\$	1,006.03
07498387242	LCAF2-14F-E	CuLug,#2AWG,Flared,1/4Stud,90°PKG20	One-hole, flared barrel, #2 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	1,422.84
07498387241	LCAF2-14H-E	CuLug,#2AWG,Flared,1/4Stud,45°PKG20	One-hole, flared barrel, #2 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	1,358.15
07498355747	LCAF2-38-E	CuLug,1H,#2AWG,Flared,3/8StudPKG20	One-hole, flared barrel, #2 AWG wire, 3/8 stud hole.	C	100	\$	934.68
07498355746	LCAF2-56-E	CuLug,#2AWG,Flared,5/16StudPKG20	One-hole, flared barrel, #2 AWG wire, 5/16 stud hole.	C	100	\$	1,070.61
07498397391	LCAF2-56F-E	CuLug,#2AWG,Flared,5/16Stud,90°PKG20	One-hole, flared barrel, #2 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	1,445.49
07498387243	LCAF2-56H-E	CuLug,#2AWG,Flared,5/16Stud,45°PKG20	One-hole, flared barrel, #2 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,514.31
07498355776	LCAF2/0-12-X	CuLug,2/0AWG,Flared,1/2StudPKG10	One-hole, flared barrel, 2/0 AWG wire, 1/2 stud hole.	C	100	\$	1,470.33
07498387708	LCAF2/0-12F-X	CuLug,2/0AWG,Flared,1/2Stud,90°PKG10	One-hole, flared barrel, 2/0 AWG wire, 1/2 stud hole, 90° angle tongue.	C	100	\$	1,996.13
07498355773	LCAF2/0-14-X	CuLug,2/0AWG,Flared,1/4StudPKG10	One-hole, flared barrel, 2/0 AWG wire, 1/4 stud hole.	C	100	\$	1,425.61
07498355775	LCAF2/0-38-X	CuLug,2/0AWG,Flared,3/8StudPKG10	One-hole, flared barrel, 2/0 AWG wire, 3/8 stud hole.	C	100	\$	1,341.98
07498387706	LCAF2/0-38F-X	CuLug,2/0AWG,Flared,3/8Stud,90°PKG10	One-hole, flared barrel, 2/0 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	1,902.34
07498355774	LCAF2/0-56-X	CuLug,2/0AWG,Flared,5/16StudPKG10	One-hole, flared barrel, 2/0 AWG wire, 5/16 stud hole.	C	100	\$	1,430.60
07498355797	LCAF250-12-X	CuLug,250kcmil,Flared,1/2StudPKG10	One-hole, flared barrel, 250 kcmil cable, 1/2 stud hole.	C	100	\$	2,348.54
07498387728	LCAF250-12F-X	CuLug,250kcmil,Flared,1/2Stud,90°PKG10	One-hole, flared barrel, 250 kcmil cable, 1/2 stud hole, 90° angle tongue.	C	100	\$	3,328.94
07498374449	LCAF250-38-X	CuLug,250kcmil,Flared,3/8StudPKG10	One-hole, flared barrel, 250 kcmil cable, 3/8 stud hole.	C	100	\$	2,465.96
07498355780	LCAF3/0-12-X	CuLug,3/0AWG,Flared,1/2StudPKG10	One-hole, flared barrel, 3/0 AWG wire, 1/2 stud hole.	C	100	\$	1,633.74



07498387716	<b>LCAF3/0-12F-X</b>	CuLug,3/0AWG,Flared,1/2Stud,90°PKG10	One-hole, flared barrel, 3/0 AWG wire, 1/2 stud hole, 90° angle tongue.	C	100	\$	2,315.89
07498387715	<b>LCAF3/0-12H-X</b>	CuLug,3/0AWG,Flared,1/2Stud,45°PKG10	One-hole, flared barrel, 3/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	2,315.89
07498355779	<b>LCAF3/0-38-X</b>	CuLug,3/0AWG,Flared,3/8StudPKG10	One-hole, flared barrel, 3/0 AWG wire, 3/8 stud hole.	C	100	\$	1,667.26
07498355778	<b>LCAF3/0-56-X</b>	CuLug,3/0AWG,Flared,5/16StudPKG10	One-hole, flared barrel, 3/0 AWG wire, 5/16 stud hole.	C	100	\$	1,798.64
07498355799	<b>LCAF300-12-6</b>	CuLug,300kcmil,Flared,1/2StudPKG6	One-hole, flared barrel, 300 kcmil cable, 1/2 stud hole.	C	100	\$	3,237.50
07498374451	<b>LCAF300-38-6</b>	CuLug,300kcmil,Flared,3/8StudPKG6	One-hole, flared barrel, 300 kcmil cable, 3/8 stud hole.	C	100	\$	3,237.50
07498355800	<b>LCAF300-58-6</b>	CuLug,300kcmil,Flared,5/8StudPKG6	One-hole, flared barrel, 300 kcmil cable, 5/8 stud hole.	C	100	\$	3,150.79
07498355667	<b>LCAF350-12-6</b>	CuLug,350kcmil,Flared,1/2StudPKG6	One-hole, flared barrel, 350 kcmil cable, 1/2 stud hole.	C	100	\$	3,637.21
07498374453	<b>LCAF350-38-6</b>	CuLug,350kcmil,Flared,3/8StudPKG6	One-hole, flared barrel, 350 kcmil cable, 3/8 stud hole.	C	100	\$	3,538.04
07498355668	<b>LCAF350-58-6</b>	CuLug,350kcmil,Flared,5/8StudPKG6	One-hole, flared barrel, 350 kcmil cable, 5/8 stud hole.	C	100	\$	3,538.04
07498355742	<b>LCAF4-14-L</b>	CuLug,#4AWG,Flared,1/4StudPKG50	One-hole, flared barrel, #4 AWG wire, 1/4 stud hole.	C	100	\$	586.59
07498387236	<b>LCAF4-14F-L</b>	CuLug,#4AWG,Flared,1/4Stud,90°PKG50	One-hole, flared barrel, #4 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	738.39
07498355744	<b>LCAF4-38-L</b>	CuLug,#4AWG,Flared,3/8StudPKG50	One-hole, flared barrel, #4 AWG wire, 3/8 stud hole.	C	100	\$	543.16
07498355743	<b>LCAF4-56-L</b>	CuLug,#4AWG,Flared,5/16StudPKG50	One-hole, flared barrel, #4 AWG wire, 5/16 stud hole.	C	100	\$	633.16
07498387237	<b>LCAF4-56H-L</b>	CuLug,#4AWG,Flared,5/16Stud,45°PKG50	One-hole, flared barrel, #4 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	854.75
07498355796	<b>LCAF4/0-12-X</b>	CuLug,4/0AWG,Flared,1/2StudPKG10	The LCAF4/0-12-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,940.04
07498387724	<b>LCAF4/0-12F-X</b>	CuLug,4/0AWG,Flared,1/2Stud,90°PKG10	One-hole, flared barrel, 4/0 AWG wire, 1/2 stud hole, 90° angle tongue.	C	100	\$	2,737.76
07498387723	<b>LCAF4/0-12H-X</b>	CuLug,4/0AWG,Flared,1/2Stud,45°PKG10	One-hole, flared barrel, 4/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	2,749.96
07498355781	<b>LCAF4/0-14-X</b>	CuLug,4/0AWG,Flared,1/4StudPKG10	One-hole, flared barrel, 4/0 AWG wire, 1/4 stud hole.	C	100	\$	1,986.71
07498355795	<b>LCAF4/0-38-X</b>	CuLug,1H,4/0AWG,Flared,3/8StudPKG10	One-hole, flared barrel, 4/0 AWG wire, 3/8 stud hole.	C	100	\$	1,904.95
07498355785	<b>LCAF4/0-56-X</b>	CuLug,4/0AWG,Flared,5/16StudPKG10	One-hole, flared barrel, 4/0 AWG wire, 5/16 stud hole.	C	100	\$	2,056.28
07498355669	<b>LCAF400-12-6</b>	CuLug,400kcmil,Flared,1/2StudPKG6	One-hole, flared barrel, 400 kcmil cable, 1/2 stud hole.	C	100	\$	6,729.45
07498355670	<b>LCAF400-58-6</b>	CuLug,400kcmil,Flared,5/8StudPKG6	One-hole, flared barrel, 400 kcmil cable, 5/8 stud hole.	C	100	\$	7,001.70
07498355671	<b>LCAF500-12-6</b>	CuLug,500kcmil,Flared,1/2StudPKG6	One-hole, flared barrel, 500 kcmil cable, 1/2 stud hole.	C	100	\$	6,395.81
07498355672	<b>LCAF500-58-6</b>	CuLug,500kcmil,Flared,5/8StudPKG6	One-hole, flared barrel, 500 kcmil cable, 5/8 stud hole.	C	100	\$	6,647.25
07498355713	<b>LCAF6-14-L</b>	CuLug,#6AWG,Flared,1/4Stud,PKG50	One-hole, flared barrel, #6 AWG wire, 1/4 stud hole.	C	100	\$	482.71
07498355731	<b>LCAF6-38-L</b>	CuLug,#6AWG,Flared,3/8StudPKG50	One-hole, flared barrel, #6 AWG wire, 3/8 stud hole.	C	100	\$	439.99
07498355714	<b>LCAF6-56-L</b>	CuLug,#6AWG,Flared,5/16StudPKG50	One-hole, flared barrel, #6 AWG wire, 5/16 stud hole.	C	100	\$	361.86
07498355674	<b>LCAF600-12-6</b>	CuLug,646.4kcmil,Flared,1/2StudPKG6	One-hole, flared barrel, 600 kcmil cable, 1/2 stud hole.	C	100	\$	11,669.44
07498355676	<b>LCAF750-12-3</b>	CuLug,777.7kcmil,Flared,1/2StudPKG3	One-hole, flared barrel, 750 kcmil cable, 1/2 stud hole.	C	100	\$	13,607.50
07498355677	<b>LCAF750-58-3</b>	CuLug,777.7kcmil,Flared,5/8StudPKG3	One-hole, flared barrel, 750 kcmil cable, 5/8 stud hole.	C	100	\$	15,870.36
07498387217	<b>LCAF8-10H-L</b>	CuLug,#8AWG,Flared,#10Stud,45°PKG50	One-hole, flared barrel, #8 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	478.60
07498355709	<b>LCAF8-14-L</b>	CuLug,#8AWG,Flared,1/4StudPKG50	One-hole, flared barrel, #8 AWG wire, 1/4 stud hole.	C	100	\$	372.26
07498355711	<b>LCAF8-38-L</b>	CuLug,#8AWG,Flared,3/8StudPKG50	One-hole, flared barrel, #8 AWG wire, 3/8 stud hole.	C	100	\$	372.26
07498355710	<b>LCAF8-56-L</b>	CuLug,#8AWG,Flared,5/16StudPKG50	One-hole, flared barrel, #8 AWG wire, 5/16 stud hole.	C	100	\$	372.26
07498344490	<b>LCAN1-10-E</b>	CuLug,#1AWG,Narrow,#10StudPKG20	One-hole, standard barrel with window, narrow tongue lug, #1 AWG wire, #10 stud hole.	C	100	\$	1,385.04
07498360332	<b>LCAN1-14-E</b>	CuLug,#1AWG,Narrow,1/4StudPKG20	One-hole, standard barrel with window, narrow tongue lug, #1 AWG wire, 1/4 stud hole.	C	100	\$	1,319.08
07498344491	<b>LCAN1/0-10-X</b>	CuLug,1/0AWG,Narrow,#10StudPKG10	One-hole, standard barrel with window, narrow tongue lug, 1/0 AWG wire, #10 stud hole.	C	100	\$	1,388.35
07498360333	<b>LCAN1/0-14-X</b>	CuLug,1/0AWG,Narrow,1/4StudPKG10	One-hole, standard barrel with window, narrow tongue lug, 1/0 AWG wire, 1/4 stud hole.	C	100	\$	1,322.24
07498360334	<b>LCAN1/0-56-X</b>	CuLug,1/0AWG,Narrow,5/16StudPKG10	One-hole, standard barrel with window, narrow tongue lug, 1/0 AWG wire, 5/16 stud hole.	C	100	\$	1,388.35
07498344488	<b>LCAN2-10-Q</b>	CuLug,#2AWG,Narrow,#10StudPKG25	One-hole, standard barrel with window, narrow tongue lug, #2 AWG wire, #10 stud hole.	C	100	\$	1,120.09
07498360331	<b>LCAN2-14-Q</b>	CuLug,#2AWG,Narrow,1/4StudPKG25	One-hole, standard barrel with window, narrow tongue lug, #2 AWG wire, 1/4 stud hole.	C	100	\$	1,066.74
07498344477	<b>LCAN2/0-10-X</b>	CuLug,2/0AWG,Narrow,#10StudPKG10	One-hole, standard barrel with window, narrow tongue lug, 2/0 AWG wire, #10 stud hole.	C	100	\$	1,596.29
07498360335	<b>LCAN2/0-14-X</b>	CuLug,2/0AWG,Narrow,1/4StudPKG10	One-hole, standard barrel with window, narrow tongue lug, 2/0 AWG wire, 1/4 stud hole.	C	100	\$	1,520.29
61305664397	<b>LCAN2/0-14H-X</b>	Copper Compression Lug, 1 Hole, #2/0 AWG	Copper Compression Lug, 1 Hole, #2/0 AWG, Narrow Tongue, 1/4" Stud, 45° Angle Tongue	C	100	\$	2,052.39
07498344478	<b>LCAN2/0-38-X</b>	CuLug,2/0AWG,Narrow,3/8StudPKG10	The LCAN2/0-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, narrow-tongue, has color	C	100	\$	1,520.29
07498360336	<b>LCAN2/0-56-X</b>	CuLug,2/0AWG,Narrow,5/16StudPKG10	The LCAN2/0-56-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, narrow-tongue, has color	C	100	\$	1,520.29
61305668372	<b>LCAN2/0-56F-X</b>	Copper Compression Lug, 1 Hole, #2/0 AWG	Copper Compression Lug, 1 Hole, #2/0 AWG, Narrow Tongue, 5/16" Stud, 90° Angle Tongue	C	100	\$	2,052.39
61305664396	<b>LCAN2/0-56H-X</b>	Copper Compression Lug, 1 Hole, #2/0 AWG	Copper Compression Lug, 1 Hole, #2/0 AWG, Narrow Tongue, 5/16" Stud, 45° Angle Tongue	C	100	\$	2,052.39
07498360341	<b>LCAN250-14-X</b>	CuLug,250kcmil,Narrow,1/4StudPKG10	One-hole, standard barrel with window, narrow tongue lug, 250 kcmil cable, 1/4 stud hole.	C	100	\$	2,656.01
07498360342	<b>LCAN250-38-X</b>	CuLug,250kcmil,Narrow,3/8StudPKG10	The LCAN250-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, narrow-tongue, has color	C	100	\$	2,629.53
61305668387	<b>LCAN250-56-X</b>	Copper Compression Lug, 1 Hole, 250 KCMIL	Copper Compression Lug, 1 Hole, 250 KCMIL, Narrow Tongue, 5/16" Stud	C	100	\$	2,865.74
07498360337	<b>LCAN3/0-14-X</b>	CuLug,3/0AWG,Narrow,1/4StudPKG10	One-hole, standard barrel with window, narrow tongue lug, 3/0 AWG wire, 1/4 stud hole.	C	100	\$	1,810.91
07498360338	<b>LCAN3/0-38-X</b>	CuLug,3/0AWG,Narrow,3/8StudPKG10	The LCAN3/0-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, narrow-tongue, has color	C	100	\$	1,810.91
07498344479	<b>LCAN3/0-56-X</b>	CuLug,3/0AWG,Narrow,5/16StudPKG10	The LCAN3/0-56-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, narrow-tongue, has color	C	100	\$	1,810.91
07498360343	<b>LCAN300-14-X</b>	CuLug,300kcmil,Narrow,1/4StudPKG10	One-hole, standard barrel with window, narrow tongue lug, 300 kcmil cable, 1/4 stud hole.	C	100	\$	2,924.28
07498360344	<b>LCAN300-38-X</b>	CuLug,300kcmil,Narrow,3/8StudPKG10	One-hole, standard barrel with window, narrow tongue lug, 300 kcmil cable, 3/8 stud hole.	C	100	\$	2,924.28
07498360346	<b>LCAN350-12-X</b>	CuLug,350kcmil,Narrow,1/2StudPKG10	The LCAN350-12-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, narrow-tongue, has color	C	100	\$	2,717.93
07498360345	<b>LCAN350-38-X</b>	CuLug,350kcmil,Narrow,3/8StudPKG10	The LCAN350-38-X Copper Compression Connector Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	2,717.93
07498344486	<b>LCAN4-10-L</b>	CuLug,#4AWG,Narrow,#10StudPKG50	One-hole, standard barrel with window, narrow tongue lug, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud	C	100	\$	954.93
07498360330	<b>LCAN4-14-L</b>	CuLug,#4AWG,Narrow,1/4StudPKG50	One-hole, standard barrel with window, narrow tongue lug, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud	C	100	\$	954.93
07498360339	<b>LCAN4/0-14-X</b>	STD Lug,N,4/0AWG, .25in,WDW,PK10	One-hole, standard barrel with window, narrow tongue lug, 4/0 AWG wire, 1/4 stud hole.	C	100	\$	1,893.89
07498360340	<b>LCAN4/0-38-X</b>	CuLug,1H,4/0AWG,Narrow,5/16StudPKG10	The LCAN4/0-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, narrow-tongue, has color	C	100	\$	1,893.89
61305668375	<b>LCAN4/0-56H-X</b>	Copper Compression Lug, 1 Hole, #4/0 AWG	Copper Compression Lug, 1 Hole, #4/0 AWG, Narrow Tongue, 5/16" Stud, 45° Angle Tongue	C	100	\$	2,556.79
07498344482	<b>LCAN400-12-6</b>	CuLug,400kcmil,Narrow,1/2StudPKG6	The LCAN400-12-6 Tin-Plated Copper Compression Lug, one-hole, standard barrel, narrow-tongue, has color	C	100	\$	3,209.74
07498344481	<b>LCAN400-38-6</b>	CuLug,400kcmil,Narrow,3/8StudPKG6	One-hole, standard barrel with window, narrow tongue lug, 400 kcmil cable, 3/8 stud hole.	C	100	\$	3,370.23
07498360348	<b>LCAN500-12-6</b>	CuLug,500kcmil,Narrow,1/2StudPKG6	One-hole, standard barrel with window, narrow tongue lug, 500 kcmil cable, 1/2 stud hole.	C	100	\$	3,874.13
07498360347	<b>LCAN500-38-6</b>	CuLug,500kcmil,Narrow,3/8StudPKG6	One-hole, standard barrel with window, narrow tongue lug, 500 kcmil cable, 3/8 stud hole.	C	100	\$	3,874.13
07498344487	<b>LCAN6-6-L</b>	CuLug,#6AWG,Narrow,#6(3.5mm)StudPKG50	One-hole, standard barrel with window, narrow tongue lug, #6 AWG wire, #6 stud hole.	C	100	\$	889.05
07498344483	<b>LCAN600-12-6</b>	CuLug,600kcmil,Narrow,1/2StudPKG6	One-hole, standard barrel with window, narrow tongue lug, 600 kcmil cable, 1/2 stud hole.	C	100	\$	8,776.14
07498360349	<b>LCAN600-38-6</b>	CuLug,600kcmil,Narrow,3/8StudPKG6	One-hole, standard barrel with window, narrow tongue lug, 600 kcmil cable, 3/8 stud hole.	C	100	\$	8,358.23
07498344475	<b>LCAN750-12-6</b>	CuLug,750kcmil,Narrow,1/2StudPKG6	One-hole, standard barrel with window, narrow tongue lug, 750 kcmil cable, 1/2 stud hole.	C	100	\$	7,635.91
07498360350	<b>LCAN750-38-6</b>	CuLug,750kcmil,Narrow,3/8StudPKG6	One-hole, standard barrel with window, narrow tongue lug, 750 kcmil cable, 3/8 stud hole.	C	100	\$	7,635.91
07498360329	<b>LCAN8-6-L</b>	CuLug,#8AWG,Narrow,#6(3.5mm)StudPKG50	One-hole, standard barrel with window, narrow tongue lug, #8 AWG wire, #6 stud hole.	C	100	\$	507.99
07498322531	<b>LCAS2-38-Q</b>	CuLug,#2AWG,Short,3/8StudPKG25	One-hole, short barrel with window lug, #2 AWG wire, 3/8 stud hole.	C	100	\$	909.15
07498386895	<b>LCAS4-14F-L</b>	CuLug,#4AWG,Short,1/4Stud,90°PKG50	The LCAS4-14F-L Tin-Plated Copper Compression Lug, one-hole, short barrel, has color-coded barrels mark	C	100	\$	613.10

07498386945	<b>LCAS4/0-38F-X</b>	CuLug,4/0AWG,Short,3/8Stud,90°PKG10	One-hole, short barrel with window lug, 4/0 AWG wire, 3/8 stud hole, 90 ° angle tongue.	C	100	\$	2,102.11
07498322522	<b>LCAS6-14-L</b>	CuLug,#6AWG,Short,1/4StudPKG50	The LCAS6-14-L Tin-Plated Copper Compression Lug, one-hole, short barrel, has color-coded barrels marke	C	100	\$	356.74
07498344748	<b>LCAX1-10-X</b>	CuLug,#1AWG,#10StudPKG10	One-hole, flex lug, #1 AWG wire, #10 stud hole.	C	100	\$	995.84
07498343518	<b>LCAX1-12-X</b>	CuLug,#1AWG,1/2StudPKG10	One-hole, flex lug, #1 AWG wire, 1/2 stud hole.	C	100	\$	1,084.23
07498343520	<b>LCAX1-12F-X</b>	CuLug,#1AWG,1/2Stud,90°PKG10	One-hole, flex lug, #1 AWG wire, 1/2 stud hole., 90° angle tongue.	C	100	\$	1,463.71
07498343509	<b>LCAX1-14-X</b>	CuLug,#1AWG,1/4StudPKG10	One-hole, flex lug, #1 AWG wire, 1/4 stud hole.	C	100	\$	995.84
07498343511	<b>LCAX1-14F-X</b>	CuLug,#1AWG,1/4Stud,90°PKG10	One-hole, flex lug, #1 AWG wire, 1/4 stud hole., 90° angle tongue.	C	100	\$	1,344.35
07498343510	<b>LCAX1-14H-X</b>	CuLug,#1AWG,1/4Stud,45°PKG10	One-hole, flex lug, #1 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	1,344.35
07498343515	<b>LCAX1-38-X</b>	CuLug,#1AWG,3/8StudPKG10	One-hole, flex lug, #1 AWG wire, 3/8 stud hole.	C	100	\$	984.34
07498343512	<b>LCAX1-56-X</b>	CuLug,#1AWG,5/16StudPKG10	The LCAX1-56-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	948.41
07498343514	<b>LCAX1-56F-X</b>	CuLug,#1AWG,5/16Stud,90°PKG10	One-hole, flex lug, #1 AWG wire, 5/16 stud hole., 90° angle tongue.	C	100	\$	1,344.35
07498328293	<b>LCAX1/0-12-C</b>	CuLug,1/0AWG,1/2Stud,PKG100	One-hole, flex lug, 1/0 AWG wire, 1/2 stud hole, bulk package.	C	100	\$	1,304.16
07498343530	<b>LCAX1/0-12-X</b>	STDFlexLug,1/0AWG,.5in stud,WDW,PK10	The LCAX1/0-12-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,242.04
07498343532	<b>LCAX1/0-12F-X</b>	CuLugF,1/0AWG,1/2Stud,90°PKG10	One-hole, flex lug, 1/0 AWG wire, 1/2 stud hole., 90° angle tongue.	C	100	\$	1,760.73
07498343531	<b>LCAX1/0-12H-X</b>	CuLugF,1/0AWG,1/2Stud,45°PKG10	One-hole, flex lug, 1/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	1,760.73
07498343521	<b>LCAX1/0-14-X</b>	CuLugF,1/0AWG,1/4StudPKG10	The LCAX1/0-14-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,114.64
07498343523	<b>LCAX1/0-14F-X</b>	CuLugF,1/0AWG,1/4Stud,90°PKG10	One-hole, flex lug, 1/0 AWG wire, 1/4 stud hole., 90° angle tongue.	C	100	\$	1,580.05
07498343522	<b>LCAX1/0-14H-X</b>	CuLugF,1/0AWG,1/4Stud,45°PKG10	One-hole, flex lug, 1/0 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	1,580.05
07498328295	<b>LCAX1/0-38-C</b>	CuLug,1/0AWG,3/8Stud,PKG100	One-hole, flex lug, 1/0 AWG wire, 3/8 stud hole, bulk package.	C	100	\$	1,180.19
07498343527	<b>LCAX1/0-38-X</b>	CuLug,FL,1/0AWG,3/8StudPKG10	The LCAX1/0-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,123.99
07498343529	<b>LCAX1/0-38F-X</b>	CuLugF,1/0AWG,3/8Stud,90°PKG10	One-hole, flex lug, 1/0 AWG wire, 3/8 stud hole., 90° angle tongue.	C	100	\$	1,593.26
07498343528	<b>LCAX1/0-38H-X</b>	CuLugF,1/0AWG,3/8Stud,45°PKG10	One-hole, flex lug, 1/0 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,593.26
07498343524	<b>LCAX1/0-56-X</b>	CuLugF,1/0AWG,5/16StudPKG10	The LCAX1/0-56-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,189.96
07498343526	<b>LCAX1/0-56F-X</b>	CuLugF,1/0AWG,5/16Stud,90°PKG10	One-hole, flex lug, 1/0 AWG wire, 5/16 stud hole., 90° angle tongue.	C	100	\$	1,606.56
07498343525	<b>LCAX1/0-56H-X</b>	CuLugF,1/0AWG,5/16Stud,45°PKG10	One-hole, flex lug, 1/0 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,686.89
07498312658	<b>LCAX1/0-58-X</b>	CuLug,1/0AWG,FLEX,5/8StudPKG10	One-hole, flex lug, 1/0 AWG wire, 5/8 stud hole.	C	100	\$	1,304.16
07498344745	<b>LCAX2-10-E</b>	CuLug,#2AWG,#10StudPKG20	One-hole, flex lug, #2 AWG wire, #10 stud hole.	C	100	\$	1,006.78
07498344747	<b>LCAX2-10F-E</b>	CuLug,#2AWG,#10Stud,90°PKG20	One-hole, flex lug, #2 AWG wire, #10 stud hole., 90° angle tongue.	C	100	\$	1,359.21
07498344746	<b>LCAX2-10H-E</b>	CuLug,#2AWG,#10Stud,45°PKG20	One-hole, flex lug, #2 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	1,359.21
07498344261	<b>LCAX2-12-E</b>	CuLug,#2AWG,1/2StudPKG20	One-hole, flex lug, #2 AWG wire, 1/2 stud hole.	C	100	\$	1,013.15
07498344262	<b>LCAX2-12F-E</b>	CuLug,#2AWG,1/2Stud,90°PKG20	One-hole, flex lug, #2 AWG wire, 1/2 stud hole., 90° angle tongue.	C	100	\$	1,436.10
07498344264	<b>LCAX2-14-E</b>	CuLug,#2AWG,1/4StudPKG20	The LCAX2-14-E Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	958.85
07498344265	<b>LCAX2-14F-E</b>	CuLug,#2AWG,1/4Stud,90°PKG20	One-hole, flex lug, #2 AWG wire, 1/4 stud hole., 90° angle tongue.	C	100	\$	1,294.50
07498344266	<b>LCAX2-14H-E</b>	CuLug,#2AWG,1/4Stud,45°PKG20	One-hole, flex lug, #2 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	1,294.50
07498344267	<b>LCAX2-38-E</b>	CuLug,#2AWG,3/8StudPKG20	The LCAX2-38-E Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	935.58
07498344268	<b>LCAX2-38F-E</b>	CuLug,#2AWG,3/8Stud,90°PKG20	One-hole, flex lug, #2 AWG wire, 3/8 stud hole., 90° angle tongue.	C	100	\$	1,263.09
07498344269	<b>LCAX2-38H-E</b>	CuLug,#2AWG,3/8Stud,45°PKG20	One-hole, flex lug, #2 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,326.25
07498344296	<b>LCAX2-56-E</b>	CuLug,#2AWG,5/16StudPKG20	The LCAX2-56-E Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels m	C	100	\$	1,046.06
07498344298	<b>LCAX2-56F-E</b>	CuLug,#2AWG,5/16Stud,90°PKG20	One-hole, flex lug, #2 AWG wire, 5/16 stud hole., 90° angle tongue.	C	100	\$	1,412.24
07498344297	<b>LCAX2-56H-E</b>	CuLug,#2AWG,5/16Stud,45°PKG20	One-hole, flex lug, #2 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,412.24
07498344751	<b>LCAX2/0-10-X</b>	CuLug,2/0AWG,#10StudPKG10	One-hole, flex lug, 2/0 AWG wire, #10 stud hole.	C	100	\$	1,134.35
07498344752	<b>LCAX2/0-10F-X</b>	CuLug,2/0AWG,#10Stud,90°PKG10	One-hole, flex lug, 2/0 AWG wire, #10 stud hole., 90° angle tongue.	C	100	\$	1,531.41
07498343542	<b>LCAX2/0-12-X</b>	STDFlexLug,2/0AWG,.5in stud,WDW,PK10	The LCAX2/0-12-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,361.15
07498343544	<b>LCAX2/0-12F-X</b>	CuLugF,2/0AWG,1/2Stud,90°PKG10	One-hole, flex lug, 2/0 AWG wire, 1/2 stud hole., 90° angle tongue.	C	100	\$	1,929.38
07498343543	<b>LCAX2/0-12H-X</b>	CuLugF,2/0AWG,1/2Stud,45°PKG10	One-hole, flex lug, 2/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	1,929.38
07498344305	<b>LCAX2/0-14-X</b>	CuLugF,2/0AWG,1/4StudPKG10	One-hole, flex lug, 2/0 AWG wire, 1/4 stud hole, standard package.	C	100	\$	1,125.38
07498328297	<b>LCAX2/0-38-C</b>	CuLug,2/0AWG,3/8Stud,PKG100	One-hole, flex lug, 2/0 AWG wire, 3/8 stud hole, bulk package.	C	100	\$	1,181.65
07498343539	<b>LCAX2/0-38-X</b>	STDFlexLug,2/0AWG,.38in stud,WDW,PK10	The LCAX2/0-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,341.98
07498343541	<b>LCAX2/0-38F-X</b>	CuLugF,2/0AWG,3/8Stud,90°PKG10	One-hole, flex lug, 2/0 AWG wire, 3/8 stud hole., 90° angle tongue.	C	100	\$	1,811.74
07498343540	<b>LCAX2/0-38H-X</b>	CuLugF,2/0AWG,3/8Stud,45°PKG10	One-hole, flex lug, 2/0 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,902.34
07498343536	<b>LCAX2/0-56-X</b>	CuLugF,2/0AWG,5/16StudPKG10	The LCAX2/0-56-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,361.15
07498343538	<b>LCAX2/0-56F-X</b>	CuLugF,2/0AWG,5/16Stud,90°PKG10	One-hole, flex lug, 2/0 AWG wire, 5/16 stud hole., 90° angle tongue.	C	100	\$	1,929.38
07498343537	<b>LCAX2/0-56H-X</b>	CuLugF,2/0AWG,5/16Stud,45°PKG10	One-hole, flex lug, 2/0 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,929.38
07498344754	<b>LCAX2/0-58-X</b>	CuLug,2/0AWG,5/8StudPKG10	One-hole, flex lug, 2/0 AWG wire, 5/8 stud hole, standard package.	C	100	\$	1,500.66
07498344755	<b>LCAX2/0-58F-X</b>	CuLug,2/0AWG,5/8Stud,90°PKG10	One-hole, flex lug, 2/0 AWG wire, 5/8 stud hole., 90° angle tongue.	C	100	\$	2,025.93
07498343573	<b>LCAX250-12-X</b>	STDFlexLug,250kcmil,.5in stud,WDW,PK10	The LCAX250-12-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	2,477.96
07498343575	<b>LCAX250-12F-X</b>	CuLugF,250kcmil,1/2Stud,90°PKG10	One-hole, flex lug, 250 kcmil cable, 1/2 stud hole., 90° angle tongue.	C	100	\$	3,345.26
07498343574	<b>LCAX250-12H-X</b>	CuLugF,250kcmil,1/2Stud,45°PKG10	One-hole, flex lug, 250 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	3,512.51
07498343570	<b>LCAX250-38-X</b>	STDFlexLug,250kcmil,.38in stud,WDW,PK10	The LCAX250-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	2,348.50
07498343572	<b>LCAX250-38F-X</b>	CuLugF,250kcmil,3/8Stud,90°PKG10	One-hole, flex lug, 250 kcmil cable, 3/8 stud hole., 90° angle tongue.	C	100	\$	3,329.06
07498343571	<b>LCAX250-38H-X</b>	CuLugF,250kcmil,3/8Stud,45°PKG10	One-hole, flex lug, 250 kcmil cable, 3/8 stud hole, 45° angle tongue.	C	100	\$	3,329.06
07498344769	<b>LCAX250-56-X</b>	CuLugF,250kcmil,5/16StudPKG10	One-hole, flex lug, 250 kcmil cable, 5/16 stud hole.	C	100	\$	2,456.59
07498343576	<b>LCAX250-58-X</b>	CuLug,250kcmil,5/8StudPKG10	One-hole, flex lug, 250 kcmil cable, 5/8 stud hole.	C	100	\$	2,660.25
07498343554	<b>LCAX3/0-12-X</b>	CuLug,3/0AWG,1/2StudPKG10	The LCAX3/0-12-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,469.70
07498343556	<b>LCAX3/0-12F-X</b>	STDFlexLug,3/0AWG,.5in,90°,WDW,PK10	One-hole, flex lug, 3/0 AWG wire, 1/2 stud hole., 90° angle tongue.	C	100	\$	2,083.23
07498343555	<b>LCAX3/0-12H-X</b>	STDFlexLug,3/0AWG,.5in,45°,WDW,PK10	One-hole, flex lug, 3/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	2,083.23
61305644892	<b>LCAX3/0-14-T</b>	Copper Compression Lug, 1 Hole, 3/0 AWG		C	100	\$	1,684.76
07498343545	<b>LCAX3/0-14-X</b>	STDFlexLug,3/0AWG,.25in,WDW,PK10	One-hole, flex lug, 3/0 AWG wire, 1/4 stud hole.	C	100	\$	1,684.76
61305644893	<b>LCAX3/0-38-T</b>	Copper Compression Lug, 1 Hole, 3/0 AWG		C	100	\$	1,667.89
07498343551	<b>LCAX3/0-38-X</b>	STDFlexLug,3/0AWG,.38in stud,WDW,PK10	The LCAX3/0-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,667.89
07498343553	<b>LCAX3/0-38F-X</b>	STDFlexLug,3/0AWG,.38in,90°,WDW,PK10	One-hole, flex lug, 3/0 AWG wire, 3/8 stud hole., 90° angle tongue.	C	100	\$	2,251.70
07498343552	<b>LCAX3/0-38H-X</b>	STDFlexLug,3/0AWG,.38in,45°,WDW,PK10	One-hole, flex lug, 3/0 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	2,364.29
07498343548	<b>LCAX3/0-56-X</b>	STDFlexLug,3/0AWG,.3in,WDW,PK10	One-hole, flex lug, 3/0 AWG wire, 5/16 stud hole.	C	100	\$	1,684.59
07498343550	<b>LCAX3/0-56F-X</b>	STDFlexLug,3/0AWG,.3in,90°,WDW,PK10	One-hole, flex lug, 3/0 AWG wire, 5/16 stud hole., 90° angle tongue.	C	100	\$	2,387.94
07498343549	<b>LCAX3/0-56H-X</b>	STDFlexLug,3/0AWG,.3in,45°,WDW,PK10	One-hole, flex lug, 3/0 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	2,387.94
07498312659	<b>LCAX3/0-58-X</b>	CuLug,3/0AWG,5/8StudPKG10	One-hole, flex lug, 3/0 AWG wire, 5/8 stud hole..	C	100	\$	1,751.29
07498343582	<b>LCAX300-12-6</b>	CuLug,300kcmil,1/2StudPKG66	One-hole, flex lug, 300 kcmil cable, 1/2 stud hole.	C	100	\$	3,280.76

07498343584	<b>LCAX300-12F-6</b>	CuLug,300kcmil,1/2Stud,90°PKG6	One-hole, flex lug, 300 kcmil cable, 1/2 stud hole., 90° angle tongue.	C	100	\$	4,650.51
07498343579	<b>LCAX300-38-6</b>	CuLug,300kcmil,3/8StudPKG6	The LCAX300-38-6 Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	3,083.34
07498343581	<b>LCAX300-38F-6</b>	CuLug,300kcmil,3/8Stud,90°PKG6	One-hole, flex lug, 300 kcmil cable, 3/8 stud hole., 90° angle tongue.	C	100	\$	4,370.64
07498343585	<b>LCAX300-58-6</b>	CuLug,300kcmil,5/8StudPKG6	One-hole, flex lug, 300 kcmil cable, 5/8 stud hole.	C	100	\$	3,444.79
07498343587	<b>LCAX300-58F-6</b>	CuLug,300kcmil,5/8Stud,90°PKG6	One-hole, flex lug, 300 kcmil cable, 5/8 stud hole., 90° angle tongue.	C	100	\$	4,650.51
07498343586	<b>LCAX300-58H-6</b>	CuLug,300kcmil,5/8Stud,45°PKG6	One-hole, flex lug, 300 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	4,650.51
07498343591	<b>LCAX350-12-6</b>	CuLug,350kcmil,1/2StudPKG6	The LCAX350-12-6 Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	3,152.34
07498343593	<b>LCAX350-12F-6</b>	CuLug,350kcmil,1/2Stud,90°PKG6	One-hole, flex lug, 350 kcmil cable, 1/2 stud hole., 90° angle tongue.	C	100	\$	4,468.44
07498343592	<b>LCAX350-12H-6</b>	CuLug,350kcmil,1/2Stud,45°PKG6	One-hole, flex lug, 350 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	4,468.44
07498343588	<b>LCAX350-38-6</b>	CuLug,350kcmil,3/8StudPKG6	The LCAX350-38-6 Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	3,090.59
07498343590	<b>LCAX350-38F-6</b>	CuLug,350kcmil,3/8Stud,90°PKG6	One-hole, flex lug, 350 kcmil cable, 3/8 stud hole., 90° angle tongue.	C	100	\$	4,380.85
07498343589	<b>LCAX350-38H-6</b>	CuLug,350kcmil,3/8Stud,45°PKG6	One-hole, flex lug, 350 kcmil cable, 3/8 stud hole, 45° angle tongue.	C	100	\$	4,380.85
07498344781	<b>LCAX350-56-6</b>	CuLug,350kcmil,5/16StudPKG6	One-hole, flex lug, 350 kcmil cable, 5/16 stud hole.	C	100	\$	3,245.13
07498343594	<b>LCAX350-58-6</b>	CuLug,350kcmil,5/8StudPKG6	One-hole, flex lug, 350 kcmil cable, 5/8 stud hole.	C	100	\$	3,422.48
07498343395	<b>LCAX4-10-L</b>	CuLug,#4AWG,#10StudPKG50	One-hole, flex lug, #4 AWG wire, #10 stud hole.	C	100	\$	489.23
07498343396	<b>LCAX4-10H-L</b>	CuLug,#4AWG,#10Stud,45°PKG50	One-hole, flex lug, #4 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	693.49
07498343401	<b>LCAX4-14-L</b>	CuLug,#4AWG,1/4StudPKG50	The LCAX4-14-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels ma	C	100	\$	497.54
07498343407	<b>LCAX4-14F-L</b>	CuLug,#4AWG,1/4Stud,90°PKG50	One-hole, flex lug, #4 AWG wire, 1/4 stud hole., 90° angle tongue.	C	100	\$	705.33
07498343404	<b>LCAX4-14H-L</b>	CuLug,#4AWG,1/4Stud,45°PKG50	One-hole, flex lug, #4 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	740.54
07498343418	<b>LCAX4-38-L</b>	CuLug,#4AWG,3/8StudPKG50	One-hole, flex lug, #4 AWG wire, 3/8 stud hole.	C	100	\$	460.94
07498343415	<b>LCAX4-56-L</b>	CuLug,#4AWG,5/16StudPKG50	One-hole, flex lug, #4 AWG wire, 5/16 stud hole.	C	100	\$	460.94
07498343417	<b>LCAX4-56F-L</b>	CuLug,#4AWG,5/16Stud,90°PKG50	One-hole, flex lug, #4 AWG wire, 5/16 stud hole., 90° angle tongue.	C	100	\$	653.30
07498343416	<b>LCAX4-56H-L</b>	CuLug,#4AWG,5/16Stud,45°PKG50	One-hole, flex lug, #4 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	622.18
07498343564	<b>LCAX4/0-12-X</b>	STDFlexLug,4/0AWG,.5in stud,WDW,PK10	The LCAX4/0-12-X Copper Compression Connector Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	2,028.39
07498343566	<b>LCAX4/0-12F-X</b>	STDFlexLug,4/0AWG,.5in,90°,WDW,PK10	One-hole, flex lug, 4/0 AWG wire, 1/2 stud hole., 90° angle tongue.	C	100	\$	2,738.33
07498343565	<b>LCAX4/0-12H-X</b>	STDFlexLug,4/0AWG,.5in,45°,WDW,PK10	One-hole, flex lug, 4/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	2,875.26
07498344763	<b>LCAX4/0-14-X</b>	STDFlexLug,4/0AWG,.25in,WDW,PK10	The LCAX4/0-14-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,900.93
07498344765	<b>LCAX4/0-14H-X</b>	STDFlexLug,4/0AWG,.25in,45°,WDW,PK10	One-hole, flex lug, 4/0 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	2,694.56
07498344766	<b>LCAX4/0-34-X</b>	CuLug,4/0AWG,3/4StudPKG10	One-hole, flex lug, 4/0 AWG wire, 3/4 stud hole.	C	100	\$	2,622.86
07498343561	<b>LCAX4/0-38-X</b>	STDFlexLug,4/0AWG,.38in stud,WDW,PK10	The LCAX4/0-38-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	2,028.39
07498343563	<b>LCAX4/0-38F-X</b>	STDFlexLug,4/0AWG,.38in,90°,WDW,PK10	One-hole, flex lug, 4/0 AWG wire, 3/8 stud hole., 90° angle tongue.	C	100	\$	2,738.33
07498343562	<b>LCAX4/0-38H-X</b>	STDFlexLug,4/0AWG,.38in,45°,WDW,PK10	The LCAX4/0-38H-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	2,738.33
07498343557	<b>LCAX4/0-56-X</b>	STDFlexLug,4/0AWG,.3in,WDW,PK10	The LCAX4/0-56-X Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	1,951.73
07498343560	<b>LCAX4/0-56F-X</b>	STDFlexLug,4/0AWG,.3in,90°,WDW,PK10	One-hole, flex lug, 4/0 AWG wire, 5/16 stud hole., 90° angle tongue.	C	100	\$	2,634.89
07498343559	<b>LCAX4/0-56H-X</b>	STDFlexLug,4/0AWG,.3in,45°,WDW,PK10	One-hole, flex lug, 4/0 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	2,766.60
07498343567	<b>LCAX4/0-58-X</b>	CuLug,4/0AWG,5/8StudPKG10	One-hole, flex lug, 4/0 AWG wire, 5/8 stud hole.	C	100	\$	2,198.54
07498343569	<b>LCAX4/0-58F-X</b>	CuLug,4/0AWG,5/8Stud,90°PKG10	One-hole, flex lug, 4/0 AWG wire, 5/8 stud hole., 90° angle tongue.	C	100	\$	2,968.01
07498343568	<b>LCAX4/0-58H-X</b>	CuLug,4/0AWG,5/8Stud,45°PKG10	One-hole, flex lug, 4/0 AWG wire, 5/8 stud hole, 45° angle tongue.	C	100	\$	2,968.01
07498343597	<b>LCAX450-12-6</b>	CuLug,450kcmil,1/2StudPKG6	The LCAX450-12-6 Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	6,097.75
07498343599	<b>LCAX450-12F-6</b>	CuLug,450kcmil,1/2Stud,90°PKG6	One-hole, flex lug, 450 kcmil cable, 1/2 stud hole., 90° angle tongue.	C	100	\$	8,643.59
07498343600	<b>LCAX450-58-6</b>	CuLug,450kcmil,5/8StudPKG6	One-hole, flex lug, 450 kcmil cable, 5/8 stud hole.	C	100	\$	6,402.65
07498343602	<b>LCAX450-58F-6</b>	CuLug,450kcmil,5/8Stud,90°PKG6	One-hole, flex lug, 450 kcmil cable, 5/8 stud hole., 90° angle tongue.	C	100	\$	8,643.59
07498343603	<b>LCAX500-12-6</b>	STDFlexLug,500mcm,.5in stud,WDW,PK6	The LCAX500-12-6 Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	6,400.63
07498344790	<b>LCAX500-12F-6</b>	CuLug,500kcmil,1/2Stud,90°PKG6	One-hole, flex lug, 500 kcmil cable, 1/2 stud hole., 90° angle tongue.	C	100	\$	8,640.79
07498344791	<b>LCAX500-12H-6</b>	CuLug,500kcmil,1/2Stud,45°PKG6	One-hole, flex lug, 500 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	9,072.84
07498344787	<b>LCAX500-38-6</b>	CuLug,500kcmil,3/8StudPKG6	One-hole, flex lug, 500 kcmil cable, 3/8 stud hole.	C	100	\$	6,400.63
07498343604	<b>LCAX500-58-6</b>	CuLug,500kcmil,5/8StudPKG6	One-hole, flex lug, 500 kcmil cable, 5/8 stud hole.	C	100	\$	7,314.95
07498343352	<b>LCAX6-10-L</b>	CuLugF,#6AWG,#10StudPKG50	One-hole, flex lug, #6 AWG wire, #10 stud hole.	C	100	\$	437.90
07498343355	<b>LCAX6-10F-L</b>	CuLugF,#6AWG,#10Stud,90°PKG50	One-hole, flex lug, #6 AWG wire, #10 stud hole., 90° angle tongue.	C	100	\$	591.20
07498343358	<b>LCAX6-14-L</b>	CuLugF,#6AWG,1/4StudPKG50	The LCAX6-14-L Tin-Plated Copper Compression Lug, one-hole, standard barrel, has color-coded barrels ma	C	100	\$	402.30
07498343364	<b>LCAX6-14F-L</b>	CuLugF,#6AWG,1/4Stud,90°PKG50	One-hole, flex lug, #6 AWG wire, 1/4 stud hole., 90° angle tongue.	C	100	\$	570.33
07498343361	<b>LCAX6-14H-L</b>	CuLugF,#6AWG,1/4Stud,45°PKG50	One-hole, flex lug, #6 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	570.33
07498343381	<b>LCAX6-38-L</b>	STDFlexLug,6AWG,.38in stud,WDW,PK50	One-hole, flex lug, #6 AWG wire, 3/8 stud hole.	C	100	\$	418.06
07498343386	<b>LCAX6-38F-L</b>	CuLugF,#6AWG,3/8Stud,90°PKG50	One-hole, flex lug, #6 AWG wire, 3/8 stud hole., 90° angle tongue.	C	100	\$	592.69
07498343374	<b>LCAX6-56-L</b>	CuLugF,#6AWG,5/16StudPKG50	One-hole, flex lug, #6 AWG wire, 5/16 stud hole.	C	100	\$	372.51
07498343377	<b>LCAX6-56F-L</b>	CuLugF,#6AWG,5/16Stud,90°PKG50	One-hole, flex lug, #6 AWG wire, 5/16 stud hole., 90° angle tongue.	C	100	\$	502.80
07498343605	<b>LCAX650-12-6</b>	CuLug,646.4kcmil,1/2StudPKG6	One-hole, flex lug, 650 kcmil cable, 1/2 stud hole.	C	100	\$	9,745.33
07498344795	<b>LCAX650-38-6</b>	CuLug,646.4kcmil,3/8StudPKG6	One-hole, flex lug, 650 kcmil cable, 3/8 stud hole.	C	100	\$	10,232.59
07498343607	<b>LCAX650-58-6</b>	CuLug,646.4kcmil,5/8StudPKG6	One-hole, flex lug, 650 kcmil cable, 5/8 stud hole.	C	100	\$	10,592.48
07498344800	<b>LCAX650-58F-6</b>	CuLug,646.4kcmil,5/8Stud,90°PKG6	One-hole, flex lug, 650 kcmil cable, 5/8 stud hole., 90° angle tongue.	C	100	\$	14,299.81
07498344801	<b>LCAX650-58H-6</b>	CuLug,646.4kcmil,5/8Stud,45°PKG6	One-hole, flex lug, 650 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	14,299.81
07498343608	<b>LCAX750-12-3</b>	CuLug,777.7kcmil,1/2StudPKG3	The LCAX750-12-3 One-Hole, Copper Compression Lug, one-hole, standard barrel, has color-coded barrels	C	100	\$	11,260.01
07498343610	<b>LCAX750-58-3</b>	CuLug,777.7kcmil,5/8StudPKG3	One-hole, flex lug, 750 kcmil cable, 5/8 stud hole.	C	100	\$	11,823.04
07498344805	<b>LCAX750-58H-3</b>	CuLug,777.7kcmil,5/8Stud,45°PKG3	One-hole, flex lug, 750 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	15,961.13
07498343310	<b>LCAX8-10-L</b>	CuLugF,#8AWG,#10StudPKG50	One-hole, flex lug, #8 AWG wire, #10 stud hole.	C	100	\$	335.93
07498343315	<b>LCAX8-10F-L</b>	CuLugF,#8AWG,#10Stud,90°PKG50	One-hole, flex lug, #8 AWG wire, #10 stud hole., 90° angle tongue.	C	100	\$	476.16
07498343312	<b>LCAX8-10H-L</b>	CuLugF,#8AWG,#10Stud,45°PKG50	One-hole, flex lug, #8 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	476.16
07498343318	<b>LCAX8-14-L</b>	STDFlexLug,8AWG,.25in stud,WDW,PK50	One-hole, flex lug, #8 AWG wire, 1/4 stud hole.	C	100	\$	335.93
07498343321	<b>LCAX8-14F-L</b>	CuLugF,#8AWG,1/4Stud,90°PKG50	One-hole, flex lug, #8 AWG wire, 1/4 stud hole., 90° angle tongue.	C	100	\$	476.16
07498343338	<b>LCAX8-38-L</b>	STDFlexLug,8AWG,.38in stud,WDW,PK50	One-hole, flex lug, #8 AWG wire, 3/8 stud hole.	C	100	\$	352.73
07498343331	<b>LCAX8-56-L</b>	CuLugF,#8AWG,5/16StudPKG50	One-hole, flex lug, #8 AWG wire, 5/16 stud hole.	C	100	\$	352.73
07498343334	<b>LCAX8-56F-L</b>	CuLugF,#8AWG,5/16Stud,90°PKG50	One-hole, flex lug, #8 AWG wire, 5/16 stud hole., 90° angle tongue.	C	100	\$	498.85
07498302308	<b>LCAXF6-14-L</b>	CuLug,#6AWG,Flared,1/4StudPKG50	One-hole, flex lug, flared barrel, #6 AWG wire, 1/4 stud hole.	C	100	\$	510.88
61305625767	<b>LCAXN1/0-12-X</b>	Copper Compression Lug, 1 Hole, Flex, 1/	Copper Compression Lug, 1 Hole, Flex, 1/0 AWG, Narrow Tongue, 1/2" (12.7mm) Stud	C	100	\$	1,717.10
61305625764	<b>LCAXN1/0-14-X</b>	Copper Compression Lug, 1 Hole, Flex, 1/	Copper Compression Lug, 1 Hole, Flex, 1/0 AWG, Narrow Tongue, 1/4" (6.4mm) Stud	C	100	\$	1,596.29
61305625766	<b>LCAXN1/0-38-X</b>	Copper Compression Lug, 1 Hole, Flex, 1/	Copper Compression Lug, 1 Hole, Flex, 1/0 AWG, Narrow Tongue, 3/8" (9.5mm) Stud	C	100	\$	1,596.29
61305625765	<b>LCAXN1/0-56-X</b>	Copper Compression Lug, 1 Hole, Flex, 1/	Copper Compression Lug, 1 Hole, Flex, 1/0 AWG, Narrow Tongue, 5/16" (7.9mm) Stud	C	100	\$	1,596.29

61305625771	<b>LCAXN2/0-12-X</b>	Copper Compression Lug, 1 Hole, Flex, 2/	Copper Compression Lug, 1 Hole, Flex, 2/0 AWG, Narrow Tongue, 1/2" (12.7mm) Stud	C	100	\$	2,009.51
61305625768	<b>LCAXN2/0-14-X</b>	Copper Compression Lug, 1 Hole, Flex, 2/	Copper Compression Lug, 1 Hole, Flex, 2/0 AWG, Narrow Tongue, 1/4" (6.4mm) Stud	C	100	\$	1,901.44
61305625770	<b>LCAXN2/0-38-X</b>	Copper Compression Lug, 1 Hole, Flex, 2/	Copper Compression Lug, 1 Hole, Flex, 2/0 AWG, Narrow Tongue, 3/8" (9.5mm) Stud	C	100	\$	1,901.44
61305625769	<b>LCAXN2/0-56-X</b>	Copper Compression Lug, 1 Hole, Flex, 2/	Copper Compression Lug, 1 Hole, Flex, 2/0 AWG, Narrow Tongue, 5/16" (7.9mm) Stud	C	100	\$	1,901.44
61305625873	<b>LCAXN250-12-X</b>	Copper Compression Lug, 1 Hole, 250 kcmil	Copper Compression Lug, 1 Hole, 250 kcmil, Narrow Tongue, 1/2" (12.7mm) Stud	C	100	\$	4,037.73
61305625778	<b>LCAXN250-38-X</b>	Copper Compression Lug, 1 Hole, Flex, 25	Copper Compression Lug, 1 Hole, Flex, 250 kcmil, Narrow Tongue, 3/8" (9.5mm) Stud	C	100	\$	3,570.59
61305625777	<b>LCAXN250-56-X</b>	Copper Compression Lug, 1 Hole, Flex, 25	Copper Compression Lug, 1 Hole, Flex, 250 kcmil, Narrow Tongue, 5/16" (7.9mm) Stud	C	100	\$	2,978.74
61305625775	<b>LCAXN3/0-12-X</b>	Copper Compression Lug, 1 Hole, Flex, 3/	Copper Compression Lug, 1 Hole, Flex, 3/0 AWG, Narrow Tongue, 1/2" (12.7mm) Stud	C	100	\$	2,071.68
61305625772	<b>LCAXN3/0-14-X</b>	Copper Compression Lug, 1 Hole, Flex, 3/	Copper Compression Lug, 1 Hole, Flex, 3/0 AWG, Narrow Tongue, 1/4" (6.4mm) Stud	C	100	\$	1,988.60
61305625774	<b>LCAXN3/0-38-X</b>	Copper Compression Lug, 1 Hole, Flex, 3/	Copper Compression Lug, 1 Hole, Flex, 3/0 AWG, Narrow Tongue, 3/8" (9.5mm) Stud	C	100	\$	1,988.60
61305625773	<b>LCAXN3/0-56-X</b>	Copper Compression Lug, 1 Hole, Flex, 3/	Copper Compression Lug, 1 Hole, Flex, 3/0 AWG, Narrow Tongue, 5/16" (7.9mm) Stud	C	100	\$	1,988.60
61305625779	<b>LCAXN300-12-6</b>	Copper Compression Lug, 1 Hole, Flex, 30	Copper Compression Lug, 1 Hole, Flex, 300 kcmil, Narrow Tongue, 1/2" (12.7mm) Stud	C	100	\$	3,370.23
61305625782	<b>LCAXN350-12-6</b>	Copper Compression Lug, 1 Hole, Flex, 35	Copper Compression Lug, 1 Hole, Flex, 350 kcmil, Narrow Tongue, 1/2" (12.7mm) Stud	C	100	\$	4,067.83
61305625781	<b>LCAXN350-38-6</b>	Copper Compression Lug, 1 Hole, Flex, 35	Copper Compression Lug, 1 Hole, Flex, 350 kcmil, Narrow Tongue, 3/8" (9.5mm) Stud	C	100	\$	4,067.83
61305625780	<b>LCAXN350-56-6</b>	Copper Compression Lug, 1 Hole, Flex, 35	Copper Compression Lug, 1 Hole, Flex, 350 kcmil, Narrow Tongue, 5/16" (7.9mm) Stud	C	100	\$	4,469.65
61305625776	<b>LCAXN4/0-12-X</b>	Copper Compression Lug, 1 Hole, Flex, 4/	Copper Compression Lug, 1 Hole, Flex, 4/0 AWG, Narrow Tongue, 1/2" (12.7mm) Stud	C	100	\$	2,807.94
61305625776	<b>LCAXN4/0-14-X</b>	STDFlexLugN,4/0AWG,.25in,WDW,PK10	One-hole, flex lug, narrow tongue, 4/0 AWG wire, 1/4 stud hole.	C	100	\$	3,063.51
61305625776	<b>LCAXN4/0-38-X</b>	CuLug,4/0AWG,Narrow,3/8StudPKG10	One-hole, flex lug, narrow tongue, 4/0 AWG wire, 3/8 stud hole.	C	100	\$	2,924.28
61305625783	<b>LCAXN4/0-56-X</b>	CuLug,4/0AWG,Narrow,5/16StudPKG10	One-hole, flex lug, narrow tongue, 4/0 AWG wire, 5/16 stud hole.	C	100	\$	2,924.28
61305625783	<b>LCAXN450-12-6</b>	Copper Compression Lug, 1 Hole, Flex, 45	Copper Compression Lug, 1 Hole, Flex, 450 kcmil, Narrow Tongue, 1/2" (12.7mm) Stud	C	100	\$	9,194.04
61305625785	<b>LCAXN500-12-6</b>	Copper Compression Lug, 1 Hole, Flex, 50	Copper Compression Lug, 1 Hole, Flex, 500 kcmil, Narrow Tongue, 1/2" (12.7mm) Stud	C	100	\$	7,635.91
61305625784	<b>LCAXN500-38-6</b>	Copper Compression Lug, 1 Hole, Flex, 50	Copper Compression Lug, 1 Hole, Flex, 500 kcmil, Narrow Tongue, 3/8" (9.5mm) Stud	C	100	\$	7,635.91
61305625784	<b>LCAXN750-12-3</b>	CuLug,750kcmil,Narrow,1/2StudPKG30	One-hole, flex lug, narrow tongue, 750 kcmil cable, 1/2 stud hole.	C	100	\$	8,552.26
61305625784	<b>LCB1-12-E</b>	CuLug,#1AWG,Long,1/2StudPKG20	One-hole, long barrel lug, #1 AWG wire, 1/2 stud hole, standard package.	C	100	\$	1,230.94
61305625784	<b>LCB1-38-E</b>	CuLug,#1AWG,Long,3/8StudPKG20	One-hole, long barrel lug, #1 AWG wire, 3/8 stud hole, standard package.	C	100	\$	1,230.94
61305625784	<b>LCB1-56-E</b>	CuLug,#1AWG,Long,5/16StudPKG20	One-hole, long barrel lug, #1 AWG wire, 5/16 stud hole.	C	100	\$	1,230.94
61305625784	<b>LCB1/0-12-X</b>	LG.Lug,1/0AWG,.5in stud,NoWDW,PK10	One-hole, long barrel lug, 1/0 AWG wire, 1/2 stud hole.	C	100	\$	1,255.21
61305625784	<b>LCB1/0-12F-X</b>	CuLug,1/0AWG,Long,1/2Stud,90°PKG10	One-hole, long barrel lug, 1/0 AWG wire, 1/2 stud hole, 90° angle tongue.	C	100	\$	1,694.55
61305625784	<b>LCB1/0-38-X</b>	LG.Lug,1/0AWG,.38in stud,NoWDW,PK10	One-hole, long barrel lug, 1/0 AWG wire, 3/8 stud hole.	C	100	\$	1,206.36
61305625784	<b>LCB1/0-56-X</b>	CuLug,1/0AWG,Long,5/16StudPKG10	One-hole, long barrel lug, 1/0 AWG wire, 5/16 stud hole.	C	100	\$	1,255.19
61305625784	<b>LCB1/0-56F-X</b>	CuLug,1/0AWG,Long,5/16Stud,90°PKG10	One-hole, long barrel lug, 1/0 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	1,694.55
61305625784	<b>LCB10-14W-L</b>	CuLug,#10AWG,Long,1/4StudPKG50	One-hole, long barrel lug with inspection window, #10 AWG wire, 1/4 stud hole.	C	100	\$	438.98
61305625784	<b>LCB1000-12W-3</b>	CuLug,1000kcmil,Long,1/2StudPKG30	One-hole, long barrel lug with window, 1000 kcmil cable, 1/2 stud hole.	C	100	\$	16,435.86
61305666867	<b>LCB1250-34-3</b>	Copper Compression Lug, 1 Hole, 1250 kcm	Copper Compression Lug, 1 Hole, 1250 kcmil, Long Barrel, 3/4 (19.1mm) Stud	C	100	\$	18,759.59
61305666868	<b>LCB1250-34H-3</b>	Copper Compression Lug, 1 Hole, 1250 kcm	Copper Compression Lug, 1 Hole, 1250 kcmil, Long Barrel, 3/4 (19.1mm) Stud, 45° Bend	C	100	\$	25,325.40
61305666869	<b>LCB1500-12W-3</b>	Copper Compression Lug, 1 Hole, 1500 kcm	Copper Compression Lug, 1 Hole, 1500 kcmil, Long Barrel, 1/2 (12.7mm) Stud	C	100	\$	20,955.60
61305666871	<b>LCB1500-12WF-1</b>	Copper Compression Lug, 1 Hole, 1500 kcm	Copper Compression Lug, 1 Hole, 1500 kcmil, Long Barrel, 1/2 (12.7mm) Stud, 90° Bend	C	100	\$	28,290.08
61305666870	<b>LCB1500-12WH-1</b>	Copper Compression Lug, 1 Hole, 1500 kcm	Copper Compression Lug, 1 Hole, 1500 kcmil, Long Barrel, 1/2 (12.7mm) Stud, 45° Bend	C	100	\$	28,290.08
61305671803	<b>LCB1500-34-3</b>	Copper Compression Lug, 1 Hole, 1500 kcm	Copper Compression Lug, 1 Hole, 1500 kcmil, Long Barrel, 3/4 (19.1mm) Stud	C	100	\$	21,374.83
61305671804	<b>LCB1500-34H-3</b>	Copper Compression Lug, 1 Hole, 1500 kcm	Copper Compression Lug, 1 Hole, 1500 kcmil, Long Barrel, 3/4 (19.1mm) Stud, 45° Bend	C	100	\$	28,855.99
61305671803	<b>LCB2-10-Q</b>	CuLug,#2AWG,Long,#10StudPKG25	One-hole, long barrel lug, #2 AWG wire, #10 stud hole.	C	100	\$	1,119.99
61305671804	<b>LCB2-12-Q</b>	CuLug,#2AWG,Long,1/2StudPKG25	One-hole, long barrel lug, #2 AWG wire, 1/2 stud hole.	C	100	\$	1,119.99
61305671804	<b>LCB2-14-Q</b>	CuLug,#2AWG,Long,1/4StudPKG25	The LCB2-14-Q Tin-Plated Copper Compression Lug, one-hole, long barrel, has color-coded barrels marked	C	100	\$	1,066.63
61305671804	<b>LCB2-38-Q</b>	CuLug,#2AWG,Long,3/8StudPKG25	One-hole, long barrel lug, #2 AWG wire, 3/8 stud hole.	C	100	\$	1,066.63
61305671804	<b>LCB2-56-Q</b>	LG.Lug,2AWG,.31in stud,NoWDW,PK25	The LCB2-56-Q Tin-Plated Copper Compression Lug, one-hole, long barrel, has color-coded barrels marked	C	100	\$	1,066.63
61305671804	<b>LCB2-56F-Q</b>	CuLug,#2AWG,Long,5/16Stud,90°PKG25	One-hole, long barrel lug, #2 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	1,451.88
61305671804	<b>LCB2-56W-Q</b>	LG.Lug,2AWG,.31in stud,WDW,PK25	One-hole, long barrel lug with window, #2 AWG cable, 5/16 stud hole.	C	100	\$	1,119.99
61305671804	<b>LCB2/0-12-X</b>	CuLug,2/0AWG,Long,1/2StudPKG10	One-hole, long barrel lug, 2/0 AWG wire, 1/2 stud hole.	C	100	\$	1,485.34
61305671804	<b>LCB2/0-12F-X</b>	CuLug,2/0AWG,Long,1/2Stud,90°PKG10	One-hole, long barrel lug, 2/0 AWG wire, 1/2 stud hole, 90° angle tongue.	C	100	\$	2,005.25
61305671804	<b>LCB2/0-38-X</b>	LG.Lug,2/0AWG,.38in stud,NoWDW,PK10	The LCB2/0-38-X Tin-Plated Copper Compression Lug, one-hole, long barrel, has color-coded barrels marked	C	100	\$	1,414.60
61305671804	<b>LCB2/0-38F-X</b>	CuLug,2/0AWG,Long,3/8Stud,90°PKG10	One-hole, long barrel lug, 2/0 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	2,005.25
61305666872	<b>LCB2000-12W-1</b>	Copper Compression Lug, 1 Hole, 2000 kcm	Copper Compression Lug, 1 Hole, 2000 kcmil, Long Barrel, 1/2 (12.7mm) Stud	C	100	\$	34,833.00
61305666874	<b>LCB2000-12WF-1</b>	Copper Compression Lug, 1 Hole, 2000 kcm	Copper Compression Lug, 1 Hole, 2000 kcmil, Long Barrel, 1/2 (12.7mm) Stud, 90° Bend	C	100	\$	47,024.53
61305666873	<b>LCB2000-12WH-1</b>	Copper Compression Lug, 1 Hole, 2000 kcm	Copper Compression Lug, 1 Hole, 2000 kcmil, Long Barrel, 1/2 (12.7mm) Stud, 45° Bend	C	100	\$	47,024.53
61305671804	<b>LCB250-12-X</b>	LG.Lug,250mcm,.5in stud,NoWDW,PK10	One-hole, long barrel lug, 250 kcmil cable, 1/2 stud hole.	C	100	\$	2,215.74
61305671804	<b>LCB3/0-12-X</b>	CuLug,3/0AWG,Long,1/2StudPKG10	One-hole, long barrel lug, 3/0 AWG wire, 1/2 stud hole.	C	100	\$	1,723.56
61305671804	<b>LCB3/0-38-X</b>	LG.Lug,3/0AWG,.38in stud,NoWDW,PK10	One-hole, long barrel lug, 3/0 AWG wire, 3/8 stud hole.	C	100	\$	1,723.56
61305671804	<b>LCB300-12-X</b>	CuLug,300kcmil,Long,1/2StudPKG10	One-hole, long barrel lug, 300 kcmil cable, 1/2 stud hole.	C	100	\$	2,762.79
61305671804	<b>LCB300-38-X</b>	CuLug,300kcmil,Long,3/8StudPKG10	One-hole, long barrel lug, 300 kcmil cable, 3/8 stud hole.	C	100	\$	2,762.79
61305671804	<b>LCB350-12-X</b>	CuLug,350kcmil,Long,1/2StudPKG10	One-hole, long barrel lug, 350 kcmil cable, 1/2 stud hole.	C	100	\$	2,676.59
61305616501	<b>LCB4-12-L</b>	CuLug,1H,#4AWG,LongBarr,1/2Stud,PK50	Copper Compression Lug, 1 Hole, #4 AWG, Long Barrel, 1/2 (12.7mm) Stud.	C	100	\$	1,115.20
61305616501	<b>LCB4-14-L</b>	LG.Lug,2-4AWG,.25in stud,NoWDW,PK50	One-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole.	C	100	\$	558.33
61305616501	<b>LCB4-14F-L</b>	Cu.CompLug,1H,#4-#3A,#2A,1/4S,90°,PK50	One-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	791.41
61305616501	<b>LCB4-14H-L</b>	Cu.CompLug,1H,#4-#3A,#2A,1/4S,45°,PK50	One-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	791.41
61305616501	<b>LCB4-38-L</b>	LG.Lug,2-4AWG,.38in stud,NoWDW,PK50	One-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, 3/8 stud hole.	C	100	\$	586.24
61305616501	<b>LCB4-56-L</b>	Cu.Lug,#4-#3AWG STR,2SOL,5/16inStud,PK50	One-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, 5/16 stud hole.	C	100	\$	631.73
61305616501	<b>LCB4/0-12-X</b>	LG.Lug,4/0AWG,.5in stud,NoWDW,PK10	The LCB4/0-12-X Tin-Plated Copper Compression Connector Lug, one-hole, long barrel, has color-coded bar	C	100	\$	1,913.34
61305616501	<b>LCB4/0-38-X</b>	LG.Lug,4/0AWG,.38in stud,NoWDW,PK10	The LCB4/0-38-X tin-Plated Copper Compression Lug, one-hole, long barrel, has color-coded barrels marked	C	100	\$	1,894.21
61305616501	<b>LCB4/0-38F-X</b>	LG.Lug,4/0AWG,.38in,90°,NoWDW,PK10	One-hole, long barrel lug, 4/0 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	2,684.90
61305616501	<b>LCB400-12-6</b>	CuLug,400kcmil,Long,1/2StudPKG6	One-hole, long barrel lug, 400 kcmil cable, 1/2 stud hole.	C	100	\$	3,406.76
61305616501	<b>LCB400-12H-6</b>	CuLug,400kcmil,Long,1/2Stud,45°PKG6	One-hole, long barrel lug, 400 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	4,380.05
61305616501	<b>LCB400-38-6</b>	CuLug,400kcmil,Long,3/8StudPKG6	One-hole, long barrel lug, 400 kcmil cable, 3/8 stud hole.	C	100	\$	3,406.76
61305616501	<b>LCB500-12-6</b>	CuLug,500kcmil,Long,1/2StudPKG6	One-hole, long barrel lug, 500 kcmil cable, 1/2 stud hole.	C	100	\$	3,901.88
61305616501	<b>LCB500-12F-6</b>	CuLug,500kcmil,Long,1/2Stud,90°PKG6	One-hole, long barrel lug, 500 kcmil cable, 1/2 stud hole, 90° angle tongue.	C	100	\$	5,531.03
61305616501	<b>LCB500-58-6</b>	CuLug,500kcmil,Long,5/8StudPKG6	One-hole, long barrel lug, 500 kcmil cable, 5/8 stud hole.	C	100	\$	4,057.51
61305616501	<b>LCB6-10-L</b>	CuLug,#6AWG,Long,#10StudPKG50	One-hole, long barrel lug, #6 AWG wire, #10 stud hole.	C	100	\$	466.29
61305616500	<b>LCB6-12-L</b>	CuLug,1H,#6AWG,LongBarr,1/2Stud,PK50	Copper Compression Lug, 1 Hole, #6 AWG, Long Barrel, 1/2 (12.7mm) Stud.	C	100	\$	1,065.25

07498390179	<b>LCB6-14-L</b>	LGLug,6AWG,.25in stud,NoWDW,PK50	The LCB6-14-L Tin-Plated Copper Compression Lug, one-hole, long barrel, has color-coded barrels marked	C	100	\$	412.14
07498387148	<b>LCB6-14F-L</b>	CuLug,LB,6AWG,Long,1/4Stud,90°PKG50	One-hole, long barrel lug, #6 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	584.25
07498390173	<b>LCB6-38-L</b>	CuLug,1H,#6AWG,Long,3/8StudPKG50	One-hole, long barrel lug, #6 AWG wire, 3/8 stud hole.	C	100	\$	412.14
07498390169	<b>LCB600-12-6</b>	CuLug,600kcmil,Long,1/2StudPKG6	One-hole, long barrel lug, 600 kcmil cable, 1/2 stud hole.	C	100	\$	8,241.89
07498387214	<b>LCB600-12F-6</b>	CuLug,600kcmil,Long,1/2Stud,90°PKG6	One-hole, long barrel lug, 600 kcmil cable, 1/2 stud hole, 90° angle tongue.	C	100	\$	11,128.53
07498390170	<b>LCB600-58-6</b>	CuLug,600kcmil,Long,5/8StudPKG6	One-hole, long barrel lug, 600 kcmil cable, 5/8 stud hole.	C	100	\$	7,423.90
07498383319	<b>LCB750-12W-6</b>	CuLug,750kcmil,Long,1/2StudPKG6	One-hole, long barrel lug with window, 750 kcmil cable, 1/2 stud hole.	C	100	\$	8,497.61
07498390175	<b>LCB750-58-6</b>	CuLug,1H,750kcmil,Long,5/8StudPKG6	One-hole, long barrel lug, 750 kcmil cable, 5/8 stud hole.	C	100	\$	7,797.38
07498338237	<b>LCB8-10-L</b>	CuLug,#8AWG,Long,#10StudPKG50	One-hole, long barrel lug, #8 AWG wire, #10 stud hole.	C	100	\$	453.53
07498390178	<b>LCB8-14-L</b>	LGLug,8AWG,.25in stud,NoWDW,PK50	One-hole, long barrel lug, #8 AWG wire, 1/4 stud hole.	C	100	\$	431.93
07498387100	<b>LCB8-14H-L</b>	CuLug,#8AWG,Long,1/4Stud,45°PKG50	One-hole, long barrel lug, #8 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	612.18
07498343277	<b>LCB8-38-L</b>	CuLug,#8AWG,Long,3/8StudPKG50	One-hole, long barrel lug, #8 AWG wire, 3/8 stud hole, standard package.	C	100	\$	453.53
07498342005	<b>LCB8-56W-L</b>	CuLug,#8AWG,Long,5/16StudPKG50	One-hole, long barrel lug with window, #8 AWG cable, 5/16 stud hole.	C	100	\$	453.53
07498343676	<b>LCBX1-38-X</b>	CuLug,#1AWG,Long,3/8StudPKG10	One-hole, flex lug, long barrel, #1 AWG, 3/8 stud hole.	C	100	\$	1,243.31
07498343689	<b>LCBX1/0-12-X</b>	LGFlexLug,1/0AWG,.5in stud,WDW,PK10	One-hole, flex lug, long barrel, 1/0 AWG, 1/2 stud hole.	C	100	\$	1,425.23
07498343680	<b>LCBX1/0-14-X</b>	CuLug,1/0AWG,Long,1/4StudPKG10	One-hole, flex lug, long barrel, 1/0 AWG, 1/4 stud hole.	C	100	\$	1,314.38
07498343685	<b>LCBX1/0-38-X</b>	LGFlexLug,1/0AWG,.38in stud,WDW,PK10	One-hole, flex lug, long barrel, 1/0 AWG, 3/8 stud hole.	C	100	\$	1,383.54
07498344308	<b>LCBX2-12-E</b>	CuLug,#2AWG,Long,1/2StudPKG20	One-hole, flex lug, long barrel, #2 AWG, 1/2 stud hole.	C	100	\$	1,211.34
07498344311	<b>LCBX2-14-E</b>	CuLug,#2AWG,Long,1/4StudPKG20	One-hole, flex lug, long barrel, #2 AWG, 1/4 stud hole.	C	100	\$	1,119.99
07498344312	<b>LCBX2-14F-E</b>	CuLug,#2AWG,Long,1/4Stud,90°PKG20	One-hole, flex lug, long barrel, #2 AWG, 1/4 stud hole, 90° angle tongue.	C	100	\$	1,511.94
07498344314	<b>LCBX2-38-E</b>	CuLug,#2AWG,Long,3/8StudPKG20	One-hole, flex lug, long barrel, #2 AWG, 3/8 stud hole.	C	100	\$	1,176.05
07498344316	<b>LCBX2-38H-E</b>	CuLug,#2AWG,Long,3/8Stud,45°PKG20	One-hole, flex lug, long barrel, #2 AWG, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,587.59
07498343703	<b>LCBX2/0-12-X</b>	CuLugF,2/0AWG,Long,1/2StudPKG10	One-hole, flex lug, long barrel, 2/0 AWG, 1/2 stud hole.	C	100	\$	1,675.66
07498343698	<b>LCBX2/0-38-X</b>	LGFlexLug,2/0AWG,.38in stud,WDW,PK10	One-hole, flex lug, long barrel, 2/0 AWG, 3/8 stud hole.	C	100	\$	1,627.06
07498312691	<b>LCBX250-12-X</b>	LGFlexLug,250mcm,.5in stud,WDW,PK10	One-hole, flex lug, long barrel, 250 kcmil, 1/2 stud hole.	C	100	\$	3,251.51
07498343739	<b>LCBX250-38-X</b>	CuLug,250kcmil,Long,3/8StudPKG10	One-hole, flex lug, long barrel, 250 kcmil, 3/8 stud hole.	C	100	\$	3,081.96
07498343742	<b>LCBX250-38H-X</b>	CuLug,250kcmil,Long,3/8Stud,45°PKG10	One-hole, flex lug, long barrel, 250 kcmil, 3/8 stud hole, 45° angle tongue.	C	100	\$	4,160.49
07498343712	<b>LCBX3/0-38-X</b>	LGFlexLug,3/0AWG,.38in stud,WDW,PK10	One-hole, flex lug, long barrel, 3/0 AWG, 3/8 stud hole.	C	100	\$	2,018.84
07498343718	<b>LCBX3/0-38F-X</b>	LGFlexLug,3/0AWG,.38in,90°WDW,PK10	One-hole, flex lug, long barrel, 3/0 AWG, 3/8 stud hole, 90° angle tongue.	C	100	\$	2,725.55
07498344561	<b>LCBX300-12-6</b>	CuLug,300kcmil,Long,1/2StudPKG6	One-hole, flex lug, long barrel, 300 kcmil, 1/2 stud hole.	C	100	\$	3,395.49
07498343748	<b>LCBX300-38-6</b>	CuLug,300kcmil,Long,3/8StudPKG6	One-hole, flex lug, long barrel, 300 kcmil, 3/8 stud hole.	C	100	\$	3,278.05
07498343766	<b>LCBX350-12-6</b>	CuLug,350kcmil,Long,1/2StudPKG6	One-hole, flex lug, long barrel, 350 kcmil, 1/2 stud hole.	C	100	\$	4,173.85
07498343757	<b>LCBX350-38-6</b>	CuLug,350kcmil,Long,3/8StudPKG6	One-hole, flex lug, long barrel, 350 kcmil, 3/8 stud hole.	C	100	\$	4,052.03
07498342882	<b>LCBX4-14-L</b>	CuLug,#4AWG,Long,1/4StudPKG50	One-hole, flex lug, long barrel, #4 AWG, 1/4 stud hole.	C	100	\$	585.34
07498342884	<b>LCBX4-14F-L</b>	CuLug,#4AWG,Long,1/4Stud,90°PKG50	One-hole, flex lug, long barrel, #4 AWG, 1/4 stud hole, 90° angle tongue.	C	100	\$	790.25
07498342885	<b>LCBX4-38-L</b>	CuLug,#4AWG,Long,3/8StudPKG50	One-hole, flex lug, long barrel, #4 AWG, 3/8 stud hole.	C	100	\$	614.54
07498343730	<b>LCBX4/0-12-X</b>	LGFlexLug,4/0AWG,.38in stud,WDW,PK10	One-hole, flex lug, long barrel, 4/0 AWG, 1/2 stud hole.	C	100	\$	2,253.31
07498343736	<b>LCBX4/0-12F-X</b>	LGFlexLug,4/0AWG,.5in,90°WDW,PK10	One-hole, flex lug, long barrel, 4/0 AWG, 1/2 stud hole, 90° angle tongue.	C	100	\$	3,041.95
07498343721	<b>LCBX4/0-38-X</b>	LGFlexLug,4/0AWG,.38in stud,NoWDW,PK10	One-hole, flex lug, long barrel, 4/0 AWG, 3/8 stud hole.	C	100	\$	2,187.93
07498357610	<b>LCBX450-38-6</b>	CuLug,450kcmil,Long,3/8StudPKG6	One-hole, flex lug, long barrel, 450 kcmil, 3/8 stud hole.	C	100	\$	6,361.21
07498343775	<b>LCBX500-12-6</b>	LGFlexLug,500mcm,.5in stud,WDW,PK6	One-hole, flex lug, long barrel, 500 kcmil, 1/2 stud hole.	C	100	\$	6,737.41
07498357632	<b>LCBX500-38-6</b>	CuLug,500kcmil,Long,3/8StudPKG6	One-hole, flex lug, long barrel, 500 kcmil, 3/8 stud hole.	C	100	\$	6,438.44
07498342351	<b>LCBX6-14-L</b>	LGFlexLug,6AWG,.25in stud,WDW,PK50	One-hole, flex lug, long barrel, #6 AWG, 1/4 stud hole.	C	100	\$	433.09
07498342878	<b>LCBX6-14F-L</b>	CuLugF,#6AWG,Long,1/4Stud,90°PKG50	One-hole, flex lug, long barrel, #6 AWG, 1/4 stud hole, 90° angle tongue.	C	100	\$	584.56
07498342879	<b>LCBX6-38-L</b>	CuLug,#6AWG,Long,3/8StudPKG50	One-hole, flex lug, long barrel, #6 AWG, 3/8 stud hole.	C	100	\$	454.85
07498342341	<b>LCBX8-10-L</b>	CuLugF,#8AWG,Long,#10StudPKG50	One-hole, flex lug, long barrel, #8 AWG, #10 stud hole.	C	100	\$	487.36
07498342344	<b>LCBX8-14-L</b>	LGFlexLug,8AWG,.25in stud,WDW,PK50	One-hole, flex lug, long barrel, #8 AWG, 1/4 stud hole.	C	100	\$	468.50
07498342347	<b>LCBX8-38-L</b>	CuLugF,#8AWG,Long,3/8StudPKG50	One-hole, flex lug, long barrel, #8 AWG, 3/8 stud hole.	C	100	\$	516.68
07498390299	<b>LCC1-00-E</b>	CuLug,Blank,#1AWG,Long,PKG20	Blank tongue, long barrel lug, #1 AWG wire.	C	100	\$	1,690.79
07498390288	<b>LCC1-12-E</b>	CuLugLB,2Hole,#1AWG,1/2Stud,1.75PKG20	Two-hole, long barrel lug, #1 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,808.08
07498379799	<b>LCC1-12W-E</b>	CuLugLBW,2Hole,#1AWG,1/2Stud,1.75PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,906.55
07498338241	<b>LCC1-14A-E</b>	CuLugLB,2Hole,#1AWG,1/4Stud,.63PKG20	Two-hole, long barrel lug, #1 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,930.06
07498379800	<b>LCC1-14AW-E</b>	CuLug,2Hole,#10AWG,1/4Stud,.63PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,705.84
07498338243	<b>LCC1-38D-E</b>	CuLugLB,2Hole,#1AWG,3/8,1,1PKG20	Two-hole, long barrel lug, #1 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,790.98
07498379802	<b>LCC1-38DW-E</b>	CuLugLBW,2Hole,#1AWG,3/8,1,1PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,790.48
07498390200	<b>LCC1/0-00-X</b>	CuLug,Blank,1/0AWG,Long,PKG10	Blank tongue, long barrel lug, 1/0 AWG wire.	C	100	\$	1,994.29
07498390225	<b>LCC1/0-12-X</b>	LGLug,1/0AWG,1.75in space,NoWDW,PK10	Two-hole, long barrel lug, 1/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,899.50
07498379806	<b>LCC1/0-12W-X</b>	LGLug,1/0AWG,1.75in space,WDW,PK10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,094.73
07498338269	<b>LCC1/0-14A-X</b>	LGLug,1/0AWG,.63in space,NoWDW,PK10	Two-hole, long barrel lug, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	2,127.14
07498379808	<b>LCC1/0-14AW-X</b>	LGLug,1/0AWG,.63in space,WDW,PK10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,881.46
07498338270	<b>LCC1/0-14B-X</b>	CuLug,2Hole,1/0AWG,1/4Stud,.75PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,127.14
07498379810	<b>LCC1/0-14DW-X</b>	CuLug,2Hole,1/0AWG,1/4Stud,1PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,937.93
07498338271	<b>LCC1/0-38D-X</b>	CuLug,2Hole,1/0AWG,3/8Stud,1PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,974.50
07498379812	<b>LCC1/0-38DW-X</b>	CuLugLBW,2Hole,1/0AWG,3/8,1PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,974.50
07498379811	<b>LCC1/0-38W-X</b>	CuLug,2Hole,1/0AWG,3/8Stud,1.75PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 3/8 stud hole, 1.75 hole spacing.	C	100	\$	2,113.60
07498397383	<b>LCC1/0-14AW-L</b>	LGLug,10AWG,2hol,.63in space,WDW,PK50	The LCC1/0-14AW-L Tin-Plated Copper Compression Connector Lug, two-hole, long barrel, has color-coded	C	100	\$	1,430.53
07498397384	<b>LCC1/0-14AWF-L</b>	CuLugLBW,2Hole,#10AWG,1/4, .63,90°PKG50	Two-hole, long barrel lug with window, #10 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,027.78
07498397386	<b>LCC1/0-14BW-L</b>	CuLugLBW,2Hole,#10AWG,1/4Stud,1.75PKG50	Two-hole, long barrel lug with window, #10 AWG wire, 1/4 stud hole, 1.75 hole spacing.	C	100	\$	1,374.23
07498397387	<b>LCC1/0-14BWF-L</b>	CuLugLBW,2Hole,#10AWG,1/4, .75,90°PKG50	Two-hole, long barrel lug with window, #10 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,947.85
07498364834	<b>LCC1/0-14JAW-L</b>	Cu Lug,#10,Long,1/4in Stud,Slotted,PK50	Two-hole, long barrel lug with window, #10 AWG wire, 1/4 stud hole, .50 — .63 hole spacing.	C	100	\$	1,592.68
07498363273	<b>LCC1/0-14JAWF-L</b>	Cu,CompLug,2H,#10A,1/4S,ST,90°,PK50	Two-hole, long barrel lug with window, #10 AWG wire, 1/4 stud hole, .50 — .63 hole spacing, 90° angle tongue	C	100	\$	2,450.20
07498364880	<b>LCC1/0-14JAWH-L</b>	Cu,CompLug,2H,#10A,1/4S,ST,45°,PK50	Two-hole, long barrel lug with window, #10 AWG wire, 1/4 stud hole, .50 — .63 hole spacing, 45° angle tongue	C	100	\$	2,450.20
07498390290	<b>LCC1000-12-3</b>	CuLugLB,2Hole,1000kcmil,1/2,1.75PKG3	The LCC1000-12-3 Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	16,485.43
07498379861	<b>LCC1000-12W-3</b>	CuLugLBW,2Hole,1000kcmil,1/2,1.75PKG3	Two-hole, long barrel lug with window, 1000 kcmil, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	14,192.45
61305631401	<b>LCC1250-12-3</b>	Copper Compression Lug, 2 Hole, 1250 kcm	Copper Compression Lug, 2 Hole, 1250 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing	C	100	\$	30,153.56
61305666875	<b>LCC1250-12W-3</b>	Copper Compression Lug, 2 Hole, 1250 kcm	Copper Compression Lug, 2 Hole, 1250 kcmil, 1/2 (12.7mm) Stud, 1.75 (44.4mm) Hole Spacing	C	100	\$	24,763.64
61305668877	<b>LCC1250-12WF-1</b>	Copper Compression Lug, 2 Hole, 1250 kcm	Copper Compression Lug, 2 Hole, 1250 kcmil, 1/2 (12.7mm) Stud, 1.75 (44.4mm) Hole Spacing, 90° Bend	C	100	\$	33,430.91

6130566876	LCC1250-12WH-1	Copper Compression Lug, 2 Hole, 1250 kcm	Copper Compression Lug, 2 Hole, 1250 kcmil, 1/2 (12.7mm) Stud, 1.75 (44.4mm) Hole Spacing, 45° Bend	C	100	\$	33,430.91
6130566878	LCC1500-12W-1	Copper Compression Lug, 2 Hole, 1500 kcm	Copper Compression Lug, 2 Hole, 1500 kcmil, 1/2 (12.7mm) Stud, 1.75 (44.4mm) Hole Spacing	C	100	\$	26,605.29
6130566880	LCC1500-12WF-1	Copper Compression Lug, 2 Hole, 1500 kcm	Copper Compression Lug, 2 Hole, 1500 kcmil, 1/2 (12.7mm) Stud, 1.75 (44.4mm) Hole Spacing, 90° Bend	C	100	\$	35,917.19
6130566879	LCC1500-12WH-1	Copper Compression Lug, 2 Hole, 1500 kcm	Copper Compression Lug, 2 Hole, 1500 kcmil, 1/2 (12.7mm) Stud, 1.75 (44.4mm) Hole Spacing, 45° Bend	C	100	\$	35,917.19
07498383078	LCC2-10AW-Q	CuLug,2Hole,#2AWG,#10Stud,.63PKG25	Two-hole, long barrel lug with window, #2 AWG wire, #10 stud hole, .63 hole spacing.	C	100	\$	1,542.85
07498390287	LCC2-12-Q	LG Lug,2AWG,2hol,1.75in space,NoW/DW,PK25	Two-hole, long barrel lug, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,521.50
07498379788	LCC2-12W-Q	LG Lug,2AWG,2hol,1.75in space,W/DW,PK25	Two-hole, long barrel lug with window, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,718.36
0749838246	LCC2-14A-Q	CuLugLB,2Hole,#2AWG,1/4,.63PKG25	The LCC2-14A-Q Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels marke	C	100	\$	1,564.31
07498390023	LCC2-14AF-Q	CuLugLB,2Hole,#2AWG,1/4,5/8,90°PKG25	Two-hole, long barrel lug, #2 AWG wire, 1/4 stud hole, 5/8 hole spacing, 90° angle tongue.	C	100	\$	2,054.25
07498390014	LCC2-14AH-Q	CuLugLB,2Hole,#2AWG,1/4,5/8,45°PKG25	Two-hole, long barrel lug, #2 AWG wire, 1/4 stud hole, 5/8 hole spacing, 45° angle tongue.	C	100	\$	2,156.95
07498379789	LCC2-14AW-Q	CuLugLBW,2Hole,#2AWG,1/4,.63PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,469.38
07498380594	LCC2-14AWF-Q	CuLugLBW,2Hole,#2AWG,1/4,.63,90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,983.56
0749838247	LCC2-14B-Q	CuLugLB,2Hole,#2AWG,1/4,.75PKG25	The LCC2-14B-Q Tin-Plated Copper Compression Lug Lug, two-hole, long barrel, has color-coded barrels m	C	100	\$	1,658.16
07498390028	LCC2-14BF-Q	CuLugLB,2Hole,#2AWG,1/4,3/4,90°PKG25	Two-hole, long barrel lug, #2 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,217.46
07498379790	LCC2-14BW-Q	CuLugLBW,2Hole,#2AWG,1/4,.75PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,558.49
07498380595	LCC2-14BWF-Q	CuLugLBW,2Hole,#2AWG,1/4,.75,90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,103.83
07498379791	LCC2-14DW-Q	CuLugLBW,2Hole,#2AWG,1/4,1PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,589.86
07498380596	LCC2-14DWF-Q	CuLugLBW,2Hole,#2AWG,1/4,1.90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 1/4 stud holes, 1 hole spacing, 90° angle tongue.	C	100	\$	2,146.24
0749838248	LCC2-38-Q	CuLugLB,2Hole,#2AWG,3/8,1.75PKG25	Two-hole, long barrel lug, #2 AWG wire, 3/8 stud hole, 1.75 hole spacing.	C	100	\$	1,597.56
07498379793	LCC2-38BW-Q	CuLug,2Hole,#2AWG,3/8Stud,.75PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud hole, .75 hole spacing.	C	100	\$	1,741.08
07498379794	LCC2-38CW-Q	CuLug,2Hole,#2AWG,3/8Stud,.88PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud hole, .88 hole spacing.	C	100	\$	1,636.83
0749838249	LCC2-38D-Q	CuLugLB,2Hole,#2AWG,3/8,1PKG25	Two-hole, long barrel lug, #2 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,506.55
07498379795	LCC2-38DW-Q	CuLugLBW,2Hole,#2AWG,3/8,1PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,543.94
07498379792	LCC2-38W-Q	CuLugLBW,2Hole,#2AWG,3/8,1.75PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud hole, 1.75 hole spacing.	C	100	\$	1,702.78
0749838250	LCC2-56B-Q	CuLugLB,2Hole,#2AWG,5/16,.75PKG25	Two-hole, long barrel lug, #2 AWG wire, 5/16 stud hole, .75 hole spacing.	C	100	\$	1,598.75
07498390202	LCC2/0-00-X	CuLug,Blank,2/0AWG,Long,PKG10	Blank tongue, long barrel lug, 2/0 AWG wire.	C	100	\$	2,009.03
07498390230	LCC2/0-12-X	LG Lug,2/0AWG,1.75in space,NoW/DW,PK10	Two-hole, long barrel lug, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,913.24
07498379814	LCC2/0-12W-X	LG Lug,2/0AWG,1.75in space,W/DW,PK10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,107.20
0749838277	LCC2/0-38D-X	CuLug,2Hole,2/0AWG,3/8Stud,1PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,988.95
07498379818	LCC2/0-38DW-X	CuLugLBW,2Hole,2/0AWG,3/8,1PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,988.95
6130566881	LCC2000-12W-1	Copper Compression Lug, 2 Hole, 2000 kcm	Copper Compression Lug, 2 Hole, 2000 kcmil, 1/2 (12.7mm) Stud, 1.75 (44.4mm) Hole Spacing	C	100	\$	37,416.81
6130566883	LCC2000-12WF-1	Copper Compression Lug, 2 Hole, 2000 kcm	Copper Compression Lug, 2 Hole, 2000 kcmil, 1/2 (12.7mm) Stud, 1.75 (44.4mm) Hole Spacing, 90° Bend	C	100	\$	50,512.68
6130566882	LCC2000-12WH-1	Copper Compression Lug, 2 Hole, 2000 kcm	Copper Compression Lug, 2 Hole, 2000 kcmil, 1/2 (12.7mm) Stud, 1.75 (44.4mm) Hole Spacing, 45° Bend	C	100	\$	50,512.68
07498390208	LCC250-00-X	CuLug,Blank,250kcmil,Long,PKG10	Blank tongue, long barrel lug, 250 kcmil cable.	C	100	\$	3,004.91
07498390245	LCC250-12-X	LG Lug,250mcm,1.75in space,NoW/DW,PK10	The LCC250-12-X Tin-Plated Copper Compression Lug Lug, two-hole, long barrel, has color-coded barrels mar	C	100	\$	2,888.64
07498379836	LCC250-12W-X	LG Lug,250mcm,1.75in space,W/DW,PK10	The LCC250-12W-X Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mar	C	100	\$	3,207.43
0749838290	LCC250-38D-X	CuLug,2Hole,250kcmil,3/8Stud,1PKG10	Two-hole, long barrel lug, 250 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,841.00
07498390205	LCC250-38DH-X	CuLugLB,2Hole,250kcmil,3/8,1.45°PKG10	Two-hole, long barrel lug, 250 kcmil wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	4,017.53
07498379838	LCC250-38DW-X	CuLugLBW,2Hole,250kcmil,3/8,1PKG10	Two-hole, long barrel lug with window, 250 kcmil, 3/8 stud hole, 1 hole spacing.	C	100	\$	3,025.25
07498379839	LCC250-56DW-X	CuLug,2Hole,250kcmil,5/16Stud,1PKG10	Two-hole, long barrel lug with window, 250 kcmil, 5/16 stud hole, 1 hole spacing.	C	100	\$	3,176.51
07498390204	LCC3/0-00-X	CuLug,Blank,3/0AWG,Long,PKG10	Blank tongue, long barrel lug, 3/0 AWG wire.	C	100	\$	2,310.45
07498390235	LCC3/0-12-X	LG Lug,3/0AWG,1.75in space,NoW/DW,PK10	Two-hole, long barrel lug, 3/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,200.31
0749838279	LCC3/0-12D-X	CuLugLB,2Hole,3/0AWG,1/2,1PKG10	Two-hole, long barrel lug, 3/0 AWG wire, 1/2 stud hole, 1 hole spacing.	C	100	\$	2,349.40
07498379822	LCC3/0-12W-X	LG Lug,3/0AWG,1.75in space,W/DW,PK10	Two-hole, long barrel lug with window, 3/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,376.89
07498338280	LCC3/0-14B-X	CuLug,2Holes,3/0AWG,1/4Stud,.75PKG10	Two-hole, long barrel lug, 3/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,559.56
07498338281	LCC3/0-38D-X	CuLug,2Hole,3/0AWG,3/8Stud,1PKG10	Two-hole, long barrel lug, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,242.60
07498379826	LCC3/0-38DW-X	CuLugLBW,2Hole,3/0AWG,3/8,1PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,242.81
07498390250	LCC300-12-X	CuLugLB,2Hole,300kcmil,1/2,1.75PKG10	The LCC300-12-X Tin-Plated Copper Compression Lug Lug, two-hole, long barrel, has color-coded barrels m	C	100	\$	3,584.89
07498379840	LCC300-12W-X	CuLugLBW,2Hole,300kcmil,1/2,1.75PKG10	Two-hole, long barrel lug with window, 300 kcmil, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	4,288.04
07498379841	LCC300-38DW-X	CuLugLBW,2Hole,300kcmil,3/8,1PKG10	Two-hole, long barrel lug with window, 300 kcmil, 3/8 stud hole, 1 hole spacing.	C	100	\$	4,045.08
07498390212	LCC350-00-X	CuLug,Blank,350kcmil,Long,PKG10	Blank tongue, long barrel lug, 350 kcmil cable.	C	100	\$	3,842.90
07498390255	LCC350-12-X	CuLug,2Hole,350kcmil,1/2Stud,1.75PKG10	The LCC350-12-X Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels marke	C	100	\$	3,659.95
07498379843	LCC350-12W-X	CuLug,2Hole,350kcmil,1/2Stud,1.75,PKG10	The LCC350-12W-X Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mar	C	100	\$	4,091.46
07498371953	LCC350-38D-X	CuLugLB,2Hole,350kcmil,3/8,1PKG10	Two-hole, long barrel lug, 350 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	3,518.23
07498379845	LCC350-38DW-X	CuLugLBW,2Hole,350kcmil,3/8,1PKG10	Two-hole, long barrel lug with window, 350 kcmil, 3/8 stud hole, 1.00 hole spacing.	C	100	\$	4,068.23
07498383077	LCC4-10AW-L	Cu,CompLug,2H,#4-#3A,#2A,#10S,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, .63 hole spacin	C	100	\$	1,327.53
07498390423	LCC4-10AWF-L	CuCompLugLB,2H,4-3A,2A,10S/63,90°PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, .63 hole spacin	C	100	\$	1,792.14
07498386843	LCC4-10AWH-L	CuCompLugLB,2H,4-3A,2A,10S/63,45°PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, .63 hole spacin	C	100	\$	1,792.14
07498390286	LCC4-12-L	Copper,Comp,Lug,2H,#4-#3A,#2A,1/2S,PK50	Two-hole, long barrel lug, #4 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,749.49
07498379782	LCC4-12W-L	Cu,CompLug,2H,#4-#3A,#2A,1/2S,PK50	Two-hole, long barrel lug with window, #4 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,032.69
07498382852	LCC4-14A-L	CuLug,#4-#3AWGSTR,#2 SOL,.63spc,PK50	The LCC4-14A-L Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels marked	C	100	\$	1,240.25
07498389999	LCC4-14AF-L	CuCompLugLB,2H,4-3A,2A,1/4S,5/8,90°PK5	Two-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, 5/8 hole spacing, 90° angle	C	100	\$	1,768.68
07498379783	LCC4-14AW-L	CuLug,#4-#3AWGSTR,#2SOL,Win,.63spc,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, .63 hole spacin	C	100	\$	1,254.25
07498380589	LCC4-14AWF-L	Cu,CompLug,2H,#4-#3A,#2A,1/4S,90°PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, .63 hole spacin	C	100	\$	1,777.99
07498380767	LCC4-14AWH-L	LG Lug,2-4AWG,2hol,.63in space,W/DW,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, .63 hole spacin	C	100	\$	1,693.31
0749838253	LCC4-14B-L	CuCompLugLB,2H,4-3A,#A,1/4S,.75,PK50	Two-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,406.79
07498390003	LCC4-14BF-L	Cu,CompLug,2H,#4-#3A,#2A,1/4S,90°PK50	Two-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, 3/4 hole spacing, 90° angle	C	100	\$	1,960.04
07498379784	LCC4-14BW-L	CuCompLugLBW,2H,4-3A,#A,1/4S,.75,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, .75 hole spacin	C	100	\$	1,329.53
07498381900	LCC4-14DW-L	Cu,CompLug,2H,#4-#3A,#2A,1/4S,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,329.53
07498338254	LCC4-38D-L	CuCompLugLB,2H,#4-#3A,#2A,3/8S,PK50	The LCC4-38D-L Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels marked	C	100	\$	1,279.89
07498379785	LCC4-38DW-L	Cu Lug,#4-#3AWG STR,#2 SOL,1.0spc,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,382.86
07498390206	LCC4/0-00-X	CuLug,Blank,4/0AWG,Long,PKG10	Blank tongue, long barrel lug, 4/0 AWG wire.	C	100	\$	2,643.63
61305611156	LCC4/0-12-B-X	Cu Lug,DB,4/0AWG,2H,1/2Stud,1.75HS,PK10	Direct Burial Grounding Lug for 4/0 AWG wire.	C	100	\$	2,956.74
07498390240	LCC4/0-12-X	LG Lug,4/0AWG,1.75in space,NoW/DW,PK10	The LCC4/0-12-X Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels marke	C	100	\$	2,517.50
0749838283	LCC4/0-12D-X	LG Lug,4/0AWG,.5in,1in,NoW/DW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 1/2 stud hole, 1 hole spacing.	C	100	\$	2,526.28
07498381902	LCC4/0-12W-X	LG Lug,4/0AWG,1.75in space,W/DW,PK10	The LCC4/0-12W-X Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mar	C	100	\$	2,517.74
07498386847	LCC4/0-12WF-X	LG Lug,4/0AWG,.5in,1.75in,90°W/DW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	3,568.75

07498382439	LCC4/0-14AW-X	LGLug,4/0AWG,.25in,.63in,WDW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	2,395.76
07498338286	LCC4/0-38-X	LGLug,4/0AWG,.38in,1.75in,NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 3/8 stud hole, 1.75 hole spacing.	C	100	\$	2,668.36
07498338287	LCC4/0-38D-X	CuLug,2 Hole,4/0AWG,3/8Stud,1PKG10	Two-hole, long barrel lug, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,668.36
07498379833	LCC4/0-38DW-X	LGLug,4/0AWG,.38in,1in,WDW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,374.18
07498379832	LCC4/0-38W-X	LGLug,4/0AWG,.38in,1.75in,WDW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 3/8 stud hole, 1.75 hole spacing.	C	100	\$	2,668.58
07498338288	LCC4/0-56D-X	CuLug,2Hole,4/0AWG,5/16Stud,1PKG10	Two-hole, long barrel lug, 4/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	2,575.60
07498390214	LCC400-00-6	CuLug,Blank,400kcmil,Long,PKG6	Blank tongue, long barrel lug, 400 kcmil cable.	C	100	\$	4,565.64
07498390260	LCC400-12-6	LGLug,400mcm,.5in,1.75in,NoWDW,PK10	The LCC400-12-6 Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels marke	C	100	\$	3,989.31
07498379847	LCC400-12W-6	LGLug,400mcm,.5in,1.75in,WDW,PK10	The LCC400-12W-6 Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mar	C	100	\$	4,348.23
07498371955	LCC400-38D-6	LGLug,400mcm,.38in,1in,NoWDW,PK6	Two-hole, long barrel lug, 400 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	3,736.38
07498390216	LCC500-00-6	CuLug,Blank,500kcmil,Long,PKG6	Blank tongue, long barrel lug, 500 kcmil cable.	C	100	\$	5,551.01
07498390265	LCC500-12-6	CuLug,2 Hole,500kcmil,1/2Stud,1.75PKG6	The LCC500-12-6 Tin-Plated Copper Compression Connector Lug, two-hole, long barrel, has color-coded ba	C	100	\$	5,286.68
07498390252	LCC500-12H-6	LGLug,500mcm,.5in,1.75in,45°,NoWDW,PK6	Two-hole, long barrel lug, 500 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	7,818.96
07498379851	LCC500-12W-6	LGLug,500mcm,2hol,1.75in space,WDW,PK6	The LCC500-12W-6 Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mar	C	100	\$	5,303.90
07498371957	LCC500-38D-6	LGLug,500mcm,.38in,1in,NoWDW,PK6	Two-hole, long barrel lug, 500 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	5,204.05
07498379853	LCC500-38DW-6	LGLug,500mcm,.38in,1in,WDW,PK6	Two-hole, long barrel lug with window, 500 kcmil, 3/8 stud hole, 1 hole spacing.	C	100	\$	5,255.58
07498338255	LCC6-10A-L	CuLug,2Hole,#6AWG,#10,63PKG50	Two-hole, long barrel lug, #6 AWG wire, #10 stud hole, .63 hole spacing.	C	100	\$	1,230.94
07498336144	LCC6-10ABW-L	Cu,CompLug,2H,#6A,#10S,ST,PK50	Two-hole, long barrel lug with window, #6 AWG wire, #10 stud hole (one slotted), .63 — .75 hole spacing.	C	100	\$	1,304.48
07498389898	LCC6-10AF-L	CuLug,LB,2Hole,#6AWG,#10,5/8,90°PKG50	Two-hole, long barrel lug, #6 AWG wire, #10 stud hole, 5/8 hole spacing, 90° angle tongue.	C	100	\$	1,661.75
07498389898	LCC6-10AH-L	CuLug,2Hole,#6AWG,#10,5/8,45°PKG50	Two-hole, long barrel lug, #6 AWG wire, #10 stud hole, 5/8 hole spacing, 45° angle tongue.	C	100	\$	1,661.75
07498379771	LCC6-10AW-L	CuLug,LBW,2Hole,#6AWG,#10,63PKG50	Two-hole, long barrel lug with window, #6 AWG wire, #10 stud hole, .63 hole spacing.	C	100	\$	1,304.48
07498380578	LCC6-10AWF-L	CuLug,LBW,2Hole,#6AWG,#10,63,90°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, #10 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,761.13
07498379772	LCC6-10BW-L	CuLug,LBW,2Hole,#6AWG,#10,75PKG50	Two-hole, long barrel lug with window, #6 AWG wire, #10 stud holes, .75 hole spacing.	C	100	\$	1,304.48
07498390285	LCC6-12-L	CuLug,LB,2Hole,#6AWG,1/2,1.75PKG50	Two-hole, long barrel lug, #6 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,839.59
07498379773	LCC6-12W-L	CuLug,LBW,2Hole,#6AWG,1/2,1.75PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,134.09
07498338256	LCC6-14A-L	LGLug,6AWG,2hol,.63in space,NoWDW,PK50	The LCC6-14A-L Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels marked	C	100	\$	1,172.33
07498389991	LCC6-14AF-L	LGLug,6AWG,.63in space,90°,NoWDW,PK50	Two-hole, long barrel lug, #6 AWG wire, 1/4 stud hole, 5/8 hole spacing, 90° angle tongue.	C	100	\$	1,582.58
07498389990	LCC6-14AH-L	CuLug,LB,2Hole,#6AWG,1/4,5/8,45°PKG50	Two-hole, long barrel lug, #6 AWG wire, 1/4 stud hole, 5/8 hole spacing, 45° angle tongue.	C	100	\$	1,661.71
07498379774	LCC6-14AW-L	LGLug,6AWG,2hol,.63in space,WDW,PK50	The LCC6-14AW-L Copper Compression Connector Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	1,206.54
07498380581	LCC6-14AWF-L	LGLug,6AWG,.63in space,90°,WDW,PK50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,628.81
07498380759	LCC6-14AWH-L	CuLug,LBW,2Hole,#6AWG,1/4,63,45°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,710.25
07498338257	LCC6-14B-L	CuLug,LB,2Hole,#6AWG,1/4,75PKG50	Two-hole, long barrel lug, #6 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,297.25
07498334509	LCC6-14BDW-L	CuLug,#6AWG,Lng,1/4Std,Sit,.75-1,PK50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole (one slotted), .75 — 1 hole spacing.	C	100	\$	1,329.53
07498379776	LCC6-14BW-L	CuLug,LBW,2Hole,#6AWG,1/4,75PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,304.48
07498338258	LCC6-14D-L	CuLug,LB,2Hole,#6AWG,1/4,1PKG50	Two-hole, long barrel lug, #6 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	870.05
07498379775	LCC6-14DW-L	CuLug,LBW,2Hole,#6AWG,1/4,1PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,329.53
07498390292	LCC6-14EW-L	CuLug,2Hole,#6AWG,1/4Std,1.25PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, 1.25 hole spacing.	C	100	\$	1,185.66
07498364833	LCC6-14JAW-L	CuLug,#6AWG,Lng,1/4Std,Sit,.50-.63,PK50	The LCC6-14JAW-L Copper Compression Lug, two-hole, long barrel, has color-coded barrels marked with P	C	100	\$	1,737.11
07498363272	LCC6-14JAWF-L	Cu,CompLug,2H,#6A,1/4S,ST,90°,PK50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, .50 — .63 hole spacing, 90° angle tongue	C	100	\$	2,672.41
07498363271	LCC6-14JAWH-L	Cu,CompLug,2H,#6A,1/4S,ST,45°,PK50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, .50 — .63 hole spacing, 45° angle tongue	C	100	\$	2,672.41
07498344365	LCC6-14JW-L	CuLug,LBW,2Hole,#6AWG,1/4,50PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, .50 hole spacing.	C	100	\$	1,185.66
07498345589	LCC6-14W-L	CuLug,2Hole,#6AWG,1/4Std,1.75PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, 1.75 hole spacing.	C	100	\$	1,502.00
07498334510	LCC6-38BDW-L	Cu Lug,#6AWG,Long,3/8inStud,Slotted,PK50	The LCC6-38BDW-L Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels ma	C	100	\$	1,266.21
07498379778	LCC6-38BW-L	CuLug,2Hole,#6AWG,3/8Stud,.75PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 3/8 stud hole, 75 hole spacing.	C	100	\$	1,291.94
07498338259	LCC6-38D-L	LGLug,6AWG,2hol,1in space,NoWDW,PK50	The LCC6-38D-L Tin-Plated Copper Compression Connector Lug, two-hole, long barrel, has color-coded barr	C	100	\$	1,242.38
07498379777	LCC6-38DW-L	LGLug,6AWG,2hol,1in space,WDW,PK50	Two-hole, long barrel lug with window, #6 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,266.21
07498381096	LCC6-56BW-L	CuLug,2Hole,#6AWG,5/16Stud,.75PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 5/16 stud hole, .75 hole spacing.	C	100	\$	1,291.94
07498390218	LCC600-00-6	CuLug,Blank,600kcmil,Long,PKG6	Blank tongue, long barrel lug, 600 kcmil cable.	C	100	\$	7,893.05
07498390276	LCC600-12-6	LGLug,600mcm,2hol,1.75in space,NoWDW,PK6	The LCC600-12-6 Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels marke	C	100	\$	7,517.11
07498390259	LCC600-12F-6	LGLug,600mcm,.5in,1.75in,90°,NoWDW,PK6	Two-hole, long barrel lug, 600 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	10,148.19
07498383327	LCC600-12W-6	LGLug,600mcm,2hol,1.75in space,WDW,PK6	The LCC600-12W-6 Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mar	C	100	\$	7,516.69
07498371958	LCC600-38D-6	LGLug,600mcm,.38in,1in,NoWDW,PK6	Two-hole, long barrel lug, 600 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	6,736.68
07498390220	LCC750-00-6	CuLug,Blank,750kcmil,LongPKG6	Blank tongue, long barrel lug, 750 kcmil cable.	C	100	\$	9,051.96
07498390275	LCC750-12-6	LGLug,750mcm,2hol,1.75in space,NoWDW,PK6	The LCC750-12-6 Tin-Plated Copper Compression Connector Lug, two-hole, long barrel, has color-coded ba	C	100	\$	8,620.98
07498379858	LCC750-12W-6	LGLug,750mcm,2hol,1.75in space,WDW,PK6	Two-hole, long barrel lug with window, 750 kcmil, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	8,620.91
07498344369	LCC750-38D-6	LGLug,750mcm,.38in,1in,NoWDW,PK6	Two-hole, long barrel lug, 750 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	8,428.43
07498379859	LCC750-38DW-6	LGLug,750mcm,.38in,1in,WDW,PK6	Two-hole, long barrel lug with window, 750 kcmil, 3/8 stud hole, 1 hole spacing.	C	100	\$	8,538.71
07498338260	LCC8-00-L	CuLug,Blank,#8AWG,Long,PKG50	Blank tongue, long barrel lug, #8 AWG wire.	C	100	\$	995.96
07498338261	LCC8-10A-L	CuLug,LB,2Hole,#8AWG,#10(M5),63PKG50	Two-hole, long barrel lug, #8 AWG wire, #10 stud hole, .63 hole spacing.	C	100	\$	915.08
07498389979	LCC8-10AF-L	CuLug,LB,2Hole,#8AWG,#10,5/8,90°PKG50	Two-hole, long barrel lug, #8 AWG wire, #10 stud hole, 5/8 hole spacing, 90° angle tongue.	C	100	\$	1,235.39
07498379764	LCC8-10AW-L	CuLug,LBW,2Hole,#8AWG,#10,63PKG50	The LCC8-10AW-L Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	925.76
07498380572	LCC8-10AWF-L	CuLug,LBW,2Hole,#8AWG,#10,63,90°PKG50	Two-hole, long barrel lug with window,#8 AWG wire, #10 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,312.25
07498380750	LCC8-10AWH-L	CuLug,LBW,2Hole,#8AWG,#10,63,45°PKG50	Two-hole, long barrel lug with window, #8 AWG wire, #10 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,374.75
07498338262	LCC8-14A-L	LGLug,8AWG,2hol,.63in space,NoWDW,PK50	The LCC8-14A-L Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels marked	C	100	\$	871.51
07498334507	LCC8-14ABW-L	Cu,CompLug,2H,#8A,1/4S,ST,PK50	Two-hole, long barrel lug with window, #8 AWG wire, 1/4 stud hole (one slotted), .63 — .75 hole spacing.	C	100	\$	981.48
07498389981	LCC8-14AF-L	CuLug,LB,2Hole,#8AWG,1/4,5/8,90°PKG50	Two-hole, long barrel lug, #8 AWG wire, 1/4 stud hole, 5/8 hole spacing, 90° angle tongue.	C	100	\$	1,235.39
07498379766	LCC8-14AW-L	LGLug,8AWG,2hol,.63in space,WDW,PK50	Two-hole, long barrel lug with window, #8 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	934.74
07498380574	LCC8-14AWF-L	CuLug,LBW,2Hole,#8AWG,1/4,63,90°PKG50	Two-hole, long barrel lug with window, #8 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,325.03
07498338263	LCC8-14B-L	CuLug,LB,2Hole,#8AWG,1/4,75PKG50	Two-hole, long barrel lug, #8 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	996.03
07498338264	LCC8-14D-L	CuLug,LB,2Hole,#8AWG,1/4,1PKG50	Two-hole, long barrel lug, #8 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	924.36
07498338267	LCC8-38D-L	CuLug,LB,2Hole,#8AWG,3/8,1PKG50	Two-hole, long barrel lug, #8 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	924.36
07498379769	LCC8-38DW-L	CuLug,LBW,2Hole,#8AWG,3/8,1PKG50	Two-hole, long barrel lug with window, #8 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	925.05
07498390279	LCC800-12-6	LGLug,800mcm,.5in,1.75in,NoWDW,PK6	Two-hole, long barrel lug, 800 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	13,188.64
07498375302	LCCF1-14B-X	CuLug,LFB,2Hole,#1AWG,1/4,3/4PKG10	Two-hole, long flared barrel, #1 AWG wire, 1/4 stud hole, 3/4 hole spacing.	C	100	\$	1,836.44
07498375309	LCCF1/0-12-X	CuLug,2Hole,1/0AWG,Flared,1/2StudPKG10	Two-hole, long flared barrel, 1/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing.	C	100	\$	2,182.44
07498375306	LCCF1/0-14A-X	CuLug,LFB,2Hole,1/0AWG,1/4,5/8PKG10	Two-hole, long flared barrel, 1/0 AWG wire, 1/4 stud hole, 5/8 hole spacing.	C	100	\$	2,003.75
07498375300	LCCF2-12-E	CuLug,2Hole,#2AWG,Flared,1/2StudPKG20	Two-hole, long flared barrel, #2 AWG wire, 1/2 stud hole, 1 3/4 hole spacing.	C	100	\$	1,673.14

07498375296	LCCF2-14A-E	CuLugLFB,2Hole,#2AWG,1/4,5/8PKG20	Two-hole, long flared barrel, #2 AWG wire, 1/4 stud hole, 5/8 hole spacing.	C	100	\$	1,673.14
07498375297	LCCF2-14B-E	CuLugLFB,2Hole,#2AWG,1/4,3/4PKG20	Two-hole, long flared barrel, #2 AWG wire, 1/4 stud hole, 3/4 hole spacing.	C	100	\$	1,593.45
07498375299	LCCF2-38D-E	CuLug,2Hole,#2AWG,Flared,3/8StudPKG20	Two-hole, long flared barrel, #2 AWG wire, 3/8 stud hole, 1 hole spacing, standard package.	C	100	\$	1,806.03
07498375313	LCCF2/0-12-X	CuLug,2Hole,2/0AWG,Flared,1/2StudPKG10	Two-hole, long flared barrel, 2/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing.	C	100	\$	2,433.71
07498375311	LCCF2/0-14B-X	CuLugLFB,2Hole,2/0AWG,1/4,3/4PKG10	Two-hole, long flared barrel, 2/0 AWG wire, 1/4 stud hole, 3/4 hole spacing.	C	100	\$	2,254.60
07498375312	LCCF2/0-38D-X	CuLug,2Hole,2/0AWG,Flared,3/8StudPKG10	Two-hole, long flared barrel, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,287.19
07498371971	LCCF250-12-X	Cu Lug,250,Flared,1/2InStud,1.75sp,PK10	Two-hole, long flared barrel, 250 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	3,585.99
07498371969	LCCF250-38D-X	Cu,CompLug,2H,250K,FB,3/8S,PK10	Two-hole, long flared barrel, 250 kcmil cable, 3/8 bolt holes, 1 hole spacing.	C	100	\$	3,356.70
07498375315	LCCF3/0-12-X	CuLug,2Hole,3/0AWG,Flared,1/2StudPKG10	Two-hole, long flared barrel, 3/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing.	C	100	\$	2,868.04
07498371978	LCCF350-12-6	LG LugFL,350mcm,5in,1.8in,NoWDDW,PK6	The LCCF350-12-6 Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	5,572.31
07498388987	LCCF4-14AF-L	CuCompLug,2H,#4A,FB,1/4S,5/8,90°,PK50	Two-hole, long flared barrel, #4 AWG wire, 1/4 stud hole, 5/8 hole spacing, NEMA hole sizes and spacing, 90	C	100	\$	1,104.60
07498375319	LCCF4/0-12-X	CuLug,2Hole,4/0AWG,Flared,1/2StudPKG10	Two-hole, long flared barrel, 4/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing.	C	100	\$	2,911.79
07498375317	LCCF4/0-38D-X	LG LugFL,4/0AWG,3in,1in,NoWDDW,PK10	Two-hole, long flared barrel, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,866.36
07498389111	LCCF4/0-38DH-X	CuCompLug,2H,4/0A,FB,3/8S,1.25,45°,PK10	Two-hole, long flared barrel, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,869.58
07498389114	LCCF4/0-38F-X	Cu,CompLug,2H,4/0A,FB,3/8S,90°,PK10	Two-hole, long flared barrel, 4/0 AWG wire, 3/8 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	3,908.76
07498371980	LCCF400-12-6	CuLug,2Hole,400kcmil,Flared,1/2StudPKG6	Two-hole, long flared barrel, 400 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	10,636.50
07498375320	LCCF500-12-6	CuLug,2Hole,500kcmil,Flared,1/2StudPKG6	Two-hole, long flared barrel, 500 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	11,065.00
07498307020	LCCF500-38E-6	CuLug,2Hole,500kcmil,Flare,3/8,1.25,PKG6	Two-hole, long flared barrel with window, 500 kcmil cable, 3/8 bolt holes, 1.25 hole spacing.	C	100	\$	11,291.06
07498375290	LCCF6-14A-L	CuLugLFB,2Hole,#6AWG,1/4,5/8PKG50	Two-hole, long flared barrel, #6 AWG wire, 1/4 stud hole, 5/8 hole spacing, NEMA hole sizes and spacing.	C	100	\$	625.38
07498388043	LCCF6-14AF-L	CuCompLug,2H,#6A,FB,1/4S,5/8,90°,PK50	Two-hole, long flared barrel, #6 AWG wire, 1/4 stud hole, 5/8 hole spacing, NEMA hole sizes and spacing, 90	C	100	\$	844.69
07498388040	LCCF6-14AH-L	CuCompLug,2H,#6A,FB,1/4S,5/8,45°,PK50	Two-hole, long flared barrel, #6 AWG wire, 1/4 stud hole, 5/8 hole spacing, NEMA hole sizes and spacing, 45	C	100	\$	844.69
07498375292	LCCF6-38D-L	CuLug,2Hole,#6AWG,Flared,3/8StudPKG50	Two-hole, long flared barrel, #6 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	675.08
07498375321	LCCF600-12-6	CuLug,2Hole,600kcmil,Flared,1/2StudPKG3	Two-hole, long flared barrel, 600 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	14,016.65
07498375322	LCCF750-12-3	CuLug,2Hole,750kcmil,Flared,1/2StudPKG3	Two-hole, long flared barrel, 750 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	22,005.24
07498344995	LCCN750-12W-6	CuLug,2Hole,750kcmil,Narrow,1/2StudPKG6	Two-hole, long barrel lug with window, narrow tongue lug, 750 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	11,214.24
07498344994	LCCN750-38DW-6	LG LugN,750mcm,38in,1in,WDDW,PK6	Two-hole, long barrel lug with window, narrow tongue lug, 750 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	11,108.38
07498342567	LCCX1-38D-X	CuLugFLB,2Hole,#1AWG,3/8,1,1PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,840.70
07498342577	LCCX1/0-12-X	LG FlexLug,1/0AWG,1.75in space,WDDW,PK10	Two-hole, flex lug, long barrel, 1/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,058.90
07498342570	LCCX1/0-14A-X	LG FlexLug,1/0AWG,.63in space,WDDW,PK10	Two-hole, flex lug, long barrel, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,922.25
07498342573	LCCX1/0-14B-X	CuLugFLB,2Hole,1/0AWG,1/4,.75PKG10	Two-hole, flex lug, long barrel, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,941.00
07498342622	LCCX1/0-14BF-X	CuLugFLB,2Hole,1/0AWG,1/4,.75,90°PKG10	Two-hole, flex lug, long barrel, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,620.60
07498342574	LCCX1/0-38D-X	CuLugFLB,2Hole,1/0AWG,3/8,1PKG10	Two-hole, flex lug, long barrel, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,923.30
07498342576	LCCX1/0-38DF-X	CuLugFLB,2Hole,1/0AWG,3/8,1,90°PKG10	Two-hole, flex lug, long barrel, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,726.09
07498342558	LCCX2-12-E	CuLugFLB,2Hole,#2AWG,1/2,1.75PKG20	Two-hole, flex lug, long barrel, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,720.39
07498342553	LCCX2-14A-E	CuLugFLB,2Hole,#2AWG,1/4,.63PKG20	The LCCX2-14A-E Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	1,603.76
07498342555	LCCX2-14AF-E	CuLugFLB,2Hole,#2AWG,1/4,.63,90°PKG20	Two-hole, flex lug, long barrel, #2 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,273.14
07498342554	LCCX2-14AH-E	CuLugFLB,2Hole,#2AWG,1/4,.63,45°PKG20	Two-hole, flex lug, long barrel, #2 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,273.14
07498342556	LCCX2-14B-E	CuLugFLB,2Hole,#2AWG,1/4,.75PKG20	Two-hole, flex lug, long barrel, #2 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,699.60
07498342639	LCCX2-14BF-E	CuLugFLB,2Hole,#2AWG,1/4,.75,90°PKG20	Two-hole, flex lug, long barrel, #2 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,403.46
07498342557	LCCX2-38D-E	CuLugFLB,2Hole,#2AWG,3/8,1PKG20	The LCCX2-38D-E Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	1,684.45
07498342587	LCCX2/0-12-X	LG FlexLug,2/0AWG,1.75in space,WDDW,PK10	Two-hole, flex lug, long barrel, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,126.08
07498342580	LCCX2/0-14A-X	CuLugFLB,2Hole,2/0AWG,1/4,63PKG10	The LCCX2/0-14A-X Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mar	C	100	\$	1,848.59
07498342620	LCCX2/0-14B-X	CuLugFLB,2Hole,2/0AWG,1/4,.75,90°PKG10	Two-hole, flex lug, long barrel, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,771.60
07498342584	LCCX2/0-38D-X	CuLugFLB,2Hole,2/0AWG,3/8,1PKG10	The LCCX2/0-38D-X Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels ma	C	100	\$	1,941.16
07498342586	LCCX2/0-38DF-X	CuLugFLB,2Hole,2/0AWG,3/8,1,90°PKG10	Two-hole, flex lug, long barrel, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,751.61
07498319825	LCCX250-12-X	LG FlexLug,250mcm,1.75in space,WDDW,PK10	The LCCX250-12-X Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	3,603.78
07498342609	LCCX250-38D-X	Cu,CompLug,2H,250KFlex,3/8S,1H,PK10	Two-hole, flex lug, long barrel, 250 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	3,586.70
07498342591	LCCX3/0-38D-X	CuLugFLB,2Hole,3/0AWG,3/8,1PKG10	Two-hole, flex lug, long barrel, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,561.89
07498344562	LCCX300-12-6	Cu,CompLug,2H,300KFlex,1/2S,1.75H,PK6	The LCCX300-12-6 Tin Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	4,694.58
07498344299	LCCX300-38D-6	Cu,CompLug,2H,300KFlex,3/8S,1H,PK6	Two-hole, flex lug, long barrel, 300 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	4,480.99
07498342625	LCCX350-12-6	Cu Lug,350,Flex,1/2InStud,1.75sp,PK6	The LCCX350-12-6 Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	5,306.96
07498342616	LCCX350-38D-6	Cu,CompLug,2H,350KFlex,3/8S,1H,PK6	Two-hole, flex lug, long barrel, 350 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	5,318.30
07498342545	LCCX4-14A-L	CuLugFLB,2Hole,#4AWG,1/4,.63PKG50	The LCCX4-14A-L Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels marke	C	100	\$	1,349.84
07498342547	LCCX4-14AF-L	CuLugFLB,2Hole,#4AWG,1/4,.63,90°PKG50	Two-hole, flex lug, long barrel, #4 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,913.43
07498342546	LCCX4-14AH-L	CuLugFLB,2Hole,#4AWG,1/4,.63,45°PKG50	Two-hole, flex lug, long barrel, #4 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,913.43
07498342548	LCCX4-14B-L	CuLugFLB,2Hole,#4AWG,1/4,.75PKG50	Two-hole, flex lug, long barrel, #4 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,433.03
07498328570	LCCX4-14CE-L	Cu,CompLug,2H,#4AFlex,1/4S,ST,PK50	Two-hole, flex lug, long barrel, #4 AWG wire, slotted 1/4 stud hole, 0.88 — 1.25 hole spacing.	C	100	\$	1,836.19
07498342550	LCCX4-38D-L	CuLugFLB,2Hole,#4AWG,3/8,1PKG50	Two-hole, flex lug, long barrel, #4 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,489.44
07498343778	LCCX4/0-12-X	LG FlexLug,4/0AWG,1.75in space,WDDW,PK10	The LCCX4/0-12-X Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	2,911.79
07498343784	LCCX4/0-12F-X	LG FlexLug,4/0AWG,.5in,1.8in,90°,WDDW,PK10	Two-hole, flex lug, long barrel, 4/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	4,127.18
07498357944	LCCX4/0-14B-X	LG FlexLug,4/0AWG,.25in,.75in,WDDW,PK10	Two-hole, flex lug, long barrel, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,732.41
07498342595	LCCX4/0-38D-X	LG FlexLug,4/0AWG,.38in,1in,WDDW,PK10	The LCCX4/0-38D-X Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels ma	C	100	\$	2,742.04
07498342597	LCCX4/0-38DF-X	LG FlexLug,4/0AWG,.38in,1in,90°,WDDW,PK10	Two-hole, flex lug, long barrel, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,886.80
07498342596	LCCX4/0-38DH-X	LG FlexLug,4/0AWG,.38in,1in,45°,WDDW,PK10	Two-hole, flex lug, long barrel, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	4,071.90
07498319820	LCCX450-12-6	LG FlexLug,450mcm,.5in,1.75in,WDDW,PK6	The LCCX450-12-6 Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	7,892.53
07498357951	LCCX450-38D-6	Cu,CompLug,2H,450KFlex,3/8S,1H,PK6	Two-hole, flex lug, long barrel, 450 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	7,842.34
07498343793	LCCX500-12-6	LG FlexLug,500mcm,2hol,1.75in space,PK6	The LCCX500-12-6 Tin-Plated Copper Compression Connector Lug, two-hole, long barrel, has color-coded b	C	100	\$	8,663.69
07498357961	LCCX500-38D-6	Cu,CompLug,2H,500KFlex,3/8S,1H,PK6	Two-hole, flex lug, long barrel, 500 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	8,592.80
07498342535	LCCX6-14A-L	LG FlexLug,6AWG,2hol,.63in space,WDDW,PK50	The LCCX6-14A-L Tin-Plated Copper Compression Connector Lug, two-hole, long barrel, has color-coded ba	C	100	\$	1,167.70
07498334502	LCCX6-14AB-L	Cu Lug,#6,Flex,1/4In Stud,.63,Slot,PK50	Two-hole, flex lug, long barrel, #6 AWG wire, slotted 1/4 stud hole, .63 — .75 hole spacing.	C	100	\$	1,167.70
07498342537	LCCX6-14AF-L	LG FlexLug,6AWG,.63in space,90°,WDDW,PK50	Two-hole, flex lug, long barrel, #6 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,576.50
07498342536	LCCX6-14AH-L	CuLugFLB,2Hole,#6AWG,1/4,.63,45°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,655.33
07498342538	LCCX6-14B-L	CuLugFLB,2Hole,#6AWG,1/4,.75PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,238.64
07498342865	LCCX6-14BF-L	CuLug,2Hole,#6AWG,1/4Stud,90°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,672.19
07498342539	LCCX6-14D-L	CuLugFLB,2Hole,#6AWG,1/4,1PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,203.51
07498342540	LCCX6-38A-L	CuLug,2Hole,#6AWG,3/8Stud,.63PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 3/8 stud hole, .63 hole spacing.	C	100	\$	1,333.63
07498334503	LCCX6-38AC-L	Cu,CompLug,2H,#6AFlex,3/8S,ST,PK50	Two-hole, flex lug, long barrel, #6 AWG wire, slotted 3/8 stud hole, .63 — .88 hole spacing.	C	100	\$	1,333.63



07498342542	LCCX6-38D-L	LGFlexLug,6AWG,2hol,1in space,WDW,PK50	Two-hole, flex lug, long barrel, #6 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,227.39
07498319824	LCCX650-12-6	Cu.CompLug,2H,650KFlex,1/2S,1.75H,PK6	The LCCX650-12-6 Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels mark	C	100	\$	12,349.96
07498342522	LCCX8-10A-L	CuLugFLB,2Hole,#8AWG,#10,63PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, #10 stud hole, .63 hole spacing.	C	100	\$	1,092.89
07498342525	LCCX8-10AF-L	CuLugFLB,2Hole,#8AWG,#10,63.90°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, #10 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,475.28
07498342526	LCCX8-14A-L	LGFlexLug,8AWG,2hol,.63in space,WDW,PK50	The LCCX8-14A-L Tin-Plated Copper Compression Lug, two-hole, long barrel, has color-coded barrels marke	C	100	\$	1,040.85
07498342528	LCCX8-14AF-L	CuLugFLB,2Hole,#8AWG,1/4,.63.90°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,475.28
07498342529	LCCX8-14B-L	CuLugFLB,2Hole,#8AWG,1/4,.75PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,092.89
07498342531	LCCX8-38D-L	CuLugFLB,2Hole,#8AWG,3/8,1PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,092.89
07498301383	LCCXF10-0-38D-X	CuLug,2-Hole,1/0AWG,3/8Stud,1,PKG10	Two-hole, flex lug, long flared barrel, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,094.35
07498369817	LCCXF2-14A-E	CuLug,2Hole,#2AWG,1/4Stud,.63PKG20	Two-hole, flex lug, long flared barrel, #2 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	3,027.35
07498369818	LCCXF2-14B-E	CuLug,2Hole,#2AWG,1/4Stud,.75PKG20	Two-hole, flex lug, long flared barrel, #2 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	3,027.35
07498369821	LCCXF2-38D-E	CuLug,2Hole,#2 AWG,3/8Stud,1,PKG20	Two-hole, flex lug, long flared barrel, #2 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	3,091.63
07498369841	LCCXF350-12-6	CuLug,2Hole,350Kcmil,1/4Stud,1.75PKG6	Two-hole, flex lug, long flared barrel, 350 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	8,228.34
07498369815	LCCXF4-14B-L	CuLug,2Hole,#4AWG,1/4Stud,.75PKG50	Two-hole, flex lug, long flared barrel, #4 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,867.41
07498369838	LCCXF4-0-12-X	CuLug,2Hole,4/0AWG,1/4Stud,1.75PKG10	Two-hole, flex lug, long flared barrel, 4/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	4,154.90
07498369859	LCCXF6-14A-L	CuLug,2Hole,#6AWG,1/4Stud,.63PKG50	Two-hole, flex lug, long flared barrel, #6 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,396.41
07498369877	LCCXF6-14B-L	CuLug,2Holes,#6AWG,1/4Stud,.75PKG50	Two-hole, flex lug, long flared barrel, #6 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,349.18
07498369807	LCCXF6-14D-L	CuLug,2-Hole,#6AWG,1/4Stud,1,PKG50	Two-hole, flex lug, long flared barrel, #6 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,468.35
07498369813	LCCXF6-38D-L	CuLug,2Hole,#6AWG,3/8Stud,1,PKG50	Two-hole, flex lug, long flared barrel, #6 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,491.71
07498369835	LCCXF8-14A-L	CuLug,2-Hole,#8AWG,1/4Stud,.63PKG50	Two-hole, flex lug, long flared barrel, #8 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,022.06
07498366240	LCCXN2-14A-E	Copper Compression Lug, 2 Hole, #2 AWG, LGFlexLugN,500mcm,.5in,1.75in,WDW,PK6	Copper Compression Lug, 2 Hole, #2 AWG, Narrow Tongue, 1/4" (6.4mm) Stud, .63 (16mm) Hole Spacing	C	100	\$	2,134.76
07498312695	LCCXN50-12-6	CuLug,2Hole,650Kcmil,Narrow1/2StudPKG6	Two-hole, flex lug, long barrel, narrow tongue, 500 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	8,957.11
07498312696	LCCXN650-12-6	CuLug,2Hole,650Kcmil,Narrow1/2StudPKG6	Two-hole, flex lug, long barrel, narrow tongue, 650 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	13,997.40
61305600928	LCCXN750-12-3	Copper Compression Lug, 2 Hole, Long Bar	Two-hole, Flex lug, Long Barrel, Narrow Tongue, 777 kcmil cable, 1/2 stud hole, 1.75 hole spacing, with wind	C	100	\$	19,883.69
07498338293	LCD1-14A-E	CuLugSBW,2Hole,#1AWG,1/4Stud,.63PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,493.90
07498356813	LCD1-14AF-E	CuLugSBW,2Hole,#1AWG,1/4,.63.90°PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,117.60
07498338294	LCD1-14B-E	CuLugSBW,2Hole,#1AWG,1/4Stud,.75PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,707.33
07498338295	LCD1-38D-E	CuLugSBW,2Hole,#1AWG,3/8,1,1PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,568.65
07498356847	LCD1-56CF-E	CuLugSBW,2Hole,#1AWG,5/16,.88.90°PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 5/16 stud hole, .88 hole spacing, 90° angle tongue.	C	100	\$	2,036.94
07498390090	LCD10-12-X	STDlug,1/0AWG,1.75in space,WDW,PK10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,615.58
07498338320	LCD10-14A-X	STDlug,1/0AWG,.63in space,WDW,PK10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,508.24
07498356850	LCD10-14AF-X	CuLugSBW,2Hole,1/0AWG,1/4,.63.90°PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,115.73
07498356719	LCD10-14AH-X	CuLugSBW,2Hole,1/0AWG,1/4,.63.45°PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,115.73
07498338321	LCD10-14B-X	CuLugSBW,2Hole,1/0AWG,1/4,.75PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,583.66
07498356720	LCD10-14BH-X	CuLugSBW,2Hole,1/0AWG,1/4,.75.45°PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,244.84
07498338322	LCD10-38D-X	CuLugSBW,2Hole,1/0AWG,3/8,1PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,508.24
07498356870	LCD10-38DF-X	CuLugSBWF,2Hole,1/0AWG,3/8,1.90°PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,137.95
07498397215	LCD10-10A-L	CuLug,2Hole,#10AWG,#10(M5)Stud,.63PKG50	The LCD10-10A-L Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels m	C	100	\$	1,375.38
07498397216	LCD10-10AF-L	CuLug,2Hole,#10AWG,#10(M5)Stud.90°PKG50	Two-hole, standard barrel lug with window, #10 AWG wire, #10 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,856.69
07498397217	LCD10-10AH-L	CuLug,2Hole,#10AWG,#10(M5)Stud.45°PKG50	Two-hole, standard barrel lug with window, #10 AWG wire, #10 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,856.69
07498397234	LCD10-14A-L	STDlug,10AWG,2hol,.63in space,WDW,PK50	The LCD10-14A-L Tin-Plated Copper Compression Connector Lug, two-hole, standard barrel, has color-code	C	100	\$	1,375.38
07498397376	LCD10-14AF-L	CuLugSBW,2Hole,#10AWG,1/4,.63.90°PKG50	Two-hole, standard barrel lug with window, #10 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,856.69
07498397377	LCD10-14AH-L	CuLugSBW,2Hole,#10AWG,1/4,.63.45°PKG50	Two-hole, standard barrel lug with window, #10 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,949.51
07498397378	LCD10-14B-L	CuLugSBW,2Hole,#10AWG,1/4Stud,.75PKG50	The LCD10-14B-L Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels m	C	100	\$	1,375.38
07498397379	LCD10-14D-L	CuLug,2Hole,#10AWG,1/4Stud,1PKG50	Two-hole, standard barrel lug with window, #10 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,375.38
07498397380	LCD10-38D-L	CuLug,2Hole,#10AWG,3/8Stud,1PKG50	The LCD10-38D-L Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels m	C	100	\$	1,444.15
07498390113	LCD1000-00-3	CuLug,LongBlank,1000KcmilPKG3	The LCD1000-00-3 Copper Compression Connector Lug, two-hole, standard barrel, has color-coded barrels	C	100	\$	15,483.71
07498390112	LCD1000-12-3	CuLugSBW,2Hole,1000Kcmil,1/2,1.75PKG3	Two-hole, standard barrel lug with window, 1000 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole siz	C	100	\$	15,483.71
07498338297	LCD2-12-Q	STDlug,2AWG,2hol,1.75in space,WDW,PK25	Two-hole, standard barrel lug with window, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,259.49
07498338298	LCD2-14A-Q	CuLugSBW,2Hole,#2AWG,1/4,.63PKG25	The LCD2-14A-Q Tin-Plated Copper Compression Connector Lug, two-hole, standard barrel, has color-coded	C	100	\$	1,180.13
07498356779	LCD2-14AF-Q	CuLugSBW,2Hole,#2AWG,1/4,.63.90°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,593.14
07498356675	LCD2-14AH-Q	CuLugSB,2Hole,#2AWG,1/4,.63.45°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,672.80
07498338299	LCD2-14B-Q	CuLugSBW,2Hole,#2AWG,1/4,.75PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,180.13
07498356780	LCD2-14BF-Q	CuLugSBW,2Hole,#2AWG,1/4,.75.90°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,672.80
07498338300	LCD2-14D-Q	CuLugSBW,2Hole,#2AWG,1/4,1PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,239.14
07498338301	LCD2-38D-Q	CuLugSBW,2Hole,#2AWG,3/8,1PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,180.13
07498390093	LCD20-00-X	CuLug,LongBlank,2/0AWGPKG10	Long blank tongue, standard barrel lug, #2/0 AWG wire.	C	100	\$	1,808.06
07498390092	LCD20-12-X	STDlug,2/0AWG,1.75in space,WDW,PK10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,921.44
07498338324	LCD20-14A-X	CuLugSBW,2Hole,2/0AWG,1/4,.63PKG10	The LCD20-14A-X Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels	C	100	\$	1,721.98
07498356872	LCD20-14AF-X	CuLugSBW,2Hole,2/0AWG,1/4,.63.90°PKG10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,324.66
07498338325	LCD20-14B-X	CuLugSBW,2Hole,2/0AWG,1/4,.75PKG10	The LCD20-14B-X Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels	C	100	\$	1,721.98
07498356873	LCD20-14BF-X	CuLugSBW,2Hole,2/0AWG,1/4,.75.90°PKG10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,324.66
07498338326	LCD20-38D-X	CuLugSBW,2Hole,2/0AWG,3/8,1PKG10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,721.98
07498338327	LCD20-56C-X	CuLug,2Hole,2/0AWG,5/16Stud,.88PKG10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 5/16 stud hole, .88 hole spacing.	C	100	\$	1,889.94
07498390098	LCD250-12-X	STDlug,250mcm,1.75in space,WDW,PK10	Two-hole, standard barrel lug with window, 250 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	2,722.14
07498338332	LCD250-38D-X	CuLugSBW,2Hole,250Kcmil,3/8,1PKG10	The LCD250-38D-X Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels	C	100	\$	2,837.16
07498390094	LCD30-12-X	STDlug,3/0AWG,1.75in space,WDW,PK10	Two-hole, standard barrel lug with window, 3/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,302.93
07498356878	LCD30-14BF-X	CuLugSBW,2Hole,3/0AWG,1/4,.75.90°PKG10	Two-hole, standard barrel lug with window, 3/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	3,004.91
07498338329	LCD30-38D-X	CuLugSBW,2Hole,3/0AWG,3/8,1PKG10	Two-hole, standard barrel lug with window, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,045.00
07498390101	LCD300-00-X	CuLug,LongBlank,300KcmilPKG10	Long blank tongue, standard barrel lug, 300 kcmil Cable.	C	100	\$	3,461.86
07498390100	LCD300-12-X	CuLugSBW,2Hole,300Kcmil,1/2,1.75PKG10	Two-hole, standard barrel lug with window, 300 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	3,461.86
07498371959	LCD300-38D-X	CuLugSBW,2Hole,300Kcmil,3/8,1PKG10	Two-hole, standard barrel lug with window, 300 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	3,637.68
07498390102	LCD350-12-X	STDlug,350mcm,1.75in space,WDW,PK10	Two-hole, standard barrel lug with window, 350 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	3,715.63
07498371961	LCD350-38D-X	CuLugSBW,2Hole,350Kcmil,3/8,1PKG10	Two-hole, standard barrel lug with window, 350 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	3,430.29
07498383385	LCD4-10A-L	Cu.CompLug,2H,#4-#3A,#2A,#10S,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, .63 hole s	C	100	\$	1,136.38
07498383608	LCD4-10AH-L	Cu.CompLug,2H,#4-#3A,#2A,#10S,45°,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, .63 hole s	C	100	\$	1,534.03
07498399198	LCD4-10B-L	Cu.CompLug,2H,#4-#3A,#2A,#10S,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, .75 hole s	C	100	\$	1,136.38

07498338304	<b>LCD4-14A-L</b>	Cu Lug,#4-#3AWGSTR,2SOL,1/4inStud,PK50	The LCD4-14A-L Copper Compression Connector Lug, two-hole, standard barrel, has color-coded barrels ma	C	100	\$	1,040.51
07498356772	<b>LCD4-14AF-L</b>	Cu Lug,#4-#3STR,2SOL,1/4in Stud,90° PK5	The LCD4-14AF-L Tin-Plated Compression Connector Lug, two-hole, standard barrel, has color-coded barrel	C	100	\$	1,404.76
07498356670	<b>LCD4-14AH-L</b>	STDLug,2-4AWG,2hol,63in space,WDW,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, .63 hole sp	C	100	\$	1,404.76
07498338305	<b>LCD4-14B-L</b>	CuCompLugSBW,2H,4-3A,#A,1/4S, .75 PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, .75 hole sp	C	100	\$	1,040.51
07498356773	<b>LCD4-14BF-L</b>	Cu,CompLug,2H,#4-#3A,#2A,1/4S, 90° PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, .75 hole sp	C	100	\$	1,475.01
07498338306	<b>LCD4-14D-L</b>	Cu Lug,#4-#3AWG STR,2 SOL,1/4inStud,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, 1 hole spa	C	100	\$	1,092.49
07498356774	<b>LCD4-14DF-L</b>	Cu,CompLug,2H,#4-#3A,#2A, 1/4S,90° PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, 1 hole spa	C	100	\$	1,475.01
07498338307	<b>LCD4-38D-L</b>	Cu,CompLug,2H,#4-#3A,#2A,3/8S, PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 3/8 stud hole, 1 hole spa	C	100	\$	1,092.49
07498390097	<b>LCD40-00-X</b>	CuLug,LongBlank,4/0AWGPKG10	Long blank tongue, standard barrel lug, #4/0 AWG wire.	C	100	\$	2,564.81
07498390096	<b>LCD40-12-X</b>	STDLug,4/0AWG,1.75in space,WDW,PK10	Two-hole, standard barrel lug with window, 4/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, NEMA hole sizes	C	100	\$	2,442.66
07498338330	<b>LCD40-14B-X</b>	STDLug,4/0AWG, .25in, .75in,WDW,PK10	Two-hole, standard barrel lug with window, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,421.10
07498356882	<b>LCD40-14BF-X</b>	STDLug,4/0AWG, .25in, .75in,90°,WDW,PK10	Two-hole, standard barrel lug with window, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	3,119.88
07498338331	<b>LCD40-38D-X</b>	STDLug,4/0AWG, .38in,1in,WDW,PK10	Two-hole, standard barrel lug with window, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,201.00
07498356888	<b>LCD40-38DF-X</b>	STDLug,4/0AWG, .38in,1in,90°,WDW,PK10	Two-hole, standard barrel lug with window, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,119.88
07498356754	<b>LCD40-38DH-X</b>	STDLug,4/0AWG, .38in,1in,45°,WDW,PK10	Two-hole, standard barrel lug with window, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,119.88
07498390105	<b>LCD400-00-6</b>	CuLug,LongBlank,400KcmilPKG6	Long blank tongue, standard barrel lug, 400 kcmil Cable.	C	100	\$	3,793.18
07498390104	<b>LCD400-12-6</b>	STDLug,400mcm, .5in,1.75in,WDW,PK10	Two-hole, standard barrel lug with window, 400 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	3,872.00
07498371963	<b>LCD400-38D-6</b>	STDLug,400mcm, .38in,1in,WDW,PK6	Two-hole, standard barrel lug with window, 400 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	4,152.76
07498390106	<b>LCD500-12-6</b>	STDLug,500mcm,2hol,1.75in space,WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	5,014.26
07498389972	<b>LCD500-12H-6</b>	STDLug,500mcm, .5in,1.75in,45°,WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	7,107.66
07498371965	<b>LCD500-38D-6</b>	STDLug,500mcm, .38in,1in,WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	4,209.55
07498338308	<b>LCD6-10A-L</b>	CuLugSBW,2Hole,#6AWG,#10, .63PKG50	The LCD6-10A-L Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels ma	C	100	\$	941.34
07498356765	<b>LCD6-10AF-L</b>	CuLugSBW,2Hole,#6AWG,#10, .63,90°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, #10 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,270.81
07498356662	<b>LCD6-10AH-L</b>	CuLugSBW,2Hole,#6AWG,#10, .63,45°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, #10 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,270.81
07498343934	<b>LCD6-10B-L</b>	CuLug,2Hole,#6AWG,#10(M5)Stud,.75PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, #10 stud hole, .75 hole spacing.	C	100	\$	988.41
07498368923	<b>LCD6-14A-D</b>	CuLug,2Hole,#6AWG,1/4Stud,.63PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, 1/4 stud hole, .63 hole spacing, bulk package.	C	100	\$	941.34
07498338310	<b>LCD6-14A-L</b>	CuLug,2Hole,#6AWG,1/4Stud,.63 PKG50	The LCD6-14A-L Tin-Plated Copper Compression Connector Lug, two-hole, standard barrel, has color-coded	C	100	\$	941.34
07498356766	<b>LCD6-14AF-L</b>	STDLug,6AWG, .63in space,90°,WDW,PK50	The LCD6-14AF-L Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels m	C	100	\$	1,270.81
07498356664	<b>LCD6-14AH-L</b>	CuLugSBW,2Hole,#6AWG,1/4, .63,45°PKG50	The LCD6-14AH-L Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels m	C	100	\$	1,270.81
07498338311	<b>LCD6-14B-L</b>	CuLugSBW,2Hole,#6AWG,1/4, .75PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	941.34
07498356767	<b>LCD6-14BF-L</b>	STDLug,6AWG, .75in space,90°,WDW,PK50	Two-hole, standard barrel lug with window, #6 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,334.38
07498356665	<b>LCD6-14BH-L</b>	CuLugSBW,2Hole,#6AWG,1/4, .75,45°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,334.38
07498338312	<b>LCD6-14D-L</b>	CuLugSBW,2Hole,#6AWG,1/4,1PKG50	The LCD6-14D-L Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels ma	C	100	\$	941.34
07498399139	<b>LCD6-38AD-L</b>	Cu,CompLug,2H,#6A,3/8S,ST,PK50	Two-hole, standard barrel lug with window, #6 AWG wire, two 3/8 stud holes (1 slotted), .63 — 1.00 hole spac	C	100	\$	1,004.24
07498338313	<b>LCD6-38D-L</b>	STDLug,6AWG,2hol,1in space,WDW,PK50	Two-hole, standard barrel lug with window, #6 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,308.26
07498338314	<b>LCD6-56D-L</b>	CuLugSBW,2Hole,#6AWG,5/16,1PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	988.41
07498390109	<b>LCD600-00-6</b>	CuLug,LongBlank,600KcmilPKG6	Long blank tongue, standard barrel lug, 600 kcmil Cable.	C	100	\$	7,654.05
07498390108	<b>LCD600-12-6</b>	STDLug,600mcm,2hol,1.75in space,WDW,PK6	Two-hole, standard barrel lug with window, 600 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	7,654.05
07498371967	<b>LCD600-38D-6</b>	STDLug,600mcm, .38in,1in,WDW,PK6	Two-hole, standard barrel lug with window, 600 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	7,010.41
07498390111	<b>LCD750-00-6</b>	CuLug,LongBlank,750KcmilPKG6	Long blank tongue, standard barrel lug, 750 kcmil Cable.	C	100	\$	8,179.01
07498390110	<b>LCD750-12-6</b>	STDLug,750mcm,2hol,1.75in space,PK6	Two-hole, standard barrel lug with window, 750 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	8,179.01
07498342130	<b>LCD750-58G-6</b>	Cu,CompLug,2H,750K,5/8S,1.50H,PK6	Two-hole, standard barrel lug with window, 750 kcmil cable, 5/8 stud hole, 1.50 hole spacing.	C	100	\$	8,232.64
07498338315	<b>LCD8-10A-L</b>	CuLugSBW,2Hole,#8AWG,#10(M5), .63PKG50	The LCD8-10A-L Tin-Plated Copper Compression Connector Lug, two-hole, standard barrel, has color-coded	C	100	\$	692.93
07498356760	<b>LCD8-10AF-L</b>	CuLug,2Hole,#8AWG,#10(M5)Stud,90°PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, #10 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	982.19
07498338316	<b>LCD8-14A-L</b>	STDLug,8AWG,2hol, .63in space,WDW,PK50	The LCD8-14A-L Tin-Plated Copper Compression Connector Lug, two-hole, standard barrel, has color-coded	C	100	\$	734.58
07498356761	<b>LCD8-14AF-L</b>	CuLugSBW,2Hole,#8AWG,1/4, .63,90°PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	991.66
07498338317	<b>LCD8-14B-L</b>	CuLugSBW,2Hole,#8AWG,1/4, .75PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	996.03
07498356762	<b>LCD8-14BF-L</b>	CuLugSBW,2Hole,#8AWG,1/4, .75,90°PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,344.60
07498338318	<b>LCD8-14D-L</b>	CuLugSBW,2Hole,#8AWG,1/4,1PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	771.31
07498338319	<b>LCD8-38D-L</b>	CuLugSBW,2HoleS#8AWG,3/8,1PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	794.68
07498344465	<b>LCDN1-14B-E</b>	CuLug,2Hole,#1AWG,Narrow,1/4StudPKG20	Two-hole, standard barrel with window, narrow tongue lug, #1 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,756.83
07498302111	<b>LCDN1/0-14A-X</b>	CuLugSBW,2Hole,1/0AWG,Nar,1/4, .63PKG10	Two-hole, standard barrel with window, narrow tongue lug, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,930.91
61305664401	<b>LCDN1/0-14AF-X</b>	Copper Compression Lug, 2 Hole, #1/0 AWG	Copper Compression Lug, 2 Hole, #1/0 AWG, Narrow Tongue, 1/4" Stud, 0.625" Hole Spacing, 90o Angle To	C	100	\$	2,482.63
61305664399	<b>LCDN1/0-14AH-X</b>	Copper Compression Lug, 2 Hole, #1/0 AWG	Copper Compression Lug, 2 Hole, #1/0 AWG, Narrow Tongue, 1/4" Stud, 0.625" Hole Spacing, 45° Angle To	C	100	\$	2,482.63
07498302112	<b>LCDN1/0-14B-X</b>	CuLug,2Hole,1/0AWG,Narrow,1/4StudPKG1	Two-hole, standard barrel with window, narrow tongue lug, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,945.08
07498344466	<b>LCDN1/0-14D-X</b>	CuLugSBW,2Hole,1/0AWG,Nar,1/4,1PKG10	Two-hole, standard barrel with window, narrow tongue lug, 1/0 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,930.91
07498344469	<b>LCDN1/0-56D-X</b>	CuLug,2Hole,1/0AWG,Narrow,5/16StudPKG10	Two-hole, standard barrel with window, narrow tongue lug, 1/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	1,930.91
07498344471	<b>LCDN1/0-56DF-X</b>	Cu,CompLug,2H,1/0A,NT,5/16S,90°,PK10	Two-hole, standard barrel with window, narrow tongue lug, 1/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90°	C	100	\$	2,730.89
07498318999	<b>LCDN2-10B-Q</b>	CuLug,2Hole,#2AWG,Narrow,#10StudPKG25	Two-hole, standard barrel with window, narrow tongue lug, #2 AWG wire, #10 stud hole, .75 hole spacing.	C	100	\$	1,524.34
07498344459	<b>LCDN2-14A-Q</b>	CuLugSBW,2Hole,#2AWG,NTL,1/4, .63PKG25	Two-hole, standard barrel with window, narrow tongue lug, #2 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,455.05
07498344461	<b>LCDN2-14AF-Q</b>	CuCompLug,2H,#2A,NT,1/4S, .63HS,90° PK25	Two-hole, standard barrel with window, narrow tongue lug, #2 AWG wire, 1/4 stud hole, .63 hole spacing, 90°	C	100	\$	1,870.80
07498344460	<b>LCDN2-14AH-Q</b>	CuCompLug,2H,#2A,NT,1/4S, .63HS,45° PK25	Two-hole, standard barrel with window, narrow tongue lug, #2 AWG wire, 1/4 stud hole, .63 hole spacing, 45°	C	100	\$	1,964.34
07498344462	<b>LCDN2-14B-Q</b>	CuLugSBW,2Hole,#2AWG,NTL,1/4, .75PKG25	Two-hole, standard barrel with window, narrow tongue lug, #2 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,455.05
07498344272	<b>LCDN2-14D-Q</b>	CuLugSBW,2Hole,#2AWG,NTL,1/4,1PKG25	Two-hole, standard barrel with window, narrow tongue lug, #2 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,524.34
07498344464	<b>LCDN2-14DF-Q</b>	Cu,CompLug,2H,#2A,NT,1/4S,90°, PK25	Two-hole, standard barrel with window, narrow tongue lug, #2 AWG wire, 1/4 stud hole, 1 hole spacing, 90° a	C	100	\$	2,057.88
07498344472	<b>LCDN2/0-14A-X</b>	CuLugSBW,2Hole,2/0AWG,Nar,1/4, .63PKG10	Two-hole, standard barrel with window, narrow tongue lug, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,908.10
61305668374	<b>LCDN2/0-14AF-X</b>	Copper Compression Lug, 2 Hole, #2/0 AWG	Copper Compression Lug, 2 Hole, #2/0 AWG, Narrow Tongue, 1/4" Stud, 0.625" Hole Spacing, 90° Angle To	C	100	\$	2,453.28
61305668373	<b>LCDN2/0-14AH-X</b>	Copper Compression Lug, 2 Hole, #2/0 AWG	Copper Compression Lug, 2 Hole, #2/0 AWG, Narrow Tongue, 1/4" Stud, 0.625" Hole Spacing, 45° Angle To	C	100	\$	2,453.28
07498344473	<b>LCDN2/0-14D-X</b>	CuLugSBW,2Hole,2/0AWG,Nar,1/4,1PKG10	Two-hole, standard barrel with window, narrow tongue lug, 2/0 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,908.10
07498344474	<b>LCDN2/0-56A-X</b>	CuLugSBW,2Hole,2/0AWG,Nar,5/16, .63PKG10	Two-hole, standard barrel with window, narrow tongue lug, 2/0 AWG wire, 5/16 stud hole, .63 hole spacing.	C	100	\$	1,998.98
07498344492	<b>LCDN2/0-56D-X</b>	CuLugSBW,2Hole,2/0AWG,Nar,5/16,1PKG10	Two-hole, standard barrel with window, narrow tongue lug, 2/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	1,998.98
07498344493	<b>LCDN350-38D-X</b>	Cu,CompLug,2H,350K,NT,3/8S,PK10	Two-hole, standard barrel with window, narrow tongue lug, 350 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	4,294.96
61305601543	<b>LCDN4-10A-L</b>	CuCompLug,#4,#3AWGSTR,#2AWGSOL,PK50	Two-hole, standard barrel lug with window, #4 - #3 AWG wire, #10 stud hole, 5/8" hole spacing, 45° narrow to	C	100	\$	1,173.53
07498344495	<b>LCDN500-12D-6</b>	STDLugN,500mcm, .5in,1in,WDW,PK6	Two-hole, standard barrel with window, narrow tongue lug, 500 kcmil cable, 1/2 stud hole, 1 hole spacing.	C	100	\$	5,378.06
07498344494	<b>LCDN500-38D-6</b>	STDLugN,500mcm, .38in,1in,WDW,PK6	Two-hole, standard barrel with window, narrow tongue lug, 500 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	5,646.96
07498344271	<b>LCDN750-38D-6</b>	STDLugN,750mcm, .38in,1in,WDW,PK6	Two-hole, standard barrel with window, narrow tongue lug, 750 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	9,472.29
07498342374	<b>LCDX1-14A-X</b>	CuLugF,2Hole,#1AWG,1/4Stud, .63PKG10	Two-hole, flex lug, #1 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,232.71

07498342720	<b>LCDX1-14AF-X</b>	CuLugF,2Hole,#1AWG,1/4,.63,90°PKG10	Two-hole, flex lug, #1 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,743.44
07498342732	<b>LCDX1-14B-X</b>	CuLugF,2Hole,#1AWG,1/4Stud,.75PKG10	Two-hole, flex lug, #1 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,232.71
07498342734	<b>LCDX1-14BF-X</b>	CuLugF,2Hole,#1AWG,1/4,.75,90°PKG10	Two-hole, flex lug, #1 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,743.44
07498342375	<b>LCDX1-38D-X</b>	CuLugF,2Hole,#1AWG,3/8,1,1PKG10	Two-hole, flex lug, #1 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,125.55
07498342380	<b>LCDX1/0-12-X</b>	STDFlexLug,1/0AWG,1.75in space,WDW,PK10	Two-hole, flex lug, 1/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,751.29
07498342377	<b>LCDX1/0-14A-X</b>	STDFlexLug,1/0AWG,.63in space,WDW,PK10	The LCDX1/0-14A-X Tin-Plated Copper Compression Connector Lug, two-hole, standard barrel, has color-co	C	100	\$	1,450.98
07498342748	<b>LCDX1/0-14AF-X</b>	CuLugF,2Hole,1/0AWG,1/4,.63,90°PKG10	Two-hole, flex lug, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,056.65
07498342749	<b>LCDX1/0-14B-X</b>	CuLugF,2Hole,1/0AWG,1/4,.75PKG10	Two-hole, flex lug, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,614.89
07498342751	<b>LCDX1/0-14BF-X</b>	CuLugF,2Hole,1/0AWG,1/4,.75,90°PKG10	Two-hole, flex lug, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,177.43
07498342379	<b>LCDX1/0-38D-X</b>	CuLugF,2Hole,1/0AWG,3/8,1PKG10	Two-hole, flex lug, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,517.01
07498342759	<b>LCDX1/0-38DF-X</b>	CuLugF,2Hole,1/0AWG,3/8,1,90°PKG10	Two-hole, flex lug, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,169.88
07498342758	<b>LCDX1/0-38DH-X</b>	CuLugF,2Hole,1/0AWG,3/8,1,45°PKG10	Two-hole, flex lug, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,169.88
07498342757	<b>LCDX1/0-56DF-X</b>	CuLugF,2Hole,1/0AWG,5/16,1,90°PKG10	Two-hole, flex lug, 1/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,427.30
07498342373	<b>LCDX2-12-E</b>	CuLugF,2Hole,#2AWG,1/2,1.75,PKG20	Two-hole, flex lug, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,150.78
07498342684	<b>LCDX2-14A-E</b>	CuLugF,2Hole,#2AWG,1/4,.63PKG20	The LCDX2-14A-E Tin-Plated Copper Compression Connector Lug, two-hole, standard barrel, has color-code	C	100	\$	1,535.40
07498342686	<b>LCDX2-14AF-E</b>	CuLugF,2Hole,#2AWG,1/4,.63,90°PKG20	Two-hole, flex lug, #2 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,176.54
07498342685	<b>LCDX2-14AH-E</b>	CuLugF,2Hole,#2AWG,1/4,.63,45°PKG20	Two-hole, flex lug, #2 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,176.54
07498342687	<b>LCDX2-14B-E</b>	CuLugF,2Hole,#2AWG,1/4,.75PKG20	Two-hole, flex lug, #2 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,657.54
07498342689	<b>LCDX2-14BF-E</b>	CuLugF,2Hole,#2AWG,1/4,.75,90°PKG20	Two-hole, flex lug, #2 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,237.61
07498342690	<b>LCDX2-14D-E</b>	CuLugF,2Hole,#2AWG,1/4Stud,1PKG20	Two-hole, flex lug, #2 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,961.79
07498342372	<b>LCDX2-38D-E</b>	CuLugF,2Hole,#2AWG,3/8,1PKG20	Two-hole, flex lug, #2 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,602.91
07498342696	<b>LCDX2-38DF-E</b>	CuLugF,2Hole,#2AWG,3/8,1,90°PKG20	Two-hole, flex lug, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,380.21
07498342695	<b>LCDX2-38DH-E</b>	CuLugF,2Hole,#2AWG,3/8,1,45°PKG20	Two-hole, flex lug, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,272.04
07498342371	<b>LCDX2-56D-E</b>	CuLugF,2Hole,#2AWG,5/16Stud,1PKG20	Two-hole, flex lug, #2 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	1,868.35
07498342694	<b>LCDX2-56DF-E</b>	CuLugF,2Hole,#2AWG,5/16Stud,90°PKG20	Two-hole, flex lug, #2 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,648.39
07498342383	<b>LCDX2/0-12-X</b>	STDFlexLug,2/0AWG,1.75in space,WDW,PK10	Two-hole, flex lug, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,928.48
07498342381	<b>LCDX2/0-14A-X</b>	CuLugF,2Hole,2/0AWG,1/4,.63PKG10	Two-hole, flex lug, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,996.40
07498342769	<b>LCDX2/0-14B-X</b>	CuLugF,2Hole,2/0AWG,1/4,.75PKG10	Two-hole, flex lug, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,096.23
07498342775	<b>LCDX2/0-14BF-X</b>	CuLugF,2Hole,2/0AWG,1/4,.75,90°PKG10	Two-hole, flex lug, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,829.90
07498342382	<b>LCDX2/0-38D-X</b>	CuLugF,2Hole,2/0AWG,3/8,1PKG10	Two-hole, flex lug, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,909.19
07498342779	<b>LCDX2/0-38DH-X</b>	CuLugF,2Hole,2/0AWG,3/8,1,45°PKG10	Two-hole, flex lug, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,706.13
07498342399	<b>LCDX250-12-X</b>	STDFlexLug,250mcm,1.75in space,WDW,PK10	Two-hole, flex lug, 250 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	4,158.80
07498342401	<b>LCDX250-38-X</b>	CuLugF,2Hole,250kcmil,3/8Stud,1.75PKG10	Two-hole, flex lug, 250 kcmil cable, 3/8 stud hole, 1.75 hole spacing.	C	100	\$	3,931.66
07498342398	<b>LCDX250-38D-X</b>	CuLugF,2Hole,250kcmil,3/8,1PKG10	Two-hole, flex lug, 250 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	3,487.09
07498342386	<b>LCDX3/0-12-X</b>	STDFlexLug,3/0AWG,1.75in space,WDW,PK10	Two-hole, flex lug, 3/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,857.10
07498342385	<b>LCDX3/0-38D-X</b>	CuLugF,2Hole,3/0AWG,3/8,1PKG10	Two-hole, flex lug, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,367.85
07498342405	<b>LCDX300-12-E</b>	CuLugF,2Hole,300kcmil,1/2Stud,1.75PKG6	Two-hole, flex lug, 300 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	5,144.06
07498342411	<b>LCDX350-12-E</b>	CuLugF,2Hole,350kcmil,1/2Stud,1.75PKG6	The LCDX350-12-E Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels	C	100	\$	4,979.40
07498342410	<b>LCDX350-12E-6</b>	CuLugF,2Hole,350kcmil,1/2Stud,1.25PKG6	Two-hole, flex lug, 350 kcmil cable, 1/2 stud hole, 1.25 hole spacing.	C	100	\$	5,309.60
07498342408	<b>LCDX350-38-E</b>	CuLugF,2Hole,350kcmil,3/8Stud,1.75PKG6	Two-hole, flex lug, 350 kcmil cable, 3/8 stud hole, 1.75 hole spacing.	C	100	\$	4,908.59
07498342407	<b>LCDX350-38D-E</b>	CuLugF,2Hole,350kcmil,3/8Stud,1PKG6	Two-hole, flex lug, 350 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	4,675.79
07498342406	<b>LCDX350-38DH-E</b>	CuLugF,2Hole,350kcmil,3/8,1,45°PKG6	Two-hole, flex lug, 350 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	6,627.91
07498310128	<b>LCDX4-10A-L</b>	Copper Compression Lug, 2 Hole, #4 AWG F	Copper Compression Lug, 2 Hole, #4 AWG Flex, #10 (M5) Stud, .63" (16mm) Hole Spacing	C	100	\$	1,067.93
07498342368	<b>LCDX4-14A-L</b>	CuLugF,2Hole,#4AWG,1/4,.63PKG50	The LCDX4-14A-L Tin-Plated Copper Compression Connector Lug, two-hole, standard barrel, has color-code	C	100	\$	1,067.55
07498342672	<b>LCDX4-14AF-L</b>	CuLugF,2Hole,#4AWG,1/4,.63,90°PKG50	Two-hole, flex lug, #4 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,513.21
07498342367	<b>LCDX4-14AH-L</b>	CuLugF,2Hole,#4AWG,1/4,.63,45°PKG50	Two-hole, flex lug, #4 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,441.15
07498342673	<b>LCDX4-14B-L</b>	CuLugF,2Hole,#4AWG,1/4,.75PKG50	Two-hole, flex lug, #4 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,232.99
07498342675	<b>LCDX4-14BF-L</b>	CuLugF,2Hole,#4AWG,1/4,.75,90°PKG50	Two-hole, flex lug, #4 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,743.79
07498342676	<b>LCDX4-14D-L</b>	CuLugF,2Hole,#4AWG,1/4Stud,1PKG50	Two-hole, flex lug, #4 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,232.99
07498342369	<b>LCDX4-38D-L</b>	CuLugF,2Hole,#4AWG,3/8,1PKG50	Two-hole, flex lug, #4 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,132.85
07498342391	<b>LCDX4/0-12-X</b>	CuLugF,2Hole,4/0AWG,1/2Stud,1.75PKG10	Two-hole, flex lug, 4/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,630.06
07498344985	<b>LCDX4/0-14A-X</b>	STDFlexLug,4/0AWG,.25in,.63in,WDW,PK10	The LCDX4/0-14A-X Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels	C	100	\$	2,395.08
07498345352	<b>LCDX4/0-14B-X</b>	CuLugF,2Hole,4/0AWG,1/4Stud,.75PKG50	Two-hole, flex lug, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,395.08
07498342388	<b>LCDX4/0-38D-X</b>	STDFlexLug,4/0AWG,.38in,1in,WDW,PK10	The LCDX4/0-38D-X Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels	C	100	\$	2,220.20
07498342798	<b>LCDX4/0-38DF-X</b>	STDFlexLug,4/0AWG,.38in,1in,90°,WDW,PK10	Two-hole, flex lug, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,147.43
07498342413	<b>LCDX450-12-E</b>	STDFlexLug,450mcm,.5in,1.75in,WDW,PK6	Two-hole, flex lug, 450 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	7,501.69
07498345361	<b>LCDX450-38D-E</b>	CuLugF,2Hole,450kcmil,3/8Stud,1PKG6	Two-hole, flex lug, 450 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	6,401.53
07498343647	<b>LCDX500-12-E</b>	STDFlexLug,500mcm,2hol,1.75in space,PK6	Two-hole, flex lug, 500 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	7,236.11
07498345370	<b>LCDX500-12EF-E</b>	STDFlexLug,500mcm,.5in,1.25in,90°,WDW,PK6	Two-hole, flex lug, 500 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 90° angle tongue.	C	100	\$	11,337.93
07498344988	<b>LCDX500-12F-E</b>	STDFlexLug,500mcm,.5in,1.75in,90°,WDW,PK6	Two-hole, flex lug, 500 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	10,257.13
07498345367	<b>LCDX500-38D-E</b>	STDFlexLug,500mcm,.38in,1in,WDW,PK6	Two-hole, flex lug, 500 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	6,986.53
07498342363	<b>LCDX6-10A-L</b>	CuLugF,2Hole,#6AWG,#10,.63PKG50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, .63 hole spacing.	C	100	\$	969.38
07498342647	<b>LCDX6-10AF-L</b>	CuLugF,2Hole,#6AWG,#10,.63,90°PKG50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,374.10
07498342364	<b>LCDX6-14A-L</b>	CuLugF,2Hole,#6AWG,1/4Stud,.63PKG50	The LCDX6-14A-L Tin-Plated Copper Compression Connector Lug, two-hole, standard barrel, has color-code	C	100	\$	888.10
07498342658	<b>LCDX6-14AF-L</b>	STDFlexLug,6AWG,.63in space,90°,WDW,PK5	Two-hole, flex lug, #6 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,443.83
07498342657	<b>LCDX6-14AH-L</b>	CuLugF,2Hole,#6AWG,1/4,.63,45°PKG50	Two-hole, flex lug, #6 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,316.69
07498342659	<b>LCDX6-14B-L</b>	CuLugF,2Hole,#6AWG,1/4,.75PKG50	Two-hole, flex lug, #6 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	976.93
07498342661	<b>LCDX6-14BF-L</b>	STDFlexLug,6AWG,.75in space,90°,WDW,PK5	Two-hole, flex lug, #6 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,318.93
07498342662	<b>LCDX6-14D-L</b>	CuLugF,2Hole,#6AWG,1/4,1PKG50	Two-hole, flex lug, #6 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,025.78
07498342365	<b>LCDX6-38D-L</b>	STDLug,6AWG,2hol,.63in space,WDW,PK50	Two-hole, flex lug, #6 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,043.41
07498342668	<b>LCDX6-38DH-L</b>	CuLugF,2Hole,#6AWG,3/8,1,45°PKG50	Two-hole, flex lug, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,341.55
07498342665	<b>LCDX6-56D-L</b>	CuLugF,2Hole,#6AWG,5/16,1PKG50	Two-hole, flex lug, #6 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	1,509.70
07498342667	<b>LCDX6-56DF-L</b>	CuLugF,2Hole,#6AWG,5/16,1,90°PKG50	Two-hole, flex lug, #6 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,135.16
07498343649	<b>LCDX600-12-E</b>	STDFlexLug,600mcm,2hol,1.75in space,PK6	Two-hole, flex lug, 600 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	8,372.25
07498342424	<b>LCDX650-12-E</b>	Cu,CompLug,2H,646.4kFlex,1/2S,1.75H,PK6	Two-hole, flex lug, 650 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	10,343.88
07498342349	<b>LCDX750-12-3</b>	Cu Lug,777.7kcmil,Flex,1/2in Stud,PK3	Two-hole, flex lug, 750 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	13,069.90
07498342345	<b>LCDX750-38D-3</b>	STDFlexLug,750mcm,.38in,1in,WDW,PK3	Two-hole, flex lug, 750 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	12,506.18

07498345379	<b>LCDX750-38DF-3</b>	CuLug,2Hole,777.7kcmil,3/8Stud,90°PKG3	Two-hole, flex lug, 750 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	16,883.36
07498343641	<b>LCDX8-10A-L</b>	CuLugF,2Hole,#8AWG,#10,63PKG50	Two-hole, flex lug, #8 AWG wire, #10 stud hole, .63 hole spacing.	C	100	\$	727.58
07498342355	<b>LCDX8-10AF-L</b>	CuLugF,2Hole,#8AWG,#10,63,90°PKG50	Two-hole, flex lug, #8 AWG wire, #10 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	982.28
07498342353	<b>LCDX8-14A-L</b>	CuLug,2Hole,#8AWG,1/4Stud,63PKG50	The LCDX8-14A-L Tin-Plated Copper Compression Lug, two-hole, standard barrel, has color-coded barrels m	C	100	\$	734.58
07498342357	<b>LCDX8-14AF-L</b>	CuLugF,2Hole,#8AWG,1/4,63,90°PKG50	Two-hole, flex lug, #8 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,041.20
07498342358	<b>LCDX8-14B-L</b>	CuLugF,2Hole,#8AWG,1/4,.75PKG50	Two-hole, flex lug, #8 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	771.31
07498344589	<b>LCDXN2-14A-E</b>	CuLug,2Hole,#2AWG,Narrow,1/4StudPKG20	Two-hole, flex lug, standard barrel with window, narrow tongue, #2 AWG wire, 1/4 stud hole, .63 hole spacing	C	100	\$	1,524.29
07498302881	<b>LCDXN2-14AF-E</b>	Cu,CompLug,2H,#2A,NT,1/4S,90°PK20	Two-hole, flex lug, standard barrel with window, narrow tongue, #2 AWG wire, 1/4 stud hole, .63 hole spacing	C	100	\$	1,941.38
07498302895	<b>LCDXN2-14AH-E</b>	Cu,CompLug,2H,#2A,NT,1/4S,45°PK20	Two-hole, flex lug, standard barrel with window, narrow tongue, #2 AWG wire, 1/4 stud hole, .63 hole spacing	C	100	\$	2,038.45
07498344991	<b>LCDXN350-38D-6</b>	CuLug,2Hole,350kcmil,Narrow,3/8StudPKG6	Two-hole, flex lug, standard barrel with window, narrow tongue, 350 kcmil cable, 3/8 stud hole, 1 hole spacing	C	100	\$	6,137.19
07498344990	<b>LCDXN40-38D-X</b>	CuLug,2Hole,4/0AWG,Narrow,3/8StudPKG10	Two-hole, flex lug, standard barrel with window, narrow tongue, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	3,690.61
07498382504	<b>LCDXN500-12-6</b>	Copper Compression Lug, 2 Hole, Narrow Tongue	Copper Compression Lug, 2 Hole, Narrow Tongue	C	100	\$	12,318.38
07498344273	<b>LCDXN500-38D-6</b>	STDFlexLugN,500mcm,.38in,1in,WDW,PK6	Two-hole, flex lug, standard barrel with window, narrow tongue, 500 kcmil cable, 3/8 stud hole, 1 hole spacing	C	100	\$	7,910.45
07498344485	<b>LCDXN750-12-3</b>	CuLug,777.7kcmil,Narrow,1/2in Stud,PK3	The two-hole standard barrel copper compression flex lug with inspection window and narrow tongue has a di	C	100	\$	16,745.51
07498344274	<b>LCDXN750-38D-3</b>	CuLug,777.7kcmil,Narrow,3/8in Stud,PK3	Two-hole, flex lug, standard barrel with window, narrow tongue, 750 kcmil cable, 3/8 stud hole, 1 hole spacing	C	100	\$	13,396.40
07498344993	<b>LCDXN750-38DF-3</b>	Cu,CompLug,2H,777.7K,NT,3/8S,90°PK3	Two-hole, flex lug, standard barrel with window, narrow tongue, 750 kcmil cable, 3/8 stud hole, 1 hole spacing	C	100	\$	18,989.64
07498344992	<b>LCDXN750-38DH-3</b>	Cu,CompLug,2H,777.7K,NT,3/8S,45°PK3	Two-hole, flex lug, standard barrel with window, narrow tongue, 750 kcmil cable, 3/8 stud hole, 1 hole spacing	C	100	\$	18,989.64
6130566977	<b>LCG4-C</b>	14 AWG (SOL) - 4 AWG (STR) w/ Stainless	The LCG4-C copper grounding mechanical lug is used with Stranded and Solid Copper Conductors. Made fro	C	100	\$	950.03
6130566976	<b>LCG8-C</b>	14 AWG (SOL) - 8 AWG (STR) w/ Stainless	The LCG8-C copper grounding mechanical lug is used with Stranded and Solid Copper Conductors. Made fro	C	100	\$	679.96
07498376931	<b>LCMA10-10-C</b>	CuMetricLug,10mm²,M10StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² wire, M10 stud hole.	C	100	\$	220.13
07498376789	<b>LCMA10-5-C</b>	CuMetricLug,10mm²,M5StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² wire, M5 stud hole.	C	100	\$	429.43
07498376790	<b>LCMA10-6-C</b>	CuMetricLug,10mm²,M6StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² wire, M6 stud hole.	C	100	\$	177.23
07498376791	<b>LCMA10-8-C</b>	CuMetricLug,10mm²,M8StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² wire, M8 stud hole.	C	100	\$	177.23
07498376956	<b>LCMA120-10-L</b>	CuMetricLug,120mm²,M10StudPKG50	One-hole, metric conductor, standard barrel with window lug, 120mm² wire, M10 stud hole.	C	100	\$	2,407.61
07498379977	<b>LCMA120-10F-L</b>	CuMetricLug,90°,120mm²,95mm²,M10,PKG5	One-hole, metric conductor, standard barrel with window lug, 120mm² 2r, 95mm² class 5f/6f, M10 stud hole,	C	100	\$	3,412.81
07498376957	<b>LCMA120-12-L</b>	CuMetricLug,120mm²,M12StudPKG50	The LCMA120-12-L Tin-Plated Copper Compression Metric Lug, one-hole, standard barrel, has a rounded to	C	100	\$	2,407.61
07498376958	<b>LCMA120-16-L</b>	CuMetricLug,120mm²,M16StudPKG50	One-hole, metric conductor, standard barrel with window lug, 120mm² wire, M16 stud hole.	C	100	\$	2,407.61
07498376955	<b>LCMA120-8-L</b>	CuMetricLug,120mm²,M8StudPKG50	One-hole, metric conductor, standard barrel with window lug, 120mm² wire, M8 stud hole.	C	100	\$	2,407.61
07498376960	<b>LCMA150-10-X</b>	CuMetricLug,150mm²,M10StudPKG10	One-hole, metric conductor, standard barrel with window lug, 150mm² wire, M10 stud hole.	C	100	\$	3,006.40
07498376961	<b>LCMA150-12-X</b>	CuMetricLug,150mm²,M12StudPKG10	The LCMA150-12-X Tin-Plated Copper Compression Metric Lug, one-hole, standard barrel, has color-coded	C	100	\$	3,006.40
07498376962	<b>LCMA150-16-X</b>	CuMetricLug,150mm²,M16StudPKG10	One-hole, metric conductor, standard barrel with window lug, 150mm² wire, M16 stud hole.	C	100	\$	3,006.35
07498376959	<b>LCMA150-8-X</b>	CuMetricLug,150mm²,M8StudPKG10	One-hole, metric conductor, standard barrel with window lug, 150mm² wire, M8 stud hole.	C	100	\$	3,006.35
07498376935	<b>LCMA16-10-C</b>	CuMetricLug,16mm²,M10StudPKG100	The LCMA16-10-C Tin-Plated Copper Compression Metric Lug, one-hole, standard barrel, has a rounded ton	C	100	\$	249.98
07498376932	<b>LCMA16-5-C</b>	CuMetricLug,16mm²,M5StudPKG100	One-hole, metric conductor, standard barrel with window lug, 16mm² wire, M5 stud hole.	C	100	\$	225.26
07498376933	<b>LCMA16-6-C</b>	CuMetricLug,16mm²,M6StudPKG100	The LCMA16-6-C Tin-Plated Copper Compression Metric Lug, one-hole, standard barrel, has a rounded tong	C	100	\$	220.25
07498376934	<b>LCMA16-8-C</b>	CuMetricLug,16mm²,M8StudPKG100	The LCMA16-8-CT Tin-Plated Copper Compression Metric Lug, one-hole, standard barrel, has color-coded b	C	100	\$	227.06
07498376964	<b>LCMA185-10-X</b>	CuMetricLug,185mm²,M10StudPKG10	One-hole, metric conductor, standard barrel with window lug, 185mm² wire, M10 stud hole.	C	100	\$	3,389.08
07498376965	<b>LCMA185-12-X</b>	CuMetricLug,185mm²,M12StudPKG10	One-hole, metric conductor, standard barrel with window lug, 185mm² wire, M12 stud hole.	C	100	\$	4,112.54
07498376966	<b>LCMA185-16-X</b>	CuMetricLug,185mm²,M16StudPKG10	One-hole, metric conductor, standard barrel with window lug, 185mm² wire, M16 stud hole.	C	100	\$	4,387.30
07498376968	<b>LCMA240-10-X</b>	CuMetricLug,240mm²,M10StudPKG10	One-hole, metric conductor, standard barrel with window lug, 240mm² wire, M10 stud hole.	C	100	\$	4,007.35
07498376969	<b>LCMA240-12-X</b>	CuMetricLug,240mm²,M12StudPKG10	The LCMA240-12-X Tin-Plated Copper Compression Metric Lug, one-hole, standard barrel, has color-coded	C	100	\$	5,493.93
07498376970	<b>LCMA240-16-X</b>	CuMetricLug,240mm²,M16StudPKG10	One-hole, metric conductor, standard barrel with window lug, 240mm² wire, M16 stud hole.	C	100	\$	4,007.35
07498380404	<b>LCMA240-16F-X</b>	CuMetricLug,90°,240mm²,185mm²,M16,PKG	One-hole, metric conductor, standard barrel with window lug, 240mm² 2r, 185mm² class 5f/6f, M16 stud hole	C	100	\$	5,409.95
07498376971	<b>LCMA240-20-X</b>	CuMetricLug,240mm²,M20StudPKG10	One-hole, metric conductor, standard barrel with window lug, 240mm² wire, M20 stud hole.	C	100	\$	6,536.81
07498376938	<b>LCMA25-10-C</b>	CuMetricLug,25mm²,M10StudPKG100	The LCMA25-10-C Tin-Plated Copper Compression Metric Lug, one-hole, standard barrel, has color-coded b	C	100	\$	337.96
07498376936	<b>LCMA25-6-C</b>	CuMetricLug,25mm²,M6StudPKG100	One-hole, metric conductor, standard barrel with window lug, 25mm² wire, M6 stud hole.	C	100	\$	299.79
07498376937	<b>LCMA25-8-C</b>	CuMetricLug,25mm²,M8StudPKG100	One-hole, metric conductor, standard barrel with window lug, 25mm² wire, M8 stud hole.	C	100	\$	297.91
07498376974	<b>LCMA300-16-5</b>	CuMetricLug,300mm²,M16StudPKG5	The LCMA300-16-5 Tin-Plated Copper Metric Lug, one-hole, standard barrel, has color-coded barrels marked	C	100	\$	8,852.15
07498376941	<b>LCMA35-10-C</b>	CuMetricLug,35mm²,M10StudPKG100	The LCMA35-10-C Tin-Plated Copper Compression Metric Lug, one-hole, standard barrel, has color-coded b	C	100	\$	531.29
07498379955	<b>LCMA35-10F-C</b>	CuMetricLug,90°,35mm²,25mm²,M10,PKG10	One-hole, metric conductor, standard barrel with window lug, 35mm² 2r, 25mm² class 5f/6f, M10 stud hole, 9	C	100	\$	753.13
07498376942	<b>LCMA35-12-C</b>	CuMetricLug,35mm²,M12StudPKG100	One-hole, metric conductor, standard barrel with window lug, 35mm² wire, M12 stud hole.	C	100	\$	604.54
07498376939	<b>LCMA35-6-C</b>	CuMetricLug,35mm²,M6StudPKG100	One-hole, metric conductor, standard barrel with window lug, 35mm² wire, M6 stud hole.	C	100	\$	478.88
07498376940	<b>LCMA35-8-C</b>	CuMetricLug,35mm²,M8StudPKG100	One-hole, metric conductor, standard barrel with window lug, 35mm² wire, M8 stud hole.	C	100	\$	774.43
07498379968	<b>LCMA35-8F-C</b>	CuMetricLug,90°,35mm²,25mm²,M8StudPKG	One-hole, metric conductor, standard barrel with window lug, 35mm² 2r, 25mm² class 5f/6f, M8 stud hole, 90	C	100	\$	1,097.75
07498381595	<b>LCMA400-12-5</b>	CuMetricLug,400mm²,M12StudPKG5	One-hole, metric conductor, standard barrel with window lug, 400mm² wire, M12 stud hole.	C	100	\$	13,816.05
07498376976	<b>LCMA400-16-5</b>	CuMetricLug,400mm²,M16StudPKG5	One-hole, metric conductor, standard barrel with window lug, 400mm² wire, M16 stud hole.	C	100	\$	13,816.05
07498376945	<b>LCMA50-10-L</b>	CuMetricLug,50mm²,M10StudPKG50	The LCMA50-10-L Tin-Plated Copper Compression Metric Lug, one-hole, standard barrel, has color-coded b	C	100	\$	694.91
07498376946	<b>LCMA50-12-L</b>	CuMetricLug,50mm²,M12StudPKG50	One-hole, metric conductor, standard barrel with window lug, 50mm² wire, M12 stud hole.	C	100	\$	777.60
07498376943	<b>LCMA50-6-L</b>	CuMetricLug,50mm²,M6StudPKG50	One-hole, metric conductor, standard barrel with window lug, 50mm² wire, M6 stud hole.	C	100	\$	1,330.70
07498376944	<b>LCMA50-8-L</b>	CuMetricLug,50mm²,M8StudPKG50	The LCMA50-8-L Tin-Plated Copper Compression Metric Lug, one-hole, standard barrel, has color-coded bar	C	100	\$	649.93
07498380464	<b>LCMA50-8F-L</b>	CuMetricLug,90°,50mm²,35mm²,M8StudPKG	One-hole, metric conductor, standard barrel with window lug, 50mm² 2r, 35mm² class 5f/6f, M8 stud hole, 90	C	100	\$	921.28
07498381596	<b>LCMA500-12-1</b>	CuMetricLug,500mm²,M12StudPKG1	One-hole, metric conductor, standard barrel with window lug, 500mm² wire, M12 stud hole.	C	100	\$	19,006.21
07498376978	<b>LCMA500-16-1</b>	CuMetricLug,500mm²,M16StudPKG1	One-hole, metric conductor, standard barrel with window lug, 500mm² wire, M16 stud hole.	C	100	\$	19,006.21
61305623514	<b>LCMA6-10-C</b>	Copper Compression Metric Lug, 1 Hole, 4	Copper Compression Metric Lug, 1 Hole, 4	C	100	\$	198.85
07498376786	<b>LCMA6-5-C</b>	CuMetricLug,4-6mm²,M5StudPKG100	One-hole, metric conductor, standard barrel with window lug, 4-6mm² wire, M5 stud hole.	C	100	\$	127.99
07498376787	<b>LCMA6-6-C</b>	CuMetricLug,4-6mm²,M6StudPKG100	One-hole, metric conductor, standard barrel with window lug, 4-6mm² wire, M6 stud hole.	C	100	\$	124.85
07498376788	<b>LCMA6-8-C</b>	CuMetricLug,4-6mm²,M8StudPKG100	One-hole, metric conductor, standard barrel with window lug, 4-6mm² wire, M8 stud hole.	C	100	\$	136.93
07498376981	<b>LCMA630-16-1</b>	CuMetricLug,630mm²,M16StudPKG1	One-hole, metric conductor, standard barrel with window lug, 630mm² wire, M16 stud hole.	C	100	\$	24,196.36
07498376949	<b>LCMA70-10-L</b>	CuMetricLug,70mm²,M10StudPKG50	One-hole, metric conductor, standard barrel with window lug, 70mm² wire, M10 stud hole.	C	100	\$	940.49
07498380471	<b>LCMA70-10F-L</b>	CuMetricLug,90°,70mm²,50mm²,M10StudPK	One-hole, metric conductor, standard barrel with window lug, 70mm² 2r, 50mm² class 5f/6f, M10 stud hole, 9	C	100	\$	1,333.13
07498380385	<b>LCMA70-10H-L</b>	CuMetricLug,45°,70mm²,50mm²,M10StudPK	One-hole, metric conductor, standard barrel with window lug, 70mm² 2r, 50mm² class 5f/6f, M10 stud hole, 4	C	100	\$	1,333.13
07498376950	<b>LCMA70-12-L</b>	CuMetricLug,70mm²,M12StudPKG50	One-hole, metric conductor, standard barrel with window lug, 70mm² wire, M12 stud hole.	C	100	\$	1,043.40
07498380472	<b>LCMA70-12F-L</b>	CuMetricLug,90°,70mm²,50mm²,M12StudPK	One-hole, metric conductor, standard barrel with window lug, 70mm² 2r, 50mm² class 5f/6f, M12 stud hole, 9	C	100	\$	1,408.60
07498376947	<b>LCMA70-6-L</b>	CuMetricLug,70mm²,M6StudPKG50	One-hole, metric conductor, standard barrel with window lug, 70mm² wire, M6 stud hole.	C	100	\$	934.03
07498376948	<b>LCMA70-8-L</b>	CuMetricLug,70mm²,M8StudPKG50	One-hole, metric conductor, standard barrel with window lug, 70mm² wire, M8 stud hole.	C	100	\$	928.29
07498380474	<b>LCMA70-8F-L</b>	CuMetricLug,90°,70mm²,50mm²,M8StudPKG	One-hole, metric conductor, standard barrel with window lug, 70mm² 2r, 50mm² class 5f/6f, M8 stud hole, 90	C	100	\$	1,253.21
07498380389	<b>LCMA70-8H-L</b>	CuMetricLug,45°,70mm²,50mm²,M8StudPKG	One-hole, metric conductor, standard barrel with window lug, 70mm² 2r, 50mm² class 5f/6f, M8 stud hole, 45	C	100	\$	1,253.21

07498376952	<b>LCMA95-10-L</b>	CuMetricLug,95mm²,M10StudPKG50	One-hole, metric conductor, standard barrel with window lug, 95mm² wire, M10 stud hole.	C	100	\$	1,824.76
07498380390	<b>LCMA95-10H-L</b>	CuMetricLug,45°,95mm²,70mm²,M10StudPK	One-hole, metric conductor, standard barrel with window lug, 95mm² 2r, 70mm² class 5/6f, M10 stud hole, 4	C	100	\$	2,586.63
07498376953	<b>LCMA95-12-L</b>	CuMetricLug,95mm²,M12StudPKG50	One-hole, metric conductor, standard barrel with window lug, 95mm² wire, M12 stud hole.	C	100	\$	1,737.86
07498376954	<b>LCMA95-16-L</b>	CuMetricLug,95mm²,M16StudPKG50	One-hole, metric conductor, standard barrel with window lug, 95mm² wire, M16 stud hole.	C	100	\$	1,867.79
61305625557	<b>LCMA95-6-L</b>	Copper Compression Metric Lug, 1 Hole, S		C	100	\$	1,906.83
61305625551	<b>LCMA95-6F-L</b>	Copper Compression Metric Lug, 1 Hole, S		C	100	\$	2,457.20
07498376951	<b>LCMA95-8-L</b>	CuMetricLug,95mm²,M8StudPKG50	One-hole, metric conductor, standard barrel with window lug, 95mm² wire, M8 stud hole.	C	100	\$	1,916.01
07498361805	<b>LCMB120-10-X</b>	CuMetricLug,Long,120mm²,95mm²,M10,PKG1	One-hole, metric conductor, long barrel, 120mm² 2r, 95mm² class 5/6f, M10 stud hole.	C	100	\$	3,578.51
07498362270	<b>LCMB240-12-6</b>	CuMetricLug,Long,240mm²,185mm²,M12,PKG	One-hole, metric conductor, long barrel, 240mm² 2r, 185mm² class 5/6f, M12 stud hole.	C	100	\$	8,184.53
07498361794	<b>LCMB25-10-L</b>	CuMetricLug,Long,25mm²,16mm²,M10,PKG50	One-hole, metric conductor, long barrel, 25mm² 2r, 16mm² class 5/6f, M10 stud hole.	C	100	\$	566.84
07498362286	<b>LCMB300-12-6</b>	CuMetricLug,Long,300mm²,240mm²,5/6f,M12,PKG6	One-hole, metric conductor, long barrel, 300mm² 2r, 240mm² class 5/6f, M12 stud hole.	C	100	\$	9,616.80
07498362288	<b>LCMB300-16-6</b>	CuMetricLug,Long,300mm²,240mm²,M16,PKG	One-hole, metric conductor, long barrel, 300mm² 2r, 240mm² class 5/6f, M16 stud hole.	C	100	\$	11,883.58
07498362292	<b>LCMB35-10-Q</b>	CuMetricLug,Long,35mm²,25mm²,M10,PKG25	One-hole, metric conductor, long barrel, 35mm² 2r, 25mm² class 5/6f, M10 stud hole.	C	100	\$	919.29
07498362291	<b>LCMB400-16-6</b>	CuMetricLug,Long,400mm²,M16StudPKG6	One-hole, metric conductor, long barrel, 400mm² 2r, M16 stud hole.	C	100	\$	17,337.15
07498362160	<b>LCMB70-12-X</b>	CuMetricLug,Long,70mm²,50mm²,M12,PKG10	One-hole, metric conductor, long barrel, 70mm² 2r, 50mm² class 5/6f, M12 stud hole.	C	100	\$	1,605.54
07498362243	<b>LCMB95-12-X</b>	CuMetricLug,Long,95mm²,70mm²,M12,PKG10	One-hole, metric conductor, long barrel, 95mm² 2r, 70mm² class 5/6f, M12 stud hole.	C	100	\$	2,685.44
07498362304	<b>LCMC120-12-X</b>	CuMetricLug,2Hole,Long,120/95mm,M12,PKG10	Two-hole, metric conductor, long barrel, 120mm² 2r, 95mm² class 5/6f, M12 stud hole.	C	100	\$	5,050.94
07498362788	<b>LCMC150-12-X</b>	CuMetricLug,2Hole,Long,150/120mm,M12,PKG10	Two-hole, metric conductor, long barrel, 150mm² 2r, 120mm² class 5/6f, M12 stud hole.	C	100	\$	6,601.53
07498361760	<b>LCMC16-8-L</b>	CuMetricLug,2Hole,Long,16/10mm²,M8,PKG5	Two-hole, metric conductor, long barrel, 16mm² 2r, 10mm² class 5/6f, M8 stud hole.	C	100	\$	692.65
07498362790	<b>LCMC185-00-X</b>	CuMetricLug,Blank,Long,185/150mm,PKG10	Two-hole, metric conductor, long barrel, 185mm² 2r, 150mm² class 5/6f, blank tongue.	C	100	\$	10,493.68
07498362791	<b>LCMC185-12-X</b>	CuMetricLug,2Hole,Long,185/150mm,M12,PKG10	Two-hole, metric conductor, long barrel, 185mm² 2r, 150mm² class 5/6f, M12 stud hole.	C	100	\$	8,257.96
07498364064	<b>LCMC240-00-6</b>	CuMetricLug,2Hole,Blank,Long,240/185mm,PKG6	Two-hole, metric conductor, long barrel, 240mm² 2r, 185mm² class 5/6f, blank tongue.	C	100	\$	13,264.58
07498364065	<b>LCMC240-12-6</b>	CuMetricLug,2Hole,Long,240/185mm,M12,PKG6	Two-hole, metric conductor, long barrel, 240mm² 2r, 185mm² class 5/6f, M12 stud hole.	C	100	\$	10,959.53
07498364073	<b>LCMC300-00-6</b>	Cu,CompMetLug,2H,BT,L-B,300mm²2r,PK6	Two-hole, metric conductor, long barrel, 300mm² 2r, 240mm² class 5/6f, blank tongue.	C	100	\$	18,422.96
07498364079	<b>LCMC300-12-6</b>	The LCMC300-12-6 Tin-Plated Copper Compression Metric Lug, two-hole, long barrel, has color-coded barre	Two-hole, metric conductor, long barrel, 300mm² 2r, 240mm² class 5/6f, blank tongue.	C	100	\$	12,734.31
07498364080	<b>LCMC300-14-6</b>	CuMetricLug,2Hole,Long,300/240mm,M14,PKG6	Two-hole, metric conductor, long barrel, 300mm² 2r, 240mm² class 5/6f, M14 stud hole.	C	100	\$	15,825.56
07498362298	<b>LCMC35-12-Q</b>	CuMetricLug,2Hole,Long,35/25mm,M12,PKG25	Two-hole, metric conductor, long barrel, 35mm² 2r, 25mm² class 5/6f, M12 stud hole.	C	100	\$	1,441.56
07498364081	<b>LCMC400-00-6</b>	Cu,CompMetLug,2H,BT,L-B,400mm²CL2r,PK6	Two-hole, metric conductor, long barrel, 400mm² 2r, blank tongue.	C	100	\$	25,377.61
07498364082	<b>LCMC400-12-6</b>	CuMetricLug,2Hole,Long,400mm²,M12,PKG6	Two-hole, metric conductor, long barrel, 400mm² 2r, M12 stud hole.	C	100	\$	21,750.26
07498364083	<b>LCMC400-14-6</b>	CuMetricLug,2Hole,Long,400mm²,M14,PKG6	Two-hole, metric conductor, long barrel, 400mm² 2r, M14 stud hole.	C	100	\$	24,958.21
07498364094	<b>LCMC500-00-3</b>	CuMetricLug,2Hole,Blank,Long,500mm²PKG3	Two-hole, metric conductor, long barrel, 500mm² 2r, blank tongue.	C	100	\$	30,146.03
07498364097	<b>LCMC630-00-3</b>	CuMetricLug,2Hole,Blank,Long,630mm²PKG3	Two-hole, metric conductor, long barrel, 630mm² 2r, blank tongue.	C	100	\$	40,294.66
07498362793	<b>LCMC70-00-X</b>	CuMetricLug,2Hole,Blank,Long,70/50mm,PKG10	Two-hole, metric conductor, long barrel, 70mm² 2r, 50mm² class 5/6f, blank tongue.	C	100	\$	2,612.34
07498362796	<b>LCMC70-12-X</b>	CuMetricLug,2Hole,Long,70/50mm,M12,PKG10	Two-hole, metric conductor, long barrel, 70mm² 2r, 50mm² class 5/6f, M12.	C	100	\$	2,318.04
07498362825	<b>LCMC95-00-X</b>	CuMetricLug,2Hole,Blank,Long,95/70mm,PKG10	Two-hole, metric conductor, long barrel, 95mm² 2r, 70mm² class 5/6f, blank tongue.	C	100	\$	4,932.18
07498362827	<b>LCMC95-12-X</b>	CuMetricLug,2Hole,Long,95/70mm,M12,PKG10	Two-hole, metric conductor, long barrel, 95mm² 2r, 70mm² class 5/6f, M12.	C	100	\$	3,935.09
07498300394	<b>LCMD120-10CD-X</b>	Cu,CompMetLug,2H,120mm²,ST,M10S,PK10	Two-hole, metric conductor, standard barrel with window lug, 120mm² wire, M10 stud hole, slotted tongue.	C	100	\$	3,929.36
07498399764	<b>LCMD120-12-X</b>	CuMetricLug,2Hole,120mm²,M12StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 120mm² wire, M12 stud hole.	C	100	\$	4,766.88
07498399770	<b>LCMD150-12-X</b>	CuMetricLug,2Hole,150mm²,M12StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 150mm² wire, M12 stud hole.	C	100	\$	5,767.58
07498399778	<b>LCMD185-12-X</b>	CuMetricLug,2Hole,185mm²,M12StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 185mm² wire, M12 stud hole.	C	100	\$	7,392.89
07498399785	<b>LCMD240-00-5</b>	CuMetricLug,Blank,240mm²,PKG5	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 240mm² wire.	C	100	\$	12,279.11
07498399783	<b>LCMD240-12-5</b>	CuMetricLug,2Hole,240mm²,M12StudPKG5	Two-hole, metric conductor, standard barrel with window lug, 240mm² wire, M12 stud hole.	C	100	\$	9,834.80
07498399784	<b>LCMD240-14-5</b>	CuMetricLug,2Hole,240mm²,M14StudPKG5	The LCMC240-14-5 Tin-Plated Copper Compression Metric Lug, two-hole, standard barrel, has color-coded b	C	100	\$	6,894.16
07498300389	<b>LCMD25-8CD-Q</b>	Cu,CompMetLug,2H,25mm²,ST,M8S,PK25	Two-hole, metric conductor, standard barrel with window lug, 25mm² wire, M8 stud hole, slotted tongue.	C	100	\$	524.59
07498399788	<b>LCMD300-12-5</b>	CuMetricLug,2Hole,300mm²,M12StudPKG5	Two-hole, metric conductor, standard barrel with window lug, 300mm² wire, M12 stud hole.	C	100	\$	11,778.43
07498399793	<b>LCMD400-12-5</b>	CuMetricLug,2Hole,400mm²,M12StudPKG5	Two-hole, metric conductor, standard barrel with window lug, 400mm² wire, M12 stud hole.	C	100	\$	22,344.48
07498399798	<b>LCMD500-14-1</b>	CuMetricLug,2Hole,500mm²,M14StudPKG1	Two-hole, metric conductor, standard barrel with window lug, 500mm² wire, M14 stud hole.	C	100	\$	30,976.60
07498399801	<b>LCMD630-12-1</b>	CuMetricLug,Blank,630mm²,M12StudPKG1	Two-hole, metric conductor, standard barrel with window lug, 630mm² wire, M12 stud hole.	C	100	\$	37,259.13
07498399760	<b>LCMD70-00-X</b>	CuMetricLug,Blank,70mm²,PKG10	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 70mm² wire.	C	100	\$	2,511.20
07498399759	<b>LCMD70-12-X</b>	CuMetricLug,2Hole,70mm²,M12StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 70mm² wire, M12 stud hole.	C	100	\$	2,161.00
07498399761	<b>LCMD95-12-X</b>	CuMetricLug,2Hole,95mm²,M12StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 95mm² wire, M12 stud hole.	C	100	\$	3,542.58
61305671794	<b>LCP1250-12-1</b>	Copper Compression Lug, 4 Hole, 1250 kcm	Copper Compression Lug, 4 Hole, 1250 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing	C	100	\$	32,058.71
61305671796	<b>LCP1250-12F-1</b>	Copper Compression Lug, 4 Hole, 1250 kcm	Copper Compression Lug, 4 Hole, 1250 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing, 90° Bend	C	100	\$	43,279.30
61305671795	<b>LCP1250-12H-1</b>	Copper Compression Lug, 4 Hole, 1250 kcm	Copper Compression Lug, 4 Hole, 1250 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing, 45° Bend	C	100	\$	43,279.30
61305671797	<b>LCP1500-12-1</b>	Copper Compression Lug, 4 Hole, 1500 kcm	Copper Compression Lug, 4 Hole, 1500 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing	C	100	\$	34,965.16
61305671799	<b>LCP1500-12F-1</b>	Copper Compression Lug, 4 Hole, 1500 kcm	Copper Compression Lug, 4 Hole, 1500 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing, 90° Bend	C	100	\$	47,203.01
61305671798	<b>LCP1500-12H-1</b>	Copper Compression Lug, 4 Hole, 1500 kcm	Copper Compression Lug, 4 Hole, 1500 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing, 45° Bend	C	100	\$	47,203.01
61305671800	<b>LCP2000-12-1</b>	Copper Compression Lug, 4 Hole, 2000 kcm	Copper Compression Lug, 4 Hole, 2000 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing	C	100	\$	43,003.23
61305671802	<b>LCP2000-12F-1</b>	Copper Compression Lug, 4 Hole, 2000 kcm	Copper Compression Lug, 4 Hole, 2000 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing, 90° Bend	C	100	\$	58,054.35
61305671801	<b>LCP2000-12H-1</b>	Copper Compression Lug, 4 Hole, 2000 kcm	Copper Compression Lug, 4 Hole, 2000 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing, 45° Bend	C	100	\$	58,054.35
61305668684	<b>LCP500-12-3</b>	Copper Compression Lug, 4 Hole, 500 kcm	Copper Compression Lug, 4 Hole, 500 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing	C	100	\$	17,927.41
61305668686	<b>LCP500-12F-1</b>	Copper Compression Lug, 4 Hole, 500 kcm	Copper Compression Lug, 4 Hole, 500 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing, 90° Bend	C	100	\$	24,202.06
61305668685	<b>LCP500-12H-1</b>	Copper Compression Lug, 4 Hole, 500 kcm	Copper Compression Lug, 4 Hole, 500 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing, 45° Bend	C	100	\$	24,202.06
07498319539	<b>LCYX3/0-38G-X</b>	Copper Comp. Lug, 2 Hole, 3/0 AWG Flex	Copper Comp. Lug, 2 Hole, 3/0 AWG Flex, 3/8" (9.5mm) Stud, 1.5 Hole Spacing, No Window	C	100	\$	2,461.75
07498341741	<b>LHMS-S10-C</b>	CableTieMnt,LtningHole#10Screw,PK100	The lightninging hole cable tie mount with a 0.2" (5.1 mm) diameter hole is mounted using a #10 (M5) screw. It	C	1000	\$	325.59
07498358422	<b>LHMS-S10-D</b>	CableTieMnt,LtningHole#10Screw,PK500	Panduit LHMS-S10-D Lightning Hole Cable Tie Mounts secure cable bundles that run through bulkhead light	M	1000	\$	1,885.64
07498341739	<b>LHMS-S5-C</b>	CableTieMnt,LtningHole#5Screw,PK100	The lightninging hole cable tie mount with a 0.13" (3.81 mm) diameter hole is mounted using a #5 (M3) screw. I	C	1000	\$	341.56
07498358420	<b>LHMS-S5-D</b>	CableTieMnt,LtningHole#5Screw,PK500	The lightninging hole cable tie mount with a 0.13" (3.81 mm) diameter hole is mounted using a #5 (M3) screw. I	M	1000	\$	1,885.64
07498341740	<b>LHMS-S6-C</b>	CableTieMnt,LtningHole#6Screw,PK100	The lightninging hole cable tie mount with a 0.15" (3.81 mm) diameter hole is mounted using a #6 (M3) screw. I	C	1000	\$	341.88
07498358421	<b>LHMS-S6-D</b>	CableTieMnt,LtningHole#6Screw,PK500	Panduit LHMS-S6-D Lightning Hole Cable Tie Mounts secure cable bundles that run through bulkhead lighte	M	1000	\$	1,830.71
07498339064	<b>LIAC4-22-C</b>	Lay In Lug,Aluminum,#14Sofl#4wg,100PK	One-hole lay-in lug, tin-plated aluminum, #14 Stud size.	C	100	\$	336.09
07498339065	<b>LIAS1/0-14-L</b>	Lay In Lug,Aluminum,#14-1/0awg,50PK	One-hole lay-in lug, tin-plated aluminum, 1/4" Stud size.	C	100	\$	437.08
07498339066	<b>LIAS250-56-Q</b>	Lay In Lug,Aluminum,#6awg-250kcmil,25PK	The LIAS250-56-Q Tin-Plated Aluminum Lay-In-Lug, one-hole, is designed for quick installation of a continuo	C	100	\$	1,060.05
07498339063	<b>LICC4-22-C</b>	Lay In Lug,Copper,#14-4awg,100PK	One-hole lay-in lug, copper	C	100	\$	749.50
07498339067	<b>LICC4-22TP-C</b>	Lay In Lug,Tin Plated Copper,100PK	One-hole, lay-in lug, tin-plated copper	C	100	\$	906.86
61305679438	<b>LIECA120-10-L</b>	Copper Compression Metric Lug, 1 Hole, 1	The LIECA120-10-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire	C	100	\$	7,470.33
61305679439	<b>LIECA120-12-L</b>	Copper Compression Metric Lug, 1 Hole, 1	The LIECA120-12-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire	C	100	\$	7,728.36

61305679443	LIECA120-8-L	Copper Compression Metric Lug, 1 Hole, 1	The LIECA120-8-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	7,310.80
61305679444	LIECA150-10-X	Copper Compression Metric Lug, 1 Hole, 1	The LIECA150-10-X Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	8,311.34
61305679446	LIECA150-12-X	Copper Compression Metric Lug, 1 Hole, 1	The LIECA150-12-X Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	10,523.31
61305679447	LIECA185-10-X	Copper Compression Metric Lug, 1 Hole, 1	The LIECA185-10-X Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	10,066.24
61305679448	LIECA185-12-X	Copper Compression Metric Lug, 1 Hole, 1	The LIECA185-12-X Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	13,705.40
61305679449	LIECA240-10-X	Copper Compression Metric Lug, 1 Hole, 2	The LIECA240-10-X Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	18,563.98
61305679445	LIECA240-12-X	Copper Compression Metric Lug, 1 Hole, 2	The LIECA240-12-X Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	16,405.29
61305680048	LIECA25-10-C	Copper Compression Metric Lug, 1 Hole, 2	The LIECA25-10-C Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	1,306.40
61305679422	LIECA25-6-C	Copper Compression Metric Lug, 1 Hole, 2	The LIECA25-6-C Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	1,199.59
61305679423	LIECA25-8-C	Copper Compression Metric Lug, 1 Hole, 2	The LIECA25-8-C Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	1,976.78
61305679424	LIECA35-10-C	Copper Compression Metric Lug, 1 Hole, 3	The LIECA35-10-C Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	1,753.96
61305679425	LIECA35-12-C	Copper Compression Metric Lug, 1 Hole, 3	The LIECA35-12-C Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	1,985.68
61305679426	LIECA35-6-C	Copper Compression Metric Lug, 1 Hole, 3	The LIECA35-6-C Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	3,331.36
61305679427	LIECA35-8-C	Copper Compression Metric Lug, 1 Hole, 3	The LIECA35-8-C Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	1,640.59
61305679428	LIECA50-10-L	Copper Compression Metric Lug, 1 Hole, 5	The LIECA50-10-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	2,475.43
61305679429	LIECA50-12-L	Copper Compression Metric Lug, 1 Hole, 5	The LIECA50-12-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	2,613.99
61305679430	LIECA50-6-L	Copper Compression Metric Lug, 1 Hole, 5	The LIECA50-6-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	2,463.84
61305679431	LIECA50-8-L	Copper Compression Metric Lug, 1 Hole, 5	The LIECA50-8-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	2,433.21
61305679432	LIECA70-10-L	Copper Compression Metric Lug, 1 Hole, 7	The LIECA70-10-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	4,567.26
61305679433	LIECA70-12-L	Copper Compression Metric Lug, 1 Hole, 7	The LIECA70-12-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	4,408.05
61305679434	LIECA70-8-L	Copper Compression Metric Lug, 1 Hole, 7	The LIECA70-8-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	4,788.98
61305679435	LIECA95-10-L	Copper Compression Metric Lug, 1 Hole, 9	The LIECA95-10-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	5,888.69
61305679436	LIECA95-12-L	Copper Compression Metric Lug, 1 Hole, 9	The LIECA95-12-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	6,224.76
61305679437	LIECA95-8-L	Copper Compression Metric Lug, 1 Hole, 9	The LIECA95-8-L Tin-Plated Copper Compression Metric Lug, one-hole standard barrel, has beveled wire e	C	100	\$	6,202.25
07498382449	LJSL1-Y3-5	Laser/Ink Jet Self-LamLbi,PK5000	Laser/Ink Jet Self-Laminating Label, 8.5" x 11" sheet, 0.50" x 0.75", Polyester, White	M	1000	\$	74.80
07498382458	LJSL10-Y3-1	Laser/Ink Jet Self-LamLbi,PK1000	Laser/Ink Jet Self-Laminating Label, A4 sheet, 0.90" x 2.17", Polyester, White	M	1000	\$	361.68
07498382626	LJSL11-Y3-1	Laser/Ink Jet Self-LamLbi,PK1000	Laser/Ink Jet Self-Laminating Label, A4 sheet, 1.00" x 2.67", Polyester, White	M	1000	\$	386.59
07498382723	LJSL12-Y3-1	Laser/Ink Jet Self-LamLbi,PK1000	Laser/Ink Jet Self-Laminating Label, A4 sheet, 1.20" x 2.67", Polyester, White	M	1000	\$	460.93
07498384092	LJSL14-Y3-0.5	Laser/Ink Jet Self-LamLbi,PK500	Laser/Ink Jet Self-Laminating Label, A4 sheet, 1.40" x 5.50", Polyester, White	M	1000	\$	1,378.73
07498384093	LJSL15-Y3-0.5	Laser/Ink Jet Self-LamLbi,PK500	Laser/Ink Jet Self-Laminating Label, A4 sheet, 1.80" x 5.50", Polyester, White	M	1000	\$	2,696.39
07498384094	LJSL17-Y3-0.5	Laser/Ink Jet Self-LamLbi,PK500	Laser/Ink Jet Self-Laminating Label, A4 sheet, 1.40" x 3.67", Polyester, White	M	1000	\$	936.75
07498384096	LJSL19-Y3-1	Laser/Ink Jet Self-LamLbi,PK1000	Laser/Ink Jet Self-Laminating Label, 8.5" x 11" sheet, 1.00" x 5.45" x 1.00" write-on area	M	1000	\$	624.69
07498382450	LJSL2-Y3-5	Laser/Ink Jet Self-LamLbi,PK5000	Laser/Ink Jet Self-Laminating Label, 8.5" x 11" sheet, 0.50" x 1.50", Polyester, White	M	1000	\$	112.26
07498384097	LJSL20-Y3-1	Laser/Ink Jet Self-LamLbi,PK1000	Laser/Ink Jet Vinyl Free Self-Laminating Label, 8.5" x 11" sheet, 1.00" x 1.33", Polyolefin, White	M	1000	\$	246.60
07498384098	LJSL21-Y3-1	Laser/Ink Jet Self-LamLbi,PK1000	Laser/Ink Jet Self-Laminating Label, A4 sheet, 0.90" x 2.17", Polyester, White	M	1000	\$	417.88
07498384872	LJSL22-Y3-1	Laser/Ink Jet Self-LamLbi,PK1000	Laser/Ink Jet self-laminating label for use with desktop printers, 8.5" x 11" sheet, 1.00" wide x 1.60" height x .	M	1000	\$	324.90
07498382451	LJSL3-Y3-2.5	Laser/Ink Jet Self-LamLbi,PK2500	Laser/Ink Jet Self-Laminating Label, 8.5" x 11" sheet, 1.00" x 0.75", Polyester, White	M	1000	\$	127.46
07498383443	LJSL3-Y3-5	Laser/Ink Jet Self-LamLbi,PK5000	Laser/Ink Jet Self-Laminating Label, 8.5" x 11" sheet, 1.00" x 0.75", Polyester, White	M	1000	\$	122.89
07498382452	LJSL4-Y3-2.5	Laser/Ink Jet Self-LamLbi,PK2500	Laser/Ink Jet Self-Laminating Label, 8.5" x 11" sheet, 1.00" x 1.00" x .34" write-on area.	M	1000	\$	188.41
07498383357	LJSL5-Y3-1	Laser/Ink Jet Self-LamLbi,PK1000	The LJSL5-Y3-1 Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminates to p	M	1000	\$	246.60
07498382453	LJSL5-Y3-2.5	Laser/Ink Jet Self-LamLbi,PK2500	The LJSL5-Y3-2.5 Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminates to p	M	1000	\$	224.51
07498382454	LJSL6-Y3-1	Laser/Ink Jet Self-LamLbi,PK1000	Laser/Ink Jet Self-Laminating Label, 8.5" x 11" sheet, 1.00" x 3.17" x .97" write-on area.	M	1000	\$	460.93
07498382455	LJSL7-Y3-1	Laser/Ink Jet Self-LamLbi,PK1000	Laser/Ink Jet Self-Laminating Label, 8.5" x 11" sheet, 2.00" x 1.50" x .50" write-on area	M	1000	\$	546.58
07498382456	LJSL8-Y3-1	Laser/Ink Jet Self-LamLbi,PK1000	Laser/Ink Jet Self-Laminating Label, 8.5" x 11" sheet, 2.00" x 3.17" x 1.00" write-on area	M	1000	\$	581.95
07498382457	LJSL9-Y3-2.5	Laser/Ink Jet Self-LamLbi,PK2500	Laser/Ink Jet Self-Laminating Label, A4 sheet, 0.70" x 1.33", Polyester, White	M	1000	\$	112.26
07498359411	LPFCM14-A-C14	LowProfFlatCbleMnt,Adh,1.4"W,GRY,PK100	The low profile flat cable tie mount in gray is applied with rubber adhesive tape. It is 0.13" (3.4 mm) high and c	C	100	\$	111.70
07498359412	LPFCM14-A-D14	LowProfFlatCbleMnt,Adh,1.4"W,GRY,PK500	The low profile flat cable tie mount in gray is applied with rubber adhesive tape. It is 0.13" (3.4 mm) high and c	M	1000	\$	891.76
07498359413	LPFCM22-A-C14	LowProfFlatCbleMnt,Adh,2.2"W,GRY,PK100	The low profile flat cable tie mount in gray is applied with rubber adhesive tape. It is 0.13" (3.4 mm) high and c	C	100	\$	114.94
07498359415	LPFCM34-A-C14	LowProfFlatCbleMnt,Adh,3.4"W,GRY,PK100	The low profile flat cable tie mount in gray is applied with rubber adhesive tape. It is 0.13" (3.4 mm) high and c	C	100	\$	119.09
07498358050	LPMM-S2-C	CbleTieMnt,LowProf,#2Screw,NAT,PK100	The low profile cable tie mount in natural color is applied with a #2 (M2) screw. It is made of nylon 6.6, which i	C	100	\$	36.66
07498358051	LPMM-S2-M	CbleTieMnt,LowProf,#2Screw,NATPK1000	The low profile cable tie mount in natural color is applied with a #2 (M2) screw. It is made of nylon 6.6, which i	M	1000	\$	250.75
07498358052	LPMM-S5-C	CbleTieMnt,LowProf,#5Screw,PK100	The low profile cable tie mount in natural color is applied with a #5 (M3) screw. It is made of nylon 6.6, which i	C	100	\$	36.66
07498358053	LPMM-S5-M	Panduit LPMM-S5-M Screw Applied Cable Tie Mounts have a low profile design that keeps the cable bundles	The low profile cable tie mount in black is applied with a #5 (M3) screw. It is made of nylon 6.6, which increas	M	1000	\$	238.81
07498339112	LPMM-S5-M20	CbleTieMnt,LowProf,#5Screw,BL,PK1000	The low profile cable tie mount in black is applied with a #5 (M3) screw. It is made of nylon 6.6, which increas	M	1000	\$	263.19
07498358054	LPMS-S8-C	CbleTieMnt,LowProf,#8Screw,NAT,PK100	Panduit LPMS-S8-C Screw Applied Cable Tie Mounts have a low profile design that keeps the cable bundles	C	100	\$	40.39
07498358055	LPMS-S8-M	CbleTieMnt,LowProf,#8Screw,NAT,PK1000	Panduit LPMS-S8-M Screw Applied Cable Tie Mounts have a low profile design that keeps the cable bundles	M	1000	\$	261.53
07498339113	LPMS-S8-M20	CbleTieMnt,LowProf,#8Screw,BL,PK1000	The low profile cable tie mount in black is applied with a #8 (M4) screw. It is made of nylon 6.6, which increa	M	1000	\$	291.06
07498334916	LS8-CASE	LS8E,Hard Side Carrying Case	The rigid, hard-sided carrying case for Panduit's PanTher LS8E and LS8EQ Hand-Held Thermal Transfer Pri	PC	1	\$	115.28
07498334917	LS8-CLN	LS8E,Cleaning Kit	The cleaning kit for Panduit's PanTher LS8E and LS8EQ Hand-Held Thermal Transfer Printers is part of the c	PC	1	\$	94.60
07498375612	LS8E	Printer,Hand-Held,EA	The PanTher Hand-Held Thermal Transfer Printer prints on continuous tapes, continuous heat-shrink tubing, and	PC	1	\$	553.59
07498377015	LS8E-ACA	LS8E AC Adapter,240 VAC,Australia	The 100-24-Her LS8E and LS8EQ Hand-Held Thermal Transfer Printers is part of the complete line of identifi	PC	1	\$	110.61
07498377016	LS8E-ACE	LS8E AC Adapter,230 VAC,Euro	The 100-24-Her LS8E and LS8EQ Hand-Held Thermal Transfer Printers is part of the complete line of identifi	PC	1	\$	110.61
07498377017	LS8E-ACS	LS8E AC Adapter,120 VAC,North America	The 100-24-H America for Panduit's PanTher LS8E and LS8EQ Hand-Held Thermal Transfer Printers is part	PC	1	\$	105.34
07498377018	LS8E-ACU	LS8E AC Adapter,240 VAC,U.K.	The 100-24-He UK for Panduit's PanTher LS8E and LS8EQ Hand-Held Thermal Transfer Printers is part of t	PC	1	\$	110.61
07498375613	LS8E-KIT	LS8E,Printer Kit	The PanTher LS8E Hand-Held Thermal Transfer Printer kit contains the hand-held printer, one cassette of S1	KT	1	\$	635.00
07498301702	LS8E-KIT-ACS	LS8E Printer Kit with AC Adapter	The PanTher LS8E Hand-Held Thermal Transfer Printer kit contains the LS8E-ACS 120 VAC power adapter f	KT	1	\$	708.45
07498308900	LS8EQ	QWERTY LS8EQ,Printer	The PanTher Hand-Held Thermal Transfer Printer with QWERTY keypad prints on continuous tapes, continuo	PC	1	\$	553.59
07498308901	LS8EQ-KIT	QWERTY LS8EQ,Printer Kit	The PanTher LS8EQ Hand-Held Thermal Transfer Printer with QWERTY keypad kit contains the hand-held p	KT	1	\$	635.00
07498308902	LS8EQ-KIT-ACS	QWERTY LS8EQ,Prtr Kit with AC Adapter	The PanTher LS8EQ Hand-Held Thermal Transfer Printer with QWERTY keypad kit contains the LS8E-ACS	KT	1	\$	708.45
0749834199	LTKY	RACK GROUNDING KIT,YL,PK10	Label kit includes ten printed tags (2.75" x 1.38") and ten flame retardant cable ties.	KT	1	\$	18.08
07498339187	LV-S-1G	LOW VOLTAGE MTG BKT,1-Gang,PK25	Low voltage integral mounting bracket, single gang stud bracket.	C	100	\$	208.21
07498308878	LV-W-1G	LOW VOLTAGE RETRO MTG BKT,1-Gang,PK100	Low voltage retrofit mounting plate bracket, single gang box with screws.	C	100	\$	267.41
07498308899	LV-W-2G	LOW VOLTAGE RETRO MTG BKT,2-Gang,PK50	Low voltage retrofit mounting plate bracket, double gang box with screws.	C	100	\$	360.93
07498327197	LWC100-A-C	LatchingWireClip,Adh.,1"Bdle,Nat,PK100	Adhesive backed latching wire clip, 1" (25.4mm) bundle, natural, bulk package.	M	1000	\$	2,659.14
07498327233	LWC100-A-C14	LatchingWireClip,Adh.,1"Bdle,Gry,PK100	Adhesive backed latching wire clip, 1" (25.4mm) bundle, gray, bulk package.	M	1000	\$	2,891.48
07498327203	LWC100-A-L	LatchingWireClip,Adh.,1"Bdle,Nat,PK50	Adhesive backed latching wire clip, 1" (25.4mm) bundle, natural, standard package.	C	100	\$	356.25
07498327209	LWC100-H25-C	LatchingWireClip,PshMnt,1"Bdle,Nat,PK100	Panduit LWC100-H25-C Latching Wire Clips with push barb style mounts, route and secure cords and cables	M	1000	\$	1,449.66

07498327221	<b>LWC100-H25-C14</b>	LtchingWireClip,PshMnt,1"Bdle,Gry,PK100	Panduit LWC100-H25-C14 Latching Wire Clips with push barb style mounts, route and secure cords and cabl	M	1000	\$	1,674.28
07498327215	<b>LWC100-H25-L</b>	LtchingWireClip,PshMnt,1"Bdle,Nat,PK50	Latching wire clip, push barb mount, 1" (25.4mm) bundle, natural, standard package.	C	100	\$	148.24
07498327239	<b>LWC100-H25-L14</b>	LtchingWireClip,PshMnt,1"Bdle,Gry,PK50	Panduit LWC100-H25-L14 Latching Wire Clips with push barb style mounts, route and secure cords and cabl	C	100	\$	155.26
07498371038	<b>LWC100-H25-L20</b>	LtchingWireClip,PshMnt,1"Bdle,BL,PK50	Latching wire clip, push barb mount, 1" (25.4mm) bundle, black.	C	100	\$	163.04
07498327198	<b>LWC19-A-C</b>	LtchingWireClip,Adh, .19"Bdle,Nat,PK100	Adhesive backed latching wire clip, .19" (4.8mm) bundle, natural.	C	100	\$	65.24
07498327222	<b>LWC19-A-C14</b>	LtchingWireClip,Adh, .19"Bdle,Gry,PK100	Adhesive backed latching wire clip, .19" (4.8mm) bundle, gray, standard package.	C	100	\$	71.73
07498371017	<b>LWC19-A-C20</b>	LtchingWireClip,Adh, .19"Bdle,BL,PK100	Adhesive backed latching wire clip, .19" (4.8mm) bundle, black.	C	100	\$	71.73
07498327228	<b>LWC19-A-M14</b>	LtchingWireClip,Adh, .19"Bdle,Gry,PK100	Adhesive backed latching wire clip, .19" (4.8mm) bundle, gray, bulk package.	M	1000	\$	499.96
07498327204	<b>LWC19-H25-M</b>	LtchingWireClip,PM, .19"Bdle,Nat,PK100	Latching wire clip, push barb mount, .19" (4.8mm) bundle, natural, bulk package.	M	1000	\$	445.16
07498327216	<b>LWC19-H25-M14</b>	LtchingWireClip,PM, .19"Bdle,Gry,PK100	Latching wire clip, push barb mount, .19" (4.8mm) bundle, gray, bulk package.	M	1000	\$	474.98
07498327199	<b>LWC25-A-C</b>	LtchingWireClip,Adh, .25"Bdle,Nat,PK100	Panduit LWC25-A-C Latching Wire Clips with rubber adhesive backing, route and secure cords and cables. T	C	100	\$	70.58
07498327223	<b>LWC25-A-C14</b>	LtchingWireClip,Adh, .25"Bdle,Gry,PK100	Panduit LWC25-A-C14 Latching Wire Clips with rubber adhesive backing, route and secure cords and cables.	C	100	\$	77.59
07498371019	<b>LWC25-A-C20</b>	LtchingWireClip,Adh, .25"Bdle,BL,PK100	Adhesive backed latching wire clip, .25" (6.4mm) bundle, black.	C	100	\$	77.59
07498327193	<b>LWC25-A-D</b>	LtchingWireClip,Adh, .25"Bdle,Nat,PK500	Panduit LWC25-A-D Latching Wire Clips with rubber adhesive backing, route and secure cords and cables. T	M	1000	\$	564.10
07498327229	<b>LWC25-A-D14</b>	LtchingWireClip,Adh, .25"Bdle,Gry,PK500	Panduit LWC25-A-D14 Latching Wire Clips with rubber adhesive backing, route and secure cords and cables	M	1000	\$	621.98
07498327211	<b>LWC25-H25-C</b>	LtchingWireClip,PM, .25"Bdle,Nat,PK100	Latching wire clip, push barb mount, .25" (6.4mm) bundle, natural, standard package.	C	100	\$	61.35
07498371030	<b>LWC25-H25-C20</b>	LtchingWireClip,PshMnt,.25"Bdle,BL,PK100	Latching wire clip, push barb mount, .25" (6.4mm) bundle, black.	C	100	\$	67.43
07498327205	<b>LWC25-H25-D</b>	LtchingWireClip,PM, .25"Bdle,Nat,PK500	Latching wire clip, push barb mount, .25" (6.4mm) bundle, natural, bulk package.	M	1000	\$	493.03
07498327200	<b>LWC38-A-C</b>	LtchingWireClip,Adh, .38"Bdle,Nat,PK100	Adhesive backed latching wire clip, .38" (9.7mm) bundle, natural, standard package.	C	100	\$	77.20
07498327224	<b>LWC38-A-C14</b>	LtchingWireClip,Adh, .38"Bdle,Gry,PK100	Panduit LWC38-A-C14 Latching Wire Clips with rubber adhesive backing, route and secure cords and cables	C	100	\$	84.96
07498371021	<b>LWC38-A-C20</b>	LtchingWireClip,Adh, .38"Bdle,BL,PK100	Panduit LWC38-A-C20 Latching Wire Clips with rubber adhesive backing, route and secure cords and cables	C	100	\$	84.96
07498327194	<b>LWC38-A-D</b>	LtchingWireClip,Adh, .38"Bdle,Nat,PK500	Adhesive backed latching wire clip, .38" (9.7mm) bundle, natural, bulk package.	M	1000	\$	617.80
07498327230	<b>LWC38-A-D14</b>	LtchingWireClip,Adh, .38"Bdle,Gry,PK500	Panduit LWC38-A-D14 Latching Wire Clips with rubber adhesive backing, route and secure cords and cables	M	1000	\$	678.25
07498327212	<b>LWC38-H25-C</b>	LtchingWireClip,PM, .38"Bdle,Nat,PK100	Latching wire clip, push barb mount, .38" (9.7mm) bundle, natural, standard package.	C	100	\$	67.89
07498327236	<b>LWC38-H25-C14</b>	LtchingWireClip,PM, .38"Bdle,Gry,PK100	Panduit LWC38-H25-C14 Latching Wire Clips with push barb style mounts, route and secure cords and cable	C	100	\$	71.10
07498371032	<b>LWC38-H25-C20</b>	LtchingWireClip,PshMnt,.38"Bdle,BL,PK100	Latching wire clip, push barb mount, .38" (9.7mm) bundle, black.	C	100	\$	71.10
07498327206	<b>LWC38-H25-D</b>	LtchingWireClip,PM, .38"Bdle,Nat,PK500	Latching wire clip, push barb mount, .38" (9.7mm) bundle, natural, bulk package.	M	1000	\$	502.50
07498327201	<b>LWC50-A-L</b>	LtchingWireClip,Adh, .50"Bdle,Nat,PK50	Panduit LWC50-A-L Latching Wire Clips with rubber adhesive backing, route and secure cords and cables. T	C	100	\$	128.03
07498327225	<b>LWC50-A-L14</b>	LtchingWireClip,Adh, .50"Bdle,Gry,PK50	Adhesive backed latching wire clip, .50" (12.7mm) bundle, gray, standard package.	C	100	\$	140.80
07498371002	<b>LWC50-A-L20</b>	LtchingWireClip,Adh, .50"Bdle,BL,PK50	Panduit LWC50-A-L20 Latching Wire Clips with rubber adhesive backing, route and secure cords and cables.	C	100	\$	140.80
07498327195	<b>LWC50-A-T</b>	LtchingWireClip,Adh, .50"Bdle,Nat,PK25	Panduit LWC50-A-T Latching Wire Clips with rubber adhesive backing, route and secure cords and cables. T	M	1000	\$	984.65
07498327231	<b>LWC50-A-T14</b>	LtchingWireClip,Adh, .50"Bdle,Gry,PK25	Panduit LWC50-A-T14 Latching Wire Clips with rubber adhesive backing, route and secure cords and cables	M	1000	\$	1,013.34
07498327213	<b>LWC50-H25-L</b>	LtchingWireClip,PshMnt,.50"Bdle,Nat,PK50	Latching wire clip, push barb mount, .50" (12.7mm) bundle, natural, standard package.	C	100	\$	72.10
07498327237	<b>LWC50-H25-L14</b>	LtchingWireClip,PshMnt,.50"Bdle,Gry,PK50	Latching wire clip, push barb mount, .50" (12.7mm) bundle, gray, standard package.	C	100	\$	79.29
07498371034	<b>LWC50-H25-L20</b>	LtchingWireClip,PshMnt,.50"Bdle,BL,PK50	Latching wire clip, push barb mount, .50" (12.7mm) bundle, black.	C	100	\$	79.29
07498327207	<b>LWC50-H25-T</b>	LtchingWireClip,PshMnt,.50"Bdle,Nat,PK25	Latching wire clip, push barb mount, .50" (12.7mm) bundle, natural, bulk package.	M	1000	\$	520.64
07498327219	<b>LWC50-H25-T14</b>	LtchingWireClip,PshMnt,.50"Bdle,Gry,PK25	Latching wire clip, push barb mount, .50" (12.7mm) bundle, gray, bulk package.	M	1000	\$	601.36
07498327196	<b>LWC75-A-C</b>	LtchingWireClip,Adh, .75"Bdle,Nat,PK100	Adhesive backed latching wire clip, .75" (19.1mm) bundle, natural, bulk package.	M	1000	\$	2,238.21
07498327232	<b>LWC75-A-C14</b>	LtchingWireClip,Adh, .75"Bdle,Gry,PK100	Panduit LWC75-A-C14 Latching Wire Clips with rubber adhesive backing, route and secure cords and cables	M	1000	\$	2,462.06
07498327202	<b>LWC75-A-L</b>	LtchingWireClip,Adh, .75"Bdle,Nat,PK500	Adhesive backed latching wire clip, .75" (19.1mm) bundle, natural, standard package.	C	100	\$	343.04
07498327226	<b>LWC75-A-L14</b>	LtchingWireClip,Adh, .75"Bdle,Gry,PK500	Adhesive backed latching wire clip, .75" (19.1mm) bundle, gray, standard package.	C	100	\$	359.36
07498371024	<b>LWC75-A-L20</b>	LtchingWireClip,Adh, .75"Bdle,BL,PK500	Adhesive backed latching wire clip, .75" (19.1mm) bundle, black.	C	100	\$	377.34
07498327208	<b>LWC75-H25-C</b>	LtchingWireClip,PM, .75"Bdle,Nat,PK100	Panduit LWC75-H25-C Latching Wire Clips with push barb style mounts, route and secure cords and cables.	M	1000	\$	856.06
07498327220	<b>LWC75-H25-C14</b>	LtchingWireClip,PM, .75"Bdle,Gry,PK100	Panduit LWC75-H25-C14 Latching Wire Clips with push barb style mounts, route and secure cords and cable	M	1000	\$	977.48
07498327214	<b>LWC75-H25-L</b>	LtchingWireClip,PshMnt,.75"Bdle,Nat,PK50	Latching wire clip, push barb mount, .75" (19.1mm) bundle, natural, standard package.	C	100	\$	134.85
07498327238	<b>LWC75-H25-L14</b>	LtchingWireClip,PshMnt,.75"Bdle,Gry,PK50	Panduit LWC75-H25-L14 Latching Wire Clips with push barb style mounts, route and secure cords and cable	C	100	\$	139.61
07498371036	<b>LWC75-H25-L20</b>	LtchingWireClip,PshMnt,.75"Bdle,BL,PK50	Latching wire clip, push barb mount, .75" (19.1mm) bundle, black.	C	100	\$	139.61
07498340656	<b>M200X042FQT</b>	FR,Nuclear Marker Plate,2"x.42",WH,500RL	The M200X042FQT High-Temperature Thermal Transfer Cross-Linked Polyolefin Non-Adhesive Marker Plate	RL	1	\$	688.04
07498340666	<b>M200X042FQT-B</b>	Nuclear Marker Plate,2"x.42",WH,2000RL	White, thermal transfer flame retardant nuclear grade marker plate	R	1	\$	2,456.24
07498332460	<b>M200X042UPT</b>	FR,LSZH Marker Plate,2"x.42",WH,500RL	White, thermal transfer flame retardant halogen free marker plates, 2.00" x 0.42".	RL	1	\$	361.23
07498332461	<b>M200X042UPT-B</b>	FR,LSZH Marker Plate,2"x.42",WH,2000RL	White, thermal transfer flame retardant halogen free marker plates, 2.00" x 0.42", 2000 labels/roll.	RL	1	\$	1,228.11
07498319400	<b>M200X050ACT</b>	TT,Poly/Po Marker Plate,2"x.5",BU	Thermal Transfer, marker plate, 2.00" W x 0.50" H, polyester/polyolefin, blue, 500 pc. package quantity.	RL	1	\$	337.76
07498319397	<b>M200X050AIT</b>	TT,Poly/Po Marker Plate,2"x.5",RD	Thermal Transfer, marker plate, 2.00" W x 0.50" H, polyester/polyolefin, red, 500 pc. package quantity.	RL	1	\$	337.76
07498371337	<b>M200X050Y6T</b>	TT,Poly/Po Marker Plate,2"x.5",YL	The M200X050Y6T Thermal Transfer Polyester/Polyolefin Non-Adhesive Marker Plate offers crisp, clear lege	RL	1	\$	321.69
07498371339	<b>M200X050Y7T</b>	TT,Poly/Po Marker Plate,2"x.5",WH	The M200X050Y7T Thermal Transfer Polyester/Polyolefin Non-Adhesive Marker Plate offers crisp, clear lege	RL	1	\$	321.69
07498340667	<b>M200X080FQT</b>	FR,Nuclear Marker Plate,2"x.8",WH,250RL	The M200X080FQT High-Temperature Thermal Transfer Cross-Linked Polyolefin Non-Adhesive Marker Plate	RL	1	\$	809.10
07498340668	<b>M200X080FQT-B</b>	FR,Nuclear Marker Plate,2"x.8",WH,1000RL	White, thermal transfer flame retardant nuclear grade marker plate	RL	1	\$	2,750.86
07498332477	<b>M200X080UPT</b>	FR,LSZH Marker Plate,2"x.8",WH,500RL	Flame Retardant Halogen-Free Marker Plate, 2.00" x 0.80", White, 500 per roll	RL	1	\$	385.29
07498332462	<b>M200X080UPT-B</b>	FR,LSZH Marker Plate,2"x.8",WH,2000RL	The M200X080UPT-B Thermal Transfer Polyester/Polyolefin Non-Adhesive Marker Plate offers crisp, clear le	RL	1	\$	1,309.99
07498319395	<b>M200X100ACT</b>	TT,Poly/Po Marker Plate,2"x1",BU	Thermal Transfer, marker plate, 2.00" W x 1.00" H, polyester/polyolefin, blue, 500 pc. package quantity.	RL	1	\$	396.59
07498319392	<b>M200X100AIT</b>	TT,Poly/Po Marker Plate,2"x1",RD	Thermal Transfer, marker plate, 2.00" W x 1.00" H, polyester/polyolefin, red.	RL	1	\$	396.59
07498371335	<b>M200X100Y6T</b>	TT,Poly/Po Marker Plate,2"x1",YL	Thermal Transfer, marker plate, 2.00" W x 1.00" H, polyester/polyolefin, yellow, 500 pc. package quantity.	RL	1	\$	396.60
07498371336	<b>M200X100Y7T</b>	TT,Poly/Po Marker Plate,2"x1",WH	Thermal Transfer, marker plate, 2.00" W x 1.00" H, polyester/polyolefin, white, 500 pc. package quantity.	RL	1	\$	396.60
07498300778	<b>M200X100Y7T-B</b>	TT,Mkr,Plate,2.00"x1.00",WH,EA	Thermal Transfer, marker plate, 2.00" W x 1.00" H, polyester/polyolefin, white, 2000 pc. package quantity.	RL	1	\$	1,234.31
07498319388	<b>M300X050ACT</b>	TT,Poly/Po Marker Plate,3"x.5",BU	Thermal Transfer, marker plate, 3.00" W x 0.50" H, polyester/polyolefin, blue, 500 pc. package quantity.	RL	1	\$	337.76
07498319385	<b>M300X050AIT</b>	TT,Poly/Po Marker Plate,3"x.5",RD	Thermal Transfer, marker plate, 3.00" W x 0.50" H, polyester/polyolefin, red, 500 pc. package quantity.	RL	1	\$	337.76
07498311127	<b>M300X050Y6C</b>	P1 Marker Plate Cass,3"x.50",YL	The M300X050Y6C Polyester Marker Plate contains an integrated memory device for automatic formatting, r	PC	1	\$	41.90
07498390996	<b>M300X050Y6T</b>	TT,Poly/Po Marker Plate,3"x.5",YL	The M300X050Y6T Thermal Transfer Polyester/Polyolefin Non-Adhesive Marker Plate offers crisp, clear lege	RL	1	\$	321.69
07498311128	<b>M300X050Y7C</b>	P1 Marker Plate Cass,3"x.50",WH	White, marker plate, 50/cassette.	PC	1	\$	41.90
07498390997	<b>M300X050Y7T</b>	TT,Poly/Po Marker Plate,3"x.5",WH	The M300X050Y7T Thermal Transfer Polyester/Polyolefin Non-Adhesive Marker Plate offers crisp, clear lege	RL	1	\$	321.69
07498319383	<b>M300X100ACT</b>	TT,Poly/Po Marker Plate,3"x1",BU	Thermal Transfer, marker plate, 3.00" W x 1.00" H, polyester/polyolefin, blue, 500 pc. package quantity.	RL	1	\$	396.59
07498319381	<b>M300X100AGT</b>	TT,Poly/Po Marker Plate,3"x1",OR	Thermal Transfer, marker plate, 3.00" W x 1.00" H, polyester/polyolefin, orange, 500 pc. package quantity.	RL	1	\$	396.59
07498319380	<b>M300X100AIT</b>	TT,Poly/Po Marker Plate,3"x1",RD	Thermal Transfer, marker plate, 3.00" W x 1.00" H, polyester/polyolefin, red, 500 pc. package quantity.	RL	1	\$	396.59
07498371333	<b>M300X100Y6T</b>	TT,Poly/Po Marker Plate,3"x1",YL	The M300X100Y6T Thermal Transfer Polyester/Polyolefin Non-Adhesive Marker Plate offers crisp, clear lege	RL	1	\$	377.71
07498371334	<b>M300X100Y7T</b>	TT,Poly/Po Marker Plate,3"x1",WH	The M300X100Y7T Thermal Transfer Polyester/Polyolefin Non-Adhesive Marker Plate offers crisp, clear lege	RL	1	\$	377.71
07498358498	<b>MACC25-A-C</b>	CordClip,MetalAdh,.25"Bdl,PK100	Panduit MACC25-A-C Metal Adhesive Cord Clips can be opened and closed without damaging clip in order to	C	100	\$	74.46
07498398724	<b>MACC25-A-D</b>	CordClip,MetalAdh,.25"Bdl,PK500	Panduit MACC25-A-D Metal Adhesive Cord Clips can be opened and closed without damaging clip in order to	M	1000	\$	598.18

07498312818	<b>MACC25-AV-D</b>	CordClip,Metal,VHBAadh,,.25"Bdl,PK500	Metal adhesive backed cord clip with VHB, .25" (6.4mm) bundle.	M	1000	\$	873.35
07498358503	<b>MACC62-A-C</b>	CordClip,MetalAdh.,.62"Bdl,PK100	Metal adhesive backed cord clip, .62" (15.8mm) bundle, 100 pc. package quantity.	C	100	\$	120.39
07498377583	<b>MACC62-A-D</b>	CordClip,MetalAdh.,.62"Bdl,PK500	Panduit MACC62-A-D Metal Adhesive Cord Clips can be opened and closed without damaging clip in order to	M	1000	\$	963.46
07498312819	<b>MACC62-AV-C</b>	CordClip,Metal,VHBAadh,.62"Bdl,PK100	Metal adhesive backed cord clip with VHB, .62" (15.8mm) bundle.	C	100	\$	176.96
07498345341	<b>MBCEH-QR316</b>	CustomBanding,316SS,EH,TS1335,82L,EA	Panduit® MBCEH-QR316 Custom-Length Continuous Banding can be cut to just the right length to guarantee	PC	1	\$	252.96
07498345340	<b>MBCH-QR316</b>	CustomBanding,316SS,H,TS1112,82L,EA	Panduit® Custom-Length Continuous Banding can be cut to just the right length to guarantee a snug fit for y	PC	1	\$	177.09
07498345342	<b>MBCSH-QR316</b>	CustomBanding,316SS,SH,TS2000,82L,EA	Panduit® Custom-Length Continuous Banding can be cut to just the right length to guarantee a snug fit for y	PC	1	\$	361.35
07498344653	<b>MBEH-TLR</b>	CustomBanding,304SS,EH,TS1335,250L,EA	Panduit® Custom-Length Continuous Banding can be cut to just the right length to guarantee a snug fit for y	RL	1	\$	350.60
07498354367	<b>MBH-MR</b>	CustomBanding,304SS,H,TS1112,1000L,EA	The MBH-MR Pan-Steel® custom length, continuous banding is made of 304 Stainless Steel for general pur	RL	1	\$	851.74
07498354368	<b>MBH-MR316</b>	CustomBanding,316SS,H,TS1112,1000L,EA	Panduit® Custom-Length Continuous Banding can be cut to just the right length to guarantee a snug fit for yo	RL	1	\$	1,033.78
07498354384	<b>MBH-TLR</b>	CustomBanding,304SS,H,TS1112,250L,EA	The MBH-TLR Pan-Steel® custom length, continuous banding is made of 304 Stainless Steel for general pur	RL	1	\$	256.85
07498354383	<b>MBH-TLR316</b>	CustomBanding,316SS,H,TS1112,250L,EA	Panduit® Custom-Length Continuous Banding can be cut to just the right length to guarantee a snug fit for yo	RL	1	\$	331.41
07498346172	<b>MBMS-S10-CY</b>	CableTieMnt,Mtl,#10Screw,PK100	The metal screw-on mount in natural uses a #10 (M5) screw. It is made of aluminum and used with miniature,	C	100	\$	46.01
07498346173	<b>MBMS-S10-MY</b>	CableTieMnt,Mtl,#10Screw,PK1000	Panduit MBMS-S10-MY Screw Applied Metal Mounting Bases provide a secure support in demanding applica	M	1000	\$	282.59
07498335982	<b>MBS-MR</b>	CustomBanding,304SS,STD,TS445,1000L,EA	Panduit® Custom-Length Continuous Banding can be cut to just the right length to guarantee a snug fit for yo	RL	1	\$	763.78
07498335984	<b>MBS-MR316</b>	CustomBanding,316SS,STD,TS445,1000L,EA	Panduit® Custom-Length Continuous Banding can be cut to just the right length to guarantee a snug fit for yo	RL	1	\$	927.00
07498335983	<b>MBS-TLR</b>	CustomBanding,304SS,STD,TS445,250L,EA	Panduit® Custom-Length Continuous Banding can be cut to just the right length to guarantee a snug fit for yo	RL	1	\$	210.18
07498335985	<b>MBS-TLR316</b>	CustomBanding,316SS,STD,TS445,250L,EA	Panduit® Custom-Length Continuous Banding can be cut to just the right length to guarantee a snug fit for yo	RL	1	\$	271.19
07498344623	<b>MBSH-TR</b>	CustomBanding,304SS,SH,TS2000,200L,EA	Panduit® Custom-Length Continuous Banding can be cut to just the right length to guarantee a snug fit for yo	RL	1	\$	419.31
07498374286	<b>MC100X100IG2</b>	NAR Metric DCT,PVC,100mmx100mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 100mm W x 100mm H x 2M length, PVC, international gra	MR	1	\$	65.56
07498375233	<b>MC100X100WH2</b>	NAR Metric DCT,PVC,100mmx100mmx2M,WH,2MT	Panduit® type MC metric narrow slot wiring duct, 100mm W x 100mm H x 2M length, PVC, white.	MR	1	\$	68.85
07498374287	<b>MC100X50IG2</b>	NAR Metric DCT,PVC,100mmx50mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 100mm W x 50mm H x 2M length, PVC, international gray.	MR	1	\$	53.44
07498374289	<b>MC100X75IG2</b>	NAR Metric DCT,PVC,100mmx75mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 100mm W x 75mm H x 2M length, PVC, international gray.	MR	1	\$	59.66
61305681308	<b>MC20071</b>	White 0.5mm2 Wire Guide for CP-881 Fmy		PC	1	\$	-
61305676140	<b>MC20073</b>	Red 1.0mm2 Wire Guide for CP-881 Fmy		PC	1	\$	-
61305676141	<b>MC20074</b>	Black 1.5mm2 Wire Guide for CP-881 Fmy		PC	1	\$	-
61305676528	<b>MC20075</b>	Blue 2.5mm2 Wire Guide for CP-881 Fmy		PC	1	\$	-
07498374290	<b>MC25X25IG2</b>	NAR Metric DCT,PVC,25mmx25mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 25mm W x 25mm H x 2M length, PVC, international gray.	MR	1	\$	23.31
07498374291	<b>MC25X37IG2</b>	NAR Metric DCT,PVC,25mmx37mmx2M,LG,2MT	The MC25X37IG2 Panduit Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that	MR	1	\$	27.89
07498374292	<b>MC25X50IG2</b>	NAR Metric DCT,PVC,25mmx50mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 25mm W x 50mm H x 2M length, PVC, international gray.	MR	1	\$	28.56
07498375238	<b>MC25X50WH2</b>	NAR Metric DCT,PVC,25mmx50mmx2M,WH,2MT	Panduit® type MC metric narrow slot wiring duct, 25mm W x 50mm H x 2M length, PVC, white.	MR	1	\$	29.98
07498374307	<b>MC25X62IG2</b>	NAR Metric DCT,PVC,25mmx62mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 25mm W x 62mm H x 2M length, PVC, international gray.	MR	1	\$	33.24
07498375253	<b>MC25X62WH2</b>	NAR Metric DCT,PVC,25mmx62mmx2M,WH,2MT	Panduit® type MC metric narrow slot wiring duct, 25mm W x 62mm H x 2M length, PVC, white.	MR	1	\$	33.24
07498374293	<b>MC25X75IG2</b>	NAR Metric DCT,PVC,25mmx75mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 25mm W x 75mm H x 2M length, PVC, international gray.	MR	1	\$	35.59
07498375239	<b>MC25X75WH2</b>	NAR Metric DCT,PVC,25mmx75mmx2M,WH,2MT	Panduit® type MC metric narrow slot wiring duct, 25mm W x 75mm H x 2M length, PVC, white.	MR	1	\$	35.59
61305644884	<b>MC2AM10</b>	Red 1.0mm2 Stripping Cutter CP-881 Fmy		PC	1	\$	-
07498374295	<b>MC37X37IG2</b>	NAR Metric DCT,PVC,37mmx37mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 37mm W x 37mm H x 2M length, PVC, international gray.	MR	1	\$	31.54
07498374296	<b>MC37X50IG2</b>	NAR Metric DCT,PVC,37mmx50mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 37mm W x 50mm H x 2M length, PVC, international gray.	MR	1	\$	32.21
07498374308	<b>MC37X62IG2</b>	NAR Metric DCT,PVC,37mmx62mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 37mm W x 62mm H x 2M length, PVC, international gray.	MR	1	\$	35.99
07498374297	<b>MC37X75IG2</b>	NAR Metric DCT,PVC,37mmx75mmx2M,LG,2MT	The MC37X75IG2 Panduit PVC Narrow Slot Wiring Duct and Cover feature a narrow slot/finger design that c	MR	1	\$	38.58
07498375243	<b>MC37X75WH2</b>	NAR Metric DCT,PVC,37mmx75mmx2M,WH,2MT	Panduit® type MC metric narrow slot wiring duct, 37mm W x 75mm H x 2M length, PVC, white.	MR	1	\$	38.58
07498374298	<b>MC50X100IG2</b>	NAR Metric DCT,PVC,50mmx100mmx2M,LG,2MT	The MC50X100IG2 Panduit Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design tha	MR	1	\$	47.76
07498375244	<b>MC50X100WH2</b>	NAR Metric DCT,PVC,50mmx100mmx2M,WH,2MT	Panduit® type MC metric narrow slot wiring duct, 50mm W x 100mm H x 2M length, PVC, white.	MR	1	\$	50.14
07498374300	<b>MC50X50IG2</b>	NAR Metric DCT,PVC,50mmx50mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 50mm W x 50mm H x 2M length, PVC, international gray.	MR	1	\$	33.05
07498375246	<b>MC50X50WH2</b>	NAR Metric DCT,PVC,50mmx50mmx2M,WH,2MT	Panduit® type MC metric narrow slot wiring duct, 50mm W x 50mm H x 2M length, PVC, white.	MR	1	\$	34.70
07498374301	<b>MC50X75IG2</b>	NAR Metric DCT,PVC,50mmx75mmx2M,LG,2MT	The MC50X75IG2 Panduit Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that	MR	1	\$	40.90
07498375247	<b>MC50X75WH2</b>	NAR Metric DCT,PVC,50mmx75mmx2M,WH,2MT	Panduit® type MC metric narrow slot wiring duct, 50mm W x 75mm H x 2M length, PVC, white.	MR	1	\$	42.94
07498374309	<b>MC62X62IG2</b>	NAR Metric DCT,PVC,62mmx62mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 62mm W x 62mm H x 2M length, PVC, international gray.	MR	1	\$	44.43
07498374302	<b>MC75X100IG2</b>	Panduit® type MC metric narrow slot wiring duct, 75mm W x 100mm H x 2M length, PVC, international gray.		MR	1	\$	58.80
07498375248	<b>MC75X100WH2</b>	NAR Metric DCT,PVC,75mmx100mmx2M,WH,2MT	Panduit® type MC metric narrow slot wiring duct, 75mm W x 100mm H x 2M length, PVC, white.	MR	1	\$	61.75
07498374303	<b>MC75X50IG2</b>	NAR Metric DCT,PVC,75mmx50mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 75mm W x 50mm H x 2M length, PVC, international gray.	MR	1	\$	44.71
07498374310	<b>MC75X62IG2</b>	NAR Metric DCT,PVC,75mmx62mmx2M,LG,2MT	Panduit® type MC metric narrow slot wiring duct, 75mm W x 62mm H x 2M length, PVC, international gray.	MR	1	\$	49.31
07498375256	<b>MC75X62WH2</b>	NAR Metric DCT,PVC,75mmx62mmx2M,WH,2MT	Panduit® type MC metric narrow slot wiring duct, 75mm W x 62mm H x 2M length, PVC, white.	MR	1	\$	49.31
07498374304	<b>MC75X75IG2</b>	NAR Metric DCT,PVC,75mmx75mmx2M,LG,2MT	The MC75X75IG2 Panduit Lead-Free PVC Narrow Slot Wiring Duct features a narrow slot/finger design that	MR	1	\$	49.54
07498358512	<b>MCEH-S25-C0</b>	LashingTieMt.Clip,1/4inScrew,PK100	The lashing tie mounting clip in black is made of weather-resistant nylon 6.6. It is 1.38" long x 0.67 wide (35 x	M	1000	\$	1,446.10
07498358450	<b>MCMS12-P-C</b>	CbTieMnt,Clip-On,.31H,Steel,PK100	Panduit MCMS12-P-C Metal Clip-On Mounts enable attachment to sheet metal edges for fast mounting of har	C	100	\$	112.04
07498316730	<b>MCMS12-P-J-C</b>	Cable Tie Mount, Metal Clip-On, Mechanic	Panduit MCMS12-P-J-C Metal Clip-On Mounts enable attachment to sheet metal edges for fast mounting of h	C	100	\$	115.09
07498364254	<b>MCMS25-P-C</b>	CbTieMnt,Clip-On,.46H,Steel,PK100	Panduit MCMS25-P-C Metal Clip-On Mounts enable attachment to sheet metal edges for fast mounting of har	C	100	\$	122.45
07498385526	<b>MCMS30-P-C</b>	CbTieMnt,Clip-On,.55H,Steel,PK100	Panduit MCMS30-P-C Metal Clip-On Mounts enable attachment to sheet metal edges for fast mounting of har	C	100	\$	133.45
61305676668	<b>MEC100-2PV-C</b>	Metal Edge Clip, 1 to 2 PV Wires, 0.100"	Stainless Steel Metal Edge Clip for Solar Applications. Can be installed on a Panel thickness ranging from 0.0	C	100	\$	75.99
61305676670	<b>MEC100-90-2PV-C</b>	Metal Edge Clip, 1 to 2 PV Wires, 90°	Stainless Steel Metal Edge Clip for Solar Applications. Can be installed on a Panel thickness ranging from 0.0	C	100	\$	80.54
61305676669	<b>MEC100-90-PV-C</b>	Metal Edge Clip, 1 to 2 USE-2 Wires, 90	Stainless Steel Metal Edge Clip for Solar Applications. Can be installed on a Panel thickness ranging from 0.0	C	100	\$	80.54
61305676667	<b>MEC100-PV-C</b>	Metal Edge Clip, 1 to 2 USE-2 Wires, 0.1	Stainless Steel Metal Edge Clip for Solar Applications. Can be installed on a Panel thickness ranging from 0.0	C	100	\$	75.99
61305678695	<b>MEC125-4PV-C</b>	Metal Edge Clip, 1 to 4 PV wires, 0.125"	The MEC125-4PV-C 4-wire metal edge clip is made of stainless steel. It can be installed on a Panel thicknes	C	100	\$	83.21
61305678696	<b>MEC250-4PV-C</b>	Metal Edge Clip, 1 to 4 PV wires, 0.250"	The MEC250-4PV-C 4-wire metal edge clip is made of stainless steel. It can be installed on a Panel thicknes	C	100	\$	85.18
07498332073	<b>MEHT187</b>	Embossing Hand Tool,EA	The MEHT187 Metal Embossing Hand Tool and Tap System includes the tools, additional marking wheel, car	PC	1	\$	1,218.06
07498386275	<b>META-X</b>	Embossing Tape,AL,.5"x16",PK10	The META-X Aluminum Tape is perfect for indoor or outdoor use. Design for use with MEHT187 Metal Embo	RL	1	\$	11.19
07498334208	<b>METS3-X</b>	Embossing Tape,SS 316,.5"x21",PK10	The METS3-X Stainless Steel Tape is perfect for indoor or outdoor use. Design for use with MEHT187 Metal	RL	1	\$	24.33
07498386277	<b>METS4-X</b>	Embossing Tape,SS 304,.5"x21",PK10	The METS4-X Stainless Steel Tape is perfect for indoor or outdoor use. Design for use with MEHT187 Metal	RL	1	\$	18.58
61305636760	<b>MGC2-2I0-Q</b>	Mechanical Grounding Connector, 2 Copper	Mechanical Grounding Connector, 2 Copper Cables to 1/4" Thick Bar, 4 AWG Sol - 2/0 AWG Str, 3/8" Stud	C	100	\$	5,126.71
61305636761	<b>MGC2-250-X</b>	Mechanical Grounding Connector, 2 Copper	Mechanical Grounding Connector, 2 Copper Cables to 1/4" Thick Bar, 2/0 AWG Sol - 250 kcmil, 1/2" Stud	C	100	\$	9,175.19
61305636754	<b>MGC2-4-Q</b>	Mechanical Grounding Connector, 2 Copper	Mechanical Grounding Connector, 2 Copper Cables to 1/4" Thick Bar, 8 AWG Sol - 4 AWG Str, 3/8" Stud	C	100	\$	4,306.05
61305631937	<b>MGC2-500-X</b>	Mechanical Grounding Connector, 2 Copper	Mechanical Grounding Connector, 2 Copper Cables to 1/4" Thick Bar, 300 kcmil - 500 kcmil, 1/2" Stud	C	100	\$	18,277.43
07498399805	<b>MIM094</b>	Metal Indenting Machine,.094"	Indenting machine with 3/32" (2.38mm) character wheel, 11.25" (286mm) x 16.25" (413mm) x 11.75" (298mm)	PC	1	\$	5,712.34
07498399806	<b>MIM125</b>	Metal Indenting Machine,.125"	Indenting machine with 1/8" (3.18mm) character wheel, 11.25" (286mm) x 16.25" (413mm) x 11.75" (298mm)	PC	1	\$	5,712.34
07498399807	<b>MIM187</b>	Metal Indenting Machine,.187"	The MIM187 Metal Indenting Machine provides quick, easy, and permanent identification with Panduit Marker	PC	1	\$	5,712.34
07498399808	<b>MIM094</b>	Wheel Kit For MIM094,.094"	3/32" (2.38mm) character wheel kit (wheel and indexing gear).	PC	1	\$	2,015.15



07498399809	<b>MW125</b>	Wheel Kit For MIM125,.187"	1/8" (3.18mm) character wheel kit (wheel and indexing gear).	PC	1	\$	2,015.15
07498399811	<b>MW187</b>	Wheel Kit For MIM187,.187"	3/16" (4.77mm) character wheel kit (wheel and indexing gear).	PC	1	\$	2,015.15
07498359624	<b>ML10-LY</b>	Cu Mech Lug,#8 SOL-1/0 STR,5/16Stud,PK50	The ML10-LY Mechanical Cable Lug one-hole copper, single barrel, is made from high strength electrolytic c	C	100	\$	956.85
07498359628	<b>ML4-CY</b>	Cu Mech Lug,#14 SOL-#4 STR,1/4Stud,PK100	The ML4-CY Mechanical Cable Lug one-hole copper, single barrel, is made from high strength electrolytic co	C	100	\$	423.33
07498359629	<b>ML4T-CY</b>	SGLLug,14AWG,4AWG,.25in stud,PK100	The ML4T-CY Tin-Plated Mechanical Cable Lug one-hole copper, single barrel, is made from high strength el	C	100	\$	670.71
07498344594	<b>MLT10EH-LP</b>	PanSteelTie,304SS,EH,35.9L,TS2670,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	5,835.13
07498354393	<b>MLT10H-LP</b>	PanSteelTie,304SS,H,33L,TS2000,PK50	The MLT10H-LP Pan-Steel® 304 grade stainless steel cable tie speeds up installation with a patented, wide	M	1000	\$	4,273.43
07498354394	<b>MLT10H-LP316</b>	PanSteelTie,316SS,H,33L,TS2000,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	5,555.46
07498327986	<b>MLT10S-CP</b>	PanSteelTie,304SS,STD,33L,TS890,PK100	The MLT10S-CP Pan-Steel® 304 grade stainless steel cable tie speeds up installation with a patented, wide	M	1000	\$	3,561.13
07498327987	<b>MLT10S-CP316</b>	PanSteelTie,316SS,STD,33L,TS890,PK100	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	4,629.49
07498344613	<b>MLT10SH-LP</b>	PanSteelTie,304SS,SH,35.9L,TS4005,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	8,723.63
07498378657	<b>MLT10SH-LP316</b>	PanSteelTie,316SS,SH,35.9L,TS4005,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	11,340.89
07498376515	<b>MLT10WH-LP</b>	MLTWaveTie,304SS,H,TS2000,33L,PK25	Panduit® MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	5,599.93
07498379687	<b>MLT10WH-LP316</b>	MLTWaveTie,316SS,H,TS2000,33L,PK25	Panduit® MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	7,279.83
07498344595	<b>MLT12EH-Q</b>	PanSteelTie,304SS,EH,42.2L,TS2670,PK25	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	7,293.63
07498344635	<b>MLT12EH15-Q</b>	PanSteelTie,304SS,EH,42.2L,TS3115,PK25	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	7,988.28
07498378656	<b>MLT12EH15-Q316</b>	PanSteelTie,316SS,EH,42.2L,TS3115,PK25	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	10,904.10
07498334371	<b>MLT12H-Q</b>	PanSteelTie,304SS,H,39.3L,TS2000,PK25	The MLT12H-Q self-locking cable tie speeds up installation with a unique self-locking head design that locks i	M	1000	\$	5,341.79
07498334370	<b>MLT12S-Q</b>	PanSteelTie,304SS,STD,39.3L,TS890,PK25	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	4,451.51
07498344614	<b>MLT12SH-Q</b>	PanSteelTie,304SS,SH,42.2L,TS4005,PK25	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	10,903.79
07498378658	<b>MLT12SH-Q316</b>	PanSteelTie,316SS,SH,42.2L,TS4005,PK25	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	13,499.95
07498334373	<b>MLT14H-Q</b>	PanSteelTie,304SS,H,45.5L,TS2000,PK25	The MLT14H-Q Pan-Steel® 304 grade stainless steel cable tie speeds up installation with a patented, wide e	M	1000	\$	6,570.49
07498334372	<b>MLT14S-Q</b>	PanSteelTie,304SS,STD,45.5L,TS890,PK25	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	5,749.14
07498346388	<b>MLT15S-Q</b>	PanSteelTie,304SS,STD,49.2L,TS890,PK25	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	6,438.13
07498369682	<b>MLT1H-LPAL</b>	PanAlumTie,Alum,H,5.5L,TS222,PK50	Pan-Alum™ Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks int	M	1000	\$	1,257.20
07498354409	<b>MLT1S-CP</b>	PanSteelTie,304SS,STD,5L,TS890,PK100	The MLT1S-CP self-locking cable tie speeds up installation with a unique self-locking head design that locks i	M	1000	\$	1,227.35
07498354396	<b>MLT1S-CP316</b>	PanSteelTie,316SS,STD,5L,TS890,PK100	The MLT1S-CP316 Pan-Steel® 316 grade stainless steel cable tie speeds up installation with a patented, wid	M	1000	\$	1,595.56
07498350026	<b>MLT2.7H-LP</b>	PanSteelTie,304SS,H,10.2L,TS2000,PK50	The MLT2.7H-LP Pan-Steel® 304 grade stainless steel cable tie speeds up installation with a patented, wide	M	1000	\$	1,650.55
07498344154	<b>MLT2.7H-LP316</b>	PanSteelTie,316SS,H,10.2L,TS2000,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	2,253.00
07498338963	<b>MLT2.7S-CP</b>	PanSteelTie,304SS,STD,10.2L,TS890,PK100	The MLT2.7S-CP self-locking cable tie speeds up installation with a unique self-locking head design that lock	M	1000	\$	1,370.00
07498344151	<b>MLT2.7S-CP316</b>	PanSteelTie,316SS,STD,10.2L,TS890,PK100	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	1,781.01
07498379720	<b>MLT2.7WH-LP316</b>	MLTWaveTie,316SS,H,TS2000,10.2L,PK50	Panduit® MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	2,692.91
07498342165	<b>MLT2.7WLH-LP</b>	MLTWaveTie,304SS,LH,TS1112,10.2L,PK50	Panduit® MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	1,899.03
07498344150	<b>MLT2.7WS-LP</b>	MLTWaveTie,304SS,STD,TS890,10.2L,PK50	The MLT2.7WS-LP Wave-Ty® Stainless Steel Cable Tie readily expands and contracts to accommodate ele	M	1000	\$	1,644.29
07498348351	<b>MLT2DH-L</b>	DoubleWrapTie,304SS,H,18.5L,TS2670,PK50	Pan-Steel® Double Wrapped Self-Locking Cable Ties speed up installation with a unique self-locking head des	M	1000	\$	2,330.53
07498360957	<b>MLT2EH-LP</b>	PanSteelTie,304SS,EH,11.8L,TS2670,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	2,058.81
07498360968	<b>MLT2EH-LP316</b>	PanSteelTie,316SS,EH,11.8L,TS2670,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	2,676.43
07498354385	<b>MLT2H-LP</b>	PanSteelTie,304SS,H,7.9L,TS2000,PK50	The MLT2H-LP Pan-Steel® 304 grade stainless steel cable tie speeds up installation with a patented, wide e	M	1000	\$	1,508.26
07498354386	<b>MLT2H-LP316</b>	PanSteelTie,316SS,H,7.9L,TS2000,PK50	The MLT2H-LP316 Pan-Steel® 316 grade stainless steel cable tie speeds up installation with a patented, wid	M	1000	\$	1,960.76
07498323315	<b>MLT2H-LP321</b>	MLTWaveTie,321SS,H,7.9L,PK50	Panduit® MLT2H-LP321 MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat tra	M	1000	\$	2,676.46
07498356692	<b>MLT2H-LPAL</b>	PanAlumTie,Alum,H,7.9L,TS222,PK50	Pan-Alum™ Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	1,357.53
07498375417	<b>MLT2H-L</b>	MLTWaveTie,304SS,H,7.9L,PK250	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	1,463.03
07498342169	<b>MLT2LH-LP</b>	PanSteelTie,304SS,LT-H,7.9L,TS1112,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	1,382.58
07498342174	<b>MLT2LH-LP316</b>	PanSteelTie,316SS,LT-H,7.9L,TS1112,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	1,887.20
07498354400	<b>MLT2S-CP</b>	PanSteelTie,304SS,STD,7.9L,TS890,PK100	The MLT2S-CP self-locking cable tie speeds up installation with a unique self-locking head design that locks i	M	1000	\$	1,256.89
07498354399	<b>MLT2S-CP316</b>	PanSteelTie,316SS,STD,7.9L,TS890,PK100	The MLT2S-CP316 self-locking cable tie speeds up installation with a unique self-locking head design that loc	M	1000	\$	1,633.98
07498375415	<b>MLT2S-D</b>	MLTWaveTie,304SS,STD,7.9L,PK500	Panduit® MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	1,219.16
07498328704	<b>MLT2S-L</b>	PanSteelTie,304SS,STD,7.9L,TS890,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	C	100	\$	164.98
07498344650	<b>MLT4DEH-Q316</b>	DoubleWrapTie,316SS,EH,29.5,TS3560,PK25	Pan-Steel® Double Wrapped Self-Locking Cable Ties speed up installation with a unique self-locking head des	M	1000	\$	5,177.85
07498344628	<b>MLT4DEH15-Q316</b>	DoubleWrapTie,316SS,EH,29.5,TS4450,PK25	The MLT4DEH15-Q316 self-locking cable cleat speeds up installation with a unique self-locking head that sec	M	1000	\$	5,670.74
07498348352	<b>MLT4DH-L</b>	DoubleWrapTie,304SS,H,28L,TS2670,PK50	The MLT4DH-L self-locking cable cleat speeds up installation with a unique self-locking head that secures int	M	1000	\$	2,971.54
07498344602	<b>MLT4DSH-Q</b>	DoubleWrapTie,304SS,SH,29.5,TS5340,PK25	The MLT4DSH-Q self-locking cable cleat speeds up installation with a unique self-locking head that secures i	M	1000	\$	5,959.73
07498359317	<b>MLT4DSH-Q316</b>	DoubleWrapTie,316SS,SH,29.5,TS5340,PK25	The MLT4DSH-Q316 self-locking cable cleat speeds up installation with a unique self-locking head that secur	M	1000	\$	7,372.14
07498344591	<b>MLT4EH-LP</b>	PanSteelTie,304SS,EH,17.1L,TS2670,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	2,300.96
07498344596	<b>MLT4EH-LP316</b>	PanSteelTie,316SS,EH,17.1L,TS2670,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	2,988.61
07498344631	<b>MLT4EH15-LP</b>	PanSteelTie,304SS,EH,17.1L,TS3115,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	2,778.31
07498344636	<b>MLT4EH15-LP316</b>	PanSteelTie,316SS,EH,17.1L,TS3115,PK50	The MLT4EH15-LP316 self-locking cable tie speeds up installation with a unique self-locking head design tha	M	1000	\$	3,436.75
07498354387	<b>MLT4H-LP</b>	PanSteelTie,304SS,H,14.3L,TS2000,PK50	The MLT4H-LP self-locking cable tie speeds up installation with a unique self-locking head design that locks i	M	1000	\$	1,805.54
07498354388	<b>MLT4H-LP316</b>	PanSteelTie,304SS,H,14.3L,TS2000,PK50	The MLT4H-LP316 self-locking cable tie speeds up installation with a unique self-locking head design that loc	M	1000	\$	2,347.19
07498323321	<b>MLT4H-LP321</b>	MLTWaveTie,321SS,H,14.3L,PK50	Panduit® MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	3,203.81
07498356693	<b>MLT4H-LPAL</b>	PanAlumTie,Alum,H,14.3L,TS222,PK50	Pan-Alum™ Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	1,672.68
07498375421	<b>MLT4H-L</b>	MLTWaveTie,304SS,H,14.3L,PK250	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	1,716.90
07498375422	<b>MLT4H-TL316</b>	MLTWaveTie,316SS,H,14.3L,PK250	Panduit® MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	2,231.98
07498342170	<b>MLT4LH-LP</b>	PanSteelTie,304SS,LT-H,14.3,TS1112,PK50	The MLT4LH-LP self-locking cable tie speeds up installation with a unique self-locking head design that lock	M	1000	\$	1,655.05
07498342175	<b>MLT4LH-LP316</b>	PanSteelTie,316SS,LT-H,14.3,TS1112,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	2,151.44
07498354402	<b>MLT4S-CP</b>	PanSteelTie,304SS,STD,14.3L,TS890,PK100	The MLT4S-CP self-locking cable tie speeds up installation with a unique self-locking head design that locks i	M	1000	\$	1,504.61
07498354401	<b>MLT4S-CP316</b>	PanSteelTie,316SS,STD,14.3L,TS890,PK100	The MLT4S-CP316 self locking cable tie speeds up installation with a unique self-locking head design that loc	M	1000	\$	1,955.84
07498375419	<b>MLT4S-D</b>	MLTWaveTie,304SS,STD,14.3L,PK500	The MLT4S-D Pan-Steel® 304 grade stainless steel cable tie speeds up installation with a patented, wide ent	M	1000	\$	1,459.38
07498328707	<b>MLT4S-L</b>	PanSteelTie,304SS,STD,14.3L,TS890,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	C	100	\$	188.04
07498344610	<b>MLT4SH-LP</b>	PanSteelTie,304SS,SH,17.1L,TS4005,PK50	Pan-Steel® Self-Locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	3,439.98
07498344615	<b>MLT4SH-LP316</b>	PanSteelTie,316SS,SH,17.1L,TS4005,PK50	The MLT4SH-LP316 Pan-Steel® 316 grade stainless steel cable tie speeds up installation with a patented, wi	M	1000	\$	4,467.96
07498376512	<b>MLT4WH-LP</b>	MLTWaveTie,304SS,H,14.3L,PK50	Panduit® MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	2,208.85
07498379684	<b>MLT4WH-LP316</b>	MLTWaveTie,316SS,H,14.3L,PK50	Panduit® MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	3,012.55
61305602350	<b>MLT4WH-TL316</b>	MLT Wave Tie, 316 SS, Heavy, 14.3" (362m	The MLT4WH-TL316 Wave-Ty® Stainless Steel Cable Tie readily expands and contracts to accommodate el	M	1000	\$	2,869.08
07498342166	<b>MLT4WLH-LP</b>	MLTWaveTie,304SS,LH,14.3L,PK50	Panduit® MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	2,044.45
07498342162	<b>MLT4WS-LP</b>	MLTWaveTie,304SS,STD,14.3L,PK50	Panduit® MLT Wave-Ty™ Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	1,856.69
07498358739	<b>MLT4WS-TL</b>	MLTWaveTie,304SS,STD,14.3L,PK250	The MLT4WS-TL Wave-Ty® Stainless Steel Cable Tie readily expands and contracts to accommodate electr	M	1000	\$	1,727.99

07498350227	<b>MLT5DHL</b>	DoubleWrapTie,304SS,H,34L,TS2670,PK50	Pan-Steel® Double Wrapped Self-locking Cable Ties speed up installation with a unique self-locking head des	M	1000	\$	3,538.06
07498344629	<b>MLT6DEH15-Q316</b>	MLTTie,316SS,DbleWrap,EH,41.5,PK25	The MLT6DEH15-Q316 self-locking cable cleat speeds up installation with a unique self-locking head that sec	M	1000	\$	8,238.00
07498344603	<b>MLT6DSH-Q</b>	DoubleWrapTie,304SS,SH,41.5,TS5340,PK25	The MLT6DSH-Q self-locking cable cleat speeds up installation with a unique self-locking head that secures i	M	1000	\$	8,924.41
07498344606	<b>MLT6DSH-Q316</b>	DoubleWrapTie,316SS,SH,41.5,TS5340,PK25	The MLT6DSH-Q316 self-locking cable cleat speeds up installation with a unique self-locking head that secur	M	1000	\$	10,709.25
07498344592	<b>MLT6EH-LP</b>	PanSteelTie,304SS,EH,23.4L,TS2670,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	3,617.74
07498344597	<b>MLT6EH-LP316</b>	PanSteelTie,316SS,EH,23.4L,TS2670,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	4,558.60
07498344632	<b>MLT6EH15-LP</b>	PanSteelTie,304SS,EH,23.4L,TS3115,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	4,160.61
07498344637	<b>MLT6EH15-LP316</b>	PanSteelTie,316SS,EH,23.4L,TS3115,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	4,992.93
07498354389	<b>MLT6H-LP</b>	PanSteelTie,304SS,H,20.5L,TS2000,PK50	The MLT6H-LP self-locking cable tie speeds up installation with a unique self-locking head design that locks i	M	1000	\$	2,850.40
07498354390	<b>MLT6H-LP316</b>	PanSteelTie,316SS,H,20.5L,TS2000,PK50	The MLT6H-LP316 Pan-Steel® 316 grade stainless steel cable tie speeds up installation with a patented, wid	M	1000	\$	3,445.53
07498342172	<b>MLT6LH-LP</b>	PanSteelTie,304SS,LT-H,20.5,TS1112,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	2,429.54
07498342176	<b>MLT6LH-LP316</b>	PanSteelTie,316SS,LT-H,20.5,TS1112,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	3,316.38
07498354405	<b>MLT6S-CP</b>	PanSteelTie,304SS,STD,20.5L,TS890,PK100	The MLT6S-CP self-locking cable tie speeds up installation with a unique self-locking head design that locks i	M	1000	\$	2,208.74
07498354403	<b>MLT6S-CP316</b>	PanSteelTie,316SS,STD,20.5L,TS890,PK100	The MLT6S-CP316 Pan-Steel® 316 grade stainless steel cable tie speeds up installation with a patented, wid	M	1000	\$	2,871.34
07498344611	<b>MLT6SH-LP</b>	PanSteelTie,304SS,SH,23.4L,TS4005,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	5,408.53
07498344616	<b>MLT6SH-LP316</b>	PanSteelTie,316SS,SH,23.4L,TS4005,PK50	The MLT6SH-LP316 Pan-Steel® 316 grade stainless steel cable tie speeds up installation with a patented, wi	M	1000	\$	6,490.60
07498376513	<b>MLT6WH-LP</b>	MLTWaveTie,304SS,H,20.5L,PK50	The MLT6WH-LP Pan-Steel® Wave-Ty™ 304 grade stainless steel cable tie maintains greater installed tensi	M	1000	\$	3,339.75
07498342167	<b>MLT6WLH-LP</b>	MLTWaveTie,304SS,LH,20.5L,PK50	Panduit® MLT Wave-Ty® Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	2,915.46
07498342163	<b>MLT6WS-LP</b>	MLTWaveTie,304SS,STD,20.5L,PK50	Panduit® MLT Wave-Ty® Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	2,782.91
07498344630	<b>MLT8DEH15-Q316</b>	DoubleWrapTie,316SS,EH,53.5,TS4450,PK25	The MLT8DEH15-Q316 self-locking cable cleat speeds up installation with a unique self-locking head that sec	M	1000	\$	11,157.00
07498344604	<b>MLT8DSH-Q</b>	DoubleWrapTie,304SS,SH,53.5,TS5340,PK25	The MLT8DSH-Q self-locking cable cleat speeds up installation with a unique self-locking head that secures i	M	1000	\$	11,511.31
07498344607	<b>MLT8DSH-Q316</b>	DoubleWrapTie,316SS,SH,53.5,TS5340,PK25	The MLT8DSH-Q316 self-locking cable cleat speeds up installation with a unique self-locking head that secur	M	1000	\$	13,813.59
07498344593	<b>MLT8EH-LP</b>	PanSteelTie,304SS,EH,29.7L,TS2670,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	4,666.65
07498344633	<b>MLT8EH15-LP</b>	PanSteelTie,304SS,EH,29.7L,TS3115,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	5,366.63
07498344638	<b>MLT8EH15-LP316</b>	PanSteelTie,316SS,EH,29.7L,TS3115,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	6,761.64
07498354391	<b>MLT8H-LP</b>	PanSteelTie,304SS,H,26.8L,TS2000,PK50	The MLT8H-LP self-locking cable tie speeds up installation with a unique self-locking head design that locks i	M	1000	\$	3,418.74
07498354392	<b>MLT8H-LP316</b>	PanSteelTie,316SS,H,26.8L,TS2000,PK50	The MLT8H-LP316 Pan-Steel® 316 grade stainless steel cable tie speeds up installation with a patented, wid	M	1000	\$	4,444.51
07498342173	<b>MLT8LH-LP</b>	MLTTie,304SS,LH,26.8,010th,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	3,133.80
07498354407	<b>MLT8S-CP</b>	PanSteelTie,304SS,STD,26.8L,TS890,PK100	The MLT8S-CP Pan-Steel® 304 grade stainless steel cable tie speeds up installation with a patented, wide e	M	1000	\$	2,848.85
07498354408	<b>MLT8S-CP316</b>	PanSteelTie,316SS,STD,26.8L,TS890,PK100	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	3,888.73
07498344612	<b>MLT8SH-LP</b>	PanSteelTie,304SS,SH,29.7L,TS4005,PK50	Pan-Steel® Self-locking Cable Ties speed up installation with a unique self-locking head design that locks into	M	1000	\$	6,644.29
07498344617	<b>MLT8SH-LP316</b>	PanSteelTie,316SS,SH,29.7L,TS4005,PK50	The MLT8SH-LP316 Pan-Steel® 316 grade stainless steel cable tie speeds up installation with a patented, wi	M	1000	\$	8,371.60
07498376514	<b>MLT8WH-LP</b>	MLTWaveTie,304SS,H,26.8L,PK50	Panduit® MLT Wave-Ty® Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	4,479.93
07498379686	<b>MLT8WH-LP316</b>	MLTWaveTie,316SS,H,26.8L,PK50	Panduit® MLT Wave-Ty® Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	5,823.84
07498342164	<b>MLT8WS-LP</b>	MLTWaveTie,304SS,STD,26.8L,PK50	Panduit® MLT Wave-Ty® Ties readily expand and contract to accommodate electric heat trace applications.	M	1000	\$	3,589.56
07498322552	<b>MLTC10H-LP316</b>	PanSteelTie,316SS,NYL,H,33,TS1112,PK50	The MLT10H-LP316 Pan-Steel® 316 grade stainless steel cable tie speeds up installation with a patented, wi	M	1000	\$	9,727.60
07498364941	<b>MLTC2.7H-LP316</b>	PanSteelTie,316SS,NYL,H,10.2,TS1112,P50	Pan-Steel® Nylon 11 Self-locking Cable Ties speed up installation with a unique self-locking head design that	M	1000	\$	3,612.59
07498322127	<b>MLTC2H-LP316</b>	PanSteelTie,316SS,NYL,H,7.9,TS1112,PK50	The MLTC2H-LP316 selectively nylon coated, self-locking cable tie speeds up installation with a unique self-lo	M	1000	\$	3,433.44
07498322128	<b>MLTC4H-LP316</b>	PanSteelTie,316SS,NYL,H,14.3,TS1112,P50	The MLTC4H-LP316 self-locking cable tie speeds up installation with a unique self-locking head design that lo	M	1000	\$	4,029.21
07498322550	<b>MLTC6H-LP316</b>	PanSteelTie,316SS,NYL,H,20.5,TS1112,P50	The MLTC6H-LP316 selectively nylon coated, self-locking cable tie speeds up installation with a unique self-lo	M	1000	\$	6,033.23
07498322551	<b>MLTC8H-LP316</b>	PanSteelTie,316SS,NYL,H,26.8,TS1112,P50	The MLTC8H-LP316 selectively nylon coated, self-locking cable tie speeds up installation with a unique self-lo	M	1000	\$	7,781.83
07498370630	<b>MLTFC1.5H-CP316</b>	MLTTie,316SS,FullCl,Hvy,6,PK100	Polyester coated stainless steel tie, AISI 316, standard, 6.0 length.	M	1000	\$	3,149.98
07498300699	<b>MLTFC1.5S-CP316</b>	MLT Tie, 316 SS, Fully Coated,1.5,PK100	Polyester coated stainless steel tie, AISI 316, standard	M	1000	\$	2,638.85
07498370631	<b>MLTFC2.5H-CP316</b>	MLTTie,316SS,FullCl,Hvy,9,PK100	Polyester coated stainless steel tie, AISI 316, heavy, 9.0 length.	M	1000	\$	3,591.55
07498300700	<b>MLTFC2.5S-CP316</b>	MLT Tie, 316 SS, Fully Coated,2.5,PK100	Polyester coated stainless steel tie, AISI 316, standard	M	1000	\$	4,551.13
07498365014	<b>MLTFC2.7H-LP316</b>	PanSteelTie,316SS,POLY,H,10.2,BLK,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	3,682.73
07498359330	<b>MLTFC2EH-LP316</b>	PanSteelTie,316SS,POLY,EH,11.8,BLK,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	4,549.91
07498359319	<b>MLTFC2H-LP316</b>	PanSteelTie,316SS,POLY,H,7.9,BLK,P50	The MLTFC2H-LP316 fully coated polyester, self-locking cable tie speeds up installation with a unique self-loc	M	1000	\$	3,333.28
07498359333	<b>MLTFC2S-CP316</b>	PanSteelTie,316SS,POLY,STD,7.9,BLK,P100	The MLTFC2S-CP316 self-locking cable tie speeds up installation with a unique self-locking head design that	M	1000	\$	2,777.74
07498370634	<b>MLTFC3.4H-CP316</b>	MLTTie,316SS,FullCl,Hvy,12,PK100	Polyester coated stainless steel tie, AISI 316, heavy, 12.0 length.	M	1000	\$	3,895.09
07498300701	<b>MLTFC3.4S-CP316</b>	MLT Tie, 316 SS, Fully Coated,3.4,PK100	Polyester coated stainless steel tie, AISI 316, standard	M	1000	\$	4,582.59
07498344639	<b>MLTFC4EH-LP316</b>	PanSteelTie,316SS,POLY,EH,17.1,BLK,P50	The MLTFC4EH-LP316 fully coated polyester, self-locking cable tie speeds up installation with a unique self-l	M	1000	\$	5,080.66
07498359325	<b>MLTFC4H-LP316</b>	PanSteelTie,316SS,POLY,H,14.3,BLK,P50	The MLTFC4H-LP316 self-locking cable tie speeds up installation with a unique self-locking head design that	M	1000	\$	3,911.83
07498311790	<b>MLTFC4H-LP316BU</b>	PanSteelTie,316SS,POLY,H,14.3,BLN,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	4,312.81
07498311786	<b>MLTFC4H-LP316GR</b>	PanSteelTie,316SS,POLY,H,14.3,GRU,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	4,312.81
07498311778	<b>MLTFC4H-LP316RD</b>	PanSteelTie,316SS,POLY,H,14.3,RED,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	4,107.45
07498311793	<b>MLTFC4H-LP316WH</b>	PanSteelTie,316SS,POLY,H,14.3,WH,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	4,312.81
07498311783	<b>MLTFC4H-LP316YL</b>	PanSteelTie,316SS,POLY,H,14.3,YEL,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	4,312.81
07498359334	<b>MLTFC4S-CP316</b>	PanSteelTie,316SS,POLY,STD,14,BLK,P100	The MLTFC4S-CP316 fully coated polyester, self-locking cable tie speeds up installation with a unique self-lo	M	1000	\$	3,304.33
07498344599	<b>MLTFC4SH-LP316</b>	PanSteelTie,316SS,POLY,SH,17.1,BLK,P50	The MLTFC4SH-LP316 fully coated polyester, self-locking cable tie speeds up installation with a unique self-l	M	1000	\$	7,595.54
07498370635	<b>MLTFC5.4H-CP316</b>	MLTTie,316SS,FullCl,Hvy,18,PK100	Polyester coated stainless steel tie, AISI 316, heavy, 18.0 length.	M	1000	\$	5,128.96
07498300702	<b>MLTFC5.4S-CP316</b>	MLT Tie, 316 SS, Fully Coated,5.4,PK100	Polyester coated stainless steel tie, AISI 316, standard	M	1000	\$	4,971.55
07498344640	<b>MLTFC6EH-LP316</b>	PanSteelTie,316SS,POLY,EH,23.4,BLK,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	7,380.56
07498359326	<b>MLTFC6H-LP316</b>	PanSteelTie,316SS,POLY,H,20.5,BLK,P50	The MLTFC6H-LP316 fully coated polyester, self-locking cable tie speeds up installation with a unique self-loc	M	1000	\$	5,857.59
07498359335	<b>MLTFC6S-CP316</b>	PanSteelTie,316SS,POLY,STD,21,BLK,P100	The MLTFC6S-LP316 fully coated polyester, self-locking cable tie speeds up installation with a unique self-loc	M	1000	\$	4,881.20
07498344600	<b>MLTFC6SH-LP316</b>	PanSteelTie,316SS,POLY,SH,23.4,BLK,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	11,034.05
07498344641	<b>MLTFC8EH-LP316</b>	PanSteelTie,316SS,POLY,EH,29.7,BLK,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	9,995.45
07498359327	<b>MLTFC8H-LP316</b>	PanSteelTie,316SS,POLY,H,26.8,BLK,P50	The MLTFC8H-LP316 fully coated polyester, self-locking cable tie speeds up installation with a unique self-loc	M	1000	\$	7,553.33
07498359336	<b>MLTFC8S-CP316</b>	PanSteelTie,316SS,POLY,STD,27,BLK,P100	The MLTFC8S-CP316 fully coated polyester, self-locking cable tie speeds up installation with a unique self-loc	M	1000	\$	6,610.89
07498344601	<b>MLTFC8SH-LP316</b>	PanSteelTie,316SS,POLY,SH,29.7,BLK,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	14,231.76
07498336929	<b>MMP172-C</b>	Tag,SS 304,1.72"x.75",4 hole,PK100	Marker plate, four holes, 304 Stainless Steel, 1.72" x .75".	C	100	\$	96.31
07498336930	<b>MMP172-C316</b>	Tag,SS 316,1.72"x.75",4 hole,PK100	Marker plate, four holes, 316 Stainless Steel, 1.72" x .75".	C	100	\$	115.63
61305639541	<b>MMP172-M</b>	MRKRPlt,4Holes,304SS,1.72"x.75",1EA	Marker plate, four holes, 304 Stainless Steel, 1.72" x .75", 1,000 piece carton	M	1000	\$	742.50
07498336931	<b>MMP172W38-C</b>	Mkr.Plata,304SS,1.7"x.38"x.010"Thk,PK100	Mini marker plate, four holes, 304 Stainless Steel, 1.72" x .38".	C	100	\$	75.63
07498336932	<b>MMP172W38-C316</b>	Mkr.Plata,316SS,1.7"x.38"x.010"Thk,PK100	Mini marker plate, four holes, 316 Stainless Steel, 1.72" x .38".	C	100	\$	94.56
61305639546	<b>MMP172W38-M</b>	MiniMRKRPlt,4Holes,304SS,1.72"x.38",1EA	Mini marker plate, four holes, 304 Stainless Steel, 1.72" x .38", 1,000 piece carton.	M	1000	\$	612.35
61305677781	<b>MMP172W38-M316</b>	Marker Plate, 316 SS, 4 Hole, 1.7" x .38"	The MMP172W38-M316 Stainless Steel Marker Plate provides permanent identification of pipes, conduits, va	M	1000	\$	734.83

61305638247	<b>MMP337W53-MAL-4</b>	MRKRPlt,Al,4Hole,3.37"x.53",4-up,PK1000	Marker Plate, Aluminum, 4 Hole, 3.37" x .53" (89mm x 13mm), 4-up	M	1000	\$	2,293.05
61305638246	<b>MMP337W71-MAL-3</b>	MRKRPlt,Al,4Hole,3.37"x.71",3-up,PK2000	Marker Plate, Aluminum, 4 Hole, 3.37" x .71" (89mm x 18mm), 3-up	M	1000	\$	2,293.05
07498354420	<b>MMP350-C</b>	MkrPlt,304SS,3.5x.75x.010"Thk,PK100	Marker plate, four holes, 304 Stainless Steel, 3.50" x .75", standard package.	C	100	\$	115.73
07498354421	<b>MMP350-C316</b>	MkrPlt,316SS,3.5x.75x.010"Thk,PK100	The MMP350-C316 Stainless Steel Marker Plate provides permanent identification of pipes, conduits, valves,	C	100	\$	136.40
07498308981	<b>MMP350-M</b>	304SSTMP,4HoleNat,3.5"x.75"x.010"	The MMP350-M Stainless Steel Marker Plate provides permanent identification of pipes, conduits, valves, ca	M	1000	\$	989.50
07498308982	<b>MMP350-M316</b>	316 SST MP,4 Hole Nat,3.5"x.75"x.010"	The MMP350-M316 Marker Plate provides permanent identification of pipes, valves, cables, and equipment i	M	1000	\$	1,182.76
07498354418	<b>MMP350H-C</b>	MkrPlt,304SS,3.5x.75x.010"Thk,Hvy,PK100	Marker plate, four holes, 304 Stainless Steel, heavy cross section, 3.50" x .75", standard package.	C	100	\$	110.24
07498354419	<b>MMP350H-C316</b>	MkrPlt,316SS,3.5x.75x.010"Thk,Hvy,PK100	Marker plate, four holes, 316 Stainless Steel, heavy cross section, 3.50" x .75", standard package.	C	100	\$	132.54
07498308983	<b>MMP350H-M</b>	304SSTMP,4HoleNat,Heavy,3.5"x.75"x.010"	Marker plate, four holes, 304 Stainless Steel, heavy cross section, 3.50" x .75", bulk package.	M	1000	\$	936.94
07498308984	<b>MMP350H-M316</b>	316 SST MP,4 Hole Nat,3.5"x.75"x.010"	The MMP350H-M316 Marker Plate provides permanent identification of pipes, valves, cables, and equipment	M	1000	\$	1,131.43
07498311274	<b>MMP350H-MAL</b>	Alum MP,4 Hole Nat,3.5"x.75"x.010"	The MMP350H-MAL Aluminum Steel Marker Plate provides permanent identification of pipes, conduits, valve	M	1000	\$	890.59
07498329131	<b>MMP350HW54-MAL</b>	Alum 4 Hole Marker Plate,3.5"x.54"x.012"	Aluminum marker plate, aluminum color.	M	1000	\$	673.20
07498339999	<b>MMP350W17-Q</b>	Mkr,Plate,304SS,2Hole,PK25	Marker plate, two holes, 304 Stainless Steel, 3.50" x 1.7".	C	100	\$	259.33
61305639542	<b>MMP350W17-Q-M</b>	MRKRPlt,2Holes,304SS,3.50"x1.7",1,EA	Marker plate, two holes, 304 Stainless Steel, 3.50" x 1.7", 1,000 piece carton.	M	1000	\$	1,998.95
61305656993	<b>MMP350W38-CQ</b>	Marker Plate, 304 SS, 4 Hole, 3.5" x .38	Marker plate, four holes, 304 Stainless Steel, 3.50" x .38", 125 per package.	C	100	\$	80.54
61305656964	<b>MMP350W38-CQ316</b>	Marker Plate, 316 SS, 4 Hole, 3.5" x .38	The MMP350W38-CQ316 Stainless Steel Marker Plate provides permanent identification of pipes, conduits, v	C	100	\$	96.84
07498308985	<b>MMP350W38-M</b>	304 SST MP,4 Hole Nat,3.5"x.38"x.010"	The MMP350W38-M Stainless Steel Marker Plate provides permanent identification of pipes, conduits, valves	M	1000	\$	703.99
07498308986	<b>MMP350W38-M316</b>	316 SST MP,4 Hole Nat,3.5"x.38"x.010"	The MMP350W38-M316 Marker Plate provides permanent identification of pipes, valves, cables, and equipm	M	1000	\$	839.78
61305676341	<b>MP100</b>	Includes MP100 Printer w/ Protective Imp	The MP100 Mobile Printer prints continuous labels and features an automatic cutter. The ultimate in flexibility	PC	1	\$	211.24
61305673540	<b>MP100-ACS</b>	Replacement 120-240 VAC Universal Power	Replacement MP100-ACS 12-240 VAC Universal Power Adapter is designed for use with the MP100 mobile printer. R	PC	1	\$	87.61
61305673541	<b>MP100-IB</b>	Replacement MP100 Impact Bumper	The MP100-IB Replacement Impact Bumper is designed for the MP100 mobile printer. The bumper absorbs t	PC	1	\$	62.56
61305676660	<b>MP100/E</b>	Includes MP100 printer with protective i	The MP100/E Mobile Printer prints continuous labels and features an automatic cutter. The ultimate in flexibi	PC	1	\$	232.38
07498365000	<b>MP150-C</b>	MkrPlt,1.5"x0.75",WH,PK100	Panduit MP150-C Marker Plates can be installed as flags, tags or wrap around identification plates, to clearly	C	100	\$	98.58
07498365002	<b>MP150-CO</b>	MkrPlt,1.5"x0.75",WR,BL,PK100	Harness Identification Marker Plate, 1.50" x 0.75" (38.1mm x 19.1mm), weather resistant, black, standard pa	C	100	\$	135.09
07498365001	<b>MP150-M</b>	MkrPlt,1.5"x0.75",WH,PK1000	Harness Identification Marker Plate, 1.50" x 0.75" (38.1mm x 19.1mm), white, bulk package.	M	1000	\$	693.68
07498365020	<b>MP175-C</b>	MkrPlt,1.75"x0.75",WH,PK100	Harness Identification Marker Plate, 1.75" x 0.75"(44.5mm x 19.1mm), white, standard package.	C	100	\$	98.84
07498365021	<b>MP175-M</b>	MkrPlt,1.75"x0.75",WH,PK1000	Panduit MP175-M Marker Plates can be installed as flags, tags or wrap around identification plates, to clearly	M	1000	\$	713.65
07498365040	<b>MP200-C</b>	MkrPlt,2"x0.75",WH,PK100	Harness Identification Marker Plate, 2.00" x 0.75"(50.8mm x 19.1mm), white, standard package.	C	100	\$	87.20
07498365041	<b>MP200-M</b>	MkrPlt,2"x0.75",WH,PK1000	Harness Identification Marker Plate, 2.00" x 0.75"(50.8mm x 19.1mm), white, bulk package.	M	1000	\$	708.88
07498365060	<b>MP250-C</b>	MkrPlt,2.5"x.75",WH,PK100	Panduit MP250-C Marker Plates can be installed as flags, tags or wrap around identification plates, to clearly	C	100	\$	107.65
07498365064	<b>MP250-CO</b>	MkrPlt,2.5"x.75",WR,BL,PK100	Harness Identification Marker Plate, 2.50" x 0.75"(63.5mm x 19.1mm), weather resistant, black.	C	100	\$	148.81
07498365061	<b>MP250-M</b>	MkrPlt,2.5"x.75",WH,PK1000	Harness Identification Marker Plate, 2.50" x 0.75"(63.5mm x 19.1mm), white, bulk package.	M	1000	\$	840.51
07498365062	<b>MP250W175-C</b>	MkrPlt,2.5"x1.75",WH,PK100	Panduit MP250W175-C Marker Plates can be installed as flags, tags or wrap around identification plates, to c	C	100	\$	180.93
07498365063	<b>MP250W175-M</b>	MkrPlt,2.5"x1.75",WH,PK1000	Panduit MP250W175-M Marker Plates can be installed as flags, tags or wrap around identification plates, to c	M	1000	\$	1,191.75
61305676342	<b>MP300</b>	Includes MP300 Printer, 1 Cassette of S1	The Panduit MP300 mobile label printer is the ideal solution for labeling in the field. Our printer offers a wide v	PC	1	\$	486.23
61305673542	<b>MP300-ACS</b>	120-240 VAC Universal Power Adapter Modu	The MP300-ACS 12-240 VAC Universal Power Adapter is designed for use with the MP300 mobile printer. R	PC	1	\$	124.56
61305673543	<b>MP300-BATT</b>	Replacement Li-Ion Rechargeable Battery	The MP300-BATT Li-Ion Rechargeable Replacement Battery Pack is designed for use with the MP300 mobi	PC	1	\$	124.56
61305673544	<b>MP300-CASE</b>	Replacement Hard Carrying Case	The MP300-CASE Replacement Hard Carrying Case is designed for the MP300 mobile printer. R	PC	1	\$	99.51
61305676661	<b>MP300/E</b>	Includes MP300 printer, one (1) S100X15	The Panduit MP300/E mobile label printer is the ideal solution for labeling in the field. Our printer offers a wide	PC	1	\$	534.84
07498365080	<b>MP350-C</b>	MkrPlt,3.5"x0.75",WH,PK100	Panduit MP350-C Marker Plates can be installed as flags, tags or wrap around identification plates, to clearly	C	100	\$	117.11
07498365078	<b>MP350-CO</b>	MkrPlt,3.5"x0.75",WR,BL,PK100	Harness Identification Marker Plate, 3.50" x 0.75"(88.9mm x 19.1mm), weather resistant, black.	C	100	\$	157.29
07498365081	<b>MP350-M</b>	MkrPlt,3.5"x0.75",WR,BL,PK1000	Harness Identification Marker Plate, 3.50" x 0.75"(88.9mm x 19.1mm), white, bulk package.	M	1000	\$	879.43
07498358835	<b>MPMH38-D0</b>	MasonryPushMnt,LH,.38inH,BL,PK500	The masonry push barb cable tie mount in black, made of impact modified, weather-resistant nylon 6.6 uses a	M	1000	\$	855.38
07498358837	<b>MPMH38-L0</b>	MasonryPushMnt,LH,.38inH,BL,PK500	The masonry push barb cable tie mount in black, made of impact modified, weather-resistant nylon 6.6 uses a	C	100	\$	117.09
07498358836	<b>MPMS19-C0</b>	MasonryPushMnt,Std,.19inH,BL,PK100	Panduit MPMS19-C0 Masonry Push Mounts are used to secure wire, cable or tubing to masonry surfaces. Th	C	100	\$	74.24
07498358838	<b>MPMS19-M0</b>	MasonryPushMnt,Std,.19inH,BL,PK1000	The masonry push barb cable tie mount in black, made of impact modified, weather-resistant nylon 6.6 uses a	M	1000	\$	564.54
07498322194	<b>MPMS25-C0</b>	MasonryPushMnt,Std,.25inH,BL,PK100	The masonry push barb cable tie mount in black, made of impact modified, weather-resistant nylon 6.6 uses a	C	100	\$	87.59
07498322195	<b>MPMS25-M0</b>	MasonryPushMnt,Std,.25inH,BL,PK1000	The masonry push barb cable tie mount in black, made of impact modified, weather-resistant nylon 6.6 uses a	M	1000	\$	599.24
07498333607	<b>MPMWH32-D0</b>	MasonryPushMnt,Std,.31inH,BL,PK500	Panduit MPMWH32-D0 Masonry Push Mounts are used to secure wire, cable or tubing to masonry surfaces.	M	1000	\$	815.34
07498333606	<b>MPMWH32-L0</b>	MasonryPushMnt,Std,.31inH,BL,PK500	The masonry push barb cable tie mount in black, made of impact modified, weather-resistant nylon 6.6 uses a	C	100	\$	122.58
07498322541	<b>MPWM-H56-Q</b>	TieMount,304SS,PushMnt,.312",PK25	The MPWM-H56-Q Stainless Steel push-winged tie mount can be used with standard, light-heavy, and heavy	C	100	\$	335.24
07498302368	<b>MRS2LH-L4</b>	RadialSealTie,304SS,LT-H,12,TS1000,PK50	Pan-Steel® 360-degree Radial Seal Retained Tension Ties speed up installation with a unique self-locking he	M	1000	\$	1,708.79
07498302376	<b>MRS2S-C4</b>	RadialSealTie,304SS,STD,12,2,TS800,P100	Pan-Steel® 360-degree Radial Seal Retained Tension Ties speed up installation with a unique self-locking he	M	1000	\$	1,553.39
07498302377	<b>MRS4S-C4</b>	RadialSealTie,304SS,STD,18.5,TS800,P100	Pan-Steel® 360-degree Radial Seal Retained Tension Ties speed up installation with a unique self-locking he	M	1000	\$	1,823.01
07498302370	<b>MRS6LH-L4</b>	RadialSealTie,304SS,LT-H,25,TS1000,P500	Pan-Steel® 360-degree Radial Seal Retained Tension Ties speed up installation with a unique self-locking he	M	1000	\$	2,856.63
07498302378	<b>MRS6S-C4</b>	RadialSealTie,304SS,STD,24.8,TS800,P100	Pan-Steel® 360-degree Radial Seal Retained Tension Ties speed up installation with a unique self-locking he	M	1000	\$	2,726.60
07498302335	<b>MRT2H-L4</b>	RetainedTensionTie,304SS,H,11.3,PK50	Pan-Steel® Retained Tension Ties speed up installation with a unique self-locking head design that locks int	M	1000	\$	1,613.89
07498300729	<b>MRT2S-C4</b>	RetainedTensionTie,304SS,STD,12.2,PK100	Pan-Steel® Retained Tension Ties speed up installation with a unique self-locking head design that locks int	M	1000	\$	1,344.85
07498302336	<b>MRT4H-L4</b>	RetainedTensionTie,304SS,H,14.8,PK50	Pan-Steel® Retained Tension Ties speed up installation with a unique self-locking head design that locks int	M	1000	\$	1,988.74
07498300718	<b>MRT4LH-L4</b>	RetainedTensionTie,304SS,LH,18.5,PK50	Pan-Steel® Retained Tension Ties speed up installation with a unique self-locking head design that locks int	M	1000	\$	1,859.44
07498300730	<b>MRT4S-C4</b>	RetainedTensionTie,304SS,STD,18.5,PK100	Pan-Steel® Retained Tension Ties speed up installation with a unique self-locking head design that locks int	M	1000	\$	1,690.34
07498344696	<b>MS10W50T15-L4</b>	PanSteel Strap,304SS,10"DM,0.50"W,PK50	The MS10W50T15-L4 Pan-Steel® Stainless Steel Strap is the ultimate solution for strapping applications. Th	M	1000	\$	3,227.15
07498344700	<b>MS10W63T15-L4</b>	PanSteel Strap,304SS,10"DM,0.63"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 304 AISI stainless	M	1000	\$	3,838.95
07498358711	<b>MS10W75T30-Q6</b>	PanSteel Strap,316SS,10"DM,0.75"W,PK25	The MS10W75T30-Q6 Discrete Length Stainless Steel Buckle Strap cable cleat is an effective option for prot	M	1000	\$	19,899.74
07498369176	<b>MS12W75T30-Q6</b>	PanSteel Strap,316SS,12"DM,0.75"W,PK25	The MS12W75T30-Q6 Discrete Length Stainless Steel Buckle Strap cable cleat is an effective option for prot	M	1000	\$	22,310.09
61305625871	<b>MS14W75T30-Q6</b>	MS Strapping, 316 SS, .75" (19.0mm) Wide	The MS14W75T30-Q6 Discrete Length Stainless Steel Buckle Strap cable cleat is an effective option for prot	M	1000	\$	23,757.63
07498344669	<b>MS2W38T15-L6</b>	PanSteel Strap,316SS,2"DM,0.38"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 316 AISI stainless	M	1000	\$	2,269.96
07498344702	<b>MS4W38T15-L4</b>	PanSteel Strap,304SS,4"DM,0.38"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 304 AISI stainless	M	1000	\$	2,024.28
07498344670	<b>MS4W38T15-L6</b>	PanSteel Strap,316SS,4"DM,0.38"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 316 AISI stainless	M	1000	\$	2,631.56
07498344693	<b>MS4W50T15-L4</b>	PanSteel Strap,304SS,4"DM,0.5"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 304 AISI stainless	M	1000	\$	2,211.81
07498344685	<b>MS4W50T15-L6</b>	PanSteel Strap,316SS,4"DM,0.5"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 316 AISI stainless	M	1000	\$	2,875.36
07498344697	<b>MS4W63T15-L4</b>	PanSteel Strap,304SS,4"DM,0.63"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 304 AISI stainless	M	1000	\$	2,585.38
07498344689	<b>MS4W63T15-L6</b>	PanSteel Strap,316SS,4"DM,0.63"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 316 AISI stainless	M	1000	\$	3,360.94
07498338872	<b>MS4W75T30-Q6</b>	PanSteel Strap,316SS,4"DM,0.63"W,PK50	The MS4W75T30-Q6 Discrete Length Stainless Steel Buckle Strap cable cleat is an effective option for prote	M	1000	\$	17,821.71
07498344694	<b>MS6W50T15-L4</b>	PanSteel Strap,304SS,6"DM,0.5"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 304 AISI stainless	M	1000	\$	2,658.98
07498344698	<b>MS6W63T15-L4</b>	PanSteel Strap,304SS,6"DM,0.63"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 304 AISI stainless	M	1000	\$	2,839.29
07498358710	<b>MS6W75T30-Q6</b>	PanSteel Strap,316SS,6"DM,0.75"W,PK25	The MS6W75T30-Q6 Discrete Length Stainless Steel Buckle Strap cable cleat is an effective option for prote	M	1000	\$	17,940.89

07498344695	<b>MS8W50T15-L4</b>	PanSteel Strap,304SS,8"DM,0.5"W,PK50	The MS8W50T15-L4 Pan-Steel® Stainless Steel Strap is the ultimate solution for strapping applications. The	M	1000	\$	2,906.58
07498344699	<b>MS8W63T15-L4</b>	PanSteel Strap,304SS,8"DM,0.63"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 304 AISI stainless	M	1000	\$	3,443.10
07498344691	<b>MS8W63T15-L6</b>	PanSteel Strap,316SS,8"DM,0.63"W,PK50	The Panduit Pan-Steel® Strap is designed to maintain a safe, secure connection. Built with 316 AISI stainless	M	1000	\$	4,262.83
07498338873	<b>MS8W75T30-Q6</b>	PanSteel Strap,316SS,8"DM,0.75"W,PK25	The MS8W75T30-Q6 Discrete Length Stainless Steel Buckle Strap cable cleat is an effective option for prote	M	1000	\$	18,903.13
07498344658	<b>MSBW38-C4</b>	PanSteel Buckle,304SS,0.38"W,PK100	The Panduit Pan-Steel® low-profile buckles are designed to maintain a safe, secure connection. Built with 30	C	100	\$	62.40
07498344655	<b>MSBW38-C6</b>	PanSteel Buckle,316SS,0.38"W,PK100	The Panduit Pan-Steel® low-profile buckles are designed to maintain a safe, secure connection. Built with 31	C	100	\$	73.53
07498344659	<b>MSBW50-C4</b>	PanSteel Buckle,304SS,0.50"W,PK100	The Panduit Pan-Steel® low-profile buckles are designed to maintain a safe, secure connection. Built with 30	C	100	\$	74.38
07498344656	<b>MSBW50-C6</b>	PanSteel Buckle,316SS,0.50"W,PK100	The Panduit Pan-Steel® low-profile buckles are designed to maintain a safe, secure connection. Built with 31	C	100	\$	92.10
07498344660	<b>MSBW63-C4</b>	PanSteel Buckle,304SS,0.63"W,PK100	The Panduit Pan-Steel® low-profile buckles are designed to maintain a safe, secure connection. Built with 30	C	100	\$	84.25
07498344657	<b>MSBW63-C6</b>	PanSteel Buckle,316SS,0.63"W,PK100	The Panduit Pan-Steel® low-profile buckles are designed to maintain a safe, secure connection. Built with 31	C	100	\$	104.34
07498339405	<b>MSBW75-C6</b>	PanSteel Buckle,316SS,0.75"W,PK100	The Panduit Pan-Steel® buckles are designed to maintain a safe, secure connection. Built with 316 AISI stain	C	100	\$	475.49
07498344680	<b>MSC10W50T15-L6</b>	PanSteel Strapping,N316L,TS2225,5",37"	Panduit® Pan-Steel® Nylon 11 Coated Strapping can be cut to meet your many project needs. Built with 316L	M	1000	\$	7,878.91
07498344662	<b>MSC4W38T15-L6</b>	PanSteel Strapping,N316L,TS1335,4",18"	Panduit® Pan-Steel® Nylon 11 Coated Strapping can be cut to meet your many project needs. Built with 316L	M	1000	\$	3,759.19
07498344677	<b>MSC4W50T15-L6</b>	PanSteel Strapping,N316L,TS2225,5",18"	Panduit® Pan-Steel® Nylon 11 Coated Strapping can be cut to meet your many project needs. Built with 316L	M	1000	\$	4,438.80
07498344681	<b>MSC4W63T15-L6</b>	PanSteel Strapping,N316L,TS3560,6",18"	Panduit® Pan-Steel® Nylon 11 Coated Strapping can be cut to meet your many project needs. Built with 316L	M	1000	\$	5,462.78
07498344678	<b>MSC6W50T15-L6</b>	PanSteel Strapping,N316L,TS2225,5",24"	Panduit® Pan-Steel® Nylon 11 Coated Strapping can be cut to meet your many project needs. Built with 316L	M	1000	\$	5,677.16
07498344682	<b>MSC6W63T15-L6</b>	PanSteel Strapping,N316L,TS3560,6",24"	Panduit® Pan-Steel® Nylon 11 Coated Strapping can be cut to meet your many project needs. Built with 316L	M	1000	\$	6,700.31
07498344679	<b>MSC8W50T15-L6</b>	PanSteel Strapping,N316L,TS2225,5",31"	Panduit® Pan-Steel® Nylon 11 Coated Strapping can be cut to meet your many project needs. Built with 316L	M	1000	\$	6,862.46
07498344683	<b>MSC8W63T15-L6</b>	PanSteel Strapping,N316L,TS3560,6",31"	Panduit® Pan-Steel® Nylon 11 Coated Strapping can be cut to meet your many project needs. Built with 316L	M	1000	\$	8,144.25
07498345337	<b>MSCNW38T15-OR6</b>	PanSteel Strapping,N316L,TS1335,4",83"	The MSCNW38T15-OR6 Pan-Steel® custom length, strapping is made of 316 grade Stainless Steel for hars	PC	1	\$	191.99
07498345338	<b>MSCNW50T15-OR6</b>	PanSteel Strapping,N316L,TS3115,5",83"	Panduit® Pan-Steel® Custom Stainless Steel Strapping can be cut to meet your many project needs. Built wi	PC	1	\$	213.76
07498345339	<b>MSCNW63T15-OR6</b>	PanSteel Strapping,N316L,TS3560,6",83"	Panduit® Pan-Steel® Custom Stainless Steel Strapping can be cut to meet your many project needs. Built wi	PC	1	\$	228.08
07498313630	<b>MSG-1.3-C</b>	METAL STUD GROMMET,STD HOLE,PK100	Metal stud grommet, 1-11/32" hole (100/pack).	C	100	\$	49.25
07498320457	<b>MSG-1.3-M</b>	METAL STUD GROMMET,STD HOLE,PK1000	Metal Stud Grommet, 1-11/32" Hole (1,000 pc. Pack)	M	1000	\$	334.29
07498320489	<b>MSGV-1.3-C</b>	METAL STUD GROMMET,W/TABS,STD HOLE,PK100	Metal stud grommet, 1 11/32" hole, anti-vibration for 1/2" to 1" pipe (100/pack).	C	100	\$	48.48
07498320490	<b>MSGV-1.3-M</b>	METAL STUD GROM, W/TABS, STD HOLE, PK1000	Metal Stud Grommet, 1-11/32" Hole, Anti-Vibration for 1/2" to 1" Pipe (1,000 pc. Pack)	M	1000	\$	334.34
07498308876	<b>MSPT-1.3</b>	METAL STUD PUNCH TOOL,EA	Metal stud punch tool with contoured handle for increased leverage.	PC	1	\$	673.76
07498344674	<b>MSW38T15-CR4</b>	PanSteel Strapping,304SS,TS2225,4",100"	Panduit® Pan-Steel® Custom Stainless Steel Strapping can be cut to meet your many project needs. Built wi	RL	1	\$	93.98
07498344666	<b>MSW38T15-CR6</b>	PanSteel Strapping,316SS,TS2225,4",100"	Panduit® Pan-Steel® Custom Stainless Steel Strapping can be cut to meet your many project needs. Built wi	RL	1	\$	122.16
07498344675	<b>MSW50T15-CR4</b>	PanSteel Strapping,304SS,TS3115,5",100"	The MSW50T15-CR4 Pan-Steel® custom length, strapping is made of 304 grade Stainless Steel for general	RL	1	\$	94.91
07498344667	<b>MSW50T15-CR6</b>	PanSteel Strapping,316SS,TS3115,5",100"	Panduit® Pan-Steel® Custom Stainless Steel Strapping can be cut to meet your many project needs. Built wi	RL	1	\$	129.53
07498344676	<b>MSW63T15-CR4</b>	PanSteel Strapping,304SS,TS3560,6",100"	Panduit® Pan-Steel® Custom Stainless Steel Strapping can be cut to meet your many project needs. Built wi	RL	1	\$	106.31
07498344668	<b>MSW63T15-CR6</b>	PanSteel Strapping,316SS,TS3560,6",100"	Panduit® Pan-Steel® Custom Stainless Steel Strapping can be cut to meet your many project needs. Built wi	RL	1	\$	152.39
07498339846	<b>MSW75T30-CR6</b>	PanSteel Strapping,201,TS10656,8",100"	Panduit® Pan-Steel® Custom Stainless Steel Strapping can be cut to meet your many project needs. Built wi	RL	1	\$	656.98
07498333621	<b>MT150D-Q</b>	Tag,SS 304,1.5" circle,PK25	Marker tag, 1.50" circular, 304 Stainless Steel.	C	100	\$	249.73
07498322555	<b>MT172-C</b>	MarkerTag,304SS,1.72"x.75"x.010,PK100	Marker tag, one hole, 304 Stainless Steel, rectangle, 1.72" x .75".	C	100	\$	97.21
07498327871	<b>MT172-C316</b>	MarkerTag,316SS,1.72"x.75"x.010,PK100	Marker tag, one hole, 316 Stainless Steel, rectangle, 1.72" x .75".	C	100	\$	116.71
61305644876	<b>MT172-M</b>	Marker tag, one hole, 304 Stainless Stee	Marker tag, one hole, 304 Stainless Steel, rectangle, 1.72" x .75", 1,000 piece carton.	M	1000	\$	749.33
61305639547	<b>MT172W38-M</b>	MRKRTag,1Hole,304SS,Rectangle,EA	Marker tag, one hole, 304 Stainless Steel, rectangle, 1.72" x 0.38", 1,000 piece carton.	M	1000	\$	618.43
07498333627	<b>MT1D-Q</b>	Tag,SS 304,1.0" circle,PK25	Marker tag, 1.00" circular, 304 Stainless Steel.	C	100	\$	142.29
07498333625	<b>MT206W119A-Q</b>	Marker Tag, 304 SS, Dog Tag, 2.1" (53mm)	Marker tag (dog tag type), 304 Stainless Steel, 2.1" x 1.2".	C	100	\$	192.51
07498322553	<b>MT350-C</b>	Tag,SS 304,3.5"x.75",1-hole,PK100	Marker tag, one hole, 304 Stainless Steel, rectangle, 3.50" x .75".	C	100	\$	117.19
07498322557	<b>MT350-C316</b>	Tag,SS 316,3.5"x.75",1-hole,PK100	Marker tag, one hole, 316 Stainless Steel, rectangle, 3.50" x .75".	C	100	\$	140.74
61305639545	<b>MT350-M</b>	MRKRTag,1Hole,304SS,Rectangle,EA	Marker tag, one hole, 304 Stainless Steel, rectangle, 3.50" x .75", 1,000 piece carton.	M	1000	\$	903.29
61305639574	<b>MT350W17-D-4HL</b>	Marker Tag, 304 SS, 4 Hole, PK500	Marker Tag, 304 SS, 4 Hole, 3.50" (89mm) x 1.73" (44mm)	M	1000	\$	2,398.51
07498333619	<b>MT350W17-Q</b>	MarkerTag,304SS,3.50"x1.73"x.015,PK25	Marker tag, one hole, 304 Stainless Steel, rectangle, 3.50" x 1.7".	C	100	\$	274.84
61305639543	<b>MT350W17-Q-M</b>	MRKRTag,1Hole,304SS,Rectangle,EA	Marker tag, one hole, 304 Stainless Steel, rectangle, 3.50" x 1.7", 1,000 piece carton.	M	1000	\$	2,118.75
61305639544	<b>MT350W38-M316</b>	MRKRTag,1Hole,316SS,3.50"x.38",1,EA	Marker tag, one hole, 316 Stainless Steel, 3.50" x .38", 1,000 piece carton.	M	1000	\$	813.19
07498333631	<b>MTB150D-Q</b>	Tag,Brass,1.5in circle,PK25	Marker tag, 1.50" circular, brass.	C	100	\$	162.23
07498337908	<b>MTHEH-C316</b>	BandingHead,316SS,FullyCoated,EH,PK100	Loose piece coated banding head for extra-heavy cross section banding.	M	1000	\$	1,425.20
07498337907	<b>MTHEH-C316</b>	BandingHead,316SS,FullyCoated,H,PK100	Loose piece coated banding head for heavy cross section banding.	M	1000	\$	1,047.55
07498334497	<b>MTHSH-C316</b>	BandingHead,316SS,FullyCoated,SH,PK100	Loose piece coated banding head for super-heavy cross section banding.	M	1000	\$	2,035.91
07498344642	<b>MTHEH-C</b>	BandingHead,304SS,EH,PK100	Loose piece banding head for extra-heavy cross section banding.	M	1000	\$	1,140.55
07498354425	<b>MTHH-C</b>	BandingHead,304SS,H,PK100	The MTHH-C custom length banding head is a loose piece banding head designed for heavy cross section ba	M	1000	\$	835.59
07498322368	<b>MTHH-C316</b>	BandingHead,316SS,H,PK100	The MTHH-C316 custom length banding head is a loose piece banding head designed for heavy cross sectio	M	1000	\$	997.66
07498335986	<b>MTHS-C</b>	BandingHead,304SS,Std,PK100	Loose piece banding head for standard cross section banding.	M	1000	\$	683.91
07498335987	<b>MTHS-C316</b>	BandingHead,316SS,Std,PK100	Loose piece banding head for standard cross section banding, Stainless Steel 316.	M	1000	\$	894.58
07498344608	<b>MTSHS-C</b>	BandingHead,304SS,SH,PK100	Loose piece banding head for super-heavy cross section banding.	M	1000	\$	1,705.14
07498320969	<b>MTM1H-C</b>	TieMnt,304SS,1HoleFoldover,#8S,PK100	The MTM1H-C Stainless Steel Tie Mount uses one hold foldover mounting with a #8 (M4) screw. Designed fo	C	100	\$	163.98
07498335975	<b>MTM1H10-C</b>	TieMnt,304SS,1HoleFoldover,#10S,PK100	The MTM1H10-C Stainless Steel Tie Mounts provide a low profile, one-hole mounting option and can be used	C	100	\$	163.98
07498335974	<b>MTM1H25-C</b>	TieMnt,304SS,1HoleFoldover,#25",PK100	The MTM1H25-C Stainless Steel Tie Mounts provide a low profile, one-hole mounting option and can be used	C	100	\$	163.98
07498343330	<b>MTM2H-Q</b>	TieMnt,304SS,2Way,#8Screw,PK25	The MTM2H-Q Stainless Steel Tie Mounts provide a low profile, one-hole mounting option and can be used w	C	100	\$	390.20
07498358430	<b>MTP1H-E10-C</b>	MultTiePit,1Bdle,#10Screw,Nat,PK100	The multiple tie plate in natural color supports one bundle and is used with miniature, intermediate, standar	C	100	\$	625.48
07498358429	<b>MTP1H-E6-C</b>	MultTiePit,1Bdle,#6Screw,Nat,PK100	Panduit's MTP1H-E6-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With their	C	100	\$	644.26
07498358428	<b>MTP1S-E10-C</b>	MultTiePit,1Bdle,M-S,#10Screw,Nat,PK100	The multiple tie plate in natural color supports one bundle and is used with miniature, intermediate, and stand	C	100	\$	126.88
07498358427	<b>MTP1S-E6-C</b>	MultTiePit,1Bdle,M-S,#6Screw,Nat,PK100	The multiple tie plate in natural color supports one bundle and is used with miniature, intermediate, and stand	C	100	\$	130.70
07498358434	<b>MTP2H-E10-C</b>	MultTiePit,2Bdle,M-H,#10Screw,Nat,PK100	Panduit's MTP2H-E10-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With their	C	100	\$	627.99
07498358433	<b>MTP2H-E6-C</b>	MultTiePit,2Bdle,M-H,#6Screw,Nat,PK100	Panduit's MTP2H-E6-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With their	C	100	\$	646.88
07498358432	<b>MTP2S-E10-C</b>	MultTiePit,2Bdle,M-S,#10Screw,Nat,PK100	Panduit's MTP2S-E10-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With their	C	100	\$	153.94
07498358431	<b>MTP2S-E6-C</b>	MultTiePit,2Bdle,M-S,#6Screw,Nat,PK100	Panduit's MTP2S-E6-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With their	C	100	\$	158.55
07498358438	<b>MTP3H-E10-C</b>	MultTiePit,3Bdle,M-H,#10Screw,Nat,PK100	The multiple tie plate in natural color supports three bundles and is used with miniature, intermediate, standar	C	100	\$	652.58
07498358437	<b>MTP3H-E6-C</b>	MultTiePit,3Bdle,M-H,#6Screw,Nat,PK100	Panduit's MTP3H-E6-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With their	C	100	\$	672.11
07498358436	<b>MTP3S-E10-C</b>	MultTiePit,3Bdle,M-S,#10Screw,Nat,PK100	The multiple tie plate in natural color supports three bundles and is used with miniature, intermediate, and sta	C	100	\$	177.66
07498358435	<b>MTP3S-E6-C</b>	MultTiePit,3Bdle,M-S,#6Screw,Nat,PK100	Panduit's MTP3S-E6-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With their	C	100	\$	182.99
07498358442	<b>MTP4H-E10-C</b>	MultTiePit,4Bdle,M-H,#10Screw,Nat,PK100	The multiple tie plate in natural color supports four bundles and is used with miniature, intermediate, standar	C	100	\$	711.75
07498358441	<b>MTP4H-E6-C</b>	MultTiePit,4Bdle,M-H,#6Screw,Nat,PK100	Panduit's MTP4H-E6-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With their	C	100	\$	733.15
07498358440	<b>MTP4S-E10-C</b>	MultTiePit,4Bdle,M-S,#10Screw,Nat,PK100	The multiple tie plate in natural color supports four bundles and is used with miniature, intermediate, and stan	C	100	\$	342.29

07498358439	<b>MTP4S-E6-C</b>	MultiTiePit,4Bdle,M-S,#6Screw,Nat,PK100	Panduit's MTP4S-E6-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With their	C	100	\$	352.54
07498358446	<b>MTP5H-E10-C</b>	MultiTiePit,5Bdle,M-H,#10Screw,Nat,PK100	The multiple tie plate in natural color supports five bundles and is used with miniature, intermediate, standard,	C	100	\$	764.96
07498358445	<b>MTP5H-E6-C</b>	MultiTiePit,5Bdle,M-H,#6Screw,Nat,PK100	Panduit's MTP5H-E6-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With their	C	100	\$	787.95
07498358444	<b>MTP5S-E10-C</b>	MultiTiePit,5Bdle,M-S,#10Screw,Nat,PK100	The multiple tie plate in natural color supports five bundles and is used with miniature, intermediate, and stand	C	100	\$	475.70
07498358443	<b>MTP5S-E6-C</b>	MultiTiePit,5Bdle,M-S,#6Screw,Nat,PK100	The multiple tie plate in natural color supports five bundles and is used with miniature, intermediate, and stand	C	100	\$	490.00
07498358448	<b>MTP6H-E10-C</b>	MultiTiePit,6Bdle,M-H,#10Screw,Nat,PK100	Panduit's MTP6H-E10-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With the	C	100	\$	870.43
07498358447	<b>MTP6H-E6-C</b>	MultiTiePit,6Bdle,M-H,#6Screw,Nat,PK100	Panduit's MTP6H-E6-C Multiple Tie Plates are designed to secure bundles that are closely spaced. With their	C	100	\$	896.54
07498300830	<b>MTPC2H-E10-C39</b>	RoundEdgTiePit,2Bdle,M-Hties,NAT,PK100	The rounded edge multiple tie plate in natural color supports two bundles and is used with miniature, intermed	C	100	\$	794.44
07498300831	<b>MTPC3H-E10-C39</b>	RoundEdgTiePit,3Bdle,M-Hties,NAT,PK100	Panduit's MTP6H-E10-C Rounded Edge Multiple Tie Plates are designed to secure bundles that are closely s	C	100	\$	763.30
07498300832	<b>MTPC4H-E10-C39</b>	RoundEdgTiePit,4Bdle,M-Hties,NAT,PK100	The rounded edge multiple tie plate in natural color supports four bundles and is used with miniature, intermed	C	100	\$	857.56
07498300833	<b>MTPC5H-E10-C39</b>	RoundEdgTiePit,5Bdle,M-Hties,NAT,PK100	The rounded edge multiple tie plate in natural color supports five bundles and is used with miniature, intermed	C	100	\$	967.75
07498300834	<b>MTPC6H-E10-C39</b>	RoundEdgTiePit,6Bdle,M-Hties,NAT,PK100	The rounded edge multiple tie plate in natural color supports six bundles and is used with miniature, intermedi	C	100	\$	1,069.03
07498310888	<b>MTPC7H-E10-C39</b>	RoundEdgTiePit,7Bdle,M-Hties,NAT,PK100	The rounded edge multiple tie plate in natural color supports seven bundles and is used with miniature, interm	C	100	\$	1,156.14
07498302303	<b>MTRTH</b>	MetalTieRetainedTensionTool,H,Ties,EA	Installation tool for use with the following stainless steel cross section retained tension ties:Type MRT and MR	PC	1	\$	4,218.88
07498302304	<b>MTRTLS</b>	MetalTieRetainedTensionTool,L-H&S,EA	Installation tool for use with the following stainless steel cross section retained tension ties:Type MRT and MR	PC	1	\$	4,218.88
07498356971	<b>N025X075CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl,25"x.75",WH	White, vinyl cloth label.	M	1000	\$	37.89
07498356929	<b>N025X075FJJ</b>	NetworkLabel,Adh.,25"Wx.75"H,WH,PK10000	Non-laminated polyolefin label, 0.25" W x 0.75" H, 12-10 AWG, adhesive polyolefin, white, 25 labels/row, 275	M	1000	\$	38.66
07498356973	<b>N025X150CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl,25"x1.5"	White, vinyl cloth label.	M	1000	\$	68.10
07498396764	<b>N025X150FJJ</b>	L/U,Adh Po Network Lbl,25"x1.5",WH	Non-laminated polyolefin label, 0.25" W x 1.50" H, 8-2 AWG, adhesive polyolefin, white, 67 labels/row, 150 la	M	1000	\$	46.65
07498356974	<b>N025X175CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl,25"x1.75"	White, vinyl cloth label.	M	1000	\$	75.69
07498333149	<b>N050X075C1C</b>	P1 Adh Nyl Cloth Cass.,5"x.75",WH	White, nylon cloth label for 12 — 10 AWG wires, 250/cassette.	PC	1	\$	44.13
07498333109	<b>N050X075C1T</b>	TT,Non-Lam Lbl,Nyl Cloth,5"x.75",WH	White, nylon cloth label, 0.50" x 0.75".	M	1000	\$	42.21
07498335124	<b>N050X075CBC</b>	P1 Cass,CompLbl,5"Wx.75"H,WH,EA	White, perforated vinyl cloth label for 12 — 10 AWG wires, 125/cassette, 0.50" x 0.75".	PC	1	\$	40.08
07498346276	<b>N050X075CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl,5"x.75",WH	The N050X075CBT Thermal Transfer Non-Laminated Label is constructed of a thin and conformable materia	M	1000	\$	40.19
07498356931	<b>N050X075FJJ</b>	NetworkLabel,Adh.,5"Wx.75"H,WH,PK10000	Non-laminated polyolefin label, 0.50" W x 0.75" H, 12-10 AWG, adhesive polyolefin, white, 43 labels/row, 154	M	1000	\$	48.43
07498356976	<b>N050X100CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl,5"x1",WH	White, vinyl cloth label.	M	1000	\$	58.68
07498333150	<b>N050X125C1C</b>	P1 Adh Nyl Cloth Cass,10-6AWG,5x1.25",WH	White, nylon cloth label for 10 — 6 AWG wires, 150/cassette, 0.50" x 1.25".	PC	1	\$	35.40
07498333110	<b>N050X125C1T</b>	P1 Adh Nyl Cloth Cass.,5x1.25",WH	White, nylon cloth label, 0.50" x 1.25".	M	1000	\$	69.70
07498356977	<b>N050X125CBT</b>	TT,Lbl,VylCloth,5"Wx1.25"H,WH,PK10000	White, vinyl cloth label.	M	1000	\$	66.39
07498356965	<b>N050X125FJJ</b>	NetworkLabel,Adh.,5"Wx1.25"H,WH,PK10000	Non-laminated polyolefin label, 0.50" W x 1.25" H, 10-6 AWG, adhesive polyolefin, white, 14 labels/row, 98 la	M	1000	\$	54.90
07498356978	<b>N050X150CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl,5"x1.5",WH	White, vinyl cloth label.	M	1000	\$	80.64
07498356966	<b>N050X150FJJ</b>	NetworkLabel,Adh.,5"Wx1.5"H,WH,PK5000	Non-laminated polyolefin label, 0.50" W x 1.50" H, 8-2 AWG, adhesive polyolefin, white, 14 labels/row, 84 lab	M	1000	\$	64.59
07498333151	<b>N100X075C1C</b>	P1 Adh Nyl Cloth Cass,1"x.75",WH	White, nylon cloth label for 12 — 10 AWG wires, 250/cassette.	PC	1	\$	44.13
07498333111	<b>N100X075C1T</b>	TT,Non-Lam Lbl,Nyl Cloth,1"x.75",WH	White, nylon cloth label, 1.00" x 0.75".	M	1000	\$	88.99
07498396454	<b>N100X075CBC</b>	P1 Cass,CompLbl,1"Wx.75"L,WH,EA	White, perforated vinyl cloth label for 12 — 10 AWG wires, 125/cassette, 1.00" x 0.75".	PC	1	\$	56.43
07498356985	<b>N100X075CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl,1"x.75",WH	The N100X075CBT Thermal Transfer Non-Laminated Label is constructed of a thin and conformable materia	M	1000	\$	84.75
07498356967	<b>N100X075FJJ</b>	NetworkLabel,Adh.,1"Wx.75"H,WH,PK5000	Non-laminated polyolefin label, 1.0" W x 0.75" H, 12-10 AWG, adhesive polyolefin, white, 7 labels/row, 77 lab	M	1000	\$	92.48
07498335244	<b>N100X125CBC</b>	P1 Cass,CompLbl,1"Wx1.25"H,WH,EA	White, perforated vinyl cloth label for 10 — 6 AWG wires, 125/cassette.	PC	1	\$	32.15
07498357022	<b>N100X125CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl,1"x1.25",WH	White, vinyl cloth label	M	1000	\$	119.89
07498333096	<b>N100X150C1T</b>	TT,Non-Lam Nyl Cloth Lbl,1"x1.5",WH	White, nylon cloth label, 1.00" x 1.5".	M	1000	\$	138.49
07498357024	<b>N100X150CBT</b>	TT,Adh Non-Lam Vyl Clth Lbl,1"x1.5",WH	White, vinyl cloth label, 1.00" x 1.5".	M	1000	\$	131.89
07498345019	<b>N100X150FJJ</b>	NetworkLabel,Adh.,1"Wx1.5"H,WH,PK2500	Non-laminated polyolefin label, 1.0" W x 1.50" H, 8-2 AWG, adhesive polyolefin, white, 7 labels/row, 42 labels	M	1000	\$	189.24
07498357030	<b>N100X175CBT</b>	TT,Non-lam,Label,VylCloth,WH,PK2500	The N100X175CBT Thermal Transfer Non-Laminated Label is constructed of a thin and conformable materia	M	1000	\$	158.88
07498323143	<b>NC.5WH6</b>	Hal-Free Duct Cover, .5 x6",WH,6ft	Type NC halogen-free wiring duct cover, .5 W x 6" length, halogen-free, white.	FT	1	\$	3.24
07498323147	<b>NC1.5WH6</b>	Hal-Free Duct Cover, 1.5 x6",WH,6ft	The NC1.5WH6 Halogen-Free Wiring Duct Cover features a non-slip liner to prevent cover slide. Designed w	FT	1	\$	5.14
07498323149	<b>NC1WH6</b>	Hal-Free Cover 1 x 6", WH, 6ft	The NC1.5WH6 Halogen-Free Wiring Duct Cover features a non-slip liner to prevent cover slide. Designed w	FT	1	\$	4.20
07498365215	<b>NC25LG2</b>	Repl MTC HalFree DCT CVR,25mmx2M,LG,2MT	The NC25LG2 Halogen-Free Wiring Duct Cover features a non-slip liner to prevent cover slide. Designed wit	MR	1	\$	12.36
07498323153	<b>NC2WH6</b>	Hal-Free Cover 2 x 6", WH, 6ft	The NC2WH6 Halogen-Free PPO Wiring Duct Cover features a non-slip, liner to prevent cover slide. The co	FT	1	\$	5.73
07498323155	<b>NC3WH6</b>	Hal-Free Duct Cover, 3 Wx6",WH,EA	Type NC halogen-free wiring duct cover, 3 W x 6" length, halogen-free, white.	FT	1	\$	7.41
07498323157	<b>NC4WH6</b>	Hal-Free Duct Cover, 4 Wx6",WH,EA	Type NC halogen-free wiring duct cover, 4 W x 6" length, halogen-free, white.	FT	1	\$	9.13
07498321450	<b>NE.5X.5WH6</b>	Slot Hal-Free Duct,5X.5X6",WH,6ft	Panduct® type NE halogen-free wiring duct, .5 W x .5 H, 6" length, halogen-free, white.	FT	1	\$	6.89
07498321458	<b>NE.5X1WH6</b>	Slot Hal-Free Duct,5X1X6",WH,6ft	Panduct® type NE halogen-free wiring duct, .5 W x 1 H, 6" length, halogen-free, white.	FT	1	\$	7.26
07498321468	<b>NE1.5X1.5WH6</b>	Slot Hal-Free Duct,1.5X1.5X6",WH,6ft	The NE1.5X1.5WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wid	FT	1	\$	13.18
07498321472	<b>NE1.5X2WH6</b>	Slot Hal-Free Duct,1.5X2X6",WH,6ft	The NE1.5X2WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide	FT	1	\$	16.83
07498321474	<b>NE1.5X3WH6</b>	Slot Hal-Free Duct,1.5X3X6",WH,6ft	Panduct® type NE halogen-free wiring duct, 1.5 W x 3 H, 6" length, halogen-free, white.	FT	1	\$	21.53
07498321476	<b>NE1.5X4WH6</b>	Slot Hal-Free Duct,1.5X4X6",WH,6ft	The NE1.5X4WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide	FT	1	\$	28.19
07498321478	<b>NE1X1.5WH6</b>	Slot Hal-Free Duct,1X1.5X6",WH,6ft	The NE1X1.5WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide	FT	1	\$	9.20
07498321480	<b>NE1X1WH6</b>	Slot Hal-Free Duct,1X1X6",WH,6ft	The NE1X1WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide r	FT	1	\$	7.26
07498321482	<b>NE1X2WH6</b>	Slot Hal-Free Duct,1X2X6",WH,6ft	The NE1X2WH6 Halogen-Free Wide Slot Wiring Duct de.sign provides greater rigidity and allows for a wide r	FT	1	\$	11.55
07498321484	<b>NE1X3WH6</b>	Slot Hal-Free Duct,1X3X6",WH,6ft	The NE1X3WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide r	FT	1	\$	19.38
07498321486	<b>NE1X4WH6</b>	Slot Hal-Free Duct,1X4X6",WH,6ft	The NE1X4WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide r	FT	1	\$	23.55
07498321490	<b>NE2X1WH6</b>	Slot Hal-Free Duct,2X1X6",WH,6ft	The NE2X1WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide r	FT	1	\$	10.31
07498321492	<b>NE2X2WH6</b>	Slot Hal-Free Duct,2X2X6",WH,6ft	The NE2X2WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide r	FT	1	\$	17.20
07498321437	<b>NE2X2WH6-A</b>	Slot Hal-Free Duct,ADH,2X2X6",WH,6ft	The NE2X2WH6-A Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide	FT	1	\$	20.59
07498321494	<b>NE2X3WH6</b>	Slot Hal-Free Duct,2X3X6",WH,6ft	The NE2X3WH6 Panduct NE Halogen-Free Slotted Wiring Duct has a nominal duct size designed to optimize	FT	1	\$	24.61
07498321496	<b>NE2X4WH6</b>	Slot Hal-Free Duct,2X4X6",WH,6ft	The NE2X4WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide r	FT	1	\$	30.98
07498321500	<b>NE3X1WH6</b>	Slot Hal-Free Duct,3X1X6",WH,6ft	Panduct® type NE halogen-free wiring duct, 3 W x 1 H, 6" length, halogen-free, white.	FT	1	\$	14.43
07498321502	<b>NE3X2WH6</b>	Slot Hal-Free Duct,3X2X6",WH,6ft	Panduct® type NE halogen-free wiring duct, 3 W x 2 H, 6" length, halogen-free, white.	FT	1	\$	24.01
07498321504	<b>NE3X3WH6</b>	Slot Hal-Free Duct,3X3X6",WH,6ft	Panduct® type NE halogen-free wiring duct, 3 W x 3 H, 6" length, halogen-free, white.	FT	1	\$	28.35
07498321506	<b>NE3X4WH6</b>	Slot Hal-Free Duct,3X4X6",WH,6ft	The NE3X4WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide r	FT	1	\$	36.24
07498321508	<b>NE3X5WH6</b>	Slot Hal-Free Duct,3X5X6",WH,6ft	The NE3X5WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide r	FT	1	\$	45.99
07498321512	<b>NE4X2WH6</b>	Slot Hal-Free Duct,4X2X6",WH,6ft	Panduct® type NE halogen-free wiring duct, 4 W x 2 H, 6" length, halogen-free, white.	FT	1	\$	27.79
07498321514	<b>NE4X3WH6</b>	Slot Hal-Free Duct,4X3X6",WH,6ft	The NE4X3WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide r	FT	1	\$	34.05
07498321516	<b>NE4X4WH6</b>	Slot Hal-Free Duct,4X4X6",WH,6ft	The NE4X4WH6 Halogen-Free Wide Slot Wiring Duct design provides greater rigidity and allows for a wide r	FT	1	\$	40.88
07498321447	<b>NE4X4WH6-A</b>	Slot Hal-Free Duct,ADH,4X4X6",WH,6ft	Panduct® type NE halogen-free wiring duct, 4 W x 4 H, 6" length, halogen-free, adhesive, white.	FT	1	\$	47.01
07498321518	<b>NE4X5WH6</b>	Slot Hal-Free Duct,4X5X6",WH,6ft	Panduct® type NE halogen-free wiring duct, 4 W x 5 H, 6" length, halogen-free, white.	FT	1	\$	47.10
07498365117	<b>NNC100X100LG2</b>	Slot HalFree MDCT,100mmx100mmx2M,LG,2Mtr	Panduct® type NNC halogen-free metric wiring duct, 100mm W x 97.8mm H x 2M length, halogen-free, light	MR	1	\$	140.89

07498365105	<b>NNC100X100WH2</b>	Slot HalFree MDCT,100mmx100mmx2M,WH,2Mtr	The NNC100X100WH2 Halogen-Free Wide Slot Wiring Duct is used to route, protect, and manage wires near	MR	1	\$	147.93
07498398559	<b>NNC100X50LG2</b>	Slot HalFree MDCT,100mmx50mmx2M,LG,2Mtr	Product@ type NNC halogen-free metric wiring duct, 100mm W x 47.8mm H x 2M length, halogen-free, light	MR	1	\$	103.63
07498365116	<b>NNC100X75LG2</b>	Slot HalFree MDCT,100mmx75mmx2M,LG,2Mtr	Product@ type NNC halogen-free metric wiring duct, 100mm W x 72.4mm H x 2M length, halogen-free, light	MR	1	\$	127.15
07498365106	<b>NNC25X25LG2</b>	Slot HalFree MDCT,25mmx25mmx2M,LG,2Mtr	Product@ type NNC halogen-free metric wiring duct, 25mm W x 25mm H x 2M length, halogen-free, light gra	MR	1	\$	33.75
07498365100	<b>NNC25X25WH2</b>	Slot HalFree MDCT,25mmx25mmx2M,WH,2Mtr	Product@ type NNC halogen-free metric wiring duct, 25mm W x 25mm H x 2M length, halogen-free, white.	MR	1	\$	33.75
07498365107	<b>NNC25X37LG2</b>	Slot HalFree MDCT,25mmx37mmx2M,LG,2Mtr	Product@ type NNC halogen-free metric wiring duct, 25mm W x 37mm H x 2M length, halogen-free, light gra	MR	1	\$	38.63
07498398530	<b>NNC25X50LG2</b>	Slot HalFree MDCT,25mmx50mmx2M,LG,2Mtr	Product@ type NNC halogen-free metric wiring duct, 25mm W x 50mm H x 2M length, halogen-free, light gra	MR	1	\$	43.99
07498344280	<b>NNC25X50WH2</b>	Slot HalFree MDCT,25mmx50mmx2M,WH,2Mtr	Product@ type NNC halogen-free metric wiring duct, 25mm W x 50mm H x 2M length, halogen-free, white.	MR	1	\$	46.18
07498365108	<b>NNC25X75LG2</b>	Slot HalFree MDCT,25mmx75mmx2M,LG,2Mtr	Product@ type NNC halogen-free metric wiring duct, 25mm W x 75mm H x 2M length, halogen-free, light gra	MR	1	\$	66.28
07498365102	<b>NNC25X75WH2</b>	Slot HalFree MDCT,25mmx75mmx2M,WH,2Mtr	The NNC25X75WH2 Halogen-Free Wide Slot Wiring Duct is used to route, protect, and manage wires near s	MR	1	\$	69.60
07498398531	<b>NNC37X37LG2</b>	Slot HalFree MDCT,37mmx37mmx2M,LG,2Mtr	Product@ type NNC halogen-free metric wiring duct, 37mm W x 37mm H x 2M length, halogen-free, light gra	MR	1	\$	50.73
07498344277	<b>NNC37X37WH2</b>	Slot HalFree MDCT,37mmx37mmx2M,WH,2Mtr	The NNC37X37WH2 Halogen-Free Wide Slot Wiring Duct is used to route, protect, and manage wires near s	MR	1	\$	50.73
07498398532	<b>NNC37X50LG2</b>	Slot HalFree MDCT,37mmx50mmx2M,LG,2Mtr	Product@ type NNC halogen-free metric wiring duct, 37mm W x 50mm H x 2M length, halogen-free, light gra	MR	1	\$	60.91
07498344278	<b>NNC37X50WH2</b>	Slot HalFree MDCT,37mmx50mmx2M,WH,2Mtr	Product@ type NNC halogen-free metric wiring duct, 37mm W x 50mm H x 2M length, halogen-free, white.	MR	1	\$	63.96
07498398533	<b>NNC37X75LG2</b>	Slot HalFree MDCT,37mmx75mmx2M,LG,2Mtr	Product@ type NNC halogen-free metric wiring duct, 37mm W x 75mm H x 2M length, halogen-free, light gra	MR	1	\$	73.94
07498344279	<b>NNC37X75WH2</b>	Slot HalFree MDCT,37mmx75mmx2M,WH,2Mtr	Product@ type NNC halogen-free metric wiring duct, 37mm W x 75mm H x 2M length, halogen-free, white.	MR	1	\$	77.64
07498365109	<b>NNC50X100LG2</b>	Slot HalFree MDCT,50mmx100mmx2M,LG,2Mtr	Product@ type NNC halogen-free metric wiring duct, 50mm W x 100mm H x 2M length, halogen-free, light gra	MR	1	\$	102.91
07498365103	<b>NNC50X100WH2</b>	Slot HalFree MDCT,50mmx100mmx2M,WH,2Mtr	Product@ type NNC halogen-free metric wiring duct, 50mm W x 100mm H x 2M length, halogen-free, white.	MR	1	\$	102.91
07498398534	<b>NNC50X50LG2</b>	Slot HalFree MDCT,50mmx50mmx2M,LG,2Mtr	The NNC50X50LG2 Halogen-Free Wide Slot Wiring Duct is used to route, protect, and manage wires near s	MR	1	\$	63.50
07498344281	<b>NNC50X50WH2</b>	Slot HalFree MDCT,50mmx50mmx2M,WH,2Mtr	Product@ type NNC halogen-free metric wiring duct, 50mm W x 50mm H x 2M length, halogen-free, white.	MR	1	\$	66.68
07498398535	<b>NNC50X75LG2</b>	Slot HalFree MDCT,50mmx75mmx2M,LG,2Mtr	The NNC50X75LG2 Halogen-Free Wide Slot Wiring Duct is used to route, protect, and manage wires near s	MR	1	\$	84.04
07498344282	<b>NNC50X75WH2</b>	Slot HalFree MDCT,50mmx75mmx2M,WH,2Mtr	The NNC50X75WH2 Halogen-Free Wide Slot Wiring Duct is used to route, protect, and manage wires near s	MR	1	\$	84.04
07498342205	<b>NNC75DW2H2</b>	HalFree MTC DividerWall,75mmx2M,WH,2Mtr	Product@ type NNC divider wall, 3.00" (75mm) nominal duct height, 2M length, halogen-free, white.	MR	1	\$	29.06
07498398541	<b>NNC75X75LG2</b>	Slot HalFree MDCT,75mmx75mmx2M,LG,2Mtr	Product@ type NNC halogen-free metric wiring duct, 75mm W x 75mm H x 2M length, halogen-free, light gra	MR	1	\$	99.23
07498344283	<b>NNC75X75WH2</b>	Slot HalFree MDCT,75mmx75mmx2M,WH,2Mtr	The NNC75X75WH2 Halogen-Free Wide Slot Wiring Duct is used to route, protect, and manage wires near s	MR	1	\$	99.23
07498325220	<b>NR1-C</b>	Duct Nylon Push Rivet, 100pcs	The NR1-C Nylon rivet is for use with TNR rivet tool. Mean pull-off force: PVC 90 lbs;Type NE/Type NNC 70 l	C	100	\$	21.00
07498325221	<b>NR1-M</b>	Duct Nylon Push Rivet, 1000pcs	The NR1-M Nylon rivet is for use with TNR rivet tool. Mean pull-off force: PVC 90 lbs;Type NE/Type NNC 70 l	M	1000	\$	184.33
07498345850	<b>NWSLC-2Y</b>	Identification Sleeve,1.00",YL,PK100	The NWSLC-2Y Identification Sleeve provides a larger labeling surface on small cables allowing legends to b	M	1000	\$	111.14
07498340221	<b>NWSLC-2Y-AQ</b>	AQ Sleeve for 2mm Simplex CBL,1",100PK	The cable identification sleeve in aqua is for 2mm simplex cable with labels S100X150YAJ (laser/inkjet), S10	M	1000	\$	111.14
07498345881	<b>NWSLC-3Y</b>	OR Sleeve for 3mm Simplex CBL,1",100PK	The NWSLC-3Y Identification Sleeve provides a larger labeling surface on small cables allowing legends to b	M	1000	\$	111.14
07498345882	<b>NWSLC-7Y</b>	WH ID Slv,3mm Dup Fiber Cable,1",100PK	The NWSLC-7Y Identification Sleeve provides a larger labeling surface on small cables allowing legends to b	M	1000	\$	180.89
07498344877	<b>NWSLC2-2Y</b>	YL Sleeve for 2mm Simplex CBL,2",100PK	The cable identification sleeve in yellow is for 2mm simplex cable with labels S200X150YAJ (laser/inkjet), S10	M	1000	\$	233.15
07498344889	<b>NWSLC2-2Y-AQ</b>	AQ Sleeve for 2mm Simplex CBL,2",100PK	The cable identification sleeve in aqua is for 2mm simplex cable with labels S200X150YAJ (laser/inkjet) and S	M	1000	\$	233.15
07498344879	<b>NWSLC2-3Y</b>	OR Sleeve for 2mm Simplex CBL,2",100PK	The cable identification sleeve in orange is for 2mm simplex cable with labels S200X150YAJ (laser/inkjet) and S	M	1000	\$	233.15
07498344887	<b>NWSLC2-7Y</b>	WH Sleeve for 2mm Simplex CBL,2",100PK	The NWSLC2-7Y Identification Sleeve provides a larger labeling surface on small cables allowing legends to	M	1000	\$	379.86
07498333060	<b>OMTM-S25-C0</b>	MultGangCbleTieMnt,1inoffset,BL,PK100	The multiple gang cable tie mount in black is used to fasten wires and cables at one inch above a mounting s	C	1000	\$	279.31
07498380521	<b>P10-10F-D</b>	Fork Non-Insul,12-10AWG,#10,PK500	Fork Terminal, non-insulated, 12- 10 AWG, #10 stud size, bulk package.	M	1000	\$	298.80
07498380520	<b>P10-10F-L</b>	Fork,Non-Insul,12-10AWG,#10,PK50	Fork Terminal, non-insulated, 12- 10 AWG, #10 stud size, standard package.	C	100	\$	67.08
07498380707	<b>P10-10FF-D</b>	Fork Flange,Non-Insul,12-10AWG,#10,PK500	Flanged Fork Terminal, 12- 10 AWG, #10 stud size, non-insulated, bulk package.	M	1000	\$	374.90
07498380917	<b>P10-10LF-D</b>	Fork,Locking,Non-Ins,12-10AWG,#10,PK500	Locking Fork Terminal, non-insulated, 14- 10 AWG, #10 stud size, bulk package.	M	1000	\$	369.30
07498380233	<b>P10-10R-D</b>	Ring,Non-Insul,12-10AWG,#10 STUD,PK500	The P10-10R-D Pan-Term@ Terminal is a non-insulated, ring terminal. Brazed seam protects terminal barrel	M	1000	\$	290.38
07498380232	<b>P10-10R-L</b>	Ring,Non-Insul,12-10AWG,#10 STUD,PK50	The P10-10R-L Pan-Term@ Terminal is a non-insulated, ring terminal. Brazed seam protects terminal barrel f	C	100	\$	67.08
07498380553	<b>P10-10RHT6-D</b>	Ring, HiTemp,Non-Ins,12-10AWG,#10,PK500	High Temperature Ring Terminal, 12 - 10 AWG, #10 stud size, non-insulated, bulk package.	M	1000	\$	469.09
07498380543	<b>P10-10RHT6-L</b>	Ring, HiTemp,Non-Ins,12-10AWG,#10,PK50	The P10-10RHT6-L Pan-Term@ Terminal is a non-insulated, nickel-plated, ring terminal for high temperature	C	100	\$	93.44
07498391287	<b>P10-12R-L</b>	Ring,Non-Insul,12-10AWG,1/2IN STUD,PK500	Ring Terminal, 14 - 10 AWG, 1/2" stud size, non-insulated.	C	100	\$	117.18
07498380235	<b>P10-14R-D</b>	Ring,Non-Insul,12-10AWG,1/4IN STUD,PK500	The P10-14R-D Pan-Term@ Terminal is a non-insulated, ring terminal. Brazed seam protects terminal barrel	M	1000	\$	316.33
07498380234	<b>P10-14R-L</b>	Ring,Non-Insul,12-10AWG,1/4IN STUD,PK50	The P10-14R-L Pan-Term@ Terminal is a non-insulated, ring terminal. Brazed seam protects terminal barrel f	C	100	\$	79.23
07498380554	<b>P10-14RHT6-D</b>	Ring,HiTemp,NonIns,12-10AWG,1/4IN,PK500	High Temperature Ring Terminal, 12 - 10 AWG, 1/4" stud size, non-insulated, bulk package.	M	1000	\$	565.86
07498380544	<b>P10-14RHT6-L</b>	Ring,HiTemp,Non-Ins,12-10AWG,1/4IN,PK50	High Temperature Ring Terminal, 12 - 10 AWG, 1/4" stud size, non-insulated, standard package.	C	100	\$	97.18
07498380239	<b>P10-38R-D</b>	Ring,Non-Insul,12-10AWG,3/8IN STUD,PK500	Ring Terminal, 14 - 10 AWG, 3/8" stud size, non-insulated, bulk package.	M	1000	\$	361.76
07498380238	<b>P10-38R-L</b>	Ring,Non-Insul,12-10AWG,3/8IN STUD,PK50	Ring Terminal, 14 - 10 AWG, 3/8" stud size, non-insulated, standard package.	C	100	\$	79.23
07498380236	<b>P10-56R-D</b>	Ring,Non-Ins,12-10AWG,5/16IN STUD,PK500	Ring Terminal, 12 - 10 AWG, 5/16" stud size, non-insulated, bulk package.	M	1000	\$	379.84
07498380237	<b>P10-56R-L</b>	Ring,Non-Ins,12-10AWG,5/16IN STUD,PK50	Ring Terminal, 12 - 10 AWG, 5/16" stud size, non-insulated, standard package.	C	100	\$	83.16
07498380516	<b>P10-6F-L</b>	Fork,Non-Insul,12-10AWG,#6 STUD,PK50	Fork Terminal, non-insulated, 12- 10 AWG, #6 stud size, standard package.	C	100	\$	65.15
07498380229	<b>P10-6R-D</b>	Ring,Non-Insul,12-10AWG,#6 STUD,PK500	Ring Terminal, 14 - 10 AWG, #6 stud size, non-insulated, bulk package.	M	1000	\$	298.80
07498380228	<b>P10-6R-L</b>	Ring,Non-Insul,12-10AWG,#6 STUD,PK50	Ring Terminal, 12 - 10 AWG, #6 stud size, non-insulated, standard package.	C	100	\$	68.99
07498380541	<b>P10-6RHT6-L</b>	Ring,HiTemp,Non-Ins,12-10AWG,#6,PK50	High Temperature Ring Terminal, 12 - 10 AWG, #6 stud size, non-insulated, standard package.	C	100	\$	93.44
07498380519	<b>P10-8F-D</b>	Fork,Non-Insul,12-10AWG,#8,PK500	Fork Terminal, non-insulated, 12- 10 AWG, #8 stud size, bulk package.	M	1000	\$	326.06
07498380518	<b>P10-8F-L</b>	Fork,Non-Insul,12-10AWG,#8,PK50	Fork Terminal, non-insulated, 12- 10 AWG, #8 stud size, standard package.	C	100	\$	67.05
07498380915	<b>P10-8LF-D</b>	Fork,Locking,non-ins,12-10AWG,#8,PK500	Locking Fork Terminal, non-insulated, 14- 10 AWG, #8 stud size, bulk package.	M	1000	\$	348.49
07498380914	<b>P10-8LF-L</b>	Fork,Locking,non-ins,12-10AWG,#8,PK50	Locking Fork Terminal, non-insulated, 14- 10 AWG, #8 stud size, standard package.	C	100	\$	80.81
07498380231	<b>P10-8R-D</b>	Ring,Non-Insul,12-10AWG,#8 STUD,PK500	Ring Terminal, 14 - 10 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	279.23
07498380230	<b>P10-8R-L</b>	Ring,Non-Insul,12-10AWG,#8 STUD,PK50	Ring Terminal, 14 - 10 AWG, #8 stud size, non-insulated, standard package.	C	100	\$	63.86
07498380552	<b>P10-8RHT6-D</b>	Ring,HiTemp,Non-Insul,12-10AWG,#8,PK500	High Temperature Ring Terminal, 12 - 10 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	487.75
07498380542	<b>P10-8RHT6-L</b>	Ring,HiTemp,Non-Ins,12-10AWG,#8,PK50	High Temperature Ring Terminal, 12 - 10 AWG, #8 stud size, non-insulated, standard package.	C	100	\$	93.44
07498381232	<b>P10-P55-D</b>	Pin,Non-Insul,12-10AWG,.55 pin len,PK500	Pin Terminal, 12 10 AWG, non-insulated, .55 pin length, bulk package.	M	1000	\$	578.51
07498380281	<b>P12-10HDR-D</b>	Ring,HD,non-insul,16-12AWG,#10,PK500	Ring Terminal, 16-12 AWG, #10 stud size, heavy duty, non-insulated, bulk package.	M	1000	\$	477.48
07498380280	<b>P12-10HDR-L</b>	Ring,HD,non-insul,16-12AWG,#10,PK50	Ring Terminal 16-12 AWG, #10 stud size, heavy duty, non-insulated, standard package.	C	100	\$	89.48
07498380283	<b>P12-14HDR-D</b>	Ring,HD,non-insul,16-12AWG,1/4IN,PK500	Ring Terminal, 16-12 AWG, 1/4" stud size, heavy duty, non-insulated, bulk package.	M	1000	\$	536.20
07498380287	<b>P12-38HDR-D</b>	Ring,HD,non-insul,16-12AWG,3/8IN,PK500	Ring Terminal, 16-12 AWG, 3/8" stud size, heavy duty, non-insulated, bulk package.	M	1000	\$	552.06
07498380285	<b>P12-56HDR-D</b>	Ring,HD,non-insul,16-12AWG,5/16IN,PK500	Ring Terminal, 16-12 AWG, 5/16" stud size, heavy duty, non-insulated, bulk package.	M	1000	\$	536.20
07498380284	<b>P12-56HDR-L</b>	Ring,HD,non-insul,16-12AWG,5/16IN,PK50	Ring Terminal, 16-12 AWG, 5/16" stud size, heavy duty, non-insulated, standard package.	C	100	\$	101.39
07498380279	<b>P12-6HDR-D</b>	Ring,HD,non-insul,16-12AWG,#6 STUD,PK500	Ring Terminal, 16-12 AWG, #6 stud size, heavy duty, non-insulated, bulk package.	M	1000	\$	501.35
07498380279	<b>P12-8HDR-D</b>	Ring,HD,non-insul,16-12AWG,#8 STUD,PK500	Ring Terminal, 16-12 AWG, #8 stud size, heavy duty, non-insulated, bulk package.	M	1000	\$	501.35
07498362962	<b>P12P24</b>	BEAM CLAMP,1/8-1/4,PUSH,3/4 in,PK100	Beam clamp for 1/8" - 1/4" flange with 3/4" push fit conduit clip; 1/2" Rigid/IMC, static load capacity: 25 lbs. -	PC	1	\$	2.46
07498363853	<b>P12P24SM</b>	BEAM CLAMP,1/8-1/4,PUSH,3/4 in,SM,PK100	Beam clamp for 1/8" - 1/4" flange with 3/4" push fit conduit clip; 1/2" Rigid/IMC, static load capacity: 15 lbs. -	PC	1	\$	1.94
07498362994	<b>P12P58</b>	BEAM CLAMP,5/16-1/2,PUSH,3/4 in,PK100	Beam clamp for 5/16" - 1/2" flange with 3/4" push fit conduit clip, 1/2" Rigid/IMC, static load capacity: 25 lbs. -	PC	1	\$	2.68

07498380512	<b>P14-10F-C</b>	Fork,Non-Insul,16-14AWG,#10,PK100	Fork Terminal, non-insulated, 16- 14 AWG, #10 stud size, standard package.	C	100	\$	50.41
07498380513	<b>P14-10F-M</b>	Fork,Non-Insul,16-14AWG,#10,PK1000	Fork Terminal, non-insulated, 16- 14 AWG, #10 stud size, bulk package.	M	1000	\$	220.24
07498380911	<b>P14-10LF-M</b>	Fork,Lock,NonIns,18-14AWG,#10STUD,PK1000	Locking Fork Terminal, non-insulated, 18- 14 AWG, #10 stud size, bulk package.	M	1000	\$	244.34
07498380858	<b>P14-10LFN-C</b>	Fork,Lock,NonIns,18-14AWG,#10 NRW,PK100	Locking Fork Terminal, non-insulated, 18- 14 AWG, #10 stud size, narrow tongue, standard package.	C	100	\$	62.84
07498380220	<b>P14-10R-C</b>	Ring,Non-Insul,16-14AWG,#10 STUD,PK100	The P14-10R-C Pan-Term® Terminal is a non-insulated, ring terminal. Brazed seam protects terminal barrel	C	100	\$	47.99
07498380221	<b>P14-10R-M</b>	Ring, Non-Insul,16-14AWG,#10 STUD,PK1000	The P14-10R-M Pan-Term® Terminal is a non-insulated, ring terminal. Brazed seam protects terminal barrel	M	1000	\$	199.88
07498380540	<b>P14-10RHT6-C</b>	Ring,HiTemp,NonInsul,16-14AWG,#10,SP	High Temperature Ring Terminal, 16 – 14 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	61.79
07498380550	<b>P14-10RHT6-M</b>	Ring,HiTemp,NonInsul,16-14AWG,#10,SP	High Temperature Ring Terminal, 16 – 14 AWG, #10 stud size, non-insulated, bulk package.	M	1000	\$	311.33
07498391286	<b>P14-12R-L</b>	Ring,Non-Insul,16-14AWG,1/2IN STUD,PK100	Ring Terminal, 18 – 14 AWG, 1/2" stud size, non-insulated, 50 pc. package quantity.	C	100	\$	105.78
07498380222	<b>P14-14R-C</b>	Ring,Non-Ins,16-14AWG,1/4IN STUD,PK100	The P14-14R-C Pan-Term® Terminal is a non-insulated, ring terminal. Brazed seam protects terminal barrel	C	100	\$	68.64
07498380223	<b>P14-14R-M</b>	Ring,Non-Ins,16-14AWG,1/4IN STUD,PK1000	Ring Terminal, 18 – 14 AWG, 1/4" stud size, non-insulated, bulk package.	M	1000	\$	287.73
07498380226	<b>P14-38R-C</b>	Ring,Non-Ins,16-14AWG,3/8IN STUD,PK100	Ring Terminal, 18 – 14 AWG, 3/8" stud size, non-insulated, standard package.	C	100	\$	68.70
07498380227	<b>P14-38R-M</b>	Ring,Non-Ins,16-14AWG,3/8IN STUD,PK1000	Ring Terminal, 18 – 14 AWG, 3/8" stud size, non-insulated, bulk package.	M	1000	\$	345.86
07498380215	<b>P14-4R-M</b>	Ring,Non-Insul,16-14AWG,#4 STUD,PK1000	Ring Terminal, 18 – 14 AWG, #4 stud size, non-insulated, bulk package.	M	1000	\$	222.34
07498380224	<b>P14-56R-C</b>	Ring,Non-Ins,16-14AWG,5/16IN STUD,PK100	Ring Terminal, 18 – 14 AWG, 5/16" stud size, non-insulated, standard package.	C	100	\$	68.70
07498380225	<b>P14-56R-M</b>	Ring,Non-Ins,16-14AWG,5/16IN STUD,PK1000	Ring Terminal, 18 – 14 AWG, 5/16" stud size, non-insulated, bulk package.	M	1000	\$	329.39
07498380508	<b>P14-6F-C</b>	Fork,Non-Insul,16-14AWG,#6 STUD,PK100	Fork Terminal, non-insulated, 18- 14 AWG, #6 stud size, standard package.	C	100	\$	48.14
07498380509	<b>P14-6F-M</b>	Fork,Non-Insul,16-14AWG,#6 STUD,PK1000	Fork Terminal, non-insulated, 18- 14 AWG, #6 stud size, bulk package.	M	1000	\$	213.90
07498380702	<b>P14-6FF-C</b>	Fork,Flange,Non-Ins,16-14AWG,#6,PK100	Flanged Fork Terminal, 16- 14 AWG, #6 stud size, non-insulated, standard package.	C	100	\$	58.45
07498380861	<b>P14-6FN-M</b>	Fork,Non-Ins,16-14AWG,#6 STUD,NRW,PK1000	Fork Terminal, non-insulated, 18- 14 AWG, #6 stud size, narrow tongue, bulk package.	M	1000	\$	209.88
07498380906	<b>P14-6LF-C</b>	Fork,Lock,Non-Ins,16-14AWG,#6 STUD,PK100	Locking Fork Terminal, non-insulated, 18- 14 AWG, #6 stud size, standard package.	C	100	\$	62.85
07498380907	<b>P14-6LF-M</b>	Fork,Lock,NonIns,16-14AWG,#6 STUD,PK1000	Locking Fork Terminal, non-insulated, 18- 14 AWG, #6 stud size, bulk package.	M	1000	\$	241.93
07498380216	<b>P14-6R-C</b>	Ring,Non-Insul,16-14AWG,#6 STUD,PK100	Ring Terminal, 18 – 14 AWG, #6 stud size, non-insulated, standard package.	C	100	\$	48.14
07498380217	<b>P14-6R-M</b>	Ring,Non-Insul,16-14AWG,#6 STUD,PK1000	Ring Terminal, 18 – 14 AWG, #6 stud size, non-insulated, bulk package.	M	1000	\$	203.73
07498380538	<b>P14-6RHT6-C</b>	Ring,HiTemp,Non-Insul,16-14AWG,#6,PK100	High Temperature Ring Terminal, 16 – 14 AWG, #6 stud size, non-insulated, standard package.	C	100	\$	64.88
07498380548	<b>P14-6RHT6-M</b>	Ring,HiTemp,Non-Insul,16-14AWG,#6,PK1000	High Temperature Ring Terminal, 16 – 14 AWG, #6 stud size, non-insulated, bulk package.	M	1000	\$	326.89
07498380510	<b>P14-8F-C</b>	Fork,Non-Insul,16-14AWG,#8,PK100	Fork Terminal, non-insulated, 18- 14 AWG, #8 stud size, standard package.	C	100	\$	50.41
07498380511	<b>P14-8F-M</b>	Fork,Non-Insul,16-14AWG,#8,PK1000	Fork Terminal, non-insulated, 18- 14 AWG, #8 stud size, bulk package.	M	1000	\$	203.73
07498380704	<b>P14-8FF-C</b>	Fork,Flange,Non-Ins,16-14AWG,#8,PK100	Flanged Fork Terminal, 16- 14 AWG, #8 stud size, non-insulated, standard package.	C	100	\$	58.45
07498380705	<b>P14-8FF-M</b>	Fork,Flange,Non-Ins,16-14AWG,#8,PK1000	Flanged Fork Terminal, 16- 14 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	252.84
07498380909	<b>P14-8LF-M</b>	Fork,Lock,NonIns,16-14AWG,#8 STUD,PK1000	Locking Fork Terminal, non-insulated, 18- 14 AWG, #8 stud size, bulk package.	M	1000	\$	251.40
07498380218	<b>P14-8R-C</b>	Ring,Non-Insul,16-14AWG,#8 STUD,PK100	Ring Terminal, 18 – 14 AWG, #8 stud size, non-insulated, standard package.	C	100	\$	47.99
07498380219	<b>P14-8R-M</b>	Ring,Non-Insul,16-14AWG,#8 STUD,PK1000	Ring Terminal, 18 – 14 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	203.73
07498380539	<b>P14-8RHT6-C</b>	Ring,HiTemp,Non-Insul,16-14AWG,#8,PK100	High Temperature Ring Terminal, 16 – 14 AWG, #8 stud size, non-insulated, standard package.	C	100	\$	64.88
07498380549	<b>P14-8RHT6-M</b>	Ring,HiTemp,Non-Insul,16-14AWG,#8,PK1000	High Temperature Ring Terminal, 16 – 14 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	326.89
07498381229	<b>P14-P47-C</b>	Pin,Non-Ins,16-14AWG,.49 PIN LGTH,PK100	Pin Terminal, 16 14 AWG, non-insulated, .49 pin length, standard package.	C	100	\$	75.75
07498381230	<b>P14-P47-M</b>	Pin,Non-Ins,16-14AWG,.49 PIN LGTH,PK1000	Pin Terminal, 16 14 AWG, non-insulated, .49 pin length, bulk package.	M	1000	\$	347.50
07498362963	<b>P16M24</b>	BEAM CLAMP,SNAP CLOSE,1 in,PK100	Beam clamp for 1/8" - 1/4" flange with 1" snap closed conduit clip, bottom mount, static load capacity: 75 lbs.	PC	1	\$	2.84
07498363854	<b>P16M24SM</b>	BEAM CLAMP,SNAP CLOSE,SD MNT,1 in,PK100	Beam clamp for 1/8" - 1/4" flange with 1" snap closed conduit clip, side mount, static load capacity: 25 lbs. vert	PC	1	\$	2.30
07498363036	<b>P16M912</b>	BEAM CLAMP,9/16-3/4in,SNP CLS,1 in,PK100	Beam clamp for 9/16" - 3/4" flange with 1" snap closed conduit clip, bottom mount, static load capacity: 75 lbs	PC	1	\$	3.39
07498363937	<b>P16M912SM</b>	BeamClmp,9/16-3/4in,SnP,SDMNT,1,"PK100	Beam clamp for 9/16" - 3/4" flange with 1" snap close conduit clip, side mount, static load capacity: 25 lbs. ve	PC	1	\$	3.20
07498363144	<b>P16MB18A</b>	BOX/CONDUIT HANGER,1 in,CNDT,NO-THD,PK25	Box support assembly for 1 EMT/Rigid/IMC conduit with plain 1/4 mounting hole.	PC	1	\$	6.68
07498380504	<b>P18-10F-C</b>	Fork,Non-Insul,22-16AWG,#10 STUD,PK100	Fork Terminal, non-insulated, 22- 16 AWG, #10 stud size, standard package.	C	100	\$	50.41
07498380854	<b>P18-10FN-C</b>	Fork,Non-Insul,22-16AWG,#10,NRW,PK100	Fork Terminal, non-insulated, 22- 16 AWG, #10 stud size, narrow tongue.	C	100	\$	50.06
07498380206	<b>P18-10R-C</b>	Ring,Non-Insul,22-16AWG,#10 STUD,PK100	Ring Terminal, 22 – 16 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	48.14
07498380207	<b>P18-10R-M</b>	Ring,Non-Insul,22-16AWG,#10 STUD,PK1000	The P18-10R-M Pan-Term® Terminal is a non-insulated, ring terminal. Brazed seam protects terminal barrel	M	1000	\$	203.73
07498380537	<b>P18-10RHT6-C</b>	Ring,HiTemp,Non-Insul,22-18AWG,#10,PK100	High Temperature Ring Terminal, 22 – 18 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	61.81
07498380547	<b>P18-10RHT6-M</b>	Ring,HiTemp,Non-Insul,22-18AWG,#10,PK1000	The P18-10RHT6-M Pan-Term® Terminal is a non-insulated, nickel-plated, ring terminal for high temperature	M	1000	\$	296.46
07498391285	<b>P18-12R-C</b>	Ring,Non-Ins,22-16AWG,1/2 IN STUD,PK100	Ring Terminal, 22 – 16 AWG, 1/2" stud size, non-insulated.	C	100	\$	105.78
07498380507	<b>P18-14F-M</b>	Fork,Non-Insul,22-16AWG,1/4 IN,PK1000	Fork Terminal, non-insulated, 22- 16 AWG, 1/4 stud size, bulk package.	M	1000	\$	296.20
07498380208	<b>P18-14R-C</b>	Ring,Non-Ins,22-16AWG,1/4 IN STUD,PK100	Ring Terminal, 22 – 16 AWG, 1/4" stud size, non-insulated, standard package.	C	100	\$	64.80
07498380209	<b>P18-14R-M</b>	Ring,Non-Ins,22-16AWG,1/4 IN STUD,PK1000	Ring Terminal, 22 – 16 AWG, 1/4" stud size, non-insulated, bulk package.	M	1000	\$	339.36
07498380212	<b>P18-38R-C</b>	Ring,Non-Ins,22-16AWG,3/8 IN STUD,PK100	Ring Terminal, 22 – 16 AWG, 3/8" stud size, non-insulated, standard package.	C	100	\$	49.01
07498380201	<b>P18-4R-M</b>	Ring,NonInsul,22-16AWG,#4 STUD,PK1000	Ring Terminal, 22 – 16 AWG, #4 stud size, non-insulated, bulk package.	M	1000	\$	197.91
07498380210	<b>P18-56R-C</b>	Ring,Non-Ins,22-16AWG,4/16 IN STUD,PK100	Ring Terminal, 22 – 16 AWG, 5/16" stud size, non-insulated, standard package.	C	100	\$	53.90
07498380500	<b>P18-6F-C</b>	Fork,Non-Insul,22-16AWG,#6 STUD,PK100	Fork Terminal, non-insulated, 22- 16 AWG, #6 stud size, standard package.	C	100	\$	48.14
07498380501	<b>P18-6F-M</b>	Fork,Non-Insul,22-16AWG,#6 STUD,PK1000	Fork Terminal, non-insulated, 22- 16 AWG, #6 stud size, bulk package.	M	1000	\$	201.76
07498380853	<b>P18-6FN-C</b>	Fork,Non-Insul,22-16AWG,#6,NRW,PK100	Fork Terminal, non-insulated, 22- 16 AWG, #6 stud size, narrow tongue, standard package.	C	100	\$	48.14
07498380959	<b>P18-6FN-M</b>	Fork,Non-Insul,22-16AWG,#6,NRW,PK1000	Fork Terminal, non-insulated, 22- 16 AWG, #6 stud size, narrow tongue, bulk package.	M	1000	\$	213.90
07498380901	<b>P18-6LF-M</b>	Fork,Locking,Non-Ins,22-16AWG,#6,PK1000	Locking Fork Terminal, non-insulated, 22- 16 AWG, #6 stud size, bulk package.	M	1000	\$	241.93
07498380202	<b>P18-6R-C</b>	Ring,Non-Insul,22-16AWG,#6 STUD,PK100	Ring Terminal, 22 – 16 AWG, #6 stud size, non-insulated, standard package.	C	100	\$	48.14
07498380203	<b>P18-6R-M</b>	Ring,NonInsul,22-16AWG,#6 STUD,PK1000	Ring Terminal, 22 – 16 AWG, #6 stud size, non-insulated, bulk package.	M	1000	\$	203.73
07498380545	<b>P18-6RHT6-M</b>	Ring,HiTemp,Non-Insul,22-18AWG,#6,PK100	High Temperature Ring Terminal, 22 – 18 AWG, #6 stud size, non-insulated, bulk package.	M	1000	\$	311.31
07498380199	<b>P18-6RN-M</b>	Ring,Non-Insul,22-16AWG,#6,NRW,PK1000	Ring Terminal, 22 – 16 AWG, #6 stud size, narrow tongue, non-insulated, bulk package.	M	1000	\$	207.81
07498380502	<b>P18-8F-C</b>	Fork,Non-Insul,22-16AWG,#8 STUD,PK100	Fork Terminal, non-insulated, 22- 16 AWG, #8 stud size, standard package.	C	100	\$	50.04
07498380700	<b>P18-8FF-C</b>	Fork,Flange,Non-Insul,22-16AWG,#8,PK100	Flanged Fork Terminal, 22- 16 AWG, #8 stud size, non-insulated, standard package.	C	100	\$	57.91
07498380903	<b>P18-8LF-M</b>	Fork,Locking,Non-Ins,22-16AWG,#8,PK1000	Locking Fork Terminal, non-insulated, 22- 16 AWG, #8 stud size, bulk package.	M	1000	\$	251.40
07498380204	<b>P18-8R-C</b>	Ring,Non-Insul,22-16AWG,#8 STUD,PK100	Ring Terminal, 22 – 16 AWG, #8 stud size, non-insulated, standard package.	C	100	\$	48.14
07498380205	<b>P18-8R-M</b>	Ring,Non-Insul,22-16AWG,#8 STUD,PK1000	Ring Terminal, 22 – 16 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	203.73
07498380536	<b>P18-8RHT6-C</b>	Ring,NonInsul,22-16AWG,#8 STUD,PK1000	High Temperature Ring Terminal, 22 – 18 AWG, #8 stud size, non-insulated, standard package.	C	100	\$	61.81
07498380546	<b>P18-8RHT6-M</b>	Ring,HiTemp,Non-Insul,22-18AWG,#8,PK100	High Temperature Ring Terminal, 22 – 18 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	311.31
07498381227	<b>P18-P47-C</b>	Pin,Non-Ins,22-18AWG,.49 PIN LGTH,PK100	Pin Terminal, 22 18 AWG, non-insulated, .49 pin length, standard package.	C	100	\$	73.84
07498381228	<b>P18-P47-M</b>	Pin,Non-Ins,22-18AWG,.49 PIN LGTH,PK1000	Pin Terminal, 22 18 AWG, non-insulated, .49 pin length, bulk package.	M	1000	\$	347.06
07498387050	<b>P2-10R-T</b>	Ring,Non-Ins,2 AWG,#10 STUD,PK200	Ring terminal, large wire, 2 AWG, #10 stud size, non-insulated, bulk package.	M	1000	\$	2,122.74
07498387054	<b>P2-12R-T</b>	Ring Term,Non-Insul,2AWG,1/2 IN,PK200	Ring terminal, large wire, 2 AWG, 1/2" stud size, non-insulated, bulk package.	M	1000	\$	2,444.86
07498387049	<b>P2-12R-X</b>	Ring Term,Non-Insul,2AWG,1/2 IN,PK10	Ring terminal, large wire, 2 AWG, 1/2" stud size, non-insulated, standard package.	C	100	\$	529.05
07498387051	<b>P2-14R-T</b>	Ring Term,Non-Insul,2AWG,1/4 IN,PK200	Ring terminal, large wire, 2 AWG, 1/4" stud size, non-insulated, bulk package.	M	1000	\$	2,183.36

07498387046	P2-14R-X	Ring Term,Non-Insul,2AWG,1/4 IN,PK10	Ring terminal, large wire, 2 AWG, 1/4" stud size, non-insulated, standard package.	C	100	\$	482.13
07498312809	P2-14RHT6-X	Ring,HiTemp,Non-Ins,2 AWG, 1/4 IN,PK10	High Temperature Ring Terminal, 2 AWG, 1/4" stud size, non-insulated.	C	100	\$	324.56
07498387053	P2-38R-T	Ring Term,Non-Insul,2AWG,3/8 IN,PK200	The P2-38R-T Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	M	1000	\$	2,183.36
07498387048	P2-38R-X	Ring Term,Non-Insul,2AWG,3/8 IN,PK10	Ring terminal, large wire, 2 AWG, 3/8" stud size, non-insulated, standard package.	C	100	\$	459.16
07498312810	P2-38RHT6-X	Ring,HiTemp,Non-Ins,2 AWG, 3/8 IN,PK10	High Temperature Ring Terminal, 2 AWG, 3/8" stud size, non-insulated.	C	100	\$	318.15
07498387052	P2-56R-T	Ring Term,Non-Insul,2AWG,5/16 IN,PK200	The P2-56R-T Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	M	1000	\$	2,183.36
07498387047	P2-56R-X	Ring Term,Non-Insul,2AWG,5/16 IN,PK10	Ring terminal, large wire, 2 AWG, 5/16" stud size, non-insulated, standard package.	C	100	\$	482.13
07498312811	P2-56RHT6-X	Ring,HiTemp,Non-Ins,2 AWG, 5/16 IN,PK10	High Temperature Ring Terminal, 2 AWG, 5/16" stud size, non-insulated.	C	100	\$	322.29
07498363856	P20M24SM	BEAM CLAMP, 1/8-1/4 in,SD MNT, 1.25,PK100	Beam clamp for 1/8"-1/4" flange, 1-1/4" snap closed conduit clip, side mount, static load capacity: 25 lbs. vert	PC	1	\$	2.84
07498389029	P22-10R-M	Ring,Non-Insul,26-22AWG,#10 STUD,PK1000	Ring Terminal, 26 - 22 AWG, #10 stud size, non-insulated, bulk package.	M	1000	\$	196.56
07498389021	P22-2R-M	Ring,Non-Insul,26-22AWG,#2 STUD,PK1000	Ring Terminal, 26 - 22 AWG, #2 stud size, non-insulated, bulk package.	M	1000	\$	196.56
07498389045	P22-4F-M	Fork,Non-Insul,26-22AWG,#4 STUD,PK1000	Fork Terminal, non-insulated, 26- 22 AWG, #4 stud size, bulk package.	M	1000	\$	196.56
07498389022	P22-4R-C	Ring,Non-Insul,26-22AWG,#4 STUD,PK1000	Ring Terminal, 26 - 22 AWG, #4 stud size, non-insulated, standard package.	C	100	\$	44.00
07498389023	P22-4R-M	Ring,Non-Insul,26-22AWG,#4 STUD,PK1000	Ring Terminal, 26 - 22 AWG, #4 stud size, non-insulated, bulk package.	M	1000	\$	196.56
07498389046	P22-6F-C	Fork,Non-Insul,26-22AWG,#6 STUD,PK1000	Fork Terminal, non-insulated, 26- 22 AWG, #6 stud size, standard package.	C	100	\$	44.00
07498389025	P22-6R-M	Ring,Non-Insul,26-22AWG,#6 STUD,PK1000	Ring Terminal, 26 - 22 AWG, #6 stud size, non-insulated, bulk package.	M	1000	\$	196.56
07498389027	P22-8R-M	Ring,Non-Insul,26-22AWG,#8 STUD,PK1000	Ring Terminal, 26 - 22 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	196.56
07498390080	P3000037EG	BEAM CLAMP, 3/4 in FLGE, 3/8-16 HOLE,PK25	Malleable iron beam clamp for 3/4" flange with 3/8-16 threaded hole.	PC	1	\$	6.36
07498372245	P304B2	PRESS-ON NAIL PLATE,PK100	Press-on nail plate for wood or metal studs.	PC	1	\$	0.85
07498362977	P32M24	BEAM CLAMP, 1/8-1/4 in,SNP CLS,2 in,PK100	Beam clamp for 1/8" - 1/4" flange with 2" snap closed conduit clip, static load capacity: 75 lbs. vertically.	PC	1	\$	4.01
07498363858	P32M24SM	BEAM CLAMP, 1/8-1/4 in,SD MNT,2 in,PK100	Beam clamp for 1/8" - 1/4" flange with 2" snap closed conduit clip, side mount, static load capacity: 25 lbs. ve	PC	1	\$	3.40
07498363007	P32M58	BEAM CLAMP, 5/16-1/2in,SNAP,2in,PK100	Beam clamp for 5/16" - 1/2" flange with 2" snap closed conduit clip, static load capacity: 75 lbs. vertically.	PC	1	\$	3.49
07498387055	P4-10R-E	Ring Term,Non-Insul,4AWG,#10 STUD,PK200	Ring terminal, large wire, 4 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	302.06
07498387060	P4-10R-T	Ring Term,Non-Insul,4AWG,#10 STUD,PK200	The P4-10R-T Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	M	1000	\$	1,677.64
07498387059	P4-12R-E	Ring,Non-Insul,4 AWG, 1/2 IN,PK200	Ring terminal, large wire, 4 AWG, 1/2" stud size, non-insulated, standard package.	C	100	\$	382.66
07498387064	P4-12R-T	Ring,Non-Insul,4 AWG, 1/2 IN,PK200	Ring terminal, large wire, 4 AWG, 1/2" stud size, non-insulated, bulk package.	M	1000	\$	2,025.60
07498387056	P4-14R-E	Ring Term,Non-Insul,4AWG,1/4 IN,PK200	Ring terminal, large wire, 4 AWG, 1/4" stud size, non-insulated, standard package.	C	100	\$	282.29
07498387061	P4-14R-T	Ring Term,Non-Insul,4AWG,1/4 IN,PK200	The P4-14R-T Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	M	1000	\$	1,574.14
07498313014	P4-14RHT6-E	Ring,HiTemp,Non-Ins,4 AWG, 1/4 IN,PK200	High Temperature Ring Terminal, 4 AWG, 1/4" stud size, non-insulated.	C	100	\$	237.48
07498387058	P4-38R-E	Ring Term,Non-Insul,4AWG,3/8 IN,PK200	Ring terminal, large wire, 4 AWG, 3/8" stud size, non-insulated, standard package.	C	100	\$	279.60
07498387063	P4-38R-T	Ring Term,Non-Insul,4AWG,3/8 IN,PK200	The P4-38R-T Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	M	1000	\$	1,604.39
07498313108	P4-38RHT6-E	Ring,HiTemp,Non-Ins,4 AWG, 3/8 IN,PK200	High Temperature Ring Terminal, 4 AWG, 3/8" stud size, non-insulated.	C	100	\$	242.44
07498387057	P4-56R-E	Ring,Non-Insul,4AWG,5/16 IN,PK200	Ring terminal, large wire, 4 AWG, 5/16" stud size, non-insulated, standard package.	C	100	\$	293.59
07498387062	P4-56R-T	Ring,Non-Insul,4AWG,5/16 IN,PK200	The P4-56R-T Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	M	1000	\$	1,604.39
07498363141	P449	FLEXIBLE CABLE CLIP,PUSH MOUNT,PK100	Flexible cable clip to attach MC or AC cable to metal stud, cable sizes 12-2, 12-3, 14-2, 14-3.	PC	1	\$	1.11
07498363843	P4G16	TWIST-ON T-BAR HANGER,PK100	Twist-on T-bar hanger with 1/4"-20 stud 5/8" long.	PC	1	\$	1.50
07498363846	P4H24	HAMMER-ON BEAM CLMP,TAB, 1/8-1/4 in,PK100	Beam clamp for 1/8" - 1/4" flange for wire, S-hook, strap, and chain	PC	1	\$	0.90
07498363860	P4H58	HAMMER-ON BEAM CLMP,TAB,5/16-1/2in,PK100	Beam clamp for 5/16" - 1/2" flange for wire, S-hook, strap, and chain, static load capacity: 200 lbs.	PC	1	\$	1.03
07498363410	P4TI24	BEAM CLAMP, 1/8-1/4,ROD HGR,1/4-20,PK100	Beam clamp for 1/8 - 1/4 flange with rod hanger for 1/4-20 threaded rod, static load capacity: 160 lbs.	PC	1	\$	1.93
07498363512	P4TIB	ROD HANGER,RT ANGLE,1/4-20 THD,PK100	Rod hanger for 1/4-20 threaded rod with angle bracket.	PC	1	\$	1.53
07498362938	P4Z34	MultiFunctionClip,#12Wire-3/8"Rod, PK100	Multi-function clip for drop wire or 1/8" - 3/8" flange, attaches to #12 wire through 3/8" rod, no static load rating	PC	1	\$	0.65
61305618882	P510HD	MTCLIP,HEAVYDUTY,T-GRID,PK100	StrongHold P510HD Mounting Clips for Heavy Duty T-Grid Box Hanger. For use in acoustic, ceiling and partit	PK	1	\$	1.19
07498364000	P512	BOX TO T-BAR FSTNR,FLUSH-OFFSET MNT,PK50	StrongHold P512 Box-to-T-bar fasteners with box mounting clip for flush or 3/4" offset mount. For use in acous	PC	1	\$	11.49
07498364128	P512A	BOX TO T-BAR FASTENER,UP TO 8in ADJ,PK50	StrongHold P512A Adjustable Box-to-T-bar fasteners accomedates 24" T-Bar span, and is adjustable up to 8	PC	1	\$	18.56
61305616881	P512HD	T-GRID BOX,ASSEMBLY,HANGER,PK25	StrongHold P512HD Heavy Duty T-Grid Box Hanger and Fastener for 24" span. For use in acoustic, ceiling a	PK	1	\$	9.85
07498364125	P512HDK	ADJUSTABLE BOX BAR HANGER,PK50	Adjustable box bar hanger - installs in 1/2 knockouts in bottom of box.	PC	1	\$	9.53
07498363276	P515A	T-BAR CLIP for TROFFERS,PK100	T-bar clip for round or rectangular head T-bar.	PC	1	\$	0.75
07498387066	P6-10R-E	Ring,Non-Insul,6AWG,#10 STUD,PK200	Ring terminal, large wire, 6 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	223.65
07498387072	P6-10R-T	Ring,Non-Insul,6AWG,#10 STUD,PK200	Ring terminal, large wire, 6 AWG, #10 stud size, non-insulated, bulk package.	M	1000	\$	1,104.33
07498313122	P6-10RHT6-E	Ring,HiTemp,Non-Ins,6 AWG,#10 STUD,PK200	High Temperature Ring Terminal, 6 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	162.76
07498387070	P6-12R-E	Ring,Non-Insul,6AWG,1/2IN STUD,PK200	Ring terminal, large wire, 6 AWG, 1/2" stud size, non-insulated, standard package.	C	100	\$	269.29
07498387076	P6-12R-T	Ring,Non-Insul,6AWG,1/2IN STUD,PK200	Ring terminal, large wire, 6 AWG, 1/2" stud size, non-insulated, bulk package.	M	1000	\$	1,733.46
07498387067	P6-14R-E	Ring,Non-Insul,6AWG,1/4IN STUD,PK200	The P6-14R-E Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	C	100	\$	225.79
07498387073	P6-14R-T	Ring,Non-Insul,6AWG,1/4IN STUD,PK200	The P6-14R-T Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	M	1000	\$	1,104.33
07498313125	P6-14RHT6-E	Ring,HiTemp,Non-Ins,6 AWG, 1/4 IN,PK200	High Temperature Ring Terminal, 6 AWG, 1/4" stud size, non-insulated.	C	100	\$	161.30
07498387069	P6-38R-E	Ring,Non-Insul,6AWG,3/8IN STUD,PK200	Ring terminal, large wire, 6 AWG, 3/8" stud size, non-insulated, standard package.	C	100	\$	223.65
07498387075	P6-38R-T	Ring,Non-Insul,6AWG,3/8IN STUD,PK200	Ring terminal, large wire, 6 AWG, 3/8" stud size, non-insulated, bulk package.	M	1000	\$	1,192.71
07498387068	P6-56R-E	Ring,Non-Insul,6AWG,5/16IN STUD,PK200	Ring terminal, large wire, 6 AWG, 5/16" stud size, non-insulated, standard package.	C	100	\$	234.85
07498387074	P6-56R-T	Ring,Non-Insul,6AWG,5/16 IN STUD,PK200	The P6-56R-T Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	M	1000	\$	1,192.71
07498313127	P6-56RHT6-E	Ring,HiTemp,Non-Ins,6 AWG, 5/16 IN,PK200	High Temperature Ring Terminal, 6 AWG, 5/16" stud size, non-insulated.	C	100	\$	160.01
07498387065	P6-8R-E	Ring,Non-Insul,6AWG,#8 STUD,PK200	Ring terminal, large wire, 6 AWG, #8 stud size, non-insulated, standard package.	C	100	\$	217.45
07498387071	P6-8R-T	Ring,Non-Insul,6AWG,#8 STUD,PK200	Ring terminal, large wire, 6 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	1,082.66
07498362979	P6M24	BEAM CLAMP, 1/8-1/4,SNAP,3/8,CNDT,PK100	Beam clamp for 1/8" - 1/4" flange with 3/8" snap closed conduit clip, bottom mount, static load capacity: 75 lb	PC	1	\$	2.90
07498363859	P6M24SM	BEAM CLAMP, 1/8-1/4,SNAP,3/8,SD MT,PK100	Beam clamp for 1/8" - 1/4" flange with 3/8" snap closed conduit clip, side mount, static load capacity: 25 lbs. v	PC	1	\$	2.31
07498363150	P6MB18A	BOX/CONDUIT HANGER,3/8 CNDT,NO-THD,PK25	Box support assembly for 3/8 EMT/Rigid/IMC conduit, or 14-2 through 12-3 MC/AC cable, for 4 square box, n	PC	1	\$	5.29
07498390991	P6Z34	MULTIFUNCTION CLIP,PK100	Multi-function clip for drop wire or 1/8" - 7-16" flange; attaches to #12 wire through 3/8" rod with improved perf	PC	1	\$	0.69
07498387078	P8-10R-Q	Ring,Non-Insul,8AWG,#10 STUD,PK25	Ring terminal, large wire, 8 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	182.40
07498387084	P8-10R-T	Ring,Non-Insul,8AWG,#10 STUD,PK200	The P8-10R-T Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	M	1000	\$	837.50
07498318965	P8-10RHT6-Q	Ring,HiTemp,Non-Ins,8 AWG,#10 STUD,PK25	High Temperature Ring Terminal, 8 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	135.53
07498319962	P8-10RNHT6-Q	Ring,HiTemp,Non-Ins,8 AWG,#10,NRW,PK25	High Temperature Ring Terminal, 8 AWG, #10 stud size, non-insulated, narrow tongue.	C	100	\$	129.08
07498387082	P8-12R-Q	Ring,Non-Insul,8AWG,1/2IN STUD,PK25	Ring terminal, large wire, 8 AWG, 1/2" stud size, non-insulated, standard package.	C	100	\$	243.15
07498387088	P8-12R-T	Ring,Non-Insul,8AWG,1/2IN STUD,PK200	Ring terminal, large wire, 8 AWG, 1/2" stud size, non-insulated, bulk package.	M	1000	\$	1,348.06
07498387079	P8-14R-Q	Ring,Non-Insul,8AWG,1/4IN STUD,PK25	The P8-14R-Q Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	C	100	\$	179.00
07498387085	P8-14R-T	Ring,Non-Insul,8AWG,1/4IN STUD,PK200	The P8-14R-T Pan-Term® Terminal is a non-insulated, ring terminal. Braze seam protects terminal barrel fr	M	1000	\$	837.50
07498318967	P8-14RHT6-Q	Ring,HiTemp,NonIns,8 AWG, 1/4IN STUD,PK25	High Temperature Ring Terminal, 8 AWG, 1/4" stud size, non-insulated.	C	100	\$	135.53
07498387081	P8-38R-Q	Ring,Non-Insul,8AWG,3/8IN STUD,PK25	Ring terminal, large wire, 8 AWG, 3/8" stud size, non-insulated, standard package.	C	100	\$	203.01
07498387087	P8-38R-T	Ring,Non-Insul,8AWG,3/8IN STUD,PK200	Ring terminal, large wire, 8 AWG, 3/8" stud size, non-insulated, bulk package.	M	1000	\$	1,083.18



07498387080	<b>P8-56R-Q</b>	Ring,Non-Insul,8AWG,5/16IN STUD,PK25	Ring terminal, large wire, 8 AWG, 5/16" stud size, non-insulated, standard package.	C	100	\$	204.85
07498387086	<b>P8-56R-T</b>	Ring,Non-Insul,8AWG,5/16IN STUD,PK200	The P8-56R-T Pan-Term® Terminal is a non-insulated, ring terminal. Brazed seam protects terminal barrel fr	M	1000	\$	1,036.34
07498318969	<b>P8-56RH76-Q</b>	Ring,HiTemp,NonIns,8AWG,5/16IN STUD,PK25	High Temperature Ring Terminal, 8 AWG, 5/16" stud size, non-insulated.	C	100	\$	150.65
07498387077	<b>P8-8R-Q</b>	Ring,Non-Insul,8AWG,#8 STUD,PK25	Ring terminal, large wire, 8 AWG, #8 stud size, non-insulated, standard package.	C	100	\$	187.94
07498387083	<b>P8-8R-T</b>	Ring,Non-Insul,8AWG,#8 STUD,PK200	Ring terminal, large wire, 8 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	768.49
07498399867	<b>P8-8RN-T</b>	Ring,Non-Insul,8AWG,#8 STUD,NRW,PK200	Ring terminal, large wire, narrow tongue, 8 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	768.24
07498319926	<b>P8-8RNHT6-Q</b>	Ring,HiTemp,Non-Ins,8 AWG,#8,NRW,PK25	High Temperature Ring Terminal, 8 AWG, #8 stud size, non-insulated, narrow tongue.	C	100	\$	135.53
07498362968	<b>P812M24</b>	BEAM CLAMP, 1/8-1/4,SNAP, 1/2-3/4,PK100	Beam clamp for 1/8" - 1/4" flange with 1/2" - 3/4" snap closed conduit clip, bottom mount, static load capacity:	PC	1	\$	2.25
07498363857	<b>P812M24SM</b>	BEAM CLAMP, 1/8-1/4,SNAP, 1/2-3/4,SM,PK100	Beam clamp for 1/8" - 1/4" flange with 1/2" - 3/4" snap closed conduit clip, side mount, static load capacity: 25	PC	1	\$	1.80
07498363006	<b>P812M58</b>	BEAM CLAMP, 5/16-1/2,SNAP, 1/2-3/4,PK100	Beam clamp for 5/16" - 1/2" flange with 1/2" - 3/4" snap closed conduit clip, bottom mount, static load capacit	PC	1	\$	2.61
07498363882	<b>P812M58SM</b>	BEAM CLAMP, 5/16-1/2,SNP, 1/2-3/4,SM,PK100	Beam clamp for 5/16" - 1/2" flange with 1/2" - 3/4" snap closed conduit clip, side mount, static load capacity: 2	PC	1	\$	2.06
07498363046	<b>P812M912</b>	BEAM CLAMP, 9/16-3/4,SNAP, 1/2-3/4,PK100	Beam clamp for 9/16" - 3/4" flange with 1/2" - 3/4" snap closed conduit clip, bottom mount, static load capacit	PC	1	\$	3.30
07498363953	<b>P812M912SM</b>	BEAM CLAMP, 9/16-3/4,SNP, 1/2-3/4,SM,PK100	Beam clamp for 9/16" - 3/4" flange with 1/2" - 3/4" snap closed conduit clip, side mount, static load capacity: 2	PC	1	\$	2.86
07498363147	<b>P812MB18</b>	BOX/CONDUIT HGR, 1/2-3/4, CNDT, #12AWG, PK25	Box support assembly for 1/2 - 3/4 EMT/Rigid/IMC conduit for use with #12 wire through 1/4 rod.	PC	1	\$	7.08
07498363145	<b>P812MB18A</b>	BOX/CONDUIT HGR, 1/2-3/4, CNDT, NT, PK25	Box support assembly for 1/2 - 3/4 EMT/Rigid/IMC conduit with plain mounting hole for screw or threaded rod	PC	1	\$	6.18
07498363148	<b>P812MB18S</b>	BOX/CONDUIT HGR, 1/2-3/4, CNDT, STUD, PK25	Box support assembly with 1/4-20 stud 5/8 long in center hole for use with 1/2 - 3/4 EMT/Rigid/IMC conduit.	PC	1	\$	7.44
61305602212	<b>PAT1.5M4.0</b>	Auto Cable Tie Tool Head PLT1.5-XMR,EA	Panduit's Automatic Cable Tie Installation Systems offer multiple sizes of ergonomic, lightweight tool heads. T	PC	1	\$	9,693.51
61305610837	<b>PAT1.5M4.0-BT</b>	Auto Cable Tie Tool Head BT1.5M-XMR,EA	Automatic Cable Tie Tool Head for BT1.5M-XMR Cable Ties, Plastic Ergonomic Housing.	PC	1	\$	9,910.61
61305602211	<b>PAT1M4.0</b>	Auto Cable Tie Tool Head PLT1M-XMR,EA	Panduit's Automatic Cable Tie Installation Systems offer multiple sizes of ergonomic, lightweight tool heads. T	PC	1	\$	9,443.85
61305610836	<b>PAT1M4.0-BT</b>	Auto Cable Tie Tool Head BT1M-XMR,EA	Automatic Cable Tie Tool Head for BT1M-XMR Cable Ties, Plastic Ergonomic Housing.	PC	1	\$	9,660.95
07498319833	<b>PAT3S</b>	AutoToolHead,PLT3S-VMR,Ties,EA	Lightweight, ergonomic tool head	PC	1	\$	16,115.34
61305634695	<b>PATMBM4.0</b>	Bench Mount for PAT1M4.0 / PAT1.5M4.0 Fm	Bench Mount with Foot Pedal for PAT1M4.0 / PAT1.5M4.0 Systems	PC	1	\$	2,605.20
61305679286	<b>PATMFM4.0</b>	PAT1M4.0 Family Flush Mount Tool	Panduit PATMFM4.0 flushmount fixture accessory for PAT4.0 eliminates the need to lift wire or cable bundle f	PC	1	\$	3,256.50
07498339842	<b>PATSBM</b>	BenchMountPAT2S,PAT3S,Systems	Allows hands-free operation for high volume usage. Includes bench mount fixture and foot pedal assembly.	PC	1	\$	1,877.91
61305606303	<b>PBB0024</b>	BARR TAPE, 3"X1000-FT, REF, DGR, RD	Reflective Plastic Barricade Tape used to section off hazards and danger zones quickly and effectively, DAN	RL	1	\$	63.35
61305606294	<b>PBB0041</b>	BARR TAPE, 3"X1000-FT, DANGER, RD	Barricade Tapes used to section off hazards and danger zones quickly and effectively, Bold DANGER warnin	RL	1	\$	99.20
07498362836	<b>PBC</b>	SCREW-ON CLAMP, 1/2 in, SPRNG STEEL,PK100	Screw-on beam clamp for up to 1/2" flange - spring steel, static load capacity: 100 lbs.	PC	1	\$	1.61
07498362859	<b>PBC200</b>	SCREW-ON CLAMP, 1/2 in,ZINC PLATED,PK100	Screw-on beam clamp for up to 1/2" flange - zinc-plated, static load capacity: 100 lbs.	PC	1	\$	4.96
07498390843	<b>PBC260025EG</b>	BEAM CLAMP, 1/4 in FLG, 1/4-20 THREADED,PK50	Malleable iron beam clamp for 1/4" flange with 1/4-20 threaded hole.	PC	1	\$	5.23
07498364123	<b>PBC400</b>	SCREW-ON CLAMP, 15/16 in,ZINC PLTD,PK100	Screw-on beam clamp for up to 7/8" flange - zinc-plated-steel, static load capacity: 200 lbs.	PC	1	\$	14.15
07498362900	<b>PBC812M</b>	SCREW-ON CLAMP, 1/2-3/4 in,EMT/IMC,PK100	Screw-on beam clamp for up to 1/2" flange with 1/2" - 3/4" conduit clip, static load capacity: 100 lbs.	PC	1	\$	3.06
07498362902	<b>PBC812MSM</b>	SCREW-ON CLAMP, 1/2-3/4 in,SIDE MNT,PK100	Screw-on beam clamp for up to 1/2" flange with 1/2 - 3/4" conduit clip - side mount, static load capacity: 25 lb	PC	1	\$	3.20
07498311143	<b>PBDCT</b>	Bench Mnt Wiring Duct Cutting Tool ,1ea	The PBDCT Wiring Duct Cutting Tool is a bench-mount tool that cuts mid-to-high volumes of wiring duct/cove	PC	1	\$	2,406.08
07498319390	<b>PBDCT-B</b>	Intl Orders only,PBDCT Base	Base for bench mount cutter tool for slotted wiring duct and cover with telescoping measure (sold outside U.S	PC	1	\$	1,894.79
07498311244	<b>PBDCT-BLD</b>	PBDCT Replacement Blade	Replacement blade for PBDCT bench mount wiring duct cutter.	PC	1	\$	848.11
07498390839	<b>PBHC</b>	BOX MOUNTING CLIP WITH SCREW,PK50	StrongHold PBHC Box Mounting Clips with screw, allows for additional electrical boxes to be mounted to the	PC	1	\$	0.69
07498358365	<b>PBMS-H25-C</b>	CableMount,PushButton,0.25hole,NAT,PK100	Panduit PBMS-H25-C Push Button Cable Mounts can be used where both sides of the panel are accessible a	C	100	\$	50.04
07498358366	<b>PBMS-H25-C14</b>	CableMount,PushButton,0.25hole,GRY,PK100	The push button cable tie mount requires a 0.25" (6.4 mm) hole and is gray. It is made of nylon 6.6, which inc	C	100	\$	54.15
07498358945	<b>PBMS-H25-M</b>	CableMount,PushButton,0.25holeNAT,PK1000	Panduit PBMS-H25-M push button cable tie mount requires no adhesive or additional mounting hardware. De	M	1000	\$	358.20
07498358369	<b>PBMS-H25-M0</b>	CblMount,PushButton,0.25holeWRBL,PK1000	Panduit PBMS-H25-M0 Push Button Cable Mounts can be used where both sides of the panel are accessible	M	1000	\$	422.11
07498358368	<b>PBMS-H25-M14</b>	CableMount,PushButton,GRY,PK1000	Panduit PBMS-H25-M14 Push Button Cable Mounts can be used where both sides of the panel are accessibl	M	1000	\$	370.34
07498358370	<b>PBMS-H25-M30</b>	CableMnt,PshButton,0.25hole,HS,BL,PK1000	Panduit PBMS-H25-M30 Push Button Cable Mounts can be used where both sides of the panel are accessibl	M	1000	\$	501.06
07498378853	<b>PBMSL-H25-M30</b>	CableMnt,PshButton,.25hole,HS,BL,PK1000	The push button cable tie mount requires a 0.25" (6.4 mm) hole and is natural color. It is made of heat-stabiliz	M	1000	\$	510.78
07498372500	<b>PBSC1-X</b>	HrnsBrdSpringWireBrkout,1",PK10	Harness spring wire breakout system, 1" (25.4mm) hole spacing.	PC	1	\$	4.96
07498372503	<b>PBSC12-X</b>	HrnsBrdSpringWireBrkout,12",PK10	Harness spring wire breakout system, 12" (304.8mm) hole spacing.	PC	1	\$	13.40
07498372501	<b>PBSC3-X</b>	HrnsBrdSpringWireBrkout,3",PK10	Harness spring wire breakout system, 3" (76.2mm) hole spacing.	PC	1	\$	7.56
07498372502	<b>PBSC6-X</b>	HrnsBrdSpringWireBrkout,6",PK10	Harness spring wire breakout system, 6" (152.4mm) hole spacing.	PC	1	\$	10.00
07498319840	<b>PBTMT</b>	Tool,Heavy Duty,Battery Operated,EA	The PBTMT Battery Powered Installation Tool provides an ergonomic and compact, lightweight body, reducin	PC	1	\$	2,675.53
61305673500	<b>PBTMT-HEAD</b>	Replacement head component for the PBTMT	The PBTMT-HEAD is a replacement part designed specifically for the PBTMT and PBTMT/E battery operate	PC	1	\$	1,867.06
07498319839	<b>PBTMT/E</b>	Power MLT Tool CE,EA	Battery Powered Installation tool for use with the following stainless steel cross section ties: Type MLT and M	PC	1	\$	2,675.53
07498309249	<b>PC-123/2M</b>	CTN 8.125X3.750X79.125 WS-0230 D/S	CTN 8.125X3.750X79.125 WS-0230 D/S	PC	1	\$	9.33
07498309250	<b>PC-434/2M</b>	CTN 4.125X2.062X79.062 WS-0230 D/S	CTN 4.125X2.062X79.062 WS-0230 D/S	PC	1	\$	6.91
07498309251	<b>PC-452/2M</b>	CTN 13.937X4.187X79.125 WS-0230 D/S	CTN 13.937X4.187X79.125 WS-0230 D/S	PC	1	\$	6.74
07498309253	<b>PC-524/2M</b>	CTN 5.750X4.687X79.375 WS-0230 D/S	CTN 5.750X4.687X79.375 WS-0230 D/S	PC	1	\$	5.05
07498309254	<b>PC-565/2M</b>	CTN 4.937X2.437X79.375 WS-0230 D/S	CTN 4.937X2.437X79.375 WS-0230 D/S	PC	1	\$	4.36
07498309255	<b>PC-658L</b>	5.437X3.062X72.688 Mc/CARR 6 FT DUCT CAR	5.437X3.062X72.688 Mc/CARR 6 FT DUCT CARTON	PC	1	\$	3.24
07498309256	<b>PC-660L</b>	5.5X5.375X72.688 Mc/CARR 6 FT DUCT CARTO	5.5X5.375X72.688 Mc/CARR 6 FT DUCT CARTON	PC	1	\$	6.11
07498309261	<b>PC-662L</b>	7.5X5.25X72.688 Mc/CARR 6 FT DUCT CARTON	7.5X5.25X72.688 Mc/CARR 6 FT DUCT CARTON	PC	1	\$	6.45
07498309262	<b>PC-771L</b>	CARTON 3.715X2.179X79.752	CARTON 3.715X2.179X79.752	PC	1	\$	5.05
07498309263	<b>PC-780L</b>	SPEC C07E REV12 WS-#### D/S	SPEC C07E REV12 WS	PC	1	\$	4.58
07498309234	<b>PC-79</b>	CARTON REV 02 WS-0230	CARTON REV 02 WS-0230 D/S	PC	1	\$	8.70
07498309264	<b>PC-800</b>	SPEC C07E REV12 WS-#### D/S	SPEC C07E REV12 WS	PC	1	\$	10.29
07498383882	<b>PC038-H25D-C0</b>	Clamp,.38"bd,IM,WRBL,PK100	Pan-Clamp™ heavy duty fixed diameter clamp, .38" (9.5mm) bundle, black, standard package.	C	100	\$	82.39
07498383883	<b>PC038-H25D-D0</b>	Clamp,.38"bd,IM,WRBL,PK500	Pan-Clamp™ heavy duty fixed diameter clamp, .38" (9.5mm) bundle, black, bulk package.	M	1000	\$	549.18
07498383884	<b>PC050-H25D-C0</b>	Clamp,.50"bd,IM,WRBL,PK100	Pan-Clamp™ heavy duty fixed diameter clamp, .50" (12.7mm) bundle, black, standard package.	C	100	\$	89.85
07498383885	<b>PC050-H25D-D0</b>	Clamp,.50"bd,IM,WRBL,PK500	Pan-Clamp™ heavy duty fixed diameter clamp, .50" (12.7mm) bundle, black, bulk package.	M	1000	\$	599.11
07498383886	<b>PC062-H25D-C0</b>	Clamp,.63"bd,IM,WRBL,PK100	Pan-Clamp™ heavy duty fixed diameter clamp, .62" (15.8mm) bundle, black, standard package.	C	100	\$	97.36
07498383887	<b>PC062-H25D-D0</b>	Clamp,.63"bd,IM,WRBL,PK500	Pan-Clamp™ heavy duty fixed diameter clamp, .62" (15.8mm) bundle, black, bulk package.	M	1000	\$	649.05
07498383888	<b>PC075-H25D-C0</b>	Clamp,.75"bd,IM,WRBL,PK100	Pan-Clamp™ heavy duty fixed diameter clamp, .75" (19.1mm) bundle, black, standard package.	C	100	\$	104.85
07498383889	<b>PC075-H25D-D0</b>	Clamp,.75"bd,IM,WRBL,PK500	Panduit PC075-H25D-D0 Pan-Clamp™ Heavy Duty Fixed Diameter Clamps are great for securing wires, cab	M	1000	\$	665.70
07498383890	<b>PC087-H25D-C0</b>	Clamp,.88"bd,IM,WRBL,PK100	Pan-Clamp™ heavy duty fixed diameter clamp, .87" (22.1mm) bundle, black, standard package.	C	100	\$	112.35
07498383891	<b>PC087-H25D-D0</b>	Clamp,.88"bd,IM,WRBL,PK500	Pan-Clamp™ heavy duty fixed diameter clamp, .87" (22.1mm) bundle, black, bulk package.	M	1000	\$	748.89
07498383892	<b>PC100-H25D-C0</b>	Clamp,1.00"bd,IM,WRBL,PK100	Pan-Clamp™ heavy duty fixed diameter clamp, 1.00" (25.4mm) bundle, black, standard package.	C	100	\$	119.83
07498383893	<b>PC100-H25D-T0</b>	Clamp,1.00"bd,IM,WRBL,PK200	Panduit PC100-H25D-T0 Pan-Clamp™ Heavy Duty Fixed Diameter Clamps are great for securing wires, cab	M	1000	\$	760.79
07498383894	<b>PC112-H25D-C0</b>	Clamp,1.12"bd,IM,WRBL,PK100	Panduit PC112-H25D-C0 Pan-Clamp™ Heavy Duty Fixed Diameter Clamps are great for securing wires, cab	C	100	\$	123.60
07498383895	<b>PC112-H25D-D0</b>	Clamp,1.12"bd,IM,WRBL,PK200	Pan-Clamp™ heavy duty fixed diameter clamp, 1.12" (28.5mm) bundle, black, bulk package.	M	1000	\$	848.76
07498383896	<b>PC125-H25D-C0</b>	Clamp,1.25"bd,IM,WRBL,PK100	Pan-Clamp™ heavy duty fixed diameter clamp, 1.25" (31.8mm) bundle, black, standard package.	C	100	\$	134.85



07498393832	<b>PCA18-7</b>	Non-Adh,Clip-On WM,OD .19"-23",7 Leg	Clip-On Wire Markers, 0.19-23 Wire OD, Black/White 300 PC, Legend: '7'.	PK	1	\$	61.51
07498393833	<b>PCA18-8</b>	Non-Adh,Clip-On WM,OD .19"-23",8 Leg	Clip-On Wire Markers, 0.19-23 Wire OD, Black/White 300 PC, Legend: '8'.	PK	1	\$	61.51
07498393834	<b>PCA18-9</b>	Non-Adh,Clip-OnWM,OD .19"-23",300p,9 Leg	Clip-On Wire Markers, 0.19-23 Wire OD, Black/White 300 PC, Legend: '9'.	PK	1	\$	61.51
07498393799	<b>PCA18-A</b>	Non-Adh,Clip-On WM,OD .19"-23",A Leg	Clip-On Wire Markers, 0.19-23 Wire OD, Black/White 300 PC, Legend: 'A'.	PK	1	\$	61.51
07498393800	<b>PCA18-B</b>	Non-Adh,Clip-On WM,OD .19"-23",B Leg	Clip-On Wire Markers, 0.19-23 Wire OD, Black/White 300 PC, Legend: 'B'.	PK	1	\$	61.51
07498393801	<b>PCA18-C</b>	Non-Adh,Clip-On WM,OD .19"-23",C Leg	Clip-On Wire Markers, 0.19-23 Wire OD, Black/White 300 PC, Legend: 'C'.	PK	1	\$	64.46
07498393836	<b>PCA18-MIN</b>	Non-Adh,Clip-On WM,OD .19"-23", Leg	Clip-On Wire Markers, 0.19-23 Wire OD, Black/White 300 PC, Legend: 'E'.	PK	1	\$	64.46
07498393835	<b>PCA18-PLS</b>	Non-Adh,Clip-On WM,OD .19"-23",+ Leg	Clip-On Wire Markers, 0.19-23 Wire OD, Black/White 300 PC, Legend: '+'. Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: '0'.	PK	1	\$	61.51
07498393863	<b>PCA23-0</b>	Non-Adh,Clip-On WM,OD .23"-37",0 Leg	StrongHold PCA23-1 Clip-On Wire Markers are non-adhesive markers that grip tightly to wire/cable. Their ch	PK	1	\$	37.39
07498393864	<b>PCA23-1</b>	Non-Adh,Clip-On WM,OD .23"-37",1 Leg	StrongHold PCA23-2 Clip-On Wire Markers are non-adhesive markers that grip tightly to wire/cable. Their ch	PK	1	\$	35.61
07498393865	<b>PCA23-2</b>	Non-Adh,Clip-On WM,OD .23"-37",2 Leg	StrongHold PCA23-3 Clip-On Wire Markers are non-adhesive markers that grip tightly to wire/cable. Their ch	PK	1	\$	35.61
07498393866	<b>PCA23-3</b>	Non-Adh,Clip-On WM,OD .23"-37",3 Leg	StrongHold PCA23-4 Clip-On Wire Markers are non-adhesive markers that grip tightly to wire/cable. Their ch	PK	1	\$	37.39
07498393867	<b>PCA23-4</b>	Non-Adh,Clip-On WM,OD .23"-37",4 Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: '5'.	PK	1	\$	37.39
07498393868	<b>PCA23-5</b>	Non-Adh,Clip-On WM,OD .23"-37",5 Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: '6'.	PK	1	\$	37.39
07498393869	<b>PCA23-6</b>	Non-Adh,Clip-On WM,OD .23"-37",6 Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: '7'.	PK	1	\$	37.39
07498393870	<b>PCA23-7</b>	Non-Adh,Clip-On WM,OD .23"-37",7 Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: '8'.	PK	1	\$	37.39
07498393871	<b>PCA23-8</b>	Non-Adh,Clip-On WM,OD .23"-37",8 Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: '9'.	PK	1	\$	37.39
07498393872	<b>PCA23-9</b>	Non-Adh,Clip-On WM,OD .23"-37",9 Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'A'.	PK	1	\$	37.39
07498393837	<b>PCA23-A</b>	Non-Adh,Clip-On WM,OD .23"-37",A Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'B'.	PK	1	\$	37.39
07498393838	<b>PCA23-B</b>	Non-Adh,Clip-On WM,OD .23"-37",B Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'C'.	PK	1	\$	37.39
07498393839	<b>PCA23-C</b>	Non-Adh,Clip-On WM,OD .23"-37",C Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'D'.	PK	1	\$	37.39
07498393840	<b>PCA23-D</b>	Non-Adh,Clip-On WM,OD .23"-37",D Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'E'.	PK	1	\$	37.39
07498393841	<b>PCA23-E</b>	Non-Adh,Clip-On WM,OD .23"-37",E Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'F'.	PK	1	\$	37.39
07498393842	<b>PCA23-F</b>	Non-Adh,Clip-On WM,OD .23"-37",F Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'G'.	PK	1	\$	37.39
07498393843	<b>PCA23-G</b>	Non-Adh,Clip-On WM,OD .23"-37",G Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'H'.	PK	1	\$	37.39
07498393844	<b>PCA23-H</b>	Non-Adh,Clip-On WM,OD .23"-37",H Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'I'.	PK	1	\$	37.39
07498393845	<b>PCA23-I</b>	Non-Adh,Clip-On WM,OD .23"-37",I Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'J'.	PK	1	\$	37.39
07498393846	<b>PCA23-J</b>	Non-Adh,Clip-On WM,OD .23"-37",J Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'L'.	PK	1	\$	37.39
07498393848	<b>PCA23-L</b>	Non-Adh,Clip-On WM,OD .23"-37",L Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'M'.	PK	1	\$	37.39
07498393849	<b>PCA23-M</b>	Non-Adh,Clip-On WM,OD .23"-37",M Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'N'.	PK	1	\$	37.39
07498393874	<b>PCA23-MIN</b>	Non-Adh,Clip-On WM,OD .23"-37", Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'O'.	PK	1	\$	37.39
07498393850	<b>PCA23-N</b>	Non-Adh,Clip-On WM,OD .23"-37",N Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'P'.	PK	1	\$	37.39
07498393851	<b>PCA23-O</b>	Non-Adh,Clip-On WM,OD .23"-37",O Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: '+'. Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'R'.	PK	1	\$	37.39
07498393852	<b>PCA23-P</b>	Non-Adh,Clip-On WM,OD .23"-37",P Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'S'.	PK	1	\$	37.39
07498393873	<b>PCA23-PLS</b>	Non-Adh,Clip-On WM,OD .23"-37",+ Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'T'.	PK	1	\$	37.39
07498393854	<b>PCA23-R</b>	Non-Adh,Clip-On WM,OD .23"-37",R Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'U'.	PK	1	\$	37.39
07498393855	<b>PCA23-S</b>	Non-Adh,Clip-OnWM,OD .23"-37",60p,S Leg	Clip-On Wire Markers, .23-37 Wire OD, Black/White 60 PC, Legend: 'W'.	PK	1	\$	37.39
07498393856	<b>PCA23-T</b>	Non-Adh,Clip-On WM,OD .23"-37",T Leg	Multi-tier bracket for use with J-Pro product line. Std. Pkg. Qty.: 10	PC	1	\$	2.59
07498393857	<b>PCA23-U</b>	Non-Adh,Clip-On WM,OD .23"-37",U Leg	Conduit clip for 1/2" conduit, 3/8" - 1/2" Rigid/IMC, with bolt and 1/4" non-threaded hole.	PC	1	\$	0.60
07498393858	<b>PCA23-V</b>	Non-Adh,Clip-On WM,OD .23"-37",V Leg	Conduit clip for 3/4" conduit, 3/4" Rigid/IMC, with bolt and 1/4" non-threaded hole.	PC	1	\$	0.73
07498393859	<b>PCA23-W</b>	Non-Adh,Clip-On WM,OD .23"-37",W Leg	Conduit clamp for 1" conduit, 1" Rigid/IMC, with bolt and 1/4" non-threaded hole.	PC	1	\$	0.91
07498390534	<b>PCATHBA</b>	MULTI-TIER BRACKET FOR J-PRO J-HOOKS,PK10	StrongHold PCJ6 Cable Support Clip is used to maintain appropriate cable spacing behind dry wall, suitable f	PC	1	\$	1.06
07498363316	<b>PCDOB</b>	CONDUIT CLAMP, 1/2 in,CONDUIT,PK100	Wire Marker Card, Vinyl Cloth, '0'	C	100	\$	335.30
07498363317	<b>PCD1B</b>	CONDUIT CLAMP, 3/4 in,CONDUIT,PK100	Wire Marker Card, Vinyl Cloth, '0-9'	C	100	\$	319.33
07498363318	<b>PCD2B</b>	CONDUIT CLAMP, 1 in,CONDUIT,PK100	StrongHold PCM-1 Pre-Printed Wire Marker Cards allow for "kitting" in project builds. They are printed on vin	C	100	\$	304.11
07498364129	<b>PCJ6</b>	CABLE SUPPORT CLIP,PK100	Wire Marker Card, Vinyl Cloth, '1-10'	C	100	\$	335.30
07498393000	<b>PCM-0</b>	Pre-Printed,WM,.25"Wx1.5"L,0,LGND,PK25	Wire Marker Card, Vinyl Cloth, '1-12'	C	100	\$	335.30
07498394405	<b>PCM-0-9</b>	Pre-Printed,WM,.25"Wx1.5"L,0-9,LGND,PK25	StrongHold PCM-1-33 Pre-Printed Wire Marker Cards allow for "kitting" in project builds. They are printed on	C	100	\$	319.33
07498393001	<b>PCM-1</b>	Pre-Printed,WM,.25"Wx1.5"L,1,LGND,PK25	Wire Marker Card, Vinyl Cloth, '10'	C	100	\$	335.30
07498392714	<b>PCM-1-10</b>	Pre-Printed,WM,.25"Wx1.5"L,1,10,PK25	Wire Marker Card, Vinyl Cloth, '100-124'	C	100	\$	335.30
07498392715	<b>PCM-1-12</b>	Pre-Printed,WM,.25"Wx1.5"L,1,12,PK25	Wire Marker Card, Vinyl Cloth, '11'	C	100	\$	335.30
07498392717	<b>PCM-1-18</b>	Pre-Printed,WM,.25"Wx1.5"L,1,18,PK25	Wire Marker Card, Vinyl Cloth, '12'	C	100	\$	335.30
07498394000	<b>PCM-1-33</b>	Pre-Printed,WM,.27"Wx1.5"L,1,33,PK25	Wire Marker Card, Vinyl Cloth, '125-149'	C	100	\$	335.30
07498393010	<b>PCM-10</b>	Pre-Printed,WM,.25"Wx1.5"L,10,LGND,PK25	Wire Marker Card, Vinyl Cloth, '13'	C	100	\$	335.30
07498394003	<b>PCM-100-124</b>	Pre-Printed,WM,.36"Wx1.5"L,100,124,PK25	Wire Marker Card, Vinyl Cloth, '14'	C	100	\$	335.30
07498393011	<b>PCM-11</b>	Pre-Printed,WM,.25"Wx1.5"L,11,LGND,PK25	Wire Marker Card, Vinyl Cloth, '15'	C	100	\$	335.30
07498393012	<b>PCM-12</b>	Pre-Printed,WM,.25"Wx1.5"L,12,LGND,PK25	Wire Marker Card, Vinyl Cloth, '150-174'	C	100	\$	335.30
07498394004	<b>PCM-125-149</b>	Pre-Printed,WM,.36"Wx1.5"L,125,149,PK25	Wire Marker Card, Vinyl Cloth, '16'	C	100	\$	335.30
07498393013	<b>PCM-13</b>	Pre-Printed,WM,.25"Wx1.5"L,13,LGND,PK25	Wire Marker Card, Vinyl Cloth, '17'	C	100	\$	335.30
07498393014	<b>PCM-14</b>	Pre-Printed,WM,.25"Wx1.5"L,14,LGND,PK25	Wire Marker Card, Vinyl Cloth, '175-199'	C	100	\$	335.30
07498393015	<b>PCM-15</b>	Pre-Printed,WM,.25"Wx1.5"L,15,LGND,PK25	Wire Marker Card, Vinyl Cloth, '18'	C	100	\$	335.30
07498394005	<b>PCM-150-174</b>	Pre-Printed,WM,.36"Wx1.5"L,150,174,PK25	Wire Marker Card, Vinyl Cloth, '19'	C	100	\$	335.30
07498393016	<b>PCM-16</b>	Pre-Printed,WM,.25"Wx1.5"L,16,LGND,PK25	StrongHold PCM-2 Pre-Printed Wire Marker Cards allow for "kitting" in project builds. They are printed on vin	C	100	\$	319.33
07498393017	<b>PCM-17</b>	Pre-Printed,WM,.25"Wx1.5"L,17,LGND,PK25	Wire Marker Card, Vinyl Cloth, '20'	C	100	\$	335.30
07498394006	<b>PCM-175-199</b>	Pre-Printed,WM,.36"Wx1.5"L,175,199,PK25	Wire Marker Card, Vinyl Cloth, '200-224'	C	100	\$	335.30
07498393018	<b>PCM-18</b>	Pre-Printed,WM,.25"Wx1.5"L,18,LGND,PK25	Wire Marker Card, Vinyl Cloth, '21'	C	100	\$	335.30
07498393019	<b>PCM-19</b>	Pre-Printed,WM,.25"Wx1.5"L,19,LGND,PK25	Wire Marker Card, Vinyl Cloth, '22'	C	100	\$	335.30
07498393002	<b>PCM-2</b>	Pre-Printed,WM,.25"Wx1.5"L,2,LGND,PK25	Wire Marker Card, Vinyl Cloth, '225-249'	C	100	\$	335.30
07498393020	<b>PCM-20</b>	Pre-Printed,WM,.25"Wx1.5"L,20,LGND,PK25	Wire Marker Card, Vinyl Cloth, '23'	C	100	\$	335.30
07498392719	<b>PCM-200-224</b>	Pre-Printed,WM,.36"Wx1.5"L,200,224,PK25	Wire Marker Card, Vinyl Cloth, '24'	C	100	\$	335.30
07498393021	<b>PCM-21</b>	Pre-Printed,WM,.25"Wx1.5"L,21,LGND,PK25	Wire Marker Card, Vinyl Cloth, '25'	C	100	\$	335.30
07498393022	<b>PCM-22</b>	Pre-Printed,WM,.25"Wx1.5"L,22,LGND,PK25	Wire Marker Card, Vinyl Cloth, '250-274'	C	100	\$	335.30
07498392720	<b>PCM-225-249</b>	Pre-Printed,WM,.36"Wx1.5"L,225,249,PK25					
07498393023	<b>PCM-23</b>	Pre-Printed,WM,.25"Wx1.5"L,23,LGND,PK25					
07498393024	<b>PCM-24</b>	Pre-Printed,WM,.25"Wx1.5"L,24,LGND,PK25					
07498393025	<b>PCM-25</b>	Pre-Printed,WM,.25"Wx1.5"L,25,LGND,PK25					
07498392721	<b>PCM-250-274</b>	Pre-Printed,WM,.36"Wx1.5"L,250,274,PK25					

07498393026	<b>PCM-26</b>	Pre-Printed,WM,,25"Wx1.5"L,26,LGND,PK25	Wire Marker Card, Vinyl Cloth, '26'	C	100	\$	335.30
07498393027	<b>PCM-27</b>	Pre-Printed,WM,,25"Wx1.5"L,27,LGND,PK25	Wire Marker Card, Vinyl Cloth, '27'	C	100	\$	335.30
07498392722	<b>PCM-275-299</b>	Pre-Printed,WM,,36"Wx1.5"L,275,299,PK25	Wire Marker Card, Vinyl Cloth, '275-299'	C	100	\$	335.30
07498393028	<b>PCM-28</b>	Pre-Printed,WM,,25"Wx1.5"L,28,LGND,PK25	Wire Marker Card, Vinyl Cloth, '28'	C	100	\$	335.30
07498393029	<b>PCM-29</b>	Pre-Printed,WM,,25"Wx1.5"L,29,LGND,PK25	Wire Marker Card, Vinyl Cloth, '29'	C	100	\$	335.30
07498393003	<b>PCM-3</b>	Pre-Printed,WM,,25"Wx1.5"L,3,LGND,PK25	StrongHold PCM-3 Pre-Printed Wire Marker Cards allow for "kitting" in project builds. They are printed on vin	C	100	\$	319.33
07498393030	<b>PCM-30</b>	Pre-Printed,WM,,25"Wx1.5"L,30,LGND,PK25	Wire Marker Card, Vinyl Cloth, '30'	C	100	\$	335.30
07498392723	<b>PCM-300-324</b>	Pre-Printed,WM,,36"Wx1.5"L,300,324,PK25	Wire Marker Card, Vinyl Cloth, '300-324'	C	100	\$	335.30
07498393031	<b>PCM-31</b>	Pre-Printed,WM,,25"Wx1.5"L,31,LGND,PK25	Wire Marker Card, Vinyl Cloth, '31'	C	100	\$	335.30
07498393032	<b>PCM-32</b>	Pre-Printed,WM,,25"Wx1.5"L,32,LGND,PK25	Wire Marker Card, Vinyl Cloth, '32'	C	100	\$	335.30
07498392724	<b>PCM-325-349</b>	Pre-Printed,WM,,36"Wx1.5"L,325,349,PK25	Wire Marker Card, Vinyl Cloth, '325-349'	C	100	\$	351.26
07498393033	<b>PCM-33</b>	Pre-Printed,WM,,25"Wx1.5"L,33,LGND,PK25	Wire Marker Card, Vinyl Cloth, '33'	C	100	\$	335.30
07498393034	<b>PCM-34</b>	Pre-Printed,WM,,25"Wx1.5"L,34,LGND,PK25	Wire Marker Card, Vinyl Cloth, '34'	C	100	\$	335.30
07498394001	<b>PCM-34-66</b>	Pre-Printed,WM,,27"Wx1.5"L,34,66,PK25	Wire Marker Card, Vinyl Cloth, '34-66'	C	100	\$	319.33
07498393035	<b>PCM-35</b>	Pre-Printed,WM,,25"Wx1.5"L,35,LGND,PK25	Wire Marker Card, Vinyl Cloth, '35'	C	100	\$	335.30
07498392725	<b>PCM-350-374</b>	Pre-Printed,WM,,36"Wx1.5"L,350,374,PK25	Wire Marker Card, Vinyl Cloth, '350-374'	C	100	\$	351.26
07498393036	<b>PCM-36</b>	Pre-Printed,WM,,25"Wx1.5"L,36,LGND,PK25	Wire Marker Card, Vinyl Cloth, '36'	C	100	\$	335.30
07498393037	<b>PCM-37</b>	Pre-Printed,WM,,25"Wx1.5"L,37,LGND,PK25	Wire Marker Card, Vinyl Cloth, '37'	C	100	\$	335.30
07498392726	<b>PCM-375-399</b>	Pre-Printed,WM,,36"Wx1.5"L,375,399,PK25	Wire Marker Card, Vinyl Cloth, '375-399'	C	100	\$	351.26
07498393038	<b>PCM-38</b>	Pre-Printed,WM,,25"Wx1.5"L,38,LGND,PK25	Wire Marker Card, Vinyl Cloth, '38'	C	100	\$	335.30
07498393039	<b>PCM-39</b>	Pre-Printed,WM,,25"Wx1.5"L,39,LGND,PK25	Wire Marker Card, Vinyl Cloth, '39'	C	100	\$	335.30
07498393004	<b>PCM-4</b>	Pre-Printed,WM,,25"Wx1.5"L,4,LGND,PK25	StrongHold PCM-4 Pre-Printed Wire Marker Cards allow for "kitting" in project builds. They are printed on vin	C	100	\$	319.33
07498393040	<b>PCM-40</b>	Pre-Printed,WM,,25"Wx1.5"L,40,LGND,PK25	Wire Marker Card, Vinyl Cloth, '40'	C	100	\$	335.30
07498393041	<b>PCM-41</b>	Pre-Printed,WM,,25"Wx1.5"L,41,LGND,PK25	Wire Marker Card, Vinyl Cloth, '41'	C	100	\$	335.30
07498393042	<b>PCM-42</b>	Pre-Printed,WM,,25"Wx1.5"L,42,LGND,PK25	Wire Marker Card, Vinyl Cloth, '42'	C	100	\$	335.30
07498393043	<b>PCM-43</b>	Pre-Printed,WM,,25"Wx1.5"L,43,LGND,PK25	Wire Marker Card, Vinyl Cloth, '43'	C	100	\$	335.30
07498393044	<b>PCM-44</b>	Pre-Printed,WM,,25"Wx1.5"L,44,LGND,PK25	Wire Marker Card, Vinyl Cloth, '44'	C	100	\$	335.30
07498393045	<b>PCM-45</b>	Pre-Printed,WM,,25"Wx1.5"L,45,LGND,PK25	Wire Marker Card, Vinyl Cloth, '45'	C	100	\$	335.30
07498393047	<b>PCM-47</b>	Pre-Printed,WM,,25"Wx1.5"L,47,LGND,PK25	Wire Marker Card, Vinyl Cloth, '47'	C	100	\$	335.30
07498393048	<b>PCM-48</b>	Pre-Printed,WM,,25"Wx1.5"L,48,LGND,PK25	Wire Marker Card, Vinyl Cloth, '48'	C	100	\$	335.30
07498393049	<b>PCM-49</b>	Pre-Printed,WM,,25"Wx1.5"L,49,LGND,PK25	Wire Marker Card, Vinyl Cloth, '49'	C	100	\$	335.30
07498393005	<b>PCM-5</b>	Pre-Printed,WM,,25"Wx1.5"L,5,LGND,PK25	StrongHold PCM-5 Pre-Printed Wire Marker Cards allow for "kitting" in project builds. They are printed on vin	C	100	\$	319.33
07498393050	<b>PCM-50</b>	Pre-Printed,WM,,25"Wx1.5"L,50,LGND,PK25	Wire Marker Card, Vinyl Cloth, '50'	C	100	\$	335.30
07498393051	<b>PCM-51</b>	Pre-Printed,WM,,25"Wx1.5"L,51,LGND,PK25	Wire Marker Card, Vinyl Cloth, '51'	C	100	\$	335.30
07498393052	<b>PCM-52</b>	Pre-Printed,WM,,25"Wx1.5"L,52,LGND,PK25	Wire Marker Card, Vinyl Cloth, '52'	C	100	\$	335.30
07498393053	<b>PCM-53</b>	Pre-Printed,WM,,25"Wx1.5"L,53,LGND,PK25	Wire Marker Card, Vinyl Cloth, '53'	C	100	\$	335.30
07498393054	<b>PCM-54</b>	Pre-Printed,WM,,25"Wx1.5"L,54,LGND,PK25	Wire Marker Card, Vinyl Cloth, '54'	C	100	\$	335.30
07498393055	<b>PCM-55</b>	Pre-Printed,WM,,25"Wx1.5"L,55,LGND,PK25	Wire Marker Card, Vinyl Cloth, '55'	C	100	\$	335.30
07498393056	<b>PCM-56</b>	Pre-Printed,WM,,25"Wx1.5"L,56,LGND,PK25	Wire Marker Card, Vinyl Cloth, '56'	C	100	\$	335.30
07498393057	<b>PCM-57</b>	Pre-Printed,WM,,25"Wx1.5"L,57,LGND,PK25	Wire Marker Card, Vinyl Cloth, '57'	C	100	\$	335.30
07498393058	<b>PCM-58</b>	Pre-Printed,WM,,25"Wx1.5"L,58,LGND,PK25	Wire Marker Card, Vinyl Cloth, '58'	C	100	\$	335.30
07498393059	<b>PCM-59</b>	Pre-Printed,WM,,25"Wx1.5"L,59,LGND,PK25	Wire Marker Card, Vinyl Cloth, '59'	C	100	\$	335.30
07498393006	<b>PCM-6</b>	Pre-Printed,WM,,25"Wx1.5"L,6,LGND,PK25	Wire Marker Card, Vinyl Cloth, '6'	C	100	\$	335.30
07498394002	<b>PCM-67-99</b>	Pre-Printed,WM,,27"Wx1.5"L,67-99,PK25	Wire Marker Card, Vinyl Cloth, '67-99'	C	100	\$	335.30
07498393007	<b>PCM-7</b>	Pre-Printed,WM,,25"Wx1.5"L,7,LGND,PK25	Wire Marker Card, Vinyl Cloth, '7'	C	100	\$	335.30
07498393008	<b>PCM-8</b>	Pre-Printed,WM,,25"Wx1.5"L,8,LGND,PK25	Wire Marker Card, Vinyl Cloth, '8'	C	100	\$	335.30
07498393009	<b>PCM-9</b>	Pre-Printed,WM,,25"Wx1.5"L,9,LGND,PK25	Wire Marker Card, Vinyl Cloth, '9'	C	100	\$	335.30
07498394300	<b>PCM-A</b>	Pre-Printed,WM,,25"Wx1.5"L,A,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'A'	C	100	\$	335.30
07498394400	<b>PCM-A-Z</b>	Pre-Printed,WM,,25"Wx1.5"L,A-Z,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'A-Z'	C	100	\$	335.30
07498394301	<b>PCM-B</b>	Pre-Printed,WM,,25"Wx1.5"L,B,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'B'	C	100	\$	335.30
07498394790	<b>PCM-BLK</b>	Pre-Printed,WM,,22"Wx1.38"L,SBL,PK25	Wire Marker Card, Vinyl Cloth, Black	C	100	\$	335.30
07498394786	<b>PCM-BRN</b>	Pre-Printed,WM,,22"Wx1.38"L,SBR,PK25	Wire Marker Card, Vinyl Cloth, Brown	C	100	\$	335.30
07498394302	<b>PCM-C</b>	Pre-Printed,WM,,25"Wx1.5"L,C,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'C'	C	100	\$	335.30
07498394303	<b>PCM-D</b>	Pre-Printed,WM,,25"Wx1.5"L,D,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'D'	C	100	\$	335.30
07498394783	<b>PCM-DBL</b>	Pre-Printed,WM,,22"Wx1.38"L,SDB,PK25	Wire Marker Card, Vinyl Cloth, Dark Blue	C	100	\$	335.30
07498394785	<b>PCM-DGN</b>	Pre-Printed,WM,,22"Wx1.38"L,SDarkGR,PK25	Wire Marker Card, Vinyl Cloth, Dark Green	C	100	\$	335.30
07498394304	<b>PCM-E</b>	Pre-Printed,WM,,25"Wx1.5"L,E,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'E'	C	100	\$	335.30
07498394305	<b>PCM-F</b>	Pre-Printed,WM,,25"Wx1.5"L,F,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'F'	C	100	\$	335.30
07498394306	<b>PCM-G</b>	Pre-Printed,WM,,25"Wx1.5"L,G,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'G'	C	100	\$	335.30
07498392908	<b>PCM-GRS</b>	Pre-Printed,WM,,25"Wx1.5"L,PK25	Wire Marker Card, Vinyl Cloth, Ground Symbol	C	100	\$	335.30
07498394307	<b>PCM-H</b>	Pre-Printed,WM,,25"Wx1.5"L,H,PK25	Wire Marker Card, Vinyl Cloth, 'H'	C	100	\$	335.30
07498394308	<b>PCM-I</b>	Pre-Printed,WM,,25"Wx1.5"L,I,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'I'	C	100	\$	335.30
07498394309	<b>PCM-J</b>	Pre-Printed,WM,,25"Wx1.5"L,J,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'J'	C	100	\$	335.30
07498394311	<b>PCM-L</b>	Pre-Printed,WM,,25"Wx1.5"L,L,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'L'	C	100	\$	335.30
07498394503	<b>PCM-L1</b>	Pre-Printed,WM,,25"Wx1.5"L,L1,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'L1'	C	100	\$	335.30
07498394504	<b>PCM-L2</b>	Pre-Printed,WM,,25"Wx1.5"L,L2,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'L2'	C	100	\$	335.30
07498394505	<b>PCM-L3</b>	Pre-Printed,WM,,25"Wx1.5"L,L3,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'L3'	C	100	\$	335.30
07498394312	<b>PCM-M</b>	Pre-Printed,WM,,25"Wx1.5"L,M,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'M'	C	100	\$	335.30
07498394506	<b>PCM-MIN</b>	Pre-Printed,WM,,36"Wx1.5"L,-,LGND,PK25	Wire Marker Card, Vinyl Cloth, '-'	C	100	\$	335.30
07498394313	<b>PCM-N</b>	Pre-Printed,WM,,25"Wx1.5"L,N,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'N'	C	100	\$	335.30
07498394314	<b>PCM-O</b>	Pre-Printed,WM,,25"Wx1.5"L,O,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'O'	C	100	\$	335.30
07498394787	<b>PCM-ORN</b>	Pre-Printed,WM,,25"Wx1.38"L,SOR,PK25	Wire Marker Card, Vinyl Cloth, Orange	C	100	\$	335.30
07498394315	<b>PCM-P</b>	Pre-Printed,WM,,25"Wx1.5"L,P,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'P'	C	100	\$	335.30
07498394507	<b>PCM-PLS</b>	Pre-Printed,WM,,36"Wx1.50"L,+ ,LGND,PK25	Wire Marker Card, Vinyl Cloth, '+'	C	100	\$	335.30
07498394795	<b>PCM-PUR</b>	Pre-Printed,WM,,22"Wx1.38"L,SVL,PK25	Wire Marker Card, Vinyl Cloth, Purple	C	100	\$	335.30
07498394317	<b>PCM-R</b>	Pre-Printed,WM,,25"Wx1.5"L,R,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'R'	C	100	\$	335.30
07498394780	<b>PCM-RED</b>	Pre-Printed,WM,,22"Wx1.38"L,SRD,PK25	Wire Marker Card, Vinyl Cloth, Red	C	100	\$	335.30

07498394318	<b>PCM-S</b>	Pre-Printed,WM,.25"Wx1.5"L,S,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'S'	C	100	\$	335.30
07498394319	<b>PCM-T</b>	Pre-Printed,WM,.25"Wx1.5"L,T,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'T'	C	100	\$	335.30
07498394502	<b>PCM-T3</b>	Pre-Printed,WM,.25"Wx1.5"L,T3,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'T3'	C	100	\$	335.30
07498394320	<b>PCM-U</b>	Pre-Printed,WM,.25"Wx1.5"L,U,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'U'	C	100	\$	335.30
07498394321	<b>PCM-V</b>	Pre-Printed,WM,.25"Wx1.5"L,V,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'V'	C	100	\$	335.30
07498394322	<b>PCM-W</b>	Pre-Printed,WM,.25"Wx1.5"L,W,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'W'	C	100	\$	335.30
07498394791	<b>PCM-WHT</b>	Pre-Printed,WM,.22"Wx1.38"L,SWH,PK25	Wire Marker Card, Vinyl Cloth, White	C	100	\$	335.30
07498394324	<b>PCM-Y</b>	Pre-Printed,WM,.25"Wx1.5"L,Y,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'Y'	C	100	\$	335.30
07498394781	<b>PCM-YEL</b>	Pre-Printed,WM,.22"Wx1.38"L,SYL,PK25	Wire Marker Card, Vinyl Cloth, Yellow	C	100	\$	335.30
07498394325	<b>PCM-Z</b>	Pre-Printed,WM,.25"Wx1.5"L,Z,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'Z'	C	100	\$	335.30
07498394800	<b>PCMB-1</b>	W MRKR BK,VYL,"0"-9",10PG	StrongHold PCMB-1 Pre-Printed Wire Marker Books are conveniently pocket-sized, containing wire labels pri	BK	1	\$	39.85
07498394809	<b>PCMB-10</b>	W MRKR BK,VYL,NEMA,10PG	Pre-printed Wire Marker Books are conveniently pocket-sized, containing wire labels printed on vinyl cloth. Ma	BK	1	\$	41.85
07498394810	<b>PCMB-11</b>	W MRKR BK,VYL,"1"-30",10PG	StrongHold PCMB-11 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels p	BK	1	\$	39.85
07498394811	<b>PCMB-12</b>	W MRKR BK,VYL,"A-Z","+", "-", ".","Blank,10PG	StrongHold PCMB-12 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels p	BK	1	\$	39.85
07498394812	<b>PCMB-13</b>	W MRKR BK,VYL,Voltage/Blanks,12PG	StrongHold PCMB-13 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels p	BK	1	\$	39.85
07498394813	<b>PCMB-14</b>	W MRKR BK,VYL,"46"-90",10PG	StrongHold PCMB-14 Pre-Printed Wire Marker Books are conveniently pocket-sized, containing wire labels p	BK	1	\$	39.85
07498385601	<b>PCMB-15</b>	W MRKR BK,VYL,"+", "-", ".","0"-45",11PG	StrongHold PCMB-15 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels p	BK	1	\$	39.85
07498394815	<b>PCMB-16</b>	W MRKR BK,VYL,0-33A-C-L1-L3T1-T3,10PG	StrongHold PCMB-16 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels p	BK	1	\$	39.85
07498394801	<b>PCMB-2</b>	W MRKR BK,VYL,"A-Z,1-15,+,-,/",10PG	StrongHold PCMB-2 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels pr	BK	1	\$	39.85
07498394814	<b>PCMB-25</b>	W MRKR BK,VYL,"0-9L1-L3,T1-T3",12PG	StrongHold PCMB-25 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels p	BK	1	\$	39.85
07498394802	<b>PCMB-3</b>	W MRKR BK,VYL,"1"-45",10PG	StrongHold PCMB-3 Pre-Printed Wire Marker Books are conveniently pocket-sized, containing wire labels pr	BK	1	\$	39.85
07498394803	<b>PCMB-4</b>	W MRKR BK,VYL,"1"-9",10PG	StrongHold PCMB-4 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels pr	BK	1	\$	39.85
07498394804	<b>PCMB-5</b>	W MRKR BK,VYL,"A"-C",10PG	StrongHold PCMB-5 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels pr	BK	1	\$	39.85
07498394805	<b>PCMB-6</b>	W MRKR BK,VYL,"T1"-T3",10PG	StrongHold PCMB-6 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels pr	BK	1	\$	39.85
07498394806	<b>PCMB-7</b>	W MRKR BK,VYL,"L1"-L3",10PG	StrongHold PCMB-7 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels pr	BK	1	\$	39.85
07498394807	<b>PCMB-8</b>	W MRKR BK,VYL,"1-15,16-90A-Z+/-0",10PG	StrongHold PCMB-8 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels pr	BK	1	\$	39.85
07498394808	<b>PCMB-9</b>	W MRKR BK,VYL,"1-15,16-90A-Z+/-0",10PG	StrongHold PCMB-9 Pre-Printed Wire Marker Books are conveniently pocket-sized and contain wire labels pr	BK	1	\$	39.85
07498394430	<b>PCMCP-1-25</b>	Pre-Printed,WM,.25"Wx1.5"L,1-25,EA	PCM Cloth Wire Marker Card Combo Pkg, 1 Card Ea '1-25'	PK	1	\$	88.18
07498394431	<b>PCMCP-26-50</b>	Pre-Printed,WM,.25"Wx1.5"L,26-50,EA	PCM Cloth Wire Marker Card Combo Pkg, 1 Card Ea '26-50'	PK	1	\$	92.60
07498394432	<b>PCMCP-51-75</b>	Pre-Printed,WM,.25"Wx1.5"L,51-75,EA	PCM Cloth Wire Marker Card Combo Pkg, 1 Card Ea '51-75'	PK	1	\$	92.60
07498394433	<b>PCMCP-76-100</b>	Pre-Printed,WM,.25"Wx1.5"L,76-100,EA	PCM Cloth Wire Marker Card Combo Pkg, 1 Card Ea '76-100'	PK	1	\$	92.60
07498394434	<b>PCMCP-A-Z</b>	Pre-Printed,WM,.25"Wx1.5"L,A-Z,EA	PCM Cloth Wire Marker Card Combo Pkg, 1 Card Ea 'A-Z'	PK	1	\$	92.60
07498396056	<b>PCMH-1</b>	Pre-Printed,WM,.25"Wx1.5"L,1,PK25	Wire Marker Card, Vinyl Cloth, Half, '1'	C	100	\$	335.30
07498396172	<b>PCMH-2</b>	Pre-PrintedCards,.25"Wx1.5"L,2,PK25	Wire Marker Card, Vinyl Cloth, Half, '2'	C	100	\$	335.30
07498396234	<b>PCMH-3</b>	Pre-PrintedCards,.25"Wx1.5"L,3,PK25	Wire Marker Card, Vinyl Cloth, Half, '3'	C	100	\$	335.30
07498396246	<b>PCMH-4</b>	Pre-PrintedCards,.25"Wx1.5"L,4,PK25	Wire Marker Card, Vinyl Cloth, Half, '4'	C	100	\$	335.30
07498396257	<b>PCMH-5</b>	Pre-PrintedCards,.25"Wx1.5"L,5,PK25	Wire Marker Card, Vinyl Cloth, Half, '5'	C	100	\$	335.30
07498372247	<b>PCS16</b>	SCREW-ON CONDUIT SUPPORT,1 in,EMT,PK100	Screw-on conduit support for 1.00" EMT for 2 1/8" depth electrical box.	PC	1	\$	0.85
07498372562	<b>PCS812</b>	SCREW-ON CONDUIT SUPPORT,1-1/2 in,PK100	Screw-on conduit support for 1 1/2" - 3/4" EMT, for 1 1/2" depth electrical box.	PC	1	\$	0.79
07498364127	<b>PCS812D</b>	SCREW-ON CNDT SUPPR,1/2-3/4in,EMT,PK100	Screw-on conduit support for 1/2" - 3/4" EMT, for 2 1/8" depth electrical box.	PC	1	\$	0.84
07498377448	<b>PCSB2/0-2-12</b>	MultiTap,2Port,2/0-14 STR,10-14 SOL,PK12	The PCSB2/0-2-12 Multi-Tap Mechanical Lug has a flexible design that can be used as a tap, splice, or dead-	C	100	\$	4,529.96
07498342140	<b>PCSB2/0-2S-6</b>	MultiTap,Clear,2Ports,2/0-#14STRPK6	The PCSB2/0-2S-6 Multi-Tap Mechanical Connector has a flexible design that can be used as a tap, splice, o	C	100	\$	4,083.55
07498377449	<b>PCSB2/0-3-6</b>	MultiTap,3Port,2/0-14 STR,10-14 SOL,PK6	Multi-Tap connector, double-sided, clear insulation, 3 ports, 2/0 - #14 STR, #10 - #14 SOL.	C	100	\$	4,845.63
07498359643	<b>PCSB2/0-3S-6Y</b>	MultiTap,Clear,3Ports,2/0-#14STRPK6Y	The PCSB2/0-3S-6Y Multi-Tap Mechanical Lug has a flexible design that can be used as a tap, splice, or dea	C	100	\$	4,245.50
07498377450	<b>PCSB2/0-4-6</b>	MultiConn,DbI-Sd,Clr,4PT,2/0,#14STR,PK6	The PCSB2/0-4-6 Multi-Tap Mechanical Lug has a flexible design that can be used as a tap, splice, or dead-e	C	100	\$	5,329.49
07498359645	<b>PCSB2/0-4S-6Y</b>	MultiTap,Clear,4Ports,2/0-#14STRPK6Y	Multi-Tap connector, single-sided, clear insulation, 4 ports, 2/0 - #14 STR.	C	100	\$	4,902.30
07498359647	<b>PCSB2/0-5S-4Y</b>	MultiTap,Clear,5Ports,2/0-#14STRPK6Y	Multi-Tap connector, single-sided, clear insulation, 5 ports, 2/0 - #14 STR.	C	100	\$	5,591.16
07498377452	<b>PCSB2/0-6-6</b>	MultiConn,DbI-Sd,Clr,6Ports,2/0,PK6	Multi-Tap connector, double-sided, clear insulation, 6 ports, 2/0 - #14 STR, #10 - #14 SOL.	C	100	\$	7,594.04
07498359659	<b>PCSB250-2-6Y</b>	MultiTap,2Port,DbI,250 kcmil-#10 STR,PK6	The PCSB250-2-6Y Multi-Tap Mechanical Lug has a flexible design that can be used as a tap, splice, or dead	C	100	\$	5,217.84
07498359660	<b>PCSB250-2S-6Y</b>	MultiTap,2Port,Sng,250 kcmil-#10 STR,PK6	The PCSB250-2S-6Y Multi-Tap Mechanical Lug has a flexible design that can be used as a tap, splice, or dea	C	100	\$	5,483.08
07498359661	<b>PCSB250-3-6Y</b>	MultiTap,3Port,DbI,250 kcmil-#10 STR,PK6	The PCSB250-3-6Y Multi-Tap Mechanical Lug has a flexible design that can be used as a tap, splice, or dead	C	100	\$	6,235.74
07498359662	<b>PCSB250-3S-6Y</b>	MultiTap,3Port,Sng,250 kcmil-#10 STR,PK6	Multi-Tap connector, single-sided, clear insulation, 3 ports, 250 kcmil - #10 STR.	C	100	\$	5,103.84
07498359663	<b>PCSB250-4-6Y</b>	MultiTap,4 Port,250 kcmil-#10 STR,PK6	Multi-Tap connector, double-sided, clear insulation, 4 ports, 250 kcmil - #6 STR.	C	100	\$	6,612.01
07498359667	<b>PCSB250-4S-6Y</b>	MultiConn,Sgl-Sd,Clr,4PT,250K,#10STR,PK6	Multi-Tap connector, single-sided, clear insulation, 4 ports, 250 kcmil - #10 STR.	C	100	\$	5,442.08
07498359670	<b>PCSB250-6-4Y</b>	MultiConn,DbI-Sd,Clr,6Ports,250K,PK4	Multi-Tap connector, double-sided, clear insulation, 6 ports, 250 kcmil - #6 STR.	C	100	\$	8,184.38
07498377462	<b>PCSB350-2-4</b>	MultiConn,DbI-Sd,Clr,2Ports,350K,PK4	Multi-Tap connector, double-sided, clear insulation, 2 ports, 350 kcmil - #10 STR, #10 SOL.	C	100	\$	6,932.06
07498359681	<b>PCSB350-2S-4Y</b>	MultiConn,Sgl-Sd,Clr,2Ports,350K,PK4	Multi-Tap connector, single-sided, clear insulation, 2 ports, 350 kcmil - #10 STR.	C	100	\$	6,101.35
07498377463	<b>PCSB350-3-4</b>	MultiConn,DbI-Sd,Clr,3Ports,350K,PK4	Multi-Tap connector, double-sided, clear insulation, 3 ports, 350 kcmil - #10 STR, #10 SOL.	C	100	\$	7,197.11
07498359683	<b>PCSB350-3S-4Y</b>	MultiConn,Sgl-Sd,Clr,3Ports,350K,PK4	Multi-Tap connector, single-sided, clear insulation, 3 ports, 350 kcmil - #10 STR.	C	100	\$	5,706.48
07498377464	<b>PCSB350-4-3</b>	MultiConn,DbI-Sd,Clr,4PT,350K,#10STR,PK3	Multi-Tap connector, double-sided, clear insulation, 4 ports, 350 kcmil - #10 STR, #10 SOL.	C	100	\$	8,021.48
07498359685	<b>PCSB350-4S-3Y</b>	MultiConn,Sgl-Sd,Clr,4PT,350K,#10STR,PK3	Multi-Tap connector, single-sided, clear insulation, 4 ports, 350 kcmil - #10 STR.	C	100	\$	6,460.13
07498377466	<b>PCSB350-6-2</b>	MultiConn,DbI-Sd,Clr,6Ports,350K,PK2	Multi-Tap connector, double- sided, clear insulation, 6 ports, 350 kcmil - #10 STR, #10 SOL.	C	100	\$	10,228.44
07498359754	<b>PCSB4-2-12Y</b>	MultiTap,2Port,#4-14 STR,#10-14 SOL,PK12	The PCSB4-2-12Y Multi-Tap Mechanical Lug has a flexible design that can be used as a tap, splice, or dead-	C	100	\$	2,849.65
07498359755	<b>PCSB4-2S-12Y</b>	MultiTap,Clear,2Ports,#4-#14STRPK6Y	The PCSB4-2S-12Y Multi-Tap Mechanical Connector has a flexible design that can be used as a tap, splice,	C	100	\$	1,997.03
07498359756	<b>PCSB4-3-12Y</b>	MultiConn,DbI-Sd,Clr,3Ports,#4,PK12	Multi-Tap connector, double-sided, clear insulation, 3 ports, #4 - #14 STR, #10 - #14 SOL.	C	100	\$	3,784.85
07498359757	<b>PCSB4-3S-12Y</b>	MultiTap,Clear,3Ports,#4-#14STRPK6Y	The PCSB4-3S-12Y Multi-Tap Mechanical Lug has a flexible design that can be used as a tap, splice, or dead	C	100	\$	3,033.49
07498359778	<b>PCSB4-4-6Y</b>	MultiConn,DbI-Sd,Clr,4PT,#4,#14STR,PK6	The PCSB4-4-6Y Multi-Tap Mechanical Lug has a flexible design that can be used as a tap, splice, or dead-e	C	100	\$	4,938.68
07498359779	<b>PCSB4-4S-6Y</b>	MultiTap,Clear,4Ports,#4-#14STRPK6Y	Multi-Tap connector, single-sided, clear insulation, 4 ports, #4 - #14 STR.	C	100	\$	3,781.76
07498359802	<b>PCSB4-6S-6Y</b>	MultiTap,Clear,5Ports,#4-#14STRPK6Y	Multi-Tap connector, single-sided, clear insulation, 5 ports, #4 - #14 STR.	C	100	\$	4,753.24
07498359815	<b>PCSB4-6-6Y</b>	MultiConn,DbI-Sd,Clr,6Ports,#4,PK6	Multi-Tap connector, double-sided, clear insulation, 6 ports, #4 - #14 STR, #10 - #14 SOL.	C	100	\$	6,961.38
07498359917	<b>PCSB4-8-4Y</b>	MultiConn,DbI-Sd,Clr,8PT,#4,#14STR,PK4	The PCSB4-8-4Y Multi-Tap Mechanical Lug has a flexible design that can be used as a tap, splice, or dead-e	C	100	\$	7,290.55
07498359987	<b>PCSB600-2-4Y</b>	MultiTap,2Port,DbI,600 kcmil-#6 STR,PK4	Multi-Tap connector, double-sided, clear insulation, 2 ports, 600 kcmil - #6 STR AWG	C	100	\$	9,537.73
07498359988	<b>PCSB600-2S-4Y</b>	MultiTap,2Port,Sng,600 kcmil-#6 STR,PK4	Multi-Tap connector, single-sided, clear insulation, 2 ports, 600 kcmil - #6 STR AWG	C	100	\$	8,511.76
07498359989	<b>PCSB600-3-3Y</b>	MultiConn,DbI-Sd,Clr,3Ports,600K,#6A,PK3	Multi-Tap connector, double-sided, clear insulation, 3 ports, 600 kcmil - #6 STR AWG	C	100	\$	10,593.88
07498359997	<b>PCSB600-3S-3Y</b>	MultiConn,Sgl-Sd,Clr,3Ports,600K,PK3	Multi-Tap connector, single-sided, clear insulation, 3 ports, 600 kcmil - #6 STR AWG	C	100	\$	8,549.03
07498359998	<b>PCSB600-4-2Y</b>	MultiConn,DbI-Sd,Clr,4PT,600K,#6A,PK2	Multi-Tap connector, double-sided, clear insulation, 4 ports, 600 kcmil - #6 AWG STR.	C	100	\$	11,652.28
07498359999	<b>PCSB600-4S-2Y</b>	MultiConn,Sgl-Sd,Clr,4PT,600K,#6A,PK2	Multi-Tap connector, single-sided, clear insulation, 4 ports, 600 kcmil - #6 STR AWG	C	100	\$	9,403.91

07498360125	<b>PCSB600-6-2Y</b>	MultiConn,DbI-Sd,Clr,6Ports,600K,#6A,PK2	Multi-Tap connector, double-sided, clear insulation, 6 ports, 600 kcmil - #6 AWG STR.	C	100	\$	13,371.90
07498360127	<b>PCSB600-8-2Y</b>	MultiConn,DbI-Sd,Clr,8Pt,600K,#6A,PK2	Multi-Tap connector, double-sided, clear insulation, 8 ports, 600 kcmil - #6 AWG STR.	C	100	\$	21,577.80
07498360131	<b>PCSB750-2-2Y</b>	MultiConn,DbI-Sd,Clr,2Ports,750K,PK2	Multi-Tap connector, double-sided, clear insulation, 2 ports, 750 kcmil - 1/0 STR.	C	100	\$	18,153.28
07498360133	<b>PCSB750-3-2Y</b>	MultiConn,DbI-Sd,Clr,3Ports,750K,PK2	Multi-Tap connector, double-sided, clear insulation, 3 ports, 750 kcmil - 1/0 STR.	C	100	\$	20,303.69
07498360153	<b>PCSB750-4-2Y</b>	MultiConn,DbI-Sd,Clr,4Pt,750K,1/0STR,PK2	Multi-Tap connector, double-sided, clear insulation, 4 ports, 750 kcmil - 1/0 STR.	C	100	\$	22,550.35
07498354431	<b>PCSH-B-CR</b>	CushionSleeving,H,100ftx.47"W,EA	The PCSH-B-CR Custom Length Cushion Sleeving is designed for use with metal locking strap and buckle st	RL	1	\$	363.76
07498351131	<b>PCSLSH-B-CR</b>	CushionSleeving,EH-SH,100ftx1.05"W,EA	The PCSLSH-B-CR Custom Length Cushion Sleeving is designed for use with metal locking strap and buckle	RL	1	\$	798.30
07498354432	<b>PCSS-B-CR</b>	CushionSleeving,Std,100ftx.33"W,EA	The PCSS-B-CR Custom Length Cushion Sleeving is designed for use with metal locking strap cleats to help	RL	1	\$	296.33
07498334539	<b>PCSSH-B-CR</b>	CushionSleeving,SH,100ftx.91"W,EA	The PCSSH-B-CR Custom Length Cushion Sleeving is designed for use with metal locking strap and buckle	RL	1	\$	727.51
61305610158	<b>PCT-1115-C</b>	TAG,BLANK,TYVEK,SIZE 5,100/PK,WT,WIRE	TAG, BLANK, TYVEK, SIZE 5, 100/PK, White, WIRE	PK	1	\$	40.71
07498342508	<b>PCV-115BY</b>	VOLTAGE MRKER,VNLY, '115 VOLTS',BL/OR,PK5	Voltage marker, 4.5" W x 1.13" H, '115 Volts' (legend), vinyl, black/orange, 4/card, 5 cards/package.	C	100	\$	359.36
07498342509	<b>PCV-115CY</b>	VOLTAGE MRKER,VNLY, '115 VOLTS',BL/OR,PK5	Voltage marker, 4.5" W x 0.50" H, '115 Volts' (legend), vinyl, black/orange, 18 marker/card, 5 cards/package	C	100	\$	359.36
07498342510	<b>PCV-120/208AY</b>	VOLT MRKR,VNLY, '120/208 VOLTS',BL/OR,PK5	Voltage marker, 9.0" W x 2.25" H, '120/208 Volts' (legend), vinyl, black/orange, 1 marker/card, 5 cards/packa	C	100	\$	359.36
07498342511	<b>PCV-120/208BY</b>	VOLT MRKR,VYL, '120/208 VOLTS',BL/OR,PK5	Voltage marker, 4.5" W x 1.13" H, '120/208 Volts' (legend), vinyl, black/orange, 4/card, 5 cards/package.	C	100	\$	359.36
07498342513	<b>PCV-120AY</b>	VOLTAGE MRKER,VYL, '120 VOLTS',BL/OR,PK5	Voltage marker, 9.0" W x 2.25" H, '120 Volts' (legend), vinyl, black/orange, 1 marker/card, 5 cards/package.	C	100	\$	359.36
07498342514	<b>PCV-120BY</b>	VOLTAGE MRKER,VNLY, '120 VOLTS',BL/OR,PK5	Voltage marker, 4.5" W x 1.13" H, '120 Volts' (legend), vinyl, black/orange, 4/card, 5 cards/package.	C	100	\$	359.36
07498342515	<b>PCV-120CY</b>	VOLTAGE MRKER,VNLY, '120 VOLTS',BL/OR,PK5	Voltage marker, 2.25" W x 0.50" H, '120 Volts' (legend), vinyl, black/orange, 18 marker/card, 5 cards/packag	C	100	\$	359.36
07498342517	<b>PCV-12470AY</b>	VOLT MRKER,VNLY, '12470 VOLTS',BL/OR,PK5	Voltage marker, 9.0" W x 2.25" H, '12470 Volts' (legend), vinyl, black/orange, 1 marker/card, 5 cards/pack	C	100	\$	359.36
07498342603	<b>PCV-13800AY</b>	VOLT MRKER,VNLY, '13800 VOLTS',BL/OR,PK5	Voltage marker, 9.0" W x 2.25" H, '13800 Volts' (legend), vinyl, black/orange, 1 marker/card, 5 cards/packag	C	100	\$	359.36
07498342613	<b>PCV-208AY</b>	VOLTAGE MRKER,VYL, '208 VOLTS',BL/OR,PK5	Voltage marker, 9.0" W x 2.25" H, '208 Volts' (legend), vinyl, black/orange, 1 marker/card, 5 cards/package.	C	100	\$	359.36
07498342614	<b>PCV-208BY</b>	VOLTAGE MRKER,VNLY, '208 VOLTS',BL/OR,PK5	Voltage marker, 4.5" W x 1.13" H, '208 Volts' (legend), vinyl, black/orange, 4/card, 5 cards/package.	C	100	\$	359.36
07498342634	<b>PCV-208CY</b>	VOLTAGE MRKER,VNLY, '208 VOLTS',BL/OR,PK5	Voltage marker, 2.25" W x 0.50" H, '208 Volts' (legend), vinyl, black/orange, 18 marker/card, 5 cards/packag	C	100	\$	359.36
07498342813	<b>PCV-240AY</b>	VOLTAGE MRKR,VYL, '240 VOLTS',BL/OR,PK5	Voltage marker, 9.0" W x 2.25" H, '240 Volts' (legend), vinyl, black/orange, 1 marker/card, 5 cards/packag	C	100	\$	359.36
07498342815	<b>PCV-240BY</b>	VOLTAGE MRKR,VNLY, '240 VOLTS',BL/OR,PK5	Voltage marker, 4.5" W x 1.13" H, '240 Volts' (legend), vinyl, black/orange, 4/card, 5 cards/package.	C	100	\$	359.36
07498342819	<b>PCV-240CY</b>	VOLTAGE MRKR,VNLY, '240 VOLTS',BL/OR,PK5	Voltage marker, 2.25" W x 0.50" H, '240 Volts' (legend), vinyl, black/orange, 18 marker/card, 5 cards/package	C	100	\$	359.36
07498341837	<b>PCV-24VDCBY</b>	VOLT MRKR,VNLY, '24 VOLTS DC',BL/OR,PK5	Voltage marker, 4.5" W x 1.13" H, '24V DC' (legend), vinyl, black/orange, 4/card, 5 cards/package.	C	100	\$	359.36
07498342822	<b>PCV-277/480AY</b>	VOLT MRKR,VNLY, '277/480 VOLTS',BL/OR,PK5	Voltage marker, 9.0" W x 2.25" H, '277/480 Volts' (legend), vinyl, black/orange, 1 marker/card, 5 cards/packa	C	100	\$	359.36
07498342837	<b>PCV-277/480BY</b>	VOLT MRKR,VYL, '277/480 VOLTS',BL/OR,PK5	Voltage marker, 4.5" W x 1.13" H, '277/480 Volts' (legend), vinyl, black/orange, 4/card, 5 cards/package.	C	100	\$	359.36
07498342840	<b>PCV-277/480CY</b>	VOLT MRKR,VNLY, '277/480 VOLTS',BL/OR,PK5	Voltage marker, 2.25" W x 0.50" H, '277/480 Volts' (legend), vinyl, black/orange, 18 marker/card, 5 cards/pac	C	100	\$	359.36
07498342909	<b>PCV-277BY</b>	VOLTAGE MRKR,VNLY, '277 VOLTS',BL/OR,PK5	Voltage marker, 4.5" W x 1.13" H, '277 Volts' (legend), vinyl, black/orange, 4/card, 5 cards/package.	C	100	\$	359.36
07498342912	<b>PCV-277CY</b>	VOLTAGE MRKR,VNLY, '277 VOLTS',BL/OR,PK5	Voltage marker, 2.25 x 0.50, '277 Volts' (legend), vinyl, black/orange, 18 marker/card, 5 cards/package.	C	100	\$	359.36
07498342919	<b>PCV-3PHBY</b>	VOLT MRKER,VYL, 'THREE PHASE',BL/OR,PK5	Voltage marker, 4.5" W x 1.13" H, 'Three phase' (legend), vinyl, black/orange, 4/card, 5 cards/package.	C	100	\$	359.36
07498342965	<b>PCV-3PHCY</b>	VOLT MRKER,VNLY, 'THREE PHASE',BL/OR,PK5	Voltage marker, 2.25" W x 0.50" H, 'Three phase' (legend), vinyl, black/orange, 18 marker/card, 5 cards/pack	C	100	\$	359.36
07498342969	<b>PCV-4160AY</b>	VOLTAGE MRKR,VYL, '4160 VOLTS',BL/OR,PK5	Voltage marker, 9.0" W x 2.25" H, '4160 Volts' (legend), vinyl, black/orange, 1 marker/card, 5 cards/package.	C	100	\$	359.36
07498342993	<b>PCV-460BY</b>	VOLTAGE MRKR,VNLY, '460 VOLTS',BL/OR,PK5	Voltage marker, 4.5" W x 1.13" H, '460 Volts' (legend), vinyl, black/orange, 4/card, 5 cards/package.	C	100	\$	359.36
07498342994	<b>PCV-460CY</b>	VOLTAGE MRKR,VNLY, '460 VOLTS',BL/OR,PK5	Voltage marker, 2.25" W x 0.50" H, '460 Volts' (legend), vinyl, black/orange, 18 marker/card, 5 cards/package	C	100	\$	359.36
07498342995	<b>PCV-480AY</b>	VOLTAGE MRKR,VYL, '480 VOLTS',BL/OR,PK5	Voltage marker, 9.0" W x 2.25" H, '480 Volts' (legend), vinyl, black/orange, 1 marker/card, 5 cards/package.	C	100	\$	359.36
07498342996	<b>PCV-480BY</b>	VOLTAGE MRKR,VNLY, '480 VOLTS',BL/OR,PK5	The PCV-480BY Voltage Marker is rated for indoor use and features excellent adhesive properties when appl	C	100	\$	342.26
07498342997	<b>PCV-480CY</b>	VOLTAGE MRKR,VNLY, '480 VOLTS',BL/OR,PK5	Voltage marker, 2.25" W x 0.50" H, '480 Volts' (legend), vinyl, black/orange, 18 marker/card, 5 cards/package	C	100	\$	359.36
07498342999	<b>PCV-600AY</b>	VOLTAGE MRKR,VYL, '600 VOLTS',BL/OR,PK5	Voltage marker, 9.0" W x 2.25" H, '600 Volts' (legend), vinyl, black/orange, 1 marker/card, 5 cards/package	C	100	\$	359.36
07498343000	<b>PCV-600BY</b>	VOLTAGE MRKR,VNLY, '600 VOLTS',BL/OR,PK5	Voltage marker, 4.5" W x 1.13" H, '600 Volts' (legend), vinyl, black/orange, 4/card, 5 cards/package.	C	100	\$	359.36
07498343002	<b>PCVB-110Y</b>	VOLT MRKR BK,VNLY, '110 VOLTS',BL/OR,EA	Voltage marker book, '110 Volts' (legend), vinyl, black/orange, 3 markers/page, 30 markers/book.	BK	1	\$	31.79
07498343003	<b>PCVB-220Y</b>	VOLT MRKR BK,VNLY, '220 VOLTS',BL/OR,EA	Voltage marker book, '220 Volts' (legend), vinyl, black/orange, 3 markers/page, 30 markers/book.	BK	1	\$	31.79
07498343008	<b>PCVB-480Y</b>	VOLT MRKR BK,VNLY, '480 VOLTS',BL/OR,EA	Voltage marker book, '480 Volts' (legend), vinyl, black/orange, 3 markers/page, 30 markers/book.	BK	1	\$	31.79
07498394818	<b>PCWL-ACC</b>	WRITE-ON VNLY CLTH, 'ACCEPTED',GR/WH,PK25	Write-on label on card, 1.5" W x 0.63" H, 'Accepted' (legend), vinyl cloth, green/white, 14 markers/card, 25 ca	C	100	\$	362.38
07498394829	<b>PCWL-BL</b>	WRITE-ON VNLY CLTH,(NO LEGEND),WH,PK25	Write-on label on card, 1.5" W x 0.63" H, blank (legend), vinyl cloth, white, 14 markers/card, 25 cards/packag	C	100	\$	360.49
07498394824	<b>PCWL-CAL</b>	WRTE-ON VNY CLTH, 'CALIBRATN',GR/WH,PK25	Write-on label on card, 1.5" W x 0.63" H, 'Calibration' (legend), vinyl cloth, green/white, 14 markers/card, 25 c	C	100	\$	362.38
07498344322	<b>PD-RC</b>	RemoteControlBox,PDM,PDS,PD3S,Disp,EA	Remote Control Box for PDM/PDS/PD3S Dispensers	PC	1	\$	1,617.40
07498319834	<b>PD3S</b>	Dispenser,PAT3S,CableTieSystem,EA	Stationary dispenser with electronic display. Online help menu through LCD display, multi-language, alarm so	PC	1	\$	23,583.58
07498336231	<b>PD3SF</b>	CableTieReelAssemb,PD3S,EA	Assembly holds cable tie reel and rewinds the packaging paper liner as cable ties are being loaded into the di	PC	1	\$	2,062.45
07498399175	<b>PDL-1-10</b>	DotMatrix,Vyl, .5"Wx1.4375"H,PK10000	Dot-Matrix Self-Laminating Label, 0.50" x 1.44", Vinyl, White, 10,000 pc.	M	1000	\$	72.21
07498397604	<b>PDL-110</b>	DotMatrix,Tedlar,2"Wx.375"H,PK5000	Dot-Matrix Label, 2.00" x 0.38", Tedlar, White, 5,000 pc.	M	1000	\$	245.33
07498398201	<b>PDL-2</b>	DotMatrix,Vyl, .5"Wx1.4375"H,WH,PK5000	Dot-Matrix Self-Laminating Label, .50" x 1.44", Vinyl, White, 5,000 pc.	M	1000	\$	209.99
07498398219	<b>PDL-20</b>	DotMatrix,PES, 1"Wx.5"H,WH,PK5000	Dot-Matrix Label, 1.00" x 0.50", Polyester, White, 5,000 pc.	M	1000	\$	124.44
07498322364	<b>PDL-245-10</b>	DotMatrix,Vyl, .75"Wx1.75"H,WH,PK10000	Dot-Matrix Self-Laminating Label, 0.75" x 1.75", Vinyl, White, 10,000 pc.	M	1000	\$	190.06
07498335664	<b>PDL-2VF</b>	DotMatrix,VylFree, .5"Wx1.44"H,WH,PK5000	Dot-Matrix Self-Laminating Label, .50" x 1.44", 0.50" POA, Polyolefin, White	M	1000	\$	220.96
07498398231	<b>PDL-32</b>	DotMatrix,VylCloth,2"Wx.375"H,WH,PK5000	Dot-Matrix Label, 2.00" x 0.38", Vinyl Cloth, White, 5,000 pc.	M	1000	\$	185.73
07498398235	<b>PDL-36</b>	DotMatrix,PES, .65"Wx.2"H,WH,PK5000	Dot-Matrix Label, 0.65" x 0.20", Polyester, White, 5,000 pc.	M	1000	\$	53.09
07498398236	<b>PDL-37</b>	DotMatrix,VylCloth, .75"Wx.25"H,WH,PK5000	Dot-Matrix Label, 0.75" x 0.25", Vinyl Cloth, White	M	1000	\$	73.28
07498398238	<b>PDL-39</b>	DotMatrix,PES, .75"Wx.25"H,WH,PK5000	Dot-Matrix Label, 0.75" x 0.25", Polyester, White	M	1000	\$	67.05
07498398203	<b>PDL-4</b>	DotMatrix,Vyl, 1"Wx2.44"H,WH,PK1000	Dot-Matrix Self-Laminating Label, 1.00" x 2.44", Vinyl, White, 5,000 pc.	M	1000	\$	336.68
07498398240	<b>PDL-41</b>	DotMatrix,VylCloth, 1.5"Wx.25"H,WH,PK5000	Dot-Matrix Label, 1.50" x 0.25", Vinyl Cloth, White, 5,000 pc.	M	1000	\$	125.34
07498398248	<b>PDL-49</b>	DotMatrix,Tedlar, .9"Wx.25"H,WH,PK5000	Dot-Matrix Label, 0.90" x 0.25", Tedlar, White, 5,000 pc.	M	1000	\$	102.00
07498322353	<b>PDL-49-10</b>	DotMatrix,Tedlar, .9"Wx.25"H,WH,PK10000	Dot-Matrix Label, 0.90" x 0.25", Tedlar, White, 10,000 pc.	M	1000	\$	81.45
07498335666	<b>PDL-4VF</b>	DotMatrix,VylFree, 1"Wx2.44"H,WH,PK1000	Dot-Matrix Self-Laminating Label, 1.00" x 2.44", 0.75", Polyolefin, White	M	1000	\$	343.14
07498335667	<b>PDL-5VF</b>	DotMatrix,VylFree, 2"Wx2.44"H,WH,PK1000	Dot Matrix, Self-Lam Label, Vinyl free, 2.00" W x 2.44" H, 0.75" POA, White	M	1000	\$	766.51
07498398205	<b>PDL-6</b>	DotMatrix,Vyl, 1.20x2.94"H, 1"POA,WH,PK10000	Dot-Matrix Self-Laminating Label, 1.00" x 3.94", Vinyl, White, 5,000 pc.	M	1000	\$	595.34
07498399118	<b>PDL-662EVF</b>	DM,Label, 1.20x2.25in,PK10000	Dot Matrix, Self-Lam Label, Vinyl free, 1.20" W x 2.25" H, .60" POA, White	M	1000	\$	280.35
07498335668	<b>PDL-6VF</b>	DotMatrix,VylFree, 1"Wx3.94"H,WH,PK1000	Dot-Matrix, Self-Lam Label, Vinyl free, 1.00" x 3.94", White	M	1000	\$	596.80
07498397569	<b>PDL-75</b>	DotMatrix,Tedlar, 1"Wx.375"H,PK5000	Dot-Matrix Label, 1.00" x 0.38", Tedlar, White	M	1000	\$	128.18
07498397570	<b>PDL-76</b>	DotMatrix,Tedlar, 2"Wx.375"H	Dot-Matrix Label, 2.00" x 0.38", Tedlar, White.	M	1000	\$	234.26
07498399178	<b>PDL-8-10</b>	DotMatrix,Vyl, .8"Wx1.44"H,WH,PK10000	Dot-Matrix Self-Laminating Label, 0.80" x 1.44", Vinyl, White, 10,000 pc.	M	1000	\$	162.16
07498397577	<b>PDL-83</b>	DotMatrix,Tedlar, .65"Wx.2"H,PK5000	Dot-Matrix Label, 0.65" x 0.20", Tedlar, White	M	1000	\$	51.04
07498397578	<b>PDL-84</b>	DotMatrix,Tedlar, .75"Wx.25"H,PK5000	Dot-Matrix Label, 0.75" x 0.25", Tedlar, White	M	1000	\$	53.09
07498397580	<b>PDL-86</b>	DotMatrix,Tedlar, 1.5"Wx.25"H,PK5000	Dot-Matrix Label, 1.50" x 0.25", Tedlar, White	M	1000	\$	146.54
07498335670	<b>PDL-8VF</b>	DotMatrix,VylFree, .8"Wx1.44"H,WH,PK5000	DOT MATRIX SELF-LAMS, 0.80" X 1.44" POLYOLEFIN, WHITE	M	1000	\$	190.28
61305602210	<b>PDM4.0</b>	Dispenser PLT1M4.0/PAT1.5M4.0,EA	Panduit PDM4.0 stationary dispenser with electronic display. When paired with one of Panduit's ergonomic an	PC	1	\$	13,026.00

07498334248	<b>PDSF</b>	Dispenser Frame for PDS,EA	Metal frame supports the PDS dispenser above the cable tie reel as ties are loaded into dispenser; can be used	PC	1	\$	1,052.94
07498363125	<b>PDSI2A</b>	OLD WORK BOX MOUNT,PK100	Box support to secure electrical box to finished dry wall, galvanized steel.	PC	1	\$	0.84
07498342700	<b>PECWMS-1119B</b>	Dot-MatrixLbl,0.75"x0.43",Cloth,PK25	Dot-Matrix Label, 0.75" x 0.43", Cloth, Black/Yellow	C	100	\$	1,790.51
07498342703	<b>PECWMS-1138B</b>	Dot-MatrixLbl,1.50"x0.43",Cloth,PK25	Dot-Matrix Label, 1.50" x 0.43", Cloth, Black/Yellow	C	100	\$	1,790.51
07498342706	<b>PECWMS-2256B</b>	Dot-MatrixLbl,2.20"x0.87",Cloth,PK25	Dot-Matrix Label, 2.20" x 0.87", Cloth, Black/Yellow	C	100	\$	1,790.51
07498348096	<b>PEL-1-Y2-10</b>	Laser.CompLbl,Polyester,WH,PK10000	Laser Label on A4 Sheet, 0.70" x 0.25", Polyester, White	M	1000	\$	43.40
07498348125	<b>PEL-10-Y2-5</b>	Laser.CompLbl,Polyester,WH,PK5000	Laser Label on A4 Sheet, 0.70" x 0.50", Polyester, White	M	1000	\$	102.83
07498348129	<b>PEL-11-Y2-5</b>	Laser.CompLabel,WhitePolyester,PK5000	Laser Label on A4 Sheet, 1.00" x 0.50", Polyester, White	M	1000	\$	90.10
07498348105	<b>PEL-4-Y2-10</b>	Laser.CompLbl,Polyester,WH,PK10000	Laser Label on A4 Sheet, 0.70" x 0.33", Polyester, White	M	1000	\$	45.18
07498348112	<b>PEL-6-Y2-5</b>	Laser.CompLbl,Polyester,WH,PK5000	Laser Label on A4 Sheet, 1.00" x 0.33", Polyester, White	M	1000	\$	103.35
07498369546	<b>PES-S1</b>	CIRCUIT BREAKER DIRECTORY SIGN, RD/WH,PK31	Circuit breaker directory sign, 13" x 5.50", adhesive paper, red and black/white, 5 labels per package.	PK	1	\$	25.76
61305636780	<b>PES400</b>	Portable Embossing System, .188" (5mm) a	The PES400 Embossing System delivers a permanent identification solution on-site and on-demand. The sy	PC	1	\$	29,687.50
07498369151	<b>PESC-H-AT</b>	ELECT SYM,"ELEC VOLTAGE",.51,BL/YL,PK5	Electrical symbol on card, 0.51" x 0.51" (13.00mm x 13.00mm) marker size, warning of dangerous electrical v	C	100	\$	880.11
07498369154	<b>PESC-H-E</b>	ELECT SYM,"EARTH(GROUND)",.51,BL/YL,PK5	Electrical symbol on card, 0.51" x 0.51" (13.00mm x 13.00mm) marker size, earth (ground) symbol, vinyl clot	C	100	\$	854.44
07498364829	<b>PESC-H-EC</b>	ELECT SYM,"SFTY FUNCTION",.51,BL/YL,PK5	The PESC-H-EC Pre-Printed Electrical Symbol Card is constructed from a conformable material with repositi	C	100	\$	813.75
07498369155	<b>PESC-H-HT</b>	ELECT SYM,"HANDLNG PREC",.51,BL/YL,PK5	Electrical symbol on card, 0.51" x 0.51" (13.00mm x 13.00mm) marker size, static sensitive device - handling	C	100	\$	854.44
07498369158	<b>PESC-H-PE</b>	ELECT SYM,"PROTECTIVE COND",.51,BL/YL,PK5	Electrical symbol on card, 0.51" x 0.51" (13.00mm x 13.00mm) marker size, protective conductor symbol, vin	C	100	\$	854.44
07498369163	<b>PESC-J-AT</b>	ELECT SYM,"ELEC VOLTAGE",.75,BL/YL,PK5	Electrical symbol on card, 0.75" x 0.75" (19.00mm x 19.00mm) marker size, warning of dangerous electrical v	C	100	\$	854.44
07498368831	<b>PESC-J-EC</b>	ELECT SYM,"SFTY FUNCTION",.75,BL/YL,PK5	Electrical symbol on card, 0.75" x 0.75" (19.00mm x 19.00mm) marker size, safety function symbol, vinyl clot	C	100	\$	854.44
07498369167	<b>PESC-J-HT</b>	ELECT SYM,"HANDLNG PREC",.75,BL/YL,PK5	Electrical symbol on card, 0.75" x 0.75" (19.00mm x 19.00mm) marker size, static sensitive device - handling	C	100	\$	854.44
07498343058	<b>PESG-B-1</b>	ISO LBL,DISC ELEC SPLY SYM,WH/BU,PK10	ISO pictogram, 0.98" (25.0mm) marker diameter, unplug equipment before opening symbol, vinyl adhesive, w	C	100	\$	542.09
07498357456	<b>PESS-A-CE</b>	ID LBL,"CE" SYMBOL,.49",WH/BL,PK10	Conductor identification label, 0.49" (12.50mm) marker diameter, CE symbol, polyester adhesive, black/white	C	100	\$	450.31
07498343206	<b>PESS-A-ES</b>	ID LBL,"EARTH(GND)SYM,.49,WH/BL,PK10	The PESS-A-ES Pre-Printed Conductor Earth (Ground) Symbol Label is constructed from a laminated mater	C	100	\$	428.85
07498343227	<b>PESS-A-PE</b>	ID LBL,"PE" PROTECTV COND SYM,STRPE,PK10	Conductor identification label, 0.49" (12.50mm) marker diameter, protective conductor - 'PE' (legend), polyst	C	100	\$	450.31
07498343237	<b>PESS-A-SS</b>	ID LBL,"SFTY FNTN SYM,.49,WH/BL,PK10	Conductor identification label, 0.49" (12.50mm) marker diameter, safety function symbol, polyester adhesive,	C	100	\$	450.31
07498343249	<b>PESS-B-ES</b>	ID LBL,"EARTH(GND)SYM,.63,WH/BL,PK10	Conductor identification label, 0.63" (16mm) marker diameter, Earth (ground) symbol, polyester adhesive, bla	C	100	\$	546.93
07498343280	<b>PESS-B-SS</b>	ID LBL,"SFTY FNTN SYM,.63,WH/BL,PK10	Conductor identification label, 0.63" (16mm) marker diameter, safety function symbol, polyester adhesive, bla	C	100	\$	546.93
07498343292	<b>PESS-C-ES</b>	ID LBL,"EARTH(GND)SYM,.79,WH/BL,PK10	Conductor identification label, 0.79" (20mm) marker diameter, Earth (ground) symbol, polyester adhesive, bla	C	100	\$	352.66
07498343061	<b>PESW-A-11Y</b>	ISO LBL,STC SNSTVE SYM,.5,BL/YL,PK10	ISO warning symbol, 0.50" (13.0mm) triangle width, warning of static sensitive device symbol, vinyl adhesive,	C	100	\$	491.15
07498343065	<b>PESW-A-1Y</b>	ISO LBL,ELTRC SHK SYM,.5,BL/YL,PK10	ISO warning symbol, 0.50" (13.0mm) triangle width, caution - risk of electric shock symbol, vinyl adhesive, bla	C	100	\$	467.76
07498343073	<b>PESW-A-8Y</b>	ISO LBL,LASER BEAM SYM,.5",BL/YL,PK10	The PESW-A-8Y Pre-Printed ISO Warning Symbol Card is constructed from a laminated material that protec	C	100	\$	476.86
07498343077	<b>PESW-A-9Y</b>	ISO LBL,RISK OF DNGR SYM,.5,BL/YL,PK10	ISO warning symbol, 0.50" (13.0mm) triangle width, caution - general warning, risk of danger symbol, vinyl ad	C	100	\$	500.71
07498343081	<b>PESW-AA-11Y</b>	ISO LBL,STC SNSTVE SYM,.3,BL/YL,PK10	ISO warning symbol, 0.30" (8.0mm) triangle width, warning of static sensitive device symbol, vinyl adhesive, b	C	100	\$	647.25
07498343089	<b>PESW-B-1Y</b>	ISO LBL,ELTRC SHK SYM,1,BL/YL,PK10	The PESW-B-1Y Pre-Printed ISO Warning Symbol Card is constructed from a laminated material that protec	C	100	\$	538.26
07498343097	<b>PESW-B-8Y</b>	ISO LBL,LASER BEAM SYM,1",BL/YL,PK10	ISO warning symbol, 1.00" (25.4mm) triangle width, caution - laser beam symbol, vinyl adhesive, black/yellow	C	100	\$	565.18
07498343101	<b>PESW-B-9Y</b>	ISO LBL,RISK OF DNGR SYM,1,BL/YL,PK10	ISO warning symbol, 1.00" (25.4mm) triangle width, caution - general warning, risk of danger symbol, vinyl ad	C	100	\$	538.26
07498343109	<b>PESW-C-1Y</b>	ISO LBL,ELTRC SHK SYM,1.97,BL/YL,PK10	ISO warning symbol, 1.97" (50.0mm) triangle width, caution - risk of electric shock symbol, vinyl adhesive, bla	C	100	\$	1,138.04
07498343125	<b>PESW-C-9Y</b>	ISO LBL,RISK OF DNGR SYM,1.97,BL/YL,PK10	ISO warning symbol, 1.97" (50.0mm) triangle width, caution - general warning, risk of danger symbol, vinyl ad	C	100	\$	1,194.95
07498343133	<b>PESW-D-1Y</b>	ISO LBL,ELTRC SHK SYM,3.9,BL/YL,PK10	ISO warning symbol, 3.9" (99.1mm) triangle width, caution - risk of electric shock symbol, vinyl adhesive, bla	C	100	\$	835.44
07498364130	<b>PFMBS18</b>	FLOOR MOUNT BOX SUPPORT,18in HEIGHT,PK25	Floor mount box support for 18" height.	PC	1	\$	8.14
07498363842	<b>PFXC20</b>	METAL STUD CLIP,SINGLE CABLE,PK100	Metal stud clip for single cable.	PC	1	\$	0.96
07498383197	<b>PG-15C</b>	Gauge, In-Line Low Pressure,EA	In-line pressure gauge provides visual identification of hydraulic output pressure when used with Panduit CT-9	PC	1	\$	1,709.23
07498359795	<b>PGK</b>	Grounding Kit,Modular Panels,12awg,EA	Attaches CP**BL panel to grounding bus. Insulated #12 AWG stranded copper cable 8 long.	PC	1	\$	30.56
07498364404	<b>PGKE</b>	Grounding Kit,Modular Panels,10awg,EA	Attaches CP**WSBL panel to grounding bus. Insulated #10 AWG stranded copper cable 8 long.	PC	1	\$	33.71
07498381811	<b>PH10-10R-E</b>	Ring, Heat Shrink,12-10AWG,#10 STUD,PK20	Heat Shrink Ring Terminal 12 - 10 AWG, #10 stud size.	C	100	\$	233.09
07498381812	<b>PH10-14R-E</b>	Ring, Heat Shrink,12-10AWG,1/4"STUD,PK20	Heat Shrink Ring Terminal 12 - 10 AWG, 1/4" stud size.	C	100	\$	246.54
07498381813	<b>PH10-38R-E</b>	Ring, Heat Shrink,12-10AWG,3/8"STUD,PK20	Heat Shrink Ring Terminal 12 - 10 AWG, 3/8" stud size.	C	100	\$	226.11
07498381810	<b>PH10-8R-E</b>	Ring, Heat Shrink,12-10AWG,#8 STUD,PK20	The PH10-8R-E Pan-Term® Terminal is a heat shrink ring terminal that provides a sealed, protective barrier i	C	100	\$	217.94
07498381806	<b>PH14-10R-Q</b>	Ring, Heat Shrink,16-14AWG,#10 STUD,PK25	Heat Shrink Ring Terminal 16 - 14 AWG, #10 stud size.	C	100	\$	178.13
07498381807	<b>PH14-14R-Q</b>	Ring, Heat Shrink,16-14AWG,1/4"STUD,PK25	Heat Shrink Ring Terminal 16 - 14 AWG, 1/4" stud size.	C	100	\$	216.56
07498381809	<b>PH14-38R-Q</b>	Ring, Heat Shrink,16-14AWG,3/8"STUD,PK25	Heat Shrink Ring Terminal 16 - 14 AWG, 3/8" stud size.	C	100	\$	216.56
07498381805	<b>PH14-8R-Q</b>	Ring, Heat Shrink,16-14AWG,#8 STUD,PK25	Heat Shrink Ring Terminal 16 - 14 AWG, #8 stud size.	C	100	\$	187.04
07498381802	<b>PH18-10R-Q</b>	Ring, Heat Shrink,22-18AWG,#10 STUD,PK25	Heat Shrink Ring Terminal 22 - 18 AWG, #10 stud size.	C	100	\$	187.04
07498381803	<b>PH18-14R-Q</b>	Ring, Heat Shrink,22-18AWG,1/4"STUD,PK25	Heat Shrink Ring Terminal 22 - 18 AWG, 1/4" stud size.	C	100	\$	216.56
07498381800	<b>PH18-6R-Q</b>	Ring, Heat Shrink,22-18AWG,#6 STUD,PK25	Heat Shrink Ring Terminal 22 - 18 AWG, #6 stud size.	C	100	\$	187.04
07498381801	<b>PH18-8R-Q</b>	Ring, Heat Shrink,22-18AWG,#8 STUD,PK25	Heat Shrink Ring Terminal 22 - 18 AWG, #8 stud size.	C	100	\$	187.04
07498363257	<b>PH23</b>	BOX SUPPORT BKT,2-1/2,3-1/2 in,PK100	StrongHold PH23 Electrical Box Support Brackets allows electrical boxes to be attached to 2.5" and 3.5" studs	PC	1	\$	2.28
07498363258	<b>PH4</b>	BOX SUPPORT BKT,2-1/2,3-1/2,4 in,PK100	StrongHold PH4 Electrical Box Support Brackets allows etrical boxes to be attached to 2.5", 3.5" and 4" stud	PC	1	\$	2.46
07498363259	<b>PH6</b>	BOX SUPPORT BKT,6 in,PK100	StrongHold PH6 Electrical Box Support Brackets allows electrical boxes to be attached to 6" studs. Suitable f	PC	1	\$	3.00
07498342148	<b>PISR1/0-1</b>	Splicer-Reducer,1/0 STR - #14 SOL,EA	Splicer/Reducer, dual rated for use with copper or aluminum conductors, 1/0 STR - #14 SOL.	C	100	\$	3,050.68
07498342149	<b>PISR2-1</b>	Splicer-Reducer,#2 STR - #14 SOL,EA	Splicer/Reducer, dual rated for use with copper or aluminum conductors, #2 STR - #14 SOL.	C	100	\$	2,384.43
07498357495	<b>PISR250-1</b>	Splicer-Reducer,250 kcmil - #10 SOL,EA	The PISR250-1 Splicer/Reducer Mechanical Lug has a flexible design that can be used as a tap, splice, or de	C	100	\$	5,175.44
07498357562	<b>PISR350-1</b>	Splicr,Rdcr,InLine,Al,Cr,350K,#10SOL,EA	Splicer/Reducer, dual rated for use with copper or aluminum conductors, clear insulation, 350 kcmil - #10 SO	C	100	\$	5,951.30
07498357574	<b>PISR500-1</b>	Splicr,Rdcr,InLine,Al,Cr,500K,#6STR,EA	Splicer/Reducer, dual rated for use with copper or aluminum conductors, clear insulation, 500 kcmil - #6 STR.	C	100	\$	8,347.85
07498363839	<b>PJ1A35</b>	FAR SIDE BOX SUPPORT,3-1/2 in,STUD,PK100	Far side box support for 3-1/2" stud.	PC	1	\$	1.78
07498382875	<b>PK10-10R-L</b>	Ring,Kynar Insul,12-10AWG,#10STUD,PK50	Ring terminal, 12 - 10 AWG, KYNAR insulated, # 10 stud size, bulk package.	C	100	\$	178.46
07498382877	<b>PK10-14R-L</b>	Ring,Kynar Insul,12-10AWG,1/4"STUD,PK50	Ring terminal, 12 - 10 AWG, KYNAR insulated, 1/4" stud size, bulk package.	C	100	\$	202.74
07498382871	<b>PK10-6R-L</b>	Ring,Kynar Insul,12-10AWG,#6STUD,PK50	Ring terminal, 12 - 10 AWG, KYNAR insulated, # 6 stud size, bulk package.	C	100	\$	187.38
07498382873	<b>PK10-8R-L</b>	Ring,Kynar Insul,12-10AWG,#8STUD,PK50	Ring terminal, 12 - 10 AWG, KYNAR insulated, # 8 stud size, bulk package.	C	100	\$	178.46
07498363268	<b>PK12</b>	CONDUIT CLIP,3/4 in,EMT,PK100	Conduit clip to support 3/4" conduit from drop wire or flange, no static load rating -- for positioning only.	PC	1	\$	0.65
07498382863	<b>PK14-10R-C</b>	Ring,Kynar Insul,16-14AWG,#10STUD,PK100	Ring terminal, 18 - 14 AWG, KYNAR insulated, # 10 stud size,bulk package.	C	100	\$	146.75
07498382865	<b>PK14-14R-C</b>	Ring,Kynar Insul,16-14AWG,1/4"STUD,PK100	Ring terminal, 18 - 14 AWG, KYNAR insulated, 1/4" stud size, bulk package.	C	100	\$	167.63
07498382883	<b>PK14-4R-C</b>	Ring,Kynar Insul,16-14AWG,#4STUD,PK100	Ring terminal, 18 - 14 AWG, KYNAR insulated, # 4 stud size, bulk package.	C	100	\$	154.10
07498382859	<b>PK14-6R-C</b>	Ring,Kynar Insul,16-14AWG,#6 STUD,PK100	The PK14-6R-C Pan-Term® Terminal is a KYNAR insulated, ring terminal. The metal insulation grip sleeve cr	C	100	\$	146.75
07498382861	<b>PK14-8R-C</b>	Ring,Kynar Insul,16-14AWG,#8 STUD,PK100	Ring terminal, 18 - 14 AWG, KYNAR insulated, # 8 stud size, bulk package.	C	100	\$	146.75
07498363269	<b>PK16</b>	CONDUIT CLIP,1 in,EMT,PK100	Conduit clip to support 1" conduit from drop wire or flange; no static load rating -- for positioning only.	PC	1	\$	0.79
07498382851	<b>PK18-10R-C</b>	Ring,Kynar Insul,22-18AWG,#10STUD,PK100	Ring terminal, 22 - 16 AWG, KYNAR insulated, #10 stud size, bulk package.	C	100	\$	154.10

07498382845	<b>PK18-4R-C</b>	Ring,Kynar Insul,22-18AWG,#4 STUD,PK100	Ring terminal, 22 – 16 AWG, KYNAR insulated, #4 stud size, bulk package.	C	100	\$	154.10
07498382847	<b>PK18-6R-C</b>	Ring,Kynar Insul,22-18AWG,#6 STUD,PK100	Ring terminal, 22 – 16 AWG, KYNAR insulated, #6 stud size, bulk package.	C	100	\$	146.75
07498382849	<b>PK18-8R-C</b>	Ring,Kynar Insul,22-18AWG,#8 STUD,PK100	Ring terminal, 22 – 16 AWG, KYNAR insulated, #8 stud size, bulk package.	C	100	\$	154.10
07498319809	<b>PK6-10R-T</b>	Ring,Kynar Insul,6 AWG,#10 STUD,PK200	Ring terminal, #6 AWG, KYNAR insulated, #10 stud size.	M	1000	\$	4,286.39
07498319810	<b>PK6-14R-T</b>	Ring,Kynar Insul,6 AWG,#14" STUD,PK200	Ring terminal, #6 AWG, KYNAR insulated, 1/4" stud size.	M	1000	\$	4,286.39
07498363260	<b>PK8</b>	CONDUIT CLIP, 1/2 in,EMT,PK100	Conduit clip to support 1/2" conduit from drop wire or flange; no static load rating – for positioning only.	PC	1	\$	0.60
07498319818	<b>PK8-10R-T</b>	Ring,Kynar Insul,8 AWG,#10 STUD,PK200	Ring terminal, #8 AWG, KYNAR insulated, #10 stud size.	M	1000	\$	2,655.05
07498363274	<b>PKX</b>	CONDUIT CLIP,SUPPORT,MC AC or BX,PK100	Conduit clip to support MC, AC, or BX from drop wire; no static load rating – for positioning only.	PC	1	\$	0.65
07498355283	<b>PL2M2S-D</b>	MkrTie,Wrap,Std,7.4in,NL,87x1.07,PK500	Pan-Ty@ marker tie, wrap, standard cross section, 7.4 (188mm) length, .87 x 1.07 (22.1 x 27.2mm) marker w	M	1000	\$	1,548.14
07498356814	<b>PL2M2S-D0</b>	MkrTie,Wrap,Std,7.4in,BL,87x1.07,PK500	Pan-Ty@ marker tie, wrap, standard cross section, 7.4 (188mm) length, .87 x 1.07 (22.1 x 27.2mm) marker w	M	1000	\$	1,800.26
07498356816	<b>PL2M2S-D10</b>	MarkerTie,Wrap,Std,7.4in,WHT,PK500	Pan-Ty@ marker tie, wrap, standard cross section, 7.4 (188mm) length, .87 x 1.07 (22.1 x 27.2mm) marker w	M	1000	\$	1,788.30
07498344711	<b>PL2M2S-D4Y</b>	MkrTie,Wrap,Std,7.4in,YL,87x1.07,PK500	Pan-Ty@ marker tie, wrap, standard cross section, 7.4 (188mm) length, .87 x 1.07 (22.1 x 27.2mm) marker w	M	1000	\$	1,877.73
07498355280	<b>PL2M2S-L</b>	MkrTie,Wrap,Std,7.4in,NL,87x1.07,PK500	Pan-Ty@ marker tie, wrap, standard cross section, 7.4 (188mm) length, .87 x 1.07 (22.1 x 27.2mm) marker w	C	100	\$	209.21
07498379926	<b>PL3B5EH-C0</b>	TripleLoopTie,EH,BL,PK100	Pan-Ty@ triple loop cable tie, extra heavy cross section, 20.0 (508mm) length, weather resistant nylon 6.6, bl	M	1000	\$	3,332.28
07498355289	<b>PL3M2S-D</b>	MkrTie,Wrap,Std,7.4in,NL,87x1.179,PK500	Pan-Ty@ marker tie, wrap, standard cross section, 7.4 (188mm) length, .87 x 1.179 (22.1 x 45.5mm) marker w	M	1000	\$	2,541.54
07498356827	<b>PL3M2S-D0</b>	MarkerTie,Wrap,Std,7.4in,Blk,PK500	Pan-Ty@ marker tie, wrap, standard cross section, 7.4 (188mm) length, .87 x 1.179 (22.1 x 45.5mm) marker w	M	1000	\$	2,850.40
07498344712	<b>PL3M2S-D4Y</b>	MkrTie,Wrap,Std,7.4in,YL,87x1.179,PK500	Pan-Ty@ marker tie, wrap, standard cross section, 7.4 (188mm) length, .87 x 1.179 (22.1 x 45.5mm) marker w	M	1000	\$	3,082.71
07498355286	<b>PL3M2S-L</b>	MkrTie,Wrap,Std,7.4in,NL,87x1.179,PK500	Pan-Ty@ marker tie, wrap, standard cross section, 7.4 (188mm) length, .87 x 1.179 (22.1 x 45.5mm) marker w	C	100	\$	275.11
61305679470	<b>PLA-100</b>	PLA-100 Label Applicator, for North Amer	The PLA-100 Label Applicator automatically applies labels to wires and cables. Includes measuring scale. Or	PC	1	\$	7,306.25
61305679476	<b>PLA-H100</b>	Head for use with PLA-100 Label Applicat	The PLA-H100 1.0" wide head is for use with PLA-100 Label Applicator. This head is for use with 1.0" wide la	PC	1	\$	1,043.75
61305679460	<b>PLA-R</b>	Label Rewinder for Use w/ PLA-100 Label	The PLA-R Label Rewinder automatically rewinds labels after printing. For use with the PLA-100 Label Applic	PC	1	\$	1,054.19
61305679654	<b>PLA-S</b>	Measuring Scale for use with PLA-100 Lab	The PLA-S Measuring Scale is for use with PLA-100 Label Applicator. Retractable scale includes measureme	PC	1	\$	125.25
61305679459	<b>PLA-SP</b>	Media Spool for Use w/ PLA-100 Label App	The PLA-SP Empty Media Spool is for use with PLA-100 Label Applicator. Use for rewinding PLA-100 labels	PC	1	\$	12.63
61305679458	<b>PLA-T100X2400</b>	Tether, 1.0" W x 2.0' L, For Use w/ Labe	The PLA-T100X2400 Pressure sensitive adhesive tether is for use with PLA-100 Label Applicator. Use tether	PC	1	\$	0.31
07498355695	<b>PLB2S-C</b>	DblLoopTie,Std,7.6in,Nyl,Nat,PK1000	Pan-Ty@ double loop cable tie, standard cross section, 7.6 (193mm) length, nylon 6.6, natural, standard pack	C	100	\$	56.11
07498355696	<b>PLB2S-C0</b>	DblLoopTie,Std,7.6in,WR,BL,PK1000	Panduit PLB2S-C0 Double Loop Cable Tie is a fast and economical method to secure and separate two bund	C	100	\$	57.70
07498355692	<b>PLB2S-M</b>	DblLoopTie,Std,7.6in,Nyl,Nat,PK1000	Pan-Ty@ double loop cable tie, standard cross section, 7.6 (193mm) length, nylon 6.6, natural, bulk package.	M	1000	\$	332.29
07498355693	<b>PLB2S-M0</b>	DblLoopTie,Std,7.6in,WR,BL,PK1000	Panduit PLB2S-M0 Double Loop Cable Tie is a fast and economical method to secure and separate two bund	M	1000	\$	365.48
07498355694	<b>PLB2S-M30</b>	DblLoopTie,Std,7.6in,HS,BL,PK1000	Panduit PLB2S-M30 Double Loop Cable Tie is a fast and economical method to secure and separate two bun	M	1000	\$	375.34
07498355680	<b>PLB3S-C</b>	DblLoopTie,Std,11.8in,Nyl,Nat,PK1000	Pan-Ty@ double loop cable tie, standard cross section, 11.8 (300mm) length, nylon 6.6, natural, standard pac	C	100	\$	62.65
07498355681	<b>PLB3S-C0</b>	DblLoopTie,Std,11.8in,WR,BL,PK1000	Pan-Ty@ double loop cable tie, standard cross section, 11.8 (300mm) length, weather resistant nylon 6.6, bla	C	100	\$	60.89
07498355683	<b>PLB3S-M</b>	DblLoopTie,Std,11.8in,Nyl,Nat,PK1000	Pan-Ty@ double loop cable tie, standard cross section, 11.8 (300mm) length, nylon 6.6, natural, bulk package	M	1000	\$	396.91
07498355684	<b>PLB3S-M0</b>	DblLoopTie,Std,11.8in,WR,BL,PK1000	Panduit PLB3S-M0 Double Loop Cable Tie is a fast and economical method to secure and separate two bund	M	1000	\$	436.58
07498355685	<b>PLB3S-M30</b>	DblLoopTie,Std,11.8in,HS,Bl,PK1000	Panduit PLB3S-M30 Double Loop Cable Tie is a fast and economical method to secure and separate two bun	M	1000	\$	446.50
07498377663	<b>PLB4H-TL0</b>	DblLoopTie,LH,14.4in,WR,BL,PK250	Panduit PLB4H-TL0 Double Loop Cable Tie is a fast and economical method to secure and separate two bun	M	1000	\$	1,039.73
07498377664	<b>PLB4H-TL30</b>	DblLoopTie,LH,14.4in,HS,Bl,PK250	Panduit PLB4H-TL30 Double Loop Cable Tie is a fast and economical method to secure and separate two bu	M	1000	\$	1,091.66
07498355686	<b>PLB4S-C</b>	DblLoopTie,Std,14.8in,Nyl,Nat,PK1000	Pan-Ty@ double loop cable tie, standard cross section, 14.8 (376mm) length, nylon 6.6, natural, standard pac	C	100	\$	76.64
07498355689	<b>PLB4S-M</b>	DblLoopTie,Std,14.8in,Nyl,Nat,PK1000	Pan-Ty@ double loop cable tie, standard cross section, 14.8 (376mm) length, nylon 6.6, natural, bulk package	M	1000	\$	426.58
07498355690	<b>PLB4S-M0</b>	DblLoopTie,Std,14.8in,WR,Bl,PK1000	Panduit PLB4S-M0 Double Loop Cable Tie is a fast and economical method to secure and separate two bund	M	1000	\$	469.25
07498355691	<b>PLB4S-M30</b>	DblLoopTie,Std,14.8in,HS,Bl,PK1000	Pan-Ty@ double loop cable tie, standard cross section, 14.8 (376mm) length, heat stabilized nylon 6.6, black.	M	1000	\$	482.06
07498310864	<b>PLB5EH-C0</b>	DblLoopTie,EH,19.2in,WRNyl,Bl,PK1000	Panduit PLB5EH-C0 Double Loop Cable Tie is a fast and economical method to secure and separate two bun	M	1000	\$	3,081.05
07498355058	<b>PLC1.5I-S8-C</b>	ClampTie,Int,6.1in,#8,Nat,PK1000	Pan-Ty@ locking clamp tie, intermediate cross section, #8 (M4) screw, 6.1 (155mm) length, nylon 6.6, natural	C	100	\$	36.86
07498355057	<b>PLC1.5I-S8-C0</b>	ClampTie,Int,6.1in,#8,Blk,PK1000	Pan-Ty@ locking clamp tie, intermediate cross section, #8 (M4) screw, 6.1 (155mm) length, weather resistant	C	100	\$	45.08
07498355061	<b>PLC1.5I-S8-M</b>	ClampTie,Int,6.1in,#8,Nat,PK1000	Panduit PLC1.5I-S8-M Locking Clamp Cable Ties are used to secure cable bundles to another surface such a	M	1000	\$	304.13
07498355540	<b>PLC1.5I-S8-M0</b>	ClampTie,Int,6.1in,#8,Blk,PK1000	Pan-Ty@ locking clamp tie, intermediate cross section, #8 (M4) screw, 6.1 (155mm) length, weather resistant	M	1000	\$	410.90
07498355547	<b>PLC1.5I-S8-M30</b>	ClampTie,Int,6.1in,#8,HS,Blk,PK1000	Pan-Ty@ locking clamp tie, intermediate cross section, #8 (M4) screw, 6.1 (155mm) length, heat stabilized ny	M	1000	\$	383.26
07498355038	<b>PLC1M-S4-C</b>	ClampTie,Min,4.3in,#4,Nat,PK1000	Panduit PLC1M-S4-C Locking Clamp Cable Ties are used to secure cable bundles to another surface such a	C	100	\$	36.66
07498355037	<b>PLC1M-S4-C0</b>	ClampTie,Min,4.3in,#4,Blk,PK1000	Pan-Ty@ locking clamp tie, miniature cross section, #4 (M2.5) screw, 4.3 (109mm) length, weather resistant	C	100	\$	65.68
07498355041	<b>PLC1M-S4-M</b>	ClampTie,Min,4.3in,#4,Nat,PK1000	Panduit PLC1M-S4-M Locking Clamp Cable Ties are used to secure cable bundles to another surface such a	M	1000	\$	296.53
07498355577	<b>PLC1M-S4-M0</b>	ClampTie,Min,4.3in,#4,Blk,PK1000	Pan-Ty@ locking clamp tie, miniature cross section, #4 (M2.5) screw, 4.3 (109mm) length, weather resistant	M	1000	\$	378.31
07498355584	<b>PLC1M-S4-M30</b>	ClampTie,Min,4.3in,#4,HS,Bl,1000	Pan-Ty@ locking clamp tie, miniature cross section, #4 (M2.5) screw, 4.3 (109mm) length, heat stabilized nyl	M	1000	\$	378.19
07498355587	<b>PLC2H-S25-L</b>	ClampTie,Lt-Hvy,9in,1/4,Nat,PK500	Pan-Ty@ locking clamp tie, light-heavy cross section, 1/4 (M6) screw, 9.0 (229mm) length, nylon 6.6, natural,	C	100	\$	108.11
07498338741	<b>PLC2H-S25-TL</b>	ClampTie,Lt-Hvy,9in,1/4,Nat,PK250	Pan-Ty@ locking clamp tie, light-heavy cross section, 1/4 (M6) screw, 9.0 (229mm) length, nylon 6.6, natural,	M	1000	\$	833.64
07498338742	<b>PLC2H-S25-TL0</b>	ClampTie,Lt-Hvy,9in,1/4,Bl,PK250	Panduit PLC2H-S25-TL0 Locking Clamp Cable Ties are used to secure cable bundles to another surface suc	M	1000	\$	931.28
07498355098	<b>PLC2S-S10-C</b>	ClampTie,Std,7.9in,#10,Nat,PK1000	Panduit PLC2S-S10-C Locking Clamp Cable Ties are used to secure cable bundles to another surface such a	C	100	\$	40.79
07498355097	<b>PLC2S-S10-C0</b>	ClampTie,Std,7.9in,#10,WR,Bl,PK1000	Panduit PLC2S-S10-C0 Locking Clamp Cable Ties are used to secure cable bundles to another surface such	C	1000	\$	48.98
07498355101	<b>PLC2S-S10-M</b>	ClampTie,Std,7.9in,#10,Nat,PK1000	Panduit PLC2S-S10-M Locking Clamp Cable Ties are used to secure cable bundles to another surface such	M	1000	\$	284.40
07498355615	<b>PLC2S-S10-M0</b>	ClampTie,Std,7.9in,#10,WR,Bl,PK1000	Panduit PLC2S-S10-M0 Locking Clamp Cable Ties are used to secure cable bundles to another surface such	M	1000	\$	409.44
07498355622	<b>PLC2S-S10-M30</b>	ClampTie,Std,7.9in,#10,HS,Bl,PK1000	Panduit PLC2S-S10-M30 Locking Clamp Cable Ties are used to secure cable bundles to another surface suc	M	1000	\$	358.43
07498355078	<b>PLC2S-S6-C</b>	ClampTie,Std,7.9in,#6,Nat,PK1000	Pan-Ty@ locking clamp tie, standard cross section, #6 (M3) screw, 7.9 (201mm) length, nylon 6.6, natural, st	C	100	\$	41.50
07498355077	<b>PLC2S-S6-C0</b>	ClampTie,Std,7.9in,#6,Bl,PK1000	Panduit PLC2S-S6-C0 Locking Clamp Cable Ties are used to secure cable bundles to another surface such a	C	100	\$	47.55
07498355081	<b>PLC2S-S6-M</b>	ClampTie,Std,7.9in,#6,Nat,PK1000	Pan-Ty@ locking clamp tie, standard cross section, #6 (M3) screw, 7.9 (201mm) length, nylon 6.6, natural, bu	M	1000	\$	301.13
07498355653	<b>PLC2S-S6-M0</b>	ClampTie,Std,7.9in,#6,Bl,PK1000	Pan-Ty@ locking clamp tie, standard cross section, #6 (M3) screw, 7.9 (201mm) length, weather resistant nyl	M	1000	\$	417.41
07498355580	<b>PLC3S-S10-C</b>	ClampTie,Std,12in,#10,Nat,PK1000	Panduit PLC3S-S10-C Locking Clamp Cable Ties are used to secure cable bundles to another surface such a	C	100	\$	94.19
07498355581	<b>PLC3S-S10-C0</b>	ClampTie,Std,12in,#10,Bl,PK1000	Pan-Ty@ locking clamp tie, standard cross section, #10 (M5) screw, 12.0 (305mm) length, weather resistant	C	100	\$	109.15
07498355583	<b>PLC3S-S10-M</b>	ClampTie,Std,12in,#10,Bl,PK1000	Panduit PLC3S-S10-M Locking Clamp Cable Ties are used to secure cable bundles to another surface such	M	1000	\$	508.01
07498355585	<b>PLC3S-S10-M0</b>	ClampTie,Std,12in,#10,Blk,PK1000	Pan-Ty@ locking clamp tie, standard cross section, #10 (M5) screw, 12.0 (305mm) length, weather resistant	M	1000	\$	611.49
07498355118	<b>PLC4H-S25-L</b>	ClampTie,Lt-Hvy,15.1in,1/4,Nat,PK500	Pan-Ty@ locking clamp tie, light-heavy cross section, 1/4 (M6) screw, 15.1 (384mm) length, nylon 6.6, natura	C	100	\$	120.83
07498355117	<b>PLC4H-S25-L0</b>	ClampTie,Lt-Hvy,15.1in,1/4,Bl,PK500	Pan-Ty@ locking clamp tie, light-heavy cross section, 1/4 (M6) screw, 15.1 (384mm) length, weather resistant	C	100	\$	168.21
07498338747	<b>PLC4H-S25-TL</b>	ClampTie,Lt-Hvy,15.1in,1/4,Nat,PK250	Panduit PLC4H-S25-TL Locking Clamp Cable Ties are used to secure cable bundles to another surface such	M	1000	\$	1,096.59
07498338748	<b>PLC4H-S25-TL0</b>	ClampTie,Lt-Hvy,15.1in,1/4,WR,Bl,PK250	Panduit PLC4H-S25-TL0 Locking Clamp Cable Ties are used to secure cable bundles to another surface suc	M	1000	\$	1,262.98
07498338749	<b>PLC4H-S25-TL30</b>	ClampTie,Lt-Hvy,15.1in,1/4,HS,Bl,PK250	Pan-Ty@ locking clamp tie, light-heavy cross section, 1/4 (M6) screw, 15.1 (384mm) length, heat stabilized ny	M	1000	\$	1,352.66
07498355632	<b>PLC4S-S10-C</b>	ClampTie,Std,15in,#10,Nat,PK1000	Pan-Ty@ locking clamp tie, standard cross section, 10 (M5) screw, 15.0 (381mm) length, nylon 6.6, natural, s	C	100	\$	111.81
07498355633	<b>PLC4S-S10-C0</b>	ClampTie,Std,15in,#10,Blk,PK1000	Panduit PLC4S-S10-C0 Locking Clamp Cable Ties are used to secure cable bundles to another surface such	C	100	\$	123.13
07498355629	<b>PLC4S-S10-M</b>	ClampTie,Std,15in,#10,Nat,PK1000	Pan-Ty@ locking clamp tie, standard cross section, 10 (M5) screw, 15.0 (381mm) length, nylon 6.6, natural, b	M	1000	\$	733.09
07498355630	<b>PLC4S-S10-M0</b>	ClampTie,Std,15in,#10,Blk,PK1000	Pan-Ty@ locking clamp tie, standard cross section, 10 (M5) screw, 15.0 (381mm) length, weather resistant n	M	1000	\$	990.78
07498388023	<b>PLD-43</b>	WARN LBL,'DNGER HIGH VOLT.',RD/BL/WH,PK1	Electrical label in dispenser, 1.5" W x 1.0" H, 'Danger high voltage' legend, polyester adhesive, red and blac	PK	1	\$	44.93



07498388032	<b>PLD-52</b>	WARN LABELS,SHOCK RISK SYMBOL,BL/YL,PK1	Electrical label in dispenser, 1.5" W x 1.0" H, caution - General Warning, Risk of Danger Symbol (ISO 3864),	PK	1	\$	44.93
07498387963	<b>PLD-56</b>	WARN LBLs,ELECT. SHOCK SYMBOL,BL/YL,PK1	Electrical label in dispenser, 1.5" W x 1.0" H, high voltage symbol (ISO 3864), polyester adhesive, black/yello	PK	1	\$	42.78
07498387964	<b>PLD-57</b>	WARN LABELS,GROUND SYMBOL,GR/WH,PK1	The PLD-57 Pre-Printed Conductor Ground (ISO 3864) Symbol Label is constructed from a laminated materi	PK	1	\$	42.78
07498387967	<b>PLD-60</b>	WARNING LBLs,'ATTENTION ESD',BL/YL,PK1	Electrical label in dispenser, 3.0" W x 1.00" H, 'Attention observe precautions for handling electrostatic sensit	PK	1	\$	44.93
07498387975	<b>PLD-68</b>	WARN LABEL,'LOCKOUT','RD/WH,PK1	Electrical label in dispenser, 1.5" W x 1.0" H, 'Lockout' (legend), polyester adhesive, red/white, 200 labels per	PK	1	\$	44.93
07498387987	<b>PLD-7</b>	WARN LABELS,'TESTED',GR/WH,PK1	Write-on quality label in dispenser, 1.5" W x 1.0" H, 'Tested, by, date' (legend), polyester, green/white, 200 la	PK	1	\$	44.93
07498322371	<b>PLD-90</b>	WARN LBLs,'INTRINSICALLY',BU/WH,PK1	Electrical label in dispenser, 1.0" W x 1.5" H, 'Intrinsically safe wiring' (legend), polyester adhesive, blue/white	PK	1	\$	44.93
07498342082	<b>PLD-VBG</b>	Electrical,blInDisp,0.875"Dia,EA	Electrical label in dispenser, 0.875" diameter, german inspection, polyester adhesive, black/yellow, 300 labels	PK	1	\$	49.26
07498343169	<b>PLD-VBGSLY</b>	Electrical,blInDisp,1.0"Wx3.0"H,EA	Electrical label in dispenser, 1.0" W x 3.0" H, german inspection, polyester adhesive, black/yellow, 100 labels	PK	1	\$	49.26
61305623549	<b>PLDC1.5EH-C350</b>	DblClampTie,w/spacer,13.1in,BL,PK100	Panduit PLDC1.5EH-C350 Double Clamp cable ties provide a cost-effective way to secure and separate para	C	100	\$	128.76
61305677575	<b>PLDC1.5EH-L350</b>	13.1 Double Clamp Cable Tie with Spacer	Pan-Ty Double Clamp Tie with Spacer, Extra-Heavy Cross section 13.1L (333mm), Heat Stabilized, Impact M	C	100	\$	138.31
61305623548	<b>PLDC2.5EH-C350</b>	DblClampTie,w/spacer,19.2in,BL,PK100	Panduit PLDC2.5EH-C350 Double Clamp cable ties provide a cost-effective way to secure and separate para	C	100	\$	140.55
61305677570	<b>PLDC2.5EH-L350</b>	19.25 Double Clamp Cable Tie with Spacer	Pan-Ty Double Clamp Tie with Spacer, Extra-Heavy Cross section 19.2L (489mm), Heat Stabilized, Impact M	C	100	\$	150.99
07498355309	<b>PLF1M-C</b>	MarkerTie,Flag,Min,4.3in,Nat,PK100	Panduit PLF1M-C Flag Style Marker Ties are used to fasten and identify bundles at the same time. They can	C	100	\$	38.45
07498355312	<b>PLF1M-C0</b>	MarkerTie,Flag,Min,4.3in,BL,PK100	Pan-Ty® flag tie, flag, miniature cross section, 4.3 (109mm) length, .31 x .75 (7.9 x 19.1mm) marker write-on	C	100	\$	53.21
07498355311	<b>PLF1M-M</b>	MarkerTie,Flag,Min,4.3,NY6.6,Nat,PK1000	Panduit PLF1M-M Flag Style Marker Ties are used to fasten and identify bundles at the same time. They can	M	1000	\$	238.26
07498355715	<b>PLF1M-M0</b>	MarkerTie,Flag,Min,4.3in,BL,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 4.3 (109mm) length, .31 x .75 (7.9 x 19.1mm) marker write-on	M	1000	\$	289.14
07498355717	<b>PLF1M-M10</b>	MarkerTie,Flag,Min,4.3in,WHT,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 4.3 (109mm) length, .31 x .75 (7.9 x 19.1mm) marker write-on	M	1000	\$	280.44
07498344725	<b>PLF1M-M4Y</b>	MarkerTie,Flag,Min,4.3in,Y,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 4.3 (109mm) length, .31 x .75 (7.9 x 19.1mm) marker write-on	M	1000	\$	288.79
07498327932	<b>PLF1M-M69</b>	MarkerTie,Flag,Min,4.3in,IV,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 4.3 (109mm) length, .31 x .75 (7.9 x 19.1mm) marker write-on	M	1000	\$	524.81
07498355314	<b>PLF1MA-C</b>	MarkerTie,Flag,Min,5.1in,Nat,PK100	Panduit PLF1MA-C Flag Style Marker Ties are used to fasten and identify bundles at the same time. They ca	C	100	\$	56.95
07498355417	<b>PLF1MA-C3</b>	MarkerTie,Flag,Min,5.1in,OR,PK100	Pan-Ty® flag tie, flag, miniature cross section, 5.1 (130mm) length, .76 x 1.04 (19.1 x 26.4mm) marker write-	C	100	\$	71.70
07498344585	<b>PLF1MA-C4Y</b>	MarkerTie,Flag,Min,5.1in,Y,PK100	Pan-Ty® flag tie, flag, miniature cross section, 5.1 (130mm) length, .76 x 1.04 (19.1 x 26.4mm) marker write-	C	100	\$	71.70
07498355315	<b>PLF1MA-M</b>	MarkerTie,Flag,Min,5.1in,Nat,PK1000	Panduit PLF1MA-M Flag Style Marker Ties are used to fasten and identify bundles at the same time. They ca	M	1000	\$	413.43
07498355728	<b>PLF1MA-M0</b>	MarkerTie,Flag,Min,5.1in,BL,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 5.1 (130mm) length, .76 x 1.04 (19.1 x 26.4mm) marker write-	M	1000	\$	546.60
07498355730	<b>PLF1MA-M10</b>	MarkerTie,Flag,Min,5.1in,WHT,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 5.1 (130mm) length, .76 x 1.04 (19.1 x 26.4mm) marker write-	M	1000	\$	520.98
07498355732	<b>PLF1MA-M2</b>	MarkerTie,Flag,Min,5.1in,RD,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 5.1 (130mm) length, .76 x 1.04 (19.1 x 26.4mm) marker write-	M	1000	\$	496.16
07498355734	<b>PLF1MA-M3</b>	MarkerTie,Flag,Min,5.1in,OR,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 5.1 (130mm) length, .76 x 1.04 (19.1 x 26.4mm) marker write-	M	1000	\$	520.98
07498344586	<b>PLF1MA-M4Y</b>	MarkerTie,Flag,Min,5.1in,Y,PK1000	Panduit PLF1MA-M4Y Flag Style Marker Ties are used to fasten and identify bundles at the same time. They	M	1000	\$	496.16
07498355737	<b>PLF1MA-M5</b>	MarkerTie,Flag,Min,5.1in,GR,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 5.1 (130mm) length, .76 x 1.04 (19.1 x 26.4mm) marker write-	M	1000	\$	520.98
07498355738	<b>PLF1MA-M6</b>	MarkerTie,Flag,Min,5.1in,BU,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 5.1 (130mm) length, .76 x 1.04 (19.1 x 26.4mm) marker write-	M	1000	\$	520.98
07498327164	<b>PLF1MB-C</b>	MarkerTie,Flag,Min,4.0in,Nat,PK100	Pan-Ty® flag tie, flag, miniature cross section, 4.0 (101mm) length, .31 x .92 (7.9 x 23.4mm) marker write-on	C	100	\$	56.95
07498327176	<b>PLF1MB-M</b>	MarkerTie,Flag,Min,4.0in,Nat,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 4.0 (101mm) length, .31 x .92 (7.9 x 23.4mm) marker write-on	M	1000	\$	413.43
07498389060	<b>PLL-2-Y2-10</b>	Laser, Comp Label, Polyester, ,375" W x	Laser Label, 0.38" x 0.38", Polyester, White	M	1000	\$	41.16
07498389091	<b>PLL-20-Y2-10</b>	Laser, CompLbl,Polyester,WH,PK10000	Laser Label, 0.80" x 0.20", Polyester, White	M	1000	\$	51.19
07498352154	<b>PLL-24-Y2-5</b>	Laser, Comp Label, Polyester, .562" W x	Laser Label, 0.56" x 0.19", Polyester, White	M	1000	\$	221.43
07498389063	<b>PLL-4-Y2-10</b>	Laser, CompLbl,Polyester,WH,PK10000	Laser Label, 0.65" x 0.25", Polyester, White	M	1000	\$	43.40
07498389065	<b>PLL-5-Y2-10</b>	Laser, CompLbl,Polyester,WH,PK10000	Laser Label, 0.80" x 0.25", Polyester, White	M	1000	\$	51.19
07498355302	<b>PLM1M-C</b>	MarkerTie,Wrap,Min,3.9in,Nat,PK100	Panduit PLM1M-C Wrap Style Marker Ties are used to fasten and identify bundles at the same time. They ca	C	100	\$	40.69
07498355301	<b>PLM1M-M</b>	MarkerTie,Wrap,Min,3.9in,Nat,PK1000	Panduit PLM1M-M Wrap Style Marker Ties are used to fasten and identify bundles at the same time. They ca	M	1000	\$	254.95
07498355755	<b>PLM1M-M0</b>	MarkerTie,Wrap,Min,3.9in,BL,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	M	1000	\$	413.16
07498355757	<b>PLM1M-M10</b>	MarkerTie,Wrap,Min,3.9in,WHT,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	M	1000	\$	309.11
07498355759	<b>PLM1M-M2</b>	MarkerTie,Wrap,Min,3.9in,RD,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	M	1000	\$	309.11
07498355761	<b>PLM1M-M3</b>	MarkerTie,Wrap,Min,3.9in,OR,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	M	1000	\$	309.11
07498344605	<b>PLM1M-M4Y</b>	MarkerTie,Wrap,Min,3.9in,Y,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	M	1000	\$	309.11
07498355767	<b>PLM1M-M6</b>	MarkerTie,Wrap,Min,3.9in,BU,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	M	1000	\$	309.11
07498338559	<b>PLM1M-M69</b>	MarkerTie,Wrap,Min,3.9in,IV,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	M	1000	\$	644.79
07498355769	<b>PLM1M-M8</b>	MarkerTie,Wrap,Min,3.9in,GY,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	M	1000	\$	294.38
07498355304	<b>PLM2M-C</b>	MarkerTie,Wrap,Min,8in,Nat,PK100	Pan-Ty® marker tie, wrap, miniature cross section, 8.0 (203mm) length, .26 x .95 (6.6 x 24.1mm) marker writ	C	100	\$	57.89
07498355305	<b>PLM2M-M</b>	MarkerTie,Wrap,Min,8in,Nat,PK1000	Panduit PLM2M-M Wrap Style Marker Ties are used to fasten and identify bundles at the same time. They ca	M	1000	\$	395.08
07498355782	<b>PLM2M-M0</b>	MarkerTie,Wrap,Min,8in,BL,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 8.0 (203mm) length, .26 x .95 (6.6 x 24.1mm) marker writ	M	1000	\$	452.18
07498344648	<b>PLM2M-M4Y</b>	MarkerTie,Wrap,Min,8in,Y,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 8.0 (203mm) length, .26 x .95 (6.6 x 24.1mm) marker writ	M	1000	\$	456.20
07498355319	<b>PLM2S-C</b>	MarkerTie,Wrap,Std,7.4in,Nat,PK100	Pan-Ty® marker tie, wrap, standard cross section, 7.4 (188mm) length, .44 x .87 (11.1 x 22.1mm) marker wr	C	100	\$	76.95
07498355321	<b>PLM2S-D</b>	MkrTie,Wrap,Std,7.4in,Nat,44x.87,PK500	Panduit PLM2S-D Wrap Style Marker Ties are used to fasten and identify bundles at the same time. They can	M	1000	\$	476.01
07498355807	<b>PLM2S-D0</b>	MkrTie,Wrap,Std,7.4in,BL,44x.87,PK500	Pan-Ty® marker tie, wrap, standard cross section, 7.4 (188mm) length, .44 x .87 (11.1 x 22.1mm) marker wr	M	1000	\$	610.51
07498355811	<b>PLM2S-D2</b>	MarkerTie,Wrap,Std,7.4in,RD,PK500	Pan-Ty® marker tie, wrap, standard cross section, 7.4 (188mm) length, .44 x .87 (11.1 x 22.1mm) marker wr	M	1000	\$	555.19
07498355813	<b>PLM2S-D3</b>	MarkerTie,Wrap,Std,7.4in,OR,PK500	Pan-Ty® marker tie, wrap, standard cross section, 7.4 (188mm) length, .44 x .87 (11.1 x 22.1mm) marker wr	M	1000	\$	555.19
07498344734	<b>PLM2S-D4Y</b>	MarkerTie,Wrap,Std,7.4in,Y,PK500	Pan-Ty® marker tie, wrap, standard cross section, 7.4 (188mm) length, .44 x .87 (11.1 x 22.1mm) marker wr	M	1000	\$	555.19
07498355817	<b>PLM2S-D5</b>	MarkerTie,Wrap,Std,7.4in,GR,PK500	Pan-Ty® marker tie, wrap, standard cross section, 7.4 (188mm) length, .44 x .87 (11.1 x 22.1mm) marker wr	M	1000	\$	555.19
07498355818	<b>PLM2S-D6</b>	MarkerTie,Wrap,Std,7.4in,BU,PK500	Pan-Ty® marker tie, wrap, standard cross section, 7.4 (188mm) length, .44 x .87 (11.1 x 22.1mm) marker wr	M	1000	\$	555.19
07498355820	<b>PLM2S-D8</b>	MarkerTie,Wrap,Std,7.4in,GY,PK500	Pan-Ty® marker tie, wrap, standard cross section, 7.4 (188mm) length, .44 x .87 (11.1 x 22.1mm) marker wr	M	1000	\$	555.19
07498355329	<b>PLM4S-C</b>	MarkerTie,Wrap,Std,14.6in,Nat,PK100	Pan-Ty® marker tie, wrap, standard cross section, 14.6 (371mm) length, .44 x 2.00 (11.1 x 50.8mm) marker	C	100	\$	106.53
07498355331	<b>PLM4S-D</b>	MarkerTie,Wrap,Std,14.6in,Nat,PK500	Pan-Ty® marker tie, wrap, standard cross section, 14.6 (371mm) length, .44 x 2.00 (11.1 x 50.8mm) marker	M	1000	\$	859.55
07498355834	<b>PLM4S-D0</b>	MarkerTie,Wrap,Std,14.6in,WR,BL,PK500	Panduit PLM4S-D0 Wrap Style Marker Ties are used to fasten and identify bundles at the same time. They ca	M	1000	\$	1,013.16
07498355838	<b>PLM4S-D2</b>	MarkerTie,Wrap,Std,14.6in,RD,PK500	Pan-Ty® marker tie, wrap, standard cross section, 14.6 (371mm) length, .44 x 2.00 (11.1 x 50.8mm) marker	M	1000	\$	1,062.69
07498344708	<b>PLM4S-D4Y</b>	MarkerTie,Wrap,Std,14.6in,Y,PK500	Pan-Ty® marker tie, wrap, standard cross section, 14.6 (371mm) length, .44 x 2.00 (11.1 x 50.8mm) marker	M	1000	\$	1,062.69
07498355844	<b>PLM4S-D6</b>	MarkerTie,Wrap,Std,14.6in,BU,PK500	Pan-Ty® marker tie, wrap, standard cross section, 14.6 (371mm) length, .44 x 2.00 (11.1 x 50.8mm) marker	M	1000	\$	1,062.69
07498355501	<b>PLP1.5I-M</b>	PanTyPMTie,NYL,INT,6.1,TS178,NAT,PK1000	Pan-Ty® Locking Push Mount Ties use an easy-to-use all-in-one wingless design to attach bundles to surface	M	1000	\$	278.60
07498355880	<b>PLP1.5I-M30</b>	PanTyPMTie,HS,NYL,INT,6.1,TS178,BLK,P1000	Panduit PLP1.5I-M30 Locking Push Mount Ties have an easy-to-use all-in-one wingless design to attach bund	M	1000	\$	318.89
07498355505	<b>PLP1.5S-M</b>	PanTyPMTie,NYL,STD,6.7,TS222,NAT,PK1000	Pan-Ty® Locking Push Mount Ties use an easy-to-use all-in-one wingless design to attach bundles to surface	M	1000	\$	306.89
07498355503	<b>PLP1S-M</b>	PanTyPMTie,NYL,STD,5.3,TS222,NAT,PK1000	Panduit PLP1S-M Locking Push Mount Ties have an easy-to-use all-in-one wingless design to attach bundles	M	1000	\$	303.29
07498355896	<b>PLP1S-M0</b>	PanTyPMTie,WR,NYL,STD,5,TS222,BLK,P1000	Pan-Ty® Locking Push Mount Ties use an easy-to-use all-in-one wingless design to attach bundles to surface	M	1000	\$	333.65
07498355897	<b>PLP1S-M30</b>	PanTyPMTie,HS,NYL,STD,5,TS222,BLK,P1000	Pan-Ty® Locking Push Mount Ties use an easy-to-use all-in-one wingless design to attach bundles to surface	M	1000	\$	382.18
07498355508	<b>PLP2S-C</b>	PanTyPMTie,NYL,STD,7.9,TS222,NAT,P100	Panduit PLP2S-C Locking Push Mount Ties have an easy-to-use all-in-one wingless design to attach bundles	C	100	\$	46.15
07498355511	<b>PLP2S-M</b>	PanTyPMTie,NYL,STD,7.9,TS222,NAT,P1000	Panduit PLP2S-M Locking Push Mount Ties have an easy-to-use all-in-one wingless design to attach bundles	M	1000	\$	310.50
07498355924	<b>PLP2S-M0</b>	PanTyPMTie,WR,NYL,STD,8,TS222,BLK,P1000	Panduit PLP2S-M0 Locking Push Mount Ties have an easy-to-use all-in-one wingless design to attach bundl	M	1000	\$	341.54
07498355931	<b>PLP2S-M30</b>	PanTyPMTie,HS,NYL,STD,8,TS222,BLK,P1000	Pan-Ty® Locking Push Mount Ties use an easy-to-use all-in-one wingless design to attach bundles to surface	M	1000	\$	372.75

07498323693	<b>PLST30SC-D30</b>	PanTyPMTie,HS NYL,STD,6,TS222,BLK,P500	Pan-Ty@ Stud Mounted Cable Ties mount to a flat surface and wrap around bundles to form a releasable atta	M	1000	\$	418.10
07498375411	<b>PLST4HS25-TL300</b>	PanTyPMTie,HSWR NYL,LT,15,222,BLK,P250	Panduit PLST4HS25-TL300 Stud Mounted Cable Ties mount to a flat surface and wrap around bundles to for	M	1000	\$	1,422.89
07498323699	<b>PLST50SC-D30</b>	PanTyPMTie,HS NYL,STD,8,TS222,BLK,P500	Pan-Ty@ Stud Mounted Cable Ties mount to a flat surface and wrap around bundles to form a releasable atta	M	1000	\$	508.89
07498356032	<b>PLT.6SM-C</b>	CableTie,Submin,2.8in,Nat,PK100	Panduit PLT.6SM-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	C	100	\$	16.14
07498356035	<b>PLT.6SM-C0</b>	CableTie,Submin,2.8in,WR,BL,PK100	Panduit PLT.6SM-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications,	C	100	\$	20.38
07498356038	<b>PLT.6SM-M</b>	CableTie,Submin,2.8in,Nat,PK1000	Panduit PLT.6SM-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	49.04
07498356041	<b>PLT.6SM-M0</b>	CableTie,Submin,2.8in,WR,BL,PK1000	Panduit PLT.6SM-M0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications,	M	1000	\$	65.99
07498356040	<b>PLT.6SM-M30</b>	CableTie,Submin,2.8in,HS,BI,PK1000	Panduit PLT.6SM-M30 Locking Cable Ties are designed to satisfy the needs of high temperature applications	M	1000	\$	68.35
07498354771	<b>PLT.7M-C</b>	CableTie,Min,3.1in,Nat,PK100	Pan-Ty@ locking tie, miniature cross section, 3.1 (79mm) length, nylon 6.6, natural, standard package.	C	100	\$	16.14
07498352600	<b>PLT.7M-M</b>	CableTie,Min,3.1in,Nat,PK1000	Panduit PLT.7M-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	46.61
07498352601	<b>PLT.7M-M0</b>	CableTie,Min,3.1in,WR,BL,PK1000	Panduit PLT.7M-M0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	M	1000	\$	62.81
07498352602	<b>PLT.7M-M30</b>	CableTie,Min,3.1in,HS,BL,PK1000	Panduit PLT.7M-M30 Locking Cable Ties are designed to satisfy the needs of high temperature applications,	M	1000	\$	65.05
07498354018	<b>PLT1.5I-C</b>	CableTie,Interm,5.6in,Nyl,Nat,PK100	Panduit PLT1.5I-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	21.16
07498354059	<b>PLT1.5I-C0</b>	CableTie,Interm,5.6in,WR,BL,PK100	Panduit PLT1.5I-C0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	26.14
07498354742	<b>PLT1.5I-C10</b>	CableTie,Interm,5.6in,Nyl,WH,PK100	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, white, standard package.	C	100	\$	26.48
07498354734	<b>PLT1.5I-C2</b>	CableTie,Interm,5.6in,Nyl,RD,PK100	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, red, standard package.	C	100	\$	26.48
07498354735	<b>PLT1.5I-C3</b>	CableTie,Interm,5.6in,Nyl,OR,PK100	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, orange, standard package.	C	100	\$	26.48
07498354744	<b>PLT1.5I-C30</b>	CableTie,Interm,5.6in,HS,BL,PK100	Panduit PLT1.5I-C30 Locking Cable Ties are designed to satisfy the needs of high temperature applications,	C	100	\$	25.20
07498344411	<b>PLT1.5I-C4Y</b>	CableTie,Interm,5.6in,Nyl,Y,PK100	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, yellow, standard package.	C	100	\$	26.48
07498354737	<b>PLT1.5I-C5</b>	CableTie,Interm,5.6in,Nyl,GR,PK100	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, green, standard package.	C	100	\$	26.48
07498354738	<b>PLT1.5I-C6</b>	CableTie,Interm,5.6in,Nyl,BU,PK100	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, blue, standard package.	C	100	\$	26.48
07498354048	<b>PLT1.5I-M</b>	CableTie,Interm,5.6in,Nyl,Nat,PK1000	Panduit PLT1.5I-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	83.44
07498354145	<b>PLT1.5I-M0</b>	CableTie,Interm,5.6in,WR,BL,PK1000	Panduit PLT1.5I-M0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	113.44
07498354038	<b>PLT1.5I-M00</b>	CableTie,Interm,5.6,MilSpecWR,BL,PK1000	Panduit PLT1.5I-M00 Locking Cable Ties are designed to satisfy the needs of general applications, while deli	M	1000	\$	125.88
07498354940	<b>PLT1.5I-M1</b>	CableTie,Interm,5.6in,Nyl,BR,PK1000	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, brown, bulk package.	M	1000	\$	106.65
07498354945	<b>PLT1.5I-M10</b>	CableTie,Interm,5.6in,Nyl,WH,PK1000	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, white, bulk package.	M	1000	\$	106.65
07498354953	<b>PLT1.5I-M100</b>	CableTie,Interm,5.6in,WRBPoly,BL,PK1000	Panduit PLT1.5I-M100 Locking Cable Ties are designed to satisfy the needs of chemical resistance applicatio	M	1000	\$	146.44
07498354952	<b>PLT1.5I-M109</b>	CableTie,Interm,5.6in,Poly,GR,PK1000	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, polypropylene, green.	M	1000	\$	149.26
07498355002	<b>PLT1.5I-M120</b>	CableTie,Int,5.6in,Nyl,BL,PK1000	Panduit PLT1.5I-M120 Locking Cable Ties are designed to satisfy the needs of general applications, while de	M	1000	\$	201.34
07498354146	<b>PLT1.5I-M2</b>	CableTie,Int,5.6in,Nyl,RD,PK1000	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, red, bulk package.	M	1000	\$	103.50
07498354947	<b>PLT1.5I-M20</b>	CableTie,Int,5.6in,BI,PK1000	Panduit PLT1.5I-M20 Locking Cable Ties are designed to satisfy the needs of general applications, while deli	M	1000	\$	103.50
07498354147	<b>PLT1.5I-M3</b>	CableTie,Int,5.6in,Nyl,OR,PK1000	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, orange, bulk package.	M	1000	\$	106.65
07498354948	<b>PLT1.5I-M30</b>	CableTie,Int,5.6in,HS,BI,PK1000	Panduit PLT1.5I-M30 Locking Cable Ties are designed to satisfy the needs of high temperature applications,	M	1000	\$	106.49
07498355977	<b>PLT1.5I-M300</b>	CableTie,Int,5.6in,HSWR,BL,PK1000	Panduit PLT1.5I-M300 Locking Cable Ties are designed to satisfy the needs of high temperature and resistan	M	1000	\$	137.94
07498344414	<b>PLT1.5I-M4Y</b>	CableTie,Int,5.6in,Nyl,Y,PK1000	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, yellow, bulk package.	M	1000	\$	106.65
07498354148	<b>PLT1.5I-M5</b>	CableTie,Int,5.6in,GR,PK1000	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, green, bulk package.	M	1000	\$	106.65
07498354942	<b>PLT1.5I-M6</b>	CableTie,Int,5.6in,BU,PK1000	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, blue, bulk package.	M	1000	\$	103.50
07498320319	<b>PLT1.5I-M69</b>	CableTie,Int,5.6in,FR,IV,PK1000	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, flame retardant nylon 6.6, ivory.	M	1000	\$	213.05
07498354944	<b>PLT1.5I-M8</b>	CableTie,Int,5.6in,Nyl,GY,PK1000	Pan-Ty@ locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, gray, bulk package.	M	1000	\$	106.65
07498354021	<b>PLT1.5I-MP</b>	CableTie,Int,5.6in,Nyl,Nat,BOX1000	Pan-Ty@ locking tie in a box, intermediate cross section, 5.6 (142mm) length, nylon 6.6, natural.	M	1000	\$	138.05
07498354015	<b>PLT1.5M-C</b>	CableTie,Min,5.6in,Nat,PK100	Panduit PLT1.5M-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	C	100	\$	24.45
07498354058	<b>PLT1.5M-C0</b>	CableTie,Min,5.6in,WR,BI,PK100	Panduit PLT1.5M-C0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	C	100	\$	27.24
07498331382	<b>PLT1.5M-C71</b>	CableTie,Min,5.8in,PEEK,TBR,PK100	Panduit PLT1.5M-C71 Locking Cable Ties are designed for harsh environments where a cable tie material is	C	100	\$	272.04
07498354011	<b>PLT1.5M-M</b>	CableTie,Min,5.6in,Nat,PK1000	Panduit PLT1.5M-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	84.28
07498354128	<b>PLT1.5M-M0</b>	CableTie,Min,5.6in,WR,BI,PK1000	Panduit PLT1.5M-M0 Locking Cable Ties are designed to satisfy the needs of general applications, while deli	M	1000	\$	115.53
07498354158	<b>PLT1.5M-M00</b>	CableTie,Min,5.6in,MilSpecWR,BL,PK1000	Panduit PLT1.5M-M00 Locking Cable Ties are designed to satisfy the needs of general applications, while del	M	1000	\$	133.45
07498356010	<b>PLT1.5M-M1</b>	CableTie,Min,5.6in,Nyl,BR,PK1000	Pan-Ty@ locking tie, miniature cross section, 5.6 (142mm) length, nylon 6.6, brown.	M	1000	\$	98.30
07498356011	<b>PLT1.5M-M10</b>	CableTie,Min,5.6in,Nyl,WH,PK1000	Pan-Ty@ locking tie, miniature cross section, 5.6 (142mm) length, nylon 6.6, white.	M	1000	\$	98.30
07498356016	<b>PLT1.5M-M2</b>	CableTie,Min,5.6in,Nyl,RD,PK1000	Pan-Ty@ locking tie, miniature cross section, 5.6 (142mm) length, nylon 6.6, red.	M	1000	\$	98.30
07498356017	<b>PLT1.5M-M20</b>	CableTie,Min,5.6in,Nyl,BL,PK1000	Panduit PLT1.5M-M20 Locking Cable Ties are designed to satisfy the needs of general applications, while del	M	1000	\$	93.60
07498356019	<b>PLT1.5M-M30</b>	CableTie,Min,5.6in,HS,BI,PK1000	Panduit PLT1.5M-M30 Locking Cable Ties are designed to satisfy the needs of general applications, while del	M	1000	\$	93.60
07498344438	<b>PLT1.5M-M4Y</b>	CableTie,Min,5.6in,Nyl,Y,PK1000	Pan-Ty@ locking tie, miniature cross section, 5.6 (142mm) length, nylon 6.6, yellow.	M	1000	\$	98.30
07498354718	<b>PLT1.5M-XMR</b>	CableTie,Min,5.6in,Nat,RL5000	Panduit PLT1.5M-XMR continuously molded cable ties provide constant feeding for high productivity and redu	M	1000	\$	93.69
07498375443	<b>PLT1.5M-XMR0</b>	CableTie,Min,5.6in,BL,wrNyl,RL5000	Panduit PLT1.5M-XMR0 continuously molded cable ties provide constant feeding for high productivity and red	M	1000	\$	107.58
07498354357	<b>PLT1.5M-XMR00</b>	CableTie,Min,5.6in,BL,mgNyl,RL5000	Reel-Fed cable tie for PAT1.5M system, miniature cross section, 5.6 (142mm) length, military grade weather	M	1000	\$	107.58
07498354806	<b>PLT1.5M-XMR30</b>	CableTie,Min,5.6in,BL,hsNyl,RL5000	Panduit PLT1.5M-XMR30 continuously molded cable ties provide constant feeding for high productivity and re	M	1000	\$	107.58
07498354016	<b>PLT1.5S-C</b>	CableTie,Std,6.2in,Nat,PK100	Pan-Ty@ locking tie, standard cross section, 6.2 (157mm) length, nylon 6.6, natural, standard package.	C	100	\$	26.14
07498354057	<b>PLT1.5S-C0</b>	CableTie,Std,6.2in,WR,BL,PK1000	Pan-Ty@ locking tie, standard cross section, 6.2 (157mm) length, weather resistant nylon 6.6, black, standard	C	100	\$	29.29
07498354049	<b>PLT1.5S-M</b>	CableTie,Std,6.2in,Nyl,Nat,PK1000	Panduit PLT1.5S-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	114.44
07498354129	<b>PLT1.5S-M0</b>	CableTie,Std,6.2in,WR,BI,PK1000	Panduit PLT1.5S-M0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	127.56
07498356057	<b>PLT1.5S-M30</b>	CableTie,Std,6.2in,HS,BL,PK1000	Panduit PLT1.5S-M30 Locking Cable Ties are designed to satisfy the needs of high temperature applications,	M	1000	\$	137.36
07498354253	<b>PLT10EH-C</b>	CableTie,EH,34.2in,Nat,PK100	Pan-Ty@ lashing tie, extra-heavy cross section, 34.2 (869mm) length, nylon 6.6, natural.	M	1000	\$	3,625.28
07498354251	<b>PLT10EH-C0</b>	CableTie,EH,34.2in,Bk,PK100	Panduit PLT10EH-C0 Lashing Cable Ties are ideal for heavy duty applications. Extra-Heavy cross section, 3	M	1000	\$	4,169.09
07498354250	<b>PLT10EH-Q0</b>	CableTie,EH,34.2in,WR,BI,PK25	Panduit PLT10EH-Q0 Lashing Cable Ties are ideal for heavy duty applications. Extra-Heavy cross section, 3	C	100	\$	511.59
07498354197	<b>PLT10LH-C</b>	CableTie,LH,34.3in,Nyl,Nat,PK100	Panduit PLT10LH-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	1,988.48
07498354188	<b>PLT10LH-L</b>	CableTie,LH,34.3in,Nyl,Nat,PK50	Pan-Ty@ locking tie, light-heavy cross section, 34.3 (871mm) length, nylon 6.6, natural, standard package.	C	100	\$	240.25
07498354273	<b>PLT12EH-C</b>	CableTie,EH,40.1in,Nat,PK100	Panduit PLT12EH-C Lashing Cable Ties are ideal for heavy duty applications. Extra-Heavy cross section, 40	M	1000	\$	3,918.59
07498354271	<b>PLT12EH-C0</b>	CableTie,EH,40.1in,WR,BI,PK100	Panduit PLT12EH-C0 Lashing Cable Ties are ideal for heavy duty applications. Extra-Heavy cross section, 40	M	1000	\$	4,506.35
07498354270	<b>PLT12EH-Q0</b>	CableTie,EH,40.1in,WR,BI,PK25	Panduit PLT12EH-Q0 Lashing Cable Ties are ideal for heavy duty applications. Extra-Heavy cross section, 4	C	100	\$	571.06
07498354193	<b>PLT13H-C</b>	CableTie,H,43.3in,Nat,PK100	Panduit PLT13H-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	2,803.36
07498354194	<b>PLT13H-C0</b>	CableTie,H,43.3in,WR,BI,PK100	Panduit PLT13H-C0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	3,221.16
07498354195	<b>PLT13H-C3</b>	CableTie,H,43.3in,Nyl,OR,PK100	Pan-Ty@ locking tie, heavy cross section, 43.3 (1100mm) length, nylon 6.6, orange.	M	1000	\$	3,382.23
07498354190	<b>PLT13H-Q</b>	CableTie,H,43.3in,Nat,PK25	Panduit PLT13H-Q Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	369.64
07498354191	<b>PLT13H-Q0</b>	CableTie,H,43.3in,WR,BL,PK25	Panduit PLT13H-Q0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	C	100	\$	375.50
07498354004	<b>PLT1M-C</b>	CableTie,Min,3.9in,Nyl,Nat,PK100	Panduit PLT1M-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	C	100	\$	19.04
07498354056	<b>PLT1M-C0</b>	CableTie,Min,3.9in,WR,BL,PK100	Panduit PLT1M-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	C	100	\$	24.08
07498354037	<b>PLT1M-C00</b>	CableTie,Min,3.9in,MilSpecWR,BL,PK1000	Panduit PLT1M-C00 Locking Cable Ties are designed to satisfy the needs of weather resistant mil spec appli	C	100	\$	27.48

07498354720	<b>PLT1M-C1</b>	CableTie,Min,3.9in,Nyl,BR,PK100	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, brown, standard package.	C	100	\$	23.03
07498354729	<b>PLT1M-C10</b>	CableTie,Min,3.9in,Nyl,WH,PK100	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, white, standard package.	C	100	\$	21.93
07498311453	<b>PLT1M-C186</b>	CableTie,Min,3.9in,MetDetPoly,DBU,PK100	Panduit PLT1M-C186 Metal Detectable Cable Ties are designed to help the food beverage and pharmaceutical	C	100	\$	31.84
07498354721	<b>PLT1M-C2</b>	CableTie,Min,3.9in,Nyl,RD,PK100	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, red, standard package.	C	100	\$	23.03
07498354722	<b>PLT1M-C3</b>	CableTie,Min,3.9in,Nyl,OR,PK100	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, orange, standard package.	C	100	\$	23.03
07498354732	<b>PLT1M-C30</b>	CableTie,Min,3.9in,HS,BL,PK100	Panduit PLT1M-C30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	C	100	\$	21.93
07498344406	<b>PLT1M-C4Y</b>	CableTie,Min,3.9in,Nyl,Y,PK100	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, yellow, standard package.	C	100	\$	23.03
07498354724	<b>PLT1M-C5</b>	CableTie,Min,3.9in,Nyl,GR,PK100	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, green, standard package.	C	100	\$	23.03
07498354725	<b>PLT1M-C6</b>	CableTie,Min,3.9in,Nyl,BU,PK100	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, blue, standard package.	C	100	\$	21.93
07498344735	<b>PLT1M-C702Y</b>	CableTie,Min,4in,Halar,MN,PK100	Panduit PLT1M-C702Y Locking Cable Ties are suitable for use in plenum or air handling spaces. With low sm	C	100	\$	112.88
07498331381	<b>PLT1M-C71</b>	CableTie,Min,3.9in,PEEK,TBR,PK100	Panduit PLT1M-C71 Locking Cable Ties are designed for harsh environments where a cable tie material is re	C	100	\$	181.34
07498354142	<b>PLT1M-C76</b>	CableTie,Min,4in,Tefzel,AQ,PK100	Panduit PLT1M-C76 Tefzel locking cable ties are designed for applications requiring resistance to environme	C	100	\$	121.33
07498354727	<b>PLT1M-C8</b>	CableTie,Min,3.9in,Nyl,GY,PK100	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, gray, standard package.	C	100	\$	23.03
07498302995	<b>PLT1M-C86</b>	CableTie,Min,3.9in,MetDetNyl,LBU,PK100	Panduit PLT1M-C86 Locking Cable Ties are designed to help the food, beverage and pharmaceutical industri	C	100	\$	28.91
61305680215	<b>PLT1M-C86A</b>	Cable Tie, 3.9L (100mm), Miniature, Anti	Panduit PLT1M-C86A Locking Cable Ties are designed to help the food, beverage and pharmaceutical indust	C	100	\$	34.70
07498353962	<b>PLT1M-L0</b>	CableTie,Min,4.0in,Nylon,WRBL,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, weather resistant nylon 6.6, black.	M	1000	\$	167.15
07498353965	<b>PLT1M-L1-0</b>	CableTie,Min,4.0in,Nylon,BR/BL,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, brown/black stripe.	M	1000	\$	183.80
07498353985	<b>PLT1M-L1-10</b>	CableTie,Min,4.0in,Nylon,BR/WH,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, brown/white stripe.	M	1000	\$	183.80
07498353970	<b>PLT1M-L1-2</b>	CableTie,Min,4.0in,Nylon,BR/RD,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, brown/red stripe.	M	1000	\$	183.80
07498353975	<b>PLT1M-L1-4</b>	CableTie,Min,4.0in,Nylon,BR/YL,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, brown/yellow stripe.	M	1000	\$	183.80
07498353980	<b>PLT1M-L1-7</b>	CableTie,Min,4.0in,Nylon,BR/VL,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, brown/violet stripe.	M	1000	\$	183.80
07498353963	<b>PLT1M-L2</b>	CableTie,Min,4.0in,Nylon,RD,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, red.	M	1000	\$	167.15
07498339686	<b>PLT1M-L3</b>	CableTie,Min,4.0in,Nylon,OR,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, orange.	M	1000	\$	167.15
07498353966	<b>PLT1M-L3-0</b>	CableTie,Min,4.0in,Nylon,OR/BL,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, orange/black stripe.	M	1000	\$	183.80
07498353986	<b>PLT1M-L3-10</b>	CTie,4"L,Mini,Nyl,OR/WHStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, orange/white stripe.	M	1000	\$	183.80
07498353971	<b>PLT1M-L3-2</b>	CTie,4"L,Mini,Nyl,OR/RDStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, orange/red stripe.	M	1000	\$	183.80
07498353976	<b>PLT1M-L3-4</b>	CTie,4"L,Mini,Nyl,OR/YLStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, orange/yellow stripe.	M	1000	\$	183.80
07498353981	<b>PLT1M-L3-7</b>	CTie,4"L,Mini,Nyl,OR/VLStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, orange/violet stripe.	M	1000	\$	183.80
07498339689	<b>PLT1M-L5</b>	CTie,4"L,Mini,Nyl,GR,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, green.	M	1000	\$	167.15
07498353967	<b>PLT1M-L5-0</b>	CTie,4"L,Mini,Nyl,Green/BlackStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, green/black stripe.	M	1000	\$	183.80
07498353987	<b>PLT1M-L5-10</b>	CTie,4"L,Mini,Nyl,GR/WHStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, green/white stripe.	M	1000	\$	183.80
07498353972	<b>PLT1M-L5-2</b>	CTie,4"L,Mini,Nyl,GR/RDStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, green/red stripe.	M	1000	\$	183.80
07498353977	<b>PLT1M-L5-4</b>	CTie,4"L,Mini,Nyl,GR/YLStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, green/yellow stripe.	M	1000	\$	183.80
07498353982	<b>PLT1M-L5-7</b>	CTie,4"L,Mini,Nyl,GR/VLStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, green/violet stripe.	M	1000	\$	183.80
07498339688	<b>PLT1M-L6</b>	CTie,4"L,Mini,Nyl,BU,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, blue.	M	1000	\$	167.15
07498353968	<b>PLT1M-L6-0</b>	CTie,4"L,Mini,Nyl,BU/BLStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, blue/black stripe.	M	1000	\$	183.80
07498353988	<b>PLT1M-L6-10</b>	CTie,4"L,Mini,Nyl,BU/WHStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, blue/white stripe.	M	1000	\$	183.80
07498353973	<b>PLT1M-L6-2</b>	CTie,4"L,Mini,Nyl,BU/RDStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, blue/red stripe.	M	1000	\$	183.80
07498353978	<b>PLT1M-L6-4</b>	CTie,4"L,Mini,Nyl,BU/YLStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, blue/yellow stripe.	M	1000	\$	183.80
07498353983	<b>PLT1M-L6-7</b>	CTie,4"L,Mini,Nyl,BU/VLStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, blue/violet stripe.	M	1000	\$	183.80
07498339687	<b>PLT1M-L8</b>	CTie,4"L,Mini,Nyl,IG,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, slate.	M	1000	\$	167.15
07498353969	<b>PLT1M-L8-0</b>	CTie,4"L,Mini,Nyl,SL/BLStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, slate/black stripe.	M	1000	\$	183.80
07498353989	<b>PLT1M-L8-10</b>	CTie,4"L,Mini,Nyl,SL/WHStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, slate/white stripe.	M	1000	\$	183.80
07498353974	<b>PLT1M-L8-2</b>	CTie,4"L,Mini,Nyl,SL/RDStripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, slate/red stripe.	M	1000	\$	183.80
07498354047	<b>PLT1M-M</b>	CableTie,Min,3.9in,Nyl,Nat,PK1000	Panduit PLT1M-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	M	1000	\$	54.40
07498354958	<b>PLT1M-M0</b>	CableTie,Min,3.9in,WR,BL,PK1000	Panduit PLT1M-M0 Locking Cable Ties are designed to satisfy the needs of general applications, while delive	M	1000	\$	85.15
07498354036	<b>PLT1M-M00</b>	CableTie,Min,3.9in,MilSpecWR,BL,PK1000	Panduit PLT1M-M00 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	92.41
07498354959	<b>PLT1M-M1</b>	CableTie,Min,3.9in,Nyl,BR,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, brown, bulk package.	M	1000	\$	70.75
07498354967	<b>PLT1M-M10</b>	CableTie,Min,3.9in,Nyl,WH,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, white, bulk package.	M	1000	\$	67.39
07498354703	<b>PLT1M-M100</b>	CableTie,Min,3.9in,WRPoly,BL,PK1000	Panduit PLT1M-M100 Locking Cable Ties are designed to satisfy the needs of chemical resistance applicatio	M	1000	\$	104.81
07498354702	<b>PLT1M-M109</b>	CableTie,Min,3.9in,Poly,GR,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, polypropylene, green.	M	1000	\$	104.81
07498380569	<b>PLT1M-M120</b>	Cable Tie, 3.9"L (99mm), Miniature, Nylon	Panduit PLT1M-M120 Locking Cable Ties are designed to satisfy the needs of solar applications and resistan	M	1000	\$	150.03
07498354960	<b>PLT1M-M2</b>	CableTie,Min,3.9in,Nyl,RD,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, red, bulk package.	M	1000	\$	67.39
07498354969	<b>PLT1M-M20</b>	CableTie,Min,3.9in,Nyl,BL,PK1000	Panduit PLT1M-M20 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	67.39
07498354961	<b>PLT1M-M3</b>	CableTie,Min,3.9in,Nyl,OR,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, orange, bulk package.	M	1000	\$	70.75
07498354970	<b>PLT1M-M30</b>	CableTie,Min,3.9in,HS,Bl,PK1000	Panduit PLT1M-M30 Cable Ties are designed to satisfy the needs of general applications, while delivering co	M	1000	\$	67.39
07498354712	<b>PLT1M-M300</b>	CableTie,Min,3.9in,HS WR Bl,PK1000	Panduit PLT1M-M300 Locking Cable Ties are designed to satisfy the needs of high temperature and weather	M	1000	\$	92.83
61305656923	<b>PLT1M-M39</b>	Cable Tie, 3.9L (99mm), Miniature, Heat	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, heat stabilized nylon 6.6, natural.	M	1000	\$	67.95
07498344407	<b>PLT1M-M4Y</b>	CableTie,Min,3.9in,Nyl,Y,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, yellow, bulk package.	M	1000	\$	67.39
07498354963	<b>PLT1M-M5</b>	CableTie,Min,3.9in,Nyl,GR,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, green, bulk package.	M	1000	\$	67.39
07498354964	<b>PLT1M-M6</b>	CableTie,Min,3.9in,Nyl,BU,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, blue, bulk package.	M	1000	\$	67.39
07498354565	<b>PLT1M-M60</b>	CableTie,Min,3.9in,FR,BL,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, flame retardant nylon 6.6, black.	M	1000	\$	184.39
07498355000	<b>PLT1M-M69</b>	CableTie,Min,3.9in,FR, IV,PK1000	Panduit PLT1M-M69 Locking Cable Ties are designed to satisfy the needs of flame retardant (UL 94V-0) app	M	1000	\$	186.29
07498354965	<b>PLT1M-M7</b>	CableTie,Min,3.9in,Nyl,PU,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, purple, bulk package.	M	1000	\$	70.08
07498344736	<b>PLT1M-M702Y</b>	CableTie,Min,4in,Halar,MN,PK1000	Panduit PLT1M-M702Y Locking Cable Ties are suitable for use in plenum or air handling spaces. With low sm	M	1000	\$	733.56
07498354143	<b>PLT1M-M76</b>	CableTie,Min,4in,Tefzel,AQ,PK1000	Panduit PLT1M-M76 Tefzel locking cable ties are designed for applications requiring resistance to environme	M	1000	\$	919.74
07498354966	<b>PLT1M-M8</b>	CableTie,Min,3.9in,Nyl,GY,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, gray, bulk package.	M	1000	\$	67.39
07498354001	<b>PLT1M-MP</b>	CableTie,Min,3.9in,Nyl,Nat,BOX1000	Pan-Ty® locking tie in a box, miniature cross section, 3.9 (99mm) length, nylon 6.6, natural.	M	1000	\$	98.58
07498354003	<b>PLT1M-MP0</b>	CableTie,Min,3.9in,WR,BL,BOX1000	Pan-Ty® locking tie in a box, miniature cross section, 3.9 (99mm) length, weather resistant nylon 6.6, black.	M	1000	\$	150.33
07498354716	<b>PLT1M-XMR</b>	CableTie,Min,4in,Nat,RL5000	Panduit PLT1M-XMR continuously molded cable ties provide constant feeding for high productivity and reduc	M	1000	\$	72.03
07498375442	<b>PLT1M-XMR0</b>	CableTie,Min,4in,BL,RL5000	Panduit PLT1M-XMR0 continuously molded cable ties provide constant feeding for high productivity and redu	M	1000	\$	82.46
07498356151	<b>PLT1M-XMR00</b>	CBLTie,Mini,4in,WV,Nyl,BLK,RL5000	Panduit PLT1M-XMR00 continuously molded cable ties provide constant feeding for high productivity and red	M	1000	\$	82.46
07498354359	<b>PLT1M-XMR2</b>	CableTie,Min,4in,RD,RL5000	Reel-Fed cable tie for PAT1M system, miniature cross section, 4.0 (102mm) length, nylon 6.6, red.	M	1000	\$	82.46
07498353990	<b>PLT1M-XMR30</b>	CBLTie,Mini,4in,HT-RST NYL,BLK,RL5000	Panduit PLT1M-XMR30 continuously molded cable ties provide constant feeding for high productivity and red	M	1000	\$	82.46
61305656924	<b>PLT1M-XMR39</b>	Cable Ties on Reel, 4.0L (102mm), Miniat		M	1000	\$	97.26
07498354362	<b>PLT1M-XMR5</b>	CableTie,Min,4in,GR,RL5000	Reel-Fed cable tie for PAT1M system, miniature cross section, 4.0 (102mm) length, nylon 6.6, green.	M	1000	\$	82.46
07498354363	<b>PLT1M-XMR6</b>	CableTie,Min,4in,BU,RL5000	Reel-Fed cable tie for PAT1M system, miniature cross section, 4.0 (102mm) length, nylon 6.6, blue.	M	1000	\$	82.46

07498354365	<b>PLT1M-XMR8</b>	CableTie,Min,4in,GY,RL5000	Reel-Fed cable tie for PAT1M system, miniature cross section, 4.0 (102mm) length, nylon 6.6, gray.	M	1000	\$	82.46
07498354007	<b>PLT1S-C</b>	CableTie,Std,4.8in,Nyl,Nat,PK100	Pan-Ty® locking tie, standard cross section, 4.8 (122mm) length, nylon 6.6, natural, standard package.	C	100	\$	27.30
07498354074	<b>PLT1S-CO</b>	CableTie,Std,4.8in,WR,BL,PK100	Pan-Ty® locking tie, standard cross section, 4.8 (122mm) length, weather resistant nylon 6.6, black, standard	C	100	\$	28.88
07498354009	<b>PLT1S-M</b>	CableTie,Std,4.8in,Nyl,Nat,PK1000	Pan-Ty® locking tie, standard cross section, 4.8 (122mm) length, nylon 6.6, natural, bulk package.	M	1000	\$	113.50
07498354006	<b>PLT1S-M0</b>	CableTie,Std,4.8in,WR,BL,PK1000	Panduit PLT1S-M0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	M	1000	\$	126.81
07498356183	<b>PLT1S-M30</b>	CableTie,Std,4.8in,HS,BI,PK1000	Panduit PLT1S-M30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	M	1000	\$	136.25
07498356179	<b>PLT1S-M300</b>	CableTie,Std,4.8in,HSWR,BL,PK1000	Panduit PLT1S-M300 Locking Cable Ties are designed to satisfy the needs of high temperature and weather	M	1000	\$	156.65
07498324757	<b>PLT2.5H-L0</b>	CableTie,LH,9.8in,WR,BL,PK50	Pan-Ty® locking tie, light-heavy cross section, 9.8 (251mm) length, weather resistant nylon 6.6, black, standa	C	100	\$	102.10
07498324760	<b>PLT2.5H-TL0</b>	CBLTie,LTHeavy,9.8in,NYL,BLK,PK250	Panduit PLT2.5H-TL0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications,	M	1000	\$	710.44
07498354150	<b>PLT2.5I-C</b>	CableTie,Interm,9.7in,Nyl,Nat,PK100	Pan-Ty® locking tie, intermediate cross section, 9.7 (246mm) length, nylon 6.6, natural, standard package.	C	100	\$	40.19
07498354151	<b>PLT2.5I-CO</b>	CableTie,Interm,9.7in,WR,BL,PK100	Pan-Ty® locking tie, intermediate cross section, 9.7 (246mm) length, weather resistant nylon 6.6, black, stan	C	100	\$	46.33
07498354152	<b>PLT2.5I-M</b>	CableTie,Int,9.7in,Nat,PK1000	Panduit PLT2.5I-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	209.19
07498356210	<b>PLT2.5I-M0</b>	CableTie,Int,9.7in,WR,BI,PK1000	Panduit PLT2.5I-M0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	M	1000	\$	240.78
07498356215	<b>PLT2.5I-M20</b>	CableTie,Int,9.7in,Nyl,BL,PK1000	Pan-Ty® locking tie, intermediate cross section, 9.7 (246mm) length, nylon 6.6, black.	M	1000	\$	251.10
07498353604	<b>PLT2.5S-C</b>	CableTie,Std,9.8in,Nyl,Nat,PK100	Pan-Ty® locking tie, standard cross section, 9.8 (249mm) length, nylon 6.6, natural, standard package.	C	100	\$	51.34
07498353605	<b>PLT2.5S-CO</b>	CableTie,Std,9.8in,WR,BL,PK100	Panduit PLT2.5S-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications,	C	100	\$	58.23
07498353601	<b>PLT2.5S-M</b>	CableTie,Std,9.8in,Nat,PK1000	Panduit PLT2.5S-M Locking Cable Ties are designed to satisfy the needs of general applications, while delive	M	1000	\$	277.18
07498353602	<b>PLT2.5S-M0</b>	CableTie,Std,9.8in,WR,BI,PK1000	Panduit PLT2.5S-M0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications,	M	1000	\$	306.26
07498380658	<b>PLT2.5S-M120</b>	Cable Tie, 9.8" L (249mm), Standard, Nyl	Panduit PLT2.5S-M120 Locking Cable Ties deliver consistent performance and reliability. Featuring weather a	M	1000	\$	468.78
07498353603	<b>PLT2.5S-M30</b>	CableTie,Std,9.8in,HS,BL,PK1000	Panduit PLT2.5S-M30 Locking Cable Ties are designed to satisfy the needs of high temperature applications,	M	1000	\$	332.56
07498354294	<b>PLT2EH-CO</b>	CableTie,EH,9.0in,WR,Bik,PK100	Pan-Ty® lashing tie, extra-heavy cross section, 9.0 (229mm) length, weather resistant nylon 6.6, black, bulk p	M	1000	\$	1,375.85
07498354155	<b>PLT2H-L</b>	CableTie,LH,8.1in,Nyl,Nat,SP	Pan-Ty® locking tie, light-heavy cross section, 8.1 (206mm) length, nylon 6.6, natural, standard package.	C	100	\$	64.21
07498354156	<b>PLT2H-L0</b>	CableTie,LH,8.1in,WR,BI,PK50	Panduit PLT2H-L0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, wh	C	100	\$	70.98
07498338750	<b>PLT2H-TL</b>	CableTie,LH,8.1in,Nyl,Nat,BP	Pan-Ty® locking tie, light-heavy cross section, 8.1 (206mm) length, nylon 6.6, natural, bulk package.	M	1000	\$	538.55
07498338751	<b>PLT2H-TL0</b>	CableTie,LT-Hvy,8.1in,WR,BI,PK250	Panduit PLT2H-TL0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	M	1000	\$	620.90
07498338764	<b>PLT2H-TL100</b>	CableTie,LH,8.1in,Poly,BI,PK250	Panduit PLT2H-TL100 Locking Cable Ties are designed to satisfy the needs of chemical resistance applicatio	M	1000	\$	809.43
07498338765	<b>PLT2H-TL109</b>	CableTie,LH,8.1in,Poly,GR,PK250	Pan-Ty® locking tie, light-heavy cross section, 8.1 (206mm) length, polypropylene, green.	M	1000	\$	809.43
07498338763	<b>PLT2H-TL300</b>	CableTie,LH,8.1in,HS,BL,PK250	Panduit PLT2H-TL300 Locking Cable Ties are designed to satisfy the needs of high temperature applications,	M	1000	\$	633.01
07498338766	<b>PLT2H-TL300</b>	CableTie,LH,8.1in,HS,WR,BI,PK250	Panduit PLT2H-TL300 Locking Cable Ties are designed to satisfy the needs of high temperature and weather	M	1000	\$	716.64
07498354034	<b>PLT2I-C</b>	CableTie,Int,8in,Nyl,Nat,PK100	Panduit PLT2I-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliverin	C	100	\$	32.03
07498354075	<b>PLT2I-C0</b>	CableTie,Int,8in,WR,BL,PK100	Panduit PLT2I-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, whi	C	100	\$	38.41
07498311454	<b>PLT2I-C186</b>	CableTie,Int,8in,MetDelPoly,DBU,PK100	Panduit PLT2I-C186 Locking Cable Ties are designed to help the food, beverage and pharmaceutical industri	C	100	\$	45.78
07498354756	<b>PLT2I-C30</b>	CableTie,Int,8in,HS,BI,PK100	Panduit PLT2I-C30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	C	100	\$	36.15
07498354815	<b>PLT2I-C76</b>	CableTie,Int,8in,Tefzel,AQ,PK100	Panduit PLT2I-C76 Tefzel locking cable ties are designed for applications requiring resistance to environment	C	100	\$	214.98
07498302997	<b>PLT2I-C86</b>	CableTie,Int,8in,MetDelPoly,LBU,PK100	Panduit PLT2I-C86 Metal Detectable Cable Ties are designed to help the food, beverage and pharmaceutical	C	100	\$	41.59
61305680051	<b>PLT2I-C86A</b>	Cable Tie, 8.0L (203mm), Intermediate, A	Panduit PLT2I-C86A Metal Detectable Cable Ties are designed to help the food, beverage and pharmaceutic	C	100	\$	49.89
07498354031	<b>PLT2I-M</b>	CableTie,Int,8in,Nyl,Nat,PK1000	Panduit PLT2I-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliverin	M	1000	\$	106.68
07498354033	<b>PLT2I-M0</b>	CableTie,Int,8in,WR,BL,PK1000	Panduit PLT2I-M0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	M	1000	\$	151.39
07498356264	<b>PLT2I-M1</b>	CableTie,Int,8in,Nyl,BR,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, brown.	M	1000	\$	139.01
07498356265	<b>PLT2I-M10</b>	CableTie,Int,8in,Nyl,WHT,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, white.	M	1000	\$	132.39
07498356266	<b>PLT2I-M14</b>	CableTie,Int,8in,Nyl,TGY,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, telephone gray, bulk package	M	1000	\$	132.39
07498356269	<b>PLT2I-M2</b>	CableTie,Int,8in,Nyl,RD,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, red.	M	1000	\$	132.39
07498356270	<b>PLT2I-M20</b>	CableTie,Int,8in,Nyl,BL,PK1000	Panduit PLT2I-M20 Locking Cable Ties are designed to satisfy the needs of general applications, while delive	M	1000	\$	132.39
07498356271	<b>PLT2I-M3</b>	CableTie,Int,8in,Nyl,OR,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, orange.	M	1000	\$	139.01
07498356272	<b>PLT2I-M30</b>	CableTie,Int,8in,HS,BI,PK1000	Panduit PLT2I-M30 Cable Ties are designed to satisfy the needs of general applications, while delivering con	M	1000	\$	129.96
07498356273	<b>PLT2I-M300</b>	CableTie,Int,8in,HSWR,BL,PK1000	Panduit PLT2I-M300 Locking Cable Ties are designed to satisfy the needs of high temperature and weather r	M	1000	\$	174.33
07498344415	<b>PLT2I-M4Y</b>	CableTie,Int,8in,Nyl,Y,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, yellow.	M	1000	\$	132.39
07498356278	<b>PLT2I-M5</b>	CableTie,Int,8in,Nyl,GR,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, green.	M	1000	\$	132.39
07498328083	<b>PLT2I-M53</b>	CableTie,Int,8in,Nyl,FOR,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, fluorescent orange.	M	1000	\$	145.66
07498328085	<b>PLT2I-M55</b>	CableTie,Int,8in,Nyl,FR,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, fluorescent green.	M	1000	\$	152.98
07498328086	<b>PLT2I-M59</b>	CableTie,Int,8in,Nyl,FPK,PK1000	Panduit PLT2I-M59 Locking Cable Ties are designed to satisfy the needs of general applications, while delive	M	1000	\$	145.66
07498356279	<b>PLT2I-M6</b>	CableTie,Int,8in,Nyl,BU,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, blue.	M	1000	\$	132.39
07498354816	<b>PLT2I-M69</b>	CableTie,Int,8in,FR,IB,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, flame retardant nylon 6.6, ivory.	M	1000	\$	316.90
07498356280	<b>PLT2I-M7</b>	CableTie,Int,8in,Nyl,PU,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, purple.	M	1000	\$	139.01
07498354814	<b>PLT2I-M76</b>	CableTie,Int,8in,Tefzel,AQ,PK1000	Panduit PLT2I-M76 Tefzel locking cable ties are designed for applications requiring resistance to environmen	M	1000	\$	1,627.19
07498356281	<b>PLT2I-M8</b>	CableTie,Int,8in,Nyl,GY,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, gray.	M	1000	\$	132.39
07498354029	<b>PLT2M-C</b>	CableTie,Min,8in,Nyl,Nat,PK100	Panduit PLT2M-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	C	100	\$	24.53
07498354076	<b>PLT2M-C0</b>	CableTie,Min,8in,WR,BL,PK100	Panduit PLT2M-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	C	100	\$	31.50
07498354026	<b>PLT2M-M</b>	CableTie,Min,8in,Nyl,Nat,PK1000	Panduit PLT2M-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	M	1000	\$	81.58
07498354027	<b>PLT2M-M0</b>	CableTie,Min,8in,WR,BL,PK1000	Panduit PLT2M-M0 Locking Cable Ties are designed to satisfy the needs of general applications, while delive	M	1000	\$	117.11
07498356308	<b>PLT2M-M10</b>	CableTie,Min,8in,Wh,PK1000	Pan-Ty® locking tie, miniature cross section, 8.0 (203mm) length, nylon 6.6, white.	M	1000	\$	91.39
07498356310	<b>PLT2M-M2</b>	CableTie,Min,8in,Nyl,RD,PK1000	Pan-Ty® locking tie, miniature cross section, 8.0 (203mm) length, nylon 6.6, red.	M	1000	\$	95.99
07498356311	<b>PLT2M-M20</b>	CableTie,Min,8in,Nyl,BL,PK1000	Panduit PLT2M-M20 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	91.39
07498356312	<b>PLT2M-M3</b>	CableTie,Min,8in,Nyl,OR,PK1000	Pan-Ty® locking tie, miniature cross section, 8.0 (203mm) length, nylon 6.6, orange.	M	1000	\$	91.39
07498356313	<b>PLT2M-M30</b>	CableTie,Min,8in,HS,WR,BI,PK1000	Panduit PLT2M-M30 Cable Ties are designed to satisfy the needs of general applications, while delivering co	M	1000	\$	91.39
61305673384	<b>PLT2M-M300</b>	Cable Tie, 8.0L (203mm), Miniature, Heat	Pan-Ty® locking tie, miniature cross section, 8.0 (203mm) length, heat stabilized weather resistant nylon 6.6,	M	1000	\$	127.65
07498344410	<b>PLT2M-M4Y</b>	CableTie,Min,8in,Nyl,Y,PK1000	Pan-Ty® locking tie, miniature cross section, 8.0 (203mm) length, nylon 6.6, yellow.	M	1000	\$	91.39
07498356317	<b>PLT2M-M5</b>	CableTie,Min,8in,Nyl,GR,PK1000	Pan-Ty® locking tie, miniature cross section, 8.0 (203mm) length, nylon 6.6, green.	M	1000	\$	91.39
07498356318	<b>PLT2M-M6</b>	CableTie,Min,8in,Nyl,BU,PK1000	Pan-Ty® locking tie, miniature cross section, 8.0 (203mm) length, nylon 6.6, blue.	M	1000	\$	91.39
07498338560	<b>PLT2M-M69</b>	CableTie,Min,8in,FR,Ivory,PK1000	Pan-Ty® locking tie, miniature cross section, 8.0 (203mm) length, flame retardant nylon 6.6, ivory.	M	1000	\$	240.38
07498356320	<b>PLT2M-M8</b>	CableTie,Min,8in,Nyl,GY,PK1000	Pan-Ty® locking tie, miniature cross section, 8.0 (203mm) length, nylon 6.6, gray.	M	1000	\$	95.99
07498354045	<b>PLT2S-C</b>	CableTie,Std,7.4in,Nyl,Nat,PK100	Panduit PLT2S-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	C	100	\$	26.76
07498354046	<b>PLT2S-C0</b>	CableTie,Std,7.4in,WR,BL,PK100	Panduit PLT2S-C0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	28.70
07498354130	<b>PLT2S-C00</b>	CableTie,Std,7.4in,MilSpecWR,BL,PK100	Panduit PLT2S-C00 Locking Cable Ties are designed to satisfy the needs of weather resistant mil spec applic	C	100	\$	32.99
07498354757	<b>PLT2S-C1</b>	CableTie,Std,7.4in,Nyl,BR,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, brown, standard package.	C	100	\$	33.80
07498354766	<b>PLT2S-C10</b>	CableTie,Std,7.4in,Nyl,WHT,PK100	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, white, standard package.	C	100	\$	32.19
07498329137	<b>PLT2S-C120</b>	CableTie,Std,7.4in,Nyl,12,BL,PK100	Panduit PLT2S-C120 Locking Cable Ties are designed to satisfy the needs of solar applications and resistan	C	100	\$	29.25

07498311455	<b>PLT2S-C186</b>	CableTie,Std,7.3in,MetDetPoly,DBU,PK100	Panduit PLT2S-C186 Metal Detectable Cable Ties are designed to help the food, beverage and pharmaceutical	C	100	\$	37.91
07498354758	<b>PLT2S-C2</b>	CableTie,Std,7.4in,Rd,PK100	Panduit PLT2S-C2 Locking Cable Ties are suitable for use in plenum or air handling spaces, while delivering	C	100	\$	31.54
07498354769	<b>PLT2S-C20</b>	CableTie,Std,7.4in,Nyl,BL,PK100	Panduit PLT2S-C20 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	C	100	\$	32.19
07498354759	<b>PLT2S-C3</b>	CableTie,Std,7.4in,Nyl,OR,PK100	Panduit PLT2S-C3 Locking Cable Ties are designed to satisfy the needs of mil spec applications, while deliv	C	100	\$	32.19
07498354770	<b>PLT2S-C30</b>	CableTie,Std,7.4in,HS,BL,PK100	Panduit PLT2S-C30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	C	100	\$	32.19
07498344416	<b>PLT2S-C4Y</b>	CableTie,Std,7.4in,Nyl,Y,PK100	Panduit PLT2S-C4Y Locking Cable Ties are designed to satisfy the needs of mil spec applications, while deliv	C	100	\$	32.19
07498354761	<b>PLT2S-C5</b>	CableTie,Std,7.4in,Nyl,GR,PK100	Panduit PLT2S-C5 Locking Cable Ties are designed to satisfy the needs of mil spec applications, while deliv	C	100	\$	32.19
07498334284	<b>PLT2S-C54</b>	CableTie,Std,7.4in,Nyl,FY,PK100	Panduit PLT2S-C54 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	C	100	\$	35.51
07498334285	<b>PLT2S-C55</b>	CableTie,Std,7.4in,Nyl,FR,PK100	Panduit PLT2S-C55 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	C	100	\$	35.51
07498334286	<b>PLT2S-C59</b>	CableTie,Std,7.4in,Nyl,FPK,PK100	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, fluorescent pink, standard packa	C	100	\$	35.51
07498354762	<b>PLT2S-C6</b>	CableTie,Std,7.4in,Nyl,BU,PK100	Panduit PLT2S-C6 Locking Cable Ties are designed to satisfy the needs of mil spec applications, while deliv	C	100	\$	32.19
07498354763	<b>PLT2S-C7</b>	CableTie,Std,7.4in,Nyl,PU,PK100	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, purple, standard package.	C	100	\$	33.80
07498344737	<b>PLT2S-C702Y</b>	CableTie,Std,7.4in,Halar,MN,PK100	Panduit PLT2S-C702Y Locking Cable Ties are suitable for use in plenum or air handling spaces. With low sm	C	100	\$	235.58
07498303128	<b>PLT2S-C71</b>	CableTie,Std,7.4in,PEEK,TBR,PK100	Panduit PLT2S-C71 Locking Cable Ties are designed for harsh environments where a cable tie material is re	C	100	\$	384.81
07498354824	<b>PLT2S-C76</b>	CableTie,Std,7.4in,Tefzel,AQ,PK100	Panduit PLT2S-C76 Tefzel locking cable ties are designed for applications requiring resistance to environmen	C	100	\$	255.51
07498354764	<b>PLT2S-C8</b>	CableTie,Std,7.4in,Nyl,GY,PK100	Panduit PLT2S-C8 Locking Cable Ties are designed to satisfy the needs of mil spec applications, while deliv	C	100	\$	32.19
07498302999	<b>PLT2S-C86</b>	CableTie,Std,7.3in,MetDetNyl,LBU,PK100	Panduit PLT2S-C86 Metal Detectable Cable Ties are designed to help the food, beverage and pharmaceutical	C	100	\$	34.45
61305680052	<b>PLT2S-C86A</b>	Cable Tie, 7.3L (185.4mm), Standard, Ant	Panduit PLT2S-C86A Metal Detectable Cable Ties are designed to help the food, beverage and pharmaceutical	C	100	\$	41.34
07498354078	<b>PLT2S-M</b>	CableTie,Std,7.4in,Nyl,Nat,PK1000	Panduit PLT2S-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	M	1000	\$	112.20
07498354079	<b>PLT2S-M0</b>	CBLTie,Std,7.4in,WIP,NYL,BLK,PK1000	Panduit PLT2S-M0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	125.48
07498354131	<b>PLT2S-M00</b>	CableTie,Std,7.4in,MilSpecWR,BL,PK1000	Panduit PLT2S-M00 Locking Cable Ties are designed to satisfy the needs of weather resistant mil spec appli	M	1000	\$	139.59
07498354917	<b>PLT2S-M1</b>	CableTie,Std,7.4in,Nyl,BR,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, brown, bulk package.	M	1000	\$	150.03
07498354925	<b>PLT2S-M10</b>	CableTie,Std,7.4in,Nyl,WHT,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, white, bulk package.	M	1000	\$	150.03
07498354823	<b>PLT2S-M100</b>	CableTie,Std,7.4in,WR,BI,Poly,PK1000	Panduit PLT2S-M100 Locking Cable Ties are designed to satisfy the needs of chemical and weather resistan	M	1000	\$	212.18
07498354821	<b>PLT2S-M109</b>	CableTie,Std,7.4in,Poly,PK1000	Panduit PLT2S-M109 Locking Cable Ties are designed to fasten wiring and hoses in the chemical process in	M	1000	\$	202.39
07498355003	<b>PLT2S-M120</b>	CableTie,Std,7.4in,WR,Nylon,12,PK1000	Panduit PLT2S-M120 Locking Cable Ties are designed to satisfy the needs of solar applications and resistan	M	1000	\$	262.75
07498354918	<b>PLT2S-M2</b>	CableTie,Std,7.4in,Rd,PK1000	Panduit PLT2S-M2 Locking Cable Ties are designed to satisfy the needs of mil spec applications, while deliv	M	1000	\$	142.89
07498354927	<b>PLT2S-M20</b>	CableTie,Std,7.4in,Nyl,BL,PK1000	Panduit PLT2S-M20 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	142.89
07498354708	<b>PLT2S-M209</b>	Cable Tie, Standard, White 7.4"	Panduit PLT2S-M209 Locking Cable Ties are designed to satisfy the needs of general applications, while deli	M	1000	\$	164.58
07498354919	<b>PLT2S-M3</b>	CableTie,Std,7.4in,Nyl,OR,PK1000	Panduit PLT2S-M3 Locking Cable Ties are designed to satisfy the needs of mil spec applications, while deliv	M	1000	\$	142.89
07498354928	<b>PLT2S-M30</b>	CableTie,Std,7.4in,HS,BI,PK1000	Panduit PLT2S-M30 Cable Ties are designed to satisfy the needs of general applications, while delivering co	M	1000	\$	142.89
07498356362	<b>PLT2S-M300</b>	CableTie,Std,7.4in,HSWR,BL,PK1000	Panduit PLT2S-M300 Locking Cable Ties are designed to satisfy the needs of high temperature and weather	M	1000	\$	172.24
07498354930	<b>PLT2S-M39</b>	CableTie,Std,7.4in,HS,Nat,PK1000	Panduit PLT2S-M39 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	M	1000	\$	147.18
07498344417	<b>PLT2S-M4Y</b>	CableTie,Std,7.4in,Nyl,Y,PK1000	Panduit PLT2S-M4Y Locking Cable Ties are designed to satisfy the needs of mil spec applications, while deli	M	1000	\$	142.89
07498354921	<b>PLT2S-M5</b>	CableTie,Std,7.4in,Nyl,GR,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, green, bulk package.	M	1000	\$	142.89
07498334287	<b>PLT2S-M53</b>	CableTie,Std,7.4in,Nyl,FOR,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, fluorescent orange.	M	1000	\$	162.16
07498334289	<b>PLT2S-M55</b>	CableTie,Std,7.4in,Nyl,FR,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, fluorescent green, bulk package.	M	1000	\$	162.16
07498334290	<b>PLT2S-M59</b>	CableTie,Std,7.4in,Nyl,FPK,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, fluorescent pink, bulk package.	M	1000	\$	162.16
07498354922	<b>PLT2S-M6</b>	CableTie,Std,7.4in,Bu,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, blue, bulk package.	M	1000	\$	142.89
07498354567	<b>PLT2S-M60</b>	CableTie,Std,7.4in,FR,BL,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, flame retardant nylon 6.6, black.	M	1000	\$	424.23
07498355001	<b>PLT2S-M69</b>	CableTie,Std,7.4in,FR,Ivory,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, flame retardant nylon 6.6, ivory.	M	1000	\$	428.65
07498354923	<b>PLT2S-M7</b>	CableTie,Std,7.4in,Nyl,PU,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, purple, bulk package.	M	1000	\$	150.03
07498344738	<b>PLT2S-M702Y</b>	CableTie,Std,7.4in,Halar,MN,PK1000	Panduit PLT2S-C702Y Locking Cable Ties are suitable for use in plenum or air handling spaces. With low sm	M	1000	\$	1,966.08
07498390462	<b>PLT2S-M71</b>	CableTie,Std,7.4in,PEEK,TBR,PK1000	Panduit PLT2S-M71 Locking Cable Ties are designed for harsh environments where a cable tie material is re	M	1000	\$	2,096.83
07498354933	<b>PLT2S-M76</b>	CableTie,Std,7.4in,Tefzel,AQ,PK1000	Panduit PLT2S-M76 Tefzel locking cable ties are designed for applications requiring resistance to environme	M	1000	\$	1,230.59
07498354924	<b>PLT2S-M8</b>	CableTie,Std,7.4in,Nyl,GY,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, gray, bulk package.	M	1000	\$	150.03
07498334524	<b>PLT2S-VMR</b>	CableTie,Std,8.1in,Nat,RL2500	Panduit PLT2S-VMR continuously molded cable ties provide constant feeding for high productivity and reduce	M	1000	\$	131.86
07498337604	<b>PLT2S-VMR0</b>	CableTie,Std,8.1in,wrNyl,BL,RL2500	Panduit PLT2S-VMR0 continuously molded cable ties provide constant feeding for high productivity and reduc	M	1000	\$	145.04
07498334525	<b>PLT2S-VMR30</b>	CableTie,Std,8.1in,hrNyl,BL,RL2500	Panduit PLT2S-VMR30 continuously molded cable ties provide constant feeding for high productivity and redu	M	1000	\$	145.04
07498377665	<b>PLT3EH-NB-C0</b>	CableTie,EH,12.2,NoBckl,WR,BI,PK100	Pan-Ty® lashing tie, extra-heavy cross section (no buckle design), 12.2 (310mm) length, weather resistant ny	M	1000	\$	1,833.83
07498354300	<b>PLT3H-L</b>	CBLTie,LTHHeavy,11.4in,NYL,Natural,PK50	Pan-Ty® locking tie, light-heavy cross section, 11.4 (290mm) length, nylon 6.6, natural, standard package.	C	100	\$	85.59
07498354077	<b>PLT3H-L0</b>	CableTie,LH,11.4in,WR,BI,PK50	Panduit PLT3H-L0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, wh	C	100	\$	92.04
07498311460	<b>PLT3H-L186</b>	CableTie,LH,11.4in,MetDetPoly,DBU,PK50	Panduit PLT3H-L186 Locking Cable Ties are designed to help the food, beverage and pharmaceutical industr	C	100	\$	122.38
07498354836	<b>PLT3H-L76</b>	CableTie,LH,11.4in,Tefzel,AQ,PK50	Panduit PLT3H-L76 Tefzel Locking Cable Ties are designed for applications requiring resistance to environm	C	100	\$	554.03
07498303005	<b>PLT3H-L86</b>	CableTie,LH,11.4in,MetDetNyl,LBU,PK50	Panduit PLT3H-L86 Locking Cable Ties are designed to help the food, beverage and pharmaceutical industrie	C	100	\$	111.26
61305680055	<b>PLT3H-L86A</b>	Cable Tie, 11.1 (282mm), Light-Heavy, An	Panduit PLT3H-L86A Metal Detectable Cable Ties are designed to help the food, beverage and pharmaceutical	C	100	\$	133.51
07498338767	<b>PLT3H-TL</b>	CBLTie,LTHHeavy,11.4in,NYL,Natural,PK250	Pan-Ty® locking tie, light-heavy cross section, 11.4 (290mm) length, nylon 6.6, natural, bulk package.	M	1000	\$	612.35
07498338768	<b>PLT3H-TL0</b>	CableTie,LH,11.4in,WR,BI,PK250	Panduit PLT3H-TL0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	M	1000	\$	775.30
07498338771	<b>PLT3H-TL100</b>	CableTie,LH,11.4in,WRPoly,BL,PK250	Panduit PLT3H-TL100 Locking Cable Ties are designed to satisfy the needs of chemical and weather resista	M	1000	\$	819.74
07498338772	<b>PLT3H-TL109</b>	CableTie,LH,11.4in,Polyp,GR,PK250	Pan-Ty® locking tie, light-heavy cross section, 11.4 (290mm) length, polypropylene, green.	M	1000	\$	819.74
07498338769	<b>PLT3H-TL30</b>	CableTie,LH,11.4in,HS,BL,PK250	Panduit PLT3H-TL30 Locking Cable Ties are designed to satisfy the needs of high temperature applications,	M	1000	\$	734.76
07498338770	<b>PLT3H-TL76</b>	CableTie,LH,11.4in,Tefzel,AQ,PK250	Panduit PLT3H-TL76 Tefzel Locking Cable Ties are designed for applications requiring resistance to environ	M	1000	\$	4,413.69
07498354054	<b>PLT3I-C</b>	CableTie,Interm,11.4in,Nyl,Nat,PK100	Panduit PLT3I-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliverin	C	100	\$	39.26
07498354055	<b>PLT3I-C0</b>	CableTie,Interm,11.4in,WR,BL,PK100	Panduit PLT3I-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, whi	C	100	\$	52.84
07498354051	<b>PLT3I-M</b>	CableTie,Int,11.4in,Nyl,Nat,PK1000	Panduit PLT3I-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliverin	M	1000	\$	227.06
07498354053	<b>PLT3I-M0</b>	CableTie,Int,11.4in,WR,BL,PK1000	Panduit PLT3I-M0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	M	1000	\$	302.69
07498356444	<b>PLT3I-M10</b>	CableTie,Int,11.4in,Wh,PK1000	Pan-Ty® locking tie, intermediate cross section, 11.4 (290mm) length, nylon 6.6, white.	M	1000	\$	283.31
07498356447	<b>PLT3I-M2</b>	CableTie,Int,11.4in,Nyl,RD,PK1000	Pan-Ty® locking tie, intermediate cross section, 11.4 (290mm) length, nylon 6.6, red.	M	1000	\$	277.79
07498356448	<b>PLT3I-M20</b>	CableTie,Int,11.4in,Nyl,BL,PK1000	Panduit PLT3I-M20 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	277.79
07498356449	<b>PLT3I-M3</b>	CableTie,Int,11.4in,Nyl,OR,PK1000	Pan-Ty® locking tie, intermediate cross section, 11.4 (290mm) length, nylon 6.6, orange.	M	1000	\$	277.79
07498356450	<b>PLT3I-M30</b>	CableTie,Int,11.4in,HS,BL,PK1000	Panduit PLT3I-M30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	M	1000	\$	277.79
07498344744	<b>PLT3I-M4Y</b>	CableTie,Int,11.4in,Nyl,Y,PK1000	Pan-Ty® locking tie, intermediate cross section, 11.4 (290mm) length, nylon 6.6, yellow.	M	1000	\$	277.79
07498356457	<b>PLT3I-M8</b>	CableTie,Int,11.4in,Gry,PK1000	Pan-Ty® locking tie, intermediate cross section, 11.4 (290mm) length, nylon 6.6, gray.	M	1000	\$	277.79
07498354066	<b>PLT3S-C</b>	CBLTie,Std,11.5in,NYL,Natural,PK100	Panduit PLT3S-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	C	100	\$	54.69
07498354067	<b>PLT3S-C0</b>	CableTie,Std,11.5in,WR,BL,PK100	Panduit PLT3S-C0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	58.55
07498354132	<b>PLT3S-C00</b>	CableTie,Std,11.5in,MilSpecWR,BL,PK100	Panduit PLT3S-C00 Locking Cable Ties are designed to satisfy the needs of weather resistant mil spec appli	C	100	\$	63.90
07498311456	<b>PLT3S-C186</b>	CableTie,Std,11.5in,MetDetPoly,DBU,PK100	Panduit PLT3S-C186 Locking Cable Ties are designed to help the food, beverage and pharmaceutical industr	C	100	\$	77.43

07498354791	<b>PLT3S-C2</b>	CableTie,Std,11.5in,Rd,PK100	Panduit PLT3S-C2 Locking Cable Ties are suitable for use in plenum or air handling spaces, while delivering	C	100	\$	65.11
07498354800	<b>PLT3S-C20</b>	CableTie,Std,11.5in,Nyl,BL,PK100	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, black, standard package.	C	100	\$	68.36
07498354801	<b>PLT3S-C30</b>	CableTie,Std,11.5in,HS,BL,PK100	Panduit PLT3S-C30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	C	100	\$	65.11
07498344739	<b>PLT3S-C702Y</b>	CableTie,Std,11.6in,Halar,MN,PK100	Panduit PLT3S-C702Y Locking Cable Ties are suitable for use in plenum or air handling spaces. With low sm	C	100	\$	344.79
07498354825	<b>PLT3S-C76</b>	CableTie,Std,11.6in,Tefzel,AQ,PK100	Panduit PLT3S-C76 Tefzel locking cable ties are designed for applications requiring resistance to environmen	C	100	\$	369.08
07498303001	<b>PLT3S-C86</b>	CableTie,Std,11.5in,MetDetPoly,LBU,PK100	Panduit PLT3S-C86 Metal Detectable Cable Ties are designed to help the food, beverage and pharmaceutica	C	100	\$	70.39
61305680053	<b>PLT3S-C86A</b>	Cable Tie, 11.5L (291mm), Standard, Anti	Panduit PLT3S-C86A Metal Detectable Cable Ties are designed to help the food, beverage and pharmaceuti	C	100	\$	84.46
07498354061	<b>PLT3S-M</b>	CableTie,Std,11.5in,Nyl,Nat,PK1000	Panduit PLT3S-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	298.18
07498354062	<b>PLT3S-M0</b>	CableTie,Std,11.5in,WR,BL,PK1000	PLT3S-M0 Locking Cable Ties are designed to satisfy the needs of general applications, while delivering con	M	1000	\$	354.31
07498354133	<b>PLT3S-M00</b>	CableTie,Std,11.5in,MilSpecWR,BL,PK1000	Panduit PLT3S-M00 Locking Cable Ties are designed to satisfy the needs of weather resistant mil spec appli	M	1000	\$	371.76
07498356477	<b>PLT3S-M10</b>	CableTie,Std,11.5in,Nyl,WHT,PK1000	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, white.	M	1000	\$	369.68
07498354831	<b>PLT3S-M100</b>	CableTie,Std,11.5in,WR,BI,Poly,PK1000	Panduit PLT3S-M100 Locking Cable Ties are designed to satisfy the needs of chemical and weather resistan	M	1000	\$	481.13
07498354829	<b>PLT3S-M109</b>	CableTie,Std,11.5in,Poly,PK1000	Panduit PLT3S-M109 Locking Cable Ties are designed to fasten wiring and hoses in the chemical process in	M	1000	\$	481.13
07498380668	<b>PLT3S-M120</b>	Cable Tie, 11.5"L (292mm) Standard, Nylo	Panduit PLT3S-M120 Cable Ties are designed to satisfy the needs of general applications, while delivering co	M	1000	\$	645.08
07498356479	<b>PLT3S-M2</b>	CableTie,Std,11.5in,Rd,PK1000	Panduit PLT3S-M2 Locking Cable Ties are designed to satisfy the needs of mil spec applications, while delive	M	1000	\$	365.63
07498356480	<b>PLT3S-M20</b>	CableTie,Std,11.5in,BI,PK1000	Panduit PLT3S-M20 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	352.08
07498356471	<b>PLT3S-M209</b>	Cable Tie, Standard, Natural 11.5"	Panduit PLT3S-M209 Locking Cable Ties are designed to satisfy the needs of general applications, while deli	M	1000	\$	408.19
07498356481	<b>PLT3S-M3</b>	CableTie,Std,11.5in,Nyl,OR,PK1000	Panduit PLT3S-M3 Locking Cable Ties are designed to satisfy the needs of mil spec applications, while delive	M	1000	\$	365.63
07498356482	<b>PLT3S-M30</b>	CableTie,Std,11.5in,HS,BI,PK1000	Panduit PLT3S-M30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	M	1000	\$	352.08
61305668584	<b>PLT3S-M300</b>	Cable Tie, 11.5L (292mm), Standard, Heat	Panduit PLT3S-M300 Locking Cable Ties are designed to satisfy the needs of high temperature and weather	M	1000	\$	496.08
07498344434	<b>PLT3S-M4Y</b>	CableTie,Std,11.5in,Ny,Y,PK1000	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, yellow.	M	1000	\$	352.08
07498356486	<b>PLT3S-M5</b>	CableTie,Std,11.5in,Ny,GR,PK1000	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, green.	M	1000	\$	365.63
07498328091	<b>PLT3S-M53</b>	CableTie,Std,11.5in,FL,OR,PK1000	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, fluorescent orange.	M	1000	\$	394.94
07498328093	<b>PLT3S-M55</b>	CableTie,Std,11.5in,Nyl,FGR,PK1000	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, fluorescent green.	M	1000	\$	394.94
07498328094	<b>PLT3S-M59</b>	CableTie,Std,11.5in,FL,Pink,PK1000	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, fluorescent pink.	M	1000	\$	394.94
07498356487	<b>PLT3S-M6</b>	CableTie,Std,11.5in,Nyl,BU,PK1000	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, blue.	M	1000	\$	365.63
07498356488	<b>PLT3S-M7</b>	CableTie,Std,11.5in,Nyl,PU,PK1000	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, purple.	M	1000	\$	369.68
07498344740	<b>PLT3S-M702Y</b>	CableTie,Std,11.6in,Halar,MN,PK1000	Panduit PLT3S-M702Y Locking Cable Ties are suitable for use in plenum or air handling spaces. With low sm	M	1000	\$	2,832.80
07498354826	<b>PLT3S-M76</b>	CableTie,Std,11.6in,Tefzel,AQ,PK1000	Panduit PLT3S-M76 Tefzel Locking Cable Ties are designed for applications requiring resistance to environm	M	1000	\$	3,003.48
07498356489	<b>PLT3S-M8</b>	CableTie,Std,11.5in,Nyl,GY,PK1000	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, gray.	M	1000	\$	369.68
07498312315	<b>PLT3S-VMR</b>	Reel-Fed cable tie for PAT3S system, standard cross section, 11.3 (287mm) length, nylon 6.6, natural.	Reel-Fed cable tie for PAT3S system, standard cross section, 11.3 (287mm) length, nylon 6.6, natural.	M	1000	\$	303.19
07498312347	<b>PLT3S-VMR30</b>	CableTie,Std,11.3in,BL,RL2500	Reel-Fed cable tie for PAT3S system, standard cross section, 11.3 (287mm) length, heat stabilized nylon 6.6	M	1000	\$	344.31
07498339423	<b>PLT4.5S-C</b>	CBLTie,Std,15.5in,NYL,Natural,PK100	Pan-Ty® locking tie, standard cross section, 15.5 (394mm) length, nylon 6.6, natural, standard package.	C	100	\$	73.73
07498339424	<b>PLT4.5S-C0</b>	CableTie,Std,15.5in,WR,BL,PK100	Panduit PLT4.5S-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications,	C	100	\$	80.44
07498339425	<b>PLT4.5S-M</b>	CableTie,Std,15.5in,Nyl,Nat,PK1000	Panduit PLT4.5S-M Locking Cable Ties are designed to satisfy the needs of general applications, while delive	M	1000	\$	395.60
07498339426	<b>PLT4.5S-M0</b>	CableTie,Std,15.5in,WR,BL,PK1000	Pan-Ty® locking tie, standard cross section, 15.5 (394mm) length, weather resistant nylon 6.6, black, bulk pa	M	1000	\$	471.75
07498356493	<b>PLT4H-C</b>	CableTie,LH,14.5in,Nat,PK100	Panduit PLT4H-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	C	100	\$	83.59
07498356496	<b>PLT4H-C0</b>	CableTie,LH,14.5in,WR,BI,PK100	Panduit PLT4H-C0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	98.68
07498354091	<b>PLT4H-L</b>	CableTie,LH,14.5in,Nat,PK50	Panduit PLT4H-L Locking Cable Ties are designed to satisfy the needs of general applications, while deliverin	C	100	\$	89.79
07498354092	<b>PLT4H-L0</b>	CableTie,LH,14.5in,WR,BI,PK50	Panduit PLT4H-L0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	97.64
07498354848	<b>PLT4H-L00</b>	CableTie,LH,14.5in,MilSpecWR,BL,PK50	Panduit PLT4H-L00 Locking Cable Ties are designed to satisfy the needs of weather resistant mil spec appli	C	100	\$	114.04
07498311461	<b>PLT4H-L186</b>	CableTie,LH,14.4in,MetDetPoly,DBU,PK50	Panduit PLT4H-L186 Locking Cable Ties are designed to help the food, beverage and pharmaceutical industr	C	100	\$	130.26
07498354089	<b>PLT4H-L76</b>	CableTie,LH,14.6in,Tefzel,AQ,PK50	Panduit PLT4H-L76 Tefzel Locking Cable Ties are designed for applications requiring resistance to environm	C	100	\$	650.46
07498303007	<b>PLT4H-L86</b>	CableTie,LH,14.4in,MetDetNyl,LBU,PK50	Panduit PLT4H-L86 Locking Cable Ties are designed to help the food, beverage and pharmaceutical industrie	C	100	\$	118.43
61305680056	<b>PLT4H-L86A</b>	Cable Tie, 14.4L (368mm), Light-Heavy, A	Panduit PLT4H-L86A Locking Cable Ties are designed to help the food, beverage and pharmaceutical industr	C	100	\$	142.11
07498354069	<b>PLT4H-TL</b>	CableTie,LH,14.5in,Nat,PK250	Panduit PLT4H-TL Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	664.73
07498353942	<b>PLT4H-TL0</b>	CableTie,LH,14.5in,WR,BI,PK250	Panduit PLT4H-TL0 Locking Cable Ties are designed to satisfy the needs of general applications, while delive	M	1000	\$	786.46
07498310211	<b>PLT4H-TL0/147</b>	CableTie,T/F,H,14.5in,WR,BL,PK250	Panduit PLT4H-TL0/147 Flexible Cable Ties are designed for weather resistant heavy duty applications such	M	1000	\$	851.48
07498353943	<b>PLT4H-TL00</b>	CableTie,LH,14.5in,MilSpec BI,PK250	Panduit PLT4H-TL00 Locking Cable Ties are designed to satisfy the needs of weather resistant mil spec appl	M	1000	\$	873.30
07498353948	<b>PLT4H-TL1</b>	CableTie,LH,14.5in,Nyl,BR,PK250	Pan-Ty® locking tie, light-heavy cross section, 14.5 (368mm) length, nylon 6.6, brown.	M	1000	\$	871.58
07498353956	<b>PLT4H-TL10</b>	CableTie,LH,14.5in,Nyl,WHT,PK250	Pan-Ty® locking tie, light-heavy cross section, 14.5 (368mm) length, nylon 6.6, white.	M	1000	\$	871.58
07498353946	<b>PLT4H-TL100</b>	CableTie,LH,14.5in,WR,BI,Poly,PK250	Panduit PLT4H-TL100 Locking Cable Ties are designed to satisfy the needs of chemical and weather resista	M	1000	\$	1,196.01
07498353947	<b>PLT4H-TL109</b>	CableTie,LH,14.5in,Poly,GR,PK250	Pan-Ty® locking tie, light-heavy cross section, 14.5, polypropylene, green.	M	1000	\$	1,151.74
07498353959	<b>PLT4H-TL120</b>	CableTie,LH,14.5in,WR,Ny12 BI,PK250	Panduit PLT4H-TL120 Locking Cable Ties are designed to satisfy the needs of solar applications and resista	M	1000	\$	1,647.94
07498353949	<b>PLT4H-TL2</b>	CableTie,LH,14.5in,Nyl,RD,PK250	Pan-Ty® locking tie, light-heavy cross section, 14.5 (368mm) length, nylon 6.6, red.	M	1000	\$	830.05
07498353957	<b>PLT4H-TL20</b>	CableTie,LH,14.5in,Nyl,BL,PK250	Pan-Ty® locking tie, light-heavy cross section, 14.5 (368mm) length, nylon 6.6, black.	M	1000	\$	871.58
07498353950	<b>PLT4H-TL3</b>	CableTie,LH,14.5in,Nyl,OR,PK250	Pan-Ty® locking tie, light-heavy cross section, 14.5 (368mm) length, nylon 6.6, orange.	M	1000	\$	830.05
07498353958	<b>PLT4H-TL30</b>	CableTie,LH,14.5in,HS,BI,PK250	Panduit PLT4H-TL30 Cable Ties are designed to satisfy the needs of general applications, while delivering co	M	1000	\$	862.30
07498310212	<b>PLT4H-TL30/147</b>	CableTie,T/F,H,14.5in,HS,BL,PK250	Panduit PLT4H-TL30/147 Flexible Cable Ties are designed for high temperature heavy duty applications such	M	1000	\$	861.99
07498353961	<b>PLT4H-TL300</b>	CableTie,LH,14.5in,HSWR,BL,PK250	Panduit PLT4H-TL300 Locking Cable Ties are designed to satisfy the needs of high temperature and weather	M	1000	\$	1,021.20
07498344807	<b>PLT4H-TL4Y</b>	CableTie,LH,14.5in,Nyl,Y,PK250	Pan-Ty® locking tie, light-heavy cross section, 14.5 (368mm) length, nylon 6.6, yellow.	M	1000	\$	830.05
07498353952	<b>PLT4H-TL5</b>	CableTie,LH,14.5in,Nyl,GR,PK250	Pan-Ty® locking tie, light-heavy cross section, 14.5 (368mm) length, nylon 6.6, green.	M	1000	\$	830.05
07498353953	<b>PLT4H-TL6</b>	CableTie,LH,14.5in,Nyl,BU,PK250	Pan-Ty® locking tie, light-heavy cross section, 14.5 (368mm) length, nylon 6.6, blue.	M	1000	\$	830.05
07498353944	<b>PLT4H-TL69</b>	CableTie,LH,14.6in,FR,IV,PK250	Panduit PLT4H-TL69 Locking Cable Ties are designed to satisfy the needs of flame retardant (UL 94V-0) app	M	1000	\$	1,567.43
07498353945	<b>PLT4H-TL76</b>	CableTie,LH,14.6in,Tefzel,AQ,PK250	Panduit PLT4H-TL76 Tefzel locking cable ties are designed for applications requiring resistance to environme	M	1000	\$	5,252.86
07498354068	<b>PLT4I-C</b>	CableTie,Int,14.5in,Nyl,Nat,PK100	Panduit PLT4I-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliverin	C	100	\$	55.06
07498354073	<b>PLT4I-C0</b>	CableTie,Int,14.5in,WR,BL,PK100	Panduit PLT4I-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, whi	C	100	\$	68.68
07498354071	<b>PLT4I-M</b>	CableTie,Int,14.5in,Nyl,Nat,PK1000	Panduit PLT4I-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliverin	M	1000	\$	353.41
07498354072	<b>PLT4I-M0</b>	CableTie,Int,14.5in,WR,BL,PK1000	Panduit PLT4I-M0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, whi	M	1000	\$	468.79
07498356580	<b>PLT4I-M14</b>	CableTie,Int,14.5in,Nyl,TGY,PK1000	Pan-Ty® locking tie, intermediate cross section, 14.5 (368mm) length, nylon 6.6, telephone gray, bulk packag	M	1000	\$	416.50
07498356583	<b>PLT4I-M20</b>	CableTie,Int,14.5in,Nyl,BL,PK1000	Pan-Ty® locking tie, intermediate cross section, 14.5 (368mm) length, nylon 6.6, black.	M	1000	\$	437.34
07498356585	<b>PLT4I-M30</b>	CableTie,Int,14.5in,HS,BL,PK1000	Panduit PLT4I-M30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	M	1000	\$	416.50
07498356589	<b>PLT4I-M6</b>	CableTie,Int,14.5in,Nyl,BU,PK1000	Pan-Ty® locking tie, intermediate cross section, 14.5 (368mm) length, nylon 6.6, blue.	M	1000	\$	437.34
07498354083	<b>PLT4S-C</b>	CableTie,Std,14.5in,Nyl,Nat,PK100	Panduit PLT4S-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	C	100	\$	61.63
07498354084	<b>PLT4S-C0</b>	CableTie,Std,14.5in,WR,BI,PK100	Panduit PLT4S-C0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	66.03
07498354134	<b>PLT4S-C00</b>	CableTie,Std,14.5in,MilSpecWR,BL,PK100	Panduit PLT4S-C00 Locking Cable Ties are designed to satisfy the needs of weather resistant mil spec appli	C	100	\$	72.79
07498354781	<b>PLT4S-C10</b>	CableTie,Std,14.5in,Nyl,WHT,PK100	Pan-Ty® locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, white, standard package.	C	100	\$	74.31

07498380570	<b>PLT4S-C120</b>	CblTie,14.5"L,Std,Nyl12,BL,PK100	Panduit PLT4S-C120 Locking Cable Ties are designed to satisfy the needs of solar applications and resistan	C	100	\$	103.01
07498311459	<b>PLT4S-C186</b>	CableTie,Std,14.4in,MetDetPoly,DBU,PK100	Panduit PLT4S-C186 Locking Cable Ties are designed to help the food, beverage and pharmaceutical industr	C	100	\$	88.08
07498354773	<b>PLT4S-C2</b>	CableTie,Std,14.5in,Nyl,RD,	Panduit PLT4S-C2 Locking Cable Ties are suitable for use in plenum or air handling spaces, while delivering	C	100	\$	74.31
07498354783	<b>PLT4S-C20</b>	CableTie,Std,14.5in,Nyl,BL,PK100	Pan-Ty@ locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, black, standard package.	C	100	\$	74.31
07498354774	<b>PLT4S-C3</b>	CableTie,Std,14.5in,Nyl,OR,PK100	Pan-Ty@ locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, orange, standard package.	C	100	\$	74.31
07498354784	<b>PLT4S-C30</b>	CableTie,Std,14.5in,HS,BL,PK100	Panduit PLT4S-C30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	C	100	\$	74.31
07498344435	<b>PLT4S-C4Y</b>	CableTie,Std,14.5in,Nyl,YL,PK100	Panduit PLT4S-C4Y Locking Cable Ties are designed to satisfy the needs of mil spec applications, while deliv	C	100	\$	74.31
07498354776	<b>PLT4S-C5</b>	CableTie,Std,14.5in,Nyl,GR,PK100	Pan-Ty@ locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, green, standard package.	C	100	\$	74.31
07498354777	<b>PLT4S-C6</b>	CableTie,Std,14.5in,Nyl,BU,PK100	Pan-Ty@ locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, blue, standard package.	C	100	\$	74.31
07498354093	<b>PLT4S-C76</b>	CableTie,Std,14.6in,Tefzel,AQ,PK100	Panduit PLT4S-C76 Tefzel locking cable ties are designed for applications requiring resistance to environmen	C	100	\$	414.14
07498354779	<b>PLT4S-C8</b>	CableTie,Std,14.5in,Nyl,GY,PK100	Pan-Ty@ locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, gray, standard package.	C	100	\$	74.31
07498303003	<b>PLT4S-C86</b>	CableTie,Std,14.4in,MetDetNyl,LBU,PK100	Panduit PLT4S-C86 Metal Detectable Cable Ties are designed to help the food, beverage and pharmaceutical	C	100	\$	80.04
61305680054	<b>PLT4S-C86A</b>	Cable Tie, 14.4L (366mm), Standard, Anti	Panduit PLT4S-C86A Metal Detectable Cable Ties are designed to help the food, beverage and pharmaceuti	C	100	\$	96.05
07498354081	<b>PLT4S-M</b>	CBLTie,Std,14.5in,NYL,Natural,PK1000	Panduit PLT4S-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	M	1000	\$	333.25
07498354094	<b>PLT4S-M0</b>	CBLTie,Std,14.5in,WP,NYL,BLK,PK1000	Panduit PLT4S-M0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	376.29
07498354135	<b>PLT4S-M00</b>	CableTie,Std,14.5in,MilSpecWR,BL,PK1000	Panduit PLT4S-M00 Locking Cable Ties are designed to satisfy the needs of weather resistant mil spec appli	M	1000	\$	418.80
07498356614	<b>PLT4S-M1</b>	CableTie,Std,14.5in,Nyl,BR,PK1000	Pan-Ty@ locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, brown.	M	1000	\$	428.60
07498356615	<b>PLT4S-M10</b>	CableTie,Std,14.5in,Nyl,WHT,PK1000	Pan-Ty@ locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, white, bulk package.	M	1000	\$	428.60
07498354838	<b>PLT4S-M100</b>	CableTie,Std,14.5in,WR,BI,Poly,PK1000	Panduit PLT4S-M100 Locking Cable Ties are designed to satisfy the needs of chemical and weather resistan	M	1000	\$	617.53
07498354839	<b>PLT4S-M109</b>	CableTie,Std,14.5in,Poly,GR,PK1000	Panduit PLT4S-M109 Locking Cable Ties are designed to fasten wiring and hoses in the chemical process in	M	1000	\$	594.69
07498354840	<b>PLT4S-M120</b>	CableTie,Std,14.5in,WR,Ny12,BI,PK1000	Panduit PLT4S-M120 Locking Cable Ties are designed to satisfy the needs of solar applications and resistan	M	1000	\$	821.58
07498356618	<b>PLT4S-M2</b>	CableTie,Std,14.5in,Rd,PK1000	Panduit PLT4S-M2 Locking Cable Ties are designed to satisfy the needs of mil spec applications, while delive	M	1000	\$	408.19
07498356619	<b>PLT4S-M20</b>	CableTie,Std,14.5in,Nyl,BL,PK1000	Panduit PLT4S-M20 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	408.19
07498356620	<b>PLT4S-M3</b>	CableTie,Std,14.5in,Or,PK1000	Panduit PLT4S-M3 Locking Cable Ties are designed to satisfy the needs of mil spec applications, while delive	M	1000	\$	408.19
07498356621	<b>PLT4S-M30</b>	CableTie,Std,14.5in,HS,BI,PK1000	Panduit PLT4S-M30 Cable Ties are designed to satisfy the needs of general applications, while delivering con	M	1000	\$	408.19
07498356622	<b>PLT4S-M300</b>	CableTie,Std,14.5in,HSWR,BL,PK1000	Panduit PLT4S-M300 Locking Cable Ties are designed to satisfy the needs of high temperature and weather	M	1000	\$	545.84
07498344436	<b>PLT4S-M4Y</b>	CableTie,Std,14.5in,Y,PK1000	Panduit PLT4S-M4Y Locking Cable Ties are designed to satisfy the needs of mil spec applications, while deli	M	1000	\$	408.19
07498356628	<b>PLT4S-M5</b>	CableTie,Std,14.5in,Gr,PK1000	Pan-Ty@ locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, green, bulk package.	M	1000	\$	428.60
07498356629	<b>PLT4S-M6</b>	CableTie,Std,14.5in,Nyl,BU,PK1000	Pan-Ty@ locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, blue, bulk package.	M	1000	\$	428.60
07498338561	<b>PLT4S-M69</b>	CableTie,Std,14.5in,FR,Ivory,PK1000	Panduit PLT4S-M69 Locking Cable Ties are designed to satisfy the needs of flame retardant (UL 94V-0) appl	M	1000	\$	801.10
07498356631	<b>PLT4S-M76</b>	CableTie,Std,14.6in,Tefzel,AQ,PK1000	Panduit PLT4S-M76 Tefzel locking cable ties are designed for applications requiring resistance to environme	M	1000	\$	3,567.38
07498356632	<b>PLT4S-M8</b>	CableTie,Std,14.5in,Nyl,GY,PK1000	Pan-Ty@ locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, gray, bulk package.	M	1000	\$	408.19
07498354117	<b>PLT5EH-C</b>	CableTie,EH,20.1in,Nat,PK100	Panduit PLT5EH-C Lashing Cable Ties are ideal for heavy duty applications. Extra-Heavy cross section, 20.1	M	1000	\$	1,883.98
07498354113	<b>PLT5EH-C0</b>	CableTie,EH,20.1in,WR,BI,PK100	Panduit PLT5EH-C0 Lashing Cable Ties are ideal for heavy duty applications. Extra-Heavy cross section, 20	M	1000	\$	2,166.60
07498377666	<b>PLT5EH-NB-C0</b>	CableTie,EH,19.8in,NoBckl,WR,BI,PK100	Panduit PLT5EH-NB-C0 Lashing Cable Ties are ideal for heavy duty applications. Extra-Heavy cross section	M	1000	\$	2,274.98
07498354114	<b>PLT5EH-Q</b>	CableTie,EH,20.1in,Nyl,Nat,PK25	Pan-Ty@ lashing tie, extra-heavy cross section, 20.1 (511mm) length, nylon 6.6, natural, standard package.	C	100	\$	253.59
07498354125	<b>PLT5EH-Q0</b>	CableTie,EH,20.1in,WR,BI,PK25	Panduit PLT5EH-Q0 Lashing Cable Ties are ideal for weather resistant heavy duty applications. Extra-Heavy	C	100	\$	291.63
07498338773	<b>PLT5H-C</b>	CableTie,H,17.7in,Nyl,Nat,PK100	Panduit PLT5H-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	M	1000	\$	1,101.68
07498338774	<b>PLT5H-C0</b>	CableTie,H,17.7in,WR,BL,PK100	Panduit PLT5H-C0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	1,394.98
07498338775	<b>PLT5H-C30</b>	CableTie,H,17.7in,HS,BL,PK100	Panduit PLT5H-C30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	M	1000	\$	1,321.95
07498354098	<b>PLT5H-L</b>	CableTie,H,17.7in,Nyl,Nat,PK50	Panduit PLT5H-L Locking Cable Ties are designed to satisfy the needs of general applications, while deliverin	C	100	\$	143.94
07498354103	<b>PLT5H-L0</b>	CableTie,H,17.7in,WR,BL,PK50	Panduit PLT5H-L0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	180.99
07498354085	<b>PLT5S-C</b>	CableTie,Std,17.5in,Nat,PK100	Panduit PLT5S-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	C	100	\$	88.45
07498354086	<b>PLT5S-C0</b>	CableTie,Std,17.5in,WR,BI,PK100	Panduit PLT5S-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, wh	C	100	\$	98.01
07498354087	<b>PLT5S-M</b>	CableTie,Std,17.5in,Nat,PK1000	Panduit PLT5S-M Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	M	1000	\$	466.79
07498354088	<b>PLT5S-M0</b>	CableTie,Std,17.5in,WR,BI,PK1000	Panduit PLT5S-M0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	M	1000	\$	579.74
07498356683	<b>PLT5S-M2</b>	CableTie,Std,17.5in,Nyl,RD,PK1000	Pan-Ty@ locking tie, standard cross section, 17.5 (445mm) length, nylon 6.6, red.	M	1000	\$	560.20
07498356685	<b>PLT5S-M3</b>	CableTie,Std,17.5in,Nyl,OR,PK1000	Pan-Ty@ locking tie, standard cross section, 17.5 (445mm) length, nylon 6.6, orange.	M	1000	\$	588.21
07498356686	<b>PLT5S-M30</b>	CableTie,Std,17.5in,HS,BI,PK1000	Panduit PLT5S-M30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	M	1000	\$	560.20
07498346218	<b>PLT5S-M4Y</b>	CableTie,Std,17.5in,Nyl,Y,PK1000	Pan-Ty@ locking tie, standard cross section, 17.5 (445mm) length, nylon 6.6, yellow.	M	1000	\$	588.21
07498356688	<b>PLT5S-M5</b>	CableTie,Std,17.5in,Nyl,GR,PK1000	Pan-Ty@ locking tie, standard cross section, 17.5 (445mm) length, nylon 6.6, green.	M	1000	\$	588.21
07498356689	<b>PLT5S-M6</b>	CableTie,Std,17.5in,Nyl,BU,PK1000	Pan-Ty@ locking tie, standard cross section, 17.5 (445mm) length, nylon 6.6, blue.	M	1000	\$	588.21
07498356691	<b>PLT5S-M8</b>	CableTie,Std,17.5in,Nyl,GY,PK1000	Pan-Ty@ locking tie, standard cross section, 17.5 (445mm) length, nylon 6.6, gray.	M	1000	\$	588.21
07498354119	<b>PLT6EH-C</b>	CableTie,EH,22.2in,Nyl,Nat,PK100	Pan-Ty@ lashing tie, extra-heavy cross section, 22.2 (564mm) length, nylon 6.6, natural, bulk package.	M	1000	\$	2,285.19
07498354116	<b>PLT6EH-C0</b>	CableTie,EH,22.2in,WR,BI,PK100	Panduit PLT6EH-C0 Lashing Cable Ties are ideal for heavy duty applications. Extra-Heavy cross section, 22	M	1000	\$	2,627.94
07498377667	<b>PLT6EH-NB-C0</b>	CableTie,EH,21.8in,NoBckl,WR,BL,PK100	Pan-Ty@ lashing tie, extra-heavy cross section (no buckle design), 21.8 (554mm) length, weather resistant ny	M	1000	\$	2,653.25
07498354118	<b>PLT6EH-Q</b>	CableTie,EH,22.2in,Nyl,Nat,PK25	Pan-Ty@ lashing tie, extra-heavy cross section, 22.2 (564mm) length, nylon 6.6, natural, standard package.	C	100	\$	295.90
07498354126	<b>PLT6EH-Q0</b>	CableTie,EH,22.2in,WR,BI,PK25	Panduit PLT6EH-Q0 Lashing Cable Ties are ideal for weather resistant heavy duty applications. Extra-Heavy	C	100	\$	324.15
07498338776	<b>PLT6H-C</b>	CableTie,H,20.9in,Nyl,Nat,PK100	Panduit PLT6H-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	M	1000	\$	1,241.15
07498338777	<b>PLT6H-C0</b>	CableTie,H,20.9in,WR,BL,PK100	Panduit PLT6H-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, wh	M	1000	\$	1,548.55
07498338779	<b>PLT6H-C30</b>	CableTie,H,20.9in,HS,BL,PK100	Panduit PLT6H-C30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	M	1000	\$	1,489.35
07498354105	<b>PLT6H-L</b>	CableTie,H,20.9in,Nyl,Nat,PK50	Panduit PLT6H-L Locking Cable Ties are designed to satisfy the needs of general applications, while deliverin	C	100	\$	160.11
07498354107	<b>PLT6H-L0</b>	CableTie,H,20.9in,WR,BL,PK50	Panduit PLT6H-L0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, wh	C	100	\$	201.24
07498336893	<b>PLT6LH-C</b>	CableTie,LH,21.9in,Nyl,Nat,PK100	Panduit PLT6LH-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	1,013.75
07498336894	<b>PLT6LH-C0</b>	CableTie,LH,21.9in,WR,BL,PK100	Panduit PLT6LH-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	M	1000	\$	1,235.18
07498336891	<b>PLT6LH-L</b>	CableTie,LH,21.9in,Nyl,Nat,PK50	Panduit PLT6LH-L Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	130.24
07498336892	<b>PLT6LH-L0</b>	CableTie,LH,21.9in,WR,BL,PK50	Panduit PLT6LH-L0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	C	100	\$	149.61
07498338735	<b>PLT7LH-C</b>	CableTie,LH,24.7in,Nyl,Nat,PK100	Panduit PLT7LH-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	1,163.74
07498338736	<b>PLT7LH-C0</b>	CableTie,LH,24.7in,WR,BL,PK100	Panduit PLT7LH-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	M	1000	\$	1,419.78
61305671734	<b>PLT7LH-C120</b>	Cable Tie, 24.7"L (627mm), Light-Heavy,	Panduit PLT7LH-C120 Locking Cable Ties are designed to satisfy the needs of solar applications and resista	M	1000	\$	2,027.68
07498338738	<b>PLT7LH-C30</b>	CableTie,LH,24.7in,HS,BL,PK100	Panduit PLT7LH-C30 Locking Cable Ties are designed to satisfy the needs of high temperature applications,	M	1000	\$	1,358.19
07498354170	<b>PLT7LH-L</b>	CableTie,LH,24.7in,Nyl,Nat,PK50	Panduit PLT7LH-L Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	148.84
07498354169	<b>PLT7LH-L0</b>	CableTie,LH,24.7in,WR,BL,PK50	Panduit PLT7LH-L0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	C	100	\$	175.66
07498354233	<b>PLT8EH-C</b>	CableTie,EH,28.3in,Nyl,Nat,PK100	Panduit PLT8EH-C Lashing Cable Ties are ideal for heavy duty applications. Extra-Heavy cross section, 28.3	M	1000	\$	3,278.09
07498354231	<b>PLT8EH-C0</b>	CableTie,EH,28.3in,WR,BL,PK100	Panduit PLT8EH-C0 Lashing Cable Ties are ideal for heavy duty applications. Extra-Heavy cross section, 28	M	1000	\$	3,769.88
07498354230	<b>PLT8EH-Q0</b>	CableTie,EH,28.3in,WR,BI,PK25	Panduit PLT8EH-Q0 Lashing Cable Ties are ideal for weather resistant heavy duty applications. Extra-Heavy	C	100	\$	451.09
07498356734	<b>PLT8H-C</b>	CableTie,H,30.6in,Nyl,Nat,PK100	Panduit PLT8H-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliveri	M	1000	\$	1,672.00

07498356735	<b>PLT8H-C0</b>	CableTie,H,30.6in,WR,BL,PK100	Panduit PLT8H-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, wh	M	1000	\$	1,966.89
07498338781	<b>PLT8H-C30</b>	CableTie,H,30.6in,HS,BL,PK100	Panduit PLT8H-C30 Locking Cable Ties are designed to satisfy the needs of high temperature applications, w	M	1000	\$	2,006.38
07498354096	<b>PLT8H-L</b>	CableTie,H,30.6in,Nyl,Nat,PK50	Panduit PLT8H-L Locking Cable Ties are designed to satisfy the needs of general applications, while deliverin	C	100	\$	207.29
07498354097	<b>PLT8H-L0</b>	CableTie,H,30.6in,WR,BL,PK50	Panduit PLT8H-L0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, wh	C	100	\$	238.41
07498356790	<b>PLT8H-Q0</b>	CableTie,H,30.6in,WR,BL,PK25	Pan-Ty® locking tie, heavy cross section, 30.6 (779mm) length, weather resistant nylon 6.6, black, standard	C	100	\$	245.61
07498354855	<b>PLT8LH-C</b>	CableTie,LH,27.6in,Nyl,Nat,PK100	Panduit PLT8LH-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	1,420.93
07498338350	<b>PLT8LH-C0</b>	CableTie,LH,27.6in,WR,BL,PK100	Panduit PLT8LH-C0 Locking Cable Ties are designed to satisfy the needs of weather resistant applications, w	M	1000	\$	1,634.05
07498338740	<b>PLT8LH-C120</b>	CableTie,LH,27.6in,Nyl12,BL,PK100	Panduit PLT8LH-C120 Locking Cable Ties are designed to satisfy the needs of solar applications and resista	M	1000	\$	2,475.78
07498354172	<b>PLT8LH-L</b>	CableTie,LH,27.6in,Nyl,Nat,PK50	Pan-Ty® locking tie, light-heavy cross section, 27.6 (701mm) length, nylon 6.6, natural, standard package.	C	100	\$	184.76
07498354180	<b>PLT8LH-L0</b>	CableTie,LH,27.6in,WR,BL,PK50	Pan-Ty® locking tie, light-heavy cross section, 27.6 (701mm) length, weather resistant nylon 6.6, black, stand	C	100	\$	214.60
07498354168	<b>PLT8LH-Q0</b>	CableTie,LH,27.6in,WR,BL,PK25	Pan-Ty® locking tie, light-heavy cross section, 27.6 (701mm) length, weather resistant nylon 6.6, black, 25 pc	C	100	\$	238.35
07498354178	<b>PLT9LH-C</b>	CableTie,LH,30.5in,Nyl,Nat,PK100	Panduit PLT9LH-C Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	M	1000	\$	1,477.91
07498354179	<b>PLT9LH-C0</b>	CableTie,LH,30.5in,WR,BL,PK100	Panduit PLT9LH-C0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliv	M	1000	\$	1,791.79
07498354182	<b>PLT9LH-C30</b>	CableTie,LH,30.5in,HS,BL,PK100	Panduit PLT9LH-C30 Locking Cable Ties are designed to satisfy the needs of high temperature applications,	M	1000	\$	1,771.95
61305668581	<b>PLT9LH-C300</b>	Cable Tie, 30.5L (775mm), Light-Heavy, H	Panduit PLT9LH-C300 Locking Cable Ties are designed to satisfy the needs of high temperature and weathe	M	1000	\$	2,239.74
07498354174	<b>PLT9LH-L</b>	CableTie,LH,30.5in,Nyl,Nat,PK50	Panduit PLT9LH-L Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	185.95
07498354187	<b>PLT9LH-L0</b>	CableTie,LH,30.5in,WR,BL,PK50	Panduit PLT9LH-L0 Locking Cable Ties are designed to satisfy the needs of general applications, while deliver	C	100	\$	219.21
07498335010	<b>PLUP40S-D30</b>	PanTyUPMTie,HS,NYL,STD,7,TS222,BLK,P500	Pan-Ty® Locking Umbrella Push Mount Ties provide constant tension for a stable, rattle-free installation of a	M	1000	\$	491.71
07498371015	<b>PLUP40SE-D</b>	PanTyUPMTie,HS,NYL,STD,7,TS222,NAT,P500	Pan-Ty® Locking Umbrella Push Mount Ties provide constant tension for a stable, rattle-free installation of a	M	1000	\$	408.80
61305606629	<b>PLVS0507D7156</b>	SftyLbl,5"x7",D7156,RD/BLWH,5-7yrs,EA	Safety Label, 5.00" x 7.00", DANGER ARC FLASH AND SHOCK HAZARD APPROPRIATE PPE REQUIRED	PC	1	\$	8.01
61305606627	<b>PLVS0507W7163</b>	SftyLbl,5"x7",W7163,OR/BLWH,5-7yrs,EA	Safety Label, 5.00" x 7.00", WARNING ARC FLASH AND SHOCK HAZARD APPROPRIATE PPE REQUIRE	PC	1	\$	8.01
07498322414	<b>PLW1P1-SI-C</b>	PanTyWPMtie,NYL,INT,6,TS178,NAT,PK100	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	C	100	\$	42.65
07498322411	<b>PLW1P1-SI-D</b>	PanTyWPMtie,NYL,INT,6,TS178,NAT,PK500	Panduit PLW1P1-SI-D Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another sur	M	1000	\$	332.04
07498322413	<b>PLW1P1-SI-D30</b>	PanTyWPMtie,HS,NYL,INT,6,TS178,BLK,P500	Panduit PLW1P1-SI-D30 Wing Mount Push Cable Ties use an all-in-one design to attach bundles to another su	M	1000	\$	398.46
07498354310	<b>PLW1P1-SS-D</b>	PanTyWPMtie,NYL,STD,6.8,TS222,NAT,P500	Panduit PLW1P1-SS-D Wing Mount Push Cable Ties use an all-in-one design to attach bundles to another surf	M	1000	\$	354.75
07498356804	<b>PLW1P1-SS-D30</b>	PanTyWPMtie,HS,NYL,STD,7,TS222,BLK,P500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	425.73
07498354330	<b>PLW1P1-SSA-D</b>	PanTyWPMtie,NYL,STD,6.7,TS222,NAT,P500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	354.75
07498354305	<b>PLW1P1M-C</b>	PanTyWPMtie,NYL,MINI,4.3,TS80,NAT,PK100	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	35.86
07498354306	<b>PLW1P1M-D</b>	PanTyWPMtie,NYL,MINI,4.3,TS80,NAT,PK500	Panduit PLW1P1M-D Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another sur	M	1000	\$	309.45
07498356806	<b>PLW1P1M-D0</b>	PanTyWPMtie,WR,NYL,MINI,4,TS80,BLK,P500	Panduit PLW1P1M-D0 Wing Mount Push Cable Ties use an all-in-one design to attach bundles to another sur	M	1000	\$	355.71
07498356807	<b>PLW1P1M-D30</b>	PanTyWPMtie,HS,NYL,MINI,4,TS80,BLK,P500	Panduit PLW1P1M-D30 Wing Mount Push Cable Ties use an all-in-one design to attach bundles to another sur	M	1000	\$	371.39
07498354307	<b>PLW1P1S-C</b>	PanTyWPMtie,NYL,STD,5.2,TS222,NAT,P100	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	C	100	\$	42.96
07498354324	<b>PLW1P1S-C0</b>	PanTyWPMtie,WR,NYL,STD,5,TS222,BLK,P100	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	C	100	\$	49.38
07498354308	<b>PLW1P1S-D</b>	PanTyWPMtie,NYL,STD,5.2,TS222,NAT,PK500	Panduit PLW1P1S-D Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surf	M	1000	\$	336.11
07498356809	<b>PLW1P1S-D0</b>	PanTyWPMtie,WR,NYL,STD,5,TS222,BLK,P500	Panduit PLW1P1S-D0 Wing Mount Push Cable Ties use an all-in-one design to attach bundles to another surfa	M	1000	\$	386.60
07498356810	<b>PLW1P1S-D30</b>	PanTyWPMtie,HS,NYL,STD,5,TS222,BLK,P500	Panduit PLW1P1S-D30 Wing Mount Push Cable Ties use an all-in-one design to attach bundles to another sur	M	1000	\$	403.41
07498354329	<b>PLW1P1SA-D</b>	PanTyWPMtie,NYL,STD,5.1,TS222,NAT,P500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	336.11
07498354342	<b>PLW1P1SB-D</b>	Panduit PLW1P1SB-D Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another su	M	1000	\$	336.11	
07498354612	<b>PLW1P2H-TL</b>	PanTyWPMtie,NYL,LT-H,9,TS534,NAT,PK250	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	1,111.66
07498354613	<b>PLW1P2H-TL0</b>	PanTyWPMtie,WR,NYL,LT,H,9,TS534,BLK,P250	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	1,278.46
07498354314	<b>PLW1P2S-C0</b>	PanTyWPMtie,WR,NYL,STD,8,TS222,BLK,P100	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	C	100	\$	59.76
07498354312	<b>PLW1P2S-D</b>	PanTyWPMtie,NYL,STD,7.8,TS222,NAT,PK500	Panduit PLW1P2S-D Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surf	M	1000	\$	358.96
07498356812	<b>PLW1P2S-D0</b>	PanTyWPMtie,WR,NYL,STD,8,TS222,BLK,P500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	423.38
07498320967	<b>PLW1P2S-D30</b>	PanTyWPMtie,HS,NYL,STD,8,TS222,BLK,P500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	465.89
07498354331	<b>PLW1P2SA-D</b>	PanTyWPMtie,NYL,STD,7.7,TS222,NAT,PK500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	388.31
07498354344	<b>PLW1P2SB-D</b>	PanTyWPMtie,NYL,STD,7.8,TS222,NAT,PK500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	388.31
07498320946	<b>PLW1P30SC-D30</b>	PanTyWPMtie,HS,NYL,STD,CM,6,222,BLK,500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	405.91
07498354606	<b>PLW1P3H-TL</b>	PanTyWPMtie,NYL,LT-H,12,TS534,NAT,PK250	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	1,325.31
07498354607	<b>PLW1P3H-TL0</b>	PanTyWPMtie,WR,NYL,LT,H,12,TS534,BLK,250	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	1,677.04
07498320647	<b>PLW1P40S-D30</b>	PanTyWPMtie,HS,NYL,WB,STD,CM,7,BLK,500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	449.78
07498320653	<b>PLW1P40SD-D30</b>	PanTyWPMtie,HS,NYL,CLT,STD,CM,7,BLK,500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	428.34
07498320648	<b>PLW1P50S-C-D30</b>	PanTyWPMtie,HS,NYL,WB,STD,CM,8,BLK,500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	492.13
07498322290	<b>PLW1P50SE-D30</b>	PanTyWPMtie,HS,NYL,CLT,STD,CM,8,BLK,500	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	468.71
61305625622	<b>PLWS2EH-TL350</b>	WideStrapTie,9,1in,BL,PK250	Panduit PLWS2EH-TL350 Wide Strap Cable Ties provide an easy-to-install way to secure hoses, tubes, wire	M	1000	\$	1,197.11
61305625623	<b>PLWS3EH-TL350</b>	WideStrapTie,12,1in,BL,PK250	Panduit PLWS3EH-TL350 Wide Strap Cable Ties provide an easy-to-install way to secure hoses, tubes, wire	M	1000	\$	1,436.51
61305625624	<b>PLWS4EH-TL350</b>	WideStrapTie,15,1in,BL,PK250	Panduit PLWS4EH-TL350 Wide Strap Cable Ties provide an easy-to-install way to secure hoses, tubes, wire	M	1000	\$	1,608.23
07498384162	<b>PM1-3F-C</b>	ForkTerm,NonIns,0.5,1.5mm²,M3StudPK100	Fork Terminal, 0.5 - 1.5mm² wire range, M3 stud size, non-insulated.	C	100	\$	51.21
07498384150	<b>PM1-3R-C</b>	RingTerm,NonIns,0.5,1.5mm²,M3StudPK100	Ring Terminal, 0.5 - 1.5mm² wire range, M3 stud size, non-insulated, bulk package.	C	100	\$	51.21
07498384222	<b>PM2-3F-C</b>	ForkTerm,NonIns,1.0,2.5mm²,M3StudPK100	Fork Terminal, 1.0 - 2.5mm² wire range, M3 stud size, non-insulated.	C	100	\$	51.21
07498384210	<b>PM2-3R-C</b>	RingTerm,NonIns,1.0,2.5mm²,M3StudPK100	Metric Ring Terminal, 1.0 - 2.5mm² + wire range, M3 stud size, non-insulated, bulk package.	C	100	\$	48.79
07498384214	<b>PM2-5R-C</b>	RingTerm,NonIns,1.0,2.5mm²,M5StudPK100	Metric ring terminal, 1.0 - 2.5mm²+ + wire range, M5 stud size, non-insulated, bulk package.	C	100	\$	51.21
07498362958	<b>PM24</b>	HAMMER-ON BEAM CLAMP,1/8-1/4 in,PK100	Beam clamp for up to 1/8" - 1/4" flange, static load capacity: 75 lbs.	PC	1	\$	1.31
07498362980	<b>PM24S</b>	HMR-ON BM CLMP,1/8-1/4,STAKED STUD,PK100	Beam clamp for 1/8" - 1/4" flange with 1/4"-20 stud, static load capacity: 75 lbs.	PC	1	\$	1.55
07498358360	<b>PM2H25-C</b>	CbleTieMnt,PshMnt,Nat,PK100	Panduit PM2H25-C Push Cable Mounts can be used where only one side of the panel is accessible and requi	C	1000	\$	48.93
07498358361	<b>PM2H25-M</b>	CbleTieMnt,PshMnt,Nat,PK1000	Panduit PM2H25-M Push Cable Mounts can be used where only one side of the panel is accessible and requi	M	1000	\$	266.30
07498358362	<b>PM2H25-M0</b>	CbleTieMnt,PshMnt,WRBL,PK1000	Panduit PM2H25-M0 Push Cable Mounts can be used where only one side of the panel is accessible and req	M	1000	\$	331.19
07498358363	<b>PM2H25-M30</b>	CbleTieMnt,PshMnt,HS,BL,PK1000	The push barb cable tie mount requires a 0.25" (6.4 mm) hole and is black. It is made of heat-stabilized nylon	M	1000	\$	359.53
07498362986	<b>PM58</b>	HAMMER-ON BEAM CLAMP,5/16-1/2 in,PK100	Beam clamp for 5/16" - 1/2" flange, static load capacity: 75 lbs.	PC	1	\$	1.40
07498363017	<b>PM58S</b>	HMR-ON BM CLMP,5/16-1/2,STKED STUD,PK100	Beam clamp for 5/16" - 1/2" flange with 1/4"-20 stud, static load capacity: 75 lbs.,	PC	1	\$	1.74
07498384270	<b>PM6-3R-L</b>	RingTerm,NonIns,2.5,6.0mm²,M3Stud,PK500	Metric ring terminal, 2.5 - 6.0mm²+ + wire range, M3 stud size, non-insulated, bulk package.	C	100	\$	76.33
07498384274	<b>PM6-5R-L</b>	RingTerm,NonIns,2.5,6.0mm²,M5Stud,PK500	Metric ring terminal, 2.5 - 6.0mm²+ + wire range, M5 stud size, non-insulated, bulk package.	C	100	\$	76.33
07498363053	<b>PM912S</b>	HMR-ON BM CLMP,9/16-3/4,STKED STUD,PK100	Beam clamp for 9/16" - 3/4" flange with 1/4"-20 stud, static load capacity: 75 lbs.	PC	1	\$	2.56
07498312155	<b>PMA-065-C0</b>	PshBarbArrowHeadMnt,WR,BL,PK100	The push barb arrow head mount is black. It is made of weather-resistant nylon 6.6, which increases mechani	C	100	\$	30.34
07498358234	<b>PMCC09H06-M30</b>	HrnsClipPshMnt,PK1000	Push Barb Mount Cord Clip	M	1000	\$	234.59
07498358947	<b>PMCC38H25-C</b>	CordClip,PM,,38"Bdl,Nat,PK100	Push barb mount cord clip, .38" (9.7mm) bundle, natural, standard package.	C	100	\$	71.14
07498358948	<b>PMCC38H25-M</b>	CordClip,PM,,38"Bdl,Nat,PK1000	Panduit PMCC38H25-M Push Mount Cord Clips secure cords and cable or wire bundles easily by simply snap	M	1000	\$	444.10
07498324798	<b>PMCC38H25-M0</b>	CordClip,PM,,38InBdl,Nat,PK1000	Push barb mount cord clip, .38" (9.7mm) bundle, weather resistant nylon 6.6, black.	M	1000	\$	488.44



07498379666	<b>PMCS100</b>	MC/AC CABLE BRACKETS,8 Runs,PK50	Support brackets for up to 8 runs of MC/AC cable, 0.43" - 0.56" in diameter.	PC	1	\$	4.01
07498397120	<b>PMD</b>	Pre-Printed Marker Tape Dispenser	StrongHold PMD Pre-Printed Marker Tape Dispenser. Dispenser allows marker tape to be cut to the exact length	PC	1	\$	25.05
07498397121	<b>PMD-0-9</b>	MarkerTapeDisp, 0 to 9 LGND, 8' rolls,EA	StrongHold PMD-0-9 Pre-Printed Marker Tape Dispenser. Flexible polyester marker tape conforms tightly to	PK	1	\$	65.30
07498397122	<b>PMDR-0</b>	MarkerTape,PES,8ftRI,0,LGND,WH,PK10	Roll Wire Marker, '0', 8 Ft/RI	RL	1	\$	4.71
07498398803	<b>PMDR-0-9</b>	Pre-Prtd Mrkr Tape Refill,8' ri,0-9 Leg	Roll Wire Marker, 1 RI Ea 0-9, 8 Ft/RI	PK	1	\$	48.26
07498397123	<b>PMDR-1</b>	MarkerTape,PES,8ftRI,1,LGND,WH,PK10	Roll Wire Marker, '1', 8 Ft/RI	RL	1	\$	4.49
07498397185	<b>PMDR-10-19</b>	MkrTape,PES,10-19,8ftRI,WH,EA	Roll Wire Marker, 1 RI Ea 10-19, 8 Ft/RI	PK	1	\$	48.26
07498397124	<b>PMDR-2</b>	MarkerTape,PES,8ftRI,2,LGND,WH,PK10	Roll Wire Marker, '2', 8 Ft/RI	RL	1	\$	4.49
07498397186	<b>PMDR-20-29</b>	Pre-Prtd Mrkr Tape Refill,8' ri,WH,20-29	Roll Wire Marker, 1 RI Ea 20-29, 8 Ft/RI	PK	1	\$	48.26
07498397125	<b>PMDR-3</b>	MarkerTape,PES,8ftRI,3,LGND,WH,PK10	Roll Wire Marker, '3', 8 Ft/RI	RL	1	\$	4.71
07498397187	<b>PMDR-30-39</b>	Pre-Prtd Mrkr Tape Refill,8' ri,30-39	Roll Wire Marker, 1 RI Ea 30-39, 8 Ft/RI	PK	1	\$	48.26
07498397126	<b>PMDR-4</b>	MarkerTape,PES,8ftRI,4,LGND,WH,PK10	Roll Wire Marker, '4', 8 Ft/RI	RL	1	\$	4.71
07498397127	<b>PMDR-5</b>	Pre-Prtd Mrkr Tape Refill,8' ri,5 Leg	Roll Wire Marker, '5', 8 Ft/RI	RL	1	\$	4.71
07498397128	<b>PMDR-6</b>	MarkerTape,PES,8ftRI,6,LGND,WH,PK10	Roll Wire Marker, '6', 8 Ft/RI	RL	1	\$	4.71
07498397129	<b>PMDR-7</b>	MarkerTape,PES,8ftRI,7,LGND,WH,PK10	Roll Wire Marker, '7', 8 Ft/RI	RL	1	\$	4.71
07498397130	<b>PMDR-8</b>	MarkerTape,PES,8ftRI,8,LGND,WH,PK10	Roll Wire Marker, '8', 8 Ft/RI	RL	1	\$	4.71
07498397131	<b>PMDR-9</b>	Pre-Prtd Mrkr Tape Refill,8' ri,9 Leg	Roll Wire Marker, '9', 8 Ft/RI	RL	1	\$	4.71
07498397132	<b>PMDR-A</b>	Pre-Prtd Mrkr Tape Refill,8' ri,A Leg	Roll Wire Marker, 'A', 8 Ft/RI	RL	1	\$	4.71
07498397133	<b>PMDR-B</b>	Pre-Prtd Mrkr Tape Refill,8' ri,B Leg	Roll Wire Marker, 'B', 8 Ft/RI	RL	1	\$	4.71
07498397134	<b>PMDR-C</b>	Pre-Prtd Mrkr Tape Refill,8' ri,C Leg	Roll Wire Marker, 'C', 8 Ft/RI	RL	1	\$	4.71
07498397135	<b>PMDR-D</b>	Pre-Prtd Mrkr Tape Refill,8' ri,D Leg	Roll Wire Marker, 'D', 8 Ft/RI	RL	1	\$	4.71
07498397136	<b>PMDR-E</b>	Pre-Prtd Mrkr Tape Refill,8' ri,E Leg	Roll Wire Marker, 'E', 8 Ft/RI	RL	1	\$	4.71
07498397137	<b>PMDR-F</b>	Pre-Prtd Mrkr Tape Refill,8' ri,WH,F Leg	Roll Wire Marker, 'F', 8 Ft/RI	RL	1	\$	4.71
07498397138	<b>PMDR-G</b>	Pre-Prtd Mrkr Tape Refill,8' ri,WH,G Leg	Roll Wire Marker, 'G', 8 Ft/RI	RL	1	\$	4.71
07498397139	<b>PMDR-H</b>	Pre-Prtd Mrkr Tape Refill,8' ri,H Leg	Roll Wire Marker, 'H', 8 Ft/RI	RL	1	\$	4.95
07498397140	<b>PMDR-I</b>	Pre-Prtd Mrkr Tape Refill,8' ri,I Leg	Roll Wire Marker, 'I', 8 Ft/RI	RL	1	\$	4.95
07498397141	<b>PMDR-J</b>	Pre-Prtd Mrkr Tape Refill,8' ri,J Leg	Roll Wire Marker, 'J', 8 Ft/RI	RL	1	\$	4.95
07498397142	<b>PMDR-K</b>	Pre-Prtd Mrkr Tape Refill,8' ri,K Leg	Roll Wire Marker, 'K', 8 Ft/RI	RL	1	\$	4.71
07498397143	<b>PMDR-L</b>	Pre-Prtd Mrkr Tape Refill,8' ri,WH,L Leg	Roll Wire Marker, 'L', 8 Ft/RI	RL	1	\$	4.71
07498397144	<b>PMDR-M</b>	Pre-Prtd Mrkr Tape Refill,8' ri,M Leg	Roll Wire Marker, 'M', 8 Ft/RI	RL	1	\$	4.71
07498397166	<b>PMDR-MIN</b>	Pre-Prtd Mrkr Tape Refill,8' ri,- Leg	Roll Wire Marker, 'Min', 8 Ft/RI	RL	1	\$	4.71
07498397145	<b>PMDR-N</b>	Pre-Prtd Mrkr Tape Refill,8' ri,N Leg	Roll Wire Marker, 'N', 8 Ft/RI	RL	1	\$	4.95
07498397146	<b>PMDR-O</b>	Pre-Prtd Mrkr Tape Refill,8' ri,O Leg	Roll Wire Marker, 'O', 8 Ft/RI	RL	1	\$	4.71
07498397147	<b>PMDR-P</b>	Pre-Prtd Mrkr Tape Refill,8' ri,P Leg	Roll Wire Marker, 'P', 8 Ft/RI	RL	1	\$	4.71
07498397167	<b>PMDR-PLS</b>	Pre-Prtd Mrkr Tape Refill,8' ri,+ Leg	Roll Wire Marker, 'Pls', 8 Ft/RI	RL	1	\$	4.71
07498397148	<b>PMDR-Q</b>	Pre-Prtd Mrkr Tape Refill,8' ri,Q Leg	Roll Wire Marker, 'Q', 8 Ft/RI	RL	1	\$	4.95
07498397149	<b>PMDR-R</b>	Pre-Prtd Mrkr Tape Refill,8' ri,R Leg	Roll Wire Marker, 'R', 8 Ft/RI	RL	1	\$	4.71
07498397150	<b>PMDR-S</b>	Pre-Prtd Mrkr Tape Refill,8' ri,S Leg	Roll Wire Marker, 'S', 8 Ft/RI	RL	1	\$	4.71
07498397151	<b>PMDR-T</b>	Pre-Prtd Mrkr Tape Refill,8' ri,T Leg	Roll Wire Marker, 'T', 8 Ft/RI	RL	1	\$	4.71
07498397152	<b>PMDR-U</b>	Pre-Prtd Mrkr Tape Refill,8' ri,U Leg	Roll Wire Marker, 'U', 8 Ft/RI	RL	1	\$	4.71
07498397153	<b>PMDR-V</b>	Pre-Prtd Mrkr Tape Refill,8' ri,WH,V Leg	Roll Wire Marker, 'V', 8 Ft/RI	RL	1	\$	4.71
07498397154	<b>PMDR-W</b>	Pre-Prtd Mrkr Tape Refill,8' ri,WH,W Leg	Roll Wire Marker, 'W', 8 Ft/RI	RL	1	\$	4.71
07498397155	<b>PMDR-X</b>	Pre-Prtd Mrkr Tape Refill,8' ri,X Leg	Roll Wire Marker, 'X', 8 Ft/RI	RL	1	\$	4.71
07498397156	<b>PMDR-Y</b>	Pre-Prtd Mrkr Tape Refill,8' ri,Y Leg	Roll Wire Marker, 'Y', 8 Ft/RI	RL	1	\$	4.71
07498397157	<b>PMDR-Z</b>	Pre-Prtd Mrkr Tape Refill,8' ri,Z Leg	Roll Wire Marker, 'Z', 8 Ft/RI	RL	1	\$	4.71
07498374198	<b>PMEB1</b>	BOX SUPPORT BKT,2-1/2,3-1/2,4 in,PK25	StrongHold PMEB1 Electrical Box Support Brackets allows electrical boxes to be attached to 2.5", 3.5" and 4	PC	1	\$	1.99
07498368467	<b>PMNF1-3F-3K</b>	ForkTerm,Funnel,Nyl,5,M3StudPK3000	Reel-Fed Fork Terminal, 0.5 - 1.0mm <sup>2</sup> wire range, M3 stud size, nylon barrel insulated, funnel entry.	M	1000	\$	597.40
07498384202	<b>PMNF1-3F-C</b>	ForkTerm,Funnel,Nyl,0.5,M3StudPK100	Fork Terminal, 0.5 - 1.0mm <sup>2</sup> wire range, M3 stud size, nylon barrel insulated, funnel entry.	C	100	\$	140.98
07498384190	<b>PMNF1-3R-C</b>	RingTerm,Funnel,Nyl,0.5,M3StudPK100	Ring Terminal, 0.5 - 1.0mm <sup>2</sup> wire range, M3 stud size, nylon barrel insulated, funnel entry, bulk package.	C	100	\$	148.03
07498384206	<b>PMNF1-5F-C</b>	ForkTerm,Funnel,Nyl,0.5,M5StudPK100	Fork Terminal, 0.5 - 1.0mm <sup>2</sup> wire range, M5 stud size, nylon barrel insulated, funnel entry.	C	100	\$	148.03
07498384194	<b>PMNF1-5R-C</b>	RingTerm,Funnel,Nyl,0.5,M5StudPK100	Ring Terminal, 0.5 - 1.0mm <sup>2</sup> wire range, M5 stud size, nylon barrel insulated, funnel entry, bulk package.	C	100	\$	148.03
07498368471	<b>PMNF2-3F-3K</b>	ForkTerm,Funnel,Nyl,1.5,M3StudPK3000	Reel-Fed Fork Terminal, 1.5 - 2.5mm <sup>2</sup> wire range, M3 stud size, nylon barrel insulated, funnel entry.	M	1000	\$	597.40
07498384262	<b>PMNF2-3F-C</b>	ForkTerm,Funnel,Nyl,1.5,M3StudPK100	Fork Terminal, 1.5 - 2.5mm <sup>2</sup> wire range, M3 stud size, nylon barrel insulated, funnel entry.	C	100	\$	148.03
07498368434	<b>PMNF2-3R-3K</b>	RingTerm,Funnel,Nyl,1.5,M3StudPK3000	Reel-Fed Ring Terminal, 1.5 - 2.5mm <sup>2</sup> wire range, M3 stud size, nylon barrel insulated, funnel entry.	M	1000	\$	597.38
07498384250	<b>PMNF2-3R-C</b>	RingTerm,Funnel,Nyl,1.5,M3StudPK100	Ring Terminal, 1.5 - 2.5mm <sup>2</sup> wire range, M3 stud size, nylon barrel insulated, funnel entry, bulk package.	C	100	\$	148.03
07498384266	<b>PMNF2-5F-C</b>	ForkTerm,Funnel,Nyl,1.5,M5StudPK100	Fork Terminal, 1.5 - 2.5mm <sup>2</sup> wire range, M5 stud size, nylon barrel insulated, funnel entry.	C	100	\$	148.03
07498384254	<b>PMNF2-5R-C</b>	RingTerm,Funnel,Nyl,1.5,M5StudPK100	Ring Terminal, 1.5 - 2.5mm <sup>2</sup> wire range, M5 stud size, nylon barrel insulated, funnel entry, bulk package.	C	100	\$	140.98
07498384310	<b>PMNF6-3R-L</b>	RingTerm,Funnel,Nyl,4.0,M3StudPK50	Ring Terminal, 4.0 - 6.0mm <sup>2</sup> wire range, M3 stud size, nylon barrel insulated, funnel entry, bulk package.	C	100	\$	182.43
07498384314	<b>PMNF6-5R-L</b>	RingTerm,Funnel,Nyl,4.0,M5StudPK50	Ring Terminal, 4.0 - 6.0mm <sup>2</sup> wire range, M5 stud size, nylon barrel insulated, funnel entry, bulk package.	C	100	\$	182.43
07498368478	<b>PMV1-3FB-3K</b>	ForkTerm,Vyl,0.5,1.0mm <sup>2</sup> ,M3Stud,PK3000	Reel-Fed Fork Terminal, 0.5 - 1.0mm <sup>2</sup> wire range, M3 stud size, vinyl insulated, funnel entry.	M	1000	\$	337.55
07498368443	<b>PMV1-3RB-3K</b>	RingTerm,Vyl,0.5,1.0mm <sup>2</sup> ,M3Stud,PK3000	Reel-Fed Ring Terminal, 0.5 - 1.0mm <sup>2</sup> wire range, M3 stud size, vinyl insulated, funnel entry.	M	1000	\$	337.55
07498369519	<b>PMV1-3RB-CY</b>	RingTerm,Vyl,0.5,1.0mm <sup>2</sup> ,M3Stud,PK100	Ring Terminal, vinyl barrel insulated, butted seam, funnel entry, 0.5 - 1.0mm <sup>2</sup> wire range, M3 stud size.	C	100	\$	82.41
07498368445	<b>PMV1-5RB-3K</b>	RingTerm,Vyl,0.5,1.0mm <sup>2</sup> ,M5Stud,PK3000	Reel-Fed Ring Terminal, 0.5 - 1.0mm <sup>2</sup> wire range, M5 stud size, vinyl insulated, funnel entry.	M	1000	\$	337.55
07498369523	<b>PMV1-5RB-CY</b>	RingTerm,Vyl,0.5,1.0mm <sup>2</sup> ,M5Stud,PK100	Ring Terminal, vinyl barrel insulated, butted seam, funnel entry, 0.5 - 1.0mm <sup>2</sup> wire range, M5 stud size.	C	100	\$	82.41
07498368362	<b>PMV2-3FB-3K</b>	ForkTerm,Vyl,1.5,2.5mm <sup>2</sup> ,M3Stud,PK3000	Reel-Fed Fork Terminal, 1.5 - 2.5mm <sup>2</sup> wire range, M3 stud size, vinyl insulated, funnel entry.	M	1000	\$	337.55
07498384242	<b>PMV2-3FB-C</b>	ForkTerm,Vyl,1.5,2.5mm <sup>2</sup> ,M3Stud,PK100	Fork Terminal, butted seam, 1.5 - 2.5mm <sup>2</sup> wire range, M3 stud size, vinyl barrel insulated, funnel entry.	C	100	\$	82.41
07498384230	<b>PMV2-3RB-C</b>	RingTerm,Vyl,1.5,2.5mm <sup>2</sup> ,M3Stud,PK100	Ring Terminal, vinyl barrel insulated, butted seam, funnel entry, 1.5 - 2.5mm <sup>2</sup> wire range, M3 stud size, bulk p	C	100	\$	82.41
07498384234	<b>PMV2-5RB-C</b>	RingTerm,Vyl,1.5,2.5mm <sup>2</sup> ,M5Stud,PK100	Ring Terminal, vinyl barrel insulated, butted seam, funnel entry, 1.5 - 2.5mm <sup>2</sup> wire range, M5 stud size, bulk p	C	100	\$	82.41
07498368720	<b>PMV6-3R-L</b>	RingTerm,Vyl,4.0,6.0mm <sup>2</sup> ,M3Stud,PK50	Ring Terminal, vinyl barrel insulated, brazed seam, funnel entry, 4.0 - 6.0mm <sup>2</sup> wire range, M3 stud size, bulk	C	100	\$	111.81
07498368726	<b>PMV6-5F-L</b>	ForkTerm,Vyl,2.5,6.0mm <sup>2</sup> ,M5Stud,PK50	Fork Terminal, 2.5 - 6.0mm <sup>2</sup> wire range, M5 stud size, vinyl barrel insulated, funnel entry.	C	100	\$	111.81
07498368728	<b>PMV6-5R-L</b>	RingTerm,Vyl,4.0,6.0mm <sup>2</sup> ,M5Stud,PK50	Ring Terminal, vinyl barrel insulated, brazed seam, funnel entry, 4.0 - 6.0mm <sup>2</sup> wire range, M5 Stud Size, bulk	C	100	\$	111.81
07498380645	<b>PN10-10F-2K</b>	Fork,Nylon Ins,12-10AWG,#10,REEL2000	Fork Terminal, nylon insulated, metal insulation grip sleeve, 12 - 10 AWG wire range, #10 stud size.	M	1000	\$	588.40
07498380321	<b>PN10-10F-D</b>	Fork,Nylon Ins,12-10AWG,#10,PK500	Fork Terminal, nylon insulated, 12 - 10 AWG, #10 stud size, bulk package.	M	1000	\$	627.40
07498380320	<b>PN10-10F-L</b>	Fork,Nylon Ins,12-10AWG,#10,PK500	The PN10-10F-L Pan-Term® Terminal is a nylon insulated, fork terminal. The metal insulation grip sleeve cri	C	100	\$	140.58
07498380680	<b>PN10-10FF-2K</b>	Fork,Flange,Nylon,12-10AWG,#10,REEL2000	Flanged Fork Terminal, nylon insulated, metal insulation grip sleeve,12- 10 AWG wire range, #10 stud size.	M	1000	\$	667.84
07498380615	<b>PN10-10FF-D</b>	Fork,Flange,Nylon,12-10AWG,#10,PK500	Flanged Fork Terminal, nylon insulated, 12 - 10 AWG, #10 stud size, bulk package.	M	1000	\$	735.95
07498380614	<b>PN10-10FF-L</b>	Fork,Flange,Nylon,12-10AWG,#10,PK500	Flanged Fork Terminal, nylon insulated, 12 - 10 AWG, #10 stud size, standard package.	C	100	\$	197.19

07498380657	<b>PN10-10LF-2K</b>	Fork,Locking,Nylon,12-10AWG,#10,REEL2000	Locking Fork Terminal, nylon insulated, metal insulation grip sleeve, 12 - 10 AWG wire range, #10 stud size.	M	1000	\$	647.79
07498380085	<b>PN10-10LF-D</b>	Fork,Locking,Nylon,12-10AWG,#10,PK500	Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #10 stud size, bulk package.	M	1000	\$	632.95
07498380084	<b>PN10-10LF-L</b>	Fork,Locking,Nylon,12-10AWG,#10,PK50	Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #10 stud size, standard package.	C	100	\$	146.09
07498380631	<b>PN10-10R-2K</b>	Ring,Nylon Insul,12-10AWG,#10,REEL2000	Ring Terminal, nylon insulated, metal sleeve, 12 - 10 AWG, #10 stud size.	M	1000	\$	588.46
07498380033	<b>PN10-10R-D</b>	Ring,Nylon Insul,12-10AWG,#10,PK500	The PN10-10R-D Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve cri	M	1000	\$	580.45
07498380032	<b>PN10-10R-L</b>	Ring,Nylon Insul,12-10AWG,#10,PK500	The PN10-10R-L Pan-Term® Terminal is a nylon insulated, ring terminal with funnel entry. The metal insulatio	C	100	\$	140.58
61305602300	<b>PN10-10RN-D</b>	Ring,Nylon Insul,12-10AWG,#10 STUD,PK500	Ring Terminal, 12 - 10 AWG, #10 narrow stud size, nylon insulated, bulk package.	M	1000	\$	609.49
07498380072	<b>PN10-10RX-L</b>	Ring,Nylon Insul,EXP,12-10AWG,#10,PK50	Ring Terminal, 12 - 10 AWG, #10 stud size, nylon insulated, expanded insulation for large wire O.D.	C	100	\$	203.99
07498312028	<b>PN10-12R-Q</b>	Ring,Nylon Insul,12-10AWG,1/2"STUD,PK25	Ring Terminal, 12 - 10 AWG, 1/2" stud size, nylon insulated, bulk package.	C	100	\$	243.51
07498380322	<b>PN10-14F-L</b>	Fork,Locking,Nylon,12-10AWG,1/4 IN,PK50	Ring Terminal, nylon insulated, 12- 10 AWG, 1/4 stud size, standard package.	C	100	\$	145.00
07498380086	<b>PN10-14LF-L</b>	Fork,Locking,Nylon,12-10AWG,1/4",PK50	Locking Fork Terminal, nylon insulated, 12 - 10 AWG, 1/4 stud size, standard package.	C	100	\$	161.05
07498380632	<b>PN10-14R-2K</b>	Ring,Nylon Insul,12-10AWG,1/4",REEL2000	Ring Terminal, nylon insulated, metal sleeve, 12 - 10 AWG, 1/4" stud size.	M	1000	\$	678.78
07498380035	<b>PN10-14R-D</b>	Ring,Nylon Insul,12-10AWG,1/4"STUD,PK500	The PN10-14R-D Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve cri	M	1000	\$	604.66
07498380034	<b>PN10-14R-L</b>	Ring,Nylon Insul,12-10AWG,1/4"STUD,PK50	The PN10-14R-L Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve cri	C	100	\$	139.43
07498380074	<b>PN10-14RX-L</b>	Ring,Nylon Insul EXP,12-10AWG,1/4",PK50	Ring Terminal, 12 - 10 AWG, 1/4" stud size, nylon insulated, expanded insulation for large wire O.D.	C	100	\$	222.15
07498380634	<b>PN10-38R-2K</b>	Ring,Nylon Insul,12-10AWG,3/8",REEL2000	Ring Terminal, nylon insulated, metal sleeve, 12 - 10 AWG, 3/8" stud size.	M	1000	\$	646.44
07498380039	<b>PN10-38R-D</b>	Ring,Nylon Insul,12-10AWG,3/8"STUD,PK500	Ring Terminal, 12 - 10 AWG, 3/8" stud size, nylon insulated, bulk package.	M	1000	\$	576.65
07498380038	<b>PN10-38R-L</b>	Ring,Nylon Insul,12-10AWG,3/8"STUD,PK50	The PN10-38R-L Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve cri	C	100	\$	148.09
07498380078	<b>PN10-38RX-L</b>	Ring,Nylon Insul,EXP,12-10AWG,3/8",PK50	Ring Terminal, 12 - 10 AWG, 3/8" stud size, nylon insulated, expanded insulation for large wire O.D.	C	100	\$	211.65
07498380633	<b>PN10-56R-2K</b>	Ring,Nylon Insul,12-10AWG,5/16",REEL2000	Ring Terminal, nylon insulated, metal sleeve, 12 - 10 AWG, 5/16" stud size.	M	1000	\$	678.78
07498380037	<b>PN10-56R-D</b>	Ring,Nylon Ins,12-10AWG,5/16"STUD,PK500	Ring Terminal, 12 - 10 AWG, 5/16" stud size, nylon insulated, bulk package.	M	1000	\$	672.43
07498380036	<b>PN10-56R-L</b>	Ring,Nylon Insul,12-10AWG,5/16"STUD,PK50	Ring Terminal, 12 - 10 AWG, 5/16" stud size, nylon insulated, standard package.	C	100	\$	146.09
07498380076	<b>PN10-56RX-L</b>	Ring,Nylon Insul,EXP,12-10AWG,5/16",PK50	Ring Terminal, 12 - 10 AWG, 5/16" stud size, nylon insulated, expanded insulation for large wire O.D.	C	100	\$	211.65
07498380317	<b>PN10-6F-D</b>	Fork,Nylon Ins,12-10AWG,#6,PK500	Fork Terminal, nylon insulated, 12- 10 AWG, #6 stud size, bulk package.	M	1000	\$	626.96
07498380316	<b>PN10-6F-L</b>	Fork,Nylon Ins,12-10AWG,#6,PK50	Fork Terminal, nylon insulated, 12- 10 AWG, #6 stud size, standard package.	C	100	\$	135.15
07498380081	<b>PN10-6LF-D</b>	Fork,Locking,Nylon,12-10AWG,#6,PK500	Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #6 stud size, bulk package.	M	1000	\$	664.61
07498380080	<b>PN10-6LF-L</b>	Fork,Locking,Nylon,12-10AWG,#6,PK50	Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #6 stud size, standard package.	C	100	\$	153.44
07498380629	<b>PN10-6R-2K</b>	Ring,Nylon Insul,12-10AWG,#6,REEL2000	Ring Terminal, nylon insulated, metal sleeve, 12 - 10 AWG, #6 stud size.	M	1000	\$	617.88
07498380029	<b>PN10-6R-D</b>	Ring,NylonInsul,12-10AWG,#6STUD,PK500	Ring Terminal, 12 - 10 AWG, #6 stud size, nylon insulated, bulk package.	M	1000	\$	627.40
07498380028	<b>PN10-6R-L</b>	Ring,Nylon Insul,12-10AWG,#6 STUD,PK50	Ring Terminal, 12 - 10 AWG, #6 stud size, nylon insulated, standard package.	C	100	\$	147.63
61305602292	<b>PN10-6RN-D</b>	Ring,NylonInsul,12-10AWG,#6nSTUD,PK500	Ring Terminal, 12 - 10 AWG, #6 narrow stud size, nylon insulated, bulk package.	M	1000	\$	627.40
07498380644	<b>PN10-8F-2K</b>	Fork,Nylon Ins,12-10AWG,#8,REEL2000	Fork Terminal, nylon insulated, metal insulation grip sleeve, 12 - 10 AWG wire range, #8 stud size.	M	1000	\$	617.81
07498380319	<b>PN10-8F-D</b>	Fork,Nylon Ins,12-10AWG,#8,PK500	Fork Terminal, nylon insulated, 12- 10 AWG, #8 stud size, bulk package.	M	1000	\$	597.11
07498380318	<b>PN10-8F-L</b>	Fork,Nylon Ins,12-10AWG,#8,PK50	The PN10-8F-L Pan-Term® Terminal is a nylon insulated, fork terminal. The metal insulation grip sleeve crim	C	100	\$	140.58
07498380613	<b>PN10-8FF-D</b>	Fork,Flange,Nylon,12-10AWG,#8,PK500	Flanged Fork Terminal, nylon insulated, 12 - 10 AWG, #8 stud size, bulk package.	M	1000	\$	742.74
07498380656	<b>PN10-8LF-2K</b>	Fork,Locking,Nylon,12-10AWG,#8,REEL2000	Locking Fork Terminal, nylon insulated, metal insulation grip sleeve, 12 - 10 AWG wire range, #8 stud size.	M	1000	\$	673.73
07498380083	<b>PN10-8LF-D</b>	Fork,Locking,Nylon,12-10AWG,#8,PK500	Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #8 stud size, bulk package.	M	1000	\$	632.95
07498380082	<b>PN10-8LF-L</b>	Fork,Locking,Nylon,12-10AWG,#8,PK50	Locking Fork Terminal, nylon insulated, 12 - 10 AWG, #8 stud size, standard package.	C	100	\$	159.40
07498380630	<b>PN10-8R-2K</b>	Ring,Nylon Insul,12-10AWG,#8,REEL2000	Ring Terminal, nylon insulated, metal sleeve, 12 - 10 AWG, #8 stud size.	M	1000	\$	617.88
07498380031	<b>PN10-8R-D</b>	Ring,NylonInsul,12-10AWG,#8STUD,PK500	The PN10-8R-D Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve crim	M	1000	\$	597.53
07498380030	<b>PN10-8R-L</b>	Ring,Nylon Insul,12-10AWG,#8 STUD,PK50	The PN10-8R-L Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve crim	C	100	\$	140.58
07498380070	<b>PN10-8RX-L</b>	Ring,Nylon Insul,EXP,12-10AWG,#8,PK50	Ring Terminal, 12 - 10 AWG, #8 stud size, nylon insulated, expanded insulation for large wire O.D.	C	100	\$	208.00
07498379987	<b>PN12-10HDR-2K</b>	Ring,HD,Nylon Ins,16-12AWG,#10,REEL2000	Heavy Duty Ring Terminal, nylon insulated, metal insulation grip sleeve, 16 - 12 AWG wire range, .05 stock	M	1000	\$	715.48
07498380242	<b>PN12-10HDR-D</b>	Ring,HD,Nylon Ins,16-12AWG,#10,PK500	Ring Terminal, 16-12 AWG, #10 stud size, heavy duty, nylon insulated, bulk package.	M	1000	\$	753.96
07498380290	<b>PN12-10HDR-L</b>	Ring,HD,Nylon Ins,16-12AWG,#10,PK50	Ring Terminal, 16-12 AWG, #10 stud size, heavy duty, nylon insulated, standard package.	C	100	\$	173.45
07498380243	<b>PN12-14HDR-D</b>	Ring,HD,Nylon Ins,16-12AWG,1/4",PK500	Ring Terminal, 16-12 AWG, 1/4" stud size, heavy duty, nylon insulated, bulk package.	M	1000	\$	760.85
07498380291	<b>PN12-14HDR-L</b>	Ring,HD,Nylon Ins,16-12AWG,1/4",PK50	Ring Terminal, 16-12 AWG, 1/4" stud size, heavy duty, nylon insulated, standard package.	C	100	\$	186.56
07498380293	<b>PN12-56HDR-L</b>	Ring,HD,Nylon Ins,16-12AWG,5/16",PK50	Ring Terminal, 16-12 AWG, 5/16" stud size, heavy duty, nylon insulated.	C	100	\$	191.99
07498379985	<b>PN12-6HDR-2K</b>	Ring,HD,Nylon Ins,16-12AWG,#6,REEL2000	Heavy Duty Ring Terminal, nylon insulated, metal insulation grip sleeve, 16 - 12 AWG wire range, .05 stock	M	1000	\$	715.48
07498380240	<b>PN12-6HDR-D</b>	Ring,HD,Nylon Ins,16-12AWG,#6,PK500	Ring Terminal, 16-12 AWG, #6 stud size, heavy duty, nylon insulated.	M	1000	\$	823.35
07498380241	<b>PN12-8HDR-D</b>	Ring,HD,Nylon Ins,16-12AWG,#8,PK500	Ring Terminal, 16-12 AWG, #8 stud size, heavy duty, nylon insulated, bulk package.	M	1000	\$	753.99
07498380289	<b>PN12-8HDR-L</b>	Ring,HD,Nylon Ins,16-12AWG,#8,PK50	Ring Terminal 16-12 AWG, #8 stud size, heavy duty, nylon insulated, standard package.	C	100	\$	180.13
07498380641	<b>PN14-10F-3K</b>	Fork,Nylon Ins,16-14AWG,#10,REEL3000	Fork Terminal, nylon insulated, metal insulation grip sleeve, 16 - 14 AWG wire range, #10 stud size.	M	1000	\$	443.99
07498380312	<b>PN14-10F-C</b>	Fork,Nylon Ins,18-14AWG,#10,PK100	The PN14-10F-C Pan-Term® Terminal is a nylon insulated, locking fork terminal with narrow tongue. The lock	C	100	\$	116.30
07498380313	<b>PN14-10F-M</b>	Fork,Nylon Ins,18-14AWG,#10,PK1000	Fork Terminal, nylon insulated, 16- 14 AWG, #10 stud size, bulk package.	M	1000	\$	487.24
07498380678	<b>PN14-10FF-3K</b>	Fork,Flange,Nylon,16-14AWG,#10,REEL3000	Flanged Fork Terminal, nylon insulated, metal insulation grip sleeve, 16- 14 AWG wire range, #10 stud size.	M	1000	\$	513.74
07498380610	<b>PN14-10FF-C</b>	Fork,Flange,Nylon,18-14AWG,#10,PK100	Flanged Fork Terminal, nylon insulated, 18 - 14 AWG, #10 stud size, standard package.	C	100	\$	164.29
07498380611	<b>PN14-10FF-M</b>	Fork,Flange,Nylon,18-14AWG,#10,PK1000	Flanged Fork Terminal, nylon insulated, 18 - 14 AWG, #10 stud size, bulk package.	M	1000	\$	625.79
07498380980	<b>PN14-10FN-C</b>	Fork,NYL Ins,18-14AWG,#10,NRW,PK100	Fork Terminal, nylon insulated, 18- 14 AWG, #10 stud size, narrow tongue, standard package.	C	100	\$	122.13
07498380654	<b>PN14-10LF-3K</b>	Fork,Locking,Nylon,16-14AWG,#10,REEL3000	Locking Fork Terminal, nylon insulated, metal insulation grip sleeve, 16 - 14 AWG wire range, #10 stud size.	M	1000	\$	479.50
07498380096	<b>PN14-10LF-C</b>	Fork,Locking,Nylon,18-14AWG,#10,PK100	Locking Fork Terminal, nylon insulated, 18 - 14 AWG, #10 stud size, standard package.	C	100	\$	115.21
07498380097	<b>PN14-10LF-M</b>	Fork,Locking,Nylon,18-14AWG,#10,PK1000	Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #10 stud size, bulk package.	M	1000	\$	491.94
07498380882	<b>PN14-10LFN-C</b>	Fork,Locking,Nyl,18-14AWG,#10,NRW,PK100	Locking Fork Terminal, nylon insulated, 18 - 14 AWG, #10 stud size, narrow tongue, standard package.	C	100	\$	120.98
07498380888	<b>PN14-10LFN-M</b>	Fork,Locking,Nyl,18-14AWG,#10,NRW,PK1000	The PN14-10LFN-M Pan-Term® Terminal is a nylon insulated, locking fork terminal with narrow tongue. The l	M	1000	\$	455.33
07498380627	<b>PN14-10R-3K</b>	Ring,Nylon,16-14AWG,#10 STUD,REEL3000	The PN14-10R-3K Reel Smart™ Terminal is a continuously molded, nylon insulated, ring terminal. The contin	M	1000	\$	422.86
07498380020	<b>PN14-10R-C</b>	Ring,Nylon,18-14AWG,#10 STUD,PK500	The PN14-10R-C Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve cri	C	100	\$	116.30
07498380021	<b>PN14-10R-M</b>	Ring,Nylon,18-14AWG,#10 STUD,PK1000	The PN14-10R-M Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve cri	M	1000	\$	468.58
07498380046	<b>PN14-10RX-C</b>	Ring,Nylon,EXP,16-14AWG,#10 STUD,PK500	The PN14-10RX-C Pan-Term® Terminal is a nylon insulated, ring terminal with expanded wire entry for wire	C	100	\$	154.60
07498312027	<b>PN14-12R-Q</b>	Ring,Nylon Ins,18-14AWG,1/2" STUD,PK25	Ring Terminal, 18 - 14 AWG, 1/2" stud size, nylon insulated.	C	100	\$	250.73
07498380314	<b>PN14-14F-C</b>	Fork,Nylon Ins,18-14AWG,1/4",PK100	Fork Terminal, nylon insulated, 18- 14 AWG, 1/4 stud size, standard package.	C	100	\$	134.14
07498380692	<b>PN14-14R-3K</b>	Ring,Nylon,16-14AWG,1/4" STUD,REEL3000	Ring Terminal, nylon insulated, metal sleeve, 16 - 14 AWG, 1/4" stud size.	M	1000	\$	547.01
07498380022	<b>PN14-14R-C</b>	Ring,Nylon,18-14AWG,1/4" STUD,PK100	The PN14-14R-C Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve cri	C	100	\$	127.75
07498380023	<b>PN14-14R-M</b>	Ring,Nylon,18-14AWG,1/4" STUD,PK1000	Ring Terminal, 18 - 14 AWG, 1/4" stud size, nylon insulated, bulk package.	M	1000	\$	613.66
07498312456	<b>PN14-14RX-L</b>	Ring,Nylon,EXP,16-14AWG,1/4" STUD,PK50	Ring Terminal, 16 - 14 AWG, 1/4" stud size, nylon insulated, expanded insulation for large wire O.D.	C	100	\$	171.99
07498380026	<b>PN14-38R-L</b>	Ring,Nylon,18-14AWG,3/8" STUD,PK50	Ring Terminal, 18 - 14 AWG, 3/8" stud size, nylon insulated, standard package.	C	100	\$	132.88
07498380027	<b>PN14-38R-M</b>	Ring,Nylon,18-14AWG,3/8" STUD,PK1000	Ring Terminal, 18 - 14 AWG, 3/8" stud size, nylon insulated, bulk package.	M	1000	\$	644.33
07498380014	<b>PN14-4R-C</b>	Ring,Nylon,18-14AWG,#4 STUD,PK100	Ring Terminal, 18 - 14 AWG, #4 stud size, nylon insulated, standard package.	C	100	\$	122.13

07498380015	<b>PN14-4R-M</b>	Ring,Nylon,18-14AWG,#4 STUD,PK1000	Ring Terminal, 18 – 14 AWG, #4 stud size, nylon insulated, bulk package.	M	1000	\$	501.66
07498380024	<b>PN14-56R-C</b>	Ring,Nylon,18-14AWG,5/16" STUD,PK100	Ring Terminal, 18 – 14 AWG, 5/16" stud size, nylon insulated, standard package.	C	100	\$	132.88
07498380025	<b>PN14-56R-M</b>	Ring,Nylon,18-14AWG,5/16" STUD,PK1000	Ring Terminal, 18 – 14 AWG, 5/16" stud size, nylon insulated, bulk package.	M	1000	\$	644.33
07498380639	<b>PN14-6F-3K</b>	Fork, Nylon Ins,16-14AWG,#6,REEL3000	Fork Terminal, nylon insulated, metal insulation grip sleeve, 16 - 14 AWG wire range, #6 stud size.	M	1000	\$	443.99
07498380308	<b>PN14-6F-C</b>	Fork, Nylon Ins,18-14AWG,#6,PK100	The PN14-6F-C Pan-Term® Terminal is a nylon insulated, fork terminal. The metal insulation grip sleeve crimp	C	100	\$	116.30
07498380309	<b>PN14-6F-M</b>	Fork, Nylon Ins,18-14AWG,#6,PK1000	Fork Terminal, nylon insulated, 16- 14 AWG, #6 stud size, bulk package.	M	1000	\$	487.33
07498380676	<b>PN14-6FF-3K</b>	Fork,Flange,Nylon,16-14AWG,#6,REEL3000	Flanged Fork Terminal, nylon insulated, metal insulation grip sleeve, 16- 14 AWG wire range, #6 stud size.	M	1000	\$	513.74
07498380606	<b>PN14-6FF-C</b>	Fork,Flange,Nylon,18-14AWG,#6,PK100	Flanged Fork Terminal, nylon insulated, 18 - 14 AWG, #6 stud size, standard package.	C	100	\$	164.16
07498380607	<b>PN14-6FF-M</b>	Fork,Flange,Nylon,18-14AWG,#6,PK1000	Flanged Fork Terminal, nylon insulated, 18 - 14 AWG, #6 stud size, bulk package.	M	1000	\$	663.18
07498380879	<b>PN14-6FN-C</b>	Fork,NYL Ins,18-14AWG,#6,NRW,PK100	Fork Terminal, nylon insulated, 18- 14 AWG, #6 stud size, narrow tongue, standard package.	C	100	\$	120.98
07498380885	<b>PN14-6FN-M</b>	Fork,NYL Ins,18-14AWG,#6,NRW,PK1000	Fork Terminal, nylon insulated, 16- 14 AWG, #6 stud size, narrow tongue, bulk package.	M	1000	\$	501.66
07498380651	<b>PN14-6LF-3K</b>	Fork,Locking,Nylon,16-14AWG,#6,REEL3000	Locking Fork Terminal, nylon insulated, metal insulation grip sleeve, 16 - 14 AWG wire range, #6 stud size.	M	1000	\$	479.50
07498380088	<b>PN14-6LF-C</b>	Fork,Locking,Nylon,18-14AWG,#6,PK100	Locking Fork Terminal, nylon insulated, 18 - 14 AWG, #6 stud size, standard package.	C	100	\$	115.21
07498380089	<b>PN14-6LF-M</b>	Fork,Locking,Nylon,18-14AWG,#6,PK1000	Locking Fork Terminal, nylon insulated, 16 - 14 AWG, #6 stud size, bulk package.	M	1000	\$	516.51
07498380090	<b>PN14-6LFW-C</b>	Fork,Locking,Nyl,18-14AWG,#6,Wide,PK100	Locking Fork Terminal, nylon insulated, 18 - 14 AWG, #6 stud size, wide tongue.	C	100	\$	120.98
07498380624	<b>PN14-6R-3K</b>	Ring,Nylon,16-14AWG,#6 STUD,REEL3000	Ring Terminal, nylon insulated, metal sleeve, 16 – 14 AWG, #6 stud size.	M	1000	\$	422.86
07498380016	<b>PN14-6R-C</b>	Ring,Nylon,18-14AWG,#6 STUD,PK100	The PN14-6R-C Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve crimp	C	100	\$	116.30
07498380017	<b>PN14-6R-M</b>	Ring,Nylon,18-14AWG,#6 STUD,PK1000	The PN14-6R-M Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve crimp	M	1000	\$	487.16
07498380625	<b>PN14-6RN-3K</b>	Ring,Nylon,16-14AWG,#6,NRW,REEL3000	Ring Terminal, narrow tongue, nylon insulated, metal sleeve, 16 – 14 AWG, #6 stud size.	M	1000	\$	444.01
07498380092	<b>PN14-6RN-C</b>	Ring,Nylon,18-14AWG,#6,NRW,PK100	The PN14-6RN-C Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve crimp	C	100	\$	115.21
07498380093	<b>PN14-6RN-M</b>	Ring,Nylon,18-14AWG,#6,NRW,PK1000	Ring Terminal, 18 – 14 AWG, #6 stud size, narrow tongue, nylon insulated, bulk package.	M	1000	\$	487.16
07498380042	<b>PN14-6RX-C</b>	Ring,Nylon,EXP,16-14AWG,#6 STUD,PK100	Ring Terminal, 16 – 14 AWG, #6 stud size, nylon insulated, expanded insulation for large wire O.D.	C	100	\$	157.71
07498380640	<b>PN14-8F-3K</b>	Fork, Nylon Ins,16-14AWG,#8,REEL3000	Fork Terminal, nylon insulated, metal insulation grip sleeve, 16 - 14 AWG wire range, #8 stud size.	M	1000	\$	443.99
07498380310	<b>PN14-8F-C</b>	Fork, Nylon Ins,18-14AWG,#8,PK100	The PN14-8F-C Pan-Term® Terminal is a nylon insulated, fork terminal. The metal insulation grip sleeve crimp	C	100	\$	116.30
07498380311	<b>PN14-8F-M</b>	Fork, Nylon Ins,18-14AWG,#8,PK1000	Fork Terminal, nylon insulated, 16- 14 AWG, #8 stud size, bulk package.	M	1000	\$	482.53
07498380677	<b>PN14-8FF-3K</b>	Fork,Flange,Nylon,16-14AWG,#8,REEL3000	Flanged Fork Terminal, nylon insulated, metal insulation grip sleeve, 16- 14 AWG wire range, #8 stud size.	M	1000	\$	513.74
07498380608	<b>PN14-8FF-C</b>	Fork,Flange,Nylon,16-14AWG,#8,PK100	Flanged Fork Terminal, nylon insulated, 18 - 14 AWG, #8 stud size, standard package.	C	100	\$	164.29
07498380609	<b>PN14-8FF-M</b>	Fork,Flange,Nylon,16-14AWG,#8,PK1000	Flanged Fork Terminal, nylon insulated, 18 - 14 AWG, #8 stud size, bulk package.	M	1000	\$	625.79
07498380653	<b>PN14-8LF-3K</b>	Fork,Locking,Nylon,16-14AWG,#8,REEL3000	Locking Fork Terminal, nylon insulated, metal insulation grip sleeve, 16 - 14 AWG wire range, #8 stud size.	M	1000	\$	479.50
07498380094	<b>PN14-8LF-C</b>	Fork,Locking,Nylon,18-14AWG,#8,PK100	Locking Fork Terminal, nylon insulated, 18 - 14 AWG, #8 stud size, standard package.	C	100	\$	115.25
07498380095	<b>PN14-8LF-M</b>	Fork,Locking,Nylon,18-14AWG,#8,PK1000	The PN14-8LF-M Pan-Term® Terminal is a nylon insulated, locking fork terminal. The metal insulation grip sleeve	M	1000	\$	511.40
07498380626	<b>PN14-8R-3K</b>	Ring,Nylon,16-14AWG,#8 STUD,REEL3000	Ring Terminal, nylon insulated, metal sleeve, 16 – 14 AWG, #8 stud size.	M	1000	\$	422.86
07498380018	<b>PN14-8R-C</b>	Ring,Nylon,18-14AWG,#8 STUD,PK100	The PN14-8R-C Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve crimp	C	100	\$	116.30
07498380019	<b>PN14-8R-M</b>	Ring,Nylon,18-14AWG,#8 STUD,PK1000	The PN14-8R-M Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve crimp	M	1000	\$	487.16
07498380044	<b>PN14-8RX-C</b>	Ring,Nylon,EXP,16-14AWG,#8 STUD,PK100	Ring Terminal, 16 – 14 AWG, #8 stud size, nylon insulated, expanded insulation for large wire O.D.	C	100	\$	142.98
07498380637	<b>PN18-10F-3K</b>	Fork, Nylon Ins,22-18AWG,#10,REEL3000	Fork Terminal, nylon insulated, metal insulation grip sleeve, 22 - 18 AWG wire range, #10 stud size.	M	1000	\$	443.99
07498380304	<b>PN18-10F-C</b>	Fork, Nylon Ins,22-18AWG,#10,PK100	Fork Terminal, nylon insulated, 22- 18 AWG, #10 stud size, standard package.	C	100	\$	116.34
07498380305	<b>PN18-10F-M</b>	Fork, Nylon Ins,22-18AWG,#10,PK1000	Fork Terminal, nylon insulated, 22- 18 AWG, #10 stud size, bulk package.	M	1000	\$	506.64
07498380605	<b>PN18-10FF-M</b>	Fork,Flange,Nylon,22-16AWG,#10,PK1000	Flanged Fork Terminal, nylon insulated, 22 - 16 AWG, #10 stud size, bulk package.	M	1000	\$	632.16
07498381082	<b>PN18-10FN-3K</b>	Fork,NYL Ins,22-18AWG,#10,NRW,REEL3000	Fork Terminal, nylon insulated, narrow tongue, metal insulation grip sleeve, 22- 18 AWG wire range, #10 stud	M	1000	\$	443.99
07498380878	<b>PN18-10FN-C</b>	Fork,NYL Ins,22-18AWG,#10,NRW,PK100	Fork Terminal, nylon insulated, 22- 18 AWG, #10 stud size, narrow tongue, standard package.	C	100	\$	120.98
07498380334	<b>PN18-10LF-C</b>	Fork,Locking,Nylon,22-18AWG,#10,PK100	Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #10 stud size, standard package.	C	100	\$	122.16
07498380335	<b>PN18-10LF-M</b>	Fork,Locking,Nylon,22-18AWG,#10,PK1000	Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #10 stud size, bulk package.	M	1000	\$	553.13
07498380881	<b>PN18-10LFN-C</b>	Fork,Locking,Nyl,22-18AWG,#10,NRW,PK100	Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #10 stud size, narrow tongue.	C	100	\$	122.16
07498380621	<b>PN18-10R-3K</b>	Ring,Nylon,22-18AWG,#10 STUD,REEL3000	The PN18-10R-3K Reel Smart™ Terminal is a continuously molded, nylon insulated, ring terminal. The contin	M	1000	\$	422.86
07498380006	<b>PN18-10R-C</b>	Ring,Nylon,22-18AWG,#10 STUD,PK100	The PN18-10R-C Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve crimp	C	100	\$	116.34
07498380007	<b>PN18-10R-M</b>	Ring,Nylon,22-18AWG,#10 STUD,PK1000	Ring Terminal, 22 – 18 AWG, #10stud size, nylon insulated, bulk package.	M	1000	\$	487.16
07498312461	<b>PN18-12R-L</b>	Ring,Nylon,22-18AWG,1/2" STUD,PK50	Ring Terminal, 22 – 18 AWG, 1/2" stud size, nylon insulated.	C	100	\$	225.26
07498380306	<b>PN18-14F-C</b>	Fork, Nylon Ins,22-18AWG,1/4",PK100	Fork Terminal, nylon insulated, 22- 18 AWG, 1/4 stud size, standard package.	C	100	\$	126.75
07498380696	<b>PN18-14R-3K</b>	Ring,Nylon,22-18AWG,1/4" STUD,REEL3000	Ring Terminal, nylon insulated, metal sleeve, 22 – 18 AWG, 1/4" stud size.	M	1000	\$	547.01
07498380008	<b>PN18-14R-C</b>	Ring,Nylon,22-18AWG,1/4" STUD,PK100	Ring Terminal, 22 – 18 AWG, 1/4" stud size, nylon insulated, standard package.	C	100	\$	120.70
07498380009	<b>PN18-14R-M</b>	Ring,Nylon,22-18AWG,1/4" STUD,PK1000	Ring Terminal, 22 – 18 AWG, 1/4" stud size, nylon insulated, bulk package.	M	1000	\$	556.86
07498380012	<b>PN18-38R-C</b>	Ring,Nylon,22-18AWG,3/8" STUD,PK100	Ring Terminal, 22 – 18 AWG, 3/8" stud size, nylon insulated, standard package.	C	100	\$	129.11
07498380013	<b>PN18-38R-M</b>	Ring,Nylon,22-18AWG,3/8" STUD,PK1000	Ring Terminal, 22 – 18 AWG, 3/8" stud size, nylon insulated, bulk package.	M	1000	\$	607.69
07498380617	<b>PN18-4R-3K</b>	Ring,Nylon,22-18AWG,#4 STUD,REEL3000	Ring Terminal, nylon insulated, metal sleeve, 22 – 18 AWG, #4 stud size.	M	1000	\$	444.01
07498380000	<b>PN18-4R-C</b>	Ring,Nylon,22-18AWG,#4 STUD,PK100	Ring Terminal, 22 – 18 AWG, #4 stud size, nylon insulated, standard package.	C	100	\$	124.59
07498380001	<b>PN18-4R-M</b>	Ring,Nylon,22-18AWG,#4 STUD,PK1000	Ring Terminal, 22 – 18 AWG, #4 stud size, nylon insulated, bulk package.	M	1000	\$	511.50
07498380326	<b>PN18-4RN-C</b>	Ring,Nylon,22-18AWG,#4 STUD,NRW,PK100	Ring Terminal, 22 – 18 AWG, #4 stud size, narrow tongue, nylon insulated, standard package.	C	100	\$	124.59
07498380327	<b>PN18-4RN-M</b>	Ring,Nylon,22-18AWG,#4 STUD,NRW,PK1000	Ring Terminal, 22 – 18 AWG, #4 stud size, narrow tongue, nylon insulated, bulk package.	M	1000	\$	511.50
07498380010	<b>PN18-56R-C</b>	Ring,Nylon,22-18AWG,5/16" STUD,PK100	Ring Terminal, 22 – 18 AWG, 5/16" stud size, nylon insulated, standard package.	C	100	\$	129.11
07498380011	<b>PN18-56R-M</b>	Ring,Nylon,22-18AWG,5/16" STUD,PK1000	Ring Terminal, 22 – 18 AWG, 5/16" stud size, nylon insulated, bulk package.	M	1000	\$	613.83
07498380635	<b>PN18-6F-3K</b>	Fork, Nylon Ins,22-18AWG,#6,REEL3000	Fork Terminal, nylon insulated, metal insulation grip sleeve, 22 - 18 AWG wire range, #6 stud size.	M	1000	\$	443.99
07498380300	<b>PN18-6F-C</b>	Fork, Nylon Ins,22-18AWG,#6 STUD,PK100	Fork Terminal, nylon insulated, 22- 18 AWG, #6 stud size, standard package.	C	100	\$	116.30
07498380301	<b>PN18-6F-M</b>	Fork, Nylon Ins,22-18AWG,#6 STUD,PK1000	Fork Terminal, nylon insulated, 22- 18 AWG, #6 stud size, bulk package.	M	1000	\$	487.33
07498380673	<b>PN18-6FF-3K</b>	Fork,Flange,Nylon,22-18AWG,#6,REEL3000	Flanged Fork Terminal, nylon insulated, metal insulation grip sleeve, 22 - 18 AWG wire range, #6 stud size.	M	1000	\$	489.25
07498380600	<b>PN18-6FF-C</b>	Fork,Flange,Nylon,22-16AWG,#6,PK100	Flanged Fork Terminal, nylon insulated, 22 - 16 AWG, #6 stud size, standard package.	C	100	\$	155.65
07498380601	<b>PN18-6FF-M</b>	Fork,Flange,Nylon,22-16AWG,#6,PK1000	Flanged Fork Terminal, nylon insulated, 22 - 16 AWG, #6 stud size, bulk package.	M	1000	\$	608.00
07498381081	<b>PN18-6FN-3K</b>	Fork,NYL Ins,22-18AWG,#6,NRW,REEL3000	Fork Terminal, nylon insulated, narrow tongue, metal insulation grip sleeve, 22- 18 AWG wire range, #6 stud	M	1000	\$	443.99
07498380877	<b>PN18-6FN-C</b>	Fork,NYL Ins,22-18AWG,#6,NRW,PK100	Fork Terminal, nylon insulated, 22- 18 AWG, #6 stud size, narrow tongue, standard package.	C	100	\$	116.30
07498380883	<b>PN18-6FN-M</b>	Fork,NYL Ins,22-18AWG,#6,NRW,PK1000	Fork Terminal, nylon insulated, 22- 18 AWG, #6 stud size, narrow tongue, bulk package.	M	1000	\$	487.33
07498380647	<b>PN18-6LF-3K</b>	Fork,Locking,Nylon,22-18AWG,#6,REEL3000	Fork Terminal, nylon insulated, metal insulation grip sleeve, 22 - 18 AWG wire range, #6 stud size.	M	1000	\$	456.66
07498380330	<b>PN18-6LF-C</b>	Fork,Locking,Nylon,22-18AWG,#6,PK100	Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #6 stud size, standard package.	C	100	\$	125.85
07498380331	<b>PN18-6LF-M</b>	Fork,Locking,Nylon,22-18AWG,#6,PK1000	Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #6 stud size, bulk package.	M	1000	\$	511.40
07498380018	<b>PN18-6R-3K</b>	Ring,Nylon,22-18AWG,#6 STUD,REEL3000	Ring Terminal, nylon insulated, metal sleeve, 22 – 18 AWG, #6 stud size.	M	1000	\$	422.86
07498380062	<b>PN18-6R-C</b>	Ring,Nylon,22-18AWG,#6 STUD,PK100	The PN18-6R-C Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve crimp	C	100	\$	116.36
07498380003	<b>PN18-6R-M</b>	Ring,Nylon,22-18AWG,#6 STUD,PK1000	Ring Terminal, 22 – 18 AWG, #6 stud size, nylon insulated, bulk package.	M	1000	\$	487.35
07498380619	<b>PN18-6RN-3K</b>	Ring,Nylon,22-18AWG,#6 STUD,NRW,REEL3000	Ring Terminal, narrow tongue, nylon insulated, metal sleeve, 22 – 18 AWG, #6 stud size.	M	1000	\$	444.01

07498380328	<b>PN18-6RN-C</b>	Ring,Nylon,22-18AWG,#6 STU,NRW,PK100	Ring Terminal, 22 – 18 AWG, #6 stud size, narrow tongue, nylon insulated, standard package.	C	100	\$	116.36
07498382353	<b>PN18-6RN-M</b>	Ring,Nylon,22-18AWG,#6 STU,NRW,PK1000	Ring Terminal, 22 – 18 AWG, #6 stud size, narrow tongue, nylon insulated, bulk package.	M	1000	\$	487.35
07498380636	<b>PN18-8F-3K</b>	Fork, Nylon Ins,22-18AWG,#8,REEL3000	Fork Terminal, nylon insulated, metal insulation grip sleeve, 22 - 18 AWG wire range, #8 stud size.	M	1000	\$	443.99
07498380302	<b>PN18-8F-C</b>	Fork, Nylon Ins,22-18AWG,#8 STU,PK100	The PN18-8F-C Pan-Term® Terminal is a nylon insulated, fork terminal. The metal insulation grip sleeve crim	C	100	\$	116.36
07498380303	<b>PN18-8F-M</b>	Fork, Nylon Ins,22-18AWG,#8 STU,PK1000	Fork Terminal, nylon insulated, 22- 18 AWG, #8 stud size, bulk package.	M	1000	\$	487.33
07498380674	<b>PN18-8FF-3K</b>	Fork, Flange,Nylon,22-18AWG,#8,REEL3000	Flanged Fork Terminal, nylon insulated, metal insulation grip sleeve, 22 - 18 AWG wire range, #8 stud size.	M	1000	\$	513.74
07498380602	<b>PN18-8FF-C</b>	Fork, Flange,Nylon,22-18AWG,#8,PK100	Flanged Fork Terminal, nylon insulated, 22 - 16 AWG, #8 stud size, standard package.	C	100	\$	155.65
07498380603	<b>PN18-8FF-M</b>	Fork, Flange,Nylon,22-18AWG,#8,PK1000	Flanged Fork Terminal, nylon insulated, 22 - 16 AWG, #8 stud size, bulk package.	M	1000	\$	626.28
07498380649	<b>PN18-8LF-3K</b>	Fork,Locking,Nylon,22-18AWG,#8,REEL3000	Locking Fork Terminal, nylon insulated, metal insulation grip sleeve, 22 - 18 AWG wire range, #8 stud size.	M	1000	\$	479.50
07498380332	<b>PN18-8LF-C</b>	Fork,Locking,Nylon,22-18AWG,#8,PK100	Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #8 stud size, standard package.	C	100	\$	119.86
07498380333	<b>PN18-8LF-M</b>	Fork,Locking,Nylon,22-18AWG,#8,PK1000	Locking Fork Terminal, nylon insulated, 22 - 18 AWG, #8 stud size, bulk package.	M	1000	\$	536.96
07498380620	<b>PN18-8R-3K</b>	Ring,Nylon,22-18AWG,#8 STU,REEL3000	Ring Terminal, nylon insulated, metal sleeve, 22 – 18 AWG, #8 stud size.	M	1000	\$	422.86
07498380004	<b>PN18-8R-C</b>	Ring,Nylon,22-18AWG,#8 STU,PK100	The PN18-8R-C Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve crim	C	100	\$	116.36
07498380005	<b>PN18-8R-M</b>	Ring,Nylon,22-18AWG,#8 STU,PK1000	The PN18-8R-M Pan-Term® Terminal is a nylon insulated, ring terminal. The metal insulation grip sleeve crim	M	1000	\$	487.35
07498389034	<b>PN22-6F-C</b>	Fork,Nylon Ins,26-22AWG,#6 STU,PK100	Fork Terminal, nylon insulated, 26 - 22 AWG, #6 stud size, standard package.	C	100	\$	126.94
07498389035	<b>PN22-6F-M</b>	Fork,Nylon Ins,26-22AWG,#6 STU,PK1000	Fork Terminal, nylon insulated, 26- 22 AWG, #6 stud size, bulk package.	M	1000	\$	723.68
07498380338	<b>PN22-6R-C</b>	Ring,Nylon Ins,26-22AWG,#6 STU,PK100	Ring Terminal, 26 – 22 AWG, #6 stud size, nylon insulated, standard package.	C	100	\$	128.11
07498382356	<b>PN22-6R-M</b>	Ring,Nylon Ins,26-22AWG,#6 STU,PK1000	Ring Terminal, 26 – 22 AWG, #6 stud size, nylon insulated, bulk package.	M	1000	\$	730.56
07498351356	<b>PNF10-10F-L</b>	Fork,Fnl,NYL Ins,12-10AWG,#10,PK50	Fork Terminal, nylon insulated, funnel entry, 12- 10 AWG, #10 stud size, standard package.	C	100	\$	173.74
07498381192	<b>PNF10-10FF-2K</b>	Fork, Flange,Fnl,NYL,12-10AWG,#10,REEL2000	Flanged Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 12 - 10 AWG wire range, #1	M	1000	\$	774.69
07498381184	<b>PNF10-10LF-2K</b>	Fork,Lock,Fnl,NYL,12-10AWG,#10,REEL2000	Locking Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 12 - 10 AWG wire range, #1	M	1000	\$	774.69
07498381025	<b>PNF10-10LF-D</b>	Fork,Locking,Fnl,NYL,12-10AWG,#10,PK500	Locking Fork Terminal, nylon insulated, funnel entry, 12-10 AWG, #10 stud size, bulk package.	M	1000	\$	865.56
07498351368	<b>PNF10-10LF-L</b>	Fork,Locking,Fnl,NYL,12-10AWG,#10,PK50	Locking Fork Terminal, nylon insulated, funnel entry, 12-10 AWG, #10 stud size, standard package.	C	100	\$	173.99
07498381174	<b>PNF10-10R-2K</b>	Ring,Funnel,NYL,12-10AWG,#10,REEL2000	The PNF10-10R-2K Reel Smart™ Terminal is a continuously molded, nylon insulated, ring terminal with funne	M	1000	\$	703.74
07498381026	<b>PNF10-10R-D</b>	Ring,Funnel,NYL,12-10AWG,#10,PK500	The PNF10-10R-D Pan-Term® Terminal is a nylon insulated, ring terminal with funnel entry. The metal insulat	M	1000	\$	749.85
07498351333	<b>PNF10-10R-L</b>	Ring,Funnel,Nylon,12-10AWG,#10,PK50	Ring Terminal, 12 – 10 AWG, #10 stud size, funnel entry, nylon insulated, standard package.	C	100	\$	165.48
07498351357	<b>PNF10-14F-L</b>	Fork,Fnl,NYL Ins,12-10AWG,1/4",PK50	Fork Terminal, nylon insulated, funnel entry, 12- 10 AWG, 1/4 stud size.	C	100	\$	173.74
07498381175	<b>PNF10-14R-2K</b>	Ring,Funnel,NYL,12-10AWG,1/4",REEL2000	The PNF10-14R-2K Reel Smart™ Terminal is a continuously molded, nylon insulated, ring terminal with funne	M	1000	\$	773.31
07498381030	<b>PNF10-14R-D</b>	Ring,Funnel,NYL,12-10AWG,1/4",PK500	Ring Terminal, 12 – 10 AWG, 1/4" stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	823.90
07498351334	<b>PNF10-14R-L</b>	Ring,Funnel,NYL,12-10AWG,1/4",PK50	Ring Terminal, 12 – 10 AWG, 1/4" stud size, funnel entry, nylon insulated, standard package.	C	100	\$	165.48
07498381177	<b>PNF10-38R-2K</b>	Ring,Funnel,NYL,12-10AWG,3/8",REEL2000	Ring Terminal, nylon insulated, funnel entry, metal sleeve, 12 – 10 AWG, 3/8" stud size.	M	1000	\$	811.98
07498381033	<b>PNF10-38R-D</b>	Ring,Funnel,NYL,12-10AWG,3/8",PK500	Ring Terminal, 12 – 10 AWG, 3/8" stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	934.33
07498351336	<b>PNF10-38R-L</b>	Ring,Funnel,NYL,12-10AWG,3/8",PK50	Ring Terminal, 12 – 10 AWG, 3/8" stud size, funnel entry, nylon insulated, standard package.	C	100	\$	173.74
07498381176	<b>PNF10-56R-2K</b>	Ring,Funnel,NYL,12-10AWG,5/16",REEL2000	Ring Terminal, nylon insulated, funnel entry, metal sleeve, 12 – 10 AWG, 5/16" stud size.	M	1000	\$	811.98
07498381032	<b>PNF10-56R-D</b>	Ring,Funnel,NYL,12-10AWG,5/16",PK500	Ring Terminal, 12 – 10 AWG, 5/16" stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	865.10
07498351335	<b>PNF10-56R-L</b>	Ring,Funnel,NYL,12-10AWG,5/16",PK50	Ring Terminal, 12 – 10 AWG, 5/16" stud size, funnel entry, nylon insulated, standard package.	C	100	\$	173.74
07498381178	<b>PNF10-6F-2K</b>	Fork,Fnl,NYL Ins,12-10AWG,#6,REEL2000	Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 12 - 10 AWG wire range, #6 stud siz	M	1000	\$	738.91
07498351354	<b>PNF10-6F-L</b>	Fork,Fnl,NYL Ins,12-10AWG,#6,PK50	Fork Terminal, nylon insulated, funnel entry, 12- 10 AWG, #6 stud size, standard package.	C	100	\$	173.74
07498381182	<b>PNF10-6LF-2K</b>	Fork,Lock,Fnl,NYL,12-10AWG,#6,REEL2000	Locking Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 12 - 10 AWG wire range, #	M	1000	\$	774.69
07498381017	<b>PNF10-6LF-D</b>	Fork,Locking,Fnl,NYL,12-10AWG,#6,PK500	Locking Fork Terminal, nylon insulated, funnel entry, 12-10 AWG, #6 stud size, bulk package.	M	1000	\$	801.44
07498381172	<b>PNF10-6R-2K</b>	Ring,Funnel,NYL,12-10AWG,#6,REEL2000	Ring Terminal, nylon insulated, funnel entry, metal sleeve, 12 – 10 AWG, #6 stud size.	M	1000	\$	738.91
07498381018	<b>PNF10-6R-D</b>	Ring,Funnel,NYL,12-10AWG,#6,PK500	Ring Terminal, 12 – 10 AWG, #6 stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	787.34
07498351331	<b>PNF10-6R-L</b>	Ring,Funnel,Nylon,12-10AWG,#6,PK50	Ring Terminal, 12 – 10 AWG, #6 stud size, funnel entry, nylon insulated, standard package.	C	100	\$	173.74
07498381179	<b>PNF10-8F-2K</b>	Fork,Fnl,NYL Ins,12-10AWG,#8,REEL2000	Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 12 - 10 AWG wire range, #8 stud siz	M	1000	\$	703.74
07498381020	<b>PNF10-8F-D</b>	Fork,Fnl,NYL Ins,12-10AWG,#8,PK500	Fork Terminal, nylon insulated, funnel entry, 12- 10 AWG, #8 stud size, bulk package.	M	1000	\$	787.30
07498351355	<b>PNF10-8F-L</b>	Fork,Fnl,NYL Ins,12-10AWG,#8,PK50	Fork Terminal, nylon insulated, funnel entry, 12- 10 AWG, #8 stud size, standard package.	C	100	\$	173.74
07498381191	<b>PNF10-8FF-2K</b>	Fork, Flange,Fnl,NYL,12-10AWG,#8,REEL2000	Flanged Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 12 - 10 AWG wire range, #8	M	1000	\$	774.69
07498381183	<b>PNF10-8LF-2K</b>	Fork,Lock,Fnl,NYL,12-10AWG,#8,REEL2000	Locking Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 12 - 10 AWG wire range, #8	M	1000	\$	774.69
07498381021	<b>PNF10-8LF-D</b>	Fork,Locking,Fnl,NYL,12-10AWG,#8,PK500	Locking Fork Terminal, nylon insulated, funnel entry, 12-10 AWG, #8 stud size, bulk package.	M	1000	\$	763.25
07498351367	<b>PNF10-8LF-L</b>	Fork,Locking,Fnl,NYL,12-10AWG,#8,PK50	Locking Fork Terminal, nylon insulated, funnel entry, 12-10 AWG, #8 stud size, standard package.	C	100	\$	180.34
07498381173	<b>PNF10-8R-2K</b>	Ring,Funnel,NYL,12-10AWG,#8,REEL2000	Ring Terminal, nylon insulated, funnel entry, metal sleeve, 12 – 10 AWG, #8 stud size.	M	1000	\$	703.74
07498381022	<b>PNF10-8R-D</b>	Ring,Funnel,NYL,12-10AWG,#8,PK500	Ring Terminal, 12 – 10 AWG, #8 stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	749.85
07498351332	<b>PNF10-8R-L</b>	Ring,Funnel,Nylon,12-10AWG,#8,PK50	Ring Terminal, 12 – 10 AWG, #8 stud size, funnel entry, nylon insulated, standard package.	C	100	\$	173.74
07498381158	<b>PNF14-10F-3K</b>	Fork,Fnl,NYL Ins,16-14AWG,#10,REEL3000	Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 16 - 14 AWG wire range, #10 stud s	M	1000	\$	510.59
07498351352	<b>PNF14-10F-C</b>	Fork,Fnl,NYL Ins,16-14AWG,#10,PK100	Fork Terminal, nylon insulated, funnel entry, 16- 14 AWG, #10 stud size, standard package.	C	100	\$	140.98
07498381171	<b>PNF14-10FF-3K</b>	Fork, Flange,Fnl,NYL,16-14AWG,#10,REEL3000	Flanged Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 16 - 14 AWG wire range, #1	M	1000	\$	510.59
07498381163	<b>PNF14-10LF-3K</b>	Fork,Lock,Fnl,NYL,16-14AWG,#10,REEL3000	Locking Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 16 - 14 AWG wire range, #1	M	1000	\$	551.39
07498351365	<b>PNF14-10LF-C</b>	Fork,Locking,Fnl,NYL,18-14AWG,#10,PK100	Locking Fork Terminal, nylon insulated, funnel entry, 18-14 AWG, #10 stud size, standard package.	C	100	\$	149.46
07498381047	<b>PNF14-10LF-M</b>	Fork,Locking,Fnl,NYL,18-14AWG,#10,PK1000	Locking Fork Terminal, nylon insulated, funnel entry, 18-14 AWG, #10 stud size, bulk package.	M	1000	\$	620.68
07498381154	<b>PNF14-10R-3K</b>	Ring,Funnel,Nylon,16-14AWG,#10,REEL3000	The PNF14-10R-3K Reel Smart™ Terminal is a continuously molded, nylon insulated, ring terminal with funne	M	1000	\$	486.24
07498351327	<b>PNF14-10R-C</b>	Ring,Funnel,Nylon,16-14AWG,#10,PK100	Ring Terminal 16 – 14 AWG, #10 stud size, funnel entry, nylon insulated, standard package.	C	100	\$	134.25
07498381048	<b>PNF14-10R-M</b>	Ring,Funnel,Nylon,16-14AWG,#10,PK1000	The PNF14-10R-M Pan-Term® Terminal is a nylon insulated, ring terminal with funnel entry. The metal insula	M	1000	\$	558.28
07498351353	<b>PNF14-14F-C</b>	Fork,Fnl,NYL Ins,16-14AWG,1/4",PK100	Fork Terminal, nylon insulated, funnel entry, 16- 14 AWG, 1/4 stud size, standard package.	C	100	\$	152.26
07498380720	<b>PNF14-14R-3K</b>	Ring,Funnel,Nylon,16-14AWG,1/4",REEL3000	The PNF14-14R-3K Reel Smart™ Terminal is a continuously molded, nylon insulated, ring terminal with funne	M	1000	\$	599.03
07498351328	<b>PNF14-14R-C</b>	Ring,Funnel,Nylon,16-14AWG,1/4",PK100	Ring Terminal, 16 – 14 AWG, 1/4" stud size, funnel entry, nylon insulated, standard package.	C	100	\$	143.58
07498381051	<b>PNF14-14R-M</b>	Ring,Funnel,Nylon,16-14AWG,1/4",PK1000	Ring Terminal, 16 – 14 AWG, 1/4" stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	694.48
07498352349	<b>PNF14-38R-L</b>	Ring,Funnel,Nylon,16-14AWG,3/8",PK50	Ring Terminal, 16 – 14 AWG, 3/8" stud size, funnel entry, nylon insulated, standard package.	C	100	\$	150.76
07498381054	<b>PNF14-38R-M</b>	Ring,Funnel,Nylon,16-14AWG,3/8",PK1000	Ring Terminal, 16 – 14 AWG, 3/8" stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	779.73
07498381150	<b>PNF14-4R-3K</b>	Ring,Funnel,Nylon,16-14AWG,#4,REEL3000	Ring Terminal, nylon insulated, funnel entry, metal sleeve, 16 – 14 AWG, #4 stud size.	M	1000	\$	510.56
07498381034	<b>PNF14-4R-M</b>	Ring,Funnel,Nylon,16-14AWG,#4,PK1000	Ring Terminal, 16 – 14 AWG, #4 stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	632.99
07498381053	<b>PNF14-56R-M</b>	Ring,Funnel,Nylon,16-14AWG,5/16",PK1000	Ring Terminal, 16 – 14 AWG, 5/16" stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	779.73
07498381156	<b>PNF14-6F-3K</b>	Fork,Fnl,NYL Ins,16-14AWG,#6,REEL3000	Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 16 - 14 AWG wire range, #6 stud siz	M	1000	\$	510.59
07498351350	<b>PNF14-6F-C</b>	Fork,Fnl,NYL Ins,16-14AWG,#6,PK100	Fork Terminal, nylon insulated, funnel entry, 16- 14 AWG, #6 stud size, standard package.	C	100	\$	140.98
07498381036	<b>PNF14-6F-M</b>	Fork,Fnl,NYL Ins,16-14AWG,#6,PK1000	Fork Terminal, nylon insulated, funnel entry, 16- 14 AWG, #6 stud size, bulk package.	M	1000	\$	586.15
07498381169	<b>PNF14-6FF-3K</b>	Fork, Flange,Fnl,NYL,16-14AWG,#6,REEL3000	Flanged Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 16 - 14 AWG wire range, #6	M	1000	\$	510.59
07498381095	<b>PNF14-6FN-3K</b>	Fork,Fnl,NYL Ins,16-14AWG,#6,NRW,REEL3000	Fork Terminal, nylon insulated, narrow tongue, funnel entry, metal insulation grip sleeve, 16- 14 AWG wire ran	M	1000	\$	510.59
07498381160	<b>PNF14-6LF-3K</b>	Fork,Lock,Fnl,NYL,16-14AWG,#6,REEL3000	Locking Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 16 - 14 AWG wire range, #6	M	1000	\$	525.15

07498351362	<b>PNF14-6LF-C</b>	Fork,Locking,Fnl,NYL,18-14AWG,#6,PK100	Locking Fork Terminal, nylon insulated, funnel entry, 18-14 AWG, #6 stud size, standard package.	C	100	\$	149.46
07498381037	<b>PNF14-6LF-M</b>	Fork,Locking,Fnl,NYL,18-14AWG,#6,PK1000	The PNF14-6LF-M Pan-Term® Terminal is a nylon insulated, locking fork terminal. The metal insulation grip s	M	1000	\$	591.11
07498381151	<b>PNF14-6R-3K</b>	Ring,Funnel,Nylon,16-14AWG,#6,REEL3000	Ring Terminal, nylon insulated, funnel entry, metal sleeve, 16 - 14 AWG, #6 stud size.	M	1000	\$	486.24
07498351325	<b>PNF14-6R-C</b>	Ring,Funnel,Nylon,16-14AWG,#6,PK100	Ring Terminal, 16 - 14 AWG, #6 stud size, funnel entry, nylon insulated, standard package.	C	100	\$	140.98
07498381039	<b>PNF14-6R-M</b>	Ring,Funnel,Nylon,16-14AWG,#6,PK1000	Ring Terminal, 16 - 14 AWG, #6 stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	558.28
07498381152	<b>PNF14-6RN-3K</b>	Ring,Funnel,NYL,16-14AWG,#6,NRW,REEL3000	Ring Terminal, narrow tongue, nylon insulated, funnel entry, metal sleeve, 16 - 14 AWG, #6 stud size.	C	1000	\$	510.56
07498351324	<b>PNF14-6RN-C</b>	Ring,Funnel,Nylon,16-14AWG,#6,NRW,PK100	Ring Terminal, 16 - 14 AWG, #6 stud size, narrow tongue, funnel entry, nylon insulated, standard package.	M	1000	\$	140.98
07498381040	<b>PNF14-6RN-M</b>	Ring,Funnel,Nylon,16-14AWG,#6,NRW,PK1000	Ring Terminal, 16 - 14 AWG, #6 stud size, narrow tongue, funnel entry, nylon insulated, bulk package.	M	1000	\$	558.28
07498381157	<b>PNF14-8F-3K</b>	Fork,Fnl,NYL Ins,16-14AWG,#8,REEL3000	Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 16 - 14 AWG wire range, #8 stud siz	M	1000	\$	510.59
07498351351	<b>PNF14-8F-C</b>	Fork,Fnl,NYL Ins,16-14AWG,#8,PK100	Fork Terminal, nylon insulated, funnel entry, 16- 14 AWG, #8 stud size, standard package.	C	100	\$	134.25
07498381042	<b>PNF14-8F-M</b>	Fork,Fnl,NYL Ins,16-14AWG,#8,PK1000	Fork Terminal, nylon insulated, funnel entry, 16- 14 AWG, #8 stud size, bulk package.	M	1000	\$	586.15
07498381170	<b>PNF14-8FF-3K</b>	Fork,Flange,Fnl,NYL,16-14AWG,#8,REEL3000	Flanged Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 16 - 14 AWG wire range, #8	M	1000	\$	510.59
07498381162	<b>PNF14-8LF-3K</b>	Fork,Lock,Fnl,NYL,16-14AWG,#8,REEL3000	The PNF14-8LF-3K Reel Smart™ Terminal is a continuously molded, nylon insulated, locking fork terminal wi	M	1000	\$	525.15
07498351364	<b>PNF14-8LF-C</b>	Fork,Locking,Fnl,NYL,18-14AWG,#8,PK100	Locking Fork Terminal, nylon insulated, funnel entry, 18-14 AWG, #8 stud size, standard package.	C	100	\$	149.46
07498381043	<b>PNF14-8LF-M</b>	Fork,Locking,Fnl,NYL,18-14AWG,#8,PK1000	The PNF14-8LF-M Pan-Term® Terminal is a nylon insulated, locking fork terminal. The metal insulation grip s	M	1000	\$	591.11
07498381153	<b>PNF14-8R-3K</b>	Ring,Funnel,Nylon,16-14AWG,#8,REEL3000	The PNF14-8R-3K Reel Smart™ Terminal is a continuously molded, nylon insulated, ring terminal with funnel	M	1000	\$	486.24
07498351326	<b>PNF14-8R-C</b>	Ring,Funnel,Nylon,16-14AWG,#8,PK100	Ring Terminal, 16 - 14 AWG, #8 stud size, funnel entry, nylon insulated, standard package.	C	100	\$	134.25
07498381044	<b>PNF14-8R-M</b>	Ring,Funnel,Nylon,16-14AWG,#8,PK1000	Ring Terminal, 16 - 14 AWG, #8 stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	558.28
07498381137	<b>PNF18-10F-3K</b>	Fork,Fnl,NYL Ins,22-18AWG,#10,REEL3000	Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 22 - 18 AWG wire range, #10 stud s	M	1000	\$	510.59
07498351348	<b>PNF18-10F-C</b>	Fork,Funnel,Nylon,22-18AWG,#10,PK100	Fork Terminal, nylon insulated, funnel entry, 22- 18 AWG, #10 stud size, standard package.	C	100	\$	140.98
07498381142	<b>PNF18-10LF-3K</b>	Fork,Lock,Fnl,NYL,22-18AWG,#10,REEL3000	Locking Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 22 - 18 AWG wire range, #1	M	1000	\$	551.39
07498351361	<b>PNF18-10LF-C</b>	Fork,Locking,Fnl,NYL,22-18AWG,#10,PK100	Locking Fork Terminal, nylon insulated, funnel entry, 22-18 AWG, #10 stud size, standard package.	C	100	\$	149.46
07498381068	<b>PNF18-10LF-M</b>	Fork,Locking,Fnl,NYL,22-18AWG,#10,PK1000	Locking Fork Terminal, nylon insulated, funnel entry, 22-18 AWG, #10 stud size, bulk package.	M	1000	\$	639.89
07498381133	<b>PNF18-10R-3K</b>	Ring,Funnel,Nylon,22-18AWG,#10,REEL3000	The PNF18-10R-3K Reel Smart™ Terminal is a continuously molded, nylon insulated, ring terminal with funne	M	1000	\$	486.24
07498351319	<b>PNF18-10R-C</b>	Ring,Funnel,Nylon,22-18AWG,#10,PK100	Ring Terminal, 22 - 18 AWG, #10 stud size, funnel entry, nylon insulated, standard package.	C	100	\$	140.98
07498381069	<b>PNF18-10R-M</b>	Ring,Funnel,Nylon,22-18AWG,#10,PK1000	Ring Terminal, 22 - 18 AWG, #10 stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	558.28
07498351349	<b>PNF18-14F-C</b>	Fork,Fnl,NYL Ins,22-18AWG,1/4",PK100	Fork Terminal, nylon insulated, funnel entry, 22- 18 AWG, 1/4 stud size.	C	100	\$	150.76
07498380721	<b>PNF18-14R-3K</b>	Ring,Funnel,Nylon,22-18AWG,1/4",REEL3000	Ring Terminal, nylon insulated, funnel entry, metal sleeve, 22 - 18 AWG, 1/4" stud size.	M	1000	\$	590.03
07498351320	<b>PNF18-14R-C</b>	Ring,Funnel,Nylon,22-18AWG,1/4",PK100	Ring Terminal, 22 - 18 AWG, 1/4" stud size, funnel entry, nylon insulated, standard package.	C	100	\$	152.26
07498381072	<b>PNF18-14R-M</b>	Ring,Funnel,Nylon,22-18AWG,1/4",PK1000	Ring Terminal, 22 - 18 AWG, 1/4" stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	721.99
07498381074	<b>PNF18-38R-M</b>	Ring,Funnel,Nylon,22-18AWG,3/8",PK1000	Ring Terminal, 22 - 18 AWG, 3/8" stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	729.16
07498381055	<b>PNF18-4R-M</b>	Ring,Funnel,Nylon,22-18AWG,#4,PK1000	Ring Terminal, 22 - 18 AWG, #4 stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	586.19
07498381073	<b>PNF18-56R-M</b>	Ring,Funnel,Nylon,22-18AWG,5/16",PK1000	Ring Terminal, 22 - 18 AWG, 5/16" stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	735.64
07498381135	<b>PNF18-6F-3K</b>	Fork,Fnl,NYL Ins,22-18AWG,#6,REEL3000	Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 22 - 18 AWG wire range, #6 stud siz	M	1000	\$	486.26
07498351346	<b>PNF18-6F-C</b>	Fork,Fnl,NYL Ins,22-18AWG,#6,PK100	Fork Terminal, nylon insulated, funnel entry, 22- 18 AWG, #6 stud size, standard package.	C	100	\$	140.98
07498381057	<b>PNF18-6F-M</b>	Fork,Fnl,NYL Ins,22-18AWG,#6,PK1000	Fork Terminal, nylon insulated, funnel entry, 22- 18 AWG, #6 stud size, bulk package.	M	1000	\$	586.15
07498381075	<b>PNF18-6FN-3K</b>	Fork,Fnl,NYLins,22-18AWG,#6,NRW,REEL3000	Fork Terminal, nylon insulated, narrow tongue, funnel entry, metal insulation grip sleeve, 22- 18 AWG wire ran	M	1000	\$	510.59
07498381139	<b>PNF18-6LF-3K</b>	Fork,Lock,Fnl,NYL,22-18AWG,#6,REEL3000	Locking Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 22 - 18 AWG wire range, #6	M	1000	\$	525.15
07498351358	<b>PNF18-6LF-C</b>	Fork,Locking,Fnl,NYL,22-18AWG,#6,PK100	Locking Fork Terminal, nylon insulated, funnel entry, 22-18 AWG, #6 stud size, standard package.	C	100	\$	149.46
07498381058	<b>PNF18-6LF-M</b>	Fork,Locking,Fnl,NYL,22-18AWG,#6,PK1000	Locking Fork Terminal, nylon insulated, funnel entry, 22-18 AWG, #6 stud size, bulk package.	M	1000	\$	620.68
07498381130	<b>PNF18-6R-3K</b>	Ring,Funnel,Nylon,22-18AWG,#6,REEL3000	Ring Terminal, nylon insulated, funnel entry, metal sleeve, 22 - 18 AWG, #6 stud size.	M	1000	\$	486.24
07498351317	<b>PNF18-6R-C</b>	Ring,Funnel,Nylon,22-18AWG,#6,PK100	Ring Terminal, 22 - 18 AWG, #6 stud size, funnel entry, nylon insulated, standard package.	C	100	\$	140.98
07498381060	<b>PNF18-6R-M</b>	Ring,Funnel,Nylon,22-18AWG,#6,PK1000	Ring Terminal, 22 - 18 AWG, #6 stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	558.28
07498381131	<b>PNF18-6RN-3K</b>	Ring,Fnl,Nylon,22-18AWG,#6,NRW,REEL3000	Ring Terminal, narrow tongue, nylon insulated, funnel entry, metal sleeve, 22 - 18 AWG, #6 stud size.	M	1000	\$	510.56
07498381061	<b>PNF18-6RN-M</b>	Ring,Funnel,Nylon,22-18AWG,#6,NRW,PK1000	Ring Terminal, 22 - 18 AWG, #6 stud size, narrow tongue, funnel entry, nylon insulated, bulk package.	M	1000	\$	586.19
07498381136	<b>PNF18-8F-3K</b>	Fork,Fnl,NYL Ins,22-18AWG,#8,REEL3000	Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 22 - 18 AWG wire range, #8 stud siz	M	1000	\$	486.26
07498351347	<b>PNF18-8F-C</b>	Fork,Fnl,NYL Ins,22-18AWG,#8,PK100	Fork Terminal, nylon insulated, funnel entry, 22- 18 AWG, #8 stud size, standard package.	C	100	\$	140.98
07498381063	<b>PNF18-8F-M</b>	Fork,Fnl,NYL Ins,22-18AWG,#8,PK1000	Fork Terminal, nylon insulated, funnel entry, 22- 18 AWG, #8 stud size, bulk package.	M	1000	\$	586.15
07498381148	<b>PNF18-8FF-3K</b>	Fork,Flange,Fnl,NYL,22-18AWG,#8,REEL3000	Flanged Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 22 - 18 AWG wire range, #8	M	1000	\$	486.26
07498381141	<b>PNF18-8LF-3K</b>	Fork,Lock,Fnl,NYL,22-18AWG,#8,REEL3000	Locking Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 22 - 18 AWG wire range, #8	M	1000	\$	551.39
07498381064	<b>PNF18-8LF-M</b>	Fork,Locking,Fnl,NYL,22-18AWG,#8,PK1000	Locking Fork Terminal, nylon insulated, funnel entry, 22-18 AWG, #8 stud size, bulk package.	M	1000	\$	639.89
07498381132	<b>PNF18-8R-3K</b>	Ring,Funnel,Nylon,22-18AWG,#8,REEL3000	Ring Terminal, nylon insulated, funnel entry, metal sleeve, 22 - 18 AWG, #8 stud size.	M	1000	\$	486.24
07498351318	<b>PNF18-8R-C</b>	Ring,Funnel,Nylon,22-18AWG,#8,PK100	Ring Terminal, 22 - 18 AWG, #8 stud size, funnel entry, nylon insulated, standard package.	C	100	\$	140.98
07498381065	<b>PNF18-8R-M</b>	Ring,Funnel,Nylon,22-18AWG,#8,PK1000	Ring Terminal, 22 - 18 AWG, #8 stud size, funnel entry, nylon insulated, bulk package.	M	1000	\$	569.98
07498363253	<b>PNL-1/0-L</b>	Cu,MechLug,1H,ST,#8SOL,1/0STR,5/16S,PK50	One-hole, copper, single barrel, straight tongue lug, #8 SOL - 1/0 STR, 5/16 (7.9mm) stud hole.	C	100	\$	1,272.81
07498363254	<b>PNL-250-Q</b>	Cu Mech Lug,#6 SOL-250kcmil,3/8Stud,PK25	One-hole, copper, single barrel, straight tongue lug, #6 SOL - 250 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	3,013.29
07498363252	<b>PNL-4-C</b>	Cu,MechLug,1H,ST,#14SOL,#4STR,1/4S,PK100	One-hole, copper, single barrel, straight tongue lug, #14 SOL - #4 STR, 1/4 (6.4mm) stud hole.	C	100	\$	679.15
07498363255	<b>PNL-500-3</b>	Cu Mech Lug,#4 SOL-500 kcmil,1/2Stud,PK3	One-hole, copper, single barrel, straight tongue lug, #4 SOL -500 kcmil, 1/2 (12.7mm) stud hole.	C	100	\$	7,571.99
07498358943	<b>PP1S-S10-C</b>	CbleTieMnt,StdoFF,2"H,#10Screw,PK10	Panduit PP1S-S10-C Pan-Post Standoffs support cable bundles above or away from the surface. For use in i	M	1000	\$	1,370.34
07498358944	<b>PP1S-S10-X</b>	CbleTieMnt,StdoFF,2"H,#10Screw,PK10	Panduit PP1S-S10-X Pan-Post Standoffs support cable bundles above or away from the surface. For use in i	PC	1	\$	2.09
07498339883	<b>PP1S-S12-C</b>	CbleTieMnt,StdoFF,2"H,#12Screw,PK100	The pan-post standoff is natural color and requires a #12 (M5.5) screw. It measures 1.06"L x .72"W x 1.97"H	M	1000	\$	1,410.40
07498339882	<b>PP1S-S12-X</b>	CbleTieMnt,StdoFF,2"H,#12Screw,PK10	The pan-post standoff is natural color and requires a #12 (M5.5) screw. It measures 1.06"L x .72"W x 1.97"H	PC	1	\$	2.19
07498358952	<b>PP2S-S10-C</b>	CbleTieMnt,StdoFF,4.6"H,#10Screw,BP	Panduit PP2S-S10-C Pan-Post Standoffs support cable bundles above or away from the surface. For use in i	M	1000	\$	1,723.68
07498302818	<b>PP2S-S10-0C</b>	CbleTieMnt,StdoFF,4.6"H,#10Screw,BL	The pan-post standoff is black and requires a #10 (M5) screw. It measures 1.06" long x 0.72" wide x 4.60" hi	M	1000	\$	2,159.91
07498374000	<b>PP2S-S10-X</b>	CbleTieMnt,StdoFF,4.6"H,#10Screw,PK10	Panduit PP2S-S10-X Pan-Post Standoffs support cable bundles above or away from the surface. For use in i	PC	1	\$	2.68
07498374001	<b>PP2S-S12-C</b>	CbleTieMnt,StdoFF,4.6"H,#12Screw,PK100	Panduit PP2S-S12-C Pan-Post Standoffs support cable bundles above or away from the surface. For use in i	M	1000	\$	1,788.71
07498374002	<b>PP2S-S12-X</b>	CbleTieMnt,StdoFF,4.6"H,#12Screw,PK10	Panduit PP2S-S12-X Pan-Post Standoffs support cable bundles above or away from the surface. For use in i	PC	1	\$	2.68
07498365013	<b>PPX50F</b>	PocketPouch,Filled Ties,EA	White Vinyl pocket pouch filled with 250 cable ties (50 each: Blue, Orange, Green, Brown and Slate - all with	KT	1	\$	92.10
07498365010	<b>PPC25X50</b>	EmptyPouch,EA	Empty Pan-Pouch™ - 2-ply Laminated Black Nylon/Vinyl	PC	1	\$	57.03
07498365011	<b>PPC25X50F</b>	Pouch,Striped Cable Ties,1250pcs,EA	Pan-Pouch™ (2-ply Laminated Black Nylon/Vinyl) filled with 1,250 cable ties (50 each of all 24 striped ties, plu	KT	1	\$	372.81
07498382246	<b>PPF2S-S25-V69</b>	FlatPanPoleStdoFF,1/4"Screw,5.4"L,FR,PK5	Panduit PPF2S-S25-V69 Flat Pan-Post Standoffs support cable bundles above or away from the surface. For	C	1	\$	5.39
07498382144	<b>PPF2SV-S25-V</b>	FlatPanPoleStdoFF,1/4"Screw,5.6"L,PK5	The flat pan-post standoff is natural color and requires two 1/4" (6.35 mm) (M6) screws. It measures 5.60" (1	PC	1	\$	4.15
07498382245	<b>PPF2SV-S25-V69</b>	FlatPanPoleStdoFF,1/4"Screw,5.6"L,FR,PK5	The flat pan-post standoff is natural color and requires two 1/4" (6.35 mm) (M6) screws. It measures 5.60" (1	PC	1	\$	6.30
07498388046	<b>PPM-1</b>	Pre-Print,Mkr,Card,Hi-Temp,1,WH,PK25	Wire Marker Card, Hi-Temp, '1'	C	100	\$	401.11
07498388696	<b>PPM-1-33</b>	Pre-Prtd Mrkrs,Hi-Temp,.25"x1.5",1-33,WH	Wire Marker Card, Hi-Temp, '1-33'	C	100	\$	401.11
07498388047	<b>PPM-2</b>	Pre-Print,Mkr,Card,Hi-Temp,2,WH,PK25	Wire Marker Card, Hi-Temp, '2'	C	100	\$	401.11
07498388048	<b>PPM-3</b>	Pre-Print,Mkr,Card,Hi-Temp,3,WH,PK25	Wire Marker Card, Hi-Temp, '3'	C	100	\$	420.21

07498346118	PPS0202B493	LABEL_PINCH POINT SYMBOL,BL/YL,PK5	Polyester adhesive sign, 2.25" H x 2.25" W, blank header, 'Pinch point pictogram', polyester adhesive, black/	PC	1	\$	6.23
61305625664	PPS0204W2100A	Adhesive Sign, Polyester, 'Warning Arc F	The PPS0204W2100A Pre-Printed Arc Flash Warning Sign is constructed from a laminated material that prot	PC	1	\$	2.31
61305626178	PPS0305C174A	Adhesive Sign, Polyester, 'Caution This.	Polyester adhesive sign, 3.5" H x 5.0" W, caution header, 'This unit is fed by more than one source of energy'	PC	1	\$	3.24
07498342417	PPS0305D72	SIGN.DANGER,HIGH VOLTAGE,BL/RD/WH,PK5	Polyester adhesive sign, 3.5" H x 5.0" W, danger header, 'High voltage' (legend), polyester adhesive, red and	PC	1	\$	3.26
07498348973	PPS0306D79	SIGN.DNGR,HI VOLT KEEP AWAY,BL/RD/WH,PK5	Polyester Adhesive Sign, DANGER Header, HIGH VOLTAGE, 5.00"W x 3.50"H, 5 signs, RD/BL/WH	PC	1	\$	3.26
07498385958	PPS0305W2100	SIGN.WARNING,POTENTIAL ARC...BL/OR,PK5	The PPS0305W2100 Pre-Printed Arc Flash Warning Sign is constructed from a laminated material that prote	PC	1	\$	3.11
07498377845	PPS0305W2200	SIGN.WARNING,RISK OF FIRE...BL/OR/WH,PK5	Polyester adhesive sign, 3.5" H x 5.0" W, warning header, 'Risk of fire or electric shock.' (legend), polyester	PC	1	\$	3.18
07498369390	PPS0410D79-NEC	NEC SIGN,DNGR,HI VOLTAGE,BL/RD/WH,PK5	Polyester adhesive sign, 4.0" H x 10.0" W, danger header, 'High voltage keep away' (legend), polyester adhe	PC	1	\$	5.85
07498385957	PPS0507W2100	SIGN.POTENTIAL ARC FLASH,BL/OR,PK5	Polyester Arc Flash Label, 5.00" x 7.00".	PC	1	\$	5.36
07498391803	PPS0710C141	SIGN.CAUTION,AREA IN FRONT...BL/YL,EA	Polyester adhesive sign, 7.0" H x 10.0" W, caution header, 'Area in front of this electrical panel must be kept	PC	1	\$	12.49
07498391626	PPS0710D66	SIGN.DNGR,AREA IN FRNT,RD/BL/WH,7x10,EA	Polyester adhesive sign, 7.0" H x 10.0" W, danger header, 'Area in front of this electrical panel must be kept c	PC	1	\$	12.49
07498391711	PPS0710D72	SIGN.DNGR,HIGH VLTG,RD/BL/WH,7x10,EA	Polyester adhesive sign, 7.0" H x 10.0" W, danger header, 'High voltage' (legend), polyester adhesive, red an	PC	1	\$	12.49
07498323279	PPS0710D73	SIGN.DANGER,HIGH VOLT...RD/BL/WH,EA	Polyester adhesive sign, 7.0" H x 10.0" W, danger header, 'High voltage keep out' (legend), polyester adhesiv	PC	1	\$	12.49
07498391712	PPS0710D75	SIGN.DANGER,HIGH VOLTAGE...RD/BL/WH,EA	Polyester adhesive sign, 7.0" H x 10.0" W, danger header, 'High voltage unauthorized personnel keep out' (le	PC	1	\$	12.49
07498364131	PRBS16	RIGID BOX MOUNTING BRACKET,16 CNTRS,PK25	Rigid box mounting bracket for up to three 4" or 4-11/16" boxes for 16" stud spacing.	PC	1	\$	5.03
07498372249	PRBS24	RIGID BOX MOUNTING BRACKET,24 CNTRS,PK25	Rigid box mounting bracket for up to four 4.00" or 4 11/16" boxes for 24" stud spacing.	PC	1	\$	7.11
07498363345	PRLC	OUTLET DEVICE RETAINER,PK100	Outlet device retainer mounts standard outlet or switch in oversized openings.	PC	1	\$	0.66
07498356842	PRLWP30S-D30	WgPshMtTie,LadS,Rel4,7L,Std,HS,BL,PK500	Pan-Ty® releasable ladder wing push mount tie, standard cross section, 4.7 (119mm) length, heat stabilized	M	1000	\$	436.48
07498356843	PRLWP60S-D30	WgPshMtTie,LadS,Rel7,1L,Std,HS,BL,PK500	Pan-Ty® releasable ladder wing push mount tie, standard cross section, 7.1 (180mm) length, heat stabilized	M	1000	\$	451.00
07498308924	PROG-EM2GO	Easy-Mark Software-USB flash drive	Easy-Mark Labeling Software - USB Flash Drive	PC	1	\$	483.26
07498351805	PROG-EMCD3	Easy-Mark Labeling Software-CD-ROM	Easy-Mark Labeling Software, CD-ROM	PK	1	\$	355.54
07498319367	PRPC13-60	Power Outlet Unit Plug Retention Device,	Power Outlet Unit Plug Retention Device, Black	PC	1	\$	7.38
07498301122	PRPC13-69	Power Outlet Unit Plug Retention Device,	Power Outlet Unit Plug Retention Device, Natural Ivory	PC	1	\$	7.38
61305607887	PRS1014D7133	SftySign,10x14,D7133,Poly,RD/BL/WH,EA	Safety Sign, 10.00" H x14.00" W, 'DANGER HIGH VOLTAGE' (legend), Polyethylene Plastic, Red/Black on W	PC	1	\$	18.66
07498323285	PRS1014D73	RGD SGN,'DANGER HI VOLT...RD/BL/WH,EA	Non-adhesive rigid sign, 10.0" H x 14.0" W, danger header, 'High voltage keep out' (legend), rigid polyethylen	PC	1	\$	20.31
61305656976	PRS1014D7345	Safety Sign, 10.0"H x 14.0"W, Danger 'Re	Safety Sign, 10.0"H x 14.0"W, Danger 'Regulated Area- Beryllium', Polyethylene Plastic, Red/ Black on White	PC	1	\$	17.75
61305656971	PRS1014D7346	Safety Sign, 10.0"H x 14.0"W, Danger 'Re	Safety Sign, 10.0"H x 14.0"W, Danger 'Respirable Crystalline Silica', Polyethylene Plastic, Red/ Black on Whi	PC	1	\$	17.75
07498356956	PRST30S-S14-M30	PanTyLSSMTie,HS NYL,STD,5.2,BLK,PK1000	Panduit PRST30S-S14-M30 Ladder Style Stud Mounted Cable Ties are easy to install by hand - no tools requ	M	1000	\$	316.61
07498323692	PRST40SC-D30	PanTyPMTie,HS NYL,STD,7,TS222,BLK,P500	Pan-Ty® Stud Mounted Cable Ties mount to a flat surface and wrap around bundles to form a releasable atta	M	1000	\$	642.51
07498354884	PRT1.5S-C	CableTie,Rel,Std,6.3in,Nyl,Nat,PK100	Pan-Ty® releasable tie, standard cross section, 6.3 (160mm) length, nylon 6.6, natural, standard package.	C	100	\$	37.41
07498354883	PRT1.5S-C0	CableTie,Rel,Std,6.3in,WR,BL,PK100	Pan-Ty® releasable tie, standard cross section, 6.3 (160mm) length, weather resistant nylon 6.6, black, stand	C	100	\$	44.05
07498356853	PRT1.5S-M	CableTie,Rel,Std,6.3in,Nyl,Nat,PK1000	Pan-Ty® releasable tie, standard cross section, 6.3 (160mm) length, nylon 6.6, natural, bulk package.	M	1000	\$	190.68
07498356854	PRT1.5S-M0	CableTie,Rel,Std,6.3in,WR,BL,PK1000	Pan-Ty® releasable tie, standard cross section, 6.3 (160mm) length, weather resistant nylon 6.6, black, bulk	M	1000	\$	212.68
07498356861	PRT1.5S-M30	CableTie,Rel,Std,6.3in,HS,BL,PK1000	Pan-Ty® releasable tie, standard cross section, 6.3 (160mm) length, heat stabilized nylon 6.6, black.	M	1000	\$	229.00
07498354263	PRT10EH-C	CableTie,EH,Rel,34.2in,Nyl,Nat,PK100	Pan-Ty® releasable lashing tie, extra-heavy cross section, 34.2 (869mm) length, nylon 6.6, natural.	M	1000	\$	3,452.63
07498354261	PRT10EH-C0	CableTie,EH,Rel,34.2in,WR,BL,PK100	Pan-Ty® releasable lashing tie, extra-heavy cross section, 34.2 (869mm) length, weather resistant nylon 6.6,	M	1000	\$	3,970.51
07498354260	PRT10EH-Q0	CableTie,EH,Rel,34.2in,WR,BI,PK25	Pan-Ty® releasable lashing tie, extra-heavy cross section, 34.2 (869mm) length, weather resistant nylon 6.6,	C	100	\$	487.23
07498354283	PRT12EH-C	CableTie,EH,Rel,40.1in,Nyl,BI,PK100	Pan-Ty® releasable lashing tie, extra-heavy cross section, 40.1 (1019mm) length, nylon 6.6, natural.	M	1000	\$	3,731.99
07498356884	PRT12EH-C0	CableTie,EH,Rel,40.1in,WR,BI,PK100	Panduit PRT12EH-C0 Releasable Lashing Cable Ties has a release tab that permits easy release where cha	M	1000	\$	4,291.78
07498354280	PRT12EH-Q0	CableTie,EH,Rel,40.1in,WR,BI,PK25	Pan-Ty® releasable lashing tie, extra-heavy cross section, 40.1 (1019mm) length, weather resistant nylon 6.6	C	100	\$	571.06
07498354879	PRT1S-C	CableTie,Std,Rel,4.8in,Nyl,Nat,PK100	Pan-Ty® releasable tie, standard cross section, 4.8 (122mm) length, nylon 6.6, natural, standard package.	C	100	\$	39.06
07498354881	PRT1S-M	CableTie,Std,Rel,4.8in,Nyl,Nat,PK1000	Pan-Ty® releasable tie, standard cross section, 4.8 (122mm) length, nylon 6.6, natural, bulk package.	M	1000	\$	189.24
07498356869	PRT1S-M0	CableTie,Std,Rel,4.8in,WR,BL,PK1000	Pan-Ty® releasable tie, standard cross section, 4.8 (122mm) length, weather resistant nylon 6.6, black, bulk	M	1000	\$	211.43
07498354298	PRT2EH-C0	CableTie,EH,Rel,9in,WR,BL,PK100	Panduit PRT2EH-C0 Releasable Lashing Cable Ties have a release tab that permits easy release where cha	M	1000	\$	1,310.30
07498354899	PRT2EH-C100	CableTie,EH,Rel,9in,WR,BL,PK100	Panduit PRT2EH-C100 Releasable Lashing Cable Ties have a release tab that permits easy release where c	M	1000	\$	1,998.09
07498354299	PRT2EH-Q0	CableTie,EH,Rel,9in,WR,BL,PK25	Pan-Ty® releasable lashing tie, extra-heavy cross section, 9.0 (229mm) length, weather resistant nylon 6.6, b	C	100	\$	171.96
07498338923	PRT2H-TL	CableTie,LH,Rel,8.4in,Nyl,Nat,BP	Pan-Ty® releasable tie, light-heavy cross section, 8.4 (213mm) length, nylon 6.6, natural, bulk package.	M	1000	\$	896.20
07498338924	PRT2H-TL0	CableTie,LH,Rel,8.4in,WR,BL,BP	Panduit PRT2H-TL0 Releasable Cable Ties have a release tab that permits easy release where changes are	M	1000	\$	985.59
07498354124	PRT2S-C	CableTie,Std,Rel,7.4in,Nyl,Nat,PK100	Pan-Ty® releasable tie, standard cross section, 7.4 (188mm) length, nylon 6.6, natural, standard package.	C	100	\$	47.51
07498354127	PRT2S-C0	CableTie,Std,Rel,7.4in,WR,BL,PK100	Pan-Ty® releasable tie, standard cross section, 7.4 (188mm) length, weather resistant nylon 6.6, black, stand	C	100	\$	48.05
07498354210	PRT2S-M	CableTie,Std,Rel,7.4in,Nat,PK1000	Panduit PRT2S-M Releasable Cable Ties have a release tab that permits easy release where changes are an	M	1000	\$	191.43
07498356914	PRT2S-M0	CableTie,Std,Rel,7.4in,WR,BL,PK1000	Panduit PRT2S-M0 Releasable Cable Ties have a release tab that permits easy release where changes are a	M	1000	\$	211.63
07498356920	PRT2S-M2	CableTie,Std,Rel,7.4in,Rd,PK1000	Pan-Ty® releasable tie, standard cross section, 7.4 (188mm) length, nylon 6.6, red.	M	1000	\$	231.99
07498356922	PRT2S-M3	CableTie,Std,Rel,7.4in,Or,PK1000	Panduit PRT2S-M3 Releasable Cable Ties have a release tab that permits easy release where changes are a	M	1000	\$	231.99
07498344446	PRT2S-M4Y	CableTie,Std,Rel,7.4in,Nyl,Y,PK1000	Pan-Ty® releasable tie, standard cross section, 7.4 (188mm) length, nylon 6.6, yellow.	M	1000	\$	243.59
07498356926	PRT2S-M6	CableTie,Std,Rel,7.4in,Bu,PK1000	Panduit PRT2S-M6 Releasable Cable Ties have a release tab that permits easy release where changes are a	M	1000	\$	231.99
07498356927	PRT2S-M7	CableTie,Std,Rel,7.4in,Nyl,PU,PK1000	Pan-Ty® releasable tie, standard cross section, 7.4 (188mm) length, nylon 6.6, purple.	M	1000	\$	231.99
07498354989	PRT3H-L	CableTie,LH,Rel,11.4in,Nyl,Nat,PK75	Pan-Ty® releasable tie, light-heavy cross section, 11.4 (290mm) length, nylon 6.6, natural, standard package	C	100	\$	132.24
07498354990	PRT3H-L0	CableTie,LH,Rel,11.4in,WR,BL,PK75	Pan-Ty® releasable tie, light-heavy cross section, 11.4 (290mm) length, weather resistant nylon 6.6, black, st	C	100	\$	142.18
07498338927	PRT3H-TL0	CableTie,LH,Rel,11.4in,WR,BL,PK250	Pan-Ty® releasable tie, light-heavy cross section, 11.4 (290mm) length, weather resistant nylon 6.6, black, b	M	1000	\$	1,397.48
07498354889	PRT3S-C	CableTie,Std,Rel,11.5in,Nyl,Nat,PK100	Panduit PRT3S-C Releasable Cable Ties have a release tab that permits easy release where changes are an	C	100	\$	76.68
07498354890	PRT3S-C0	CableTie,Std,Rel,11.5in,WR,BL,PK100	Pan-Ty® releasable tie, standard cross section, 11.5 (292mm) length, weather resistant nylon 6.6, black, stan	C	100	\$	82.14
07498354887	PRT3S-M	CableTie,Std,Rel,11.5in,Nat,PK1000	Panduit PRT3S-M Releasable Cable Ties have a release tab that permits easy release where changes are an	M	1000	\$	482.71
07498354888	PRT3S-M0	CableTie,Std,Rel,11.5in,WR,BI,PK1000	Panduit PRT3S-M0 Releasable Cable Ties have a release tab that permits easy release where changes are a	M	1000	\$	545.11
07498354994	PRT4H-L	CableTie,LH,Rel,14.5in,Nyl,Nat,PK50	Pan-Ty® releasable tie, light-heavy cross section, 14.5 (368mm) length, nylon 6.6, natural, standard package	C	100	\$	133.64
07498354995	PRT4H-L0	CableTie,LH,Rel,14.5in,WR,BL,PK250	Pan-Ty® releasable tie, light-heavy cross section, 14.5 (368mm) length, weather resistant nylon 6.6, black, st	C	100	\$	138.36
07498338929	PRT4H-TL0	CableTie,LH,Rel,14.5in,Nat,PK250	Pan-Ty® releasable tie, light-heavy cross section, 14.5 (368mm) length, nylon 6.6, natural, bulk package.	M	1000	\$	1,129.75
07498338930	PRT4H-TL0	CableTie,LH,Rel,14.5in,WR,BI,PK250	Panduit PRT4H-TL0 Releasable Cable Ties have a release tab that permits easy release where changes are	M	1000	\$	1,296.93
07498354891	PRT4S-C	CableTie,Std,Rel,14.5in,Nyl,Nat,PK100	Panduit PRT4S-C Releasable Cable Ties have a release tab that permits easy release where changes are an	C	100	\$	97.84
07498354894	PRT4S-C0	CableTie,Std,Rel,14.5in,WR,BL,PK100	Pan-Ty® releasable tie,, standard cross section, 14.5 (368mm) length, weather resistant nylon 6.6, black, sta	C	100	\$	98.18
07498356981	PRT4S-M	CableTie,Std,Rel,14.5in,Nat,PK1000	Panduit PRT4S-M Releasable Cable Ties have a release tab that permits easy release where changes are an	M	1000	\$	560.73
07498356982	PRT4S-M0	CableTie,Std,Rel,14.5in,WR,BI,PK1000	Panduit PRT4S-M0 Releasable Cable Ties have a release tab that permits easy release where changes are a	M	1000	\$	633.83
07498356987	PRT4S-M2	CableTie,Std,Rel,14.5in,Nyl,RD,PK1000	Pan-Ty® releasable tie,, standard cross section, 14.5 (368mm) length, nylon 6.6, red.	M	1000	\$	674.35
07498356989	PRT4S-M3	CableTie,Std,Rel,14.5in,Or,PK1000	Panduit PRT4S-M3 Releasable Cable Ties have a release tab that permits easy release where changes are a	M	1000	\$	674.35
07498344570	PRT4S-M4Y	CableTie,Std,Rel,14.5in,Nyl,Y,PK1000	Pan-Ty® releasable tie,, standard cross section, 14.5 (368mm) length, nylon 6.6, yellow.	M	1000	\$	674.35
07498356993	PRT4S-M6	CableTie,Std,Rel,14.5in,Nyl,BU,PK1000	Pan-Ty® releasable tie,, standard cross section, 14.5 (368mm) length, nylon 6.6, blue.	M	1000	\$	674.35
07498354203	PRT5EH-C	CableTie,EH,Rel,20.1in,Nyl,Nat,PK100	Pan-Ty® releasable lashing tie, extra-heavy cross section, 20.1 (511mm) length, nylon 6.6, natural, bulk pack	M	1000	\$	1,777.00

07498354201	<b>PRT5EH-C0</b>	CableTie,EH,Rel.20.1in,WR BI,PK100	Panduit PRT5EH-C0 Releasable Lashing Cable Ties release tab permits easy release and reuse where chan	M	1000	\$	1,772.08
07498354903	<b>PRT5EH-C100</b>	CableTie,EH,Rel.20.1in,WRP,BL,PK100	Panduit PRT5EH-C100 Releasable Lashing Cable Ties have a release tab that permits easy release where c	M	1000	\$	2,060.58
07498356998	<b>PRT5EH-C30</b>	CableTie,EH,Rel.20.1in,HS,BL,PK100	Panduit PRT5EH-C30 Releasable Lashing Cable Ties have a release tab that permits easy release where ch	M	1000	\$	1,954.74
07498354202	<b>PRT5EH-Q</b>	CableTie,EH,Rel.20.1in,Nyl,Nat,PK25	Pan-Ty® releasable lashing tie, extra-heavy cross section, 20.1 (511mm) length, nylon 6.6, natural, standar	C	100	\$	251.16
07498354204	<b>PRT5EH-Q0</b>	CableTie,EH,Rel.20.1in,WR BI,PK25	Panduit PRT5EH-Q0 Releasable Lashing Cable Ties have a release tab that permits easy release where cha	C	100	\$	261.78
07498354208	<b>PRT6EH-C</b>	CableTie,EH,Rel.22.2in,Nyl,Nat,PK100	Panduit PRT6EH-C Releasable Lashing Cable Ties have a release tab that permits easy release where chan	M	1000	\$	2,155.49
07498354206	<b>PRT6EH-C0</b>	CableTie,EH,Rel.22.2in,WR BI,PK100	Panduit PRT6EH-C0 Releasable Lashing Cable Ties have a release tab that permits easy release where cha	M	1000	\$	2,478.78
07498354907	<b>PRT6EH-C100</b>	CableTie,EH,Rel.22.2in,WRBIPoly,PK100	Panduit PRT6EH-C100 Releasable Lashing Cable Ties have a release tab that permits easy release where c	M	1000	\$	2,574.23
07498354207	<b>PRT6EH-Q</b>	CableTie,EH,Rel.22.2in,Nyl,Nat,PK25	Pan-Ty® releasable lashing tie, extra-heavy cross section, 22.2 (564mm) length, nylon 6.6, natural, standar	C	100	\$	265.83
07498354209	<b>PRT6EH-Q0</b>	CableTie,EH,Rel.22.2in,WR BI,PK100	Panduit PRT6EH-Q0 Releasable Lashing Cable Ties have a release tab that permits easy release where cha	C	100	\$	305.74
07498354243	<b>PRT8EH-C</b>	CableTie,EH,Rel.28.3in,Nyl,Nat,PK100	Pan-Ty® releasable lashing tie, extra-heavy cross section, 28.3 (719mm) length, nylon 6.6, natural.	M	1000	\$	3,246.59
07498354241	<b>PRT8EH-C0</b>	CableTie,EH,Rel.28.3in,WR BI,PK100	Panduit PRT8EH-C0 Releasable Lashing Cable Ties have a release tab that permits easy release where cha	M	1000	\$	3,555.79
07498354911	<b>PRT8EH-C100</b>	CableTie,EH,Rel.28.3in,WRP,BL,PK100	Panduit PRT8EH-C100 Releasable Lashing Cable Ties have a release tab that permits easy release where c	M	1000	\$	3,437.61
07498354240	<b>PRT8EH-Q0</b>	CableTie,EH,Rel.28.3in,WR,BL,PK25	Panduit PRT8EH-Q0 Releasable Lashing Cable Ties have a release tab that permits easy release where cha	C	100	\$	425.50
07498354318	<b>PRWP1.5S-D</b>	WgPshMntTie,Rel.6.8L,Std,Nyl,Nat,PK500	Panduit PRWP1.5S-D Releasable Wing Push Mount Ties use an all-in-one design to attach bundles to another	M	1000	\$	532.10
07498357007	<b>PRWP1.5S-D0</b>	WgPshMntTie,Rel.6.8L,Std,WR,BL,PK500	Panduit PRWP1.5S-D0 Releasable Wing Push Mount Ties use an all-in-one design to attach bundles to anothe	M	1000	\$	611.91
07498354315	<b>PRWP1S-C</b>	WgPshMntTie,Rel.5.2L,Std,Nyl,Nat,PK100	Pan-Ty® releasable wing push mount tie, standard cross section, 5.2 (132mm) length, nylon 6.6, natural, stan	C	100	\$	64.46
07498354316	<b>PRWP1S-D</b>	WgPshMntTie,Rel.5.2L,Std,Ny,Nat,BP	Pan-Ty® releasable wing push mount tie, standard cross section, 5.2 (132mm) length, nylon 6.6, natural, bulk	M	1000	\$	504.24
07498357010	<b>PRWP1S-D0</b>	WgPshMntTie,Rel.5.2L,Std,WR,BL,PK500	Pan-Ty® releasable wing push mount tie, standard cross section, 5.2 (132mm) length, weather resistant nyl	M	1000	\$	608.84
07498354326	<b>PRWP1SA-D</b>	WgPshMntTie,Rel.5.1L,Std,Nyl,Nat,PK500	Pan-Ty® releasable wing push mount tie, standard cross section, 5.1 (130mm) length, nylon 6.6, natural.	M	1000	\$	504.24
07498354339	<b>PRWP1SB-D</b>	WgPshMntTie,Rel.5.2L,Std,Ny,Nat	Pan-Ty® releasable wing push mount tie, standard cross section, 5.2 (132mm) length, nylon 6.6, natural.	M	1000	\$	529.44
07498354320	<b>PRWP2S-D</b>	WgPshMntTie,Rel.7.8L,Std,Nyl,Nat,PK500	Pan-Ty® releasable wing push mount tie, standard cross section, 7.8 (198mm) length, nylon 6.6, natural.	M	1000	\$	582.39
07498357014	<b>PRWP2S-D0</b>	WgPshMntTie,Rel.7.8L,Std,WR,BL,PK500	Pan-Ty® releasable wing push mount tie, standard cross section, 7.8 (198mm) length, weather resistant nyl	M	1000	\$	669.55
07498383405	<b>PS12-D</b>	Parallel Splice,non-insul,14-12AWG,PK500	The PS12-D Splice is a non-insulated parallel splice designed to splice two solid or stranded wires together to	M	1000	\$	251.59
07498383404	<b>PS12-L</b>	Parallel Splice,non-insul,14-12AWG,PK500	The PS12-L Splice is a non-insulated parallel splice designed to splice two solid or stranded wires together to	C	100	\$	68.68
07498383402	<b>PS16-C</b>	Parallel Splice,non-insul,20-16AWG,PK100	Parallel Splice, non-insulated, 20 – 16 AWG, standard package.	C	100	\$	53.06
07498383403	<b>PS16-M</b>	Parallel Splice,non-insul,20-16AWG,PK1000	Parallel Splice, non-insulated, 20 – 16 AWG, bulk package.	M	1000	\$	209.90
07498383400	<b>PS18-C</b>	Parallel Splice,non-insul,22-18AWG,PK100	Parallel Splice, non-insulated, 22 – 18 AWG, standard package.	C	100	\$	52.85
07498383401	<b>PS18-M</b>	Parallel Splice,non-insul,22-18AWG,PK1000	Parallel Splice, non-insulated, 22 – 18 AWG, bulk package.	M	1000	\$	209.90
07498363163	<b>PSC2B</b>	CABLE CLP, .31-.38,1/16-3/16in,FLNG,PK100	Cable clip for 0.31" - 0.38" flexible cable on 1/16" - 3/16" flange.	PC	1	\$	0.78
07498363164	<b>PSC2C</b>	CABLE CLP, .38-.44,1/16-3/16in,FLNG,PK100	Cable clip for 0.38" - 0.44" flexible cable on 1/16" - 3/16" flange.	PC	1	\$	0.79
07498363170	<b>PSC4B</b>	CABLE CLP, .31-.38,3/16-9/32in,FLNG,PK100	Cable clip for 0.31" - 0.38" flexible cable on 3/16" - 9/32" flange.	PC	1	\$	0.75
07498363185	<b>PSC4C</b>	CABLE CLP, .38-.44,3/16-9/32in,FLNG,PK100	Cable clip for 0.38" - 0.44" flexible cable on 3/16" - 9/32" flange.	PC	1	\$	0.78
07498363186	<b>PSC4D</b>	CABLE CLP, .47-.56,3/16-9/32in,FLNG,PK100	Cable clip for 0.47" - 0.56" flexible cable on 3/16" - 9/32" flange.	PC	1	\$	0.79
07498363187	<b>PSC4E</b>	CABLE CLP, .50-.72,3/16-9/32in,FLNG,PK100	Cable clip for 0.50" - 0.72" flexible cable on 3/16" - 9/32" flange.	PC	1	\$	0.79
07498343177	<b>PSCB-12Y</b>	MRKRCards,VYL,Blank,1.5"x0.5",180MAR,WHT	StrongHold PSCB-12Y Self-Laminating Cable Markers have a .62" (15.7mm) blank ink receptive area to allow	BK	1	\$	47.30
07498343181	<b>PSCB-13Y</b>	MRKRCards,VYL,Blank,1.5"x3.0",40MAR,WHT	StrongHold PSCB-13Y Self-Laminating Cable Markers have a .75" (19.0mm) blank ink receptive area to allow	BK	1	\$	47.30
07498343185	<b>PSCB-16Y</b>	MRKRCards,VYL,Blank,1.5"x6.0",20MAR,WHT	StrongHold PSCB-16Y Self-Laminating Cable Markers have a 1.0" (25.4mm) blank ink receptive area to allow	BK	1	\$	47.30
07498343424	<b>PSCB-3Y</b>	MRKRCards,VYL,Blank,1.0"x3.0",60MAR,WHT	StrongHold PSCB-3Y Blank Self-Laminating Write-On Cable Marker Books are a convenient and affordable s	BK	1	\$	47.30
07498343425	<b>PSCB-3YELY</b>	MRKRCards,VYL,Blank,1.0"x3.0",60MAR,YEL	StrongHold PSCB-3YELY Self-Laminating Cable Markers have a .75" (19.0mm) blank ink receptive area to a	BK	1	\$	47.30
07498343426	<b>PSCB-5Y</b>	MRKRCards,VYL,Blank,1.0"x5.0",30MAR,WHT	StrongHold PSCB-5Y Self-Laminating Cable Markers have a 1.0" (25.4mm) blank ink receptive area to allow	BK	1	\$	47.30
07498343533	<b>PSCB-6Y</b>	MRKRCards,VYL,Blank,1.0"x6.0",30MAR,WHT	StrongHold PSCB-6Y Self-Laminating Cable Markers have a 1.0" (25.4mm) blank ink receptive area to allow	BK	1	\$	47.30
07498301349	<b>PSCBLK-Q</b>	CuParallelSplice,Color-dBlackPKG25	Copper parallel splice, black.	C	100	\$	501.34
07498301343	<b>PSCBLU-L</b>	CuParallelSplice,Color-dBluePKG50	Copper parallel splice, blue.	C	100	\$	226.30
07498301345	<b>PSCBRN-L</b>	CuParallelSplice,Color-dBrownPKG50	Copper parallel splice, brown.	C	100	\$	300.04
07498343535	<b>PSCC-5Y</b>	MRKRCards,Vyl,1.00"Wx5.00"L,PK25	White write-on, self-laminating vinyl label, 1.00 x 5.00.	C	100	\$	486.51
07498301346	<b>PSCGRN-L</b>	CuParallelSplice,Color-dGreenPKG50	Copper parallel splice, green.	C	100	\$	352.73
07498301344	<b>PSCGRY-L</b>	CuParallelSplice,Color-dGrayPKG50	Copper parallel splice, gray.	C	100	\$	234.26
07498364114	<b>PSCH12B</b>	ONE-PIECE STRUT CLAMP,3/4 in,EMT,PK50	One-piece strut clamp with saddle used to secure 3/4" conduit, 1/2" Rigid/IMC, 50 lbs. static load capacity.	PC	1	\$	2.31
07498364117	<b>PSCH24B</b>	ONE-PIECE STRUT CLAMP,1-1/2 in,EMT,PK50	One-piece strut clamp with saddle used to secure 1 1/2" conduit, 1 1/4" Rigid/IMC, 80 lbs. static load capacity	PC	1	\$	2.53
07498364118	<b>PSCH32B</b>	ONE-PIECE STRUT CLAMP,2 in,EMT,PK25	One-piece strut clamp with saddle used to secure 2" conduit, 1 1/2" Rigid/IMC, 100 lbs. static load capacity.	PC	1	\$	2.88
07498364112	<b>PSCH6B</b>	ONE-PIECE STRUT CLAMP,3/8 in,EMT,PK100	One-piece strut clamp with saddle used to secure 3/8" conduit.	PC	1	\$	2.19
07498364133	<b>PSCH72B</b>	ONE-PIECE STRUT CLAMP,4 in,EMT,PK10	One-piece strut clamp with saddle used to secure 4" conduit, 4" Rigid/IMC, 330 lbs. static load capacity.	PC	1	\$	8.19
07498301350	<b>PSCORG-Q</b>	CuParallelSplice,Color-dOrangePKG25	Copper parallel splice, orange.	C	100	\$	594.75
07498301347	<b>PSCPINK-L</b>	CuParallelSplice,Color-dPinkPKG50	Copper parallel splice, pink.	C	100	\$	373.50
07498301342	<b>PSCRED-L</b>	CuParallelSplice,Color-dRedPKG50	Copper parallel splice, red.	C	100	\$	218.50
07498301352	<b>PSCYEL-Q</b>	CuParallelSplice,Color-dYellowPKG25	Copper parallel splice, yellow.	C	100	\$	812.89
07498363054	<b>PSGB16A</b>	STUD-MNT BOX SUPPORT BRKT,16 CNTRS,PK50	Box mounting bracket to support 2-1/8" box-to-studs on 16" centers.	PC	1	\$	4.93
07498363057	<b>PSGB24A</b>	STUD-MNT BOX SUPPORT BRKT,24 CNTRS,PK50	Box mounting bracket to support 2-1/8" box-to-studs on 24" centers.	PC	1	\$	6.73
61305678669	<b>PSJIC22PC</b>	Ink Cartridge, For Use with PTM-C3500, C	Panduit PGJIC22PC Cyan Ink Cartridge for PTM-C3500 color ink jet printer. Includes 1 cartridge per package	PC	1	\$	43.84
61305678670	<b>PSJIC22PM</b>	Ink Cartridge, For Use with PTM-C3500, B	Panduit PGJIC22PM Black Ink Jet Ink Cartridge for PTM-C3500 color ink jet printer. Includes 1 cartridge per	PC	1	\$	43.84
61305678671	<b>PSJIC22PK</b>	Ink Cartridge, For Use with PTM-C3500, M	Panduit PGJIC22PK Magenta Ink Jet Ink Cartridge for PTM-C3500 color ink jet printer. Includes 1 cartridge p	PC	1	\$	43.84
61305678672	<b>PSJIC22PY</b>	Ink Cartridge, For Use with PTM-C3500, Y	Panduit PGJIC22PY Yellow Ink Jet Ink Cartridge for PTM-C3500 color ink jet printer. Includes 1 cartridge per	PC	1	\$	43.84
61305678673	<b>PSJMB3500</b>	Maintenance Box, For Use with PTM-C3500	Panduit PSJMB3500 Maintenance Box, For use with PTM-C3500 series printers.	PC	1	\$	68.89
07498363338	<b>PSK405I</b>	UNIV STRUT CLAMP,2.50 in,CONDUIT,PK50	Universal strut clamp for 2 1/2" EMT/Rigid/IMC conduit, 350 lbs. static load capacity.	PC	1	\$	3.80
07498327508	<b>PSL-1</b>	HASP,1.00in DIA. W/TABS,RD,PK12	The PSL-1 Hasp allows energy sources to be locked out quickly and easily by more than one worker for grou	PC	1	\$	12.31
07498327509	<b>PSL-1.5</b>	HASP,1.50in DIA. W/TABS,RD,PK12	Hasp with 1.50" (38.1mm) diameter jaw and overlapping tabs.	PC	1	\$	14.61
07498327852	<b>PSL-1.5A</b>	HASP,1.50in DIA. W/O TABS,RD,PK12	Hasp with 1.50" (38.1mm) diameter jaw.	PC	1	\$	18.06
61305610778	<b>PSL-1001</b>	LOCKOUT, TOGGLE-SWITCH COVER, EA	Lockout Tagout, Toggle-switch cover, Clear.	PC	1	\$	31.78
61305610780	<b>PSL-1003</b>	LOCKOUT, PUSH BUTTON COVER, 22.5mm, EA	Lockout Tagout, Push button cover, Clear, 22.5mm.	PC	1	\$	36.60
61305610781	<b>PSL-1004</b>	LOCKOUT, PUSH BUTTON COVER, 30mm, EA	Lockout Tagout, Push button cover, Clear, 30mm.	PC	1	\$	36.60
61305605944	<b>PSL-1008</b>	LOCKOUT, CINCH CABLE, EA	Lockout Tagout, Cinch cable.	PC	1	\$	53.43
61305605962	<b>PSL-1009</b>	6-PADLOCK ALUM BOARD KIT, 14X14, EA	Lockout Tagout, 6, Padlock Aluminum Board Kit, 14" x 14".	KT	1	\$	321.16
61305605963	<b>PSL-1010</b>	6-PADLOCK SHADOW BOARD KIT, 14X14, EA	Lockout Tagout, 6, Padlock Shadow Board Kit, 14" x 14".	KT	1	\$	262.11
61305610783	<b>PSL-1013</b>	LOCKOUT, NON-SPARKING ALUM HASP, 1", EA	Lockout Tagout, Non-sparking aluminum hasp, 1.00"	PC	1	\$	12.34
61305610784	<b>PSL-1014</b>	LOCKOUT, NON-SPARKING ALUM HASP,EA	Lockout Tagout, Non-sparking aluminum hasp.	PC	1	\$	14.11
61305605946	<b>PSL-1017</b>	TWIST & TURN CINCH CABLE, EA	Lockout Tagout, Twist & Turn Cinch cable.	PC	1	\$	31.28

61305610787	<b>PSL-1019</b>	LOCKOUT, TAB TAG, DGR LOCKED OUT DNO, EA	Lockout Tagout, Tab tag, 'DANGER LOCKED OUT DO NOT OPERATE' (legend).	PK	1	\$	43.59
61305610788	<b>PSL-1025</b>	LOCKOUT, COMPACT GROUP LOCK BOX ,EA	Lockout Tagout, Compact Group Lock Box.	PC	1	\$	34.68
61305610789	<b>PSL-1026</b>	LOCKOUT, CLEAR VIEW GRP LOCK BOX ,EA	Lockout Tagout, Clear View Group Lock Box.	PC	1	\$	109.60
61305656970	<b>PSL-1033</b>	Electrical Panel Lockout Bar Only, 13"L	Electrical Panel Lockout Bar Only, 13"L x 1"W x 1"H, Expands to 20" L	PC	1	\$	90.11
61305605926	<b>PSL-1058</b>	LOCKOUT, BALL VALVE, 1 1/2", 2", EA	Lockout Tagout, Ball Valve, 1 1/2"- 2"	PC	1	\$	36.79
61305605927	<b>PSL-1059</b>	LOCKOUT, BALL VALVE, 3/8", 1 1/4", EA	Lockout Tagout, Ball Valve, 3/8"- 1 1/4"	PC	1	\$	22.31
07498322114	<b>PSL-105A</b>	LOCKOUT STATION (SIGN ONLY),10 PERSON,EA	Lockout station only, 10 person.	PC	1	\$	208.19
07498322158	<b>PSL-105WCA</b>	LOCKOUT STATION W/COMPONENT,10 PERSON,E	Lockout station with components, 10 person.Components include:(10) PSL-8 red non-conductive lockout padl	KT	1	\$	535.00
07498300094	<b>PSL-12</b>	COMPACT ALUMINUM,LOCK,1.00IN,RD,EA	Compact aluminum body padlock, 1.00" shackle, red.	PC	1	\$	26.35
07498327851	<b>PSL-1A</b>	HASP,1.00in DIA. W/O TABS,RD,PK12	The PSL-1A Hasp allows energy sources to be locked out quickly and easily by more than one worker for gro	PC	1	\$	15.09
07498322167	<b>PSL-205A</b>	LOCKOUT STATION (SIGN ONLY),20 PERSON,EA	Lockout station only, 20 person.	PC	1	\$	288.79
61305636923	<b>PSL-205A-S</b>	Lockout station only in Spanish, 20 pers		PC	1	\$	275.05
07498322168	<b>PSL-205WCA</b>	LOCKOUT STATION W/COMPONENT,20 PERSON,E	The PSL-205WCA Lockout Station conveniently stores padlocks, tags, and lockout devices in one common a	KT	1	\$	982.94
07498322113	<b>PSL-45WCA</b>	LOCKOUT STATION W/COMPONENTS,4 PERSON,E	Lockout station with components, 4 person.Components include:(4) PSL-8 red non-conductive lockout padloc	PC	1	\$	227.04
07498336250	<b>PSL-7</b>	ALUMINUM PADLOCK,1.00in SHACKLE,RD,EA	The PSL-7 High-Security Short Shackle Padlock features a solid aluminum body with an anodized aluminum f	PC	1	\$	27.83
07498336251	<b>PSL-7-LS</b>	ALUMINUM PADLOCK,3.00in SHACKLE,RD,EA	The PSL-7-LS High-Security Long Shackle Padlock features a solid aluminum body with an anodized aluminiu	PC	1	\$	29.85
07498336207	<b>PSL-7BL</b>	AluminumPadlock,1.06in shackle,BLK,EA	Aluminum body padlock, 1.06" shackle, black.	PC	1	\$	29.23
07498336214	<b>PSL-7BL-LS</b>	AluminumPadlock,3in shackle,BLK,EA	Aluminum body padlock, 3.00" long shackle, black.	PC	1	\$	31.35
07498336208	<b>PSL-7BU</b>	AluminumPadlock,1.06in shackle,BLU,EA	Aluminum body padlock, 1.06" shackle, blue.	PC	1	\$	29.23
07498336215	<b>PSL-7BU-LS</b>	AluminumPadlock,3in shackle,BLU,EA	Aluminum body padlock, 3.00" long shackle, blue.	PC	1	\$	31.35
07498336211	<b>PSL-7GR</b>	ALUMINUM PADLOCK,1.00in SHACKLE,GR,EA	Aluminum body padlock, 1.06" shackle, green.	PC	1	\$	29.23
07498336218	<b>PSL-7GR-LS</b>	ALUMINUM PADLOCK,3.00in SHACKLE,GR,EA	Aluminum body padlock, 3.00" long shackle, green.	PC	1	\$	31.35
07498336209	<b>PSL-7OR</b>	ALUMINUM PADLOCK,1.00in SHACKLE,OR,EA	Aluminum body padlock, 1.06" shackle, orange.	PC	1	\$	29.23
07498336216	<b>PSL-7OR-LS</b>	ALUMINUM PADLOCK,3.00in SHACKLE,OR,EA	Aluminum body padlock, 3.00" long shackle, orange.	PC	1	\$	31.35
07498336217	<b>PSL-7YL-LS</b>	ALUMINUM PADLOCK,3.00in SHACKLE,YL,EA	Aluminum body padlock, 3.00" long shackle, yellow.	PC	1	\$	31.35
07498322015	<b>PSL-8</b>	NON-CONDUCTIVE LOCK,1.50in SHACKLE,RD,EA	The PSL-8 Non-Conductive Safety Lockout Padlocks in the standard version are keyed differently, so each p	PC	1	\$	24.45
07498396640	<b>PSL-8-LB</b>	NON-CONDUCTIVE LOCK,3.00in LG BODY,RD,EA	Non-conductive padlock, 1.57" X 3.00" body, red.	PC	1	\$	31.06
07498322017	<b>PSL-8BL</b>	NON-CONDUCTIVE LOCK,1.50in SHACKLE,BL,EA	The PSL-8BL Non-Conductive Short Shackle Padlock provides protection against electrical hazards. The ke	PC	1	\$	24.45
07498329120	<b>PSL-8BR</b>	NON-CONDUCTIVE LOCK,1.50in SHACKLE,BR,EA	Non-conductive padlock, 1.58" X 1.77" body, brown.	PC	1	\$	25.65
07498322018	<b>PSL-8BU</b>	NON-CONDUCTIVE LOCK,1.50in SHACKLE,BU,EA	The PSL-8BU Non-Conductive Short Shackle Padlock provides protection against electrical hazards. The ke	PC	1	\$	24.45
07498322021	<b>PSL-8GR</b>	NON-CONDUCTIVE LOCK,1.50in SHACKLE,GR,EA	The PSL-8GR Non-Conductive Short Shackle Padlock provides protection against electrical hazards. The ke	PC	1	\$	24.45
07498322019	<b>PSL-8OR</b>	NON-CONDUCTIVE LOCK,1.50in SHACKLE,OR,EA	The PSL-8OR Non-Conductive Short Shackle Padlock provides protection against electrical hazards. The ke	PC	1	\$	24.45
07498329118	<b>PSL-8PU</b>	NON-CONDUCTIVE LOCK,1.50in SHACKLE,PU,EA	The PSL-8PU Non-Conductive Short Shackle Padlock provides protection against electrical hazards. The ke	PC	1	\$	24.45
07498322020	<b>PSL-8YL</b>	NON-CONDUCTIVE LOCK,1.50in SHACKLE,YL,EA	The PSL-8YL Non-Conductive Short Shackle Padlock provides protection against electrical hazards. The ke	PC	1	\$	24.45
07498340235	<b>PSL-9</b>	HARSH ENVIRON. PADLOCK,1.00in SHACKLE,EA	Harsh environment padlock.	PC	1	\$	39.85
07498311925	<b>PSL-9-LS</b>	HARSH ENVIRON. PADLOCK,2.50in SHACKLE,EA	Harsh environment long shackle padlock.	PC	1	\$	50.01
07498309728	<b>PSL-BFV</b>	BUTTERFLY VALVE LOCKOUT DEVICE,RD,EA	Butterfly valve lockout, accommodates most butterfly valve handles.	PC	1	\$	101.75
07498371935	<b>PSL-BG</b>	SAFETY TOOL BAG,RD,BL,EA	Safety Tool Bag, 18.00" (W) x 11.00" (H) x 11.00" (D), Red/Black Polyester Fabric.	PC	1	\$	144.41
07498334223	<b>PSL-BV1</b>	BALL VALVE LOCKOUT DEVICE,SMALL,RD,EA	The PSL-BV1 Ball Valve Lockout is constructed of rugged polypropylene providing strength, durability, and ad	PC	1	\$	37.14
07498334224	<b>PSL-BV2</b>	BALL VALVE LOCKOUT DEVICE,MED.,RD,EA	The PSL-BV2 Ball Valve Lockout is constructed of rugged polypropylene providing strength, durability, and ad	PC	1	\$	58.99
07498320611	<b>PSL-BV3</b>	BALL VALVE LOCKOUT DEVICE,LARGE,RD,EA	Ball valve lockout, accommodates 2.00" - 8.00" (50.8mm - 203.2mm) valve pipe diameter.	PC	1	\$	98.61
07498338637	<b>PSL-CB</b>	UNIV. CIRCUIT BREAKER LOCKOUT,RD,EA	The PSL-CB Universal Circuit Breaker Lockout quickly locks out circuit breakers (such as 120/277V breakers	PC	1	\$	24.05
07498398079	<b>PSL-CB-3PC</b>	UNIV. CIRCUIT BREAKER LOCKOUT,RD,PK3	(3) PSL-CB universal circuit breaker lockout.	PK	1	\$	71.66
07498362855	<b>PSL-CB-V</b>	UNIV. CIRCUIT BREAKER LOCKOUT,RD,PK5	Universal circuit breaker lockout, 5 pack.	PC	1	\$	18.69
07498376041	<b>PSL-CBIL</b>	I-LINE CIRCUIT BREAKER LOCKOUT,RD,EA	Circuit breaker lockout device for use with Square D I-LINE/Federal Pacific (FPE) circuit breakers.	PC	1	\$	25.28
07498342119	<b>PSL-CBILNT</b>	I-LINE CIRC. BRKR LOCKOUT,NO TOOL,RD,EA	The PSL-CBILNT No Tool Circuit Breaker Lockout is designed for use with Square D I-LINE/Federal Pacific	PC	1	\$	30.41
07498378889	<b>PSL-CBKIT</b>	CIRCUIT BREAKER LOCKOUT KIT,RD,PK3	Circuit breaker lockout kit (1 each PSL-CBL, CBNT, CBLINT).	KT	1	\$	78.29
07498362678	<b>PSL-CBL</b>	LG. UNIV. CIRCUIT BRKR LOCKOUT,RD,EA	The PSL-CBL Large Handle Circuit Breaker Lockout quickly locks out large molded-case circuit breakers (su	PC	1	\$	35.51
07498362856	<b>PSL-CBL-V</b>	LG. UNIV. CIRCUIT BRKR LOCKOUT,RD,PK5	Large handle circuit breaker lockout, 5 pack.	PC	1	\$	25.55
07498342118	<b>PSL-CBNT</b>	UNIV. CIRC. BRKR LOCKOUT,NO TOOL,RD,EA	The PSL-CBNT No Tool Universal Circuit Breaker Lockout can be locked in the off position quickly and easily	PC	1	\$	28.95
07498362853	<b>PSL-CBNT-V</b>	UNIV. CIRC. BRKR LOCKOUT,NO TOOL,RD,PK5	The PSL-CBNT-V No Tool Circuit Breaker Lockout quickly locks out circuit breakers (such as 120/277V brea	PC	1	\$	20.28
07498372263	<b>PSL-CBWL</b>	LOCKOUT WARNING STRIP LABEL,RD/WH,PK60	Warning label	BK	1	\$	29.31
07498324141	<b>PSL-CL110</b>	120V CORD LOCKOUT,RD,EA	120 Volt AC Cord Lockout Device, Red.	PC	1	\$	25.14
07498324151	<b>PSL-CL480</b>	240-480V CORD LOCKOUT,RD,EA	The PSL-CL480 240 - 480 Volt AC Cord Lockout Device is designed to lock out individual corded plugs in a w	PC	1	\$	32.71
07498333847	<b>PSL-DCJB</b>	JackModBlock-outDev.BOsRD,110oLBL,PK10	The block-out device works with most standard RJ45 openings to prevent unauthorized access and to protect	PK	1	\$	46.75
07498357799	<b>PSL-DCJB-BL</b>	JackModBlock-outDev.BOsBL,110oLBL,PK10	The block-out device works with most standard RJ45 openings to prevent unauthorized access and to protect	PK	1	\$	46.75
07498371257	<b>PSL-DCJB-BL-C</b>	Jack Module Blockout, 100 black devices	Jack module block-out device, 100 block-outs (black) and 5 removal tools (black), polycarbonate.	PK	1	\$	328.33
07498357801	<b>PSL-DCJB-BU</b>	JackModule,Blockout-10BU,Removal-1BL	The block-out device works with most standard RJ45 openings to prevent unauthorized access and to protect	PK	1	\$	46.75
07498357769	<b>PSL-DCJB-C</b>	Jack Module Blockout, 100 red devices	The block-out device works with most standard RJ45 openings to prevent unauthorized access and to protect	PK	1	\$	328.33
07498306370	<b>PSL-DCJB-GR</b>	Jack Module Blockout, 10 green devices	Jack module block-out device, 10 block-outs (green) and 1 removal tool (black), polycarbonate.	PK	1	\$	46.75
07498310652	<b>PSL-DCJB-IG</b>	Jack Module Blockout, 10 gray devices	Jack module block-out device, 10 block-outs (international gray) and 1 removal tool (black), polycarbonate.	PK	1	\$	46.75
07498310654	<b>PSL-DCJB-IG-C</b>	Jack Module Blockout, 100 gray devices	Jack module block-out device, 100 block-outs (international gray) and 5 removal tools (black), polycarbonate.	PK	1	\$	361.16
07498357820	<b>PSL-DCJB-IW</b>	Jack Module Blockout, 10 white devices	Jack module block-out device, 10 block-outs (international white) and 1 removal tool (black), polycarbonate.	PK	1	\$	46.75
07498371259	<b>PSL-DCJB-IW-C</b>	Jack Module Blockout, 100 white devices	Jack module block-out device, 100 block-outs (international white) and 5 removal tools (black), polycarbonate	PK	1	\$	361.16
07498310645	<b>PSL-DCJB-OR</b>	Jack Module Blockout, 10 orange devices	Jack module block-out device, 10 block-outs (orange) and 1 removal tool (black), polycarbonate.	PK	1	\$	46.75
07498310646	<b>PSL-DCJB-OR-C</b>	Jack Module Blockout, 100 orange devices	Jack module block-out device, 100 block-outs (orange) and 5 removal tools (black), polycarbonate.	PK	1	\$	361.16
07498357822	<b>PSL-DCJB-YL</b>	Jack Module Blockout, 10 yellow devices	Jack module block-out device, 10 block-outs (yellow) and 1 removal tool (black), polycarbonate.	PK	1	\$	46.75
07498371260	<b>PSL-DCJB-YL-C</b>	Jack Module Blockout, 100 yellow devices	Jack module block-out device, 100 block-outs (yellow) and 5 removal tools (black), polycarbonate.	PK	1	\$	361.16
61305675922	<b>PSL-DCPLE</b>	Standard Lock-In device, 10 in red with	Standard RJ45 plug lock-in device with extended hood, 10 devices (red) and 1 key	PK	1	\$	69.76
61305673374	<b>PSL-DCPLE-BL</b>	Standard Lock-In device, 10 in black wit	Standard RJ45 plug lock-in device with extended hood, 10 devices (black) and 1 key	PK	1	\$	76.74
61305672925	<b>PSL-DCPLE-BL-C</b>	Standard Lock-In device, 100 in black wi	Standard RJ45 plug lock-in device with extended hood, 100 devices (black) and 5 keys	PK	1	\$	547.65
61305675924	<b>PSL-DCPLE-BU</b>	Standard Lock-In device, 10 in blue with	Standard RJ45 plug lock-in device with extended hood, 10 devices (blue) and 1 key	PK	1	\$	76.74
61305675909	<b>PSL-DCPLE-BU-C</b>	Standard Lock-In device, 100 in blue wit	Standard RJ45 plug lock-in device with extended hood, 100 devices (blue) and 5 keys	PK	1	\$	547.65
61305675907	<b>PSL-DCPLE-C</b>	Standard Lock-In device, 100 in red with	Standard RJ45 plug lock-in device with extended hood, 100 devices (red) and 5 keys	PK	1	\$	547.65
61305675926	<b>PSL-DCPLE-GR</b>	Standard Lock-In device, 10 in green wit	Standard RJ45 plug lock-in device with extended hood, 10 devices (green) and 1 key	PK	1	\$	76.74
61305675911	<b>PSL-DCPLE-GR-C</b>	Standard Lock-In device, 100 in green wi	Standard RJ45 plug lock-in device with extended hood, 100 devices (green) and 5 keys	PK	1	\$	547.65
61305675927	<b>PSL-DCPLE-IG</b>	Standard Lock-In device, 10 in gray with	Standard RJ45 plug lock-in device with extended hood, 10 devices (international gray) and 1 key	PK	1	\$	76.74



61305675912	PSL-DCPLE-IG-C	Standard Lock-In device, 100 in gray wit	Standard RJ45 plug lock-in device with extended hood, 100 devices (international gray) and 5 keys	PK	1	\$	547.65
61305675925	PSL-DCPLE-IW	Standard Lock-In device, 10 in off white	Standard RJ45 plug lock-in device with extended hood, 10 devices (off white) and 1 key	PK	1	\$	76.74
61305675910	PSL-DCPLE-IW-C	Standard Lock-In device, 100 in off white	Standard RJ45 plug lock-in device with extended hood, 100 devices (off white) and 5 keys	PK	1	\$	547.65
61305675923	PSL-DCPLE-OR	Standard Lock-In device, 10 in orange w	Standard RJ45 plug lock-in device with extended hood, 10 devices (orange) and 1 key	PK	1	\$	76.74
61305675908	PSL-DCPLE-OR-C	Standard Lock-In device, 100 in orange w	Standard RJ45 plug lock-in device with extended hood, 100 devices (orange) and 5 keys	PK	1	\$	547.65
61305675921	PSL-DCPLE-YL	Standard Lock-In device, 10 in yellow w	Standard RJ45 plug lock-in device with extended hood, 10 devices (yellow) and 1 key	PK	1	\$	76.74
61305675906	PSL-DCPLE-YL-C	Standard Lock-In device, 100 in yellow w	Standard RJ45 plug lock-in device with extended hood, 100 devices (yellow) and 5 keys	PK	1	\$	547.65
61305675929	PSL-DCPLRE	Recessed Lock-In device, 10 in red wit	Recessed RJ45 plug lock-in device with extended hood, 10 devices (red) and 1 key	PK	1	\$	69.76
61305675935	PSL-DCPLRE-BL	Recessed Lock-In device, 10 in black wit	Recessed RJ45 plug lock-in device with extended hood, 10 devices (black) and 1 key	PK	1	\$	69.76
61305675920	PSL-DCPLRE-BL-C	Recessed Lock-In device, 100 in black wit	Recessed RJ45 plug lock-in device with extended hood, 100 devices (black) and 5 keys	PK	1	\$	547.65
61305675931	PSL-DCPLRE-BU	Recessed Lock-In device, 10 in blue wit	Recessed RJ45 plug lock-in device with extended hood, 10 devices (blue) and 1 key	PK	1	\$	76.74
61305675916	PSL-DCPLRE-BU-C	Recessed Lock-In device, 100 in blue wit	Recessed RJ45 plug lock-in device with extended hood, 100 devices (blue) and 5 keys	PK	1	\$	547.65
61305675914	PSL-DCPLRE-C	Recessed Lock-In device, 100 in red wit	Recessed RJ45 plug lock-in device with extended hood, 100 devices (red) and 5 keys	PK	1	\$	547.65
61305675933	PSL-DCPLRE-GR	Recessed Lock-In device, 10 in green wit	Recessed RJ45 plug lock-in device with extended hood, 10 devices (green) and 1 key	PK	1	\$	69.76
61305675918	PSL-DCPLRE-GR-C	Recessed Lock-In device, 100 in green wit	Recessed RJ45 plug lock-in device with extended hood, 100 devices (green) and 5 keys	PK	1	\$	547.65
61305675934	PSL-DCPLRE-IG	Recessed Lock-In device, 10 in gray wit	Recessed RJ45 plug lock-in device with extended hood, 10 devices (international gray) and 1 key	PK	1	\$	76.74
61305675919	PSL-DCPLRE-IG-C	Recessed Lock-In device, 100 in gray wit	Recessed RJ45 plug lock-in device with extended hood, 100 devices (international gray) and 5 keys	PK	1	\$	547.65
61305675932	PSL-DCPLRE-IW	Recessed Lock-In device, 10 in off white	Recessed RJ45 plug lock-in device with extended hood, 10 devices (off white) and 1 key	PK	1	\$	76.74
61305675917	PSL-DCPLRE-IW-C	Recessed Lock-In device, 100 in off white	Recessed RJ45 plug lock-in device with extended hood, 100 devices (off white) and 5 keys	PK	1	\$	547.65
61305675930	PSL-DCPLRE-OR	Recessed Lock-In device, 10 in orange w	Recessed RJ45 plug lock-in device with extended hood, 10 devices (orange) and 1 key	PK	1	\$	76.74
61305675915	PSL-DCPLRE-OR-C	Recessed Lock-In device, 100 in orange w	Recessed RJ45 plug lock-in device with extended hood, 100 devices (orange) and 5 keys	PK	1	\$	547.65
61305675928	PSL-DCPLRE-YL	Recessed Lock-In device, 10 in yellow w	Recessed RJ45 plug lock-in device with extended hood, 10 devices (yellow) and 1 key	PK	1	\$	76.74
61305675913	PSL-DCPLRE-YL-C	Recessed Lock-In device, 100 in yellow w	Recessed RJ45 plug lock-in device with extended hood, 100 devices (yellow) and 5 keys	PK	1	\$	547.65
61305676452	PSL-DCPLSE	Super Recessed Lock-In device, 10 in red	Super recessed RJ45 plug lock-in device with extended hood, 10 devices (red) and 1 key	PK	1	\$	76.74
61305676453	PSL-DCPLSE-C	Super Recessed Lock-In Device, 100 Dev	Super recessed RJ45 plug lock-in device with extended hood, 100 devices (red) and 5 keys	PK	1	\$	602.43
07498311797	PSL-GLBN	GROUP LOCK BOX,SLIDING LID,RD,EA	The PSL-GLBN Group Lockbox is designed to help manage multiple employees and energy sources involved	PC	1	\$	110.95
07498340280	PSL-GLBNSS	GROUP LOCK BOX,SLIDING LID,SS,EA	Stainless steel group lock box.	PC	1	\$	193.58
07498335027	PSL-HD1	HEAVY DUTY HASP, 1.00 X 1.00,STEEL,PK12	Heavy duty hasp with 1.00" x 1.00" (25.4mm x 25.4mm) clearance.	PC	1	\$	19.44
07498378679	PSL-HD2.4	HEAVY DUTY HASP, 1.00 X 2.40,STEEL,PK12	Heavy duty hasp with 1.00" x 2.40" (25.4mm x 60.0mm) clearance.	PC	1	\$	26.24
07498338383	PSL-HD3	HEAVY DUTY HASP, 1.00 X 3.00,STEEL,PK12	Heavy duty hasp with 1.00" x 3.00" (25.4mm x 76.0mm) clearance.	PC	1	\$	22.21
07498367520	PSL-KT-CONA	CONTRACTOR 34 PC LOCKOUT KIT,RD,EA	The PSL-KT-CONA Contractor Lockout Kit contains a variety of lockout/tagout devices commonly used by el	KT	1	\$	451.68
07498380932	PSL-KT-CONAP	CONTRACTOR 34 PC LOTO KIT/POWERLOK,RD,EA	Contractor Lockout Kit: (1) Screwdriver (1) PSL-KT carrying case - 5.0" x 3.5" x 11.0" (127 x 89 x 279mm)(6)	KT	1	\$	472.50
07498300775	PSL-KT-CONAPX	CONTRACTOR LOTO KIT,RD,EA	Contractor lockout kit:(1) Screwdriver(1) PSL-KT carrying case - 5.00" x 3.50" x 11.00" (127.0mm x 88.9mm)	KT	1	\$	335.63
07498367521	PSL-KT-MROA	MAINTENANCE 26 PC LOTO KIT,RD,EA	The PSL-KT-MROA MRO Lockout Kit includes: Screwdriver, PSL-BX carrying case - 6.5" x 5.0" x 14.5" (165	KT	1	\$	531.19
07498380931	PSL-KT-MROAP	MAINT. 26 PC LOTO KIT/POWERLOK,RD,EA	MRO Lockout Kit: (1) Screwdriver(1) PSL-BX carrying case - 6.5" x 5.0" x 14.5" (165mm x 127mm x 368mm)	KT	1	\$	555.46
07498371299	PSL-KT-PWR	POWER & PANEL 37 PC LOTO KIT,RD,EA	Power and Panel Distribution Lockout Kit: (1) Screwdriver(1) PSL-STATION metal wall mount cabinet(2) PSL	KT	1	\$	618.59
07498380927	PSL-KT-PWRP	POWER & PAN. 37 PC LOTO KIT/P-LOK,RD,EA	Power and Panel Distribution Lockout Kit: (1) Screwdriver(1) PSL-STATION metal wall mount cabinet(2) PSL	KT	1	\$	647.69
07498319484	PSL-LCAB	RD LC dupl adapt blackout dev/1tool,PK10	LC duplex adapter block-out device, 10 devices (red) and 1 removal tool (black), polycarbonate.	PK	1	\$	49.35
07498339758	PSL-MCB	SMALL CIRCUIT BREAKER LOTO DEVICE,RD,EA	The PSL-MCB Universal Miniature Circuit Breaker Lockout quickly locks out miniature circuit breakers comm	PC	1	\$	17.35
07498362851	PSL-MCB-V	SMALL CIRCUIT BREAKER LOTO DEVICE,RD,PK5	Universal miniature circuit breaker lockout.	PC	1	\$	16.43
07498339761	PSL-MCBNT	SM NO TOOL UNIV CIRC BRKR LOTO,RD,EA	The PSL-MCBNT Universal No-Tool Miniature Circuit Breaker Lockout quickly locks out miniature circuit brea	PC	1	\$	20.81
07498362852	PSL-MCBNT-V	SM NO TOOL UNIV CIRC BRKR LOTO,RD,PK5	The PSL-MCBNT-V Universal No-Tool Miniature Circuit Breaker Lockout quickly locks out miniature circuit br	PC	1	\$	18.79
07498362679	PSL-MLD	MULTI-LOCKOUT HASP W/6FT CABLE,RD,EA	The PSL-MLD Multiple Lockout Device with Hasp can be used alone as a lockout hasp or with the provided 0.	PC	1	\$	58.86
07498363372	PSL-MLDC	6FT VNYL COATED GALV STL CBL/LOOP,RD,EA	6.00' (1.8m) vinyl coated galvanized steel cable with loophole (cable only).	PC	1	\$	15.45
07498371534	PSL-MLDC200	200FT VNYL COATED GALV STEEL CBL,RD,EA	200.00' (61.0m) vinyl coated galvanized steel cable on roll without loophole (cable only).	PC	1	\$	535.68
07498312174	PSL-MLDC200T	200FT NYL COATED GALV STEEL CBL,EA	200.00' (61.0m) nylon coated high temperature rating galvanized steel cable on roll without loophole (cable on	PC	1	\$	734.99
07498371706	PSL-MLDH-X	MULTI-LOCKOUT DEVICE (HASP ONLY),PK10	The PSL-MLDH-X Multiple Lockout Device - Hasp only - allows energy sources to be locked out quickly and e	PC	1	\$	39.44
07498312175	PSL-MLDT	MULTI-LOCKOUT DEVICE W/6FT CABLE,EA	Multiple lockout device; includes lockout hasp and 6.00' (1.8m) nylon coated high temperature rating galvaniz	PC	1	\$	67.99
07498339262	PSL-NC3	NON-CONDUCTIVE LOCKOUT HASP W/3IN SHCKL	Non-Conductive lockout hasp with 3.00" (76.2mm) shackle.	PC	1	\$	17.11
07498345823	PSL-P	120V PLUG LOCKOUT,RD,EA	Plug lockout.	PC	1	\$	20.84
07498335047	PSL-PC	9IN HEAVY DUTY ZINC PLATED CHAIN,EA	Heavy duty zinc plated steel chain with chain holder attached.	PC	1	\$	13.95
61305639442	PSL-PC38-33	Flexible Steel Looped Cable, 33' Long, .		PC	1	\$	250.00
07498347385	PSL-PCB	P-LOK CIRCUIT BREAKER LOCKOUT,RD,EA	PowerLOK circuit breaker lockout device, red.	PC	1	\$	27.29
07498347387	PSL-PCB-V	P-LOK CIRCUIT BREAKER LOCKOUT,RD,PK5	PowerLOK circuit breaker lockout device, 5 pieces per pack, red.	PC	1	\$	21.56
07498347386	PSL-PCBNT	P-LOK CIRC BRKR LOCKOUT,NO TOOL,RD,EA	The PSL-PCBNT PowerLOK No-Tool Circuit Breaker Lockout device provides a versatile, easy to use lockou	PC	1	\$	31.29
07498347388	PSL-PCBNT-V	P-LOK CIRC BRKR LOCKOUT,NO TOOL,RD,PK5	PowerLOK, no tool, circuit breaker lockout device, 5 pieces per pack, red.	PC	1	\$	23.44
07498335048	PSL-PE1	PADLOCK EYES, ANGLED,EA	Padlock eyes, angled (metal mounting screws included).	KT	1	\$	12.15
07498344947	PSL-PEL	PNEUMATIC ENERGY LOCKOUT,RD/SS,EA	Pneumatic energy lockout device, 3.50" (88.9mm) diameter x 0.10" (2.5mm) thick.	PC	1	\$	36.74
07498375827	PSL-PI	GLOBAL PLUG LOCKOUT DEVICE,RD,EA	Global plug lockout for 220 - 240 Volt AC/Industrial Plugs.	PC	1	\$	21.23
07498356538	PSL-PK	ELECTRICIAN POUCH,EMPTY,RD,EA	Empty pouch for PSL-PK-EA.	PC	1	\$	35.24
07498367519	PSL-PK-EA	ELECTRICIAN LOCKOUT KIT,RD,EA	The PSL-PK-EA Contractor Lockout Kit contains a variety of lockout/tagout devices commonly used by an ind	KT	1	\$	156.74
07498380824	PSL-PK-EAP	ELECTRICIAN LOTO KT W/P-LOK,RD,EA	Electrician's Lockout Kit: (1) Screwdriver, (1) PSL-PK pouch, (1) PSL-8 red non-conductive padlock, (1) PSL-	KT	1	\$	167.04
07498357753	PSL-PL1REDY	SELF-LAM PADLOCK LABELS,RD,PK25	Red label	C	100	\$	279.51
07498323379	PSL-SC	PADLOCK SHACKLE COLLAR & RIVET,PK12	Padlock shackle collar and rivet.	PC	1	\$	2.65
07498371300	PSL-STATION	METAL WALL MOUNT CABINET,EMPTY,RD,EA	Metal wall mount cabinet.	PC	1	\$	273.09
07498323375	PSL-TG1	BRASS PADLOCK ID TAG,PK12	Brass padlock identification tag.	PC	1	\$	4.40
07498343251	PSL-USBA	USB Type 'A' blackout devices/1 tool,PK5	USB type A block-out device, 5 devices (red) and 1 removal tool (black), polycarbonate..	PK	1	\$	56.89
07498343429	PSL-USBA-L	USB Type 'A' blackout devices, 50	USB type A block-out device, 50 devices (red) and 5 removal tool (black), polycarbonate.	PK	1	\$	455.19
07498364045	PSL-USBB	USB Type B Blockout Device/1tool,PK10	USB type B block-out device, 10 devices (red) and 1 removal tool (black), polycarbonate.	PK	1	\$	65.70
07498324203	PSL-V13	GATE VALVE LOCKOUT DEV,10IN-13IN,RD,EA	Gate valve lockout, accommodates 10.00" - 13.00" diameter handle, red.	PC	1	\$	135.78
07498344372	PSL-V2A	GATE VALVE LOCKOUT,1IN-2.50IN,RD,EA	The PSL-V2A Gate Valve Lockout Device is constructed of rugged polypropylene providing strength, durabilit	PC	1	\$	28.79
07498334230	PSL-V2YEL	GATE VALVE LOCKOUT,1IN-2.50IN,YL,EA	Gate valve lockout, accommodates 1.00" - 2.50" diameter handle, yellow.	PC	1	\$	29.33
07498344373	PSL-V6A	GATE VALVE LOCKOUT,2.5IN-6.5IN,RD,EA	The PSL-V6A Gate Valve Lockout Device is constructed of rugged polypropylene providing strength, durabilit	PC	1	\$	53.36
07498324193	PSL-V9	GATE VALVE LOCKOUT DEV,6.5IN-10IN,RD,EA	Gate valve lockout, accommodates 6.50" - 10.00" diameter handle, red.	PC	1	\$	70.13
07498334378	PSL-WS	TOGGLE SWITCH LOCKOUT DEVICE,RD,EA	The PSL-WS Toggle/Rocker Switch Lockout Device is constructed of rugged polypropylene providing strengt	PC	1	\$	20.44
07498356566	PSL-WS1A	TOGGLE/ROCKER SWITCH LOCKOUT,RD,EA	Toggle/rocker switch lockout.	PC	1	\$	30.69
07498390531	PSMS8	#8 X 1/2" Low Profile Self-Tapping Screw	#8 x 1/2" low-profile, self-tapping screw	PC	1	\$	0.06

07498383305	<b>PSN12-D</b>	ParallelSplice,Nyl14,12AWG,PK500	Parallel Splice, 14 – 12 AWG, nylon insulated, bulk package.	M	1000	\$	509.66
07498383302	<b>PSN16-C</b>	ParallelSplice,Nyl20,16AWG,PK100	Parallel Splice, 20 – 16 AWG, nylon insulated, standard package.	C	100	\$	88.91
07498383303	<b>PSN16-M</b>	ParallelSplice,Nyl20,16AWG,PK1000	Parallel Splice, 20 – 16 AWG, nylon insulated, bulk package.	M	1000	\$	366.93
07498383300	<b>PSN18-C</b>	ParallelSplice,Nyl22,18AWG,PK100	Parallel Splice, 22 – 18 AWG, nylon insulated, standard package.	C	100	\$	84.59
07498383301	<b>PSN18-M</b>	ParallelSplice,Nyl22,18AWG,PK1000	Parallel Splice, 22 – 18 AWG, nylon insulated, bulk package.	M	1000	\$	372.85
07498394888	<b>PSSB-13</b>	SAFETY MKR BK ,DNCR HI VOLT, RD/BL/WH,EA	Voltage safety marker box, 'Danger high voltage' (legend), vinyl, red/black on white, 3 markers/page, 30 ma	BK	1	\$	39.20
07498397994	<b>PST-1</b>	SELF-LAM TAGS,3IN X 2IN,BLANK,WH,PK10	The PST-1 Self-Laminating Identification Tag is constructed of semi-rigid vinyl with polyester. Cut out paper t	PK	1	\$	14.61
07498395669	<b>PST-2</b>	SELF-LAM TAG,3.25IN X 5.75IN,BLNK,WH,PK5	Self-laminating tag, 3.25" x 5.75" front only lamination with ties, 'Blank' ( no legend), semi-rigid vinyl with poly	PK	1	\$	16.43
07498397999	<b>PST-3</b>	SELF-LAM FOTO TAG, 'DANGER',R/B,W,PK5	Self-laminating photo tag, 3.00" W x 5.75" H, danger header, 'Do not operate...' (legend), semi-rigid vinyl with	PK	1	\$	16.43
07498371040	<b>PST-4</b>	SELF-LAM TAGS,3IN X 2IN,BLANK,WH,PK25	The PST-4 Self-Laminating Identification Tag is constructed of semi-rigid vinyl with polyester. Cut out paper t	PK	1	\$	82.00
07498371384	<b>PST-5</b>	SELF-LAM TAG,3IN X 2IN,BLANK,WH,PK25	Self-laminating tag, 3.50" x 5.75" front and back lamination with ties, 'Blank' ( no legend), semi-rigid vinyl with	PK	1	\$	114.94
07498378018	<b>PST-98-P</b>	Portuguese Lockout Tag, 3"x5.75" with ti	Self-Laminating Photo Tags, French Language, 3.00" (76.0mm) W X 5.75" (146.0mm) H, 5 Tags & Ties/Pk.,	PK	1	\$	16.36
07498391500	<b>PST-FO</b>	SELF-LAM FO TAG, 'CAUTION',BL/YL,PK5	The PST-FO Self-Laminating Fiber Optic Cable Marker Tag is manufactured using rigid vinyl and provides ide	PK	1	\$	14.21
07498372240	<b>PST-FOBLNK</b>	SELF-LAM BLANK TAG,YL,PK5	The PST-FOBLNK Self-Laminating Fiber Optic Cable Marker Tag is constructed of semi-rigid vinyl. The legen	PK	1	\$	14.21
07498343788	<b>PSWM-375Y</b>	MRKRCards,.375"Wx1.50"L,.75"POA,PK25	White write-on, self-laminating vinyl label, 0.38 x 1.50.	C	100	\$	321.89
07498343789	<b>PSWM-750Y</b>	MRKRCards,.75"Wx1.50"L,.75"POA,PK25	White write-on, self-laminating vinyl label, 0.75 x 1.50.	C	100	\$	321.89
07498360797	<b>PT-BGND</b>	NETWORK BLDG GROUND TAG,GR/YL,PK100	Ground warning tag, 2.75" W x 1.38" H, 'Network building ground' (legend), semi-rigid polyethylene, green/yel	PK	1	\$	57.93
07498321173	<b>PT-GND</b>	GROUND WIRE TAG,BL/YL,PK100	Ground warning tag, 2.75" W x 1.38" H, 'Warning ground wire do not remove' (legend), semi-rigid polyethylen	PK	1	\$	57.93
61305666750	<b>PTC-1/2-26</b>	Grounding Pigtail Style Connector, 1/2"	Grounding Pigtail Style Connector, 1/2" Rod (12.7mm), 6 Str - 3/0 Str (10-85mm2) Single Cable, 6 Str - 2 Str	PC	1	\$	54.80
61305666752	<b>PTC-3/4-140</b>	Grounding Pigtail Style Connector, 3/4"	Grounding Pigtail Style Connector, 3/4" Rod (19.1mm), 1/0 Str - 4/0 Str (50-110mm2) Single Cable	PC	1	\$	77.03
61305666751	<b>PTC-5/8-26</b>	Grounding Pigtail Style Connector, 5/8"	Grounding Pigtail Style Connector, 5/8" Rod (15.9mm), 6 Str - 4/0 Str (10-110mm2) Single Cable, 6 Str - 2 St	PC	1	\$	72.88
61305679330	<b>PTM-C3500</b>	Ink Jet Printer, 4.0", Includes Easy-Mar	The Ink Jet printer for North American usage has a print speed of up to 4.0" (101.6 mm) per second and incl	PC	1	\$	2,312.49
07498376640	<b>PTR-CLN</b>	PrinterCleaningKitforDesktopPrinters,1EA	Printer cleaning kit for desktop printers contains (1) cleaning pen, (8) cleaning solution soaked wipes, (8) foam	KT	1	\$	111.36
07498364122	<b>PTSGB16</b>	ADJ SCREW GUN BOX BRACKET,11-18 in,PK50	StrongHold PTSGB16 Adjustable Screw Gun Box Bracket is utilized to mount electrical box between studs, s	PC	1	\$	4.15
07498364132	<b>PTSGB24</b>	ADJ SCREW GUN BOX BRACKET,17-26 in,PK50	StrongHold PTSGB24 Adjustable Screw Gun Box Bracket is utilized to mount electrical box between studs, s	PC	1	\$	5.61
07498390794	<b>PUM-049-2S-D30</b>	FirTreePshMntAssem,.18-.19in,BL,PK500	Panduit PUM-049-2S-D30 Fir Tree Push Mounts provide increased retention and lower insertion force. Ideal f	M	1000	\$	293.56
07498306416	<b>PUM-049-C30</b>	FirTreePshMnt,.18-.19in,HS,BL,PK100	Panduit PUM-049-C30 Fir Tree Push Mounts have a unique alternating barb design that allows it to lock secu	C	100	\$	18.88
07498390786	<b>PUM-049-M30</b>	FirTreePshMnt,.18-.19in,HS,BL,PK1000	Panduit PUM-049-M30 Fir Tree Push Mounts have a unique alternating barb design that allows it to lock secu	M	1000	\$	145.28
07498312201	<b>PUM-071-2S-C30</b>	FirTreePshMntAssem,2inBdIDia,HS,BL,PK100	Panduit PUM-071-2S-C30 Fir Tree Push Mounts provide increased retention and lower insertion force. Ideal f	C	100	\$	49.44
07498390795	<b>PUM-071-2S-D30</b>	FirTreePshMntAssem,2inBdIDia,HS,BL,PK500	Panduit PUM-071-2S-D30 Fir Tree Push Mounts provide increased retention and lower insertion force. Ideal f	M	1000	\$	380.34
07498390796	<b>PUM-071-3S-D30</b>	FirTreePshMntAssem,3inBdIDia,HS,BL,PK500	Panduit PUM-071-3S-D30 Fir Tree Push Mounts provide increased retention and lower insertion force. Ideal f	M	1000	\$	593.66
07498390797	<b>PUM-071-4S-D30</b>	FirTreePshMntAssem,4inBdIDia,HS,BL,PK500	Panduit PUM-071-4S-D30 Fir Tree Push Mounts provide increased retention and lower insertion force. Ideal f	M	1000	\$	655.89
07498311590	<b>PUM-071-B2S-D30</b>	FirTreePshMntAssem,.25-.28in,HS,BL,BP	The fir tree push mount assembly is black and requires a panel hole diameter of 0.25 to 0.28" (6.3 to 7.1 mm)	M	1000	\$	519.25
07498339815	<b>PUM-071-C0</b>	FirTreePshMnt,.25-.28in,Nyl,BL,PK100	The fir tree push mount is black and requires a panel hole diameter of 0.25 to 0.28" (6.3 to 7.1 mm). It is mad	C	100	\$	27.68
07498306417	<b>PUM-071-C30</b>	FirTreePshMnt,.25-.28in,HS,BL,PK100	Panduit PUM-071-C30 Fir Tree Push Mounts have a unique alternating barb design that allows it to lock secu	C	100	\$	25.08
07498339819	<b>PUM-071-M0</b>	FirTreePshMnt,.25-.28in,Nyl,BL,PK1000	The fir tree push mount is black and requires a panel hole diameter of 0.25 to 0.28" (6.3 to 7.1 mm). It is mad	M	1000	\$	276.58
07498390791	<b>PUM-071-M30</b>	FirTreePshMnt,.25-.28in,HS,BL,PK1000	Panduit PUM-071-M30 Fir Tree Push Mounts have a unique alternating barb design that allows it to lock secu	M	1000	\$	250.81
07498390834	<b>PUM-100-2S-D30</b>	FirTreePshMntAssem,.35-.40in,HS,BL,PK500	The fir tree push mount assembly is black and requires a panel hole diameter of 0.35 to 0.40" (9.0 to 10.0mm)	M	1000	\$	468.79
07498339816	<b>PUM-100-C0</b>	FirTreePshMnt,.35-.40in,Nyl,BL,PK100	The fir tree push mount is black and requires a panel hole diameter of 0.35 to 0.40" (9.0 to 10.0 mm). It is ma	C	100	\$	45.45
07498306418	<b>PUM-100-C30</b>	FirTreePshMnt,.35-.40in,HS,BL,PK100	Panduit PUM-100-C30 Fir Tree Push Mounts have a unique alternating barb design that allows it to lock secu	C	100	\$	41.21
07498339821	<b>PUM-100-M0</b>	FirTreePshMnt,.35-.40in,Nyl,BL,PK1000	The fir tree push mount is black and requires a panel hole diameter of 0.35 to 0.40" (9.0 to 10.0 mm). It is ma	M	1000	\$	349.34
07498390793	<b>PUM-100-M30</b>	FirTreePshMnt,.35-.40in,HS,BL,PK1000	The fir tree push mount is black and requires a panel hole diameter of 0.35 to 0.40" (9.0 to 10.0 mm). It is ma	M	1000	\$	332.70
07498390961	<b>PUM-925-3H-T30</b>	FirTreePshMntAssem,.34-.36in,PK25	The fir tree push mount assembly is black and requires a panel hole diameter of 0.34" to 0.36" (8.8 to 9.3 mm)	M	1000	\$	2,563.98
07498306419	<b>PUM-925-C30</b>	FirTreePshMnt,.34-.36in,HS,BL,PK100	The fir tree push mount is black and requires a panel hole diameter of 0.34 to 0.36" (8.8 to 9.3 mm). It is mad	C	100	\$	37.85
07498339822	<b>PUM-925-M0</b>	FirTreePshMnt,.34-.36in,Nyl,BL,PK1000	The fir tree push mount is black and requires a panel hole diameter of 0.34 to 0.36" (8.8 to 9.3 mm). It is mad	M	1000	\$	305.63
07498390792	<b>PUM-925-M30</b>	FirTreePshMnt,.34-.36in,HS,BL,PK1000	The fir tree push mount is black and requires a panel hole diameter of 0.34 to 0.36" (8.8 to 9.3mm). It is mad	M	1000	\$	277.24
07498312111	<b>PUM071-R15S-D30</b>	Fir Tree Push Mount Assembly, .25"- .28"	Fir tree push mount assembly with PRT cable tie, .25"- .28" (6.3mm - 7.1mm) panel hole dia range, heat stabi	M	1000	\$	599.05
07498312110	<b>PUM071-R1S-D30</b>	FirTreePshMnt,.25-.28inDiaRange,PK500	The fir tree push mount assembly with PRT cable tie is black and requires a panel hole diameter of 0.25 to 0.	M	1000	\$	539.10
61305626208	<b>PUME925-3E-C350</b>	HvyDtyFirTreePshMntw/12",W,Strap,PK100	Heavy Duty Fir Tree Push Mount with 12" Wide Strap Cable Tie Assembly, hole size 0.354", Heat Stabilized,	M	1000	\$	2,666.28
61305626209	<b>PUME925-4E-C350</b>	HvyDtyFirTreePshMntw/15",W,Strap,PK100	Heavy Duty Fir Tree Push Mount with 15" Wide Strap Cable Tie Assembly, hole size 0.354", Heat Stabilized,	M	1000	\$	2,666.28
61305626206	<b>PUME925-D350</b>	HvyDtyFirTreePshMnt,HoleS20.354",PK500	Heavy Duty Fir Tree Push Mount, hole size 0.354", Heat Stabilized, Impact Modified, Weather Resistant Nyl	M	1000	\$	507.86
07498380415	<b>PV10-10F-D</b>	Fork Terminal,Vinyl,12-10AWG,#10,PK500	Fork Terminal, vinyl insulated, funnel entry, 14- 10 AWG, #10 stud size, bulk package.	M	1000	\$	437.14
07498334424	<b>PV10-10F-E</b>	Fork Terminal,Vinyl,12-10AWG,#10,PK20	Fork Terminal, vinyl insulated, funnel entry, 14 – 10 AWG, #10 stud size, convenience package.	C	100	\$	121.66
07498380414	<b>PV10-10F-L</b>	Fork Terminal,Vinyl,14-10AWG,#10,PK50	The PV10-10F-L Pan-Term® Terminal is a vinyl insulated, fork terminal. Brazed seam protects terminal barre	C	100	\$	98.20
07498380450	<b>PV10-10FB-2K</b>	Fork Term,Vyl,12,10AWG,#10Stud,PK2000	Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 12 - 10 AWG wire range, #10 stud size.	M	1000	\$	452.15
07498346511	<b>PV10-10FF-L</b>	FlgdForkTerm,Vyl,14,10AWG,#10Stud,PK50	Flanged Fork Terminal, vinyl insulated, funnel entry, 14 - 10 AWG, #10 stud size.	C	100	\$	112.73
07498380717	<b>PV10-10FFB-2K</b>	FlgdForkTerm,Vyl,12,10AWG,#10Stud,PK2000	Flanged Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 12 - 10 AWG wire range, #10 stu	M	1000	\$	470.23
07498380433	<b>PV10-10FX-D</b>	Fork Term,Vyl,12,10AWG,#10Stud,PK500	Fork Terminal, vinyl insulated, 12- 10 AWG, #10 stud size, expanded insulation for large wire O.D., bulk pack	M	1000	\$	521.09
07498380432	<b>PV10-10FX-L</b>	Fork Term,Vyl,12,10AWG,#10Stud,PK50	Fork Terminal, vinyl insulated, 12- 10 AWG, #10 stud size, expanded insulation for large wire O.D., standard	C	100	\$	124.90
07498380817	<b>PV10-10LF-D</b>	LkgForkTerm,Vy,FE,12-10AWG,#10Std,PK500	Locking Fork Terminal, vinyl insulated, funnel entry, butted seam, 12- 10 AWG, #10 stud size, bulk package.	M	1000	\$	416.44
07498380816	<b>PV10-10LF-L</b>	Lock Fork Term,Vinyl,12-10AWG,#10,PK50	The PV10-10LF-L Pan-Term® Terminal is a vinyl insulated, locking fork terminal. The locking tongue design I	C	100	\$	116.15
07498380851	<b>PV10-10LFB-2K</b>	LkgForkTerm,Vyl,12,10AWG,#10Stud,PK2000	Locking Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 12- 10 AWG wire range, #10 stud	M	1000	\$	456.08
07498380836	<b>PV10-10LFX-L</b>	LkgForkTerm,Vyl,12,10AWG,#10Std,PK50	Locking Fork Terminal, vinyl insulated, 12- 10 AWG, #10 stud size, expanded insulation for large wire O.D., s	C	100	\$	126.65
07498380133	<b>PV10-10R-D</b>	Ring Terminal,Vinyl,12-10AWG,#10,PK500	The PV10-10R-D Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barre	M	1000	\$	128.65
07498380132	<b>PV10-10R-L</b>	Ring Terminal,Vinyl,12-10AWG,#10,PK50	The PV10-10R-L Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barre	C	100	\$	100.89
07498380361	<b>PV10-10RB-2K</b>	RingTerm,Vyl,12,10AWG,#10Stud,PK2000	The PV10-10RB-2K Reel Smart™ Terminal is a continuously molded and fully insulated ring terminal. The co	M	1000	\$	452.18
07498380173	<b>PV10-10RX-D</b>	RingTerm,Vyl,12,10AWG,#10Stud,PK500	Ring Terminal, 12 – 10 AWG, #10 stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pac	M	1000	\$	478.08
07498380172	<b>PV10-10RX-L</b>	RingTerm,Vyl,12,10AWG,#10Stud,PK50	Ring Terminal, 12 – 10 AWG, #10 stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	119.26
07498312450	<b>PV10-12R-Q</b>	Ring Terminal,Vinyl,12-10AWG,1/2IN,PK25	Ring Terminal, 12 – 10 AWG, 1/2" stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	185.51
07498380417	<b>PV10-14F-D</b>	Fork Terminal,Vinyl,12-10AWG,1/4IN,PK500	Fork Terminal, vinyl insulated, funnel entry, 14- 10 AWG, 1/4 stud size, bulk package.	M	1000	\$	505.80
07498380416	<b>PV10-14F-L</b>	Fork Terminal,Vinyl,12-10AWG,1/4IN,PK50	Fork Terminal, vinyl insulated, funnel entry, 12- 10 AWG, 1/4 stud size, standard package.	C	100	\$	116.18
07498380434	<b>PV10-14FX-L</b>	ForkTerm,Vyl,12,10AWG,1/4"Stud,PK50	Fork Terminal, vinyl insulated, 12- 10 AWG, 1/4 stud size, expanded insulation for large wire O.D.	C	100	\$	143.44
07498380818	<b>PV10-14FL-L</b>	LkgForkTerm,Vy,FE,12-10AWG,1/4"Std,PK50	Locking Fork Terminal, vinyl insulated, funnel entry, butted seam, 12- 10 AWG, 1/4 stud size, standard packa	C	100	\$	149.61
07498380852	<b>PV10-14LFB-2K</b>	LkgForkTerm,Vyl,12,10AWG,1/4"Stud,PK2000	Locking Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 12- 10 AWG wire range, 1/4 stud	M	1000	\$	531.01
07498380135	<b>PV10-14R-D</b>	Ring Terminal,Vinyl,12-10AWG,1/4IN,PK500	The PV10-14R-D Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barr	M	1000	\$	463.95
07498336241	<b>PV10-14R-E</b>	Ring Terminal,Vinyl,12-10AWG,1/4IN,PK25	Ring Terminal, 12 – 10 AWG, 1/4" stud size, vinyl insulated, funnel entry, convenience package.	C	100	\$	148.93
07498380134	<b>PV10-14R-L</b>	Ring Terminal,Vinyl,12-10AWG,1/4IN,PK50	The PV10-14R-L Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barre	C	100	\$	122.48

07498380362	<b>PV10-14RB-2K</b>	RingTerm,Vyl,12,10AWG,1/4"Stud,PK2000	The PV10-14RB-2K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. Th	M	1000	\$	507.91
07498380175	<b>PV10-14RX-D</b>	RingTerm,Vyl,12,10AWG,1/4"Stud,PK500	Ring Terminal, 12 – 10 AWG, 1/4" stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pac	M	1000	\$	586.28
07498380174	<b>PV10-14RX-L</b>	RingTerm,Vyl,12,10AWG,1/4"Stud,PK500	Ring Terminal, 12 – 10 AWG, 1/4" stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	141.29
07498380139	<b>PV10-38R-D</b>	Ring Terminal,Vinyl,12-10AWG,3/8IN,PK500	Ring Terminal, 12 – 10 AWG, 3/8" stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	481.71
07498380138	<b>PV10-38R-L</b>	Ring Terminal,Vinyl,12-10AWG,3/8IN,PK500	The PV10-38R-L Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazead seam protects terminal barre	C	100	\$	117.93
07498380364	<b>PV10-38RB-2K</b>	RingTerm,Vyl,12,10AWG,3/8"Stud,PK2000	The PV10-38RB-2K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. Th	M	1000	\$	507.91
07498380178	<b>PV10-38RX-L</b>	RingTerm,Vyl,12,10AWG,3/8"Stud,PK500	Ring Terminal, 12 – 10 AWG, 3/8" stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	140.39
07498380137	<b>PV10-56R-D</b>	Ring Term,Vinyl,12-10AWG,5/16IN,PK500	Ring Terminal, 12 – 10 AWG, 5/16" stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	481.71
07498380136	<b>PV10-56R-L</b>	Ring Terminal,Vinyl,12-10AWG,5/16IN,PK500	The PV10-56R-L Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazead seam protects terminal barre	C	100	\$	122.48
07498380363	<b>PV10-56RB-2K</b>	RingTerm,Vyl,12,10AWG,5/16"Stud,PK2000	The PV10-56RB-2K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. Th	M	1000	\$	507.91
07498380176	<b>PV10-56RX-L</b>	RingTerm,Vyl,12,10AWG,5/16"Stud,PK500	Ring Terminal, 12 – 10 AWG, 5/16" stud size, vinyl insulated, expanded insulation for large wire O.D., standar	C	100	\$	146.73
07498380437	<b>PV10-6F-D</b>	Fork Terminal,Vinyl,12-10AWG,#6,PK500	Fork Terminal, vinyl insulated, funnel entry, 14- 10AWG, #6 stud size, bulk package.	M	1000	\$	433.18
07498380436	<b>PV10-6F-L</b>	Fork Terminal,Vinyl,12-10AWG,#6,PK500	The PV10-6F-L Pan-Term® Terminal is a vinyl insulated, fork terminal. Brazead seam protects terminal barre	C	100	\$	96.68
07498380448	<b>PV10-6FB-2K</b>	RingTerm,Vyl,12,10AWG,#6Stud,PK2000	Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 12 - 10 AWG wire range, #6 stud size.	M	1000	\$	474.76
07498380813	<b>PV10-6LF-D</b>	LkgForkTerm,Vy,FE,12-10AWG,#6Std,PK500	Locking Fork Terminal, vinyl insulated, funnel entry, butted seam, 12- 10 AWG, #6 stud size, bulk package.	M	1000	\$	441.61
07498380812	<b>PV10-6LF-L</b>	Locking Fork Term,Vinyl,12-10AWG,#6,PK500	Locking Fork Terminal, vinyl insulated, funnel entry, butted seam, 12- 10 AWG, #6 stud size, standard packag	C	100	\$	121.14
07498380849	<b>PV10-6LFB-2K</b>	LkgForkTerm,Vyl,12,10AWG,#6StdPK2000	Locking Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 12- 10 AWG wire range, #6 stud	M	1000	\$	455.08
07498380129	<b>PV10-6R-D</b>	Ring Terminal,Vinyl,12-10AWG,#6,PK500	Ring Terminal, 12 – 10 AWG, #6 stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	416.39
07498380128	<b>PV10-6R-L</b>	Ring Terminal,Vinyl,12-10AWG,#6,PK500	Ring Terminal, 12 – 10 AWG, #6 stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	96.68
07498380359	<b>PV10-6RB-2K</b>	RingTerm,Vyl,12,10AWG,#6Stud,PK2000	Ring Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 12 – 10 AWG wire range, #6 stud size.	M	1000	\$	452.18
07498380169	<b>PV10-6RX-D</b>	RingTerm,Vyl,12,10AWG,#6Stud,PK500	Ring Terminal, 12 – 10 AWG, #6 stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pack	M	1000	\$	486.74
07498380413	<b>PV10-8F-D</b>	Fork Terminal,Vinyl,12-10AWG,#8,PK500	Fork Terminal, vinyl insulated, funnel entry, 14- 10AWG, #8 stud size, bulk package.	M	1000	\$	412.20
07498336242	<b>PV10-8F-E</b>	Fork Terminal,Vinyl,12-10AWG,#8,PK200	Fork Terminal, vinyl insulated, funnel entry, 14 – 10 AWG, #8 stud size, convenience package.	C	100	\$	121.66
07498380412	<b>PV10-8F-L</b>	Fork Terminal,Vinyl,12-10AWG,#8,PK500	The PV10-8F-L Pan-Term® Terminal is a vinyl insulated, fork terminal. Brazead seam protects terminal barre	C	100	\$	98.20
07498380449	<b>PV10-8FB-2K</b>	RingTerm,Vyl,12,10AWG,#8Stud,PK2000	Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 12 - 10 AWG wire range, #8 stud size.	M	1000	\$	474.76
07498346509	<b>PV10-8FF-L</b>	FlgdForkTerm,Vyl,14,10AWG,#8Std,PK500	Flanged Fork Terminal, vinyl insulated, funnel entry, 14 - 10 AWG, #8 stud size.	C	100	\$	112.75
07498380716	<b>PV10-8FFB-2K</b>	FlgdForkTerm,Vyl,12,10AWG,#8StdPK2000	Flanged Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 12 - 10 AWG wire range, #8 stud	M	1000	\$	493.76
07498380431	<b>PV10-8FX-D</b>	ForkTerm,Vyl,12,10AWG,#8Stud,PK500	Fork Terminal, vinyl insulated, 12- 10 AWG, #8 stud size, expanded insulation for large wire O.D., bulk packa	M	1000	\$	495.95
07498380430	<b>PV10-8FX-L</b>	ForkTerm,Vyl,12,10AWG,#8Stud,PK500	Fork Terminal, vinyl insulated, 12- 10 AWG, #8 stud size, expanded insulation for large wire O.D., standard p	C	100	\$	124.96
07498380815	<b>PV10-8LF-D</b>	LkgForkTerm,Vy,FE,12-10AWG,#8Std,PK500	Locking Fork Terminal, vinyl insulated, funnel entry, butted seam, 12- 10 AWG, #8 stud size, bulk package.	M	1000	\$	416.44
07498380814	<b>PV10-8LF-L</b>	Locking Fork Term,Vinyl,12-10AWG,#8,PK500	The PV10-8LF-L Pan-Term® Terminal is a vinyl insulated, locking fork terminal. The locking tongue design lo	C	100	\$	110.93
07498380850	<b>PV10-8LFB-2K</b>	LkgForkTerm,Vyl,12,10AWG,#8StdPK2000	The PV10-8LFB-2K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated, locking fork ter	M	1000	\$	455.08
07498380834	<b>PV10-8LFX-L</b>	LkgForkTerm,Vyl,12,10AWG,#8Std,PK500	Locking Fork Terminal, vinyl insulated, 12- 10 AWG, #8 stud size, expanded insulation for large wire O.D., sta	C	100	\$	128.74
07498380131	<b>PV10-8R-D</b>	Ring Terminal,Vinyl,12-10AWG,#8,PK500	The PV10-8R-D Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazead seam protects terminal barre	M	1000	\$	412.18
07498380130	<b>PV10-8R-L</b>	Ring Terminal,Vinyl,12-10AWG,#8,PK500	The PV10-8R-L Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazead seam protects terminal barre	C	100	\$	98.20
07498380360	<b>PV10-8RB-2K</b>	RingTerm,Vyl,12,10AWG,#8Stud,PK2000	The PV10-8RB-2K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. The	M	1000	\$	452.18
07498380171	<b>PV10-8RX-D</b>	RingTerm,Vyl,12,10AWG,#8Stud,PK500	Ring Terminal, 12 – 10 AWG, #8 stud size, vinyl insulated, expanded insulation for large wire O.D, bulk packa	M	1000	\$	521.15
07498380170	<b>PV10-8RX-L</b>	RingTerm,Vyl,12,10AWG,#8Stud,PK500	Ring Terminal, 12 – 10 AWG, #8 stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	124.96
61305675789	<b>PV10-P55-DYY</b>	Pin Terminal, vinyl insulated, 12 - 10 A	Pin Terminal, 12 10 AWG, vinyl insulated, .55 pin length, bulk package.	M	1000	\$	715.36
61305675791	<b>PV10-P55-LYY</b>	Pin Terminal, vinyl insulated, 12 - 10 A	The PV10-P55-LYY Pan-Term® Terminal is a vinyl insulated, pin terminal. The solid pin is designed to prevent	C	100	\$	195.48
07498380257	<b>PV12-10HDR-D</b>	RingTerm,HDty,Vyl,16,12AWG,#10StdPK500	Ring Terminal, 16 – 12 AWG, #10 stud size, heavy duty, vinyl insulated, funnel entry, bulk package.	M	1000	\$	475.83
07498380256	<b>PV12-10HDR-L</b>	RingTerm,HDty,Vyl,16,12AWG,#10StdPK500	Ring Terminal, 16 – 12 AWG, #10 stud size, heavy duty, vinyl insulated, funnel entry, standard package.	C	100	\$	128.84
07498380688	<b>PV12-10HDB-2K</b>	RingTerm,HDty,Vyl,16,12AWG,#10StdPK2000	Heavy Duty Ring Terminal, vinyl insulated, plastic insulation crimp, 16 – 12 AWG, .05 stock and #10 stud size	M	1000	\$	563.90
07498380259	<b>PV12-14HDR-D</b>	RingTerm,HDty,Vyl,16,12AWG,1/4"StudPK500	Ring Terminal, 16 – 12 AWG, 1/4" stud size, heavy duty, vinyl insulated, funnel entry, bulk package.	M	1000	\$	530.69
07498380258	<b>PV12-14HDR-L</b>	RingTerm,HDty,Vyl,16,12AWG,1/4"StudPK500	Ring Terminal, 16 – 12 AWG, 1/4" stud size, heavy duty, vinyl insulated, funnel entry, standard package.	C	100	\$	154.25
07498380689	<b>PV12-14HDB-2K</b>	RingTerm,HDty,Vyl,16,12AWG,1/4"StudPK2000	Heavy Duty Ring Terminal, vinyl insulated, plastic insulation crimp, 16 – 12 AWG, .05 stock and 1/4" stud size	M	1000	\$	559.63
07498380263	<b>PV12-38HDR-D</b>	RingTerm,HDty,Vyl,16,12AWG,3/8"StudPK500	Ring Terminal, 16 – 12 AWG, 3/8" stud size, heavy duty, vinyl insulated, funnel entry, bulk package.	M	1000	\$	577.70
07498380691	<b>PV12-38HDB-2K</b>	RingTerm,HDty,Vyl16,12AWG,3/8"StudPK2000	Heavy Duty Ring Terminal, vinyl insulated, plastic insulation crimp, 16 – 12 AWG, .05 stock and 3/8" stud siz	M	1000	\$	659.63
07498380690	<b>PV12-56HDB-2K</b>	RingTerm,HDty,Vyl,16,12AWG,5/16"StdPK2000	Heavy Duty Ring Terminal, vinyl insulated, plastic insulation crimp, 16 – 12 AWG, .05 stock and 5/16" stud siz	M	1000	\$	628.21
07498380253	<b>PV12-6HDR-D</b>	RingTerm,HDty,Vyl,16,12AWG,#6StdPK500	Ring Terminal, 16 – 12 AWG, #6 stud size, heavy duty, vinyl insulated, funnel entry, bulk package.	M	1000	\$	431.55
07498380254	<b>PV12-8HDR-L</b>	RingTerm,HDty,Vyl,16,12AWG,#8Std,PK500	Ring Terminal, 16 – 12 AWG, #8 stud size, heavy duty, vinyl insulated, funnel entry, standard package.	C	100	\$	135.85
07498380410	<b>PV14-10F-C</b>	Fork Terminal,Vinyl,16-14AWG,#10,PK100	The PV14-10F-C Pan-Term® Terminal is a vinyl insulated, fork terminal. Brazead seam protects terminal barre	C	100	\$	78.14
07498380411	<b>PV14-10F-M</b>	Fork Terminal,Vinyl,16-14AWG,#10,PK1000	Fork Terminal, vinyl insulated, funnel entry, 16- 14 AWG, #10 stud size, bulk package.	M	1000	\$	295.18
07498380446	<b>PV14-10FB-3K</b>	ForkTerm,Vyl,16,14AWG,#10Std,PK3000	Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16 - 14 AWG wire range, #10 stud size.	M	1000	\$	321.48
07498346507	<b>PV14-10FF-C</b>	FlgdForkTerm,Vyl,16,14AWG,#10StdPK100	Flanged Fork Terminal, vinyl insulated, funnel entry, 16 - 14 AWG, #10 stud size, standard package.	C	100	\$	99.35
07498346508	<b>PV14-10FF-M</b>	FlgdForkTerm,Vyl,16,14AWG,#10StdPK1000	Flanged Fork Terminal, vinyl insulated, funnel entry, 16 - 14 AWG, #10 stud size, bulk package.	M	1000	\$	409.21
07498380715	<b>PV14-10FFB-3K</b>	FlgdForkTerm,Vyl,16,14AWG,#10StdPK3000	Flanged Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16 - 14 AWG wire range, #10 stu	M	1000	\$	347.78
07498380868	<b>PV14-10FN-C</b>	ForkTerm,Vyl,16,14AWG,#10StdPK100	Fork Terminal, vinyl insulated, funnel entry, 16- 14 AWG, #10 stud size, narrow tongue, standard package.	C	100	\$	82.04
07498380874	<b>PV14-10FN-M</b>	ForkTerm,Vyl,16,14AWG,#10StdPK1000	Fork Terminal, vinyl insulated, funnel entry, 16- 14 AWG, #10 stud size, narrow tongue, bulk package.	M	1000	\$	309.93
07498380369	<b>PV14-10FNB-3K</b>	ForkTerm,Vyl,16,14AWG,#10StdPK3000	Fork Terminal, vinyl insulated, narrow tongue, funnel entry, plastic insulation crimp, 16- 14 AWG wire range, #	M	1000	\$	337.55
07498380428	<b>PV14-10FX-C</b>	ForkTerm,Vyl,16,14AWG,#10Std,PK100	Fork Terminal, vinyl insulated, 16- 14 AWG, #10 stud size, expanded insulation for large wire O.D.	C	100	\$	114.00
07498380810	<b>PV14-10LF-C</b>	Locking Fork,Vinyl,16-14AWG,#10,PK100	Locking Fork Terminal, vinyl insulated, funnel entry, 18- 14 AWG, #10 stud size, standard package.	C	100	\$	85.38
07498380811	<b>PV14-10LF-M</b>	LkgForkTerm,Vy,FE,18-14AWG,#10StdPK1000	Locking Fork Terminal, vinyl insulated, funnel entry, 18- 14 AWG, #10 stud size, bulk package.	M	1000	\$	305.56
07498380848	<b>PV14-10LFB-3K</b>	LkgForkTerm,Vyl,16,14AWG,#10StdPK3000	Locking Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16- 14 AWG wire range, #10 stud	M	1000	\$	339.29
07498380870	<b>PV14-10LFN-C</b>	LkgForkTerm,Vyl,18,14AWG,#10StdPK1000	Locking Fork Terminal, vinyl insulated, funnel entry, 18- 14 AWG, #10 stud size, narrow tongue, standard pac	C	100	\$	89.66
07498380830	<b>PV14-10LFX-C</b>	LkgForkTerm,Vyl,18,14AWG,#10Std,PK100	Locking Fork Terminal, vinyl insulated, 18- 14 AWG, #10 stud size, expanded insulation for large wire O.D., s	C	100	\$	103.91
07498380120	<b>PV14-10R-C</b>	Ring Terminal,Vinyl,16-14AWG,#10,PK100	The PV14-10R-C Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazead seam protects terminal barr	C	100	\$	78.14
07498380121	<b>PV14-10R-M</b>	Ring Terminal,Vinyl,16-14AWG,#10,PK1000	The PV14-10R-M Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazead seam protects terminal barr	M	1000	\$	271.56
07498380357	<b>PV14-10RB-3K</b>	RingTerm,Vyl,16,14AWG,#10Std,PK3000	The PV14-10RB-3K Reel Smart™ Terminal is a continuously molded and fully insulated ring terminal. The co	M	1000	\$	321.48
07498380160	<b>PV14-10RX-C</b>	RingTerm,Vyl,16,14AWG,#10Std,PK1000	Ring Terminal, 16 – 14 AWG, #10 stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	88.21
07498380161	<b>PV14-10RX-M</b>	RingTerm,Vyl,16,14AWG,#10Std,PK1000	Ring Terminal, 16 – 14 AWG, #10 stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pac	M	1000	\$	349.09
07498391289	<b>PV14-12R-L</b>	Ring Terminal,Vinyl,16-14AWG,1/2IN,PK500	Ring Terminal, 16 – 14 AWG, 1/2" stud size, vinyl insulated, funnel entry.	C	100	\$	173.64
07498352492	<b>PV14-14F-C</b>	Fork Terminal,Vinyl,16-14AWG,1/4IN,PK100	Fork Terminal, vinyl insulated, funnel entry, 16- 14 AWG, 1/4 stud size, standard package.	C	100	\$	98.78
07498380447	<b>PV14-14FB-3K</b>	ForkTerm,Vyl,16,14AWG,1/4"Stud,PK3000	Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16 - 14 AWG wire range, 1/4 stud size.	M	1000	\$	442.28
07498380122	<b>PV14-14R-C</b>	Ring Terminal,Vinyl,16-14AWG,1/4IN,PK100	The PV14-14R-C Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazead seam protects terminal barr	C	100	\$	94.06
07498380123	<b>PV14-14R-M</b>	Ring Term,Vinyl,16-14AWG,1/4IN,PK1000	The PV14-14R-M Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazead seam protects terminal barr	M	1000	\$	409.55
07498380693	<b>PV14-14RB-3K</b>	RingTerm,Vyl,16,14AWG,1/4"Stud,PK3000	The PV14-14RB-3K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. Th	M	1000	\$	421.21

07498312045	PV14-14RX-L	RingTerm,Vyl,16,14AWG,1/4"Stud,PK50	Ring Terminal, 16 – 14 AWG, 1/4" stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	108.64
07498380163	PV14-14RX-M	RingTerm,Vyl,16,14AWG,1/4"Stud,PK1000	Ring Terminal, 16 – 14 AWG, 1/4" stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pack	M	1000	\$	501.63
07498380126	PV14-38R-L	Ring Terminal,Vinyl,16-14AWG,3/8IN,PK500	Ring Terminal, 16 – 14 AWG, 3/8" stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	100.33
07498380127	PV14-38R-M	Ring Term,Vinyl,16-14AWG,3/8IN,PK1000	Ring Terminal, 16 – 14 AWG, 3/8" stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	430.00
07498370535	PV14-38RB-2K	RingTerm,Vyl,16,14AWG,3/8"Stud,PK2000	Ring Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16 – 14 AWG wire range, 3/8" stud size.	M	1000	\$	463.28
07498380114	PV14-4R-C	Ring Terminal,Vinyl,16-14AWG,#4,PK100	Ring Terminal, 16 – 14 AWG, #4 stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	79.80
07498380115	PV14-4R-M	Ring Terminal,Vinyl,16-14AWG,#4,PK1000	Ring Terminal, 16 – 14 AWG, #4 stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	319.23
07498380353	PV14-4RB-3K	RingTerm,Vyl,16,14AWG,#4Stud,PK3000	Ring Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16 – 14 AWG wire range, #4 stud size.	M	1000	\$	337.55
07498380154	PV14-4RX-C	RingTerm,Vyl,16,14AWG,#4Stud,PK100	Ring Terminal, 16 – 14 AWG, #4 stud size, vinyl insulated, expanded insulation for large wire O.D.	C	100	\$	92.20
07498380124	PV14-56R-C	Ring Term,Vinyl,16-14AWG,5/16IN,PK100	Ring Terminal, 16 – 14 AWG, 5/16" stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	105.38
07498380125	PV14-56R-M	Ring Term,Vinyl,16-14AWG,5/16IN,PK1000	Ring Terminal, 16 – 14 AWG, 5/16" stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	425.94
07498370534	PV14-56RB-2K	RingTerm,Vyl,16,14AWG,5/16"Stud,PK2000	The PV14-56RB-2K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. Th	M	1000	\$	463.28
07498312046	PV14-56RX-L	RingTerm,Vyl,16,14AWG,5/16"Stud,PK500	Ring Terminal, 16 – 14 AWG, 5/16" stud size, vinyl insulated, expanded insulation for large wire O.D.	C	100	\$	123.20
07498380406	PV14-6F-C	Fork Terminal,Vinyl,16-14AWG,#6,PK100	The PV14-6F-C Pan-Term® Terminal is a vinyl insulated, fork terminal. Brazed seam protects terminal barrel	C	100	\$	78.14
07498380407	PV14-6F-M	Fork Terminal,Vinyl,16-14AWG,#6,PK1000	Fork Terminal, vinyl insulated, funnel entry, 16- 14 AWG, #6 stud size, bulk package.	M	1000	\$	304.03
07498380444	PV14-6FB-3K	ForkTerm,Vyl,16,14AWG,#6Stud,PK3000	Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16 - 14 AWG wire range, #6 stud size.	M	1000	\$	337.55
07498346504	PV14-6FF-M	FlgdForkTerm,Vyl,16,14AWG,#6StudPK1000	Flanged Fork Terminal, vinyl insulated, funnel entry, 16- 14 AWG, #6 stud size, bulk package.	M	1000	\$	409.21
07498380713	PV14-6FB-3K	FlgdForkTerm,Vyl,16,14AWG,#6StudPK3000	Flanged Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16 - 14 AWG wire range, #6 stud	M	1000	\$	365.16
07498380867	PV14-6FN-C	ForkTerm,Narrow,Vyl,16,14AWG,#6StudPK100	Fork Terminal, vinyl insulated, funnel entry, 16- 14 AWG, #6 stud size, narrow tongue, standard package.	C	100	\$	83.66
07498380873	PV14-6FN-M	ForkTerm,Narrow,Vyl,16,14AWG,#6StudPK1000	Fork Terminal, vinyl insulated, funnel entry, 16- 14 AWG, #6 stud size, narrow tongue, bulk package.	M	1000	\$	295.18
07498380368	PV14-6FNB-3K	ForkTerm,NarrowVyl,16,14AWG,#6StudPK3000	Fork Terminal, vinyl insulated, narrow tongue, funnel entry, plastic insulation crimp, 16 - 14 AWG wire range, #	M	1000	\$	321.48
07498380425	PV14-6FX-M	ForkTerm,Vyl,16,14AWG,#6Stud,PK1000	Fork Terminal, vinyl insulated, 16- 14 AWG, #6 stud size, expanded insulation for large wire O.D., bulk packa	M	1000	\$	366.53
07498380806	PV14-6LF-C	Locking Fork,Vinyl,16-14AWG,#6,PK100	The PV14-6LF-C Pan-Term® Terminal is a vinyl insulated, locking fork terminal. Brazed seam protects termin	C	100	\$	84.69
07498380807	PV14-6LF-M	LkgForkTerm,Vyl,18-14AWG,#6Std,BP	Locking Fork Terminal, vinyl insulated, funnel entry, 18- 14 AWG, #6 stud size, bulk package.	M	1000	\$	314.75
07498380845	PV14-6LFB-3K	LkgForkTerm,Vyl,16,14AWG,#6Stud,PK3000	Locking Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16- 14 AWG wire range, #6 stud	M	1000	\$	339.29
07498380949	PV14-6LFW-M	LkgForkTerm,WideVyl,18,14AWG,#6Std,PK1000	Locking Fork Terminal, vinyl insulated, funnel entry, 18- 14 AWG, #6 stud size, wide tongue, bulk package.	M	1000	\$	319.23
07498380826	PV14-6LFX-C	LkgForkTerm,Vyl,18,14AWG,#6Stud,PK100	Locking Fork Terminal, vinyl insulated, 18- 14 AWG, #6 stud size, expanded insulation for large wire O.D., sta	C	100	\$	92.63
07498380827	PV14-6LFX-M	LkgForkTerm,Vyl,18-14AWG,#6Std,Explns,BP	Locking Fork Terminal, vinyl insulated, 18- 14 AWG, #6 stud size, expanded insulation for large wire O.D., bu	M	1000	\$	405.23
07498380116	PV14-6R-C	Ring Terminal,Vinyl,16-14AWG,#6,PK100	The PV14-6R-C Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barrel	C	100	\$	78.14
07498380117	PV14-6R-M	Ring Terminal,Vinyl,16-14AWG,#6,PK1000	The PV14-6R-M Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barrel	M	1000	\$	304.03
07498380354	PV14-6RB-3K	RingTerm,Vyl,16,14AWG,#6Stud,PK3000	Ring Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16 – 14 AWG wire range, #6 stud size.	M	1000	\$	321.48
07498380180	PV14-6RN-C	RingTerm,Narrow,Vyl,16,14AWG,#6StudPK100	Ring Terminal, 16 – 14 AWG, #6 stud size, narrow tongue, vinyl insulated, funnel entry, standard package.	C	100	\$	82.04
07498380181	PV14-6RN-M	RingTerm,NarrowVyl,16,14AWG,#6StudPK1000	Ring Terminal, 16 – 14 AWG, #6 stud size, narrow tongue, vinyl insulated, funnel entry, bulk package.	M	1000	\$	295.18
07498380355	PV14-6RNB-3K	RingTerm,NarrowVyl,16,14AWG,#6StudPK3000	Ring Terminal, narrow tongue, vinyl insulated, funnel entry, plastic insulation crimp, 16 – 14 AWG wire range,	M	1000	\$	321.48
07498380156	PV14-6RX-C	RingTerm,Vyl,16,14AWG,#6Stud,PK100	Ring Terminal, 16 – 14 AWG, #6 stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	92.63
07498380157	PV14-6RX-M	RingTerm,Vyl,16,14AWG,#6Stud,PK1000	Ring Terminal, 16 – 14 AWG, #6 stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pack	M	1000	\$	339.36
07498380408	PV14-8F-C	Fork Terminal,Vinyl,16-14AWG,#8,PK100	The PV14-8F-C Pan-Term® Terminal is a vinyl insulated, fork terminal. Brazed seam protects terminal barrel	C	100	\$	76.06
07498380409	PV14-8F-M	Fork Terminal,Vinyl,16-14AWG,#8,PK1000	The PV14-8F-M Pan-Term® Terminal is a vinyl insulated, fork terminal. Brazed seam protects terminal barrel	M	1000	\$	293.30
07498380445	PV14-8FB-3K	ForkTerm,Vyl,16,14AWG,#8Stud,PK3000	The PV14-8FB-3K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated fork terminal. The	M	1000	\$	321.48
07498346505	PV14-8FF-C	FlgdForkTerm,Vyl,16,14AWG,#8Stud,PK100	Flanged Fork Terminal, vinyl insulated, funnel entry, 16 - 14 AWG, #8 stud size, standard package.	C	100	\$	104.29
07498346506	PV14-8FF-M	FlgdForkTerm,Vyl,16,14AWG,#8StudPK1000	Flanged Fork Terminal, vinyl insulated, funnel entry, 16 - 14 AWG, #8 stud size, bulk package.	M	1000	\$	451.06
07498380714	PV14-8FFB-3K	FlgdForkTerm,Vyl,16,14AWG,#8StudPK3000	Flanged Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16 - 14 AWG wire range, #8 stud	M	1000	\$	347.78
07498380426	PV14-8FX-C	ForkTerm,Vyl,16,14AWG,#8Stud,PK100	Fork Terminal, vinyl insulated, 16- 14 AWG, #8 stud size, expanded insulation for large wire O.D., standard p	C	100	\$	108.05
07498380808	PV14-8LF-C	Locking Fork,Vinyl,16-14AWG,#8,PK100	The PV14-8LF-C Pan-Term® Terminal is a vinyl insulated, locking fork terminal. Brazed seam protects termin	C	100	\$	84.59
07498380809	PV14-8LF-M	LkgForkTerm,Vyl,18-14AWG,#8Std,BP	The PV14-8LF-M Pan-Term® Terminal is a vinyl insulated, locking fork terminal. Brazed seam protects termi	M	1000	\$	314.75
07498380847	PV14-8LFB-3K	LkgForkTerm,Vyl,16,14AWG,#8Stud,PK3000	Locking Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 16- 14 AWG wire range, #8 stud	M	1000	\$	339.29
07498380828	PV14-8LFX-C	LkgForkTerm,Vyl,18,14AWG,#8Std,PK100	Locking Fork Terminal, vinyl insulated, 18- 14 AWG, #8 stud size, expanded insulation for large wire O.D., sta	C	100	\$	103.85
07498380829	PV14-8LFX-M	LkgForkTerm,Vyl,18-14AWG,#8Std,Explns,BP	Locking Fork Terminal, vinyl insulated, 18- 14 AWG, #8 stud size, expanded insulation for large wire O.D., bu	M	1000	\$	379.40
07498380118	PV14-8R-C	Ring Terminal,Vinyl,16-14AWG,#8,PK100	The PV14-8R-C Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barrel	C	100	\$	78.14
07498380119	PV14-8R-M	Ring Terminal,Vinyl,16-14AWG,#8,PK1000	The PV14-8R-M Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barrel	M	1000	\$	304.03
07498380356	PV14-8RB-3K	RingTerm,Vyl,16,14AWG,#8Stud,PK3000	The PV14-8RB-3K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. The	M	1000	\$	321.48
07498380159	PV14-8RX-M	RingTerm,Vyl,16,14AWG,#8Stud,PK1000	Ring Terminal, 16 – 14 AWG, #8 stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pack	M	1000	\$	339.36
07498381221	PV14-P47-C	Pin Term, Vinyl, 16-14AWG, .49PIN,PK100	The PV14-P47-C Pan-Term® Terminal is a vinyl insulated, pin terminal. The solid pin is designed to prevent d	C	100	\$	132.05
07498336423	PV14-P47-E	Pin Term, Vinyl, 16-14AWG, .49PIN,PK20	Pin Terminal, 16 14 AWG, vinyl insulated, .49 pin length, convenience package.	C	100	\$	163.60
07498381222	PV14-P47-M	Pin Term, Vinyl, 16-14AWG, .49PIN,PK1000	Pin Terminal, 16 14 AWG, vinyl insulated, .49 pin length, bulk package.	M	1000	\$	494.28
07498336913	PV14-P47B-3K	PinTerm,Vyl,16-14AWG, .49PIN,REEL3000	Pin Terminal, vinyl insulated, funnel entry, plastic insulation crimp, #16 14 AWG wire range.	M	1000	\$	435.18
07498368649	PV18-10F-CY	Fork Terminal,Vinyl,22-18AWG,#10,PK100	The PV18-10F-CY Pan-Term® Terminal is a vinyl insulated, fork terminal. Brazed seam protects terminal bar	C	100	\$	78.14
07498341071	PV18-10F-MY	Fork Terminal,Vinyl,22-18AWG,#10,PK1000	Fork Terminal, vinyl insulated, funnel entry, 22- 16 AWG, #10 stud size, bulk package.	M	1000	\$	328.20
07498380442	PV18-10FB-3K	ForkTerm,Vyl,22,18AWG,#10Stud,PK3000	Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 22 - 18 AWG wire range, #10 stud size.	M	1000	\$	337.55
07498380712	PV18-10FFB-3K	FlgdForkTerm,Vyl,22,18AWG,#10StudPK3000	Flanged Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 22 - 18 AWG wire range, #10 stu	M	1000	\$	351.11
07498368712	PV18-10FN-CY	ForkTerm,Vyl,22,16AWG,#10StudPK100	Fork Terminal, vinyl insulated, funnel entry, 22- 16 AWG, #10 stud size, narrow tongue, standard package.	C	100	\$	82.04
07498368845	PV18-10LF-CY	Locking Fork,Vinyl,22-18AWG,#10,PK100	Locking Fork Terminal, vinyl insulated, funnel entry, 22- 18 AWG, #10 stud size, standard package.	C	100	\$	90.73
07498341148	PV18-10LF-MY	LkgForkTerm,Vyl,22,18AWG,#10StudPK1000	Locking Fork Terminal, vinyl insulated, funnel entry, 22- 18 AWG, #10 stud size, bulk package.	M	1000	\$	354.56
07498380840	PV18-10LFB-3K	LkgForkTerm,Vyl,22,18AWG,#10StudPK3000	Locking Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 22- 18 AWG wire range, #10 stud	M	1000	\$	339.29
07498380370	PV18-10LFNB-3K	LkgForkTerm,Narrow,Vyl,22,#10StudPK3000	Locking Fork Terminal, vinyl insulated, narrow tongue, funnel entry, plastic insulation crimp, 22- 18 AWG wire	M	1000	\$	356.24
07498368849	PV18-10LFX-CY	LkgForkTerm,Vyl,22,16AWG,#10Stud,PK100	Locking Fork Terminal, vinyl insulated, 22- 16 AWG, #10 stud size, expanded insulation for large wire O.D., s	C	100	\$	84.31
07498368850	PV18-10R-CY	Ring Terminal,Vinyl,22-18AWG,#10,PK100	The PV18-10R-CY Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal bar	C	100	\$	78.14
07498341161	PV18-10R-MY	Ring Terminal,Vinyl,22-18AWG,#10,PK1000	The PV18-10R-MY Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal bar	M	1000	\$	312.41
07498380351	PV18-10RB-3K	RingTerm,Vyl,22,18AWG,#10Stud,PK3000	The PV18-10RB-3K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. Th	M	1000	\$	321.48
07498341166	PV18-10RX-MY	RingTerm,Vyl,22,18AWG,#10Stud,PK1000	Ring Terminal, 22 – 18 AWG, #10 stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pac	M	1000	\$	371.48
07498312047	PV18-12R-LY	Ring Terminal,Vinyl,22-18AWG,1/2IN,PK50	Ring Terminal, 22 – 18 AWG, 1/2" stud size, vinyl insulated, funnel entry.	C	100	\$	175.38
07498368856	PV18-14R-CY	Ring Terminal,Vinyl,22-18AWG,1/4IN,PK100	Ring Terminal, 22 – 18 AWG, 1/4" stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	96.53
07498341418	PV18-14R-MY	Ring Term,Vinyl,22-18AWG,1/4IN,PK1000	Ring Terminal, 22 – 18 AWG, 1/4" stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	409.55
07498380345	PV18-14RB-3K	RingTerm,Vyl,22,18AWG,1/4"Stud,PK3000	The PV18-14RB-3K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. Th	M	1000	\$	421.21
07498341419	PV18-14RX-MY	RingTerm,Vyl,22,18AWG,1/4"Stud,PK1000	Ring Terminal, 22 – 18 AWG, 1/4" stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pack	M	1000	\$	442.46
07498312448	PV18-38R-LY	Ring Terminal,Vinyl,22-18AWG,3/8IN,PK50	Ring Terminal, 22 – 18 AWG, 3/8" stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	99.45
07498341446	PV18-38R-MY	Ring Term,Vinyl,22-18AWG,3/8IN,PK1000	Ring Terminal, 22 – 18 AWG, 3/8" stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	430.00

07498370537	<b>PV18-38RB-2K</b>	RingTerm,Vyl,22,18AWG,3/8"Stud,PK2000	The PV18-38RB-3K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. Th	M	1000	\$	463.28
07498368909	<b>PV18-4R-CY</b>	Ring Terminal,Vinyl,22-18AWG,#4,PK100	Ring Terminal, 22 – 18 AWG, #4 stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	79.80
07498341496	<b>PV18-4R-MY</b>	Ring Terminal,Vinyl,22-18AWG,#4,PK1000	Ring Terminal, 22 – 18 AWG, #4 stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	328.03
07498380347	<b>PV18-4RB-3K</b>	RingTerm,Vyl,22,18AWG,#4Stud,PK3000	Ring Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 22 – 18 AWG wire range, #4 stud size.	M	1000	\$	337.55
07498380346	<b>PV18-4RNB-3K</b>	RingTerm,Narrow,Vyl,22,18AWG#4StudPK3000	Ring Terminal, narrow tongue, vinyl insulated, funnel entry, plastic insulation crimp, 22 – 18 AWG wire range,	M	1000	\$	337.55
07498368921	<b>PV18-56R-CY</b>	Ring Term,Vinyl,22-18AWG,5/16IN,PK100	Ring Terminal, 22 – 18 AWG, 5/16" stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	99.45
07498341498	<b>PV18-56R-MY</b>	Ring Term,Vinyl,22-18AWG,5/16IN,PK1000	The PV18-56R-MY Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal ba	M	1000	\$	409.55
07498370536	<b>PV18-56RB-2K</b>	RingTerm,Vyl,22,18AWG,5/16"Stud,PK2000	Ring Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 22 – 18 AWG wire range, 5/16" stud size	M	1000	\$	463.28
07498369079	<b>PV18-6F-CY</b>	Fork Terminal,Vinyl,22-18AWG,#6,PK100	The PV18-6F-CY Pan-Term® Terminal is a vinyl insulated, fork terminal. Brazed seam protects terminal barr	C	100	\$	78.14
07498341506	<b>PV18-6F-MY</b>	Fork Terminal,Vinyl,22-18AWG,#6,PK1000	Fork Terminal, vinyl insulated, funnel entry, 22- 18 AWG, #6 stud size, bulk package.	M	1000	\$	312.56
07498380440	<b>PV18-6FB-3K</b>	ForkTerm,Vyl,22,18AWG,#6Stud,PK3000	Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 22 - 18 AWG, #6 stud size.	M	1000	\$	321.48
07498369177	<b>PV18-6FF-CY</b>	FlgdForkTerm,Vyl,22,16AWG,#6Stud,PK1000	Flanged Fork Terminal, vinyl insulated, funnel entry, 22- 16 AWG, #6 stud size, standard package.	C	100	\$	100.33
07498380710	<b>PV18-6FFB-3K</b>	FlgdForkTerm,Vyl,22,18AWG,#6StudPK3000	Flanged Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 22- 18 AWG wire range, #6 stud	M	1000	\$	365.16
07498369179	<b>PV18-6FN-CY</b>	ForkTerm,Narrow,Vyl,22,16AWG,#6StudPK1000	Fork Terminal, narrow, vinyl insulated, funnel entry, 22- 16 AWG, #6 stud size, narrow tongue, standard package.	C	100	\$	82.04
07498341575	<b>PV18-6FN-MY</b>	ForkTerm,NarrowVyl,22,16AWG,#6StudPK1000	Fork Terminal, vinyl insulated, funnel entry, 22- 16 AWG, #6 stud size, narrow tongue, bulk package.	M	1000	\$	312.56
07498380365	<b>PV18-6FNB-3K</b>	ForkTerm,NarrowVyl,22,18AWG,#6StudPK3000	Fork Terminal, vinyl insulated, narrow tongue, funnel entry, plastic insulation crimp, 22- 18 AWG wire range, #	M	1000	\$	321.48
07498341622	<b>PV18-6FX-MY</b>	ForkTerm,Vyl,22,18AWG,#6Stud,PK1000	Fork Terminal, vinyl insulated, 22- 18 AWG, #6 stud size, expanded insulation for large wire O.D., bulk packa	M	1000	\$	357.46
07498369460	<b>PV18-6LF-CY</b>	Locking Fork,Vinyl,22-18AWG,#6,PK100	Locking Fork Terminal, vinyl insulated, funnel entry, 22- 18 AWG, #6 stud size, standard package.	C	100	\$	83.09
07498341623	<b>PV18-6LF-MY</b>	LkgForkTerm,Vyl,22,18AWG,#6Stud,PK1000	Locking Fork Terminal, vinyl insulated, funnel entry, 22- 18 AWG, #6 stud size, bulk package.	M	1000	\$	300.73
07498380841	<b>PV18-6LFB-3K</b>	LkgForkTerm,Vyl,22,18AWG,#6Stud,PK3000	The PV18-6LFB-3K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated, locking fork ter	M	1000	\$	339.29
07498341624	<b>PV18-6LFW-MY</b>	LkgForkTerm,WideVyl,22,18AWG,#6Stud,PK1000	Locking Fork Terminal, vinyl insulated, funnel entry, 22- 18 AWG, #6 stud size, wide tongue, bulk package.	M	1000	\$	341.01
07498341696	<b>PV18-6LFX-MY</b>	LkgForkTerm,Vyl,22,16AWG,#6Stud,PK1000	Locking Fork Terminal, vinyl insulated, 22- 16 AWG, #6 stud size, expanded insulation for large wire O.D., bu	M	1000	\$	386.10
07498369464	<b>PV18-6R-CY</b>	Ring Terminal,Vinyl,22-18AWG,#6,PK1000	The PV18-6R-CY Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barr	C	100	\$	75.19
07498341697	<b>PV18-6R-MY</b>	Ring Terminal,Vinyl,22-18AWG,#6,PK1000	The PV18-6R-MY Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barr	M	1000	\$	312.41
07498380348	<b>PV18-6RB-3K</b>	RingTerm,Vyl,22,18AWG,#6Stud,PK3000	The PV18-6RB-3K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. The	M	1000	\$	321.48
07498380349	<b>PV18-6RNB-3K</b>	RingTerm,NarrowVyl,22,18AWG,#6StudPK3000	Ring Terminal, narrow tongue, vinyl insulated, funnel entry, plastic insulation crimp, 22 – 18 AWG wire range,	M	1000	\$	337.55
07498341698	<b>PV18-6RX-MY</b>	RingTerm,Vyl,22,18AWG,#6Stud,PK1000	Ring Terminal, 22 – 18 AWG, #6 stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pack	M	1000	\$	393.64
07498369469	<b>PV18-8F-CY</b>	Fork Terminal,Vinyl,22-18AWG,#8,PK100	The PV18-8F-CY Pan-Term® Terminal is a vinyl insulated, fork terminal. Brazed seam protects terminal barr	C	100	\$	78.14
07498341701	<b>PV18-8F-MY</b>	Fork Terminal,Vinyl,22-18AWG,#8,PK1000	Fork Terminal, vinyl insulated, funnel entry, 22- 16 AWG, #8 stud size, bulk package.	M	1000	\$	312.41
07498380441	<b>PV18-8FB-3K</b>	ForkTerm,Vyl,22,18AWG,#8Stud,PK3000	Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 22 - 18 AWG, #8 stud size.	M	1000	\$	321.48
07498371212	<b>PV18-8FF-CY</b>	FlgdForkTerm,Vyl,22,16AWG,#8Stud,PK1000	Flanged Fork Terminal, vinyl insulated, funnel entry, 22 - 16 AWG, #8 stud size.	C	100	\$	92.91
07498380711	<b>PV18-8FFB-3K</b>	FlgdForkTerm,Vyl,22,18AWG,#8StudPK3000	Flanged Fork Terminal, vinyl insulated, funnel entry, plastic insulation crimp, 22 - 18 AWG wire range, #8 stud	M	1000	\$	334.40
07498369473	<b>PV18-8LF-CY</b>	Locking Fork,Vinyl,22-18AWG,#8,PK100	Locking Fork Terminal, vinyl insulated, funnel entry, 22- 18 AWG, #8 stud size, standard package.	C	100	\$	83.09
07498341703	<b>PV18-8LF-MY</b>	LkgForkTerm,Vyl,22,18AWG,#8Stud,PK1000	The PV18-8LF-MY Pan-Term® Terminal is a vinyl insulated, locking fork terminal. The locking tongue design	M	1000	\$	321.60
07498380843	<b>PV18-8LFB-3K</b>	LkgForkTerm,Vyl,22,18AWG,#8Stud,PK3000	The PV18-8LFB-3K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated, locking fork ter	M	1000	\$	339.29
07498341704	<b>PV18-8LFX-MY</b>	LkgForkTerm,Vyl,22,16AWG,#8Stud,PK1000	Locking Fork Terminal, vinyl insulated, 22- 16 AWG, #8 stud size, expanded insulation for large wire O.D., bu	M	1000	\$	375.10
07498369477	<b>PV18-8R-CY</b>	Ring Terminal,Vinyl,22-18AWG,#8,PK100	The PV18-8R-CY Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barr	C	100	\$	75.19
07498341718	<b>PV18-8R-MY</b>	Ring Terminal,Vinyl,22-18AWG,#8,PK1000	Ring Terminal, 22 – 18 AWG, #8 stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	312.41
07498380350	<b>PV18-8RB-3K</b>	RingTerm,Vyl,22,18AWG,#8Stud,PK3000	The PV18-8RB-3K Reel Smart™ Terminal is a continuously molded and vinyl fully insulated ring terminal. The	M	1000	\$	321.48
07498341742	<b>PV18-8RX-MY</b>	RingTerm,Vyl,22,18AWG,#8Stud,PK1000	Ring Terminal, 22 – 18 AWG, #8 stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pack	M	1000	\$	393.64
07498369482	<b>PV18-P47-CY</b>	Pin Terminal,Vinyl,22-18AWG, .49PIN,PK1000	The PV18-P47-CY Pan-Term® Terminal is a vinyl insulated, pin terminal. The solid pin is designed to prevent	C	100	\$	132.18
07498342028	<b>PV18-P47-MY</b>	Pin Term,Vinyl,22-18AWG, .49PIN,PK1000	Pin Terminal, 22 18 AWG, vinyl insulated, .49 pin length.	M	1000	\$	511.96
07498336911	<b>PV18-P47B-3K</b>	PinTerm,Vyl,22-18AWG, .49PIN,REEL3000	Pin Terminal, vinyl insulated, funnel entry, plastic insulation crimp, #22 18 AWG wire range.	M	1000	\$	435.18
07498369484	<b>PV2-10R-XY</b>	RingTerm,Vyl,2AWG,#10Stud,PK10	Ring Terminal, large wire, 2 AWG, #10 stud size, vinyl insulated, standard package.	C	100	\$	550.58
07498342045	<b>PV2-14R-TY</b>	RingTerm,Vyl,2AWG,1/4"Stud,PK200	Ring Terminal, large wire, 2 AWG, 1/4" stud size, vinyl insulated, bulk package.	M	1000	\$	3,169.79
07498369492	<b>PV2-14R-XY</b>	Ring Terminal,Vinyl,2AWG,1/4IN,PK10	Ring Terminal, large wire, 2 AWG, 1/4" stud size, vinyl insulated, standard package.	C	100	\$	550.58
07498369494	<b>PV2-14RX-XY</b>	RingTerm,Vyl,2AWG,1/4"Stud,PK100	Ring Terminal, large wire, 2 AWG, 1/4" stud size, vinyl expanded insulation, standard package.	C	100	\$	550.64
07498369496	<b>PV2-38R-XY</b>	Ring Terminal,Vinyl,2AWG,3/8IN,PK10	Ring Terminal, large wire, 2 AWG, 3/8" stud size, vinyl insulated, standard package.	C	100	\$	524.38
07498369500	<b>PV2-56R-XY</b>	RingTerm,Vyl,2AWG,5/16"Stud,PK10	Ring Terminal, large wire, 2 AWG, 5/16" stud size, vinyl insulated, standard package.	C	100	\$	524.38
07498342093	<b>PV2-56RX-TY</b>	RingTerm,VylExp,2AWG,5/16"Stud,PK200	Ring Terminal, large wire, 2 AWG, 5/16" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	3,785.51
61305675793	<b>PV22-10R-MYY</b>	Ring Terminal, vinyl insulated, 26 - 22	Ring Terminal, 26 – 22 AWG, #10 stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	320.70
61305675794	<b>PV22-2R-CYY</b>	Ring Terminal, vinyl insulated, 26 - 22	Ring Terminal, 26 – 22 AWG, #2 stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	74.13
61305675797	<b>PV22-4F-MYY</b>	Fork Terminal, vinyl insulated, 26 - 22	Fork Terminal, vinyl insulated, funnel entry, 26- 22 AWG, #4 stud size, bulk package.	M	1000	\$	320.70
61305675798	<b>PV22-4R-CYY</b>	Ring Terminal, vinyl insulated, 26 - 22	Ring Terminal, 26 – 22 AWG, #4 stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	74.13
61305675801	<b>PV22-6F-MYY</b>	Fork Terminal, vinyl insulated, 26 - 22	Fork Terminal, vinyl insulated, funnel entry, 26- 22 AWG, #6 stud size, bulk package.	M	1000	\$	320.70
61305675803	<b>PV22-6R-MYY</b>	Ring Terminal, vinyl insulated, 26 - 22	Ring Terminal, 26 – 22 AWG, #6 stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	320.70
61305675805	<b>PV22-8R-MYY</b>	Ring Terminal, vinyl insulated, 26 - 22	Ring Terminal, 26 – 22 AWG, #8 stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	320.70
07498387101	<b>PV4-10R-E</b>	Ring Terminal,Vinyl,4AWG,#10,PK20	Ring Terminal, large wire, 4 AWG, #10 stud size, vinyl insulated, standard package.	C	100	\$	475.60
07498387106	<b>PV4-10R-T</b>	RingTerm,Vyl,4AWG,#10Stud,PK200	Ring Terminal, large wire, 4 AWG, #10 stud size, vinyl insulated, bulk package.	M	1000	\$	2,298.78
07498387040	<b>PV4-10RX-T</b>	RingTerm,VylExp,4AWG,#10Stud,PK200	Ring Terminal, large wire, 4 AWG, #10 stud size, vinyl expanded insulation, bulk package.	M	1000	\$	2,538.38
07498387105	<b>PV4-12R-E</b>	RingTerm,Vyl,4AWG,1/2"Stud,PK20	Ring Terminal, large wire, 4 AWG, 1/2" stud size, vinyl insulated, standard package.	C	100	\$	468.69
07498387110	<b>PV4-12R-T</b>	RingTerm,LrgWire,Vyl,4AWG,1/2"Stud,PK200	Ring Terminal, large wire, 4 AWG, 1/2" stud size, vinyl insulated, bulk package.	M	1000	\$	2,782.74
07498387102	<b>PV4-14R-E</b>	Ring Terminal,Vinyl,4AWG,1/4IN,PK20	Ring Terminal, large wire, 4 AWG, 1/4" stud size, vinyl insulated, standard package.	C	100	\$	452.96
07498387107	<b>PV4-14R-T</b>	RingTerm,Vyl,4AWG,1/4"Stud,PK200	Ring Terminal, large wire, 4 AWG, 1/4" stud size, vinyl insulated, bulk package.	M	1000	\$	2,298.78
07498387041	<b>PV4-14RX-T</b>	RingTerm,VylExp,4AWG,1/4"Stud,PK200	Ring Terminal, large wire, 4 AWG, 1/4" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	2,665.28
07498387104	<b>PV4-38R-E</b>	Ring Terminal,Vinyl,4AWG,3/8IN,PK20	Ring Terminal, large wire, 4 AWG, 3/8" stud size, vinyl insulated, standard package.	C	100	\$	452.96
07498387038	<b>PV4-38RX-E</b>	RingTerm,Vyl,4AWG,3/8"Stud,PK20	Ring Terminal, large wire, 4 AWG, 3/8" stud size, vinyl expanded insulation, standard package.	C	100	\$	491.99
07498387103	<b>PV4-56R-E</b>	RingTerm,Vyl,4AWG,5/16"Stud,PK20	Ring Terminal, large wire, 4 AWG, 5/16" stud size, vinyl insulated, standard package.	C	100	\$	475.60
07498387108	<b>PV4-56R-T</b>	RingTerm,Vyl,4AWG,5/16"Stud,PK200	Ring Terminal, large wire, 4 AWG, 5/16" stud size, vinyl insulated, bulk package.	M	1000	\$	2,298.78
07498387042	<b>PV4-56RX-T</b>	RingTerm,VylExp,4AWG,5/16"Stud,PK200	Ring Terminal, large wire, 4 AWG, 5/16" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	2,665.28
07498387120	<b>PV6-10R-T</b>	RingTerm,Vyl,6AWG,#10Stud,PK200	Ring Terminal, large wire, 6 AWG, #10 stud size, vinyl insulated, bulk package.	M	1000	\$	1,666.24
07498312447	<b>PV6-10R-X</b>	Ring Terminal,Vinyl,6AWG,#10,PK10	Ring Terminal, large wire, 6 AWG, #10 stud size, vinyl insulated, standard package.	C	100	\$	400.59
07498387014	<b>PV6-10RX-T</b>	RingTerm,VylExp,6AWG,#10Stud,PK200	Ring Terminal, large wire, 6 AWG, #10 stud size, vinyl expanded insulation, bulk package.	M	1000	\$	2,028.43
07498312455	<b>PV6-10RX-X</b>	RingTerm,Vyl,6AWG,#10Stud,PK10	Ring Terminal, large wire, 6 AWG, #10 stud size, vinyl expanded insulation, 10 pc. package quantity.	C	100	\$	426.64
07498312460	<b>PV6-12R-X</b>	RingTerm,Vyl,6AWG,1/2"Stud,PK10	Ring Terminal, large wire, 6 AWG, 1/2" stud size, vinyl insulated, standard package.	C	100	\$	441.61
07498387121	<b>PV6-14R-T</b>	RingTerm,Vyl,6AWG,1/4"Stud,Vyl,PK200	Ring Terminal, large wire, 6 AWG, 1/4" stud size, vinyl insulated, bulk package, bulk package.	M	1000	\$	1,666.24
07498312446	<b>PV6-14R-X</b>	Ring Terminal,Vinyl,6AWG,1/4IN,PK10	The PV6-14R-X Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barrel	C	100	\$	400.65

07498387015	<b>PV6-14RX-T</b>	RingTerm,Vyl,6AWG,1/4"Stud,VylExp,PK200	Ring Terminal, large wire, 6 AWG, 1/4" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	1,931.84
07498312445	<b>PV6-14RX-X</b>	RingTerm,Vyl,6AWG,1/4"Stud,PK10	The PV6-14RX-X Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barr	C	100	\$	406.34
07498387123	<b>PV6-38R-T</b>	RingTerm,Vyl,6AWG,3/8"Stud,PK200	Ring Terminal, large wire, 6 AWG, 3/8" stud size, vinyl insulated, bulk package.	M	1000	\$	1,749.58
07498312444	<b>PV6-38R-X</b>	Ring Terminal,Vinyl,6AWG,3/8IN,PK10	Ring Terminal, large wire, 6 AWG, 3/8" stud size, vinyl insulated, standard package.	C	100	\$	408.44
07498387017	<b>PV6-38RX-T</b>	RingTerm,VylExp,6AWG,3/8"Stud,PK200	Ring Terminal, large wire, 6 AWG, 3/8" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	2,028.43
07498387122	<b>PV6-56R-T</b>	RingTerm,Vyl,6AWG,5/16"Stud,PK200	Ring Terminal, large wire, 6 AWG, 5/16" stud size, vinyl insulated, bulk package.	M	1000	\$	1,666.24
07498312442	<b>PV6-56R-X</b>	RingTerm,Vyl,6AWG,5/16"Stud,PK10	Ring Terminal, large wire, 6 AWG, 5/16" stud size, vinyl insulated, standard package.	C	100	\$	408.44
07498387016	<b>PV6-56RX-T</b>	RingTerm,VylExp,6AWG,5/16"Stud,PK200	Ring Terminal, large wire, 6 AWG, 5/16" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	2,028.43
07498387113	<b>PV6-8R-E</b>	RingTerm,Vyl,6AWG,#8Stud,PK20	Ring Terminal, large wire, 6 AWG, #8 stud size, vinyl insulated, standard package.	C	100	\$	406.41
07498387119	<b>PV6-8R-T</b>	RingTerm,LrgWire,Vinyl,6AWG,#8Stud,PK200	Ring Terminal, large wire, 6 AWG, #8 stud size, vinyl insulated, bulk package.	M	1000	\$	1,698.63
07498369503	<b>PV8-10R-QY</b>	Ring Terminal,Vinyl,8AWG,#10,PK25	The PV8-10R-QY Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barr	C	100	\$	287.91
07498342117	<b>PV8-10R-TY</b>	RingTerm,Vyl,8AWG,#10Stud,PK200	The PV8-10R-TY Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barr	M	1000	\$	1,233.46
07498369504	<b>PV8-10RX-QY</b>	RingTerm,Vyl,8AWG,#10Stud,PK25	Ring Terminal, large wire, 8 AWG, #10 stud size, vinyl expanded insulation, standard package.	C	100	\$	314.43
07498342137	<b>PV8-10RX-TY</b>	RingTerm,VylExp,8AWG,#10Stud,PK200	The PV8-10RX-TY Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barr	M	1000	\$	1,282.58
07498342161	<b>PV8-12R-TY</b>	RingTerm,Vyl,8AWG,1/2"Stud,PK200	Ring Terminal, large wire, 8 AWG, 1/2" stud size, vinyl insulated, bulk package.	M	1000	\$	1,768.18
07498312451	<b>PV8-12R-XY</b>	RingTerm,Vyl,8AWG,1/2"Stud,PK10	Ring Terminal, large wire, 8 AWG, 1/2" stud size, vinyl insulated, 10 pc. package quantity.	C	100	\$	323.65
07498342171	<b>PV8-12RX-TY</b>	RingTerm,VylExp,8AWG,1/2"Stud,PK200	Ring Terminal, large wire, 8 AWG, 1/2" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	2,111.71
07498369507	<b>PV8-14R-QY</b>	Ring Terminal,Vinyl,8AWG,1/4IN,PK25	The PV8-14R-QY Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barr	C	100	\$	287.91
07498342201	<b>PV8-14R-TY</b>	RingTerm,Vyl,8AWG,1/4"Stud,PK200	The PV8-14R-TY Pan-Term® Terminal is a vinyl insulated, ring terminal. Brazed seam protects terminal barr	M	1000	\$	1,233.46
07498369508	<b>PV8-14RX-QY</b>	RingTerm,Vyl,8AWG,1/4"Stud,PK25	Ring Terminal, large wire, 8 AWG, 1/4" stud size, vinyl expanded insulation, standard package.	C	100	\$	330.14
07498342202	<b>PV8-14RX-TY</b>	RingTerm,VylExp,8AWG,1/4"Stud,PK200	Ring Terminal, large wire, 8 AWG, 1/4" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	1,346.65
07498369509	<b>PV8-38R-QY</b>	Ring Terminal,Vinyl,8AWG,3/8IN,PK25	Ring Terminal, large wire, 8 AWG, 3/8" stud size, vinyl insulated, standard package.	C	100	\$	287.91
07498341421	<b>PV8-38R-TY</b>	RingTerm,Vyl,8AWG,3/8"Stud,PK200	Ring Terminal, large wire, 8 AWG, 3/8" stud size, vinyl insulated, bulk package.	M	1000	\$	1,486.18
07498369510	<b>PV8-38RX-QY</b>	RingTerm,Vyl,8AWG,3/8"Stud,PK25	Ring Terminal, large wire, 8 AWG, 3/8" stud size, vinyl expanded insulation, standard package.	C	100	\$	330.14
07498369511	<b>PV8-56R-QY</b>	Ring Terminal,Vinyl,8AWG,5/16IN,PK25	Ring Terminal, large wire, 8 AWG, 5/16" stud size, vinyl insulated, standard package.	C	100	\$	296.51
07498341167	<b>PV8-56R-TY</b>	RingTerm,Vyl,8AWG,5/16"Stud,PK200	Ring Terminal, large wire, 8 AWG, 5/16" stud size, vinyl insulated, bulk package.	M	1000	\$	1,457.83
07498369512	<b>PV8-56RX-QY</b>	RingTerm,Vyl,8AWG,5/16"Stud,PK25	Ring Terminal, large wire, 8 AWG, 5/16" stud size, vinyl expanded insulation, standard package.	C	100	\$	323.85
07498341169	<b>PV8-56RX-TY</b>	RingTerm,VylExp,8AWG,5/16"Stud,PK200	Ring Terminal, large wire, 8 AWG, 5/16" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	1,827.84
07498369513	<b>PV8-8R-QY</b>	Ring Terminal,Vinyl,8AWG,#8,PK25	Ring Terminal, large wire, 8 AWG, #8 stud size, vinyl insulated, standard package.	C	100	\$	296.51
07498341170	<b>PV8-8R-TY</b>	RingTerm,Vyl,8AWG,#8Stud,PK200	Ring Terminal, large wire, 8 AWG, #8 stud size, vinyl insulated, bulk package.	M	1000	\$	1,209.96
07498303031	<b>PV8-8RN-Q</b>	RingTerm,Narrow,Vyl,8AWG,#8Stud,PK25	Ring Terminal, narrow tongue, large wire, 8 AWG, #8 stud size, vinyl insulated, standard package.	C	100	\$	296.51
07498398668	<b>PV8-8RN-T</b>	RingTerm,Narrow,Vyl,8AWG,#8Stud,PK200	Ring Terminal, narrow tongue, large wire, 8 AWG, #8 stud size, vinyl insulated, bulk package.	M	1000	\$	1,270.48
07498342203	<b>PV8-8RX-TY</b>	RingTerm,VylExp,8AWG,#8Stud,PK200	Ring Terminal, large wire, 8 AWG, #8 stud size, vinyl expanded insulation, bulk package.	M	1000	\$	1,387.06
61305625398	<b>PVS0204D72YA</b>	Vinyl Adhesive Sign, 2.25"x4.50", Dange	Vinyl adhesive sign, 2.25" H x 4.50" W, DANGER header, 'High Voltage' (legend), vinyl adhesive, red and bla	PC	1	\$	2.03
07498371319	<b>PVS0305W2101Y</b>	SIGN,WARNING POTENTIAL ARC,B/O/W,PK5	NFPA 70E Arc flash label, 3.5" H x 5.0" W (88.9mm x 127.0mm), Warning header, 'Arc Flash &amp; Shock H	PC	1	\$	3.71
07498312070	<b>PVS0305W2102Y</b>	SGN,WRNNG ARC FLSH,2009NFPA70E,B/O/W,PK5	NEC warning label, 3.5" H x 5.0" W (88.9mm x 127.0mm), warning header, 'Arc flash and shock hazard appr	PC	1	\$	3.55
07498371328	<b>PVS0710D72Y</b>	SIGN,DANGER HI VOLT.,RD/BL/WH,PK5	Vinyl adhesive sign, 7.0" H x 10.0" W, danger header, 'High Voltage' (legend), vinyl adhesive, red and black/w	PC	1	\$	10.96
61305609841	<b>PVT-1016-Q</b>	SFTYTAG,DGR DO NOT ENTER,BK B,PE,25	Safety Tags, DANGER DO NOT ENTER, BK B, Polyethylene Plastic, PK25	PK	1	\$	59.83
61305609845	<b>PVT-1017-Q</b>	SFTYTAG,DGR DO NOT OPERATE,BK B,PE,25	Safety Tags, 5.75in x 3.25in, Front: DANGER DO NOT OPERATE', Back: 'DANGER DO NOT REMOVE TH	PK	1	\$	59.83
61305610200	<b>PVT-1125</b>	SFTYTAG,DGR DO NT OP(BI-SP),BK STD,PE,5	Safety Tags, 5.75" x 3.25", 'FRONT: DANGER DO NOT OPERATE / PELIGRO NO OPERAR' (legend), Poly	PK	1	\$	12.28
07498370003	<b>PVT-113-Q</b>	TAG,CAUTION HEADER,BL/YL,PK25	Write-on safety tag, 3.00" W x 5.75" H, caution header, blank (no legend), semi-rigid vinyl, black/yellow, 25 ta	PK	1	\$	46.34
07498397915	<b>PVT-15</b>	TAG,DNGR DNT OPER,RD/BL/WH,PK5	The PVT-15 Write-On Safety Identification Tag is 2-sided and constructed of semi-rigid vinyl. Legend reads "	PK	1	\$	14.18
07498370083	<b>PVT-153-Q</b>	TAG,DNGR DNT OPER EQ,RD/BL/WH,PK25	Write-on safety tag, 3.00" W x 5.75" H, danger header, 'Do not operate equipment locked out' (legend), semi-	PK	1	\$	57.83
07498370091	<b>PVT-161-Q</b>	TAG,DNGR DNT OPER(BI),RD/BL/WH,PK25	Bilingual write-on safety tag, 3.00" W x 5.75" H, danger header, 'Do not operate/'No usar' (legend), semi-rigid	PK	1	\$	57.83
07498371410	<b>PVT-179-Q</b>	TAG,BLANK,RD,PK25	Write-on safety tag, 3.00" W x 5.75" H, blank (no legend), semi-rigid vinyl, red, 25 tags and ties/package.	PK	1	\$	46.34
07498397923	<b>PVT-23</b>	TAG,DNGR DNT OPER EL,WR,RD/BL/WH,PK5	Write-on safety tag, 3.00" W x 5.75" H, danger header, 'Do not operate electricians at work' (legend), semi-rig	PK	1	\$	14.89
07498369871	<b>PVT-23-Q</b>	TAG,DNGR DNT OPER EL,RD/BL/WH,PK25	Write-on safety tag, 3.00" W x 5.75" H, danger header, 'Do not operate electricians at work' (legend), semi-rig	PK	1	\$	57.83
07498397930	<b>PVT-30</b>	TAG,DANGER ELECTRICIAN.,RD/BL/WH,PK5	Write-on safety tag, 3.00" W x 5.75" H, danger header, 'Electricians blocking tag..' (legend), semi-rigid vinyl, r	PK	1	\$	14.89
07498397941	<b>PVT-41</b>	TAG,DANGER DO NOT.,RD/BL/WH,PK5	The PVT-41 Write-On Safety Identification Tag is 2-sided and constructed of semi-rigid vinyl. Legend reads "	PK	1	\$	14.18
07498369891	<b>PVT-42-Q</b>	TAG,DANGER DO NOT OPE.,RD/BL/WH,PK25	Write-on safety tag, 3.00" W x 5.75" H, danger header, 'Do not operate' (legend), semi-rigid vinyl, red and bla	PK	1	\$	57.83
07498397943	<b>PVT-43</b>	TAG,DNGR DNT OPER EL,DP,RD/BL/WH,PK5	Write-on safety tag, 3.00" W x 5.75" H, danger header, 'Do not operate electrical department' (legend), semi-	PK	1	\$	14.89
07498397944	<b>PVT-44</b>	TAG,DNGR DO NOT OPER.,RD/BL/WH,PK5	Write-on safety tag, 3.00" W x 5.75" H, danger header, 'Do not operate maintenance department' (legend), se	PK	1	\$	14.89
07498369972	<b>PVT-95-Q</b>	TAG,BLANK,YL,PK25	Write-on safety tag, 3.00" W x 5.75" H, blank (no legend), semi-rigid vinyl, yellow, 25 tags and ties/package.	PK	1	\$	46.34
07498397995	<b>PVT-96</b>	TAG,DANGER EQUIP.,RD/BL/WH,PK5	Write-on safety tag, 3.00" W x 5.75" H, danger header, 'Equipment locked out' (legend), semi-rigid vinyl, red	PK	1	\$	14.89
07498397997	<b>PVT-98</b>	TAG,DANGER THIS TAG &.,RD/BL/WH,PK5	Write-on safety tag, 3.00" W x 5.75" H, danger header, 'This tag & lock to be removed only by person shown	PK	1	\$	14.18
07498334475	<b>PW100F-C</b>	Panwrap,1.00 IDx100ft,NAT,1rl	The PW100F-C Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved flexibi	RL	1	\$	398.24
07498334476	<b>PW100F-C20</b>	Panwrap,1.00 IDx100ft,Black,1rl	The PW100F-C20 Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved flex	RL	1	\$	443.01
07498310382	<b>PW100F-C4</b>	Panwrap,1.00 IDx100ft,Black,1rl	The PW100F-C4 Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved flexib	RL	1	\$	480.85
07498310793	<b>PW100FR-C20Y</b>	Panwrap,FR,1.00 IDx100ft,BLK,1rl	The PW100FR-C20Y Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved	RL	1	\$	535.11
07498310779	<b>PW100FR-CY</b>	Panwrap,FR,1.00 IDx100ft,NAT,1rl	The PW100FR-CY Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved fle	RL	1	\$	490.28
07498334479	<b>PW150F-L</b>	Panwrap,1.50 IDx50ft,NAT,1rl	The PW150F-L Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved flexibi	RL	1	\$	352.81
07498334480	<b>PW150F-L20</b>	Panwrap,1.50 IDx50ft,Black,1rl	Pan-Wrap™ split harness wrap, 1.5" (38.1mm), 50 ft. (15.2m) per reel, polyethylene, black.	RL	1	\$	373.33
07498310795	<b>PW150FR-L20Y</b>	Panwrap,FR,1.50 IDx50ft,BLK,1rl	The PW150FR-L20Y Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved f	RL	1	\$	428.09
07498310780	<b>PW150FR-LY</b>	Panwrap,FR,1.50 IDx50ft,NAT,1rl	Pan-Wrap™ split harness wrap, 1.5" (38.1mm), 50 ft. (15m) per reel, flame retardant polyethylene,	RL	1	\$	412.89
07498398578	<b>PW50F-T</b>	Panwrap, .50 IDx200ft,NAT,1rl	The PW50F-T Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved flexibilit	RL	1	\$	303.63
07498398579	<b>PW50F-T20</b>	Panwrap, .50 IDx200ft,Black,1rl	The PW50F-T20 Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved flexib	RL	1	\$	333.50
07498310791	<b>PW50FR-T20Y</b>	Panwrap,FR, .50 IDx200ft,BLK,1rl	The PW50FR-T20Y Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved fl	RL	1	\$	410.68
07498310777	<b>PW50FR-TY</b>	Panwrap,FR, .50 IDx200ft,NAT,1rl	The PW50FR-TY Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved flexi	RL	1	\$	373.33
07498398580	<b>PW75F-C</b>	Panwrap, .75 IDx100ft,NAT,1rl	The PW75F-C Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved flexibilit	RL	1	\$	214.04
07498398581	<b>PW75F-C20</b>	Panwrap, .75 IDx100ft,Black,1rl	The PW75F-C20 Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved flexib	RL	1	\$	236.45
07498310792	<b>PW75FR-C20Y</b>	Panwrap,FR, .50 IDx250ft,BLK,1rl	The PW75FR-C20Y Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved fl	RL	1	\$	286.21
07498310778	<b>PW75FR-CY</b>	Panwrap,FR, .50 IDx250ft,NAT,1rl	The PW75FR-CY Pan-Wrap Split Harness Wrap features a patented slot pattern that provides improved flexi	RL	1	\$	258.85
07498336467	<b>PWMHH12-M300</b>	CableTieMnt,WingedPshMnt,WR,HS,BL,PK1000	The winged push barb cable tie mount requires a 0.51" (13.0 mm) hole and is black. It is made of weather-res	M	1000	\$	353.54
07498358374	<b>PWMS-H25-C</b>	CableTieMnt,WingedPshMnt,Nat,PK100	Panduit PWMS-H25-C Fir Winged Push Barb Mounts have a winged base that applies pressure on the panel	C	100	\$	49.14
07498358375	<b>PWMS-H25-M</b>	CableTieMnt,WingedPshMnt,Nat,PK1000	Panduit PWMS-H25-M winged push barb cable ties are designed for mounting a cable into a pre-drilled hole s	M	1000	\$	356.03
07498324800	<b>PWMS-H25-M0</b>	CableTieMnt,WingedPshMnt,WR,BL,PK1000	Panduit PWMS-H25-M0 Fir Winged Push Barb Mounts have a winged base that applies pressure on the pane	M	1000	\$	369.51
07498374199	<b>PWMX6</b>	FLEX CONDUIT/CABLE HANGER,1/3-4 IN,PK100	Flexible conduit/cable hanger, 1 3/4" bundle, 6 runs of MC/AC, 75 lbs. ultimate load.	PC	1	\$	0.96

07498345675	<b>PWT100</b>	1 Inch Panwrap Tool,EA	Pan-Wrap™ installation tool, for use with PW100F-series, 1" (25.4mm), white.	PC	1	\$	14.76
07498345676	<b>PWT150</b>	1.50 Inch Panwrap Tool,EA	Pan-Wrap™ installation tool, for use with PW150F-series, 1.50" (38.1mm), white.	PC	1	\$	16.98
07498322257	<b>PWT38</b>	.375 Inch Panwrap Tool,EA	Pan-Wrap™ installation tool, for use with PW38F-series, 3/8" (9.5mm), white.	EA	1	\$	11.03
07498398582	<b>PWT50</b>	.50 Inch Panwrap Tool,EA	Pan-Wrap™ installation tool, for use with PW50F-series, .50" (12.7mm), white.	PC	1	\$	11.65
07498398583	<b>PWT75</b>	.75 Inch Panwrap Tool,EA	Pan-Wrap™ installation tool, for use with PW75F-series, .75" (19.1mm), white.	PC	1	\$	12.18
07498375000	<b>PX-0</b>	Pen,Permanent,RegularTip,BL,PK12	Permanent marking pen, regular tip, black.	PC	1	\$	12.25
07498375020	<b>PX-2</b>	Pen,Permanent,RegularTip,RD,PK12	Permanent marking pen, regular tip, red.	PC	1	\$	13.49
07498300385	<b>PZAEQG</b>	Enclosure Grounding Kit,EA	Grounding kit for use with PZAEWM3 and PZBASE3.	KT	1	\$	62.88
61305631387	<b>PZWMCGK</b>	ZnCblng,CabJmprGroundKit,GR,YL,EA	Cabinet Jumper Grounding Kit, Includes Two 6" Jumpers, One 16" Jumper, and One 18" Jumper with 1/4" St	KT	1	\$	109.28
07498308304	<b>QB-BASE120-Q</b>	MountingBase,1.20x1.20#.80,BL,PK25	Mounting platform that is inserted in Quick-Build pegs 1.2 x 1.2 (30.48mm x 30.48mm). Allows test fixtures, c	C	100	\$	638.34
07498308303	<b>QB-BASE175-Q</b>	MountingBase,1.75x1.75,BL,PK25	Mounting platform that is inserted in Quick-Build mounting pegs 1.75 x 1.75 (44.45mm x 44.45mm). Allows el	C	100	\$	754.05
07498310213	<b>QB-CONN</b>	Tile Connector,5 per package,EA	Grid tile connector to ensure accurate alignment of Grid System, One package includes 5 pieces.	PK	1	\$	108.93
07498308320	<b>QB-FN1-Q</b>	FiveNailBase,Use w/HBN1-T,PK25	Five nail holder to accommodate up to five 1 nails.	C	100	\$	1,141.01
07498308321	<b>QB-FN2-Q</b>	FiveNailBase,Use w/HBN2-T,PK25	Five nail holder to accommodate up to five 2 nails.	C	100	\$	1,141.01
07498308322	<b>QB-FN3-Q</b>	FiveNailBase,Use w/HBN3-T,PK25	Five nail holder to accommodate up to five 3 nails.	C	100	\$	1,089.15
61305601465	<b>QB-KIT1</b>	Quick-Build Starter Kit, EA	Panduit QB-KIT1 Quick-Build™ Harness Board Starter Kit allows customers to order a single part number an	KT	1	\$	794.28
61305625478	<b>QB-KIT1-GRY</b>	QUICK-BUILD STARTER KIT, GRAY TILES	Quick-Build Starter Kit, Gray Tiles, EA	KT	1	\$	834.00
61305625665	<b>QB-KIT2</b>	QUICK-BUILD STARTER KIT	Panduit QB-KIT2 Quick-Build™ Harness Board Starter Kit allows customers to order a single part number an	KT	1	\$	794.28
61305625666	<b>QB-KIT2-GRY</b>	QUICK-BUILD STARTER KIT, GRAY TILES	Quick-Build Starter Kit, Gray Tiles, EA	KT	1	\$	834.00
07498308302	<b>QB-MOUNT-L</b>	MountingPegs,use w/NailBase,PK50	Panduit QB-MOUNT-L Harness Board Pegs can be positioned and relocated. They allow accessories to rotat	C	100	\$	758.04
07498326540	<b>QB-RER-5-X</b>	QuickBuildPegwRER.5ForQuickBuildSys,PK10	Quick-Build Peg with RER.5 pre-installed for use with Quick-Build System, 10 per package	PC	1	\$	14.05
61305625541	<b>QB-RER.75-X</b>	QuickBuildPegwRER.75ForQuickBuildSysPK10	Quick-Build Peg with RER.75 pre-installed for use with Quick-Build System, 10 per package	PC	1	\$	14.49
61305625543	<b>QB-RER1.25-X</b>	QuickBuildPegRER1.25ForQuickBuildSysPK10	Quick-Build Peg with RER1.25 pre-installed for use with Quick-Build System, 10 per package	PC	1	\$	15.83
61305625544	<b>QB-RERBASE-X</b>	QuickBuildPegForRER.5,RER.75,RER1.25PK10	Quick-Build Peg suitable to utilize existing RER.5, RER.75, and RER1.25 products with Quick-Build System.	PC	1	\$	4.65
07498310209	<b>QB-S25-1000-L</b>	Screws, 1/4" size, 1" long,PK50	Quick-Build Screws; 1/4 size; 1 long; 50 per package	C	100	\$	76.03
07498310208	<b>QB-S25-500-C</b>	Screws, 1/4" size, 1/2" long,PK100	Quick-Build Screws; 1/4 size; 1/2 long; 100 per package	C	100	\$	35.71
07498310198	<b>QB-S6-500-C</b>	Screws, #6 size, 1/2" long,PK100	Quick-Build Screws; #6 size; 1/2 long; 100 per package	C	100	\$	13.83
07498310205	<b>QB-S8-500-C</b>	Screws, #8 size, 1/2" long,PK100	Quick-Build Screws; #8 size; 1/2 long; 100 per package	C	100	\$	15.40
07498310207	<b>QB-S8-750-C</b>	Screws, #8 size, 3/4" long,PK100	Quick-Build Screws; #8 size; 3/4 long; 100 per package	C	100	\$	17.23
07498308313	<b>QB-SN1-Q</b>	SingleNailBase,Use w/HBN1-T,PK25	Single nail holder to accommodate one 1 nail.	C	100	\$	789.95
07498308314	<b>QB-SN2-Q</b>	SingleNailBase,Use w/HBN2-T,PK25	Single nail holder to accommodate one 2 nail.	C	100	\$	789.95
07498308315	<b>QB-SN3-Q</b>	SingleNailBase,Use w/HBN3-T,PK25	Single nail holder to accommodate one 3 nail.	C	100	\$	789.95
07498308053	<b>QB-TILE</b>	GridTile, 1'x1', BL, 8 Per PK,EA	Panduit QB-TILE Harness Board Tiles are the square base component that allows Quick-Build™ mounting pe	PK	1	\$	408.53
61305625439	<b>QB-TILE-GRY</b>	Quick-Build Grid Tile, 1' X 1', 8 per Pa	Quick-Build Grid Tile, 1' X 1', (305mmx305mm) 8 per Package, Gray	PK	1	\$	428.94
07498310210	<b>QB-WASHER-Q</b>	ReplaceableWasher,QB-MOUNT-L,PK25	Quick-Build Replaceable Washer for QB-MOUNT-L; 25 per package	C	100	\$	145.46
61305625532	<b>QB-WEH1012-Q</b>	WireEndHLDRForQuick-BuildSys,YL,PK25	Quick-Build Wire End Holder for Quick-Build System. Suitable for #10-#12 gauge wire, holds 3 Wires. Color:	PC	1	\$	9.23
61305625531	<b>QB-WEH1416-Q</b>	WireEndHLDRForQuick-BuildSys,BU,PK25	Quick-Build Wire End Holder for Quick-Build System. Suitable for #14-#16 gauge wire, holds 4 wires. Color: B	PC	1	\$	9.23
61305625660	<b>QB-WEH1822-Q</b>	WireEndHLDRForQuick-BuildSys,RD,PK25	Quick-Build Wire End Holder for Quick-Build System. Suitable for #18-#22 gauge wire, holds 6 wires. Color: R	PC	1	\$	9.23
07498339430	<b>R050X075V1T</b>	TT,Turn-TellLbl,.5"x.75"x.25",CL/WH,5000	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	112.95
07498379993	<b>R050X075X1J</b>	LSIJ,TurnTellLbl,.5"x.75"x.25",CL/WH,5000	The laser/ink jet, self-laminating Turn-Tell label made of polymer has an innovative design that allows it to rot	M	1000	\$	167.21
07498339460	<b>R050X125V1T</b>	TT,Turn-TellLbl,.5"x.1.25"x.38",CL/WH,5000	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	135.56
07498379992	<b>R050X125X1J</b>	LSIJ,TurnTellLbl,.5"x.1.25"x.38",CL/WH,5000	The laser/ink jet, self-laminating Turn-Tell label made of polymer has an innovative design that allows it to rot	M	1000	\$	270.16
07498339429	<b>R050X150V1T</b>	TT,Turn-TellLbl,.5"x.1.5"x.5",CL/WH,5000	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	144.39
07498379991	<b>R050X150X1J</b>	LSIJ,Turn-TellLbl,.5"x.1.50"x.5",WH,2500	The laser/ink jet, self-laminating Turn-Tell label made of polymer has an innovative design that allows it to rot	M	1000	\$	250.91
07498321946	<b>R100X075V1C</b>	P1 Turn-Tell Cass,1.0"x.75"x.25",CL/WH	White print-on area, 18 – 14 AWG wire/cable, 150/cassette.	PC	1	\$	82.88
61305676166	<b>R100X075V1M</b>	MP Cassette, Turn-Tell Self-Laminating L	The R100X075V1M Self-Laminating Turn-Tell Label Cassette includes both label material and ribbon for easy	PC	1	\$	86.86
07498321934	<b>R100X075V1T</b>	TT,Turn-TellLbl,1"x.75"x.25",CL/WH,2500	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	146.41
07498379984	<b>R100X075X1J</b>	LSIJ,Turn-TellLbl,1"x.75"x.5",CL/WH,2500	The R100X075X1J Laser/Inkjet Turn-Tell Label has an innovative design that allows it to rotate to any angle f	M	1000	\$	251.84
07498321947	<b>R100X125V1C</b>	P1 Turn-Tell Cass,1.0"x1.25"x.38",CL/WH	White print-on area, 12 – 10 AWG wire/cable, Cat. 3 UTP cable, 100/cassette.	PC	1	\$	81.44
61305676172	<b>R100X125V1M</b>	MP Cassette, Turn-Tell Self-Laminating L	The R100X125V1M Self-Laminating Turn-Tell Label Cassette includes both label material and ribbon for easy	PC	1	\$	91.48
07498321935	<b>R100X125V1T</b>	TT,Turn-TellLbl,1"x1.25"x.38",CL/WH,2500	The R100X125V1T Thermal Transfer Turn-Tell Label has an innovative design that allows it to rotate to any a	M	1000	\$	147.96
07498379983	<b>R100X125X1J</b>	LSIJ,TurnTellLbl,1"x.1.25"x.5",CL/WH,2500	The R100X125X1J Laser/Inkjet Turn-Tell Label has an innovative design that allows it to rotate to any angle f	M	1000	\$	409.30
07498321944	<b>R100X150V1C</b>	P1 Turn-Tell Cass,1.0"x1.5"x.5",CL/WH	The R100X150V1C Turn-Tell Label Cassette includes both label material and ribbon for easy changeover. Th	PC	1	\$	84.04
61305676173	<b>R100X150V1M</b>	MP Cassette, Turn-Tell Self-Laminating L	Panduit R100X150V1M Turn-Tell label cassettes, have an innovative design that allows label rotation to any a	PC	1	\$	75.50
07498321933	<b>R100X150V1T</b>	TT,Turn-Tell Lbl,1"x1.5"x0.5",CL/WH,2500	The R100X150V1T Thermal Transfer Turn-Tell Label has an innovative design that allows it to rotate to any a	M	1000	\$	243.65
07498357191	<b>R100X150V2C</b>	P1 Turn-Tell Cass,1.0"x1.5"x.5",CL/BU	Blue print-on area, 10 – 6 AWG wire/cable, Cat. 5e/6/6e UTP and Cat. 5e FTP cable, 100/cassette.	PC	1	\$	97.14
07498331764	<b>R100X150V2T</b>	TT,Turn-Tell Lbl,1"x1.5"x0.5",CL/BL,2500	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	275.90
07498357195	<b>R100X150V3C</b>	P1 Turn-Tell Cass,1.0"x1.5"x.5",CL/GR	Green print-on area, 10 – 6 AWG wire/cable, Cat. 5e/6/6e UTP and Cat. 5e FTP cable, 100/cassette.	PC	1	\$	97.14
07498331765	<b>R100X150V3T</b>	TT,Turn-Tell Lbl,1"x1.5"x0.5",CL/GR,2500	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	275.90
07498357197	<b>R100X150V7C</b>	P1 Turn-Tell Cass,1.0"x1.5"x.5",CL/RD	Red print-on area, 10 – 6 AWG wire/cable, Cat. 5e/6/6e UTP and Cat. 5e FTP cable, 100/cassette.	PC	1	\$	97.14
07498331767	<b>R100X150V7T</b>	TT,Turn-Tell Lbl,1"x1.5"x0.5",CL/RD,2500	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	275.90
07498357216	<b>R100X150V8C</b>	P1 Turn-Tell Cass,1.0"x1.5".5",CL/YL	Yellow print-on area, 10 – 6 AWG wire/cable, Cat. 5e/6/6e UTP and Cat. 5e FTP cable, 100/cassette.	PC	1	\$	97.14
07498331769	<b>R100X150V8T</b>	TT,Turn-Tell Lbl,1"x1.5"x0.5",CL/YL,2500	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	268.04
07498379981	<b>R100X150X1J</b>	LSIJ,TurnTellLbl,1"x1.5"x0.5",CL/WH,1000	The R100X150X1J Laser/Inkjet Turn-Tell Label has an innovative design that allows it to rotate to any angle f	M	1000	\$	487.85
07498397646	<b>R100X150X2J</b>	LSIJ,TurnTellLbl,1"x1.5"x0.5",CL/BL,1000	The laser/ink jet, self-laminating Turn-Tell label made of polymer has an innovative design that allows it to rot	M	1000	\$	649.06
07498397647	<b>R100X150X7J</b>	LSIJ,TurnTellLbl,1"x1.5"x0.5",CL/RD,1000	The laser/ink jet, self-laminating Turn-Tell label made of polymer has an innovative design that allows it to rot	M	1000	\$	552.44
07498397645	<b>R100X150X8J</b>	LSIJ,TurnTellLbl,1"x1.5"x0.5",CL/YL,1000	The laser/ink jet, self-laminating Turn-Tell label made of polymer has an innovative design that allows it to rot	M	1000	\$	552.44
07498321945	<b>R100X225V1C</b>	P1 Turn-Tell Cass,1.0"x2.25"x.75",CL/WH	The R100X225V1C Turn-Tell Label Cassette includes both label material and ribbon for easy changeover. Th	PC	1	\$	106.90
61305676174	<b>R100X225V1M</b>	MP Cassette, Turn-Tell Self-Laminating L	The R100X225V1M Self-Laminating Turn-Tell Label Cassette includes both label material and ribbon for easy	PC	1	\$	98.05
07498321936	<b>R100X225V1T</b>	TT,Turn-TellLbl,1"x2.25"x.75",CL/WH,2500	The R100X225V1T Thermal Transfer Turn-Tell Label has an innovative design that allows it to rotate to any a	M	1000	\$	421.15
07498331758	<b>R100X225V2T</b>	TT,Turn-TellLbl,1"x2.25"x.75",CL/BL,2500	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	463.28
07498331759	<b>R100X225V3T</b>	TT,Turn-TellLbl,1"x2.25"x.75",CL/GR,2500	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	476.91
07498331762	<b>R100X225V7T</b>	TT,Turn-TellLbl,1"x2.25"x.75",CL/RD,2500	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	476.91
07498357274	<b>R100X225V8C</b>	P1 Turn-Tell Cass,1.0"x2.25"x.75",CL/YL	Yellow print-on area, 8 – 4 AWG wire/cable, Cat. 6 FTP and Cat. 6a/10Gig cable, 75/cassette.	PC	1	\$	123.45
07498331763	<b>R100X225V8T</b>	TT,Turn-TellLbl,1"x2.25"x.75",CL/YL,2500	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	476.91
07498379927	<b>R100X225X1J</b>	LSIJ,TurnTellLbl,1"x2.25"x.75",CL/WH,1000	The R100X225X1J Laser/Inkjet Turn-Tell Label has an innovative design that allows it to rotate to any angle f	M	1000	\$	841.11
07498321937	<b>R100X400V1T</b>	TT,Turn-Tell Label,1"x4"x1",CL/WH,1000	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	585.48

07498379915	<b>R100X400X1J</b>	LSIJ,Turn-Tell Label,1"x4"x1",CL/WH,1000	The laser/ink jet, self-laminating Turn-Tell label made of polymer has an innovative design that allows it to rot	M	1000	\$	1,114.60
07498391923	<b>R150X150V1T</b>	TT,Turn-TellLbl,1.5"x1.5"x.5",CL/WH,1000	The R150X150V1T Thermal Transfer Turn-Tell Label has an innovative design that allows it to rotate to any angle	M	1000	\$	477.01
07498379908	<b>R150X150X1J</b>	LSIJ,TurnTellLbl,1.5"x1.5"x.5",CL/WH,1000	The R150X150X1J Laser/Inkjet Turn-Tell Label has an innovative design that allows it to rotate to any angle	M	1000	\$	908.06
07498339494	<b>R200X150V1T</b>	TT,Turn-Tell Lbl,2"x1.5"x0.5",CL/WH,1000	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	738.94
07498379906	<b>R200X150X1J</b>	LSIJ,Turn-TellLbl,2"x1.5"x.5",CL/WH,1000	The laser/ink jet, self-laminating Turn-Tell label made of polymer has an innovative design that allows it to rotate to any angle	M	1000	\$	1,119.30
07498321938	<b>R200X225V1T</b>	TT,Turn-Tell Lbl,2"x2.25"x.5",CL/WH,1000	The R200X225V1T Thermal Transfer Turn-Tell Label has an innovative design that allows it to rotate to any angle	M	1000	\$	808.99
07498379903	<b>R200X225X1J</b>	LSIJ,TurnTellLbl,2"x2.25"x.75",CL/WH,500	The laser/ink jet, self-laminating Turn-Tell label made of polymer has an innovative design that allows it to rotate to any angle	M	1000	\$	1,178.25
07498321939	<b>R200X400V1T</b>	TT,Turn-Tell Label,2"x4"x0.5",CL/WH,1000	The thermal transfer Turn-Tell label made of vinyl has an innovative design that allows it to rotate to any angle	M	1000	\$	1,582.04
07498379899	<b>R200X400X1J</b>	LSRIJ,Turn-Tell Label,2"x4"x1",CL/WH,500	The laser/ink jet, self-laminating Turn-Tell label made of polymer has an innovative design that allows it to rotate to any angle	M	1000	\$	1,301.70
07498359342	<b>RAFCB1-S6-C20</b>	CableMnt,RightAngleBase,1in,BL,PK100	Panduit RAFCB1-S6-C20 Right Angle Base Mounts support cables above the mounting surface. Mounts are	C	100	\$	151.99
07498358954	<b>RAFCB1-S6-M20</b>	CableMnt,RightAngleBase,1in,BL,PK1000	Panduit RAFCB1-S6-M20 Right Angle Base Mounts support cables above the mounting surface. Mounts are	M	1000	\$	918.04
07498359343	<b>RAFCB2-S6-C20</b>	CableMnt,RightAngleBase,2in,BL,PK100	Panduit RAFCB2-S6-C20 Right Angle Base Mounts support cables above the mounting surface. Mounts are	C	100	\$	177.69
07498358955	<b>RAFCB2-S6-M20</b>	CableMnt,RightAngleBase,2in,BL,PK1000	Panduit RAFCB2-S6-M20 Right Angle Base Mounts support cables above the mounting surface. Mounts are	M	1000	\$	1,074.29
07498359344	<b>RAFCB3-S6-C20</b>	CableMnt,RightAngleBase,3in,BL,PK100	The right angle base in black accepts a flat cable width of 3.0" (76.2 mm) and is made of nylon 6.6, which incr	C	100	\$	200.19
07498358956	<b>RAFCB3-S6-M20</b>	CableMnt,RightAngleBase,3in,BLPK1000	The right angle base in black accepts a flat cable width of 3.0" (76.2 mm) and is made of nylon 6.6, which incr	M	1000	\$	1,279.45
07498358417	<b>RAMH-S10-D</b>	CableMnt,RightAngle,#10Screw,Nat,PK500	The right angle cable tie mount in natural color is applied with a #10 (M5) screw. It is made of nylon 6.6, which	M	1000	\$	1,796.00
07498358415	<b>RAMH-S6-D</b>	CableMnt,RightAngle,#6Screw,Nat,PK500	Panduit RAMH-S6-D Right Angle Cable Mounts hold cable bundles away from the sharp edges of bulkheads	M	1000	\$	1,796.00
07498358411	<b>RAMS-S3-M</b>	CableMnt,RightAngle,#3Screw,Nat,PK1000	Panduit RAMS-S3-M Right Angle Cable Mounts hold cable bundles away from the sharp edges of bulkheads	M	1000	\$	843.04
07498361079	<b>RER.5-S6-X</b>	ElastRetnr,.50"Bdle,#6Screw,PK10	Panduit RER.5-S6-X Harness Elastic Retainers with replaceable elastic band are part of the Quick-Build™ m	PC	1	\$	9.75
07498361084	<b>RER.5E-X</b>	RplcmntElastcfRER.5-S6-X,PK10	Harness replacement elastic band for RER.5-S6-X.	PC	1	\$	4.36
07498361080	<b>RER.75-S6-X</b>	ElastRetnr,.75"Bdle,#6Screw,PK10	Panduit RER.75-S6-X Harness Elastic Retainers with replaceable elastic band are part of the Quick-Build™ m	PC	1	\$	10.19
07498361085	<b>RER.75E-X</b>	RplcmntElastcfRER.75-S6-X,PK10	Harness replacement elastic band for RER.75-S6-X.	PC	1	\$	4.46
07498361081	<b>RER1.25-S6-X</b>	ElastRetainr,1.25"Bdle,#6Screw,PK10	Panduit RER1.25-S6-X Harness Elastic Retainers with replaceable elastic band are part of the Quick-Build™ X	PC	1	\$	11.59
07498361086	<b>RER1.25E-X</b>	RplcmntElastcfRER1.25-S6-X,PK10	Harness replacement elastic band for RER1.25-S6-X.	PC	1	\$	4.76
07498328339	<b>RER2.0-S6-X</b>	ElastRetainr,2"Bdle,#6Screw,PK10	Harness elastic Retainer, 2.0" (50.8mm) Bundle, #6 Screw (M3).	PC	1	\$	15.85
07498330372	<b>RER2.0E-X</b>	RplcmntElastcfRER2.0-S6-X,PK10	Harness replacement elastic band for RER2.0-S6-X.	PC	1	\$	5.26
07498310814	<b>RF6X8SMY</b>	RaisedFloorAirSealingGrommet-6"x8",EA	The Cool Boot® Raised Floor Air Sealing Grommet is designed for hot aisle/cold aisle environments in a data	KT	1	\$	146.59
07498379863	<b>RGCBNJ660PY</b>	Jumper Kit,(CBN),60in,w/HTCT2-2-1,EA	The RGCBNJ660PY Equipment Bonding Jumper Kit bonds the rack or cabinet to the subfloor or overhead b	KT	1	\$	82.26
07498360851	<b>RGCBNJ660PY</b>	Jumper Kit,(CBN),60in,w/HTCT2-2-1,EA	The RGCBNJ660PY Equipment Bonding Jumper Kit bonds the rack or cabinet to the subfloor or overhead b	KT	1	\$	82.26
07498360856	<b>RGEJ1024PFY</b>	Jumper Kits, Equip Grnd,#10AWG,EA	#10 AWG (6mm²) jumper, 90° bent lug on grounding strip side to straight lug on equipment, provided with .16	KT	1	\$	66.14
07498360857	<b>RGEJ1024PHY</b>	Jumper Kits, Equip Grnd,#10 AWG,EA	#10 AWG (6mm²) jumper, 45° bent lug on grounding strip side to straight lug on equipment, provided with .16	KT	1	\$	62.98
07498333279	<b>RGEJ1024URT</b>	Equipment grounding,jumperkit,#10 awg,EA	#10 AWG (6mm²) jumper, 24 in. (61 mm²) L, pre-terminated with one #10 (5.3mm) and one 1/4" (6.4mm)stud	KT	1	\$	26.66
07498360858	<b>RGEJ1036PFY</b>	Jumper Kits, Equip Grnd, #10 AWG,EA	#10 AWG (6mm²) jumper, 90° bent lug on grounding strip side to straight lug on equipment, provided with .16	KT	1	\$	67.15
07498360859	<b>RGEJ1057PFY</b>	Jumper Kits, Equip Grnd, #10 AWG,EA	#10 AWG (6mm²) jumper, 90° bent lug on grounding strip side, provided with .16 oz. (5cc) of antioxidant and	KT	1	\$	54.43
07498397983	<b>RGEJ1096PF</b>	Equipment Jumper, #10 AWG,EA	#10 AWG (6mm²) jumper, 90° bent lug on grounding strip side, provided with .16 oz. (5cc) of antioxidant and	KT	1	\$	89.35
07498360860	<b>RGEJ624PFY</b>	Jumper Kits, Equip Grnd, #6 AWG,EA	#6 AWG (16mm²) jumper, 90° bent lug on grounding strip side to straight lug on equipment, provided with .16	KT	1	\$	67.40
07498360861	<b>RGEJ624PHY</b>	Jumper Kits, Equip Grnd, #6 AWG,EA	#6 AWG (16mm²) jumper, 45° bent lug on grounding strip side to straight lug on equipment, provided with .16	KT	1	\$	70.76
07498360862	<b>RGEJ636PFY</b>	Jumper Kits, Equip Grnd, #6 AWG,EA	#6 AWG (16mm²) jumper, 90° bent lug on grounding strip side to straight lug on equipment, provided with .16	KT	1	\$	72.41
07498363632	<b>RGEJ660PF</b>	Rack Grnd kit,Equipment Jumper,6AWG,EA	#6 AWG (16mm²) jumper, 90° bent lug on grounding strip side to straight lug on equipment.	KT	1	\$	50.70
07498333281	<b>RGEJ660U</b>	Equipment grounding,jumperkit,#6 awg,EA	#6 AWG (16mm²) jumper, 60 in. (1.52mm²) L, pre-terminated with two straight slotted lugs to provide a bolt-o	KT	1	\$	50.70
07498333280	<b>RGEJ696U</b>	Equipment grounding,jumperkit,#6 awg,EA	#6 AWG (16mm²) jumper, 96 in. (2.44mm²) L, pre-terminated with two straight slotted lugs to provide a bolt-o	KT	1	\$	54.31
07498360865	<b>RGESD-1Y</b>	ESD Port Kits, 1 Hole, Thread Screw,EA	This is one-hole ESD Port Kit is a telecommunications grounding accessory that helps protect against electro	KT	1	\$	26.64
07498339606	<b>RGESD2-1</b>	ESD Port Kit,2 Hole, Thread Forming,EA	This two-hole ESD Port Kit with 5/8 spacing is a telecommunications grounding accessory that helps protect	PC	1	\$	33.40
07498365369	<b>RGESD2B-1</b>	ESD Port Kit, 2 Hole,Cage Nuts,EA	This two-hole ESD Port Kit with 5/8 spacing is a telecommunications grounding accessory that helps protect	KT	1	\$	53.04
07498302307	<b>RGESDWS</b>	ESD Wrist Strap,1 megohm,EA	This adjustable, fabric ESD wrist strap with 4mm snap is designed to ground a technician working on highl	PC	1	\$	55.58
61305631733	<b>RGRB19B</b>	Grounding Busbar Kit, 19" Lgth, 8 Mounti	The RGRB19B StructuredGround™ Grounding Busbar Kits provides an electrically continuous grounding loca	KT	1	\$	97.90
07498378843	<b>RGRB19CN</b>	Busbar Kit,20 Hole,Cage Nut,EA	The RGRB19CN Grounding Busbar provides the common grounding point within cabinets and is optimized fo	KT	1	\$	166.60
07498366041	<b>RGRB19U</b>	Busbar Kit,20 Hole,Thread Forming,EA	The RGRB19U Grounding Busbar is tin-plated with twenty holes designed for flexibility in mounting with twent	KT	1	\$	166.60
07498360866	<b>RGRB19Y</b>	Busbar Kit,14 Hole,Thread Forming,EA	The RGRB19Y Grounding Busbar provides a dedicated ground system to maintain system performance and	KT	1	\$	101.50
07498360869	<b>RGREJ696Y</b>	Rack Jumper Kit,Retrofit,6 AWG,96 in,EA	Grounding jumper; #6 AWG (16mm²); 96 (2.44m) length; one end factory terminated to lug; provided with .16	KT	1	\$	58.26
07498360599	<b>RGRKCBNJEJY</b>	Jumper Kit, Rack Grnd Retrofit Equip,EA	The RGRKCBNJEJY Equipment Bonding Jumper Kit bonds the rack or cabinet to the MCBN. Engineered to	KT	1	\$	234.99
07498360870	<b>RGRKCBNJY</b>	Rack Jumper Kit,Retrofit,w/Busbar,EA	The RGRKCBNJY Grounding Busbar provides a dedicated ground system to maintain system performance a	KT	1	\$	196.58
07498360872	<b>RGS134-10-1Y</b>	Grounding Strip Kit,10 Strips,EA	Ten grounding strips; 78.65" (2m) length; .67" (17mm) width; .05" (1.27mm) thickness; provided with .16 oz. (	KT	1	\$	1,014.86
07498360871	<b>RGS134-1Y</b>	Grounding Strip Kit,1 Strip,Thrd Form,EA	The RGS134-1Y Grounding Strip bonds up to 45RU's within a rack or cabinet with threaded rail fasteners with	KT	1	\$	157.06
07498380325	<b>RGS13442-10-1</b>	Grounding Strip Kit,73.40"ThreadRail,10PK	Ten grounding strips; 73.40" (1.9m) length; .67" (17mm) width; .05" (1.27mm) thickness; provided with .16 oz	KT	1	\$	992.81
07498380375	<b>RGS13448-10-1</b>	Grounding Strip Kit,48 RU,ThreadRail,10PK	Ten grounding strips; 83.90" (2.1m) length; .67" (17mm) width; .05" (1.27mm) thickness; provided with .16 oz	KT	1	\$	1,192.59
07498380270	<b>RGS13451-1</b>	Grounding Strip Kit,51 RU,Thread Rail,EA	The RGS13451-1 Grounding Strip bonds up to 51RU's within a rack or cabinet with threaded rail fasteners wit	KT	1	\$	161.26
07498380380	<b>RGS13452-10-1</b>	Grounding Strip Kit,52 RU,ThreadRail,10PK	Ten grounding strips; 90.90" (2.3m) length; .67" (17mm) width; .05" (1.27mm) thickness; provided with .16 oz	KT	1	\$	1,235.45
07498378841	<b>RGS134B-1</b>	Grounding Strip Kits, 1 Strip,Cage Nut,EA	The RGS134B-1 Grounding Strip bonds up to 45RU's within a rack or cabinet with threaded rail fasteners with	KT	1	\$	157.06
07498379855	<b>RGS134B-10-1</b>	Grounding Strip Kit, 45 RU,Cage Nut,10PK	Ten grounding strips; 78.70" (2m) length; .67" (17mm) width; .03" (.76mm) thickness; provided with .16 oz. (5	KT	1	\$	1,014.86
07498380288	<b>RGS134B42-1</b>	Grounding Strip Kit,42 RU,Cage Nut,EA	Grounding strip; 73.40" (1.9m) length; .67" (17mm) width; .03" (.76mm) thickness; provided with .16 oz. (5cc)	KT	1	\$	162.73
07498380297	<b>RGS134B48-1</b>	Grounding Strip Kit,48 RU,Cage Nut,EA	Grounding strip; 83.90" (2.1m) length; .67" (17mm) width; .03" (.76mm) thickness; provided with .16 oz. (5cc)	KT	1	\$	167.13
07498334486	<b>RGTBS-C</b>	Bonding Screw, Black,#12-24, 1/2",100pk	Black thread-forming bonding screw, #12-24 x 1/2".	C	100	\$	82.54
07498369714	<b>RGTBS1032G-C</b>	Bonding Screw, Green,#10-32,100PK	Green thread-forming bonding screw, #10-32 x 1/2".	C	100	\$	126.00
07498369697	<b>RGTBSG-C</b>	Bonding Screw, Green,#12-24,100PK	Green thread-forming bonding screw, #12-24 x 1/2".	C	100	\$	78.61
07498369698	<b>RGTBSM6G-C</b>	Bonding Screw, Green,M6, 100PK	Green thread-forming bonding screw, M6 x 15mm.	C	100	\$	86.34
07498360915	<b>RGW-100-1Y</b>	Grnd Washer Kit,3/8"Stud Size,100 pc.,EA	100 paint piercing bonding washers for 3/8" (M8) stud size; .875" (22.2mm) O.D.; provided with .16 oz. (5cc)	KT	1	\$	193.30
61305679456	<b>RHEH1BL-PLA</b>	Ribbon, Hybrid, 1.50" W x 1181' L, For U	The RHEH1BL-PLA Thermal Transfer Ribbon is for use with TDP4HE printers and PLA-100 Label Applicato	RL	1	\$	61.35
07498336403	<b>RHEH4BL</b>	Ribb,Hybrid,HESeriesPrinter,BL,EA	The RHEH4BL Thermal Transfer Ribbon is for use with Panduit TDP43HE and TDP46HE printers. Compatib	PC	1	\$	274.34
07498336402	<b>RHER4BL</b>	ForTDP4-HESeriesPrinter,comp/cont,BL,EA	The black resin thermal transfer ribbon for Panduit's TDP4-HE series printer is part of the complete line of ide	PC	1	\$	274.34
07498337418	<b>RHER4BL-A</b>	ForTDP4-HESeriesPrinter,high-temp,BL,EA	The black resin thermal transfer ribbon for Panduit's TDP4-HE series printer is part of the complete line of ide	PC	1	\$	288.08
07498337235	<b>RHER4BL-C</b>	ForTDP4-HESeriesPrinter,polyimide,BL,EA	The black resin thermal transfer ribbon for Panduit's TDP4-HE series printer is part of the complete line of ide	PC	1	\$	288.08
07498303985	<b>RHER4BL-E</b>	ForTDP4-HESeriesPrinter,durable,BL,EA	The black resin thermal transfer ribbon for Panduit's TDP4-HE series printer is part of the complete line of ide	PC	1	\$	328.08
07498336421	<b>RHER4WH</b>	Ribb,Resin,WH,EA	The white resin thermal transfer ribbon for Panduit's TDP4-HE series printer is part of the complete line of ide	PC	1	\$	333.10
61305679457	<b>RMEH1BL-PLA</b>	Ribbon, Hybrid, 1.50" W x 520' L, For Us	The RMEH1BL-PLA Thermal Transfer Ribbon is for use with TDP43ME printer and PLA-100 Label Applicator	RL	1	\$	27.01
07498337223	<b>RMEH2BL</b>	HybridRibbon,BL,2.5"x300',TDP43ME,1EA	The RMEH2BL Thermal Transfer Ribbon is for use with Panduit TDP43ME printers. Compatible labels: Heat	RL	1	\$	39.26
07498333469	<b>RMEH4BL</b>	HybridRibbon,BL,4.35"x300',TDP43ME,1EA	The RMEH4BL Thermal Transfer Ribbon is for use with TDP43ME printer for heat shrink, self-laminating, Tur	RL	1	\$	64.81



61305623510	<b>RMER1BL</b>	TDP43MEPrinterRibb,Resin,1.1"W,EA	Ribbon for use with the TDP43ME thermal transfer desktop printer, 1.1" wide x 300' long, black resin, 6 stand	RL	1	\$	36.93
07498333470	<b>RMER2BL</b>	ResinRibbon,BL,2.5"x300',TDP43ME,1EA	The RMER2BL Thermal Transfer Ribbon is for use with Panduit TDP43ME printers. Compatible labels: Poly	RL	1	\$	39.26
07498337261	<b>RMER2WH</b>	ResinRibbon,WH,2.5"x300',TDP43ME,1EA	The RMER2WH Thermal Transfer Ribbon is for use with Panduit TDP43ME printers. Compatible labels: Poly	RL	1	\$	79.05
07498333468	<b>RMER4BL</b>	ResinRibbon,BL,4.25"x300',TDP43ME,1EA	The RMER4BL Thermal Transfer Ribbon is for use with Panduit TDP43ME printers. Compatible labels: Poly	RL	1	\$	64.81
07498340621	<b>RMER4BL-A</b>	ResinRibbon,BLNMP,4.25"x300',TDP43ME,1EA	Printer ribbon for use with TDP43ME and high temperature marker plates comes in black resin. It is 300' (91	RL	1	\$	68.05
07498364389	<b>RMER4BL-C</b>	ResinRbn,BL,FLHS,4.25"x300',TDP43ME,1EA	Printer ribbon for use with TDP43ME and fluid-resistant heat shrink labels and white polyimide labels comes i	RL	1	\$	68.05
07498396019	<b>RMER4BU</b>	ResinRbn,BU,PPL,CVT,MP,4.25"x300',TDP43ME	Printer ribbon for use with TDP43ME polyester, continuous vinyl tape, marker plates, and raised panel labels	RL	1	\$	152.80
07498337264	<b>RMER4RD</b>	ResinRibbon,RD,4.25"x300',TDP43ME,1EA	Printer ribbon for use with TDP43ME polyester labels, continuous vinyl tapes, marker plates and raised panel	RL	1	\$	152.80
07498337263	<b>RMER4WH</b>	ResinRibbon,WH,4.25"x300',TDP43ME,1EA	The RMER4WH Thermal Transfer Ribbon is for use with Panduit TDP43ME printers. Compatible labels: Poly	RL	1	\$	145.13
07498310900	<b>RT2HT</b>	Tool,MLTTies,ControlledTension,EH-SH,EA	The RT2HT Installation Tool is used to secure Panduit stainless steel cable ties of varying widths and has ad	PC	1	\$	1,162.15
07498310901	<b>RT2HTN</b>	NarrowNoseTool,MLTTies,EH-SH,EA	Narrow nose installation tool for use with the following stainless steel cross section ties:Type MLT, MLTFC, a	PC	1	\$	1,162.15
61305677598	<b>S000X100VAM</b>	MP Cassette, Continuous Self-Lam Tape, V	MP Self-Laminating Label Cassette, 1.00" W x 26' L, 12 - 10 AWG Wire/Cable, White Print-on area, Vinyl, Cl	PC	1	\$	88.26
61305677579	<b>S000X150VAM</b>	MP Cassette, Continuous Self-Lam Tape, V	MP Self-Laminating Label Cassette, 1.50" W x 26' L, 10 - 6 AWG Wire/Cable, Cat. 5e/6/6A UTP and Cat. 5e	PC	1	\$	90.41
07498333547	<b>S025X075VAC</b>	P1 Vyl Self-Lam Cass, 25"x.75",CL/WH	The portable printer self-laminating labels are clear vinyl with a white print-on area. They measure 0.25" (6.4m	PC	1	\$	69.48
07498343912	<b>S050X075VA1Y</b>	TT,SelfLamLbL,5"Wx.75"Lx.25H,1"C,5000	The S050X075VA1Y Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	43.55
07498335296	<b>S050X075VAC</b>	P1Cass,Self-LamLbL,Vyl,50"Wx.75"L,EA	The S050X075VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	PC	1	\$	75.49
61305676009	<b>S050X075VAM</b>	MP Cassette, Self-Laminating Label, Viny	The S050X075VAM Die-Cut Self-Laminating Label Cassette includes both label material and ribbon for easy	PC	1	\$	65.34
07498343917	<b>S050X075VATY</b>	TT,SelfLmLbL,5"Wx.75"Lx.25H,3"Core,5000	The S050X075VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	29.16
07498349595	<b>S050X075VAJ</b>	LsrIkJt,SlfLm,5"Wx.75"Lx.25H,WH,PK1000	The S050X075VAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	48.20
07498343918	<b>S050X125VA1Y</b>	TT,SlfLmLbL,5"Wx1.25"Lx.38H,1"Core,5000	The S050X125VA1Y Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	43.55
07498335299	<b>S050X125VAC</b>	P1Cass,Self-LamLbL,Vyl,50"Wx1.25"L,EA	The S050X125VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	PC	1	\$	44.89
61305676010	<b>S050X125VAM</b>	MP Cassette, Self-Laminating Label, Viny	The S050X125VAM Die-Cut Self-Laminating Label Cassette includes both label material and ribbon for easy	PC	1	\$	35.99
07498343922	<b>S050X125VATY</b>	TT,SlfLmLbL,5"Wx1.25"Lx.38H,3"Core,5000	The S050X125VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	34.43
07498349596	<b>S050X125VAJ</b>	LsrIkJt,SlfLm,5"Wx1.25"Lx.38H,WH,1000	The S050X125VAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	77.84
61305631083	<b>S050X150TAT-A</b>	TT,Self-LamLbL,Tedlar,PK5000	The S050X150TAT-A Self-Extinguishing Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	58.58
07498343923	<b>S050X150VA1Y</b>	TT,SlfLam,5"Wx1.5"Lx.5H,1"Core,WH,5000	The S050X150VA1Y Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	51.75
07498335300	<b>S050X150VAC</b>	P1Cass,Self-LamLbL,Vyl,50"Wx1.5"L,EA	The S050X150VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	PC	1	\$	38.63
07498343926	<b>S050X150VADY</b>	DotMtrX,Vyl,SlfLm,5"Wx1.5L"x.5"H,WH,5000	The dot matrix self-laminating adhesive label is made of vinyl and is supplied on fan-fold sheets with 16 labels	M	1000	\$	57.99
61305676011	<b>S050X150VAM</b>	MP Cassette, Self-Laminating Label, Viny	The S050X150VAM Die-Cut Self-Laminating Label Cassette includes both label material and ribbon for easy	PC	1	\$	32.55
07498343927	<b>S050X150VATY</b>	TT,SlfLam,5"Wx1.5"Lx.5H,3"Core,WH,5000	The S050X150VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	36.98
07498346358	<b>S050X150VAJ</b>	LsrIkJt,SlfLm,5"Wx1.5"Lx.5H,WH,PK5000	The S050X150VAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	72.31
07498390926	<b>S050X250VATY</b>	TT,SlfLam,5"Wx2.5"Lx1H,3"Core,WH,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 8 labels per r	M	1000	\$	149.84
07498368088	<b>S075X075VAC</b>	P1Cass,Self-LamLbL,Vyl,75"Wx.75"L,EA	The S075X075VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	PC	1	\$	70.56
07498368388	<b>S075X075VATY</b>	TT,SlfLam,75"Wx.75"Lx.25H,3"Core,WH,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 5 labels per r	M	1000	\$	40.91
07498368385	<b>S075X075VAJ</b>	LsrIkJt,SlfLm,75"Wx.75"Lx.25H,WH,1000	The laser/ink jet self-laminating adhesive label is made of polyester and is supplied on 8.5 x 11" (203.2 x 292.	M	1000	\$	82.19
07498353364	<b>S075X100VAC</b>	P1Cass,Self-LamLbL,Vyl,75"Wx1.00"L,EA	The portable printer self-laminating labels are clear vinyl with a white print-on area. They measure 0.75" (19.0	PC	1	\$	79.80
07498344236	<b>S075X100VATY</b>	TT,SlfLam,75"Wx1"Lx.38H,3"Core,WH,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 5 labels per r	M	1000	\$	38.85
61305631070	<b>S075X125TAT-A</b>	TT,Self-LamLbL,Tedlar,PK5000	The S075X125TAT-A Thermal Transfer Tedlar Self-Laminating Label is made of self-extinguishing polyvinylfl	M	1000	\$	150.20
07498368089	<b>S075X125VAC</b>	P1Cass,Self-LamLbL,Vyl,75"Wx1.25"L,EA	The portable printer self-laminating labels are clear vinyl with a white print-on area. They measure 0.75" (19.0	PC	1	\$	65.28
07498368389	<b>S075X125VATY</b>	TT,SlfLm,Vyl,75"Wx1.25"Lx.38H,3"Core5000	The S075X125VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	41.44
07498368386	<b>S075X125VAJ</b>	LsrIkJt,SlfLm,75"Wx1.25"Lx.38H,WH,5000	The S075X125VAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	121.45
07498368106	<b>S075X150VAC</b>	P1Cass,Self-LamLbL,Vyl,75"Wx1.50"L,EA	The S075X150VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	PC	1	\$	63.63
07498368390	<b>S075X150VATY</b>	TT,SlfLm,Vyl,75"Wx1.5L"x.5H,3"Core,5000	The S075X150VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	74.94
07498368387	<b>S075X150VAJ</b>	LsrIkJt,SlfLm,75"Wx1.5"Lx.5H,WH,2500	The S075X150VAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	144.75
07498360036	<b>S10-12R-C</b>	TubRingTerm,NonInls,1/0AWG,1/2StudPK100	Tubular Ring Terminal, 1/0 AWG, 1/2 stud size, non-insulated, bulk package.	M	1000	\$	3,210.16
07498359886	<b>S10-12R-X</b>	TubRingTerm,NonInls,1/0AWG,1/2StudPK10	Tubular Ring Terminal, 1/0 AWG, 1/2 stud size, non-insulated, standard package.	C	100	\$	518.45
07498360033	<b>S10-14R-C</b>	TubRingTerm,NonInls,1/0AWG,1/4StudPK100	Tubular Ring Terminal, 1/0 AWG, 1/4 stud size, non-insulated, bulk package.	M	1000	\$	2,823.60
07498359883	<b>S10-14R-X</b>	TubRingTerm,NonInls,1/0AWG,1/4StudPK10	Tubular Ring Terminal, 1/0 AWG, 1/4 stud size, non-insulated, standard package.	C	100	\$	518.45
07498360035	<b>S10-38R-C</b>	TubRingTerm,NonInls,1/0AWG,3/8StudPK100	Tubular Ring Terminal, 1/0 AWG, 3/8 stud size, non-insulated, bulk package.	M	1000	\$	2,717.36
07498359885	<b>S10-38R-X</b>	Ring Terminal,1/0 AWG,3/8In Stud,PK10	Tubular Ring Terminal, 1/0 AWG, 3/8 stud size, non-insulated, standard package.	C	100	\$	493.78
07498360034	<b>S10-56R-C</b>	TubRingTerm,NonInls,1/0AWG,5/16StudPK100	Tubular Ring Terminal, 1/0 AWG, 5/16 stud size, non-insulated, bulk package.	M	1000	\$	2,823.60
07498359884	<b>S10-56R-X</b>	Ring Terminal,1/0 AWG,5/16In Stud,PK10	Tubular Ring Terminal, 1/0 AWG, 5/16 stud size, non-insulated, standard package.	C	100	\$	518.45
61305625803	<b>S10-50-C</b>	StrongHold,CblTie,9.84,Std,Nat,PK100	The S10-50-C StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	C	100	\$	7.63
61305625804	<b>S10-50-C0</b>	StrongHold,CblTie,9.84,Std,WRLB,PK100	The S10-50-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial cons	C	100	\$	9.41
61305631176	<b>S100X075TAT-A</b>	TT,Self-LamLbL,Tedlar,PK2500	The thermal transfer self-laminating adhesive label is made of self-extinguishing polyvinylfluoride and is suppli	M	1000	\$	191.65
07498343930	<b>S100X075VA1Y</b>	TT,SlfLm,Vyl,1"Wx.75"Lx.25H,1"Core,WH5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	63.46
07498335301	<b>S100X075VAC</b>	P1Cass,Self-LamLbL,Vyl,1.00"Wx.75"L,EA	The S100X075VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	PC	1	\$	75.43
61305676134	<b>S100X075VAM</b>	MP Cassette, Self-Laminating Label, Viny	The S100X075VAM Die-Cut Self-Laminating Label Cassette includes both label material and ribbon for easy	PC	1	\$	63.60
07498343936	<b>S100X075VATY</b>	TT,SlfLm,Vyl,1"Wx.75"Lx.25H,3"Core,WH5000	The S100X075VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	40.94
07498349598	<b>S100X075VAJ</b>	Laser,Poly,SlfLm,1"Wx.75"Lx.25H,WH2500	The S100X075VAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	74.71
07498343938	<b>S100X125VA1Y</b>	TT,SlfLm,Vyl,1"Wx1.25"Lx.38H,1"Core,2500	The S100X125VA1Y Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	65.15
61305679441	<b>S100X125VAA</b>	ThermTrans,Self-Lam Label, Vinyl, 1.00"	The S100X125VAA Thermal Transfer Vinyl Self-Laminating Label includes a white print-on area and clear ove	M	1000	\$	78.29
07498335302	<b>S100X125VAC</b>	P1Cass,Self-LamLbL,Vyl,EA	The S100X125VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	PC	1	\$	71.89
07498343943	<b>S100X125VAFY</b>	Self-LamRepIRI,Vyl,1.00"Wx1.25"H,EA	StrongHold S100X125VAFY Blank Self-Laminating Write-On Cable Marker Label Roll is designed for use wit	RL	1	\$	38.04
61305676135	<b>S100X125VAM</b>	MP Cassette, Self-Laminating Label, Viny	The S100X125VAM Die-Cut Self-Laminating Label Cassette includes both label material and ribbon for easy	PC	1	\$	57.85
07498343944	<b>S100X125VARY</b>	Self-LamDispW/pen,Vyl,1.00"Wx1.25"H,EA	StrongHold S100X125VARY Blank Self-Laminating Write-On Cable Marker Tape Dispenser Kit is quick and e	KT	1	\$	56.34
07498343945	<b>S100X125VATY</b>	TT,SlfLm,Vyl,1"Wx1.25"Lx.38H,3"Core,2500	The S100X125VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	50.14
07498346359	<b>S100X125VAJ</b>	Laser,Poly,SlfLm,1"Wx.1.25"Lx.38H,2500	The S100X125VAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	121.45
61305631530	<b>S100X138TAD-A</b>	Dot Matrix, Self-Lam Label, Polyvinylidene	The S100X138TAD-A Self-Extinguishing Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	112.89
61305631197	<b>S100X150TAT-A</b>	Laser/Inkjet, Self-Lam Label, Tedlar, 1.	The laser/ink jet self-laminating adhesive label is made of polyvinylidene and is supplied on 8.5 x 11" (203.2 x	M	1000	\$	265.15
61305631136	<b>S100X150TAT-A</b>	TT,Self-LamLbL,Tedlar,PK2500	The S100X150TAT-A Thermal Transfer Tedlar Self-Laminating Label is made of self-extinguishing polyvinylfl	M	1000	\$	217.79
07498343947	<b>S100X150VA1Y</b>	TT,SelfLam,1"Wx1.5"Lx.5H,1"Core,WH,2500	The S100X150VA1Y Thermal Transfer Vinyl Self-Laminating Label includes a white print-on area and clear ov	M	1000	\$	100.35
61305679440	<b>S100X150VAA</b>	ThermTrans, Self-Lam Label, Vinyl, 1.00"	The S100X150VAA Thermal Transfer Vinyl Self-Laminating Label includes a white print-on area and clear ove	M	1000	\$	89.45
07498335303	<b>S100X150VAC</b>	P1,Cassette,1"x1.50",Self-Lam,Vinyl,EA	The S100X150VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	PC	1	\$	67.11
07498343950	<b>S100X150VADY</b>	DotMtr,SlfLam,1"Wx1.5L"x.5"H,WH,5000	The S100X150VADY Dot Matrix Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	158.24
61305676136	<b>S100X150VAM</b>	MP Cassette, Self-Laminating Label, Viny	Panduit S100X150VAM vinyl self-laminating label cassettes, can easily be installed on existing terminated wir	PC	1	\$	53.81
07498343951	<b>S100X150VATY</b>	TT,VinylSelf-Lam,1"x.1.50",CL/WH,PK5000	The S100X150VATY Thermal Transfer Vinyl Self-Laminating Label includes a white print-on area and clear o	M	1000	\$	71.56

07498378617	<b>S100X150VBC</b>	P1 Vyl Self-Lam Cass,1"x1.5"x5.5",CL/BU	The portable printer self-laminating labels are clear vinyl with a blue print-on area. They measure 1" (25.4mm)	PC	1	\$	84.55
07498367928	<b>S100X150VBTY</b>	TTSelfLam,1"Wx1.5"Lx.5"H,3"Core,BU,5000	The S100X150VBTY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	76.99
07498378618	<b>S100X150VDC</b>	P1 Vyl Self-Lam Cass,1"x1.5"x5.5",CL/GR	The portable printer self-laminating labels are clear vinyl with a green print-on area. They measure 1" (25.4m	PC	1	\$	84.55
07498367947	<b>S100X150VDTY</b>	TTSelfLam,1"Wx1.5"Lx.5"H,3"Core,GR,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	80.83
07498368015	<b>S100X150VFTY</b>	TTSelfLam,1"Wx1.5"Lx.5"H,3"Core,OR,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	80.83
07498378619	<b>S100X150VHC</b>	P1 Vyl Self-Lam Cass,1"x1.5"x5.5",CL/RD	The portable printer self-laminating labels are clear vinyl with a red print-on area. They measure 1" (25.4mm)	PC	1	\$	84.55
07498368017	<b>S100X150VHTY</b>	TTSelfLam,1"Wx1.5"Lx.5"H,3"Core,RD,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	80.83
07498378620	<b>S100X150VIC</b>	P1 Vyl Self-Lam Cass,1"x1.5"x5.5",CL/YL	The portable printer self-laminating labels are clear vinyl with a yellow print-on area. They measure 1" (25.4m	PC	1	\$	80.51
07498368018	<b>S100X150VITY</b>	TTSelfLam,1"Wx1.5"Lx.5"H,3"Core,YL,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	80.83
07498346392	<b>S100X150YAJ</b>	L/L,1"x2.50",Self-Lam,Polyester,PK2500	The S100X150YAJ Laser/Inkjet Polyester Self-Laminating Label includes a white print-on area and clear over	M	1000	\$	144.75
07498358153	<b>S100X150YBJ</b>	LslkJt,PLY,SifLam,1"Wx1.5"Lx.5H,BU2500	The S100X150YBJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminat	M	1000	\$	157.56
07498349601	<b>S100X150YDJ</b>	LslkJt,PLY,SifLam,1"Wx1.5"Lx.5H,GR2500	The laser/ink jet self-laminating adhesive label is made of polyester and is supplied on 8.5 x 11" (203.2 x 292.	M	1000	\$	157.56
07498308839	<b>S100X150YFJ</b>	LslkJt,PLY,SifLam,1"Wx1.5"Lx.5H,OR2500	The laser/ink jet self-laminating adhesive label is made of polyester and is supplied on 8.5 x 11" (203.2 x 292.	M	1000	\$	165.45
07498349602	<b>S100X150YHJ</b>	LslkJt,PLY,SifLam,1"Wx1.5"Lx.5H,RD2500	The laser/ink jet self-laminating adhesive label is made of polyester and is supplied on 8.5 x 11" (203.2 x 292.	M	1000	\$	157.56
07498349603	<b>S100X150YIJ</b>	LslkJt,PLY,SifLam,1"Wx1.5"Lx.5H,YL2500	The laser/ink jet self-laminating adhesive label is made of polyester and is supplied on 8.5 x 11" (203.2 x 292.	M	1000	\$	157.56
07498335304	<b>S100X160VAC</b>	P1 Cass,Self-LamLbl,1"Wx1.6"L,8"WH,EA	The S100X160VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlami	PC	1	\$	58.70
07498308826	<b>S100X160VATY</b>	TTSelfLam,1"Wx1.6"Lx.8"H,3"Core,1000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	81.01
07498357428	<b>S100X160YAJ</b>	LaserPLY,SifLam,1"Wx1.6"Wx.8"H,WH2500	The S100X160YAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminat	M	1000	\$	139.46
07498335305	<b>S100X220VAC</b>	P1 Cass,Self-LamLbl,1"Wx2.2"L,EA	The S100X220VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlami	PC	1	\$	69.85
07498357426	<b>S100X220YAJ</b>	LslkJt,PLY,SifLam,1"Wx2.2"Lx1.1H,WH1000	The S100X220YAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminat	M	1000	\$	286.21
61305631175	<b>S100X225TAT-A</b>	TT,Self-LamLbl,Tedlar,PK1500	The S100X225TAT-A Self-Extinguishing Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	273.24
07498343956	<b>S100X225VA1Y</b>	TTSelfLam,Vyl,1"Wx2.25"Lx.75H,3"C,WH1500	The S100X225VA1Y Thermal Transfer Vinyl Self-Laminating Label includes a white print-on area and clear ov	M	1000	\$	155.96
61305679442	<b>S100X225VAA</b>	ThermTrans,Self-Lam Label, Vinyl, 1, 0"	The S100X225VAA Thermal Transfer Vinyl Self-Laminating Label includes a white print-on area and clear ove	M	1000	\$	147.24
07498335306	<b>S100X225VAC</b>	P1 Cass,Self-LamLbl,1"Wx2.25",EA	The S100X225VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlami	PC	1	\$	69.85
07498343960	<b>S100X225VADY</b>	DotMtrx,SelfLam,1"Wx2.25"Lx.75"H,WH,5000	The dot matrix self-laminating adhesive label is made of vinyl and is supplied on fan-fold sheets with 7 labels	M	1000	\$	155.79
07498343962	<b>S100X225VAFY</b>	Vyl Self-Lam Repl rl,1"x2.25"x.75"	StrongHold S100X225VAFY Blank Self-Laminating Write-On Cable Marker Label Roll is designed for use wit	RL	1	\$	38.04
61305676137	<b>S100X225VAM</b>	MP Cassette, Self-Laminating Label, Vinyl	The S100X225VAM Die-Cut Self-Laminating Label Cassette includes both label material and ribbon for easy	PC	1	\$	64.34
07498343963	<b>S100X225VARY</b>	Self-LamDispW/pen,1"Wx2.25",EA	StrongHold S100X225VARY Self-Laminating Label Kit includes 1 label dispenser, 1 roll of 200 vinyl self-lamin	KT	1	\$	58.04
07498343965	<b>S100X225VATY</b>	TTSelfLam,1"Wx2.25"Lx.75"H,3"Core,WH,5000	The S100X225VATY Thermal Transfer Vinyl Self-Laminating Label includes a white print-on area and clear o	M	1000	\$	117.78
07498378621	<b>S100X225VBC</b>	P1 Vyl Self-Lam Cass,1"x2.25"x.75",CL/BU	The portable printer self-laminating labels are clear vinyl with a blue print-on area. They measure 1" (25.4mm)	PC	1	\$	88.01
07498368063	<b>S100X225VBTY</b>	TTSelfLam,1"Wx2.25"Lx.75"H,3"Core,BU,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	139.78
07498378622	<b>S100X225VDC</b>	P1 Vyl Self-Lam Cass,1"x2.25"x.75",CL/GR	The portable printer self-laminating labels are clear vinyl with a green print-on area. They measure 1" (25.4m	PC	1	\$	88.01
07498368065	<b>S100X225VDTY</b>	TTSelfLam,1"Wx2.25"Lx.75"H,3"Core,GR,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	139.78
07498368068	<b>S100X225VGTY</b>	TTSelfLam,1"Wx2.25"Lx.75"H,3"Core,VL,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	146.41
07498378623	<b>S100X225VHC</b>	P1 Vyl Self-Lam Cass,1"x2.25"x.75",CL/RD	The portable printer self-laminating labels are clear vinyl with a red print-on area. They measure 1" (25.4mm)	PC	1	\$	88.01
07498368069	<b>S100X225VHTY</b>	TTSelfLam,1"Wx2.25"Lx.75"H,3"Core,RD,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	139.78
07498378624	<b>S100X225VIC</b>	P1 Vyl Self-Lam Cass,1"x2.25"x.75",CL/YL	The portable printer self-laminating labels are clear vinyl with a yellow print-on area. They measure 1" (25.4m	PC	1	\$	88.01
07498368070	<b>S100X225VITY</b>	TTSelfLam,1"Wx2.25"Lx.75"H,3"Core,YL,5000	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	139.78
07498350080	<b>S100X225YAJ</b>	LsrkJt,SifLam,1"Wx2.25"Lx.75H,WH,1000	The S100X225YAJ Laser/Inkjet Polyester Self-Laminating Label includes a white print-on area and clear over	M	1000	\$	245.56
07498358155	<b>S100X225YBJ</b>	LsrkJt,SifLam,1"Wx2.25"Lx.75H,BU,1000	The laser/ink jet self-laminating adhesive label is made of polyester and is supplied on 8.5 x 11" (203.2 x 292.	M	1000	\$	284.99
07498350324	<b>S100X225YDJ</b>	LsrkJt,SifLam,1"Wx2.25"Lx.75H,GR,1000	The laser/ink jet self-laminating adhesive label is made of polyester and is supplied on 8.5 x 11" (203.2 x 292.	M	1000	\$	299.23
07498308811	<b>S100X225YFJ</b>	LsrkJt,SifLam,1"Wx2.25"Lx.75H,OR,1000	The laser/ink jet self-laminating adhesive label is made of polyester and is supplied on 8.5 x 11" (203.2 x 292.	M	1000	\$	299.23
07498350379	<b>S100X225YHJ</b>	LsrkJt,SifLam,1"Wx2.25"Lx.75H,RD,1000	The laser/ink jet self-laminating adhesive label is made of polyester and is supplied on 8.5 x 11" (203.2 x 292.	M	1000	\$	299.23
07498350380	<b>S100X225YIJ</b>	LsrkJt,SifLam,1"Wx2.25"Lx.75H,YL,1000	The laser/ink jet self-laminating adhesive label is made of polyester is supplied on 8.5 x 11" (203.2 x 292.1 m	M	1000	\$	299.23
61305631533	<b>S100X244TAD-A</b>	Dot Matrix, Self-Lam Label, Polyvinylide	The S100X244TAD-A Dot Matrix Tedlar Self-Laminating Label is made of self-extinguishing polyvinylfluoride	M	1000	\$	297.89
07498309031	<b>S100X250VA1Y</b>	TT,SifLamLbl,1.0"Wx2.5"Lx1.0"H,WH,PK1500	The thermal transfer self-laminating adhesive label is made of vinyl. The label has a white colored print-on are	M	1000	\$	152.91
07498309030	<b>S100X250VATY</b>	TT,SifLamLbl,1.0"Wx2.5"Lx1.0"H,WH,PK5000	The S100X250VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	125.78
61305631534	<b>S100X387TAD-A</b>	Dot Matrix, Self-Lam Label, Polyvinylide		M	1000	\$	440.03
61305632014	<b>S100X400TAT-A</b>	TT,Self-LamLbl,Tedlar,PK2500	The thermal transfer self-laminating adhesive label is made of self-extinguishing polyvinylfluoride and is suppli	M	1000	\$	424.29
07498343966	<b>S100X400VA1Y</b>	TT,SelfLamLabel,1"Wx4"Lx1"H,WH,PK1000	The S100X400VA1Y Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlami	M	1000	\$	280.58
07498335307	<b>S100X400VAC</b>	P1 Cass,Self-LamLbl,1"Wx4inL,1"WH,EA	The S100X400VAC Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlami	PC	1	\$	56.39
07498343969	<b>S100X400VADY</b>	DotMatrix,SifLamLbl,1"Wx4"Lx1"H,PK1000	The dot matrix self-laminating adhesive label is made of vinyl is supplied on fan-fold sheets with 8 labels per	M	1000	\$	179.74
61305676138	<b>S100X400VAM</b>	MP Cassette, Self-Laminating Label, Vinyl	The S100X400VAM Die-Cut Self-Laminating Label Cassette includes both label material and ribbon for easy	PC	1	\$	53.99
07498343971	<b>S100X400VATY</b>	TT,SelfLamLabel,1"Wx4"Lx1"H,WH,PK2500	The S100X400VATY Thermal Transfer Vinyl Self-Laminating Label includes a white print-on area and clear o	M	1000	\$	178.40
07498350592	<b>S100X400YAJ</b>	LsrnkJt,SifLamLbl,1.0"Wx4.0"L,WH,PK1000	The S100X400YAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminat	M	1000	\$	297.14
07498343972	<b>S100X650VA1Y</b>	TT,SelfLam,1.0"Wx6.5"Lx.1.5"H,WH,PK250	The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per r	M	1000	\$	383.06
07498335308	<b>S100X650VAC</b>	P1 Cass,Self-LamLbl,1"Wx6.5"L,EA	The portable printer self-laminating labels are clear vinyl with a white print-on area. They measure 1" (25.4m	PC	1	\$	71.85
07498343975	<b>S100X650VADY</b>	DotMatrix,SifLam1"Wx6.5"Lx1.5"H,PK1000	The dot matrix self-laminating adhesive label is made of vinyl is supplied on fan-fold sheets with 7 labels per r	M	1000	\$	580.83
61305676139	<b>S100X650VAM</b>	MP Cassette, Self-Laminating Label, Vinyl	The S100X650VAM Die-Cut Self-Laminating Label Cassette includes both label material and ribbon for easy	PC	1	\$	57.91
07498343977	<b>S100X650VATY</b>	TT,SelfLam,1.0"Wx6.5"Lx1.5"H,WH,PK1000	The S100X650VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	339.30
07498350593	<b>S100X650YAJ</b>	LsrnkJt,SifLam,1"Wx6.5"L,1.5"H,WHPK1000	The S100X650YAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminat	M	1000	\$	508.08
61305625795	<b>S12-40-C</b>	StrongHold,CblTie,11.81,Int,Nat,PK100	The S12-40-C StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	C	100	\$	5.55
61305625796	<b>S12-40-C0</b>	StrongHold,CblTie,11.81,Int,WRBL,PK100	The S12-40-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial cons	C	100	\$	6.86
61305634718	<b>S12-40-M</b>	StrongHold Cable Tie, 11.81L (300mm), .1	The S12-40-M StrongHold Cable Ties offers contractors an economical cable tie option for commercial const	M	1000	\$	58.80
61305634719	<b>S12-40-M0</b>	StrongHold Cable Tie, 11.81L (300mm), .1	The S12-40-M0 StrongHold Cable Ties offer contractors an economical cable tie option for commercial const	M	1000	\$	73.60
61305625813	<b>S12-50-C</b>	StrongHold,CblTie,11.81,Std,Nat,PK100	The S12-50-C StrongHold™ Cable Ties offers contractors an economical cable tie option for commercial con	C	100	\$	7.73
61305625814	<b>S12-50-C0</b>	StrongHold,CblTie,11.81,Std,WRBL,PK100	The S12-50-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial cons	C	100	\$	9.56
61305665626	<b>S12-50-C2</b>	StrongHold Cable Tie, 11.81L (300mm), .1	The S12-50-C2 StrongHold Cable Ties offer contractors an economical cable tie option for commercial constr	C	100	\$	11.35
61305625811	<b>S12-50-M</b>	StrongHold,CblTie,11.81,Std,Nat,PK1000	The S12-50-M StrongHold Cable Ties offers contractors an economical cable tie option for commercial const	M	1000	\$	72.38
61305625812	<b>S12-50-M0</b>	StrongHold,CblTie,11.81,Std,WRBL,PK1000	The S12-50-M0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial cons	M	1000	\$	89.36
07498356633	<b>S125X150VA1-IBM</b>	ThermTrans,Self-Lam Label, Vinyl, 1, 25"		RL	1	\$	122.13
61305625818	<b>S14-120-L</b>	StrongHold,CblTie,14.49,LH,Nat,PK50	The S14-120-L StrongHold Cable Ties offer contractors an economical cable tie option for commercial constru	C	100	\$	12.69
61305625823	<b>S14-120-L0</b>	StrongHold,CblTie,14.49,LH,WRBL,PK50	The S14-120-L0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial con	C	100	\$	13.78
61305625824	<b>S14-120-TL</b>	StrongHold,CblTie,14.49,LH,Nat,PK250	The S14-120-TL StrongHold Cable Ties offers contractors an economical cable tie option for commercial const	M	1000	\$	126.99
61305634067	<b>S14-120-TL0</b>	StrongHoldCblTie,14.49L,30W,PK250	The S14-120-TL0 StrongHold Cable Ties offer contractors an economical cable tie option for commercial co	M	1000	\$	190.86
61305625797	<b>S15-40-C</b>	StrongHold,CblTie,14.57,Int,Nat,PK100	The S15-40-C StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	C	100	\$	7.60
61305625798	<b>S15-40-C0</b>	StrongHold,CblTie,14.57,Int,WRBL,PK100	The S15-40-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial cons	C	100	\$	9.06

61305625816	<b>S15-50-C</b>	StrongHold,CblTie,14.57,Std,Nat,PK100	The S15-50-C StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	C	100	\$	8.70
61305625817	<b>S15-50-C0</b>	StrongHold,CblTie,14.57,Std,WRBL,PK100	The S15-50-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial cons	C	100	\$	10.78
61305665627	<b>S15-50-C2</b>	StrongHold Cable Tie, 14.57L (370mm), .1	The S15-50-C2 StrongHold Cable Ties offer contractors an economical cable tie option for commercial constru	C	100	\$	12.96
61305634066	<b>S15-50-M</b>	StrongHoldCblTie,14.57L, .19W,PK1000	The S15-50-M StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	M	1000	\$	74.68
61305625815	<b>S15-50-M0</b>	StrongHold,CblTie,14.57,Std,WRBL,PK1000	The S15-50-M0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial cons	M	1000	\$	99.86
07498368391	<b>S150X150VATY</b>	TT,SelfLam,1.5"Wx2.25"Lx.05"H,WH,PK5000	The S150X150VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	112.70
07498368392	<b>S150X225VATY</b>	TT,SelfLam,1.5"Wx2.25"Lx.75"H,WH,PK2500	The S150X225VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	223.40
07498368393	<b>S150X400VATY</b>	TT,VYL,StfLam,1.5"Wx4.0"Lx1"H,WH,PK2500	The S150X400VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	398.36
07498309827	<b>S150X400YAJ</b>	LsrInkJet,SelfLamLbl,1.5"Wx4"L,WH,PK1000	The S150X400YAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	356.46
61305625891	<b>S17-50-C</b>	StrongHold,CblTie,16.93,Std,Nat,PK100	StrongHold™ Cable Tie, 16.93L (430mm), Standard, Nylon, Natural, Package 100	C	100	\$	11.75
61305625892	<b>S17-50-C0</b>	StrongHold,CblTie,16.93,Std,WRBL,PK100	StrongHold™ Cable Tie, 16.93L (430mm), Standard, Nylon, Weather Resistant, Black, Package 100	C	100	\$	13.96
61305625893	<b>S17-50-M</b>	StrongHold,CblTie,25.53,LH,Nat,PK1000	The S17-50-M StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	M	1000	\$	109.93
61305625894	<b>S17-50-M0</b>	StrongHold,CblTie,16.93,Std,WRBL,PK1000	The S17-50-M0 StrongHold Cable Ties offer contractors an economical cable tie option for commercial constr	M	1000	\$	130.79
61305625907	<b>S18-120-L</b>	StrongHold,CblTie,17.71,LH,Nat,PK50	The S18-120-L StrongHold Cable Ties offer contractors an economical cable tie option for commercial constru	C	100	\$	18.08
61305625908	<b>S18-120-L0</b>	StrongHold,CblTie,17.71,LH,WRBL,PK50	The S18-120-L0 StrongHold Cable Ties offer contractors an economical cable tie option for commercial constr	C	100	\$	21.50
61305625840	<b>S18-175-L</b>	StrongHold Cable Tie, 17.71"L (450mm), .	The S18-175-L StrongHold Cable Ties offer contractors an economical cable tie option for commercial constru	C	100	\$	20.38
61305625841	<b>S18-175-L0</b>	StrongHold Cable Tie, 17.71"L (450mm), .	The S18-175-L0 StrongHold Cable Ties offer contractors an economical cable tie option for commercial constr	C	100	\$	25.11
07498334865	<b>S1F-C</b>	SnapClip MTG BKT, 1"W Flush Duct,100pcs	Panduct® snap-clip mounting bracket for use with types G,F,FS and D wiring duct, #8-32 x 1/4 (provided) scr	C	100	\$	256.01
07498360028	<b>S2-10R-T</b>	TubRingTerm,NonInls,1,2AWG,#10Std,PK200	Tubular Ring Terminal, 2 and 1 AWG, #10 stud size, non-insulated, bulk package.	M	1000	\$	2,273.69
07498359878	<b>S2-10R-X</b>	TubRingTerm,NonInls,1,2AWG,#10Std,PK10	Tubular Ring Terminal, 2 and 1 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	481.78
07498360032	<b>S2-12R-T</b>	TubRingTerm,NonInls,1,2AWG,1/2Std,PK200	Tubular Ring Terminal, 2 and 1 AWG, 1/2 stud size, non-insulated, bulk package.	M	1000	\$	2,338.09
07498359882	<b>S2-12R-X</b>	TubRingTerm,NonInls,1,2AWG,1/2Std,PK10	Tubular Ring Terminal, 2 and 1 AWG, 1/2 stud size, non-insulated, standard package.	C	100	\$	529.69
07498360029	<b>S2-14R-T</b>	TubRingTerm,NonInls,1,2AWG,1/4Std,PK200	Tubular Ring Terminal, 2 and 1 AWG, 1/4 stud size, non-insulated, bulk package.	M	1000	\$	2,034.31
07498359879	<b>S2-14R-X</b>	Ring Terminal,1-2 AWG,1/4in Stud,PK10	Tubular Ring Terminal, 2 and 1 AWG, 1/4 stud size, non-insulated, standard package.	C	100	\$	455.55
07498360031	<b>S2-38R-T</b>	TubRingTerm,NonInls,1,2AWG,3/8Std,PK200	Tubular Ring Terminal, 2 and 1 AWG, 3/8 stud size, non-insulated, bulk package.	M	1000	\$	2,034.31
07498359881	<b>S2-38R-X</b>	Ring Terminal,1-2 AWG,3/8in Stud,PK10	Tubular Ring Terminal, 2 and 1 AWG, 3/8 stud size, non-insulated, standard package.	C	100	\$	442.53
07498360030	<b>S2-56R-T</b>	TubRingTerm,NonInls,1,2AWG,5/16Std,PK200	Tubular Ring Terminal, 2 and 1 AWG, 5/16 stud size, non-insulated, bulk package.	M	1000	\$	2,034.31
07498359880	<b>S2-56R-X</b>	Ring Terminal,1-2 AWG,5/16in Stud,PK10	Tubular Ring Terminal, 2 and 1 AWG, 5/16 stud size, non-insulated, standard package.	C	100	\$	442.53
07498360041	<b>S2/0-12R-C</b>	TubRingTerm,NonInls,2/0AWG,1/2Std,PK100	Tubular Ring Terminal, 2/0 AWG, 1/2 stud size, non-insulated, bulk package.	M	1000	\$	3,428.33
07498359891	<b>S2/0-12R-X</b>	Ring Terminal,2/0 AWG,1/2in Stud,PK10	Tubular Ring Terminal, 2/0 AWG, 1/2 stud size, non-insulated, standard package.	C	100	\$	649.63
07498360037	<b>S2/0-14R-C</b>	TubRingTerm,NonInls,2/0AWG,1/4Std,PK100	Tubular Ring Terminal, 2/0 AWG, 1/4 stud size, non-insulated, bulk package.	M	1000	\$	3,275.64
07498359887	<b>S2/0-14R-X</b>	TubRingTerm,NonInls,2/0AWG,1/4Std,PK10	Tubular Ring Terminal, 2/0 AWG, 1/4 stud size, non-insulated, standard package.	C	100	\$	649.63
07498360039	<b>S2/0-38R-C</b>	TubRingTerm,NonInls,2/0AWG,3/8Std,PK100	Tubular Ring Terminal, 2/0 AWG, 3/8 stud size, non-insulated, bulk package.	M	1000	\$	3,002.30
07498359889	<b>S2/0-38R-X</b>	Ring Terminal,2/0 AWG,3/8 in Stud,PK10	Tubular Ring Terminal, 2/0 AWG, 3/8 stud size, non-insulated, standard package.	C	100	\$	618.69
07498360038	<b>S2/0-56R-C</b>	TubRingTerm,NonInls,2/0AWG,5/16Std,PK100	Tubular Ring Terminal, 2/0 AWG, 5/16 stud size, non-insulated, bulk package.	M	1000	\$	3,119.66
07498359888	<b>S2/0-56R-X</b>	Ring Terminal,2/0 AWG,5/16in Stud,PK10	Tubular Ring Terminal, 2/0 AWG, 5/16 stud size, non-insulated, standard package.	C	100	\$	649.63
07498359890	<b>S2/0-76R-X</b>	TubRingTerm,NonInls,2/0AWG,7/16Std,PK10	Tubular Ring Terminal, 2/0 AWG, 7/16 stud size, non-insulated, standard package.	C	100	\$	649.63
07498368394	<b>S200X150VATY</b>	TT,SelfLamLbl,2"Wx1.5"L,0.5"H,WH,PK5000	The S200X150VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	200.65
07498308852	<b>S200X150YAJ</b>	LsrInkJet,SelfLamLbl,2"Wx1.5"L,WH,PK1000	The S200X150YAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	322.60
07498343978	<b>S200X225VA1Y</b>	TT,SelfLamLbl,2"Wx2.25"L,75"H,WH,PK500	The S200X225VA1Y Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	350.18
07498343981	<b>S200X225VADY</b>	DotMtrX,VYL,StfLamLbl,2"Wx4"L,WH,PK5000	The dot matrix self-laminating adhesive label is made of vinyl is supplied on fan-fold sheets with 4 labels per	M	1000	\$	201.83
07498343983	<b>S200X225VATY</b>	TT,SelfLamLbl,2"Wx2.25"L,75"H,WH,PK1000	The S200X225VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	248.14
07498350594	<b>S200X225YAJ</b>	LsrInkJet,SelfLamLbl,2"Wx2.25"L,WH,PK1000	The S200X225YAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	336.61
07498309034	<b>S200X250VATY</b>	TT,Vinyl Self-Lam,2"x2.5"x1",WH,3"core	The S200X250VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	251.63
61305631168	<b>S200X400TAT-A</b>	TT,Self-LamLbl,Tedlar,PK500	The thermal transfer self-laminating adhesive label is made of self-extinguishing polyvinylfluoride and is suppli	M	1000	\$	1,120.49
07498343984	<b>S200X400VA1Y</b>	TT,Self-LaminLbl,2"Wx4"L,1"H,WH,PK500	The S200X400VA1Y Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	562.60
07498343988	<b>S200X400VADY</b>	DotMatrix,Self-LamLbl,2"Wx4"L,WH,PK1000	The dot matrix self-laminating adhesive label is made of vinyl is supplied on fan-folds sheets with 4 labels per r	M	1000	\$	669.31
07498343989	<b>S200X400VATY</b>	TT,Self-LaminLbl,2"Wx4"L,1"H,WH,PK1000	The S200X400VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	418.28
07498350595	<b>S200X400YAJ</b>	LsrInkJet,Self-LamLbl,2"Wx4"L,WH,PK1000	The S200X400YAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	375.19
07498343990	<b>S200X650VA1Y</b>	TT,Self-LaminLbl,2"Wx6.5"L,1.5"WH,PK250	The S200X650VA1Y Thermal Transfer Self-Laminating Label includes a white print-on area and clear overlam	M	1000	\$	605.55
07498343992	<b>S200X650VADY</b>	DotMatrix,Self-LamLbl,2"Wx6.5"L,WH,PK1000	The dot matrix self-laminating adhesive label is made of vinyl is supplied on fan-folds sheets with 3 labels per r	M	1000	\$	634.08
07498343993	<b>S200X650VATY</b>	TT,Self-LaminLbl,2"Wx6.5"L,1.5"WH,PK1000	The S200X650VATY Thermal Transfer Self-Laminating Label includes a white print-on area and clear overla	M	1000	\$	598.43
07498350596	<b>S200X650YAJ</b>	Laser,Self-LamLabel,2"Wx6.5"L,PK500	The S200X650YAJ Laser/Inkjet Self-Laminating Label includes a white print-on area and clear overlaminate t	M	1000	\$	894.30
61305625901	<b>S21-120-C</b>	StrongHold,CblTie,20.98,LH,Nat,PK100	The S21-120-C StrongHold Cable Ties offers contractors an economical cable tie option for commercial cons	C	100	\$	17.58
61305625902	<b>S21-120-C0</b>	StrongHold,CblTie,20.98,LH,WRBL,PK100	The S21-120-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial con	C	100	\$	21.69
61305625899	<b>S21-120-L</b>	StrongHold,CblTie,20.98,LH,Nat,PK50	StrongHold™ Cable Tie, 20.98L (533mm), Light-Heavy, Nylon, Natural,Package 50	C	100	\$	19.23
61305625900	<b>S21-120-L0</b>	StrongHold,CblTie,20.98,LH,WRBL,PK50	StrongHold™ Cable Tie, 20.98L (533mm), Light-Heavy, Nylon, Natural,Package 50	C	100	\$	23.86
61305625905	<b>S21-175-C</b>	StrongHold,CblTie,20.71,H,Nat,PK100	StrongHold™ Cable Tie, 20.71L (526mm), Heavy, Nylon, Natural, Package 100	C	100	\$	21.69
61305625906	<b>S21-175-C0</b>	StrongHold,CblTie,20.71,H,WRBL,PK100	StrongHold™ Cable Tie, 20.71L (526mm), Heavy, Nylon, Weather Resistant, Black, Package 100	C	100	\$	27.14
61305625903	<b>S21-175-L</b>	StrongHold,CblTie,20.71,H,Nat,PK50	The S21-175-L StrongHold Cable Ties offer contractors an economical cable tie option for commercial constru	C	100	\$	23.78
61305625904	<b>S21-175-L0</b>	StrongHold,CblTie,20.71,H,WRBL,PK50	The S21-175-L0 StrongHold Cable Ties offer contractors an economical cable tie option for commercial constr	C	100	\$	29.88
61305625895	<b>S21-50-C</b>	StrongHold,CblTie,20.87,Std,Nat,PK100	StrongHold™ Cable Tie, 20.87L (530mm), Standard, Nylon, Natural, Package 100	C	100	\$	14.26
61305625896	<b>S21-50-C0</b>	StrongHold,CblTie,20.87,Std,WRBL,PK100	StrongHold™ Cable Tie, 20.87L (530mm), Standard, Nylon, Weather Resistant, Black, Package 100	C	100	\$	17.16
61305625897	<b>S21-50-M</b>	StrongHold,CblTie,20.87,Std,Nat,PK1000	StrongHold™ Cable Tie, 20.87L (530mm), Standard, Nylon, Natural, Package 1000	M	1000	\$	134.73
61305625898	<b>S21-50-M0</b>	StrongHold,CblTie,20.87,Std,WRBL,PK1000	StrongHold™ Cable Tie, 20.87L (530mm), Standard, Nylon, Weather Resistant, Black, Package 1000	M	1000	\$	162.68
61305625842	<b>S24-120-L</b>	StrongHold,CblTie,23.62,LH,Nat,PK50	The S24-120-L StrongHold Cable Ties offer contractors an economical cable tie option for commercial constru	C	100	\$	25.80
61305625843	<b>S24-120-L0</b>	StrongHold,CblTie,23.62,LH,WRBL,PK50	The S24-120-L0 StrongHold Cable Ties offer contractors an economical cable tie option for commercial constr	C	100	\$	31.85
61305625844	<b>S24-120-Q</b>	StrongHold,CblTie,23.62,LH,Nat,PK25	StrongHold™ Cable Tie, 23.62L (600mm), Light-Heavy, Nylon, Natural, Package 25	C	100	\$	27.10
61305625845	<b>S24-120-Q0</b>	StrongHold,CblTie,23.62,LH,WRBL,PK25	StrongHold™ Cable Tie, 23.62L (600mm), Light-Heavy, Nylon, Weather Resistant, Black, Package 25	C	100	\$	33.44
61305625829	<b>S24-175-L</b>	StrongHold,CblTie,24.02,H,Nat,PK50	The S24-175-L StrongHold Cable Ties offer contractors an economical cable tie option for commercial constru	C	100	\$	24.55
61305625830	<b>S24-175-L0</b>	StrongHold,CblTie,24.02,H,WRBL,PK50	The S24-175-L0 StrongHold Cable Ties offer contractors an economical cable tie option for commercial constr	C	100	\$	28.89
07498359912	<b>S250-12R-5</b>	Ring Terminal,250 kcmil,1/2in Stud,PK5	Tubular Ring Terminal, 250 kcmil, 1/2 stud size, non-insulated, standard package.	C	100	\$	995.34
07498360077	<b>S250-12R-C</b>	TubRingTerm,NonInls,250Kcmil,1/2Std,PK100	Tubular Ring Terminal, 250 kcmil, 1/2 stud size, non-insulated, bulk package.	M	1000	\$	5,609.84
07498359910	<b>S250-38R-5</b>	Ring Terminal,250 kcmil,3/8in Stud,PK5	Tubular Ring Terminal, 250 kcmil, 3/8 stud size, non-insulated, standard package.	C	100	\$	995.34
07498360061	<b>S250-38R-C</b>	TubRingTerm,NonInls,250Kcmil,3/8Std,PK100	Tubular Ring Terminal, 250 kcmil, 3/8 stud size, non-insulated, bulk package.	M	1000	\$	5,342.70
07498334866	<b>S2F-C</b>	SnapClip MTG BKT, 2"W Flush Duct,100pcs	Panduct® snap-clip mounting bracket for use with types G,F,FS and D wiring duct, #8-32 x 1/4 (provided) scr	C	100	\$	324.68
07498359896	<b>S3/0-12R-5</b>	TubRingTerm,NonInls,3/0AWG,1/2Std,PK5	Tubular Ring Terminal, 3/0 AWG, 1/2 stud size, non-insulated, standard package.	C	100	\$	715.05

07498360047	<b>S3/0-12R-C</b>	TubRingTerm,NonIns,3/0AWG,1/2StudPK100	Tubular Ring Terminal, 3/0 AWG, 1/2 stud size, non-insulated, bulk package.	M	1000	\$	4,036.11
07498359892	<b>S3/0-14R-5</b>	Ring Terminal,3/0 AWG,1/4in Stud,PK5	Tubular Ring Terminal, 3/0 AWG, 1/4 stud size, non-insulated, standard package.	C	100	\$	715.05
07498360042	<b>S3/0-14R-C</b>	TubRingTerm,NonIns,3/0AWG,1/4StudPK100	Tubular Ring Terminal, 3/0 AWG, 1/4 stud size, non-insulated, bulk package.	M	1000	\$	4,193.79
07498359894	<b>S3/0-38R-5</b>	Ring Terminal,3/0 AWG,3/8in Stud,PK5	Tubular Ring Terminal, 3/0 AWG, 3/8 stud size, non-insulated, standard package.	C	100	\$	715.05
07498360045	<b>S3/0-38R-C</b>	TubRingTerm,NonIns,3/0AWG,3/8StudPK100	Tubular Ring Terminal, 3/0 AWG, 3/8 stud size, non-insulated, bulk package.	M	1000	\$	3,843.93
07498359893	<b>S3/0-56R-5</b>	Ring Terminal,3/0 AWG,5/16in Stud,PK5	Tubular Ring Terminal, 3/0 AWG, 5/16 stud size, non-insulated, standard package.	C	100	\$	715.05
07498360043	<b>S3/0-56R-C</b>	TubRingTerm,NonIns,3/0AWG,5/16StudPK100	Tubular Ring Terminal, 3/0 AWG, 5/16 stud size, non-insulated, bulk package.	M	1000	\$	4,195.44
61305625825	<b>S30-120-L</b>	StrongHold,CblTie,29.53, LH,Nat,PK50	StrongHold™ Cable Tie, 29.53L (750mm), Light-Heavy, Nylon, Natural,Package 50	C	100	\$	27.61
61305625826	<b>S30-120-L0</b>	StrongHold,CblTie,29.53, LH,WRBL,PK50	StrongHold™ Cable Tie, 29.53L (750mm), Light-Heavy, Nylon, Weather Resistant, Black,Package 50	C	100	\$	34.09
61305625867	<b>S30-120-X</b>	StrongHold,CblTie,29.53, LH,Nat,PK10	StrongHold™ Cable Tie, 29.53L (750mm), Light-Heavy, Nylon, Natural, Package 10	C	100	\$	44.74
61305625872	<b>S30-120-X0</b>	StrongHold Cable Tie, 29.53L (750mm), .3	StrongHold Cable Tie, 29.53L (750mm), Lt-Heavy, Nylon, Weather Resistant Black, Package 10	C	100	\$	55.25
61305625827	<b>S31-175-L</b>	The S31-175-L StrongHold Cable Ties offer contrators an economical cable tie option for commercial constru	The S31-175-L StrongHold Cable Ties offer contrators an economical cable tie option for commercial constru	C	100	\$	35.90
61305625828	<b>S31-175-L0</b>	StrongHold,CblTie,30.53,H,WRBL,PK50	The S31-175-L0 StrongHold Cable Ties offer contrators an economical cable tie option for commercial constr	C	100	\$	44.34
61305625874	<b>S32-175-L</b>	StrongHold,CblTie,32.09,H,Nat,PK50	The S32-175-L StrongHold Cable Ties offer contrators an economical cable tie option for commercial constru	C	100	\$	35.43
61305625875	<b>S32-175-L0</b>	StrongHold,CblTie,32.09,H,WRBL,PK50	The S32-175-L0 StrongHold Cable Ties offer contrators an economical cable tie option for commercial constr	C	100	\$	40.73
61305625876	<b>S36-175-L</b>	StrongHold,CblTie,35.91,H,Nat,PK50	The S36-175-L StrongHold Cable Ties offer contrators an economical cable tie option for commercial constru	C	100	\$	38.79
61305625877	<b>S36-175-L0</b>	StrongHold,CblTie,35.91,H,WRBL,PK50	The S36-175-L0 StrongHold Cable Ties offer contrators an economical cable tie option for commercial constr	C	100	\$	44.61
07498334867	<b>S3F-C</b>	SnapClip MTG BKT , 3"W Flush Duct,100pcs	Panduct® snap-clip mounting bracket for use with types G,F,FS and D wiring duct, #8-32 x 1/4 (provided) scr	C	100	\$	331.79
07498359874	<b>S4-10R-E</b>	TubRingTerm,NonIns,4AWG,#10Stud,PK20	Tubular Ring Terminal, 4 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	229.52
07498359875	<b>S4-14R-E</b>	Ring Terminal,4 AWG,1/4in Stud,PK20	Tubular Ring Terminal, 4 AWG, 1/4 stud size, non-insulated, standard package.	C	100	\$	225.26
07498360025	<b>S4-14R-T</b>	TubRingTerm,NonIns,4AWG,1/4Stud,PK200	Tubular Ring Terminal, 4 AWG, 1/4 stud size, non-insulated, bulk package.	M	1000	\$	1,303.16
61305625788	<b>S4-18-C</b>	StrongHold,CblTie,3.94,Min,Nat,PK100	The S4-18-C StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	C	100	\$	2.81
61305625789	<b>S4-18-C0</b>	StrongHold,CblTie,3.94,Min,WRBL,PK100	The S4-18-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	C	100	\$	3.49
61305625786	<b>S4-18-M</b>	StrongHold,CblTie,3.94,Min,Nat,PK1000	The S4-18-M StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	M	1000	\$	13.89
61305625787	<b>S4-18-M0</b>	StrongHold,CblTie,3.94,Min,WRBL,PK1000	The S4-18-M0 StrongHold Cable Ties offer contrators an economical cable tie option for commercial construc	M	1000	\$	17.14
07498359877	<b>S4-38R-E</b>	Ring Terminal,4 AWG,3/8in Stud,PK20	Tubular Ring Terminal, 4 AWG, 3/8 stud size, non-insulated, standard package.	C	100	\$	225.26
07498360027	<b>S4-38R-T</b>	TubRingTerm,NonIns,4AWG,3/8Stud,PK200	Tubular Ring Terminal, 4 AWG, 3/8 stud size, non-insulated, bulk package.	M	1000	\$	1,306.86
07498359876	<b>S4-56R-E</b>	Ring Terminal,4 AWG,5/16in Stud,PK20	Tubular Ring Terminal, 4 AWG, 5/16 stud size, non-insulated, standard package.	C	100	\$	225.26
07498360026	<b>S4-56R-T</b>	TubRingTerm,NonIns,4AWG,5/16StudPK200	Tubular Ring Terminal, 4 AWG, 5/16 stud size, non-insulated, bulk package.	M	1000	\$	1,306.86
07498359899	<b>S4/0-12R-5</b>	Ring Terminal,4/0 AWG,1/2in Stud,PK5	Tubular Ring Terminal, 4/0 AWG, 1/2 stud size, non-insulated, standard package.	C	100	\$	809.73
07498360059	<b>S4/0-12R-C</b>	TubRingTerm,NonIns,4/0AWG,1/2StudPK100	Tubular Ring Terminal, 4/0 AWG, 1/2 stud size, non-insulated, bulk package.	M	1000	\$	4,920.33
07498359897	<b>S4/0-38R-5</b>	Ring Terminal,4/0 AWG,3/8in Stud,PK5	Tubular Ring Terminal, 4/0 AWG, 3/8 stud size, non-insulated, standard package.	C	100	\$	809.73
07498360048	<b>S4/0-38R-C</b>	TubRingTerm,NonIns,4/0AWG,3/8StudPK100	Tubular Ring Terminal, 4/0 AWG, 3/8 stud size, non-insulated, bulk package.	M	1000	\$	4,920.33
07498370371	<b>S4/0-56R-5</b>	TubRingTerm,NonIns,4/0AWG,5/16StudPK5	Tubular Ring Terminal, 4/0 AWG, 5/16 stud size, non-insulated, standard package.	C	100	\$	809.73
07498370372	<b>S4/0-56R-C</b>	TubRingTerm,NonIns,4/0AWG,5/16StudPK100	Tubular Ring Terminal, 4/0 AWG, 5/16 stud size, non-insulated, bulk package.	M	1000	\$	5,166.34
07498359898	<b>S4/0-76R-5</b>	TubRingTerm,NonIns,4/0AWG,7/16StudPK5	Tubular Ring Terminal, 4/0 AWG, 7/16 stud size, non-insulated, standard package.	C	100	\$	848.28
61305625878	<b>S40-175-L</b>	StrongHold,CblTie,40.16,H,Nat,PK50	StrongHold™ Cable Tie, 40.16L (1020mm), Heavy, Nylon, Natural,Package 50	C	100	\$	49.08
61305625879	<b>S40-175-L0</b>	StrongHold,CblTie,40.16,H,WRBL,PK50	StrongHold™ Cable Tie, 40.16L (1020mm), Heavy, Nylon, Weather Resistant, Black,Package 50	C	100	\$	56.45
61305625918	<b>S40-175-X</b>	StrongHold,CblTie,40.16,H,Nat,PK10	StrongHold™ Cable Tie, 40.16L (1020mm), Heavy, Nylon, Natural, Package 10	C	100	\$	53.88
61305625919	<b>S40-175-X0</b>	StrongHold,CblTie,40.16,H,WRBL,PK10	StrongHold™ Cable Tie, 40.16L (1020mm), Heavy, Nylon, Weather Resistant, Black, Package 10	C	100	\$	61.94
61305625920	<b>S48-175-L</b>	StrongHold,CblTie,48.03,H,Nat,PK50	StrongHold™ Cable Tie, 48.03L (1220mm), Heavy, Nylon, Natural,Package 50	C	100	\$	61.94
61305625921	<b>S48-175-L0</b>	StrongHold,CblTie,48.03,H,WRBL,PK50	StrongHold™ Cable Tie, 48.03L (1220mm), Heavy, Nylon, Weather Resistant, Black,Package 50	C	100	\$	71.25
61305625922	<b>S48-175-L8</b>	StrongHold,CblTie,48.03,H,Gray,PK50	StrongHold™ Cable Tie, 48.03L (1220mm), Heavy, Nylon, Gray,Package 50	C	100	\$	71.25
07498334868	<b>S4F-C</b>	SnapClip MTG BKT , 4"W Flush Duct,100pcs	Panduct® snap-clip mounting bracket for use with types G,F,FS and D wiring duct, #8-32 x 1/4 (provided) scr	C	100	\$	351.35
61305625883	<b>S5-50-C</b>	StrongHold,CblTie,4.70,Std,Nat,PK100	StrongHold™ Cable Tie, 4.7L (120mm), Standard, Nylon, Natural, Package 100	C	100	\$	3.84
61305625884	<b>S5-50-C0</b>	StrongHold,CblTie,4.70,Std,WRBL,PK100	StrongHold™ Cable Tie, 4.7L (120mm), Standard, Nylon, Weather Resistant, Black, Package 100	C	100	\$	4.76
61305625885	<b>S5-50-M</b>	StrongHold,CblTie,4.70,Std,Nat,PK1000	StrongHold™ Cable Tie, 4.7L (120mm), Standard, Nylon, Natural, Package 1000	M	1000	\$	28.91
61305625886	<b>S5-50-M0</b>	StrongHold,CblTie,4.70,Std,WRBL,PK1000	StrongHold™ Cable Tie, 4.7L (120mm), Standard, Nylon, Weather Resistant, Black, Package 1000	M	1000	\$	35.71
07498359870	<b>S6-10R-E</b>	TubRingTerm,NonIns,6AWG,#10Stud,PK20	Tubular Ring Terminal, 6 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	181.40
07498360019	<b>S6-10R-T</b>	TubRingTerm,NonIns,6AWG,#10Stud,PK200	Tubular Ring Terminal, 6 AWG, #10 stud size, non-insulated, bulk package.	M	1000	\$	898.74
07498359871	<b>S6-14R-E</b>	Ring Terminal,6 AWG,1/4in Stud,PK20	Tubular Ring Terminal, 6 AWG, 1/4 stud size, non-insulated, standard package.	C	100	\$	189.06
07498360020	<b>S6-14R-T</b>	TubRingTerm,NonIns,6AWG,1/4Stud,PK200	Tubular Ring Terminal, 6 AWG, 1/4 stud size, non-insulated, bulk package.	M	1000	\$	873.35
61305625838	<b>S6-18-C</b>	StrongHold,CblTie,6.30,Min,Nat,PK100	The S6-18-C StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	C	100	\$	3.65
61305625839	<b>S6-18-C0</b>	StrongHold Cable Tie, 6.3L (160mm), .10W	The S6-18-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	C	100	\$	4.46
61305625836	<b>S6-18-M</b>	StrongHold,CblTie,6.30,Min,Nat,PK1000	StrongHold™ Cable Tie, 6.3L (160mm), Miniature, Nylon, Natural, Package 1000	M	1000	\$	21.48
61305625837	<b>S6-18-M0</b>	StrongHold,CblTie,6.30,Min,WRBL,PK1000	StrongHold™ Cable Tie, 6.3L (160mm), Miniature, Nylon, Weather Resistant, Black, Package 1000	M	1000	\$	26.51
07498359873	<b>S6-38R-E</b>	Ring Terminal,6 AWG,3/8in Stud,PK20	Tubular Ring Terminal, 6 AWG, 3/8 stud size, non-insulated, standard package.	C	100	\$	181.03
07498360023	<b>S6-38R-T</b>	TubRingTerm,NonIns,6AWG,3/8Stud,PK200	Tubular Ring Terminal, 6 AWG, 3/8 stud size, non-insulated, bulk package.	M	1000	\$	873.35
61305625791	<b>S6-40-C</b>	StrongHold,CblTie,5.51,Int,Nat,PK100	The S6-40-C StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	C	100	\$	3.15
61305625792	<b>S6-40-C0</b>	StrongHold,CblTie,5.51,Int,WRBL,PK100	The S6-40-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	C	100	\$	3.89
61305634062	<b>S6-40-M</b>	StrongHoldCblTie,5.51L, .14W,PK1000	The S6-40-M StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	M	1000	\$	22.43
61305634063	<b>S6-40-M0</b>	StrongHoldCblTie,5.51L, .14W,PK1000	The S6-40-M0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	M	1000	\$	27.51
61305625887	<b>S6-50-C</b>	StrongHold,CblTie,6.30,Std,Nat,PK100	StrongHold™ Cable Tie, 6.3L (160mm), Standard, Nylon, Natural, Package 100	C	100	\$	3.90
61305625888	<b>S6-50-C0</b>	StrongHold,CblTie,6.30,Std,WRBL,PK100	StrongHold™ Cable Tie, 6.3L (160mm), Standard, Nylon, Weather Resistant, Black, Package 100	C	100	\$	4.80
61305625889	<b>S6-50-M</b>	StrongHold,CblTie,6.30,Std,Nat,PK1000	The S6-50-M StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	M	1000	\$	29.16
61305625890	<b>S6-50-M0</b>	StrongHold,CblTie,6.30,Std,WRBL,PK1000	The S6-50-M0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	M	1000	\$	35.99
07498359872	<b>S6-56R-E</b>	TubRingTerm,NonIns,6AWG,5/16Stud,PK20	Tubular Ring Terminal, 6 AWG, 5/16 stud size, non-insulated, standard package.	C	100	\$	181.03
07498360022	<b>S6-56R-T</b>	TubRingTerm,NonIns,6AWG,5/16StudPK200	Tubular Ring Terminal, 6 AWG, 5/16 stud size, non-insulated, bulk package.	M	1000	\$	907.71
61305625801	<b>S7-50-C</b>	StrongHold,CblTie,7.40,Std,Nat,PK100	The S7-50-C StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	C	100	\$	3.78
61305625802	<b>S7-50-C0</b>	StrongHold,CblTie,7.40,Std,WRBL,PK100	The S7-50-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	C	100	\$	4.68
61305665625	<b>S7-50-C2</b>	StrongHold Cable Tie, 7.4L (188mm), .19W	The S7-50-C2 StrongHold Cable Ties offer contrators an economical cable tie option for commercial construc	C	100	\$	5.49
61305625799	<b>S7-50-M</b>	StrongHold,CblTie,7.40,Std,Nat,PK1000	The S7-50-M StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	M	1000	\$	27.24
61305625800	<b>S7-50-M0</b>	StrongHold,CblTie,7.40,Std,WRBL,PK1000	The S7-50-M0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial const	M	1000	\$	33.63
07498359866	<b>S8-10R-Q</b>	TubRingTerm,NonIns,8AWG,#10Stud,PK25	Tubular Ring Terminal, 8 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	167.85
07498360000	<b>S8-10R-T</b>	TubRingTerm,NonIns,8AWG,#10Stud,PK200	Tubular Ring Terminal, 8 AWG, #10 stud size, non-insulated, bulk package.	M	1000	\$	712.19
07498359867	<b>S8-14R-Q</b>	Ring Terminal,8 AWG,1/4in Stud, PK25	Tubular Ring Terminal, 8 AWG, 1/4 stud size, non-insulated, standard package.	C	100	\$	144.38
07498360002	<b>S8-14R-T</b>	TubRingTerm,NonIns,8AWG,1/4Stud,PK200	Tubular Ring Terminal, 8 AWG, 1/4 stud size, non-insulated, bulk package.	M	1000	\$	712.19

61305625790	<b>S8-18-C</b>	StrongHold,CblTie,7.87_Min,Nat,PK100	The S8-18-C StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	C	100	\$	3.65
61305625909	<b>S8-18-C0</b>	StrongHold,CblTie,7.87_Int,WRBL,PK100	The S15-50-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial cons	C	100	\$	4.49
61305634060	<b>S8-18-M</b>	StrongHoldCblTie,6.3L,,10W,PK1000	StrongHold Cable Tie, 7.87L (200mm), Min, Nylon, Natural, Package 1000	M	1000	\$	21.13
61305634061	<b>S8-18-M0</b>	StrongHoldCblTie,6.3L,,10W,PK1000	StrongHold Cable Tie, 7.87L (200mm), Min, Weather Resistant, Black, Package 1000	M	1000	\$	28.39
07498359869	<b>S8-3BR-Q</b>	TubeRingTerm.NonIns.8AWG.3/8Stud,PK25	Tubular Ring Terminal, 8 AWG, 3/8 stud size, non-insulated, standard package.	C	100	\$	147.25
07498360004	<b>S8-3BR-T</b>	TubeRingTerm.NonIns.8AWG.3/8Stud,PK200	Tubular Ring Terminal, 8 AWG, 3/8 stud size, non-insulated, bulk package.	M	1000	\$	829.86
61305625793	<b>S8-40-C</b>	StrongHold,CblTie,7.87_Int,Nat,PK100	The S8-40-C StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	C	100	\$	4.76
61305625794	<b>S8-40-C0</b>	StrongHold,CblTie,7.87_Int,WRBL,PK100	The S8-40-C0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	C	100	\$	5.86
61305634064	<b>S8-40-M</b>	StrongHold Cable Tie, 7.87L (200mm), ,14	The S8-40-M StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	M	1000	\$	31.10
61305634065	<b>S8-40-M0</b>	StrongHold Cable Tie, 7.87L (200mm), ,14	The S8-40-M0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	M	1000	\$	36.76
61305625881	<b>S8-50-C</b>	StrongHold,CblTie,8.46_Std,Nat,PK100	StrongHold™ Cable Tie, 8.46L (215mm), Standard, Nylon, Natural, Package 100	C	100	\$	6.39
61305625882	<b>S8-50-C0</b>	StrongHold,CblTie,8.46_Std,WRBL,PK100	StrongHold™ Cable Tie, 8.46L (215mm), Standard, Nylon, Weather Resistant, Black, Package 100	C	100	\$	7.63
61305625923	<b>S8-50-M</b>	StrongHold,CblTie,8.46_Std,Nat,PK1000	The S8-50-M StrongHold Cable Ties offers contractors an economical cable tie option for commercial constru	M	1000	\$	59.85
61305625924	<b>S8-50-M0</b>	StrongHold,CblTie,8.46_Std,WRBL,PK1000	The S8-50-M0 StrongHold Cable Ties offers contractors an economical cable tie option for commercial constr	M	1000	\$	71.23
07498359868	<b>S8-56R-Q</b>	Ring Terminal,8 AWG,5/16in Stud, PK25	Tubular Ring Terminal, 8 AWG, 5/16 stud size, non-insulated, standard package.	C	100	\$	163.58
07498360003	<b>S8-56R-T</b>	TubeRingTerm.NonIns.8AWG.5/16Stud,PK200	Tubular Ring Terminal, 8 AWG, 5/16 stud size, non-insulated, bulk package.	M	1000	\$	790.35
07498391220	<b>SA1-X</b>	AlSplice,TinPlated,#1AWGPKG10	Aluminum splice, type SA, tin plated, #1 AWG.	C	100	\$	2,356.54
07498391225	<b>SA1/0-X</b>	AlSplice,TinPlated,1/0AWGPKG10	Aluminum splice, type SA, tin plated, 1/0 AWG.	C	100	\$	2,967.59
07498391215	<b>SA2-X</b>	AlSplice,TinPlated,#2AWGPKG10	Aluminum splice, type SA, tin plated, #2 AWG.	C	100	\$	1,739.30
07498391230	<b>SA2/0-5</b>	AlSplice,TinPlated,2/0AWGPKG5	Aluminum splice, type SA, tin plated, 2/0 AWG.	C	100	\$	3,160.06
07498391245	<b>SA250-5</b>	AlSplice,TinPlated,250kcmilPKG5	Aluminum splice, type SA, tin plated, 250 kcmil.	C	100	\$	4,056.58
07498391235	<b>SA3/0-5</b>	AlSplice,TinPlated,3/0AWGPKG5	Aluminum splice, type SA, tin plated, 3/0 AWG.	C	100	\$	3,645.06
07498391250	<b>SA300-2</b>	AlSplice,TinPlated,300kcmilPKG2	Aluminum splice, type SA, tin plated, 300 kcmil.	C	100	\$	4,295.04
07498391255	<b>SA350-2</b>	AlSplice,TinPlated,350kcmilPKG2	Aluminum splice, type SA, tin plated, 350 kcmil.	C	100	\$	4,508.29
07498306991	<b>SA4-XR</b>	Al,CompSplice,TinPlated,#4AWG,PK10	Aluminum Compression Splice, Tin Plated, #4 AWG	C	100	\$	1,122.04
07498391240	<b>SA4/0-5</b>	AlSplice,TinPlated,4/0AWGPKG5	Aluminum splice, type SA, tin plated, 4/0 AWG.	C	100	\$	3,743.36
07498391260	<b>SA400-2</b>	AlSplice,TinPlated,400kcmilPKG2	Aluminum splice, type SA, tin plated, 400 kcmil.	C	100	\$	5,928.00
07498391265	<b>SA500-2</b>	AlSplice,TinPlated,500kcmilPKG2	Aluminum splice, type SA, tin plated, 500 kcmil.	C	100	\$	7,348.75
07498391205	<b>SA6-X</b>	AlSplice,TinPlated,#6AWGPKG10	Aluminum splice, type SA, tin plated, #6 AWG.	C	100	\$	1,069.20
07498391270	<b>SA600-2</b>	AlSplice,TinPlated,600kcmilPKG2	Aluminum splice, type SA, tin plated, 600 kcmil.	C	100	\$	10,588.86
07498391275	<b>SA750-1</b>	AlSplice,TinPlated,750kcmilPKG1	Aluminum splice, type SA, tin plated, 750 kcmil.	C	100	\$	10,874.64
07498361035	<b>SACS50-T100</b>	StackbleTelcoCbleSpcer,WRBL,PK200	Panduit SACS50-T100 Stackable Aerial Cable Spacers are designed to snap into another to increase spacer	M	1000	\$	624.25
07498393032	<b>SBA4-C</b>	SplitBolt,Al,#4STR-#10SOLA,PKG100	Split bolt, aluminum dual rated, type SBA, #4 STR - #10 SOL AWG.	C	100	\$	1,450.25
07498362725	<b>SBC1/0-L</b>	SplitBolt,Cu,#4STR-1/0STRAWGPKG50	The SBC1/0-L Mechanical Lug Split Bolt Copper is made from high strength copper alloy to provide premium	C	100	\$	1,879.60
07498362723	<b>SBC2-C</b>	SplitBolt,Cu,#6STR-#2STRAWGPKG100	The SBC2-C Mechanical Lug Split Bolt Copper is made from high strength copper alloy to provide premium e	C	100	\$	1,312.25
07498362726	<b>SBC2/0-Q</b>	SplitBolt,Cu,#2STR-2/0STRAWGPKG25	The SBC2/0-Q Mechanical Lug Split Bolt Copper is made from high strength copper alloy to provide premium	C	100	\$	3,041.99
07498390410	<b>SBC250-Q</b>	SplitBolt,Cu,#1STR-250kcmilPKG25	The SBC250-Q Mechanical Lug Split Bolt Copper is made from high strength copper alloy to provide premium	C	100	\$	4,854.29
07498362724	<b>SBC2L-C</b>	SplitBolt,Cu,#14STR,#2STRA,L-Body,PK100	Split bolt, copper, type SBC, long body, #14 STR - #2 STR AWG.	C	100	\$	1,348.00
07498362722	<b>SBC3-C</b>	SplitBolt,Cu,#8STR-#4STRAWGPKG100	The SBC3-C Mechanical Lug Split Bolt Copper is made from high strength copper alloy to provide premium e	C	100	\$	1,305.66
07498362727	<b>SBC3/0-Q</b>	SplitBolt,Cu,#1STR-3/0STRAWGPKG25	Split bolt, copper, type SBC, #1 STR - 3/0 STR AWG.	C	100	\$	4,144.34
07498390411	<b>SBC350-1</b>	SplitBolt,Cu,2/0STR-350kcmilPKG1	Split bolt, copper, type SBC, 2/0 STR - 350 kcmil.	C	100	\$	8,961.89
07498362720	<b>SBC4S-C</b>	SplitBolt,Cu,#8STR-#6STRAWGPKG100	The SBC4S-C Mechanical Lug Split Bolt Copper is made from high strength copper alloy to provide premium	C	100	\$	913.05
07498362721	<b>SBC4SL-C</b>	SplitBolt,Cu,#6STR,#6STRA,L-Body,4SL,PK100	Split bolt, copper, type SBC, long body, #8 - #6 STR AWG.	C	100	\$	918.29
07498390412	<b>SBC500-1</b>	SplitBolt,Cu,300-500kcmilPKG1	Split bolt, copper, type SBC, 300 - 500 kcmil.	C	100	\$	11,627.73
07498390403	<b>SBC6S-C</b>	SplitBolt,Cu,#8STR-#6SOLA,PKG100	The SBC6S-C Mechanical Lug Split Bolt Copper is made from high strength copper alloy to provide premium	C	100	\$	750.69
07498362719	<b>SBC6SL-C</b>	SplitBolt,Cu,#8STR,#6STRA,L-Body,6SL,PK100	Split bolt, copper, type SBC, long body, #8 STR - #6 STR AWG.	C	100	\$	790.14
07498390413	<b>SBC750-1</b>	SplitBolt,Cu,#8SOL-750kcmilPKG1	Split bolt, copper, type SBC, #8 SOL - 750 kcmil.	C	100	\$	20,577.91
07498390402	<b>SBC8-C</b>	SplitBolt,Cu,#10STR-#8STRAWGPKG100	The SBC8-C Mechanical Lug Split Bolt Copper is made from high strength copper alloy to provide premium e	C	100	\$	690.03
07498362718	<b>SBC8L-C</b>	SplitBolt,Cu,#16STR,#8STRA,L-Body,PK100	Split bolt, copper, type SBC, long body, #16 STR - #8 STR AWG.	C	100	\$	646.28
07498370771	<b>SBCT1/0-L</b>	Split Bolt,Cu,TinPltd,#4STR,1/0STRA,PK50	Split bolt, copper, tin plated, type SBCT, dual rated, #4 STR - 1/0 AWG.	C	100	\$	2,300.36
07498370770	<b>SBCT2-C</b>	Split Bolt,#2 STR - #2 STR AWG,PK100	Split bolt, copper, tin plated, type SBCT, dual rated, #6 STR - #2 STR AWG.	C	100	\$	1,816.50
07498370772	<b>SBCT2/0-Q</b>	Split Bolt,#2 STR - 2/0 STR AWG,PK25	The SBCT2/0-Q Mechanical Lug Split Bolt Copper is made from high strength copper alloy to provide premi	C	100	\$	4,943.98
07498370774	<b>SBCT250-Q</b>	Split Bolt,#1 STR - 250 kcmil,PK25	Split bolt, copper, tin plated, type SBCT, #1 STR - 250 kcmil.	C	100	\$	6,310.08
07498370769	<b>SBCT3-C</b>	SplitBolt,Cu,TinPltd,#8STR,#4STRA,PK100	Split bolt, copper, tin plated, type SBCT, dual rated, #8 STR - #4 STR AWG.	C	100	\$	1,812.43
07498370775	<b>SBCT350-1</b>	SplitBolt,Cu,TinPltd,2/0STR,350K,EA	Split bolt, copper, tin plated, type SBCT, 2/0 STR - 350 kcmil.	C	100	\$	11,562.76
07498370768	<b>SBCT6-C</b>	SplitBolt,Cu,TinPltd,#6STR,#10STRA,PK100	Split bolt, copper, tin plated, type SBCT, dual rated, #6 STR - #10 STR AWG.	C	100	\$	1,199.34
61305625834	<b>SC15-120-S25-L</b>	StrongHold,ClampTie,14.96L,1/4S,NAT,Q50	The SC15-120-S25-L StrongHold Clamp Cable Ties offers contractors an economical clamp cable tie option f	C	100	\$	17.94
61305625835	<b>SC15-120-S25-L0</b>	StrongHold,ClampTie,14.96L,1/4S,BL,Q50	The SC15-120-S25-L0 StrongHold Clamp Cable Ties offers contractors an economical clamp cable tie option	C	100	\$	24.99
61305625832	<b>SC8-50-S10-C</b>	StrongHold,ClampTie,7.87L,#10,NAT,Q100	The SC8-50-S10-C StrongHold Clamp Cable Ties offers contractors an economical clamp cable tie option f	C	100	\$	6.05
61305625833	<b>SC8-50-S10-C0</b>	StrongHold,ClampTie,7.87L,#10,BL,Q100	The SC8-50-S10-C0 StrongHold Clamp Cable Ties offers contractors an economical clamp cable tie option f	C	100	\$	7.26
07498390446	<b>SCL1-E</b>	CuButtSplice,Long,#1AWGPKG20	Copper butt splice, long barrel, #1 AWG wire.	C	100	\$	1,626.23
07498390425	<b>SCL1/0-X</b>	CuButtSplice,Long,1/0AWGPKG10	Copper butt splice, long barrel, 1/0 AWG wire.	C	100	\$	1,785.04
61305675408	<b>SCL10-L</b>	Copper Compression Butt Splice, Long Bar	Copper Compression Butt Splice, Long Barrel, #14 - #10 AWG	C	100	\$	1,238.14
07498390490	<b>SCL1000-3</b>	CuButtSplice,Long,1000KcmilPKG3	Copper butt splice, long barrel, 1000 kcmil cable.	C	100	\$	10,964.93
07498390441	<b>SCL2-Q</b>	CuButtSplice,Long,#2AWGPKG25	Copper butt splice, long barrel, #2 AWG wire.	C	100	\$	1,369.03
07498390430	<b>SCL2/0-X</b>	CuButtSplice,Long,2/0AWGPKG10	Copper butt splice, long barrel, 2/0 AWG wire.	C	100	\$	1,913.34
07498390445	<b>SCL250-X</b>	CuButtSplice,Long,250KcmilPKG10	Copper butt splice, long barrel, 250 kcmil cable.	C	100	\$	2,803.14
07498390435	<b>SCL3/0-X</b>	CuButtSplice,Long,3/0AWGPKG10	Copper butt splice, long barrel, 3/0 AWG wire.	C	100	\$	2,208.66
07498390450	<b>SCL300-X</b>	CuButtSplice,Long,300KcmilPKG10	Copper butt splice, long barrel, 300 kcmil cable.	C	100	\$	3,128.83
07498390455	<b>SCL350-X</b>	CuButtSplice,Long,350KcmilPKG10	Copper butt splice, long barrel, 350 kcmil cable.	C	100	\$	3,153.55
07498390436	<b>SCL4-L</b>	Butt Splice,#4-#3 AWG STR,2 AWG SOL,PK	Copper butt splice, long barrel, #4 - #3 AWG STR, #2 AWG SOL wire.	C	100	\$	1,127.44
07498390440	<b>SCL4/0-X</b>	CuButtSplice,Long,4/0AWGPKG10	Copper butt splice, long barrel, 4/0 AWG wire.	C	100	\$	2,336.35
07498390460	<b>SCL400-6</b>	CuButtSplice,Long,400KcmilPKG6	Copper butt splice, long barrel, 400 kcmil cable.	C	100	\$	4,121.45
07498390465	<b>SCL500-6</b>	CuButtSplice,Long,500KcmilPKG6	Copper butt splice, long barrel, 500 kcmil cable.	C	100	\$	4,278.65
07498390431	<b>SCL6-L</b>	CuButtSplice,Long,#6AWGPKG50	The SCL6-L Copper Compression Lug Lug, standard barrel, has color-coded barrels marked with Panduit an	C	100	\$	930.05
07498390470	<b>SCL600-6</b>	CuButtSplice,Long,600KcmilPKG6	Copper butt splice, long barrel, 600 kcmil cable.	C	100	\$	6,949.85
07498390475	<b>SCL750-6</b>	CuButtSplice,Long,750KcmilPKG6	Copper butt splice, long barrel, 750 kcmil cable.	C	100	\$	8,092.15

07498390426	<b>SC18-L</b>	CuButtSplice,Long,#8AWGPKG50	Copper butt splice, long barrel, #8 AWG wire.	C	100	\$	492.31
07498376991	<b>SCMS120-Q</b>	Metric Butt Splice,CU,120mm²,PK25	Copper metric butt splice, standard barrel, 120mm² wire.	C	100	\$	2,103.55
07498376994	<b>SCMS240-X</b>	CUCompMetricButtSplice,240mm²Wire,10Pac	Copper metric butt splice, standard barrel, 240mm² wire.	C	100	\$	5,205.73
07498376995	<b>SCMS300-5</b>	CUCompMetricButtSplice,300mm²Wire,5-Pac	Copper metric butt splice, standard barrel, 300mm² wire.	C	100	\$	8,014.81
07498376989	<b>SCMS70-L</b>	CUCompMetricButtSplice,70mm²Wire,50-Pac	Copper metric butt splice, standard barrel, 70mm² wire.	C	100	\$	815.00
07498376990	<b>SCMS95-Q</b>	Metric Butt Splice,CU,95mm²,PK25	Copper metric butt splice, standard barrel, 95mm² wire.	C	100	\$	1,249.91
07498390320	<b>SCS1-E</b>	CuButtSplice,#1AWGPKG20	Copper butt splice, standard barrel, #1 AWG wire.	C	100	\$	1,390.75
07498390325	<b>SCS110-X</b>	CuButtSplice,1/0AWGPKG10	Copper butt splice, standard barrel, 1/0 AWG wire.	C	100	\$	1,505.00
07498390390	<b>SCS1000-3</b>	CuButtSplice,1000kcmilPKG3	Copper butt splice, standard barrel, 1000 kcmil cable.	C	100	\$	9,906.65
07498390315	<b>SCS2-Q</b>	CuButtSplice,#2AWGPKG25	The SCS2-Q Copper Compression Lug Lug, standard barrel, has color-coded barrels marked with Panduit an	C	100	\$	1,163.36
07498390330	<b>SCS2/0-X</b>	CuButtSplice,2/0AWGPKG10	Copper butt splice, standard barrel, 2/0 AWG wire.	C	100	\$	1,612.05
07498390345	<b>SCS250-X</b>	CuButtSplice,250kcmilPKG10	Copper butt splice, standard barrel, 250 kcmil cable.	C	100	\$	2,411.96
07498390335	<b>SCS3/0-X</b>	CuButtSplice,3/0AWGPKG10	The SCS3/0-X Copper Compression Lug Lug, standard barrel, has color-coded barrels marked with Panduit	C	100	\$	1,862.39
07498390350	<b>SCS300-X</b>	CuButtSplice,300kcmilPKG10	Copper butt splice, standard barrel, 300 kcmil cable.	C	100	\$	2,842.78
07498390355	<b>SCS350-X</b>	CuButtSplice,350kcmilPKG10	Copper butt splice, standard barrel, 350 kcmil cable.	C	100	\$	2,938.33
07498390310	<b>SCS4-L</b>	CuButtSplice,C2782PKG50	Copper butt splice, standard barrel, #4 – #3 AWG STR, #2 AWG SOL wire.	C	100	\$	956.55
07498390340	<b>SCS4/0-X</b>	CuButtSplice,4/0AWGPKG10	Copper butt splice, standard barrel, 4/0 AWG wire.	C	100	\$	2,026.31
07498390360	<b>SCS400-6</b>	CuButtSplice,400kcmilPKG6	Copper butt splice, standard barrel, 400 kcmil cable.	C	100	\$	3,235.23
07498390365	<b>SCS500-6</b>	CuButtSplice,500kcmilPKG6	Copper butt splice, standard barrel, 500 kcmil cable.	C	100	\$	3,892.04
07498390305	<b>SCS6-L</b>	CuButtSplice,#6AWGPKG50	The SCS6-L Copper Compression Lug, standard barrel, has color-coded barrels marked with Panduit and sp	C	100	\$	806.63
07498390370	<b>SCS600-6</b>	CuButtSplice,600kcmilPKG6	Copper butt splice, standard barrel, 600 kcmil cable.	C	100	\$	6,495.18
07498390375	<b>SCS750-6</b>	CuButtSplice,750kcmilPKG6	Copper butt splice, standard barrel, 750 kcmil cable.	C	100	\$	7,191.56
07498390300	<b>SCS8-L</b>	CuButtSplice,#8AWGPKG50	Copper butt splice, standard barrel, #8 AWG wire.	C	100	\$	443.01
07498300491	<b>SCS800-6</b>	CuButtSplice,800kcmilPKG6	Copper butt splice, standard barrel, 800 kcmil cable.	C	100	\$	8,985.81
07498359981	<b>SCSF1-X</b>	CuButtSplice,#1AWGCablePKG10	Copper butt splice, flared barrel, #1 AWG flex and locomotive cable.	C	100	\$	2,393.89
07498355701	<b>SCSF1/0-X</b>	CuButtSplice,1/0AWGCablePKG10	Copper butt splice, flared barrel, 1/0 AWG flex and locomotive cable.	C	100	\$	2,463.03
07498359980	<b>SCSF2-E</b>	CuButtSplice,#2AWGCablePKG20	Copper butt splice, flared barrel, #2 AWG flex and locomotive cable.	C	100	\$	2,349.63
07498355702	<b>SCSF2/0-X</b>	CuButtSplice,2/0AWGCablePKG10	Copper butt splice, flared barrel, 2/0 AWG flex and locomotive cable.	C	100	\$	2,730.89
07498355703	<b>SCSF3/0-X</b>	CuButtSplice,3/0AWGCablePKG10	Copper butt splice, flared barrel, 3/0 AWG flex and locomotive cable.	C	100	\$	3,051.11
07498355706	<b>SCSF300-6</b>	CuButtSplice,300kcmilCablePKG6	Copper butt splice, flared barrel, 300 kcmil flex and 313.1 kcmil locomotive cable.	C	100	\$	4,879.99
07498355707	<b>SCSF350-6</b>	CuButtSplice,350kcmilCablePKG6	Copper butt splice, flared barrel, 350 kcmil flex and 373.7 kcmil locomotive cable.	C	100	\$	5,460.96
07498355698	<b>SCSF4-L</b>	CuButtSplice,#4AWGCablePKG50	Copper butt splice, flared barrel, #4 AWG flex and locomotive cable.	C	100	\$	1,751.66
07498355704	<b>SCSF4/0-X</b>	CuButtSplice,4/0AWGCablePKG10	Copper butt splice, flared barrel, 4/0 AWG flex and locomotive cable.	C	100	\$	3,508.80
07498355679	<b>SCSF6-L</b>	CuButtSplice,#6AWGCablePKG50	Copper butt splice, flared barrel, #6 AWG flex and locomotive cable.	C	100	\$	1,440.50
07498329116	<b>SD2EMI</b>	Noise Shield, 2pcs, 2"x3", 1pc	Panduit® panelmax™ noise shield, EMI noise shield kit for 2" height panduit wiring duct, (2) 3 foot sections, b	KT	1	\$	120.41
07498374502	<b>SD2H6</b>	Slotted Divider Wall, PVC, 2"Hx6', LG.6ft	The SD2H6 Panduit Slotted PVC Divider Wall is constructed out of a general-purpose lead-free material for i	FT	1	\$	3.89
07498302324	<b>SD2HWH6</b>	Slotted Divider Wall, PVC, 2"Hx6',WH.6ft	Panduit® slotted divider wall, 2.00" nominal duct height, 6' length, PVC, white.	FT	1	\$	4.09
07498329117	<b>SD3EMI</b>	Noise Shield, 2pcs, 3"x3", 1pc	The SD3EMI Panduit PanelMax Noise Shield Kit reduces EMI/RFI noise between wiring for up to 20dB reduc	KT	1	\$	136.09
07498374503	<b>SD3H6</b>	Slotted Divider Wall, PVC, 3"Hx6', LG.6ft	The SD3H6 Panduit Slotted PVC Divider Wall is constructed out of a general-purpose lead-free material for i	FT	1	\$	5.73
07498302325	<b>SD3HWH6</b>	Slotted Divider Wall, PVC, 3"Hx6',WH.6ft	Panduit® slotted divider wall, 3.00" nominal duct height, 6' length, PVC, white.	FT	1	\$	5.73
07498329119	<b>SD4EMI</b>	Noise Shield, 2pcs, 4"x3", 1pc	The SD4EMI Panduit PanelMax Noise Shield Kit reduces EMI/RFI noise between wiring for up to 20dB reduc	KT	1	\$	153.76
07498374504	<b>SD4H6</b>	Slotted Divider Wall, PVC, 4"Hx6', LG.6ft	The SD4H6 Panduit Slotted PVC Divider Wall is constructed out of a general-purpose lead-free material for i	FT	1	\$	6.51
07498302326	<b>SD4HWH6</b>	Slotted Divider Wall, PVC, 4"Hx6',WH.6ft	Panduit® slotted divider wall, 4.00" nominal duct height, 6' length, PVC, white.	FT	1	\$	6.51
07498352146	<b>SDCLIP</b>	Noise Shield Replacement Clips, 1pc	Noise shield replacement clip for use with SD®EMI.	KT	1	\$	14.14
61305636185	<b>SDR50</b>	Static Discharge Reel - 50'		PC	1	\$	1,247.58
07498396073	<b>SE100PS-CR0</b>	PW Braid Sleeve, 1" x 100', BLK PET, 1rl	The SE100PS-CR0 Pan-Wrap Braided Sleeving allows for installation after wire or cable is routed and termin	RL	1	\$	536.68
07498396079	<b>SE100PSFR-CR0</b>	PW Braid Sleeve, 1"x100'.BLK FR PET,1rl	Pan-Wrap™ Braided Expandable Sleeving, 1" diameter, black, flame retardant, polyethylene terephthalate, 1	RL	1	\$	774.84
07498320247	<b>SE125P-LR0</b>	Braided Sleeve,1.25"X50'.BLK PET,1rl	The SE125P-LR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	149.93
07498337014	<b>SE125P-LR8</b>	Braided Sleeve,1.25"X50'.GRY PET,1rl	Braided Expandable Sleeving, 1.25" diameter (31.8mm), provides continuous abrasion resistance for wires, c	RL	1	\$	157.41
07498370652	<b>SE125P-TR0</b>	Braided Sleeve,1.25"X200'.BLK PET,1rl	The SE125P-TR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	461.30
07498340797	<b>SE125P-TR10</b>	Braided Sleeve,1.25"X200'.WHT PET,1rl	Braided Expandable Sleeving, 1.25" diameter (31.8mm), provides continuous abrasion resistance for wires, c	RL	1	\$	484.34
07498321995	<b>SE125P-TR8</b>	Braided Sleeve,1.25"X200'.GRY PET,1rl	The SE125P-TR8 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	461.30
07498320267	<b>SE125PFR-LR0</b>	Braided Sleeve,1.25"X50'.BLK FR PET,1rl	Braided Expandable Sleeving, 1.25" diameter (31.8mm), provides continuous abrasion resistance for wires, c	RL	1	\$	217.26
07498370653	<b>SE125PFR-TR0</b>	Braided Sleeve,1.25"X200'.BLK FR PET,1rl	The SE125PFR-TR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing.	RL	1	\$	636.59
07498322002	<b>SE125PFR-TR8</b>	Braided Sleeve,1.25"X200'.GRY PET,FR,1rl	Braided Expandable Sleeving, 1.25" diameter (31.8mm), provides continuous abrasion resistance for wires, c	RL	1	\$	668.41
61305679554	<b>SE125PS-LQR0</b>	Pan-Wrap Braided Expandable Sleeve, 1.25"X50'.BLK,EA	The SE125PS-LQR0 Pan-Wrap Braided Sleeving allows for installation after wire or cable is routed and termi	RL	1	\$	469.59
07498381693	<b>SE125PSC-LR0</b>	Braid Sleeve,Fray Res,1.25"X50'.BLK,EA	Fray resistant braided expandable sleeving, 1.25" (31.8mm) nominal I.D., polyethylene terephthalate, black.	RL	1	\$	209.53
61305679644	<b>SE125PSFR-LQR0</b>	Pan-Wrap Braided Expandable Sleeve, 1.25"X50'.BLK,FR	The SE125PSFR-LQR0 Pan-Wrap Braided Sleeving allows for installation after wire/cable is routed and termi	RL	1	\$	644.01
07498370650	<b>SE12P-MR0</b>	Braided Sleeve,.125"X1000'.BLK PET,1rl	Braided Expandable Sleeving, 0.13" diameter (3.2mm), provides continuous abrasion resistance for wires, ca	RL	1	\$	632.86
07498320236	<b>SE12P-TR0</b>	Braided Sleeve,.125"X200'.BLK,1rl	The SE12P-TR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. The	RL	1	\$	156.71
07498370651	<b>SE12PFR-MR0</b>	Braided Sleeve,FR,.125"X1000'.BLK,1rl	The SE12PFR-MR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing.	RL	1	\$	831.94
07498320249	<b>SE12PFR-TR0</b>	Braided Sleeve,FR,0.12"X200'.BLK,1rl	The SE12PFR-TR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. T	RL	1	\$	216.31
07498337016	<b>SE12PFR-TR8</b>	Braided Sleeve,FR,0.12"X200'.GRY,1rl	Braided Expandable Sleeving, .13" diameter (3.2mm), provides continuous abrasion resistance for wires, cab	RL	1	\$	216.31
07498396068	<b>SE12PS-4CR0</b>	PW Braid Sleeve, .125"x400', BLK PET,1rl	Pan-Wrap™ Braided Expandable Sleeving, .125" diameter, black, polyethylene terephthalate, 400 ft. per reel.	RL	1	\$	591.68
07498381604	<b>SE12PSC-TR0</b>	Braid Sleeve,Fray Res,.125"X200'.BLK,1rl	Fray resistant braided expandable sleeving, .12" (3.2mm) nominal I.D., polyethylene terephthalate, black.	RL	1	\$	427.10
07498396075	<b>SE12PSFR-4CR0</b>	PW Braid Sleeve,FR,.125"X400'.BLK,1rl	Pan-Wrap™ Braided Expandable Sleeving, .125" diameter, black, flame retardant, polyethylene terephthalate	RL	1	\$	817.06
07498320248	<b>SE150P-LR0</b>	Braided Sleeve,1.50"X50'.BLK,1rl	Braided Expandable Sleeving, 1.50" diameter (38.1mm), provides continuous abrasion resistance for wires,	RL	1	\$	198.41
07498337015	<b>SE150P-LR8</b>	Braided Sleeve,1.50"X50'.GRY,1rl	Braided Expandable Sleeving, 1.50" diameter (38.1mm), provides continuous abrasion resistance for wires,	RL	1	\$	208.34
07498370654	<b>SE150P-TR0</b>	Braided Sleeve,1.50inX200'.GRY,1rl	The SE150P-TR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	610.49
07498320268	<b>SE150PFR-LR0</b>	Braided Sleeve,FR,1.50"X50'.BLK,1rl	Braided Expandable Sleeving, 1.50" diameter (38.1mm), provides continuous abrasion resistance for wires, c	RL	1	\$	287.49
07498370655	<b>SE150PFR-TR0</b>	Braided Sleeve,FR,1.50"X200'.BLK,1rl	The SE150PFR-TR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing.	RL	1	\$	842.54
07498340800	<b>SE150PFR-TR8</b>	Braided Sleeve,FR,1.50"X200'.WHT,1rl	Braided Expandable Sleeving, 1.50" diameter (38.1mm), provides continuous abrasion resistance for wires, c	RL	1	\$	842.54
07498322003	<b>SE150PFR-TR0</b>	Braided Sleeve,FR,1.50"X200'.GRY,1rl	Braided Expandable Sleeving, 1.50" diameter (38.1mm), provides continuous abrasion resistance for wires, c	RL	1	\$	884.66
07498396074	<b>SE150PS-LQR0</b>	PW Braid Sleeve, 1.50"x75', BLK PET,1rl	Pan-Wrap™ Braided Expandable Sleeving, 1.50" diameter, black, polyethylene terephthalate, 75 ft. per reel.	RL	1	\$	536.68
07498381694	<b>SE150PSC-LR0</b>	Braid Sleeve,Fray Res,1.50"X50'.BLK,1rl	Fray resistant braided expandable sleeving, 1.50" (38.1mm) nominal I.D., polyethylene terephthalate, black.	RL	1	\$	258.83
07498396080	<b>SE150PSFR-LQR0</b>	PW Braid Sleeve,FR,1.50"X50'.BLK,1rl	Pan-Wrap™ Braided Expandable Sleeving, 1.50" diameter, black, flame retardant, polyethylene terephthalate	RL	1	\$	774.84
07498347751	<b>SE175P-TR0</b>	Braided Sleeve,1.75"X200'.BLK,1rl	The SE175P-TR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	761.56

07498347752	<b>SE175PFR-TR0</b>	Braided Sleeve,FR,1.75"X200',BLK,1rl	Braided Expandable Sleeving, 1.75" diameter (44.5mm), provides continuous abrasion resistance for wires, c	RL	1	\$	965.95
07498311814	<b>SE200P-TR0</b>	Braided Sleeve,2"X200',BLK,1rl	Braided Expandable Sleeving, 2" diameter, provides continuous abrasion resistance for wires, cables and tub	RL	1	\$	951.99
61305666971	<b>SE200PS-LR0</b>	Pan-Wrap Braided Sleeving, 2.00" Dia., 5	The SE200PS-LR0 Pan-Wrap Braided Sleeving allows for installation after wire or cable is routed and termina	RL	1	\$	536.68
61305666974	<b>SE200PSFR-LR0</b>	Pan-Wrap Braided Sleeving, 2.00" Dia., 5		RL	1	\$	737.94
07498311815	<b>SE250P-TR0</b>	Braided Sleeve,FR,2.50"X200',BLK,1rl	Braided Expandable Sleeving, 2.50" diameter (63.5mm), provides continuous abrasion resistance for wires, c	RL	1	\$	1,189.91
07498370656	<b>SE25P-MR0</b>	Braided Sleeve, .25"X1000',BLK,1rl	The SE25P-MR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	809.66
07498340788	<b>SE25P-MR10</b>	Braided Sleeve, .25"X1000',WHT,1rl	The SE25P-MR10 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	809.66
07498321991	<b>SE25P-MR8</b>	Braided Sleeve, .25"X1000',GRY,1rl	The SE25P-MR8 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	850.14
07498320237	<b>SE25P-TR0</b>	Braided Sleeve, .25"X200',BLK,1rl	The SE25P-TR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	210.46
07498370657	<b>SE25PFR-MR0</b>	Braided Sleeve,FR, .25"X1000',BLK,1rl	The SE25PFR-MR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing.	RL	1	\$	1,117.23
07498340789	<b>SE25PFR-MR10</b>	Braided Sleeve,FR, .25"X1000',WHT,1rl	Braided Expandable Sleeving, 0.25" diameter (6.4mm), provides continuous abrasion resistance for wires, c	RL	1	\$	1,173.09
07498320257	<b>SE25PFR-TR0</b>	Braided Sleeve,FR, .25"X200',BLK,1rl	The SE25PFR-TR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. T	RL	1	\$	290.44
07498337017	<b>SE25PFR-TR8</b>	Braided Sleeve,FR, .25"X200',GRY,1rl	The SE25PFR-TR8 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. T	RL	1	\$	290.44
07498396071	<b>SE25PS-TR0</b>	PW Braid Sleeve, .25" x 200', Black, 1rl	Pan-Wrap™ Braided Expandable Sleeving, 0.25" diameter, black, polyethylene terephthalate, 200 ft. per reel.	RL	1	\$	377.90
07498381646	<b>SE25PSC-TR0</b>	Braid Sleeve,Fray Res.,.25"X200',BLK,1rl	Fray resistant braided expandable sleeving, .25" (6.4mm) nominal I.D., polyethylene terephthalate, black.	RL	1	\$	431.83
07498396076	<b>SE25PSFR-TR0</b>	PW Braid Sleeve,FR, .25"x200', BLK, 1rl	Pan-Wrap™ Braided Expandable Sleeving, 0.25" diameter, black, flame retardant, polyethylene terephthalate	RL	1	\$	549.41
07498321988	<b>SE38P-MR0</b>	Braided Sleeve, .38"X1000',BLK,1rl	The SE38P-MR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	1,136.44
07498321992	<b>SE38P-MR8</b>	Braided Sleeve, .38"X1000',GRY,1rl	Braided Expandable Sleeving, 0.38" diameter (9.5mm), provides continuous abrasion resistance for wires, ca	RL	1	\$	1,193.26
07498322208	<b>SE38P-TR0</b>	Braided Sleeve, .38"X200',BLK,1rl	The SE38P-TR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	295.40
07498337011	<b>SE38P-TR8</b>	Braided Sleeve, .38"X200',GRY,1rl	Braided Expandable Sleeving, 0.38" diameter (9.5mm), provides continuous abrasion resistance for wires, ca	RL	1	\$	310.16
07498321989	<b>SE38PFR-MR0</b>	Braided Sleeve,FR, .38"X1000',BLK,1rl	The SE38PFR-MR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing.	RL	1	\$	1,508.24
07498340791	<b>SE38PFR-MR10</b>	Braided Sleeve,FR, .38"X1000',WHT,1rl	Braided Expandable Sleeving, 0.38" diameter (9.5mm), provides continuous abrasion resistance for wires, c	RL	1	\$	1,583.66
07498322209	<b>SE38PFR-TR0</b>	Braided Sleeve,FR, .38"X200',BLK,1rl	The SE38PFR-TR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. T	RL	1	\$	392.10
07498337018	<b>SE38PFR-TR8</b>	Braided Sleeve,FR, .38"X200',GRY,1rl	Braided Expandable Sleeving, 0.38" diameter (9.5mm), provides continuous abrasion resistance for wires, ca	RL	1	\$	411.71
61305679652	<b>SE38PS-CLR0</b>	Pan-Wrap Braided Expandable Sleeving, .3	The SE38PS-CLR0 Pan-Wrap Braided Sleeving allows for installation after wire or cable is routed and termin	RL	1	\$	429.34
07498381647	<b>SE38PSC-TR0</b>	Braid Sleeve,Fray Res.,.38"X200',BLK,1rl	The SE38PSC-TR0 Fray Resistant Braided Sleeving can be cut with a pair of scissors and provides continuo	RL	1	\$	500.06
61305679651	<b>SE38PSFR-CLR0</b>	Pan-Wrap Braided Expandable Sleeving, .3	The SE38PSFR-CLR0 Pan-Wrap Braided Sleeving allows for installation after wire/cable is routed and termin	RL	1	\$	590.35
07498320238	<b>SE50P-CR0</b>	Braided Sleeve, .50"X100',BLK,EA	The SE50P-CR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	198.46
07498337012	<b>SE50P-CR8</b>	Braided Sleeve, .50"X100',WHT,EA	Braided Expandable Sleeving, 0.50" diameter (12.7mm), provides continuous abrasion resistance for wires, c	RL	1	\$	208.38
07498370658	<b>SE50P-DR0</b>	Braided Sleeve, .50"X500',BLK,EA	The SE50P-DR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	763.69
07498340792	<b>SE50P-DR10</b>	Braided Sleeve, .50"X500',WHT,EA	Braided Expandable Sleeving, 0.50" diameter (12.7mm), provides continuous abrasion resistance for wires, c	RL	1	\$	801.88
07498320258	<b>SE50PFR-CR0</b>	Braided Sleeve,FR, .50"X100',BLK,1rl	The SE50PFR-CR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing.	RL	1	\$	273.96
07498337019	<b>SE50PFR-CR8</b>	Braided Sleeve,FR, .50"X100',GRY,1rl	Braided Expandable Sleeving, 0.50" diameter (12.7mm), provides continuous abrasion resistance for wires, c	RL	1	\$	273.96
07498370659	<b>SE50PFR-DR0</b>	Braided Sleeve,FR, .50"X500',BLK,1rl	The SE50PFR-DR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing.	RL	1	\$	1,053.88
07498340793	<b>SE50PFR-DR10</b>	Braided Sleeve,FR, .50"X500',WHT,1rl	Braided Expandable Sleeving, 0.50" diameter (12.7mm), provides continuous abrasion resistance for wires, c	RL	1	\$	1,106.56
07498396069	<b>SE50PS-CLR0</b>	PW Braid Sleeve, .50"X150', BLK, 1rl	The SE50PS-CLR0 Pan-Wrap Braided Sleeving allows for installation after wire or cable is routed and termin	RL	1	\$	536.68
07498381648	<b>SE50PSC-CR0</b>	PW Braid Sleeve,Fray Res.,.50"X100',BLK,1rl	The SE50PSC-CR0 Fray Resistant Braided Sleeving can be cut with a pair of scissors and provides continuo	RL	1	\$	308.16
07498396077	<b>SE50PSFR-CLR0</b>	PW Braid Sleeve,FR, .50"x150', BLK, 1rl	Pan-Wrap™ Braided Expandable Sleeving, 0.50" diameter, black, flame retardant, polyethylene terephthalate	RL	1	\$	737.94
07498320239	<b>SE75P-CR0</b>	Braided Sleeve, .75"X100',BLK,EA	The SE75P-CR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	249.23
07498337013	<b>SE75P-CR8</b>	Braided Sleeve, .75"X100',WHT,EA	Braided Expandable Sleeving, 0.75" diameter (19.1mm), provides continuous abrasion resistance for wires, c	RL	1	\$	261.69
07498370660	<b>SE75P-DR0</b>	Braided Sleeve, .75"X500',BLK,EA	The SE75P-DR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing. Th	RL	1	\$	958.58
07498340794	<b>SE75P-DR10</b>	Braided Sleeve, .75"X500',WHT,EA	Braided Expandable Sleeving, 0.75" diameter (19.1mm), provides continuous abrasion resistance for wires, c	RL	1	\$	1,006.51
07498321994	<b>SE75P-DR8</b>	Braided Sleeve, .75"X500',GRY,EA	Braided Expandable Sleeving, 0.75" diameter (19.1mm), provides continuous abrasion resistance for wires, c	RL	1	\$	1,006.51
07498320259	<b>SE75PFR-CR0</b>	Braided Sleeve,FR, .75"X100',BLK,1rl	The SE75PFR-CR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing.	RL	1	\$	343.96
07498337020	<b>SE75PFR-CR8</b>	Braided Sleeve,FR, .75"X100',GRY,1rl	Braided Expandable Sleeving, 0.75" diameter (19.1mm), provides continuous abrasion resistance for wires, c	RL	1	\$	361.14
07498370661	<b>SE75PFR-DR0</b>	Braided Sleeve,FR, .75"X500',BLK,1rl	The SE75PFR-DR0 Braided Sleeving provides continuous abrasion resistance for wires, cables, and tubing.	RL	1	\$	1,322.69
07498340795	<b>SE75PFR-DR10</b>	Braided Sleeve,FR, .75"X500',WHT,1rl	Braided Expandable Sleeving, 0.75" diameter (19.1mm), provides continuous abrasion resistance for wires, c	RL	1	\$	1,388.81
07498396072	<b>SE75PS-CR0</b>	PW Braid Sleeve, .75"x100', BLK, 1rl	The SE75PS-CR0 Pan-Wrap Braided Sleeving allows for installation after wire or cable is routed and terminat	RL	1	\$	449.46
07498381649	<b>SE75PSC-CR0</b>	Braid Sleeve,Fray Res.,.75"X100',BLK,1rl	The SE75PSC-CR0 Fray Resistant Braided Sleeving can be cut with a pair of scissors and provides continuo	RL	1	\$	357.44
07498396078	<b>SE75PSFR-CR0</b>	PW Braid Sleeve,FR, .75"x150', BLK, 1rl	Pan-Wrap™ Braided Expandable Sleeving, 0.75" diameter, black, flame retardant, polyethylene terephthalate	RL	1	\$	650.39
07498368646	<b>SEZ-TAGWH</b>	TAG,BLANK,INK JET P-O-D,WH,PK25	INK jet card stock tag, one-sided, 3" x 5", PCT card stock, "Blank", white, 4 tags/sh, 25 sht package quantity.	PK	1	\$	283.06
07498378423	<b>SG100M-C</b>	SPRGripTie,NYL,MINI,4.2,TS80,NAT,PK100	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	19.23
07498378427	<b>SG100M-C0</b>	SPRGripTie,WR,NYL,MINI,4,TS80,BLK,PK100	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	25.28
07498378410	<b>SG100M-M0</b>	SPRGripTie,WR,NYL,MINI,4,TS80,BLK,PK1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	85.03
07498378428	<b>SG150I-C</b>	SPRGripTie,NYL,INT,6.2,TS178,NAT,PK50	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	22.31
07498378431	<b>SG150I-C0</b>	SPRGripTie,WR,NYL,INT,6.2,TS178,BLK,PK100	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	27.36
07498378412	<b>SG150I-M0</b>	SPRGripTie,WR,NYL,INT,6.2,TS178,BLK,PK1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	118.90
07498337910	<b>SG200S-C</b>	SPRGripTie,NYL,STD,8.3,TS222,NAT,PK100	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	28.14
07498337914	<b>SG200S-C0</b>	SPRGripTie,WR,NYL,STD,8,TS222,BLK,PK100	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	30.08
07498344002	<b>SG200S-M0</b>	SPRGripTie,WR,NYL,STD,12,TS334,BLK,PK1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	131.70
07498337915	<b>SG250S-C0</b>	SPRGripTie,WR,NYL,STD,10,TS334,BLK,PK100	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	58.24
07498337912	<b>SG300S-C</b>	SPRGripTie,NYL,STD,12.4,TS334,NAT,PK100	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	54.71
07498337916	<b>SG300S-C0</b>	SPRGripTie,WR,NYL,STD,12,TS334,BLK,PK100	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	58.66
07498344007	<b>SG300S-M0</b>	SPRGripTie,WR,NYL,STD,12,TS334,BLK,1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	372.10
07498344008	<b>SG300S-M30</b>	SPRGripTie,HS,NYL,STD,12,TS334,BLK,1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	373.45
07498337913	<b>SG350LH-L</b>	SPRGripTie,NYL,LT-H,15.3,TS534,NAT,PK50	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	94.41
07498337917	<b>SG350LH-L0</b>	SPRGripTie,WR,NYL,LT-H,15,TS534,BLK,PK50	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	102.63
07498378437	<b>SG370S-C0</b>	SPRGripTie,WR,NYL,STD,15,TS334,BLK,PK100	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	69.24
07498378417	<b>SG370S-M0</b>	SPRGripTie,WR,NYL,STD,15,TS334,BLK,1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	395.41
07498378421	<b>SG450H-C0</b>	SPRGripTie,WR,NYL,H,18.6,TS778,BLK,PK100	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	1,144.60
07498378441	<b>SG450H-L0</b>	SPRGripTie,NYL,H,18.6,TS778,NAT,PK50	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	100	\$	119.59
07498378442	<b>SG450H-L0</b>	SPRGripTie,WR,NYL,H,18.6,TS778,BLK,PK50	Panduit SG450H-L0 Super-Grip® Cable Ties are designed for the strength requirements of the MRO and Co	C	100	\$	130.70
07498371356	<b>SGABM20-A-C</b>	AdhMnt,RubberAdh.,.75x.75in,Nat,PK100	The Panduit SGABM20-A-C super grip rubber adhesive backed cable tie mounts are made of Nylon 6.6 and	C	100	\$	103.16
07498371357	<b>SGABM20-AT-C0</b>	AdhMnt,AcrylicAdh.,.75x.75in,Nat,PK100	The SGABM20-AT-C0 super grip acrylic-based adhesive backed cable tie mounts are made of weather resis	C	100	\$	120.51
07498319570	<b>SGABM20-AV-C300</b>	AdhMnt,VHBAdh.,.75x.75in,HS,WRBL,PK100	The Panduit SGABM20-AV-C300 super grip acrylic-based adhesive backed cable tie mount is applied with ve	C	100	\$	168.74
07498352680	<b>SGABM25-A-C</b>	AdhMnt,RubberAdh.,.1x1in,Nat,PK100	The Panduit SGABM25-A-C super grip rubber adhesive backed cable tie mounts are made of Nylon 6.6 and	C	100	\$	136.25
07498352856	<b>SGABM25-AT-C0</b>	AdhMnt,AcrylicAdh.,.1x1in,WRBL,PK100	The SGABM25-AT-C0 super grip acrylic-based adhesive backed cable tie mounts are made of weather resis	C	100	\$	156.46

07498319571	<b>SGABM25-AV-C300</b>	AdhMnt,VHBA,1x1in,HS,WRBL,PK100	The Panduit SGABM25-AV-C300 super grip acrylic-based adhesive backed cable tie mount is applied with ve	C	100	\$	219.06
07498352872	<b>SGABM25-S6-C</b>	4-WayMnt,#6Screw,1x1in,Nat,PK100	The 4-way mount in white is applied with user-supplied adhesive or a #6 (M3) screw and measures 1" x 1" (25	C	100	\$	115.71
07498371396	<b>SGABM25-S6-C0</b>	4-WayMnt,#6Screw,1x1in,WRBL,PK100	The 4-way mount in black is applied with user-supplied adhesive or a #6 (M3) screw and measures 1" x 1" (2	C	100	\$	115.71
07498371387	<b>SGABM30-A-C</b>	AdhMnt,RubberAdh,1.12x1.12in,WRBL,PK100	The Panduit SGABM30-A-C super grip rubber adhesive backed cable tie mounts are made of Nylon 6.6 and	C	100	\$	138.89
07498371388	<b>SGABM30-AT-C0</b>	AdhMnt,AcrylicAdh,1.12x1.12in,WRBL,PK100	The adhesive mount in black is mounted with acrylic adhesive tape and measures 1.12" x 1.12" (28.5 mm x 2	C	100	\$	169.15
07498319572	<b>SGABM30-AV-C300</b>	AdhMnt,1.12x1.12in,HS,WRBL,PK100	The Panduit SGABM30-AV-C300 super grip acrylic-based adhesive backed cable tie mount is applied with ve	C	100	\$	225.54
07498371398	<b>SGABM40-A-L</b>	AdhesMnt,RubberAdh,.15x1.5in,Nat,PK50	The adhesive mount in white is mounted with rubber adhesive tape and measures 1.5" x 1.5" (38.1 mm x 38.	C	100	\$	217.51
07498371400	<b>SGABM50-A-L</b>	AdhesMnt,RubberAdh,2x2in,Nat,PK50	The adhesive mount in white is mounted with rubber adhesive tape and measures 2" x 2" (50.8mm x 50.8mm	C	100	\$	261.16
07498371402	<b>SGMPMS19-C0</b>	MasonryPshMnt,.19in Hole,STD,BL,PK100	The masonry push barb cable tie mount in black requires a 0.19" (4.8 mm) hole. It is made of impact-modifie	C	100	\$	77.95
07498371404	<b>SGMPMS25-C0</b>	MasonryPshMnt,.25in Hole,STD,BL,PK100	The masonry push barb cable tie mount in black requires a 0.25" (6.4 mm) hole. It is made of impact-modifie	C	100	\$	93.81
61305668571	<b>SGPL10-9S-L</b>	10 AWG Solid 9" GSH screw, Stripped 1"	10 AWG Solid 9" GSH Screw, Stripped 1"	C	100	\$	119.96
61305658310	<b>SGPL12-10S-L</b>	12 AWG Solid 10" GSH screw, Stripped 1"	Ground Bonding Pigtail, #12 AWG Solid Wire, 10" length, one end of wire strip to 1" length, GSH, #10-32 Bon	C	100	\$	91.19
61305658311	<b>SGPL12-12S-L</b>	12 AWG Solid 12" GSH screw, Stripped 1"	Ground Bonding Pigtail, #12 AWG Solid Wire, 12" length, one end of wire strip to 1" length, GSH, #10-32 Bon	C	100	\$	104.21
61305658308	<b>SGPL12-7S-L</b>	12 AWG Solid 6.5" GSH screw, Stripped 1"	Ground Bonding Pigtail, #12 AWG Solid Wire, 6.5" length, one end of wire strip to 1" length, GSH, #10-32 Bo	C	100	\$	59.41
61305658309	<b>SGPL12-8S-L</b>	12 AWG Solid 8" GSH screw, Stripped 1"	Ground Bonding Pigtail, #12 AWG Solid Wire, 8" length, one end of wire strip to 1" length, GSH, #10-32 Bond	C	100	\$	73.28
61305658312	<b>SGPL14-8S-L</b>	14 AWG Solid 8" GSH screw, Stripped 1"	Ground Bonding Pigtail, #14 AWG Solid Wire, 8" length, one end of wire strip to 1" length, GSH, #10-32 Bond	C	100	\$	64.09
61305658315	<b>SGPS12-8FT-L</b>	12 AWG Stranded 8" - Flanged Spade Termi	Pigtail, #12 AWG Stranded Wire, Wire color: Green, 8" length, Flanged Spade Terminal terminated to one en	C	100	\$	75.99
61305658316	<b>SGPS12-8FT-L10</b>	12 AWG Stranded 8" White - Flanged Spad	Pigtail, #12 AWG Stranded Wire, Wire color: White, 8" length, Flanged Spade Terminal terminated to one en	C	100	\$	77.51
61305668572	<b>SGPS12-8FT-L2</b>	12 AWG Stranded 8" Red, Flanged Spade Te	# 12 AWG Stranded 8", Flanged Spade Terminal for use with #10-32 screw , Stripped 5/8"	C	100	\$	77.51
61305658317	<b>SGPS12-8FT-L20</b>	12 AWG Stranded 8" Black - Flanged Spad	Pigtail, #12 AWG Stranded Wire, Wire color: Black, 8" length, Flanged Spade Terminal terminated to one end	C	100	\$	77.51
61305658313	<b>SGPS12-8SRF-L</b>	12 AWG Stranded 8" - Ring Terminal and G	Ground Bonding Pigtail, #12 AWG Stranded Wire, 8" length, Ring Terminal terminated to one end of wire and	C	100	\$	113.45
61305658314	<b>SGPS12-8SRT-L</b>	12 AWG Stranded 8" - Ring Terminal and G	Ground Bonding Pigtail, #12 AWG Stranded Wire, 8" length, one end of wire strip to 5/8" length, Ring Termin	C	100	\$	111.89
61305658318	<b>SGPSSL12-8SFT-Q</b>	One 12 AWG Stranded 8" - Ring Terminal a	Ground Bonding Pigtail, 2 wires, 8" length, Wire #1: #12 AWG Stranded Wire, Ring Terminal terminated to on	C	100	\$	194.33
61305658320	<b>SGPSS12-8SFT-Q</b>	Two 12 AWG Stranded 8" - Ring Terminal a	Ground Bonding Pigtail, 2 wires, 8" length, Wire #1: #12 AWG Stranded Wire, Ring Terminal terminated to on	C	100	\$	261.40
61305658319	<b>SGPSS12-8SFT-Q</b>	One 12 AWG Stranded 8" - Ring Terminal a	Ground Bonding Pigtail, 2 wires, 8" length, Wire #1: #12 AWG Stranded Wire, Ring Terminal terminated to on	C	100	\$	237.08
61305658321	<b>SGPSSL12-8S-Q</b>	Two 12 AWG Stranded 8" - Ring Terminal a	Ground Bonding Pigtail, 3 wires, 8" length, Wire #1: #12 AWG Stranded Wire, Ring Terminal terminated to on	C	100	\$	324.61
61305658322	<b>SGPSS12-8S-Q</b>	12 AWG Stranded 8" - Ring Terminal and G	Ground Bonding Pigtail, 3 wires, 8" length, Wire #1: #12 AWG Stranded Wire, Ring Terminal terminated to on	C	100	\$	422.46
07498352874	<b>SGTA1S8-C</b>	TieAnchorMnt,#8Screw,Nyl,Nat,PK100	The Panduit SGTA1S8-C Super Grip Cable Tie Anchor Mounts have 4-way cable tie entry, are low profile and	C	100	\$	45.90
07498371407	<b>SGTA1S8-C0</b>	TieAnchorMnt,#8Screw,Nyl,BL,PK100	The cable tie anchor mount is black and is applied with a #8 (M4) screw. It is 0.80" (20.3 mm) long and made	C	100	\$	48.14
07498371417	<b>SGTM1S6-C</b>	TieMnt,.51inW,#6Screw,Nyl,Nat,PK100	The cable tie mount is natural color and is applied with a #6 (M3) screw. It is 0.51" (13.0 mm) long and made	C	100	\$	32.65
07498371418	<b>SGTM1S6-C0</b>	TieMnt,.51inW,#6Screw,WRNyl,BL,PK100	The cable tie mount is black and is applied with a #6 (M3) screw. It is 0.51" (13.0 mm) long and made of weat	C	100	\$	39.60
07498352873	<b>SGTM2S8-C</b>	TieMnt,.63inW,#8Screw,Nyl,Nat,PK100	The cable tie mount is natural color and is applied with a #8 (M4) screw. It is 0.66" (16.7mm) long and made	C	100	\$	47.55
07498371416	<b>SGTM2S8-C0</b>	TieMnt,.63inW,#8Screw,WRNyl,BL,PK100	The cable tie mount is black and is applied with a #8 (M4) screw. It is 0.66" (16.7 mm) long and made of weat	C	100	\$	58.30
07498371419	<b>SGTM3S10-C</b>	TieMnt,.88inW,#10Screw,Nyl,Nat,PK100	The cable tie mount is natural color and is applied with a #10 (M5) screw. It is 0.91" (23.1 mm) long and mad	C	100	\$	74.49
07498371420	<b>SGTM3S10-C0</b>	TieMnt,.88inW,#10Screw,WRNyl,BL,PK100	The Panduit SGTM3S10-C0 Super Grip Screw Applied Cable Tie Mounts have a unique cradle design that pr	C	100	\$	90.54
61305676675	<b>SH781</b>	Anti-rattle support, For cable and condu		PC	1	\$	0.69
07498361109	<b>SHH1-S8-X</b>	HmssBrdSpringHldrforPBSC1,1.85",PK10	Harness spring holder for PBSC1, 1.85" (47.0mm) hole spacing.	PC	1	\$	12.65
07498361110	<b>SHH3-S8-X</b>	HmssBrdSpringHldrforPBSC6,6.8",PK10	Harness spring holder for PBSC3, 6.8" (172.7mm) hole spacing.	PC	1	\$	21.23
07498376034	<b>SLCT-OR</b>	CableMarkerHolder,OR,EA	The self-laminating cable marker holder in orange measures 3.00"W x 1.31"H. It is made of self-laminating vi	PK	1	\$	114.94
07498376033	<b>SLCT-WH</b>	CableMarkerHolder,WH,EA	The SLCT-WH Self-Laminating Cable Marker Label is a durable tag designed to mark a wide range of	PK	1	\$	99.49
07498376035	<b>SLCT-YL</b>	CableMarkerHolder,YL,EA	The self-laminating cable marker holder in yellow measures 3.00"W x 1.31"H. It is made of self-laminating vi	PK	1	\$	109.46
61305679329	<b>SMCT</b>	Solar Multi-Connector Assembly Tool	The SMCT solar multi-connector assembly tool is designed for solar multi-connector housings and made of N	PC	1	\$	36.91
61305677659	<b>SMP12A-3X</b>	Adhesive Back Mount, 3/4" x 3/4" x 1/4",	StrongHold SMP12A-3X Adhesive Backed Cable Tie Mounts are a dependable method for securing wires an	C	100	\$	15.24
61305677687	<b>SMP12A-3X0</b>	Adhesive Back Mount, 3/4" x 3/4" x 1/4",	StrongHold SMP12A-3X0 Adhesive Backed Cable Tie Mounts are a dependable method for securing wires a	C	100	\$	15.24
61305677660	<b>SMP12A-C</b>	Adhesive Back Mount, 3/4" x 3/4" x 1/4",	StrongHold SMP12A-C Adhesive Backed Cable Tie Mounts are a dependable method for securing wires an	C	100	\$	17.41
61305677688	<b>SMP12A-C0</b>	Adhesive Back Mount, 3/4" x 3/4" x 1/4",	StrongHold SMP12A-C0 Adhesive Backed Cable Tie Mounts are a dependable method for securing wires an	C	100	\$	17.41
61305677661	<b>SMP12A-M</b>	Adhesive Back Mount, 3/4" x 3/4" x 1/4",	StrongHold SMP12A-C Adhesive Backed Cable Tie Mounts are a dependable method for securing wires an	C	100	\$	10.85
61305677689	<b>SMP12A-M0</b>	Adhesive Back Mount, 3/4" x 3/4" x 1/4",	StrongHold SMP12A-M0 Adhesive Backed Cable Tie Mounts are a dependable method for securing wires an	C	100	\$	10.85
61305677680	<b>SMP16A-3X</b>	Adhesive Back Mount, 1.0" x 1.0" x 1/4",	StrongHold SMP16A-3X Adhesive Backed Cable Tie Mounts are a dependable method for securing wires an	C	100	\$	17.36
61305677690	<b>SMP16A-3X0</b>	Adhesive Back Mount, 1.0" x 1.0" x 1/4",	StrongHold SMP16A-3X0 Adhesive Backed Cable Tie Mounts are a dependable method for securing wires a	C	100	\$	17.36
61305677682	<b>SMP16A-C</b>	Adhesive Back Mount, 1.0" x 1.0" x 1/4",	StrongHold SMP16A-C Adhesive Backed Cable Tie Mounts are a dependable method for securing wires and	C	100	\$	15.30
61305677691	<b>SMP16A-C0</b>	Adhesive Back Mount, 1.0" x 1.0" x 1/4",	StrongHold SMP16A-C0 Adhesive Backed Cable Tie Mounts are a dependable method for securing wires an	C	100	\$	15.30
61305677683	<b>SMP16A-M</b>	Adhesive Back Mount, 1.0" x 1.0" x 1/4",	StrongHold SMP16A-M Adhesive Backed Cable Tie Mounts are a dependable method for securing wires and	C	100	\$	13.03
61305677692	<b>SMP16A-M0</b>	Adhesive Back Mount, 1.0" x 1.0" x 1/4",	StrongHold SMP16A-M0 Adhesive Backed Cable Tie Mounts are a dependable method for securing wires an	C	100	\$	13.03
61305677684	<b>SMP18A-3X</b>	Adhesive Back Mount, 1-1/8" x 1-1/8" x 5	StrongHold SMP18A-3X Adhesive Backed Cable Tie Mounts are a dependable method for securing wires an	C	100	\$	19.54
61305677693	<b>SMP18A-3X0</b>	Adhesive Back Mount, 1-1/8" x 1-1/8" x 5	StrongHold SMP18A-3X0 Adhesive Backed Cable Tie Mounts are a dependable method for securing wires a	C	100	\$	19.54
61305677685	<b>SMP18A-C</b>	Adhesive Back Mount, 1-1/8" x 1-1/8" x 5	StrongHold SMP18A-C Adhesive Backed Cable Tie Mounts are a dependable method for securing wires and	C	100	\$	17.58
61305677694	<b>SMP18A-C0</b>	Adhesive Back Mount, 1-1/8" x 1-1/8" x 5	StrongHold SMP18A-C0 Adhesive Backed Cable Tie Mounts are a dependable method for securing wires an	C	100	\$	17.58
61305677686	<b>SMP18A-M</b>	Adhesive Back Mount, 1-1/8" x 1-1/8" x 5	StrongHold SMP18A-M Adhesive Backed Cable Tie Mounts are a dependable method for securing wires and	C	100	\$	15.20
61305677695	<b>SMP18A-M0</b>	Adhesive Back Mount, 1-1/8" x 1-1/8" x 5	StrongHold SMP18A-M0 Adhesive Backed Cable Tie Mounts are a dependable method for securing wires an	C	100	\$	15.20
07498358049	<b>SMS-A-C</b>	CableTieMnt, Snap-In, Adh, WH, PK100	The snap-in cable tie mount in white is applied with rubber adhesive tape. It is made of ABS for indoor environ	C	100	\$	255.79
07498358008	<b>SMS-A-C14</b>	CableTieMnt, Snap-In, Adh, GRY, PK100	The snap-in cable tie mount in gray is applied with rubber adhesive tape. It is made of ABS for indoor environ	C	100	\$	276.01
07498358007	<b>SMS-A-C15</b>	CableTieMnt, Snap-In, Adh, IV, PK100	The snap-in cable tie mount in ivory is applied with rubber adhesive tape. It is made of ABS for indoor environ	C	100	\$	270.78
07498357998	<b>SMS-A-D</b>	CableTieMnt, Snap-In, Adh, WH, PK500	The snap-in cable tie mount in white is applied with rubber adhesive tape. It is made of ABS for indoor environ	M	1000	\$	1,351.49
07498358957	<b>SMS-A-D14</b>	CableTieMnt, Snap-In, Adh, GRY, PK500	The snap-in cable tie mount in gray is applied with rubber adhesive tape. It is made of ABS for indoor environ	M	1000	\$	1,301.43
07498358009	<b>SMS-A-D15</b>	CableTieMnt, Snap-In, Adh, IV, PK500	Panduit SMS-A-D15 Snap-In Cable Mounts eliminate protruding tie heads and facilitate one hand tie threading	M	1000	\$	1,254.09
07498357999	<b>SMS-S6-D</b>	CableTieMnt, Snap-In, #6Screw, WH, PK500	The snap-in cable tie mount in ivory is applied with user-supplied adhesive or two #6 (M3) screws. It is made	M	1000	\$	1,013.56
07498352539	<b>SNS.75-C</b>	SnapClip MTG BKT , .75"W NE Duct,100pcs	Product@ snap-clip mounting bracket - type NE wiring duct, #6-32 x 1/4 (user supplied) screw required, 0.75"	C	100	\$	150.55
07498325241	<b>SNS1-C</b>	SnapClip MTG BKT , 1"W NE Duct,100pcs	Product@ snap-clip mounting bracket - type NE wiring duct, #6-32 x 1/4 (user supplied) screw required, 1.00"	C	100	\$	157.06
07498325243	<b>SNS1.5-C</b>	SnapClip MTG BKT , 1.5"W NE Duct,100pcs	Product@ snap-clip mounting bracket - type NE wiring duct, #6-32 x 1/4 (user supplied) screw required, 1.50"	C	100	\$	175.95
07498325245	<b>SNS2-C</b>	SnapClip MTG BKT , 2"W NE Duct,100pcs	Product@ snap-clip mounting bracket - type NE wiring duct, #6-32 x 1/4 (user supplied) screw required, 2.00"	C	100	\$	208.84
07498343619	<b>SOC2ST17-M30</b>	SnapOnClipw/2Stud,PK1000	Snap on Clip, Nylon 6.6, High Temperature, Black, Bulk Package	M	1000	\$	407.75
07498371643	<b>SP1-1/0-L</b>	Service Post connector,male,1cable,50PK	Bronze, service post connectors, #6 SOL-1/0 STR, male, one cable, type SP1.	C	100	\$	7,934.78
07498371644	<b>SP1-1/0L-L</b>	Service Post Conn, #6 SOL-1/0 STR,50PK	Bronze, service post connectors, #6 SOL-1/0 STR, stud length 1.25",male, one cable, type SP1.	C	100	\$	8,327.98
07498371641	<b>SP1-2-C</b>	Service Post Conn,#4STR-#2STR,100PK	Bronze, service post connectors, #4STR-#2STR, male, one cable, type SP1.	C	100	\$	5,344.25
07498371645	<b>SP1-2/0-Q</b>	Service Post,Bronze,2/0,25PK	The SP1-2/0-Q Service Post Grounding Connector is designed for grounding one copper code conductor to s	C	100	\$	10,379.01
07498371646	<b>SP1-2/0L-Q</b>	Service Post Conn, #1 SOL-2/0 STR,25PK	Bronze, service post connectors, #1 SOL-2/0 STR, stud length 1.25", male, one cable, type SP1.	C	100	\$	10,898.05



07498371642	SP1-2L-C	Service Post Conn, 4 STR-#2 STR,100PK	Bronze, service post connectors, #4 STR-#2 STR, male, one cable, type SP1.	C	100	\$	5,893.83
07498371639	SP1-3-C	Service Post Conn, #6 SOL-#3 STR,100PK	Bronze, service post connectors, #6 SOL-#3 STR, male, one cable, type SP1.	C	100	\$	5,076.59
07498371649	SP1-350-12	ServicePostConn,4/0STR-350kcmil,12PK	Bronze, service post connectors, 4/0 STR-350 kcmil, male, one cable, type SP1.	C	100	\$	27,363.83
07498371650	SP1-350L-12	ServicePostConn,4/0STR-350kcmil,1.5,12PK	Bronze, service post connectors, 4/0 STR-350 kcmil, stud length 1.50", male, one cable, type SP1.	C	100	\$	30,098.45
07498371640	SP1-3L-C	Service Post Conn,#6 SOL-#3 STR,100PK	Bronze, service post connectors, #6 SOL-#3 STR, stud length 1.13", male, one cable, type SP1.	C	100	\$	5,602.94
07498371637	SP1-4-C	Service Post Conn,10 SOL-#4 STR,100PK	Bronze, service post connectors, #10 SOL-#4 STR, male, one cable, type SP1.	C	100	\$	3,356.66
07498371647	SP1-4/0-Q	Service Post Conn,3/0 SOL-4/0 STR,25PK	Bronze, service post connectors, 3/0 SOL-4/0 STR, male, one cable, type SP1.	C	100	\$	15,857.74
07498371648	SP1-4/0L-Q	Service Post Conn,3/0 SOL-4/0 STR,25PK	Bronze, service post connectors, 3/0 SOL-4/0 STR, stud length 1.50", male, one cable, type SP1.	C	100	\$	16,653.45
07498371638	SP1-4L-C	Service Post Conn, #10 SOL-#4 STR, 100PK	The SP1-4L-C Service Post Grounding Lug is designed for grounding one copper code conductor to steel str	C	100	\$	3,355.08
07498371651	SP1-500-12	ServicePostConn,250-500kcmil,12PK	Bronze, service post connectors, male, 250-500 kcmil, one cable, type SP1.	C	100	\$	32,076.30
07498371652	SP1-500L-12	ServicePostConn,250-500kcmil,1.75",12PK	Bronze, service post connectors, 250-500 kcmil, stud length 1.75", male, one cable, type SP1.	C	100	\$	35,354.71
07498371635	SP1-7-C	ServicePostConn,#8SOL-#7STR,100PK	Bronze, service post connectors, #8 SOL-#7 STR, male, one cable, type SP1.	C	100	\$	3,083.46
07498371636	SP1-7L-C	ServicePostConn,#8SOL-#7STR,1",100PK	Bronze, service post connectors, #8 SOL-#7 STR, stud length 1.00", male, one cable, type SP1.	C	100	\$	3,232.81
07498371633	SP1-8-C	ServicePostConn,#12SOL-#8STR,100PK	Bronze, service post connectors, #12 SOL-#8 STR, male, one cable, type SP1.	C	100	\$	2,528.61
07498371634	SP1-8L-C	ServicePostConn,#12SOL-#8STR,1",100PK	Bronze, service post connectors, #12 SOL-#8 STR, stud length 1.00", male, one cable, type SP1.	C	100	\$	2,652.61
07498373528	SP2-1/0-L	Service post,2sol-1/0str,male,50pk	Bronze, service post connector, 2 SOL-1/0 STR, male, two cable, type SP2.	C	100	\$	8,744.66
07498371668	SP2-1/0L-L	Service Post,2 SOL-1/0 STR,long, 50pk	Bronze, service post connector, 2 SOL-1/0 STR, stud length 1.25", male, two cable, type SP2.	C	100	\$	9,188.06
07498371665	SP2-2-C	Service Post,10 SOL-2 STR,male, 100pk	The SP2-2-C Service Post Grounding Lug is designed for grounding two copper code conductors to steel stru	C	100	\$	5,613.16
07498371670	SP2-2/0-Q	Service Post,2 SOL-2/0 STR, male,25pk	The SP2-2/0-Q Service Post Grounding Lug is designed for grounding two copper code conductors to steel s	C	100	\$	10,420.71
07498371671	SP2-2/0L-Q	Service Post,2 SOL-2/0 STR,long,25pk	The SP2-2/0L-Q Service Post Grounding Lug is designed for grounding two copper code conductors to steel	C	100	\$	10,941.96
07498371666	SP2-2L-C	Service Post,10 SOL-2 STR,long,100pk	The SP2-2L-C Service Post Grounding Lug is designed for grounding two copper code conductors to steel st	C	100	\$	5,896.90
07498371663	SP2-3-C	Service Post,10 SOL-#3 STR,male,100pk	Bronze, service post connector, #10 SOL-#3 STR, male, two cable, type SP2.	C	100	\$	5,611.45
07498371674	SP2-350-12	Service Post,1 STR-350 kcmil,male,12pk	Bronze, service post connector, #1 STR-350 kcmil, male, two cable, type SP2.	C	100	\$	28,728.59
07498371675	SP2-350L-12	Service Post,1 STR-350 kcmil,long,12pk	Bronze, service post connector, #1 STR-350 kcmil, stud length 1.50", male, two cable, type SP2.	C	100	\$	36,116.44
07498371664	SP2-3L-C	Service Post,10 SOL-#3 STR,long,100pk	Bronze, service post connector, #10 SOL-#3 STR, stud length 1.13", male, two cable, type SP2.	C	100	\$	5,893.83
07498371661	SP2-4-C	Service Post,10 SOL-4 STR, male,100pk	Bronze, service post connector, #10 SOL-#4 STR, male, two cable, type SP2.	C	100	\$	3,743.10
07498371672	SP2-4/0-Q	Service Post,1 SOL-4/0 STR, male,25pk	The SP2-4/0-Q Service Post Grounding Lug is designed for grounding two copper code conductors to steel s	C	100	\$	16,570.61
07498371673	SP2-4/0L-Q	Service Post,1 SOL-4/0 STR,long,25pk	Bronze, service post connector, 1 SOL-4/0 STR, stud length 1.50", male, two cable, type SP2.	C	100	\$	18,261.76
07498371662	SP2-4L-C	Service Post,Bronze,4 Long,100PK	Bronze, service post connector, #10 SOL-#4 STR, stud length 1.00", male, two cable, type SP2.	C	100	\$	3,402.81
07498371676	SP2-500-12	Service Post,3/0STR-500 kcmil,male,12pk	Bronze, service post connector, male, two cable, type SP2. 3/0 STR - 500 kcmil.	C	100	\$	42,401.58
07498371677	SP2-500L-12	Service Post,3/0STR-500 kcmil,long,12pk	Bronze, service post connector, male, two cable, type SP2. 3/0 STR - 500 kcmil, long.	C	100	\$	40,471.74
07498371659	SP2-7-C	Service Post,10 SOL-#7 STR,male,100pk	Bronze, service post connector, male, two cable, type SP2. #10 SOL - #7 STR	C	100	\$	3,232.81
07498371660	SP2-7L-C	Service Post,10 SOL-#7 STR,long,100pk	Bronze, service post connector, male, two cable, type SP2. #10 SOL - #7 STR, long.	C	100	\$	3,390.54
07498371657	SP2-8-C	Service Post,12 SOL-#8 STR,male,100pk	Bronze, service post connector, male, two cable, type SP2. #12 SOL - #8 STR.	C	100	\$	2,828.65
07498371658	SP2-8L-C	Service Post,12 SOL-#8 STR,long,100pk	Bronze, service post connector, male, two cable, type SP2. #12 SOL - #8 STR, long.	C	100	\$	2,801.59
07498371684	SPF1-4-C	Service Post,SOL-#4 STR, fem.,100pk	Bronze, service post connector, female, one cable, type SPF1. #8 SOL - #4 STR.	C	100	\$	3,227.88
07498371689	SPF1-4/0-Q	Service Post,1/0 STR-4/0STR, fem.,25pk	Bronze, service post connector, female, one cable, type SPF1. 1/0 STR - 4/0 STR.	C	100	\$	15,261.61
07498371697	SPF2-3-C	Service Post,10 SOL-#3 STR, fem.,100pk	Bronze, service post connector, female, two cables, type SPF2. #10 SOL - #3 STR.	C	100	\$	5,659.65
07498371696	SPF2-4-C	Service Post,10 SOL-#4 STR, fem.,100pk	The SPF2-4-C Service Post Grounding Connector is designed for grounding two copper code conductors to s	C	100	\$	3,677.30
07498360768	SR-0-XY	Splicer/Rdr,AI,DualRatd,#14,1/0A,#14,PK10	Splicer/reducer, aluminum, dual rated, type SR, #14 - 1/0 AWG STR, #14 - #10 AWG SOL.	C	100	\$	1,537.18
07498360769	SR-1000-1Y	Splicer/Reducer,AI,500-1000kcmilPKG10	Splicer/reducer, aluminum, dual rated, type SR, 500 - 1000 kcmil.	C	100	\$	20,928.49
07498360771	SR-2-XY	Splicer/Rdr,AI,DualRatd,#14-#2A,#14,PK10	Splicer/reducer, aluminum, dual rated, type SR, #14 - #2 AWG, #14 - #10 AWG SOL.	C	100	\$	1,120.05
07498360770	SR-250-XY	Splicer/Reducer,AI,#6AWG-250kcmilPKG10Y	Splicer/reducer, aluminum, dual rated, type SR, #6 AWG - 250 kcmil.	C	100	\$	3,727.96
07498360772	SR-350-XY	Splicer/Reducer,AI,#6AWG-350kcmilPKG10Y	Splicer/reducer, aluminum, dual rated, type SR, #6 AWG - 350 kcmil.	C	100	\$	4,227.79
07498360773	SR-4/0-XY	Splicer/Reducer,AI,#6-4/0AWGPKG10Y	Splicer/reducer, aluminum, dual rated, type SR, #6 - 4/0 AWG.	C	100	\$	2,901.66
07498386250	SR2	Two-Drawer Slide Rack,EA	2-drawer slide rack to hold K-504 cable tie kit or K-1000 series terminal kit.Dimensions: 6.25 High x 15.25 Wi	PC	1	\$	320.79
61305625831	SR8-50-C	StrongHold,Rel(Cb)Tie,7.87,Std,Nat,PK100	StrongHold™ Cable Tie, Releasable, 7.87L (200mm), Standard, Nylon, Natural, Package 100	C	100	\$	6.10
61305625910	SR8-50-C0	StrongHold,Rel(Cb)Tie,7.87,Std,WRBL,PK100	StrongHold™ Cable Tie, Releasable, 7.87L (200mm), Standard, Weather Resistant, Black, Package 100	C	100	\$	7.24
07498350241	SSB2S-M	DoubleLoopTie,2PC,6.8L,Std,Nyl,Nat,PK1000	Sta-Strap® Bow-Ty™ cable ties, standard cross section, 6.8 (172mm) length, nylon 6.6, natural, bulk packag	M	1000	\$	472.30
07498357043	SSB2S-M0	DoubleLoopTie,2PC,6.8L,Std,WR,BL,PK1000	Sta-Strap® Bow-Ty™ cable ties, standard cross section, 6.8 (172mm) length, weather resistant nylon 6.6, bla	M	1000	\$	570.95
61305625732	SSBOLT50100-C	Stainless Steel,1/2-13 X 1" HEX HEAD BOLT	Stainless Steel, 1/2-13 X 1" HEX HEAD BOLT	C	100	\$	562.78
61305625733	SSBOLT50125-C	Stainless Steel,1/2-13 X 1 1/4" HEX HEAD BOLT	Stainless Steel, 1/2-13 X 1 1/4" HEX HEAD BOLT	C	100	\$	660.63
61305625736	SSBOLT50200-C	Stainless Steel,1/2-13 X 2" HEX HEAD BOLT	Stainless Steel, 1/2-13 X 2" HEX HEAD BOLT	C	100	\$	1,328.76
61305625731	SSBOLT5075-C	Stainless Steel,1/2-13 X 3/4" HEX HEAD B	Stainless Steel, 1/2-13 X 3/4" HEX HEAD BOLT	C	100	\$	538.30
07498352009	SSC2S-S10-C	ClampTie,2-Pc,Std,7.4in,#10,Nat,PK100	Sta-Strap® clamp tie, standard cross section, #10 (M5) screw, 7.4 (187mm) length, nylon 6.6, natural, standa	C	1000	\$	55.11
07498352011	SSC2S-S10-M	ClampTie,2-Pc,Std,7.4in,#10,Nat,PK1000	Panduit SSC2S-S10-M Sta-Strap® Clamp Ties are used to secure cable bundles to another surface such as	M	1000	\$	396.23
07498357082	SSC2S-S10-M0	ClampTie,2-Pc,Std,7.4in,#10,Bk,PK1000	Sta-Strap® clamp tie, standard cross section, #10 (M5) screw, 7.4 (187mm) length, weather resistant nylon 6	M	1000	\$	516.33
07498357089	SSC2S-S10-M30	ClampTie,2-Pc,Std,7.4in,#10,HS,Bk,PK1000	Sta-Strap® clamp tie, standard cross section, #10 (M5) screw, 7.4 (187mm) length, heat stabilized nylon 6.6,	M	1000	\$	475.51
07498352001	SSC2S-S6-M	ClTie,2PC,7.4L,#6Sc,Std,Nyl,Nat,PK1000	Sta-Strap® clamp tie, standard cross section, #6 (M3) screw, 7.4 (187mm) length, nylon 6.6, natural, bulk pa	M	1000	\$	396.23
07498357120	SSC2S-S6-M0	ClTie,2PC,7.4L,#6Sc,Std,WR,BL,PK1000	Sta-Strap® clamp tie, standard cross section, #6 (M3) screw, 7.4 (187mm) length, weather resistant nylon 6.	M	1000	\$	542.15
07498352041	SSC4H-S25-D	ClTie,2PC,15.6L,1/4Sc,LH,Nyl,Nat,PK500	Sta-Strap® clamp tie, light-heavy cross section, 1/4 (M6) screw, 15.6 (395mm) length, nylon 6.6, natural, bulk	M	1000	\$	1,376.81
07498357147	SSC4H-S25-D0	ClTie,2PC,15.6L,1/4Sc,LH,WR,BL,PK500	Sta-Strap® clamp tie, light-heavy cross section, 1/4 (M6) screw, 15.6 (395mm) length, weather resistant nyl	M	1000	\$	1,662.65
07498352039	SSC4H-S25-L	ClTie,2PC,15.6L,1/4Sc,LH,Nyl,Nat,PK500	Sta-Strap® clamp tie, light-heavy cross section, 1/4 (M6) screw, 15.6 (395mm) length, nylon 6.6, natural, stan	C	100	\$	177.48
07498310506	SSCW14-C	Mounting Hardware,1/4Belville Washer,100PK	Stainless steel mounting hardware, 1/4" stainless steel Belleville washers (locking).	C	100	\$	400.84
07498310507	SSCW38-C	Mounting Hardware,3/8Belville Washer,100PK	Stainless steel mounting hardware, 3/8" stainless steel Belleville washers (locking).	C	100	\$	556.76
07498310508	SSFW14-C	Mounting Hardware,1/4 Flat Washer,100PK	Stainless steel mounting hardware, 1/4" stainless steel flat washers.	C	100	\$	133.95
07498310509	SSFW38-C	Mounting Hardware,3/8 Flat Washer,100PK	Stainless steel mounting hardware, 3/8" stainless steel flat washers.	C	100	\$	171.68
61305626027	SSFW50-C	STAINLESS STEEL, 1/2 FLAT WASHER	Stainless Steel, 1/2 FLAT WASHER	C	100	\$	148.05
07498366517	SSGK-1	Kit, Surge Suppressor, #10 AWG, 24" L, EA	#10 AWG (6mm²) jumper; 24 (61m) length; factory terminated on both ends; one-hole lug on surge suppress	KT	1	\$	66.14
07498352499	SSM2S-C	MarkerTie,Wrap,2-Pc,Std,6.7in,Nat,PK100	Sta-Strap® marker tie, flag/wrap, releasable, standard cross section, 6.7 (170mm) length, nylon 6.6, natural,	C	100	\$	112.26
07498352501	SSM2S-D	MarkerTie,Wrap,2-Pc,Std,6.7in,Nat,PK500	Sta-Strap® marker tie, flag/wrap, releasable, standard cross section, 6.7 (170mm) length, nylon 6.6, natural,	M	1000	\$	647.28
07498357271	SSM2S-D0	MkrTie,2PC,6.7L,Std,WR,BL,PK500	Sta-Strap® marker tie, flag/wrap, releasable, standard cross section, 6.7 (170mm) length, weather resistant n	M	1000	\$	972.05
61305678663	SSM2S6-3X	StrongHold 0.43" Wide #6 (M3) Screw Appl	StrongHold SSM2S6-3X screw applied cable tie have a unique design that provides maximum stability for cab	C	100	\$	34.51
61305678664	SSM2S6-3X0	StrongHold 0.43" Wide #6 (M3) Screw Appl	StrongHold SSM2S6-3X0 screw applied cable tie have a unique design that provides maximum stability for ca	C	100	\$	57.49
61305678657	SSM2S6-C	StrongHold 0.43" Wide #6 (M3) Screw Appl	StrongHold SSM2S6-C screw applied cable tie have a unique design that provides maximum stability for cabl	C	100	\$	26.73
61305678658	SSM2S6-C0	StrongHold 0.43" Wide #6 (M3) Screw Appl	StrongHold SSM2S6-C0 screw applied cable tie have a unique design that provides maximum stability for cabl	C	100	\$	44.53
61305678650	SSM2S6-M	StrongHold 0.43" Wide #6 (M3) Screw Appl	StrongHold SSM2S6-M screw applied cable tie have a unique design that provides maximum stability for cabl	C	100	\$	19.00

61305678651	<b>SSM2S6-M0</b>	StrongHold 0.43" Wide #6 (M3) Screw Appl	StrongHold SSM2S6-M0 screw applied cable tie have a unique design that provides maximum stability for ca	C	100	\$	29.14
61305678665	<b>SSM3S8-3X</b>	StrongHold 0.61" Wide #8 (M4) Screw Appl	StrongHold SSM3S8-3X screw applied cable tie have a unique design that provides maximum stability for cab	C	100	\$	40.06
61305678666	<b>SSM3S8-3X0</b>	StrongHold 0.61" Wide #8 (M4) Screw Appl	StrongHold SSM3S8-3X0 screw applied cable tie have a unique design that provides maximum stability for cab	C	100	\$	40.06
61305678659	<b>SSM3S8-C</b>	StrongHold 0.61" Wide #8 (M4) Screw Appl	StrongHold SSM3S8-C screw applied cable tie have a unique design that provides maximum stability for cabl	C	100	\$	26.70
61305678660	<b>SSM3S8-C0</b>	StrongHold 0.61" Wide #8 (M4) Screw Appl	StrongHold SSM3S8-C0 screw applied cable tie have a unique design that provides maximum stability for ca	C	100	\$	26.70
61305678655	<b>SSM3S8-M</b>	StrongHold 0.61" Wide #8 (M4) Screw Appl	StrongHold SSM3S8-M screw applied cable tie have a unique design that provides maximum stability for cabl	C	100	\$	21.71
61305678656	<b>SSM3S8-M0</b>	StrongHold 0.61" Wide #8 (M4) Screw Appl	StrongHold SSM3S8-M0 screw applied cable tie have a unique design that provides maximum stability for ca	C	100	\$	23.74
07498352521	<b>SSM4S-D</b>	MrkTie,14.9L,Std,Nyl,Nat,PK500	Stia-Strap® marker tie, flag/wrap, releasable, standard cross section, 14.9 (378mm) length, nylon 6.6, natural	M	1000	\$	2,721.14
61305678667	<b>SSMLP-3X</b>	StrongHold 0.50" Wide #8 (M4) Screw Appl	StrongHold SSMLP-3X low profile screw applied cable tie mounts are an ideal solution for applications where	C	100	\$	43.50
61305678661	<b>SSMLP-C</b>	StrongHold 0.50" Wide #8 (M4) Screw Appl	StrongHold SSMLP-C low profile screw applied cable tie mounts are an ideal solution for applications where s	C	100	\$	29.00
61305678519	<b>SSMLP-M</b>	StrongHold 0.50" Wide #8 (M4) Screw Appl	StrongHold SSMLP-M low profile screw applied cable tie mounts are an ideal solution for applications where s	C	100	\$	19.44
61305678654	<b>SSMTA-C</b>	StrongHold 0.38" Wide #8 (M4) Screw Appl	StrongHold SSMTA-C 4-way screw applied cable tie mounts allow cable tie entry from all four sides. With a lo	C	100	\$	9.13
61305678203	<b>SSMTA-M</b>	StrongHold 0.38" Wide #8 (M4) Screw Appl	StrongHold SSMTA-M 4-way screw applied cable tie mounts allow cable tie entry from all four sides. With a lo	C	100	\$	7.08
07498310510	<b>SSN1420-C</b>	Mounting hardware,SS,1/4 nut,100PK	Stainless steel mounting hardware, 1/4" stainless steel nuts.	C	100	\$	66.61
07498310511	<b>SSN3816-C</b>	Mounting hardware,SS,3/8 nut,100PK	Stainless steel mounting hardware, 3/8" stainless steel nuts.	C	100	\$	96.53
07498310504	<b>SSNTS1420-C</b>	Mounting hardware,SS,1/4 bolt,100PK	Stainless steel mounting hardware, 1/4" stainless steel bolts.	C	100	\$	156.91
07498310512	<b>SSNTS3816-C</b>	Mounting hardware,SS,3/8 bolt,100PK	Stainless steel mounting hardware, 3/8" stainless steel bolts.	C	100	\$	217.94
61305625995	<b>SSNUT50-C</b>	STAINLESS STEEL, 1/2-13 HEX NUT	Stainless Steel, 1/2-13 HEX NUT	C	100	\$	169.68
07498320218	<b>SSPM2.5H-L300</b>	StaStrapTie,HSWR NYL,NoCP,LTH,10,BLK,50	Sta-Strap® Cable Ties have a unique design that ties directly to a chassis or panel without separate fasteners	M	1000	\$	149.84
07498320227	<b>SSPM2.5H-TL300</b>	StaStrapTie,HSWRNYL,NoCP,LTH,10,BLK,250	Sta-Strap® Cable Ties have a unique design that ties directly to a chassis or panel without separate fasteners	M	1000	\$	1,074.84
07498322374	<b>SSPM2.5HP-TL300</b>	StaStrapTie,HSWR NYL,CP,LTH,10,BLK,P250	Sta-Strap® Cable Ties have a unique design that ties directly to a chassis or panel without separate fasteners	M	1000	\$	1,074.84
07498320219	<b>SSPM4H-L300</b>	StaStrapTie,HSWRNYL,NoCP,LTH,15,BLK,P50	Sta-Strap® Cable Ties have a unique design that ties directly to a chassis or panel without separate fasteners	C	100	\$	191.21
07498320228	<b>SSPM4H-TL300</b>	StaStrapTie,HSWRNYL,NoCP,LTH,15,BLK,250	Sta-Strap® Cable Ties have a unique design that ties directly to a chassis or panel without separate fasteners	M	1000	\$	1,362.18
07498354910	<b>SSPM4HLP-TL300</b>	StaStrapTie,HSWR NYL,LCP,LTH,15,BLK,250	Sta-Strap® Cable Ties have a unique design that ties directly to a chassis or panel without separate fasteners	M	1000	\$	1,362.18
07498322376	<b>SSPM4HP-TL300</b>	StaStrapTie,HSWR NYL,CP,LTH,15,BLK,P250	Sta-Strap® Cable Ties have a unique design that ties directly to a chassis or panel without separate fasteners	M	1000	\$	1,297.30
07498350042	<b>SST1.5I-C</b>	CTie,2PC,5.3L,Intm,Nyl,Nat,PK100	Sta-Strap® cable tie, releasable, intermediate cross section, 5.3 (137mm) length, nylon 6.6, natural, standard	C	100	\$	26.61
07498350044	<b>SST1.5I-M</b>	CTie,2PC,5.3L,Intm,Nyl,Nat,PK1000	Sta-Strap® cable tie, releasable, intermediate cross section, 5.3 (137mm) length, nylon 6.6, natural, bulk pac	M	1000	\$	100.80
07498350045	<b>SST1.5I-M0</b>	CTie,2PC,5.3L,Intm,WR,BL,PK1000	Sta-Strap® cable tie, releasable, intermediate cross section, 5.3 (137mm) length, weather resistant nylon 6.6,	M	1000	\$	133.98
07498350021	<b>SST1.5M-M</b>	CableTie,2-Pc,Min,5.5in,Nat,PK1000	Panduit SST1.5M-M Sta-Strap® cable ties offer an exclusive two-piece design providing the lowest threading	M	1000	\$	96.18
07498350034	<b>SST1.5M-M0</b>	CTie,2PC,5.5L,Mini,WR,BL,PK1000	Sta-Strap® cable tie, releasable, miniature cross section, 5.5 (140mm) length, weather resistant nylon 6.6, bl	M	1000	\$	144.70
07498357400	<b>SST1.5M-M20</b>	CTie,2PC,5.5L,Mini,Nyl,BL,PK1000	Sta-Strap® cable tie, releasable, miniature cross section, 5.5 (140mm) length, nylon 6.6, black.	M	1000	\$	112.13
07498350002	<b>SST1M-C</b>	CTie,2PC,4L,Mini,Nyl,Nat,PK100	Sta-Strap® cable tie, releasable, miniature cross section, 4.0 (102mm) length, nylon 6.6, natural, standard pa	C	100	\$	22.06
07498350005	<b>SST1M-M</b>	CableTie,2-Pc,Min,4in,Nat,PK1000	Panduit SST1M-M Sta-Strap® cable ties offer an exclusive two-piece design providing the lowest threading fo	M	1000	\$	65.19
07498350006	<b>SST1M-M0</b>	CTie,2PC,4L,Mini,WR,BL,PK1000	Sta-Strap® cable tie, releasable, miniature cross section, 4.0 (102mm) length, weather resistant nylon 6.6, bl	M	1000	\$	100.23
07498357511	<b>SST1M-M30</b>	CTie,2PC,4L,Mini,HS,BL,PK1000	Sta-Strap® cable tie, releasable, miniature cross section, 4.0 (102mm) length, heat stabilized nylon 6.6, black	M	1000	\$	80.95
07498350001	<b>SST1M-MP</b>	CTiesinaBox,2PC,4L,M,Nyl,Nat,PK1000	Sta-Strap® cable tie box, releasable, miniature cross section, 4.0 (102mm) length, nylon 6.6, natural.	M	1000	\$	119.49
07498350061	<b>SST2H-D</b>	CTie,2PC,8L,LH,Nyl,Nat,PK500	Sta-Strap® cable tie, releasable, light-heavy cross section, 8.0 (203mm) length, nylon 6.6, natural.	M	1000	\$	653.16
07498357540	<b>SST2H-DD</b>	CTie,2PC,8L,LH,WR,BL,PK500	Sta-Strap® cable tie, releasable, light-heavy cross section, 8.0 (203mm) length, weather resistant nylon 6.6,	M	1000	\$	715.45
07498333613	<b>SST2HH-D30</b>	CTie,HHd,2PC,8L,LH,HS,BL,PK500	Sta-Strap® cable tie, releasable, heavy head design, light-heavy cross section, 8.0 (203mm) length, heat sta	M	1000	\$	887.31
07498350081	<b>SST2I-M</b>	CTie,2PC,8.1L,Intm,Nyl,Nat,PK1000	Sta-Strap® cable tie, releasable, intermediate cross section, 8.1 (206mm) length, nylon 6.6, natural, bulk pac	M	1000	\$	128.19
07498357612	<b>SST2I-M0</b>	CTie,2PC,8.1L,Intm,WR,BL,PK1000	Sta-Strap® cable tie, releasable, intermediate cross section, 8.1 (206mm) length, weather resistant nylon 6.6,	M	1000	\$	186.33
07498357617	<b>SST2I-M20</b>	CTie,2PC,8.1L,Intm,Nyl,BL,PK1000	Sta-Strap® cable tie, releasable, intermediate cross section, 8.1 (206mm) length, nylon 6.6, black.	M	1000	\$	167.25
07498350102	<b>SST2S-C</b>	CTie,2PC,6.7L,Std,Nyl,Nat,PK100	Sta-Strap® cable tie, releasable, standard cross section, 6.7 (172mm) length, nylon 6.6, natural, standard pa	C	100	\$	32.50
07498350103	<b>SST2S-C0</b>	CTie,2PC,6.7L,Std,WR,BL,PK100	Sta-Strap® cable tie, releasable, standard cross section, 6.7 (172mm) length, weather resistant nylon 6.6, bla	C	100	\$	37.91
07498350105	<b>SST2S-M</b>	CableTie,2-Pc,Std,6.7in,Nat,PK1000	Sta-Strap® cable tie, releasable, standard cross section, 6.7 (172mm) length, nylon 6.6, natural, bulk packag	M	1000	\$	135.23
07498350106	<b>SST2S-M0</b>	CTie,2PC,6.7L,Std,WR,BL,PK1000	Sta-Strap® cable tie, releasable, standard cross section, 6.7 (172mm) length, weather resistant nylon 6.6, bla	M	1000	\$	153.76
07498357669	<b>SST2S-M30</b>	CTie,2PC,6.7L,Std,HS,BL,PK1000	Sta-Strap® cable tie, releasable, standard cross section, 6.7 (172mm) length, heat stabilized nylon 6.6, black	M	1000	\$	170.28
07498350121	<b>SST3I-M</b>	CTie,2PC,11L,Intm,Nyl,Nat,PK1000	Sta-Strap® cable tie, releasable, intermediate cross section, 11.0 (279mm) length, nylon 6.6, natural, bulk pa	M	1000	\$	269.64
07498357713	<b>SST3I-M0</b>	CTie,2PC,11L,Intm,WR,BL,PK1000	Sta-Strap® cable tie, releasable, intermediate cross section, 11.0 (279mm) length, weather resistant nylon 6.	M	1000	\$	392.54
07498350137	<b>SST3S-C0</b>	CTie,2PC,11L,Std,WR,BL,PK100	Sta-Strap® cable tie, releasable, standard cross section, 11.0 (279mm) length, weather resistant nylon 6.6, b	C	100	\$	77.68
07498350141	<b>SST3S-M</b>	CTie,2PC,11L,Std,Nyl,Nat,PK1000	Sta-Strap® cable tie, releasable, standard cross section, 11.0 (279mm) length, nylon 6.6, natural, bulk packa	M	1000	\$	351.64
07498357743	<b>SST3S-M0</b>	CableTie,2-Pc,Std,11in,WR,BI,PK1000	Sta-Strap® cable tie, releasable, standard cross section, 11.0 (279mm) length, weather resistant nylon 6.6, b	M	1000	\$	416.08
07498357751	<b>SST3S-M30</b>	CTie,2PC,11L,Std,HS,BL,PK1000	Sta-Strap® cable tie, releasable, standard cross section, 11.0 (279mm) length, heat stabilized nylon 6.6, blac	M	1000	\$	417.85
07498350201	<b>SST4H-D</b>	CableTie,2-Pc,Lt-Hvy,14.8in,Nat,PK500	Sta-Strap® cable tie, releasable, light-heavy cross section, 14.8 (376mm) length, nylon 6.6, natural, bulk pack	M	1000	\$	812.66
07498357884	<b>SST4H-DD</b>	CTie,2PC,14.8L,LH,WR,BL,PK500	Panduit SST4H-DD Sta-Strap® cable ties offer an exclusive two-piece design providing the lowest threading f	M	1000	\$	935.49
07498357793	<b>SST4H-D30</b>	CTie,2PC,14.8L,LH,HS,BL,PK500	Sta-Strap® cable tie, releasable, light-heavy cross section, 14.8 (376mm) length, heat stabilized nylon 6.6, bl	M	1000	\$	1,023.96
07498350203	<b>SST4H-L</b>	CTie,2PC,14.8L,LH,Nyl,Nat,PK500	Sta-Strap® cable tie, releasable, light-heavy cross section, 14.8 (376mm) length, nylon 6.6, natural, standard	C	100	\$	113.14
07498350204	<b>SST4H-L0</b>	CTie,2PC,14.8L,LH,WR,BL,PK50	Sta-Strap® cable tie, releasable, light-heavy cross section, 14.8 (376mm) length, weather resistant nylon 6.6,	C	100	\$	122.88
07498350212	<b>SST4HH-D30</b>	CTie,HHd,2PC,14.8L,LH,HS,BL,PK500	Sta-Strap® cable tie, releasable, heavy head design, light-heavy cross section, 14.8 (376mm) length, heat st	M	1000	\$	1,202.99
07498350161	<b>SST4I-M</b>	CTie,2PC,14.7L,Intm,Nyl,Nat,PK1000	Sta-Strap® cable tie, releasable, intermediate cross section, 14.7 (375mm) length, nylon 6.6, natural, bulk pa	M	1000	\$	421.05
07498357850	<b>SST4I-M0</b>	CTie,2PC,14.7L,Intm,WR,BL,PK1000	Sta-Strap® cable tie, releasable, intermediate cross section, 14.7 (375mm) length, weather resistant nylon 6.	M	1000	\$	587.90
07498350156	<b>SST4S-C</b>	CTie,2PC,15L,Std,Nyl,Nat,PK100	Sta-Strap® cable tie, releasable, standard cross section, 15.0 (381mm) length, nylon 6.6, natural, standard p	C	100	\$	77.30
07498350183	<b>SST4S-C0</b>	CTie,2PC,15L,Std,WR,BL,PK100	Sta-Strap® cable tie, releasable, standard cross section, 15.0 (381mm) length, weather resistant nylon 6.6, b	C	100	\$	83.96
07498350181	<b>SST4S-M</b>	CableTie,2-Pc,Std,15in,Nat,PK1000	Sta-Strap® cable tie, releasable, standard cross section, 15.0 (381mm) length, nylon 6.6, natural, bulk packa	M	1000	\$	390.90
07498350182	<b>SST4S-M0</b>	CableTie,2-Pc,Std,15in,WR,BI,PK1000	Sta-Strap® cable tie, releasable, standard cross section, 15.0 (381mm) length, weather resistant nylon 6.6, b	M	1000	\$	449.50
07498357888	<b>SST4S-M30</b>	CTie,2PC,15L,Std,HS,BL,PK1000	Sta-Strap® cable tie, releasable, standard cross section, 15.0 (381mm) length, heat stabilized nylon 6.6, blac	M	1000	\$	512.28
07498350221	<b>SST8H-D</b>	CTie,2PC,27.5L,LH,Nyl,Nat,PK500	Sta-Strap® cable tie, releasable, light-heavy cross section, 27.5 (699mm) length, nylon 6.6, natural, bulk pack	M	1000	\$	1,943.18
07498357918	<b>SST8H-DD</b>	CTie,2PC,27.5L,LH,WR,BL,PK500	Sta-Strap® cable tie, releasable, light-heavy cross section, 27.5 (699mm) length, weather resistant nylon 6.6,	M	1000	\$	2,087.91
07498357925	<b>SST8H-D30</b>	CTie,2PC,27.5L,LH,HS,BL,PK500	Sta-Strap® cable tie, releasable, light-heavy cross section, 27.5 (699mm) length, heat stabilized nylon 6.6, bl	M	1000	\$	2,448.36
07498350222	<b>SST8H-L</b>	CTie,2PC,27.5L,LH,Nyl,Nat,PK50	Sta-Strap® cable tie, releasable, light-heavy cross section, 27.5 (699mm) length, nylon 6.6, natural, standard	C	100	\$	258.75
07498350224	<b>SST8H-L0</b>	CTie,2PC,27.5L,LH,WR,BL,PK50	Sta-Strap® cable tie, releasable, light-heavy cross section, 27.5 (699mm) length, weather resistant nylon 6.6,	C	100	\$	283.44
61305618126	<b>ST-100</b>	Wire Stripping Tool ,EA	Self-Adjusting Wire and Cable Cutting and Stripping tool. Strips and cuts #32 AWG – 5 AWG (0.03 – 16mm <sup>2</sup> )	PC	1	\$	251.61
61305679356	<b>ST130-075-30BK</b>	Linerless High Voltage Rubber Tape	StrongHold ST130-075-30BK Rubber Insulating Tape is designed for high voltage jobs with a 130°C emergen	RL	1	\$	22.18
61305679357	<b>ST130-100-30BK</b>	Linerless High Voltage Rubber Tape	StrongHold ST130-100-30BK Rubber Insulating Tape is designed for high voltage jobs with a 130°C emergen	RL	1	\$	34.84
61305679358	<b>ST130-150-30BK</b>	Linerless High Voltage Rubber Tape	StrongHold ST130-150-30BK Rubber Insulating Tape is designed for high voltage jobs with a 130°C emergen	RL	1	\$	51.04
61305673265	<b>ST14-075-60BK</b>	General Purpose ST14 Black, .75" x 60' x	StrongHold ST14-075-60BK General Purpose PVC Electrical Tape has non-corrosive and pressure-sensitive	RL	1	\$	1.44
61305673267	<b>ST15-075-66GRYL</b>	General Purpose ST15 Green/Yellow, .75" x	StrongHold ST15-075-66GRYL General Purpose PVC Electrical Tape has non-corrosive and pressure-sensit	RL	1	\$	1.44

61305673257	<b>ST17-075-66BR</b>	General Purpose ST17 Brown, .75" x 66' x	StrongHold ST17-075-66BR General Purpose PVC Electrical Tape has non-corrosive and pressure-sensitive	RL	1	\$	1.44
61305673256	<b>ST17-075-66BU</b>	General Purpose ST17 Blue, .75" x 66' x	StrongHold ST17-075-66BU General Purpose PVC Electrical Tape has non-corrosive and pressure-sensitive	RL	1	\$	1.44
61305673259	<b>ST17-075-66GR</b>	General Purpose ST17 Green, .75" x 66' x	StrongHold ST17-075-66GR General Purpose PVC Electrical Tape has non-corrosive and pressure-sensitive	RL	1	\$	1.44
61305673258	<b>ST17-075-66GY</b>	General Purpose ST17 Gray, .75" x 66' x	StrongHold ST17-075-66GY General Purpose PVC Electrical Tape has non-corrosive and pressure-sensitive	RL	1	\$	1.44
61305673260	<b>ST17-075-66OR</b>	General Purpose ST17 Orange, .75" x 66'	StrongHold ST17-075-66OR General Purpose PVC Electrical Tape has non-corrosive and pressure-sensitive	RL	1	\$	1.44
61305673261	<b>ST17-075-66RD</b>	General Purpose ST17 Red, .75" x 66' x	StrongHold ST17-075-66RD General Purpose PVC Electrical Tape has non-corrosive and pressure-sensitive	RL	1	\$	1.44
61305673263	<b>ST17-075-66VI</b>	General Purpose ST17 Violet, .75" x 66'	StrongHold ST17-075-66VI General Purpose PVC Electrical Tape has non-corrosive and pressure-sensitive	RL	1	\$	1.44
61305673264	<b>ST17-075-66WH</b>	General Purpose ST17 White, .75" x 66' x	StrongHold ST17-075-66WH General Purpose PVC Electrical Tape has non-corrosive and pressure-sensitive	RL	1	\$	1.44
61305673262	<b>ST17-075-66YL</b>	General Purpose ST17 Yellow, .75" x 66'	StrongHold ST17-075-66YL General Purpose PVC Electrical Tape has non-corrosive and pressure-sensitive	RL	1	\$	1.44
61305679361	<b>ST1755-075-60BK</b>	Friction Tape	StrongHold ST1755-075-60BK Friction Tape is a mechanical tape for abrasion and cut-through protection and	RL	1	\$	9.66
61305679369	<b>ST2155-075-22BK</b>	Mid Grade Rubber Splicing Lined	StrongHold ST2155-075-22BK High Voltage Tape is made of ethylene propylene rubber (ERP) and is self -a	RL	1	\$	7.01
61305679364	<b>ST2200-650-400P</b>	Vinyl Mastic	StrongHold ST2200-650-400P Vinyl Mastic Tape is a self-fusing mastic compound secured to an all-weather	PK	1	\$	110.73
61305679365	<b>ST2210-400-10BK</b>	Vinyl Mastic	StrongHold ST2210-400-10BK Vinyl Mastic Tape is a self-fusing mastic compound secured to an all-weather	RL	1	\$	92.51
61305679366	<b>ST2226-375-10BK</b>	Insulating Mastic	StrongHold ST2226-375-10BK Insulating Mastic Tape is self-amalgamating and designed for insulating and s	RL	1	\$	67.28
61305679362	<b>ST2228-100-10BK</b>	Rubber Mastic	StrongHold ST2228-100-10BK Rubber Mastic Tape is a self-bonding mastic with an ethylene propylene rubbe	RL	1	\$	31.38
61305679363	<b>ST2228-200-10BK</b>	Rubber Mastic	StrongHold ST2228-200-10BK Rubber Mastic Tape is a self-bonding mastic with an ethylene propylene rubbe	RL	1	\$	48.79
61305679367	<b>ST2229-375P</b>	Insulating Mastic	StrongHold ST2229-375P Insulating Mastic Tape is self-amalgamating and designed for insulating and sealin	PK	1	\$	74.44
61305679359	<b>ST2242-075-15BK</b>	Linerless Mid Grade Rubber Splicing Tape	StrongHold ST2242-075-15BK Rubber Splice Tape easily conforms to irregular shapes and surfaces providin	RL	1	\$	11.06
61305679360	<b>ST2242-150-15BK</b>	Linerless Mid Grade Rubber Splicing Tape	StrongHold ST2242-150-15BK Rubber Splice Tape easily conforms to irregular shapes and surfaces providin	RL	1	\$	24.53
61305679368	<b>ST23-075-30BK</b>	High Voltage Rubber Tape with Liner	StrongHold ST23-075-30BK High Voltage Tape is made of ethylene propylene rubber (ERP) and is self -ama	RL	1	\$	24.89
07498376049	<b>ST2MT</b>	Tool,MLTTies, TwistCutOff, LH-SH,EA	The ST2MT Stainless Steel Cable Tie Tool is an easy and lightweight option for stainless steel cable tie instal	PC	1	\$	495.33
61305671586	<b>ST35-075-66BR</b>	Professional Grade ST35 Brown, .75" x 66'	StrongHold ST35-075-66BR Professional Grade PVC Electrical Tape is a pressure sensitive vinyl electrical ta	RL	1	\$	6.51
61305658034	<b>ST35-075-66BU</b>	Professional Grade ST35 Blue, .75" x 66'	StrongHold ST35-075-66BU Professional Grade PVC Electrical Tape is a pressure sensitive vinyl electrical ta	RL	1	\$	6.51
61305673236	<b>ST35-075-66GR</b>	Professional Grade ST35 Green, .75" x 66'	StrongHold ST35-075-66GR Professional Grade PVC Electrical Tape is a pressure sensitive vinyl electrical t	RL	1	\$	6.51
61305673235	<b>ST35-075-66GY</b>	Professional Grade ST35 Gray, .75" x 66'	StrongHold ST35-075-66GY Professional Grade PVC Electrical Tape is a pressure sensitive vinyl electrical ta	RL	1	\$	6.51
61305673237	<b>ST35-075-66OR</b>	Professional Grade ST35 Orange, .75" x 6'	StrongHold ST35-075-66OR Professional Grade PVC Electrical Tape is a pressure sensitive vinyl electrical t	RL	1	\$	6.51
61305658033	<b>ST35-075-66RD</b>	Professional Grade ST35 Red, .75" x 66'	StrongHold ST35-075-66RD Professional Grade PVC Electrical Tape is a pressure sensitive vinyl electrical ta	RL	1	\$	6.51
61305673238	<b>ST35-075-66VI</b>	Professional Grade ST35 Violet, .75" x 6'	StrongHold ST35-075-66VI Professional Grade PVC Electrical Tape is a pressure sensitive vinyl electrical ta	RL	1	\$	6.51
61305658035	<b>ST35-075-66WH</b>	Professional Grade ST35 White, .75" x 66'	StrongHold ST35-075-66WH Professional Grade PVC Electrical Tape is a pressure sensitive vinyl electrical t	RL	1	\$	6.51
61305673239	<b>ST35-075-66YL</b>	Professional Grade ST35 Yellow, .75" x 6'	StrongHold ST35-075-66YL Professional Grade PVC Electrical Tape is a pressure sensitive vinyl electrical ta	RL	1	\$	6.51
07498377000	<b>ST3EH</b>	Cable Tie Tool,LowVolume,LH-H,EH,EA	The cable tie tool in blue (handles) installs light-heavy, heavy, and extra-heavy cross-section cable ties. It feat	PC	1	\$	148.05
61305675550	<b>ST43-075-66BK</b>	Professional Grade ST43 Black, 0.75" x 6'	StrongHold ST43-075-66BK Professional Grade PVC Electrical Tape is a pressure sensitive vinyl electrical ta	RL	1	\$	6.85
61305601553	<b>ST4MT</b>	Tool,HTMLTies,CutOff,EH,EA	Installation tool for use with HTMLT. Manual tensioning controlled by operator. This tool has a built in cutting l	PC	1	\$	889.03
61305658036	<b>ST88-075-66BK</b>	Heavy Duty ST88 Black, .75" x 66' x .008	StrongHold ST88-075-66BK Heavy Duty PVC Electrical Tape is an all-weather, pressure sensitive vinyl electrc	RL	1	\$	7.60
61305673241	<b>ST88-100-108BK</b>	Heavy Duty ST88 Black, 1.00" x 108' x .0	StrongHold ST88-100-108BK Heavy Duty PVC Electrical Tape is an all-weather, pressure sensitive vinyl elec	RL	1	\$	14.01
61305673242	<b>ST88-150-66BK</b>	Heavy Duty ST88 Black, 1.50" x 66' x .0	StrongHold ST88-150-66BK Heavy Duty PVC Electrical Tape is an all-weather, pressure sensitive vinyl electrc	RL	1	\$	10.85
61305673243	<b>ST88-200-66BK</b>	Heavy Duty ST88 Black, 2.00" x 66' x .0	StrongHold ST88-200-66BK Heavy Duty PVC Electrical Tape is an all-weather, pressure sensitive vinyl electrc	RL	1	\$	13.46
07498322228	<b>STH2</b>	Cable Tie Tool,LowVolume,S-HS-LH-H,EA	The cable tie tool in red installs standard, heavy-standard, light-heavy, and heavy cross-section cable ties. It i	PC	1	\$	58.11
07498376051	<b>STHV</b>	Cable Tie Tool,LowVolume,LH-H,EA	Panduit STHV Cable Tie Hand Tool is made with durable all-steel construction and features a "travel stop" tha	PC	1	\$	101.85
07498322227	<b>STS2</b>	Cable Tie Tool,LowVolume,M-S,EA	The cable tie tool in black installs miniature, intermediate, and standard cross-section cable ties. This inexpe	PC	1	\$	42.54
07498308971	<b>T019X000FJC-BK</b>	P1 Po Cont Tape Cass.,.19"x25',BL/WH	Black on white, polyolefin module label tape.	PC	1	\$	86.15
07498335309	<b>T024X000FJC-BK</b>	P1 Cass,Cont.Tape,.24"Wx25ftL,EA	Black on white, polyolefin tape, terminal block label. Width: 0.24".	PC	1	\$	86.15
07498342831	<b>T024X000FJT</b>	TT,ContinuousTape,.24"x100'WH,EA	ThermTrans, Continuous Tape, Polyolefin, .24" W x 100' L, White, 3 inch core	RL	1	\$	134.78
07498333090	<b>T024X000VPC-BK</b>	P1 Vyl Cont Tape Cass.,.24"x25',BL/WH	Black on white, vinyl tape. Width: 0.24".	PC	1	\$	52.04
07498333091	<b>T024X000VYC-WH</b>	P1 Vyl Cont Tape Cass.,.24"x25',WH/BL	White on black, vinyl tape, 0.24".	PC	1	\$	54.65
07498335310	<b>T031X000FJC-BK</b>	P1 Cass,Cont.Tape,.31"Wx25ftL,EA	Black on white, polyolefin tape, terminal block label. Width: 0.31".	PC	1	\$	88.15
07498342830	<b>T031X000FJT</b>	TT,ContinuousTape,.31"x100'WH,EA	ThermTrans, Continuous Tape, Polyolefin, .31" W x 100' L, White, 3 inch core	RL	1	\$	134.78
07498328543	<b>T038X000C1C-BK</b>	P1 Nyl Cloth Cont Tape,.38"x18',BL/WH	Black on white, nylon cloth label tape. Width: 0.38".	PC	1	\$	47.54
07498335311	<b>T038X000FJC-BK</b>	P1 Cass,Cont.Tape,BL/WH,Pfn,.38"x25ft,EA	Black on white, polyolefin tape, terminal block label. Width: 0.38".	PC	1	\$	85.94
07498342829	<b>T038X000FJT</b>	TT,ContinuousTape,.38"x100'WH,EA	ThermTrans, Continuous Tape, Polyolefin, .38" W x 100' L, White, 3 inch core	RL	1	\$	128.34
07498335312	<b>T038X000VPC-BK</b>	P1 Cass,Cont.Tape,BL/WH,Vyl,.38"x25ft,EA	The T038X000VPC-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	51.98
61305676177	<b>T038X000VPM-BK</b>	MP Cassette, Continuous Tape, Vinyl, .38	The T038X000VPM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	41.40
07498332294	<b>T038X000VXC-BK</b>	P1 Cont Tape Cass,.38"x25',YL/BL	Black on yellow, vinyl tape. Width: 0.38".	PC	1	\$	54.59
61305676187	<b>T038X000VXM-BK</b>	MP Cassette, Continuous Tape, Vinyl, .38	The T038X000VXM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	42.66
07498335313	<b>T038X000VYC-WH</b>	P1 Cass,Cont.Tape,WH/BL,Vyl,.38"x25ft,EA	White on black, vinyl tape, 0.38".	PC	1	\$	54.59
07498335314	<b>T038X000VYC-BK</b>	P1 Cass,Cont.Tape,PES,.38"Wx25ftL,EA	Black on clear, polyester tape. Width: 0.38".	PC	1	\$	54.59
61305676188	<b>T038X000VKM-BK</b>	MP Cassette, Continuous Tape, Polyester,	The T038X000VKM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	38.39
07498352202	<b>T038X000YP1</b>	SuperTackContTape,0.38x100ft,WH,EA	Super-Tack continuous tape, polyester, white, 3/8 inch wide x 100 feet long.	RL	1	\$	135.88
07498312179	<b>T050X000C1C-BK</b>	P1 Nyl Cloth Cont Tape,.5"x18',BL/WH	Black on white, nylon cloth label tape. Width: 0.50".	PC	1	\$	47.54
07498399990	<b>T050X000CBC-BK</b>	P1 Vyl Clth Cont Tape,.5"x12.5',WH/BL	Black on white, vinyl cloth tape. Width: 0.50".	PC	1	\$	41.19
07498334488	<b>T050X000FJT</b>	TT,ContinuousTape,.50"x100'WH,EA	ThermTrans, Continuous Tape, Polyolefin, .50" W x 100' L, White, 3 inch core	RL	1	\$	124.63
07498335315	<b>T050X000VPC-BK</b>	P1 Cass,Vyl,.50"Wx25ftL,BL/WH,EA	The T050X000VPC-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	51.98
61305676189	<b>T050X000VPM-BK</b>	MP Cassette, Continuous Tape, Vinyl, .50	The T050X000VPM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	33.11
07498378625	<b>T050X000VQC-WH</b>	P1 Cass,Vyl,.50"Wx25ftL,BU/WH,EA	White on blue, vinyl tape, 0.50".	PC	1	\$	54.59
07498335647	<b>T050X000VUC-BK</b>	P1 Cass,Vyl,.50"Wx25ftL,Orange/Black,EA	Black on orange, vinyl tape. Width: 0.50".	PC	1	\$	54.59
07498378628	<b>T050X000VWC-WH</b>	P1 Cass,Vyl,.50"Wx25ftL,Red/White,EA	White on red, vinyl tape.	PC	1	\$	54.59
07498335651	<b>T050X000VXC-BK</b>	P1 Cass,Vyl,.50"Wx25ftL,Yellow/Black,EA	Black on yellow, vinyl tape. Width: 0.50".	PC	1	\$	51.98
61305676190	<b>T050X000VXM-BK</b>	MP Cassette, Continuous Tape, Vinyl, .50	The T050X000VXM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	33.11
07498337842	<b>T050X000VYC-WH</b>	P1 Cass,Vyl,.50"Wx25ftL,Black/White,EA	White on black, vinyl tape, 0.50".	PC	1	\$	54.59
07498335661	<b>T050X000VYC-BK</b>	P1 Cass,PES,.50"Wx25ftL,Clear/Black,EA	Black on clear, polyester tape. Width: 0.50".	PC	1	\$	54.59
61305676191	<b>T050X000VKM-BK</b>	MP Cassette, Continuous Tape, Polyester,	The T050X000VKM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	53.99
07498364844	<b>T050X000YP1</b>	TT Super-Tack Poly, .50"x100',PK1	Super-Tack continuous tape, polyester, white, 1/2 inch wide x 100 feet long.	RL	1	\$	141.49
07498328545	<b>T075X000C1C-BK</b>	P1 Nyl Cloth Cont Tape,.75"x18',BL/WH	Black on white, nylon cloth label tape. Width: 0.75".	PC	1	\$	61.73
07498335662	<b>T075X000VPC-BK</b>	P1 Cass,Vyl,.75"Wx25ftL,BL/WH,EA	The T075X000VPC-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	58.95
61305676193	<b>T075X000VPM-BK</b>	MP Cassette, Continuous Tape, Vinyl, .75	The T075X000VPM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	39.10
07498332288	<b>T075X000VUC-BK</b>	P1 Cont Tape Cass,.75"x25',OR/BL	Black on orange, vinyl tape. Width: 0.75".	PC	1	\$	61.90
07498332290	<b>T075X000VXC-BK</b>	P1 Cont Tape Cass,.75"x25',YL/BL	Black on yellow, vinyl tape. Width: 0.75".	PC	1	\$	61.90

61305676194	<b>T075X000VXM-BK</b>	MP Cassette, Continuous Tape, Vinyl, .75	The T075X000VXM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	39.10
07498333044	<b>T075X000VYC-WH</b>	P1 Vyl Cont Tape Cass.,75"x25',WH/BL	White on black, vinyl continuous tape.	PC	1	\$	61.90
61305676195	<b>T075X000YKM-BK</b>	MP Cassette, Continuous Tape, Polyester,	The T075X000YKM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	63.75
07498370545	<b>T100F-C</b>	Spiral Wrap, 1" x 100',Natural,1rl	The T100F-C Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing.	RL	1	\$	327.45
07498370546	<b>T100F-C0</b>	Spiral Wrap,1" x 100',WR BLK,1rl	The T100F-C0 Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing.	RL	1	\$	408.36
07498310790	<b>T100FR-C20Y</b>	Spiral Wrap, FR, 1" x 100', BLK,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, 1" (25.4mm) x 100', flame retard	RL	1	\$	563.44
07498310775	<b>T100FR-CY</b>	Spiral Wrap, FR, 1" x 100', NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, 1" (25.4mm) x 100', flame retard	RL	1	\$	516.20
07498338464	<b>T100N-C</b>	Spiral Wrap, 1" x 100',Nylon, NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, 1" (25.4mm) x 100', nylon 6.6, nat	RL	1	\$	1,572.60
07498338465	<b>T100N-C0</b>	Spiral Wrap,1" x 100',Nylon, WR BLK,1rl	The T100N-C0 Nylon Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing. The	RL	1	\$	1,965.78
07498332026	<b>T100P-C0</b>	Spiral Wrap,1" x100',PolyProp.BLK,1rl	The T100P-C0 Polypropylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubi	RL	1	\$	530.88
07498339652	<b>T100R-CY</b>	Spiral Wrap,1" x100',Fire Resist.BLK,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, 1" (25.4mm) x 100', fire resistant	RL	1	\$	473.83
07498369992	<b>T100T-X</b>	Spiral Wrap,TFE,1"x10',NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, 1" (25.4mm) outside diameter, TF	RL	1	\$	700.06
07498321282	<b>T100X000C1C-BK</b>	P1 Nyl Cloth Cont Tape,1"x18', BL/WH	Black on white, nylon cloth label tape. Width: 1.00".	PC	1	\$	61.73
07498399992	<b>T100X000CBC-BK</b>	P1 Vyl Clth Cont Tape,1"x12.5',WH/BL	Black on white, vinyl cloth tape. Width: 1.00".	PC	1	\$	64.90
61305676201	<b>T100X000MPM-BK</b>	MP Cassette, Continuous Tape, Magnetic,	The T100X000MPM-BK Magnetic Continuous Tape Cassette includes both label material and ribbon for easy	PC	1	\$	32.69
61305676202	<b>T100X000MXM-BK</b>	MP Cassette, Continuous Tape, Magnetic,	The T100X000MXM-BK Magnetic Continuous Tape Cassette includes both label material and ribbon for easy	PC	1	\$	32.69
07498322936	<b>T100X000RPC-BK</b>	P1 Ref Cont Tape Cass,1"x18',WH	Black on white, reflective tape.	PC	1	\$	97.00
07498322937	<b>T100X000RUC-BK</b>	P1 Ref Cont Tape Cass,1"x18',OR	Black on orange, reflective tape.	PC	1	\$	97.00
61305636267	<b>T100X000RUT</b>	RFLTVContinuousTape,1.00"Wx50ftL,OR,EA	Reflective Continuous Tape, Orange, 1.00" W x 50' L	RL	1	\$	162.91
61305676370	<b>T100X000RWC-WH</b>	1.0" Wide Red Reflective Tape w/ White P	White on Red, Reflective Tape	PC	1	\$	92.35
07498322938	<b>T100X000RXC-BK</b>	P1 Ref Cont Tape Cass,1"x18',YL	Black on yellow, reflective tape.	PC	1	\$	97.00
07498369542	<b>T100X000VP1Y</b>	CONT TAPE,1IN W X 100FT L,VINYL,WH,EA	The T100X000VP1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	168.44
07498335762	<b>T100X000VPC-BK</b>	P1Cass,Vyl,1.00"Wx25ftL,BL/WH,EA	The T100X000VPC-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	67.53
61305676196	<b>T100X000VPM-BK</b>	MP Cassette, Continuous Tape, Vinyl, 1.0	Panduit T100X000VPM-BK vinyl continuous tape cassettes are quick and easy to load. These label cassettes	PC	1	\$	61.54
07498391087	<b>T100X000VQ1Y</b>	CONT TAPE,1IN W X 100FT L,VINYL,BU,EA	The T100X000VQ1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	176.88
07498335776	<b>T100X000VQC-BK</b>	P1Cass,Vyl,1.00"Wx25ftL,BU/BL,EA	Black on blue, vinyl tape. Width: 1.00".	PC	1	\$	70.94
07498335777	<b>T100X000VQC-WH</b>	P1Cass,Vyl,1.00"Wx25ftL,BU/WH,EA	White on blue, vinyl tape, 1.00".	PC	1	\$	70.94
07498391134	<b>T100X000VSIY</b>	CONT TAPE,1IN W X 100FT L,VINYL,GR,EA	The T100X000VSIY Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	177.03
07498335778	<b>T100X000VSC-BK</b>	P1Cass,Vyl,1.00"Wx25ftL,Green/Black,EA	Black on green, vinyl tape. Width: 1.00".	PC	1	\$	70.94
07498335779	<b>T100X000VSC-WH</b>	P1Cass,Vyl,1.00"Wx25ftL,GR/WH,EA	White on green, vinyl tape, 1.00".	PC	1	\$	70.94
07498369543	<b>T100X000VU1Y</b>	CONT TAPE,1IN W X 100FT L,VINYL,OR,EA	The T100X000VU1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	168.81
07498335780	<b>T100X000VUC-BK</b>	P1Cass,Vyl,1.00"Wx25ftL,Orange,EA	Black on orange, vinyl tape. Width: 1.00".	PC	1	\$	67.53
07498391136	<b>T100X000VW1Y</b>	CONT TAPE,1IN W X 100FT L,VINYL,RD,EA	The T100X000VW1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	168.61
07498335782	<b>T100X000VWC-BK</b>	P1Cass,Vyl,1.00"Wx25ftL,Red/Black,EA	Black on red, vinyl tape. Width: 1.00".	PC	1	\$	70.94
07498335783	<b>T100X000VWC-WH</b>	P1Cass,Vyl,1.00"Wx25ftL,Red/White,EA	White on red, vinyl tape.	PC	1	\$	70.94
07498369544	<b>T100X000VX1Y</b>	CONT TAPE,1IN W X 100FT L,VINYL,YL,EA	The T100X000VX1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	177.03
07498335784	<b>T100X000VXC-BK</b>	P1Cass,Vyl,1.00"Wx25ftL,BL/YL,EA	The T100X000VXC-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	67.53
61305676199	<b>T100X000VXM-BK</b>	MP Cassette, Continuous Tape, Vinyl, 1.0	Panduit T100X000VXM-BK vinyl continuous tape cassettes are quick and easy to load. These label cassettes	PC	1	\$	61.54
07498391156	<b>T100X000VY1Y</b>	CONT TAPE,1IN W X 100FT L,VINYL,BL,EA	Continuous vinyl tape, 1.00 wide x 100' length, black, 1 pc. package quantity	RL	1	\$	177.03
07498335786	<b>T100X000VYC-WH</b>	P1Cass,Vyl,1.00"Wx25ftL,Black/White,EA	White on black, vinyl tape, 1.00"	PC	1	\$	70.94
07498387951	<b>T100X000Y81</b>	Super-Tack continuous tape, yellow, 1.00	One Inch Yellow Supertack Thermal Transfer Continuous Tape	RL	1	\$	206.06
07498391176	<b>T100X000YK1</b>	TT,Adh Poly Cont Tape,1"x100',CL	Continuous polyester tape, 1.00 wide x 100' length, clear, 1 pc. package quantity	RL	1	\$	161.09
07498335787	<b>T100X000YKM-BK</b>	P1Cass,PES,1.00"Wx25ftL,Clear/Black,EA	Black on clear, polyester tape. Width: 1.00".	PC	1	\$	70.94
61305676200	<b>T100X000YKM-BK</b>	MP Cassette, Continuous Tape, Polyester,	The T100X000YKM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	81.01
07498364845	<b>T100X000YP1</b>	TT Super-Tack Poly,1.0"x100',PK1	Super-Tack continuous tape, polyester, white, 1 inch wide x 100 feet long.	RL	1	\$	212.24
07498307876	<b>T100X000YW1</b>	S-T,ContinuousTape,1"x100',RD,EA	The T100X000YW1 Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	212.24
07498370600	<b>T12F-C</b>	Spiral Wrap, .12" x 100',NAT,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .12" (3.2mm) x 100', polyethylene,	RL	1	\$	68.70
07498370601	<b>T12F-C0</b>	Spiral Wrap, .12" x 100',WR BLK,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .12" (3.2mm) x 100', weather resis	RL	1	\$	82.53
07498370548	<b>T12F-D</b>	Spiral Wrap, .12" x 500',NAT,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .12" (3.2mm) x 500', polyethylene,	RL	1	\$	296.30
07498310781	<b>T12FR-C20Y</b>	Spiral Wrap, FR, .12" x 100', BLK,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .12" (3.2mm) x 100', flame retard	RL	1	\$	110.73
07498310764	<b>T12FR-CY</b>	Spiral Wrap, FR, .12" x 100', NAT,1rl	The T12FR-CY Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubin	RL	1	\$	91.95
07498370602	<b>T12N-C</b>	Spiral Wrap, .12" x 100',Nylon, NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .12" (3.2mm) x 100', nylon 6.6, na	RL	1	\$	119.83
07498370603	<b>T12N-C0</b>	Spiral Wrap, .12" x 100',NYL, WR BLK,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .12" (3.2mm) x 100', weather resi	RL	1	\$	150.93
07498370550	<b>T12N-D</b>	Spiral Wrap, .12" x 500',Nylon, NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .12" (3.2mm) x 500', nylon 6.6, na	RL	1	\$	544.80
07498339653	<b>T12R-CY</b>	Spiral Wrap, .12"x100',Fire Resist.BLK,rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .12" (3.2mm) x 100', fire resistant	RL	1	\$	85.09
07498370553	<b>T12T-C</b>	Spiral Wrap,TFE,.12"x10',NAT,1rl	The T12T-C Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing. The spiral wra	RL	1	\$	681.64
61305676206	<b>T150X000MPM-BK</b>	MP Cassette, Continuous Tape, Magnetic,	The T150X000MPM-BK Magnetic Continuous Tape Cassette includes both label material and ribbon for easy	PC	1	\$	39.00
61305676207	<b>T150X000MXM-BK</b>	MP Cassette, Continuous Tape, Magnetic,	The T150X000MXM-BK Magnetic Continuous Tape Cassette includes both label material and ribbon for easy	PC	1	\$	39.00
61305676203	<b>T150X000VPM-BK</b>	MP Cassette, Continuous Tape, Vinyl, 1.5	The T150X000VPM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	73.53
61305676204	<b>T150X000VXM-BK</b>	MP Cassette, Continuous Tape, Vinyl, 1.5	The T150X000VXM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	73.53
61305676205	<b>T150X000YKM-BK</b>	MP Cassette, Continuous Tape, Polyester,	The T150X000YKM-BK Continuous Tape Cassette includes both label material and ribbon for easy changeov	PC	1	\$	92.81
07498362737	<b>T19F-C</b>	Spiral Wrap, .19" x 100',NAT,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .19" (4.8mm) x 100', polyethylene,	RL	1	\$	84.86
07498362739	<b>T19F-C0</b>	Spiral Wrap, .19" x 100',WR BLK,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .19" (4.8mm) x 100', weather resis	RL	1	\$	113.13
07498362738	<b>T19F-M</b>	SPIRAL WRAP,0.19" X 1000', POLY, NAT	Spiral Wrap offers abrasion protection for wires, cables, hoses and tubing, .19" (4.8mm) x 100', polyethylene,	RL	1	\$	774.11
07498310782	<b>T19FR-C20Y</b>	Spiral Wrap, FR, .19" x 100', BLK,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .19" (4.8mm) x 100', flame retard	RL	1	\$	161.79
07498310767	<b>T19FR-CY</b>	Spiral Wrap, FR, .19" x 100', NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .19" (4.8mm) x 100', flame retard	RL	1	\$	147.44
07498362746	<b>T19N-C</b>	Spiral Wrap, .19" x 100',Nylon, NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .19" (4.8mm) x 100', nylon 6.6, na	RL	1	\$	169.53
07498362748	<b>T19N-C0</b>	Spiral Wrap, .19"x100',Nylon,WR,NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .19" (4.8mm) x 100', weather resi	RL	1	\$	212.40
07498339667	<b>T19R-CY</b>	Spiral Wrap, .19"x100',Fire Resist.BLK,rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .19" (4.8mm) x 100', fire resistant	RL	1	\$	128.06
07498362783	<b>T19T-C</b>	Spiral Wrap,TFE,.19"x100',NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .19" (4.8mm) outside diameter, T	RL	1	\$	923.39
07498357757	<b>T200X000VP1Y</b>	CONT TAPE,2IN W X 100FT L,VINYL,WH,EA	The T200X000VP1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	251.75
07498357348	<b>T200X000VQ1Y</b>	CONT TAPE,2IN W X 100FT L,VINYL,BU,EA	The T200X000VQ1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	251.75
07498357355	<b>T200X000VR1Y</b>	CONT TAPE,2IN W X 100FT L,VINYL,BR,EA	The T200X000VR1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	264.34
07498357356	<b>T200X000VS1Y</b>	CONT TAPE,2IN W X 100FT L,VINYL,GR,EA	The T200X000VS1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	261.69
07498357358	<b>T200X000VT1Y</b>	CONT TAPE,2IN W X 100FT L,VINYL,GY,EA	Continuous vinyl tape, 2.00 wide x 100' length, gray, 1 pc. package quantity	RL	1	\$	264.34
07498357359	<b>T200X000VU1Y</b>	CONT TAPE,2IN W X 100FT L,VINYL,OR,EA	The T200X000VU1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	251.75
07498357369	<b>T200X000VV1Y</b>	CONT TAPE,2IN W X 100FT L,VINYL,PU,EA	Continuous vinyl tape, 2.00 wide x 100' length, purple, 1 pc. package quantity	RL	1	\$	264.34

07498357382	<b>T200X000VW1Y</b>	CONT TAPE,2IN W X 100FT L,VINYL,RD,EA	The T200X000VW1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	251.75
07498357385	<b>T200X000VX1Y</b>	CONT TAPE,2IN W X 100FT L,VINYL,YL,EA	The T200X000VX1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	251.75
07498357389	<b>T200X000VY1Y</b>	CONT TAPE,2IN W X 100FT L,VINYL,BL,EA	Continuous vinyl tape, 2.00 wide x 100' length, black, 1 pc. package quantity	RL	1	\$	264.34
61305679407	<b>T200X000WJ1</b>	Ink Jet, Continuous Tape, Vinyl, Standar	Ink Jet Vinyl Continuous Tape, 2 Inches Width x 30 Feet Length, White, Standard Adhesive.	RL	1	\$	58.24
61305679410	<b>T200X000WJ1-B</b>	Ink Jet, Continuous Tape, Vinyl, Standar	Ink Jet Vinyl Continuous Tape, 2 Inches Width x 100 Feet Length, White, Standard Adhesive.	RL	1	\$	187.88
61305678676	<b>T200X000XJ1</b>	Ink Jet, Continuous Tape, Polyester, Sta	Ink Jet, Continuous Tape, Adhesive Polyester, 2 Inch Wide x 30 Feet High, White, Labels can be printed in th	RL	1	\$	63.69
61305678677	<b>T200X000XPI</b>	Ink Jet, Continuous Tape, Polyester, Sup	Ink Jet, Continuous Tape, Super-Tack Adhesive Polyester, 2 Inch Wide x 30 Feet High, White, Labels can be	RL	1	\$	71.50
07498377506	<b>T200X000Y01</b>	Super-TackBL,2.00inWx100ftLg,EA	Super-Tack continuous tape, polyester, black, 2 inches wide x 100 feet long.	RL	1	\$	317.18
07498387953	<b>T200X000Y81</b>	Super-Tack continuous tape, yellow, 2.00	Super-Tack continuous tape, Yellow, 2.00 inches wide x 100.0 feet long	RL	1	\$	307.93
07498345644	<b>T200X000YK1</b>	TT.Poly Cont Tape,2"x100',CL	Continuous polyester tape, 2.00 wide x 100' length, clear, 1 pc. package quantity	RL	1	\$	248.88
07498364848	<b>T200X000YP1</b>	TT Super-Tack Poly,2.0"x100',PK1	Super-Tack continuous tape, polyester, white, 2 inches wide x 100 feet long.	RL	1	\$	317.20
07498307874	<b>T200X000YQ1</b>	S-T,ContinuousTape,2"x100',BU,EA	Super-Tack continuous tape, polyester, Blue, 2.00 inches wide x 100 feet long	RL	1	\$	317.18
07498307872	<b>T200X000YS1</b>	S-T,ContinuousTape,2"x100',GR,EA	The T200X000YS1 Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin r	RL	1	\$	317.18
07498387952	<b>T200X000YU1</b>	Super-TackContTape,Polyester,OR,2",EA	Two Inch Orange Supertack Thermal Transfer Continuous Tape	RL	1	\$	307.93
07498307873	<b>T200X000YW1</b>	S-T,ContinuousTape,2"x100',RD,EA	The T200X000YW1 Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	317.18
07498370554	<b>T25F-C</b>	Spiral Wrap, .25" x 100',NAT,1rl	The T25F-C Polyethylene Spiral Wrap Product provides continuous abrasion protection for wires, cables, and	RL	1	\$	85.71
07498370555	<b>T25F-C0</b>	Spiral Wrap, .25" x 100',WR BLK,1rl	The T25F-C0 Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing.	RL	1	\$	113.14
07498338422	<b>T25F-C1</b>	Spiral Wrap, .25" x 100',Brown,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 100', polyethylene,	RL	1	\$	103.41
07498338420	<b>T25F-C10</b>	Spiral Wrap, .25" x 100',White,1rl	The T25F-C10 Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubin	RL	1	\$	98.46
07498338423	<b>T25F-C2</b>	Spiral Wrap, .25" x 100',Red,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 100', polyethylene,	RL	1	\$	103.41
07498342235	<b>T25F-C3Y</b>	Spiral Wrap, .25" x 100',Orange,1rl	The T25F-C3Y Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubin	RL	1	\$	98.46
07498342236	<b>T25F-C4Y</b>	Spiral Wrap, .25" x 100',Yellow,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 100', polyethylene,	RL	1	\$	103.41
07498338425	<b>T25F-C6</b>	Spiral Wrap, .25" x 100',Blue,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 100', polyethylene,	RL	1	\$	103.41
07498338427	<b>T25F-C8</b>	Spiral Wrap, .25" x 100',Gray,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 100', polyethylene,	RL	1	\$	103.41
07498370558	<b>T25F-M</b>	Spiral Wrap, .25" x 1000',NAT,1rl	The T25F-M Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing.	RL	1	\$	737.70
07498370559	<b>T25F-M0</b>	Spiral Wrap, .25" x 1000',WR BLK,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 1000', weather res	RL	1	\$	928.88
07498322484	<b>T25F-X0</b>	Spiral Wrap, .25" x 10',WR BLK,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 10', weather resist	RL	1	\$	15.70
07498310783	<b>T25FR-C20Y</b>	Spiral Wrap, FR, .25" x 100',BLK,1rl	The T25FR-C20Y Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tu	RL	1	\$	168.24
07498310768	<b>T25FR-CY</b>	Spiral Wrap, FR, .25" x 100',NAT,1rl	The T25FR-CY Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubin	RL	1	\$	146.71
07498310784	<b>T25FR-M20Y</b>	Spiral Wrap, FR, .25" x 1000',BLK,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 1000', flame retar	RL	1	\$	1,382.51
07498310769	<b>T25FR-MY</b>	Spiral Wrap, FR, .25" x 1000',NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 1000', flame retar	RL	1	\$	1,194.71
07498370561	<b>T25N-C</b>	Spiral Wrap, .25" x 100',Ny,NAT,1rl	The T25N-C Nylon Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing. The spi	RL	1	\$	207.50
07498370562	<b>T25N-C0</b>	Spiral Wrap, .25"x100',Ny,WR NAT,1rl	The T25N-C0 Nylon Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing. The s	RL	1	\$	259.31
07498370563	<b>T25N-M</b>	Spiral Wrap, .25" x 1000',Ny,NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 1000', nylon 6.6, n	RL	1	\$	1,960.70
07498338971	<b>T25N-M0</b>	Spiral Wrap, .19" x 1000',Nylon, BLK,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 1000', weather res	RL	1	\$	2,451.08
07498397991	<b>T25NZFR-C20</b>	Spiral Wrap, .25"x100',NZFR NYL,BLK,1rl	Spiral Wrap, Low Smoke/Halogen-Free Nylon 6.6 in black, Offers abrasion protection for wires, cables and ho	RL	1	\$	229.63
07498339172	<b>T25R-C20Y</b>	Spiral Wrap, .25"x100',Fire Resist,BLK,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 100', fire resistant	RL	1	\$	152.93
07498339694	<b>T25R-CY</b>	Spiral Wrap, .25"x100',Fire Resist,NAT,rl	The T25R-CY Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing	RL	1	\$	133.35
07498339739	<b>T25R-M20Y</b>	SpiralWrap, .25"x1000',Fire Resist,BLK,rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 1000', fire resistan	RL	1	\$	1,256.83
07498339734	<b>T25R-MY</b>	SpiralWrap, .25"x1000',Fire Resist,NAT,rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.3mm) x 1000', fire resistan	RL	1	\$	1,086.04
07498370568	<b>T25T-L</b>	Spiral Wrap,TFE, .25"x50',NAT,1rl	The T25T-L Tetrafluoroethylene Spiral Wrap Product provides continuous abrasion protection for wires, cable	RL	1	\$	622.93
07498377909	<b>T25T-L0</b>	Spiral Wrap,TFE, .25"x50',BLK,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .25" (6.4mm) outside diameter, T	RL	1	\$	622.93
07498370605	<b>T38F-C</b>	Spiral Wrap, .38" x 100',NAT,1rl	The T38F-C Polyethylene Spiral Wrap Product provides continuous abrasion protection for wires, cables, and	RL	1	\$	154.69
07498370606	<b>T38F-C0</b>	Spiral Wrap, .38" x 100',WR BLK,1rl	The T38F-C0 Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing.	RL	1	\$	193.39
07498370569	<b>T38F-TL</b>	Spiral Wrap, .38" x 250',NAT,1rl	The T38F-TL Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing.	RL	1	\$	333.81
07498370570	<b>T38F-TL0</b>	Spiral Wrap, .38" x 250',WR BLK,1rl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .38" (9.7mm) x 250', weather resis	RL	1	\$	417.25
07498310785	<b>T38FR-C20Y</b>	Spiral Wrap, FR, .38" x 100',BLK,1rl	The T38FR-C20Y Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tu	RL	1	\$	268.70
07498310770	<b>T38FR-CY</b>	Spiral Wrap, FR, .38" x 100',NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .38" (9.7mm) x 100', flame retard	RL	1	\$	234.51
07498310771	<b>T38FR-TLY</b>	Spiral Wrap, FR, .38" x 250',NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .38" (9.7mm) x 250', flame retard	RL	1	\$	501.09
07498370607	<b>T38N-C</b>	Spiral Wrap, .38" x 100',Nylon, NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .38" (9.7mm) x 100', nylon 6.6, na	RL	1	\$	352.16
07498324797	<b>T38N-C0</b>	Spiral Wrap, .38"x100',Nylon, WR BLK,1rl	The T38N-C0 Nylon Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing. The s	RL	1	\$	387.34
07498370571	<b>T38N-TL</b>	Spiral Wrap, .38" x 250',Nylon, NAT,1rl	The T38N-TL Nylon Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing. The s	RL	1	\$	793.90
07498397992	<b>T38NZFR-C20</b>	Spiral Wrap, .38"x100',NZFR NYL,BLK,1rl	Spiral Wrap, Low Smoke/Halogen-Free Nylon 6.6 in black, Offers abrasion protection for wires, cables and ho	RL	1	\$	366.75
07498332024	<b>T38P-C0</b>	Spiral Wrap,PolyProp, .38",WR BLK,1rl	The T38P-C0 Polypropylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubin	RL	1	\$	251.40
07498339742	<b>T38R-CY</b>	SpiralWrap, .38"x100',Fire Resist,NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .38" (9.7mm) x 100', fire resistant	RL	1	\$	213.20
07498339743	<b>T38R-TLY</b>	SpiralWrap, .38"x250',Fire Resist,NAT,1rl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .38" (9.7mm) x 250', fire resistant	RL	1	\$	433.80
07498362784	<b>T38T-L</b>	Spiral Wrap,TFE, .38"x50',NAT,1rl	The T38T-L TFE Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing. The spira	RL	1	\$	927.75
07498352610	<b>T400X000A91</b>	CONT TAPE,4IN W X 50FT L,POLY,RD HDR,EA	Arc flash print on-demand continuous tape, 4.00 x 50' (101.6mm x 15.24m), blank (no legend), polyester adhe	RL	1	\$	200.09
61305638100	<b>T400X000RPT</b>	RFLTVContinuousTape,4.00"Wx50ftL,WH,EA	Reflective Continuous Tape, White, 4.00" W x 50' L	RL	1	\$	384.95
61305638101	<b>T400X000RQT</b>	RFLTVContinuousTape,4.00"Wx50ftL,BU,EA	Reflective Continuous Tape, Blue, 4.00" W x 50' L	RL	1	\$	384.95
61305638102	<b>T400X000RRT</b>	RFLTVContinuousTape,4.00"Wx50ftL,OR,EA	Reflective Continuous Tape, Orange, 4.00" W x 50' L	RL	1	\$	384.95
61305638104	<b>T400X000RXT</b>	RFLTVContinuousTape,4.00"Wx50ftL,YL,EA	Reflective Continuous Tape, Yellow, 4.00" W x 50' L	RL	1	\$	384.95
07498357391	<b>T400X000VP1Y</b>	Tape,Vinyl,4inx100ft,WHT,EA	The T400X000VP1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	379.64
07498357404	<b>T400X000VQ1Y</b>	CONT TAPE,4IN W X 100FT L,VINYL,BU,EA	The T400X000VQ1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	379.64
07498357432	<b>T400X000VS1Y</b>	CONT TAPE,4IN W X 100FT L,VINYL,GR,EA	The T400X000VS1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	379.64
07498357436	<b>T400X000VT1Y</b>	CONT TAPE,4IN W X 100FT L,VINYL,GY,EA	Continuous vinyl tape, 4.00 wide x 100' length, gray, 1 pc. package quantity	RL	1	\$	398.61
07498357442	<b>T400X000VU1Y</b>	CONT TAPE,4IN W X 100FT L,VINYL,OR,EA	The T400X000VU1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	379.64
07498357450	<b>T400X000VV1Y</b>	CONT TAPE,4IN W X 100FT L,VINYL,PU,EA	Continuous vinyl tape, 4.00 wide x 100' length, purple, 1 pc. package quantity	RL	1	\$	398.61
07498357453	<b>T400X000VW1Y</b>	CONT TAPE,4IN W X 100FT L,VINYL,RD,EA	The T400X000VW1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	379.64
07498357455	<b>T400X000VX1Y</b>	Tape,Vinyl,4inx100ft,YEL,EA	The T400X000VX1Y Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin	RL	1	\$	379.64
07498357465	<b>T400X000VY1Y</b>	CONT TAPE,4IN W X 100FT L,VINYL,BL,EA	Continuous vinyl tape, 4.00 wide x 100' length, black, 1 pc. package quantity	RL	1	\$	398.61
61305679408	<b>T400X000WJ1</b>	Ink Jet, Continuous Tape, Vinyl, Standar	Ink Jet Vinyl Continuous Tape, 4 Inches Width x 30 Feet Length, White, Standard Adhesive.	RL	1	\$	92.06
61305679411	<b>T400X000WJ1-B</b>	Ink Jet, Continuous Tape, Vinyl, Standar	Ink Jet Vinyl Continuous Tape, 4 Inches Width x 100 Feet Length, White, Standard Adhesive.	RL	1	\$	300.60
61305678568	<b>T400X000XJ1</b>	Ink Jet, Continuous Tape, Polyester, Sta	Ink Jet, Continuous Tape, Adhesive Polyester, 4 Inch Wide x 30 Feet High, White, Labels can be printed in th	RL	1	\$	92.79
61305678560	<b>T400X000XPI</b>	Ink Jet, Continuous Tape, Polyester, Sup	Ink Jet, Continuous Tape, Super-Tack Adhesive Polyester, 4 Inch Wide x 30 Feet High, White, Labels can be	RL	1	\$	104.15
07498377507	<b>T400X000Y01</b>	Super-TackBL,4.00inWx100ftLg,EA	Super-Tack continuous tape, polyester, black, 4 inches wide x 100 feet long.	RL	1	\$	478.33
07498387955	<b>T400X000Y81</b>	Super-Tack continuous tape, yellow, 4.00	The T400X000Y81 Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin ri	RL	1	\$	455.55

07498345656	<b>T400X000YK1</b>	CONT TAPE,4IN X 100FT L,POLYESTER,CL,EA	Continuous polyester tape, 4.00 wide x 100' length, clear, 1 pc. package quantity	RL	1	\$	365.04
07498364850	<b>T400X000YP1</b>	TT Super-Tack Poly,4.0"x100',PK1	The T400X000YP1 Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin r	RL	1	\$	455.55
07498307855	<b>T400X000YQ1</b>	S-T,ContinuousTape,4"x100',BU,EA	Super-Tack continuous tape, polyester Blue, 4.00 inches wide x 100 feet long	RL	1	\$	478.33
07498307871	<b>T400X000YS1</b>	S-T,ContinuousTape,4"x100',GR,EA	The T400X000YS1 Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin r	RL	1	\$	478.33
07498387954	<b>T400X000YU1</b>	Super-TackContTape,Polyester,OR,4",EA	The T400X000YU1 Continuous Printable Labeling Tape is ideal for safety signage and identification. A resin r	RL	1	\$	478.33
07498307849	<b>T400X000YW1</b>	S-T,ContinuousTape,4"x100',RD,EA	Super-Tack continuous tape, polyester, Red, 4.00 inches wide x 100 feet long	RL	1	\$	478.33
07498342207	<b>T400X000YX1</b>	CONT TAPE,4IN W X 50FT L,POLY,OR HDR,EA	Arc flash print-on-demand continuous tape, 4.00 x 50' (101.6mm x 15.24m), blank (no legend), polyester adhe	RL	1	\$	200.09
07498345657	<b>T425X000YK1</b>	ThermTrans, Continuous Tape, Polyester,	Clear, non-printable polyester tape.	RL	1	\$	87.70
07498369986	<b>T50F-C</b>	Spiral Wrap, .50" x 100',NAT,1fl	The T50F-C Polyethylene Spiral Wrap Product provides continuous abrasion protection for wires, cables, and	RL	1	\$	233.64
07498370609	<b>T50F-C0</b>	Spiral Wrap, .50" x 100',WR BLK,1fl	The T50F-C0 Polyethylene Spiral Wrap Product provides continuous abrasion protection for wires, cables, an	RL	1	\$	292.10
07498338412	<b>T50F-C10</b>	Spiral Wrap, .50" x 100',White,1fl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .50" (12.7mm) x 100', polyethylene	RL	1	\$	268.63
07498338415	<b>T50F-C2</b>	Spiral Wrap, .50" x 100',Red,1fl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .50" (12.7mm) x 100', polyethylene	RL	1	\$	268.63
07498342251	<b>T50F-C3Y</b>	Spiral Wrap, .50" x 100',Orange,1fl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .50" (12.7mm) x 100', polyethylene	RL	1	\$	268.63
07498342252	<b>T50F-C4Y</b>	Spiral Wrap, .50" x 100',Yellow,1fl	The T50F-C4Y Polyethylene Spiral Wrap Product provides continuous abrasion protection for wires, cables, a	RL	1	\$	268.63
07498338416	<b>T50F-C5</b>	Spiral Wrap, .50" x 100',Green,1fl	A Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .50" (12.7mm) x 100', polyethylene	RL	1	\$	282.06
07498338417	<b>T50F-C6</b>	Spiral Wrap, .50" x 100',Blue,1fl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .50" (12.7mm) x 100', polyethylene	RL	1	\$	282.06
07498338418	<b>T50F-C7</b>	Spiral Wrap, .50" x 100',Purple,1fl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .50" (12.7mm) x 100', polyethylene	RL	1	\$	282.06
07498338419	<b>T50F-C8</b>	Spiral Wrap, .50" x 100',Gray,1fl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .50" (12.7mm) x 100', polyethylene	RL	1	\$	282.06
07498370573	<b>T50F-TL</b>	Spiral Wrap, .50" x 250',NAT,1fl	The T50F-TL Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing.	RL	1	\$	504.00
07498370574	<b>T50F-TL0</b>	Spiral Wrap, .50" x 250',WR BLK,1fl	The T50F-TL0 Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing	RL	1	\$	630.03
07498346171	<b>T50F-TL4Y</b>	Spiral Wrap, .50" x 250',Yellow,1fl	The T50F-TL4Y Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubi	RL	1	\$	579.55
07498322486	<b>T50F-X</b>	Spiral Wrap, .50" x 10',NAT,1fl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .50" (12.7mm) x 10', polyethylene,	RL	1	\$	24.93
07498340608	<b>T50F-X0</b>	Spiral Wrap, .50" x 10',WR BLK,1fl	The T50F-X0 Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing.	RL	1	\$	29.45
07498310786	<b>T50FR-C20Y</b>	Spiral Wrap, FR, .50" x 100', BLK,1fl	The T50FR-C20Y Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tu	RL	1	\$	443.24
07498342213	<b>T50FR-CY</b>	Spiral Wrap, FR, .50" x 100', NAT,1fl	The T50FR-CY Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubin	RL	1	\$	386.78
07498339759	<b>T50FR-TLY</b>	Spiral Wrap, FR, .50" x 250', NAT,1fl	The T50FR-TLY Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubi	RL	1	\$	787.01
07498370612	<b>T50N-C</b>	Spiral Wrap, .50" x 100',Nylon, NAT,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .50" (12.7mm) x 100', nylon 6.6, n	RL	1	\$	611.73
07498370613	<b>T50N-C0</b>	Spiral Wrap, .50"x100',Nylon, WR BLK,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .50" (12.7mm) x 100', weather res	RL	1	\$	764.65
07498370577	<b>T50N-TL</b>	Spiral Wrap, .50" x 250',Nylon, NAT,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .50" (12.7mm) x 250', nylon 6.6, n	RL	1	\$	1,447.89
07498370578	<b>T50N-TL0</b>	Spiral Wrap, .50" x 250',Nylon, BLK,1fl	The T50N-TL0 Nylon Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing. The	RL	1	\$	1,723.69
07498397993	<b>T50NZFR-C20</b>	Spiral Wrap, .50"x 100',NZFR NYL,BLK,1fl	The Spiral Wrap, Low Smoke/Halogen-Free Nylon 6.6 in black, Offers abrasion protection for wires, cables and ho	RL	1	\$	605.04
07498332025	<b>T50P-C0</b>	Spiral Wrap,PolyProp,.50",WR BLK,1fl	The T50P-C0 Polypropylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubin	RL	1	\$	379.71
07498340006	<b>T50R-CY</b>	SpiralWrap,.50"x100',Fire Resist,NAT,1fl	The T50R-CY Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing	RL	1	\$	348.80
07498340007	<b>T50R-TLY</b>	SpiralWrap,.50"x250',Fire Resist,NAT,1fl	The T50R-TLY Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubin	RL	1	\$	709.60
07498370580	<b>T50T-Q</b>	Spiral Wrap,TFE, .50"x25',NAT,1fl	The T50T-Q Tetrafluoroethylene Spiral Wrap Product provides continuous abrasion protection for wires, cable	RL	1	\$	648.68
07498370615	<b>T62F-C</b>	Spiral Wrap, .62" x 100',NAT,1fl	The T62F-C Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing.	RL	1	\$	255.14
07498370616	<b>T62F-C0</b>	Spiral Wrap, .62" x 100',WR BLK,1fl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .62" (15.8mm) x 100', weather res	RL	1	\$	318.91
07498370582	<b>T62F-TL0</b>	Spiral Wrap, .62" x 250',WR BLK,1fl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .62" (15.8mm) x 250', weather res	RL	1	\$	722.28
07498310788	<b>T62FR-C20Y</b>	Spiral Wrap, FR, .62" x 100', BLK,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .62" (15.8mm) x 100', flame retar	RL	1	\$	477.60
07498310772	<b>T62FR-CY</b>	Spiral Wrap, FR, .62" x 100', NAT,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .62" (15.8mm) x 100', flame retar	RL	1	\$	416.79
07498370617	<b>T62N-C</b>	Spiral Wrap, .62" x 100',Nylon, NAT,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .62" (15.8mm) x 100', nylon 6.6, n	RL	1	\$	902.51
07498341020	<b>T62N-C0</b>	Spiral Wrap, .62"x100',Nylon, WR BLK,1fl	The T62N-C0 Nylon Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing. The s	RL	1	\$	1,152.46
07498340008	<b>T62R-CY</b>	SpiralWrap,.62"x100',Fire Resist,NAT,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .62" (15.8mm) x 100', fire resistan	RL	1	\$	375.59
07498362785	<b>T62T-Q</b>	Spiral Wrap,TFE, .62"x50',NAT,1fl	The T62T-Q TFE Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing. The spir	RL	1	\$	764.21
07498370619	<b>T75F-C</b>	Spiral Wrap, .75" x 100',NAT,1fl	The T75F-C Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing.	RL	1	\$	284.59
07498370620	<b>T75F-C0</b>	Spiral Wrap, .75" x 100',WR BLK,1fl	The T75F-C0 Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing.	RL	1	\$	355.84
07498370585	<b>T75F-T</b>	Spiral Wrap, .75" x 200',NAT,1fl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .75" (19.1mm) x 200', polyethylene	RL	1	\$	491.28
07498370586	<b>T75F-T0</b>	Spiral Wrap, .75" x 200',WR BLK,1fl	Spiral wrap, offers abrasion protection for wires, cables, hoses and tubing, .75" (19.1mm) x 200', weather res	RL	1	\$	644.60
07498310789	<b>T75FR-C20Y</b>	Spiral Wrap, FR, .75" x 100', BLK,1fl	The T75FR-C20Y Polyethylene Spiral Wrap Product provides continuous abrasion protection for wires, cable	RL	1	\$	494.51
07498310773	<b>T75FR-CY</b>	Spiral Wrap, FR, .75" x 100', NAT,1fl	The T75FR-CY Polyethylene Spiral Wrap provides continuous abrasion protection for wires, cables, and tubin	RL	1	\$	431.49
07498310774	<b>T75FR-TY</b>	Spiral Wrap, FR, .75" x 200', NAT,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .75" (19.1mm) x 250', flame retar	RL	1	\$	792.54
07498370621	<b>T75N-C</b>	Spiral Wrap, .75" x 100',Nylon, NAT,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .75" (19.1mm) x 100', nylon 6.6, n	RL	1	\$	1,069.83
07498341021	<b>T75N-C0</b>	Spiral Wrap, .75"x100',Nylon, WR BLK,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .75" (19.1mm) x 100', weather res	RL	1	\$	1,586.75
07498370587	<b>T75N-T</b>	Spiral Wrap, .75"x200',Nylon, WR NAT,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .75" (19.1mm) x 200', nylon 6.6, n	RL	1	\$	2,025.73
07498397984	<b>T75NZFR-C20</b>	Spiral Wrap,.75"x 100',NZFR NYL,BLK,1fl	Spiral Wrap, Low Smoke/Halogen-Free Nylon 6.6 in black, Offers abrasion protection for wires, cables and ho	RL	1	\$	675.01
07498340025	<b>T75R-CY</b>	SpiralWrap,.75"x100',Fire Resist,NAT,1fl	Spiral Wrap, offers abrasion protection for wires, cables, hoses and tubing, .75" (19.1mm) x 100', fire resistan	RL	1	\$	392.33
07498369988	<b>T75T-X</b>	Spiral Wrap,TFE, .75"x10',NAT,1fl	The T75T-X TFE Spiral Wrap provides continuous abrasion protection for wires, cables, and tubing. The spira	RL	1	\$	468.54
07498358040	<b>TA1S10-C</b>	TieAnchorMnt,#10Screw,PK100	Panduit TA1S10-C cable tie anchor mount is a low profile and versatile screw-installed mount that is ideal fo	C	100	\$	49.98
07498358041	<b>TA1S10-M</b>	TieAnchorMnt,#10Screw,PK1000	Panduit TA1S10-M cable tie anchor mount is a low profile and versatile screw-installed mount that is ideal fo	M	1000	\$	224.01
07498358969	<b>TA1S10-M0</b>	TieAnchorMnt,#10Screw,WRBL,PK1000	The cable tie mount in black is applied with a #10 (M5) screw. It is made of weather-resistant nylon 6.6, which	M	1000	\$	296.90
07498358020	<b>TA1S8-C</b>	TieAnchorMnt,#8Screw,PK100	Panduit TA1S8-C cable tie anchor mount is a low profile and versatile screw-installed mount that is ideal for a	C	100	\$	48.54
07498358021	<b>TA1S8-M</b>	TieAnchorMnt,#8Screw,PK1000	Panduit TA1S8-M cable tie anchor mount is a low profile and versatile screw-installed mount that is ideal for a	M	1000	\$	223.09
07498358973	<b>TA1S8-M0</b>	TieAnchorMnt,#8Screw,BL,PK1000	Panduit TA1S8-M0 cable tie anchor mount is a low profile and versatile screw-installed mount that is ideal fo	M	1000	\$	305.43
07498358999	<b>TA1S8-M30</b>	TieAnchorMnt,#8Screw,HS,BL,PK1000	Panduit TA1S8-M30 cable tie anchor mount is a low profile and versatile screw-installed mount that is ideal fo	M	1000	\$	305.56
07498324799	<b>TA1S8-M69</b>	TieAnchorMnt,#8Screw,FR,Nat,PK1000	Panduit TA1S8-M69 cable tie anchor mount is a low profile and versatile screw-installed mount that is ideal fo	M	1000	\$	465.48
07498358060	<b>TA2-C</b>	TieAnchorMnt,#10Screw,Nat,PK100	The cable tie mount in natural color is applied with a #10 (M5) screw. It is made of nylon 6.6, which increases	C	100	\$	73.38
07498358061	<b>TA2-M</b>	TieAnchorMnt,#10Screw,Nat,PK1000	The cable tie mount in natural color is applied with a #10 (M5) screw. It is made of nylon 6.6, which increases	M	1000	\$	408.30
61305625386	<b>TB05X08EWT-AB2</b>	TT,TermBlockMarker,5mmx8mm,WH,PK1	Flexible terminal block markers on continuous rolls, 5 mm x 8 mm, white	RL	1	\$	167.06
61305625421	<b>TB05X12EWT-AB1</b>	TT,TermBlockMarker,5mmx12mm,WH,PK1	The TB05X12EWT-AB1 Terminal Block Markers are constructed of a continuously molded, flexible polymer m	RL	1	\$	159.11
61305625422	<b>TB06X08EWT-AB2</b>	TT,TermBlockMarker,6mmx8mm,WH,PK1	Flexible terminal block markers on continuous rolls, 6 mm x 8mm, white	RL	1	\$	168.93
61305625423	<b>TB06X12EWT-AB1</b>	TT,TermBlockMarker,6mmx12mm,WH,PK1	The TB06X12EWT-AB1 Terminal Block Markers are constructed of a continuously molded, flexible polymer m	RL	1	\$	160.86
61305623500	<b>TB08X12EWT-AB1</b>	TT,TermBlockMarker,8mmx12mm,WH,PK1	Flexible terminal block markers on continuous rolls, 8 mm x 12 mm, white	RL	1	\$	128.03
07498357454	<b>TDP43HE</b>	DsktopPrintr,NA,300dpi,BL,HybridRibbon	The TDP43HE Desktop Printer for North American usage has 300 dpi resolution and 8" per second maximum	PC	1	\$	3,914.10
07498360233	<b>TDP43HE/E</b>	DsktopPrintr,INT,300dpi,BL,HybridRibbon	The desktop printer for international usage has 300 dpi resolution and 8.0" (203.2 mm) per second maximum	PC	1	\$	4,109.81
07498331908	<b>TDP43ME</b>	DsktopPrintr,NA,ThermalTransfer,300dpi	The TDP43ME Desktop Printer for North American usage has 300 dpi resolution and 4" per second maximum	PC	1	\$	2,134.89
07498337078	<b>TDP43ME-AC</b>	AC adapter for TDP43ME printer	Replacement AC power adapter with power cord (US cord only).	PC	1	\$	390.33
07498341053	<b>TDP43ME-CASE</b>	Hard case for TDP43ME printer	Hardside carrying case accommodates printer, AC power adapter, ribbons, printer cable, external roll stand, I	PC	1	\$	326.68

07498363669	<b>TDP43ME-CUTTER</b>	Cutter for TDP43ME	Optional power/automatic cutter for TDP43ME thermal transfer desktop printer; easy to install for automatic c	PC	1	\$	991.56
07498364413	<b>TDP43ME-KIT</b>	TDP43ME,300dpi,Printer Kit,NAVersion	The TDP43ME-KIT Desktop Printer for North American usage has 300 dpi resolution and 4" per second maxi	PC	1	\$	2,684.63
07498332041	<b>TDP43ME-RS</b>	Ext roll stand,for lbls on 3-inch cores	External label roll stand for TDP43ME printer; used to rear feed labels that are supplied on 3" cores.	PC	1	\$	122.04
07498360255	<b>TDP43ME-SPINDLE</b>	Replacement ribbon spindle,EA	Replacement ribbon spindle for TDP43ME Thermal Transfer Desktop Printer, Package of Two Spools	PK	1	\$	62.91
61305617453	<b>TDP43ME-TB-KIT</b>	TermBlckMRKRAdptrKitForTDP43MEPrinter,EA	Terminal Block Marker adapter kit for TDP43ME printer	PC	1	\$	62.91
61305661782	<b>TDP43ME/AUS</b>	300 dpi Printer, Including Panduit Easy-	The desktop printer for Australia usage has 300 dpi resolution and 4" (101.6 mm) per second maximum print	PC	1	\$	2,134.89
07498333310	<b>TDP43ME/E</b>	DskptPrnter,INT,EMSoftHybridRibbon,300dpi	The TDP43ME Desktop Printer for international usage has 300 dpi resolution and 4" per second maximum pri	PC	1	\$	2,134.89
07498364414	<b>TDP43ME/E-KIT</b>	PrtrKitforTDP43ME,EuroVersion,Labels,1EA	The TDP43ME/E-KIT Desktop Printer for international usage has 300 dpi resolution and 4" per second maxim	PC	1	\$	2,684.65
07498389446	<b>TDP43ME/E-KITNL</b>	PrtrKitforTDP43ME,EuroVersion,1EA	The TDP43ME/E-KITNL Desktop Printer for international usage has 300 dpi resolution and 4" per second ma	PC	1	\$	2,684.65
07498360234	<b>TDP46HE</b>	DskptPrnter,NA,600dpi,33lbs.,1EA	The TDP46HE Desktop Printer for North American usage has 600 dpi resolution and 4" per second maximum	PC	1	\$	5,479.60
07498386286	<b>TKG6-14F-X</b>	Telco Grounding Kit	Ground clip kit for Telco wiring.	PC	1	\$	10.50
07498341468	<b>THM1SC-C</b>	TieHmssMnt,1Tie,Nat,PK100	The harness cable tie mount in natural color is applied with a fir tree push barb. It is made of nylon 6.6, which	C	100	\$	56.39
07498341469	<b>THM1SC-C30</b>	TieHmssMnt,1Tie,HS,BL,PK100	The harness cable tie mount in black is applied with a fir tree push barb. It is made of heat-stabilized nylon 6.6	C	100	\$	73.19
07498341470	<b>THM1SC-M</b>	TieHmssMnt,1Tie,Nat,BL,PK1000	Panduit THM1SC-M Harness Mount with a fir tree push barb, holds wire bundles tightly and installs quickly int	M	1000	\$	347.93
07498341471	<b>THM1SC-M30</b>	TieHmssMnt,1Tie,HS,BL,PK1000	Panduit THM1SC-M30 Harness Mount with a fir tree push barb, holds wire bundles tightly and installs quickly	M	1000	\$	452.28
07498368397	<b>THMSC35-C30</b>	TieHarnessMount,HealStabilized,BLK,PK100	The harness cable tie mount in black is applied with a fir tree push barb. It is made of heat-stabilized nylon 6.6	C	100	\$	65.99
07498368401	<b>THMSC35F-M30</b>	FirTreeHmssMnt,1.54"L,BL,PK1000	The fir tree harness mount is black and is 1.54" (39.1 mm) long. It is made of heat-stabilized nylon 6.6, which	M	1000	\$	427.98
07498312731	<b>THMSC55H04-M30</b>	FirTreeHmssMnt,2.20",BL,PK1000	The fir tree harness mount is black and is 2.20" (55 mm) long. It is made of heat-stabilized nylon 6.6, which	M	1000	\$	540.58
07498338391	<b>THMSP20-C30</b>	TieHmssMnt,Clt,Psh,.47",HS,BL,PK100	The CLT harness cable tie mount in black is applied with a push barb and is 0.47" (11.7 mm) in height. It is m	C	100	\$	77.84
07498338394	<b>THMSP25-C30</b>	TieHmssMnt,Clt,Psh,.54",HS,BL,PK100	The CLT harness cable tie mount in black is applied with a push barb and is 0.54" (13.7 mm) in height. It is m	C	100	\$	77.84
07498361060	<b>TJF-X</b>	TeeJctonFixture,1.34"Bundle,PK10	Harness board J-connection fixture, 1.34" (34.0mm) bundle.	PC	1	\$	15.93
07498337830	<b>TM1-X2-C</b>	SwwTieMnt,Nat,Nyl6.6,MinCbleTies,PK100	The swivel tie mount in natural color uses miniature cable ties. It is made of nylon 6.6, which increases mecha	C	100	\$	342.70
07498337831	<b>TM1-X2-M</b>	SwwTieMnt,Nat,Nyl6.6,MinCbleTies,PK1000	The swivel tie mount in natural color uses miniature cable ties. It is made of nylon 6.6, which increases mecha	M	1000	\$	2,940.44
07498358081	<b>TM1A-M</b>	TieMnt,UserSuppliedAdh,.32inW,Nat,PK1000	The cable tie mount in natural color is applied with user-supplied adhesives and is 0.32" (8.1 mm) wide. It is m	M	1000	\$	256.30
07498358140	<b>TM1S4-C</b>	TieMnt,.32inW,#4Screw,Nyl,Nat,PK100	The cable tie mount in natural color is applied with a #4 (M2.5) screw and is 0.32" (8.1 mm) wide. It is made o	C	100	\$	34.19
07498348168	<b>TM1S4-C0</b>	TieMnt,.32inW,#4Screw,WRNyl,BL,PK100	Panduit TM1S4-C0 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	C	100	\$	41.48
07498301435	<b>TM1S4-C39</b>	TieMnt,.32inW,#4Screw,HSNyl,Nat,PK100	The cable tie mount in natural color is applied with a #4 (M2.5) screw and is 0.32" (8.1 mm) wide. It is made o	C	100	\$	51.71
07498358141	<b>TM1S4-M</b>	TieMnt,.32inW,#4Screw,Nyl,Nat,PK1000	The cable tie mount in natural color is applied with a #4 (M2.5) screw and is 0.32" (8.1 mm) wide. It is made o	M	1000	\$	270.53
07498358143	<b>TM1S4-M30</b>	TieMnt,.32inW,#4Screw,HSNyl,BL,PK1000	The cable tie mount in black is applied with a #4 (M2.5) screw and is 0.32" (8.1 mm) wide. It is made of heat-	M	1000	\$	311.38
07498324801	<b>TM1S4-M69</b>	TieMnt,.32inW,#4Screw,FR,Nat,PK1000	The cable tie mount in ivory is applied with a #4 (M2.5) screw and is 0.32" (8.1 mm) wide. It is made of flame-	M	1000	\$	474.70
07498358160	<b>TM1S6-C</b>	TieMnt,.32inW,#6Screw,Nyl,Nat,PK100	Panduit TM1S6-C Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	C	100	\$	34.19
07498358985	<b>TM1S6-C0</b>	TieMnt,.32inW,#6Screw,WRNyl,BL,PK100	The cable tie mount in black is applied with a #6 (M3) screw and is 0.32" (8.1 mm) wide. It is made of weathe	C	100	\$	41.48
07498358161	<b>TM1S6-M</b>	TieMnt,.32inW,#6Screw,Nyl,Nat,PK1000	Panduit TM1S6-M Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	M	1000	\$	250.10
07498358162	<b>TM1S6-M0</b>	TieMnt,.32inW,#6Screw,WRNyl,BL,PK1000	The cable tie mount in black is applied with a #6 (M3) screw and is 0.32" (8.1 mm) wide. It is made of weathe	M	1000	\$	296.58
07498358163	<b>TM1S6-M30</b>	TieMnt,.32inW,#6Screw,HSNyl,BL,PK1000	The cable tie mount in black is applied with a #6 (M3) screw and is 0.32" (8.1 mm) wide. It is made of heat-s	M	1000	\$	296.58
07498324802	<b>TM1S6-M69</b>	TieMnt,.32inW,#6Screw,FR,Nat,PK1000	The cable tie mount in natural color is applied with a #6 (M3) screw and is 0.32" (8.1 mm) wide. It is made of f	M	1000	\$	474.70
07498358100	<b>TM2A-C</b>	TieMnt,UserAppAdh,.43inW,Nat,PK100	The cable tie mount in natural color is applied with user-supplied adhesive and is 0.43" (10.9 mm) wide. It is m	C	100	\$	53.68
07498322235	<b>TM2PWH25-C</b>	CableTieMnt,WingedPshMnt,.25in,Nat,PK1000	The winged push barb cable tie mount in natural color requires a 0.25" (6.5 mm) panel hole diameter. It is ma	C	100	\$	99.35
07498322236	<b>TM2PWH25-M</b>	CblTieMnt,WingedPshMnt,.25in,Nat,PK1000	Panduit TM2PWH25-M Winged Push Barb Mounts provide a solution to cable management in situations wher	M	1000	\$	645.41
07498358180	<b>TM2R6-C</b>	CbleTieMnt,.43"W,#6Rivet,Nyl,PK100	Panduit TM2R6-C Rivet Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	C	100	\$	49.83
07498358181	<b>TM2R6-M</b>	CbleTieMnt,.43"W,#6Rivet,Nyl,PK1000	The cable tie mount in natural color is applied with a rivet and is 0.43" (10.9 mm) wide. It uses a #6 (M3) scre	M	1000	\$	279.06
07498358182	<b>TM2R6-M0</b>	CbleTieMnt,.43"W,#6Rivet,WRNyl,BL,PK1000	The cable tie mount in black is applied with a rivet and is 0.43" (10.9 mm) wide. It uses a #6 (M3) screw and i	M	1000	\$	340.01
07498358183	<b>TM2R6-M30</b>	CbleTieMnt,.43"W,#Rivet,HS,PK1000	The cable tie mount in black is applied with a rivet and is 0.43" (10.9 mm) wide. It uses a #6 (M3) screw and i	M	1000	\$	340.01
07498358200	<b>TM2S6-C</b>	TieMnt,.43in,#6Screw,Nyl,Nat,PK100	Panduit TM2S6-C Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	C	100	\$	49.95
07498358988	<b>TM2S6-C0</b>	TieMnt,.43in,#6Screw,WRNyl,BL,PK100	The cable tie mount in black is applied with a #6 (M3) screw and is 0.43" (10.9 mm) wide. It is made of weath	C	100	\$	56.09
07498358201	<b>TM2S6-M</b>	TieMnt,.43in,#6Screw,Nyl,Nat,PK1000	Panduit TM2S6-M Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	M	1000	\$	282.34
07498358202	<b>TM2S6-M0</b>	TieMnt,.43in,#6Screw,WRNyl,BL,PK1000	The cable tie mount in black is applied with a #6 (M3) screw and is 0.43" (10.9 mm) wide. It is made of weath	M	1000	\$	340.10
07498358203	<b>TM2S6-M30</b>	TieMnt,.43in,#6Screw,HSNyl,BL,PK1000	The cable tie mount in black is applied with a #6 (M3) screw and is 0.43" (10.9 mm) wide. It is made of heat-s	M	1000	\$	357.09
07498324803	<b>TM2S6-M69</b>	TieMnt,.43inW,#6Screw,FR,Nat,PK1000	The cable tie mount in ivory is applied with a #6 (M3) screw and is 0.43" (10.9 mm) wide. It is made of flame-r	M	1000	\$	543.90
07498358220	<b>TM2S8-C</b>	TieMnt,.43inW,#8Screw,Nyl,Nat,PK100	Panduit TM2S8-C screw applied cable tie mounts offer a through hole in the mount in which a screw or rivet c	C	100	\$	49.94
07498348213	<b>TM2S8-C0</b>	TieMnt,.43inW,#8Screw,WRNyl,BL,PK100	Panduit TM2S8-C0 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	C	100	\$	58.29
07498358224	<b>TM2S8-C100</b>	TieMnt,.43inW,#8Screw,WRPoly,BL,PK1000	The cable tie mount in black is applied with a #8 (M4) screw and is 0.43" (10.9 mm) wide. It is made of weath	C	100	\$	66.89
07498311508	<b>TM2S8-C186</b>	TieMnt,.63inW,MetDetPoly,DBU,PK100	Panduit TM2S8-C186 Metal Detectable screw applied cable mounts allow identification by metal detection eq	C	100	\$	102.56
07498301441	<b>TM2S8-C39</b>	TieMnt,.43inW,#8Screw,HSNyl,Nat,PK100	The cable tie mount in natural color is applied with a #8 (M4) screw and is 0.43" (10.9 mm) wide. It is made of	C	100	\$	57.43
07498329163	<b>TM2S8-C71</b>	TieMnt,.43inW,#8Screw,PEEK,TBR,PK100	Panduit TM2S8-C71 Screw Applied Cable Tie Mounts are designed for high temperature and harsh chemical	C	100	\$	268.60
07498313666	<b>TM2S8-C76</b>	TieMnt,.43inW,#8Screw,Tefzel,AQ,PK100	Panduit TM2S8-C76 Cable Tie Mounts are designed for applications requiring resistance to environmental str	C	100	\$	179.06
07498311512	<b>TM2S8-C86</b>	TieMnt,.63inW,MetDetNyl,LTBU,PK100	Panduit TM2S8-C86 Cable Tie Mounts are designed to help the food, beverage and pharmaceutical industrie	C	100	\$	78.89
61305680216	<b>TM2S8-C86A</b>	Cable Tie Mount,.43" (10.9mm)W,#8 Scre	Panduit TM2S8-C86A Cable Tie Mounts are designed to help the food, beverage and pharmaceutical industri	C	100	\$	94.66
07498358221	<b>TM2S8-M</b>	TieMnt,.43inW,#8Screw,Nyl,NatPK1000	Panduit TM2S8-M Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	M	1000	\$	268.89
07498358222	<b>TM2S8-M0</b>	TieMnt,.43inW,#8Screw,WRNyl,BL,PK1000	Panduit TM2S8-M0 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or riv	M	1000	\$	323.84
07498358225	<b>TM2S8-M100</b>	TieMnt,.43inW,#8Screw,WRPoly,BL,PK1000	The cable tie mount in black is applied with a #8 (M4) screw and is 0.43" (10.9 mm) wide. It is made of weath	M	1000	\$	394.25
07498358223	<b>TM2S8-M30</b>	TieMnt,.43inW,#8Screw,HSNyl,BL,PK1000	The cable tie mount in black is applied with a #8 (M4) screw and is 0.43" (10.9 mm) wide. It is made of heat-s	M	1000	\$	323.84
07498324804	<b>TM2S8-M69</b>	TieMnt,.43inW,#8Screw,FR,Nat,PK1000	Panduit TM2S8-M69 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or r	M	1000	\$	493.38
07498345722	<b>TM3-X2-C0Y</b>	SwwTieMnt,WRBL,Nyl6.6,M,I,S,LHCbleTies	Panduit TM3-X2-C0Y Swivel Mounts fasten two mounts securely together with a connecting rivet that allows b	C	100	\$	321.39
07498383712	<b>TM3-X2-C0YJ</b>	Swivel Tie Mount, BLK, WR Nylon 6.6, for	Swivel Tie Mount, BLK, WR Nylon 6.6, for use with M, I, S, LH Cable Ties	C	100	\$	321.39
07498358120	<b>TM3A-C</b>	TieMnt,UserAppAdh,.62inW,Nat,PK100	The cable tie mount in natural color is applied with user-supplied adhesive and is 0.61" (15.5 mm) wide. It is m	C	100	\$	92.08
07498358121	<b>TM3A-M</b>	TieMnt,UserAppAdh,.62inW,Nat,PK1000	The cable tie mount in natural color is applied with user-supplied adhesive and is 0.61" (15.5 mm) wide. It is m	M	1000	\$	555.90
07498358240	<b>TM3R6-C</b>	Cable Tie Mount,.62" W,#6 Rivet,PK100	The cable tie mount in natural color is applied with a rivet and is 0.62" (15.8 mm) wide. It uses a #6 (M3) scre	C	100	\$	80.54
07498358241	<b>TM3R6-M</b>	Cable Tie Mount,.62" W,#6 Rivet,PK1000	The cable tie mount in natural color is applied with a rivet and is 0.62" (15.8 mm) wide. It uses a #6 (M3) scre	M	1000	\$	477.85
07498358242	<b>TM3R6-M0</b>	CblTieMnt,.62"W,#6Rivet,WRNyl,PK1000	The cable tie mount in black is applied with a rivet and is 0.62" (15.8 mm) wide. It uses a #6 (M3) screw and i	M	1000	\$	602.56
07498358280	<b>TM3S10-C</b>	TieMnt,.62inW,#10Screw,Nyl,Nat,PK100	Panduit TM3S10-C screw applied cable tie mounts offer a through hole in the mount in which a screw or rivet	C	100	\$	74.49
07498357984	<b>TM3S10-C0</b>	TieMnt,.62inW,#10Screw,WRNyl,BL,PK100	Panduit TM3S10-C0 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or riv	C	100	\$	93.23
07498311511	<b>TM3S10-C186</b>	TieMnt,.87inW,#10,MetDetPoly,DBU,PK100	Panduit TM3S10-C186 Metal Detectable screw applied cable mounts allow identification by metal detection e	C	100	\$	120.05
07498351834	<b>TM3S10-C69</b>	TieMnt,.88inW,#10Screw,FR,Nyl,Nat,PK100	The cable tie mount in natural color is applied with a #10 (M5) screw and is 0.61" (15.5 mm) wide. It is made	C	100	\$	148.93
07498358275	<b>TM3S10-C76</b>	TieMnt,.62inW,#10Screw,Tefzel,AQ,PK100	Panduit TM3S10-C76 Cable Tie Mounts are designed for applications requiring resistance to environmental s	C	100	\$	200.93
07498311514	<b>TM3S10-C86</b>	TieMnt,.87inW,#10,MetDetNyl,LTBU,PK100	Panduit TM3S10-C86 Cable Tie Mounts are designed to help the food, beverage and pharmaceutical industri	C	100	\$	92.38
61305680058	<b>TM3S10-C86A</b>	Cable Tie Mount,.61" (15.5mm)W,#10 Scr	Panduit TM3S10-C86A Cable Tie Mounts are designed to help the food, beverage and pharmaceutical indust	C	100	\$	110.85

07498358281	<b>TM3S10-M</b>	TieMnt.,62inW,#10Screw,Nyl,Nat,PK1000	Panduit TM3S10-M screw applied cable tie mounts offer a through hole in the mount in which a screw or rivet	M	1000	\$	481.96
07498358282	<b>TM3S10-M0</b>	TieMnt.,62inW,#10Screw,WRNyl,BL,PK1000	Panduit TM3S10-M0 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or ri	M	1000	\$	585.00
07498358283	<b>TM3S10-M30</b>	TieMnt.,62inW,#10Screw,HSNyl,BL,PK1000	The cable tie mount in black is applied with a #10 (M5) screw and is 0.61" (15.5 mm) wide. It is made of heat-	M	1000	\$	602.56
07498351835	<b>TM3S10-M69</b>	TieMnt.,62inW,#10Screw,FRNyl,IV,PK1000	Panduit TM3S10-M69 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or r	M	1000	\$	964.15
07498358300	<b>TM3S25-C</b>	Cable Tie Mount, .62" W, 1/4 Screw,PK100	Panduit TM3S25-C Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	C	100	\$	76.70
07498357988	<b>TM3S25-C0</b>	CblTieMnt.,62"W,1/4SCR,WRNyl,PK100	Panduit TM3S25-C0 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or riv	C	100	\$	93.23
07498358301	<b>TM3S25-M</b>	TieMnt.,62inW,1/4Screw,Nyl,Nat,PK1000	Panduit TM3S25-M Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or riv	M	1000	\$	455.11
07498358302	<b>TM3S25-M0</b>	TieMnt.,62inW,1/4Screw,WRNyl,BL,PK1000	Panduit TM3S25-M0 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or ri	M	1000	\$	573.85
07498358303	<b>TM3S25-M30</b>	TieMnt.,62W,1/4Screw,HSNyl,BL,PK1000	Panduit TM3S25-M0 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or ri	M	1000	\$	573.85
07498301450	<b>TM3S2510-C39</b>	TieMnt.,62W,1/4Screw,HSNyl,Nat,PK1000	The cable tie mount in natural color is applied with a #10 (M5) screw and is .61" (15.5mm) wide. It is made of	C	100	\$	72.10
07498301451	<b>TM3S2510-M39</b>	TieMnt.,62W,#10Screw,HSNyl,Nat,PK1000	Panduit TM3S2510-M39 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw	M	1000	\$	390.76
07498358260	<b>TM3S8-C</b>	TieMnt.,62W,#8Screw,Nyl,Nat,PK100	Panduit TM3S8-C Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	C	100	\$	72.78
07498348169	<b>TM3S8-C0</b>	TieMnt.,62W,#8Screw,WRNyl,BL,PK100	Panduit TM3S8-C0 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	C	100	\$	93.23
07498358244	<b>TM3S8-C100</b>	TieMnt.,62W,#8Screw,WRPoly,BL,PK100	The cable tie mount in black is applied with a #8 (M4) screw and is 0.61" (15.5 mm) wide. It is made of weath	C	100	\$	104.15
07498311510	<b>TM3S8-C186</b>	TieMnt.,87inW,#8,MetDetPoly,DBU,PK100	Panduit TM3S8-C186 Metal Detectable screw applied cable mounts allow identification by metal detection eq	C	100	\$	115.35
07498358265	<b>TM3S8-C69</b>	TieMnt.,62inW,#8Screw,FR,Nyl,Nat,PK100	Panduit TM3S8-C69 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or riv	C	100	\$	141.83
07498358262	<b>TM3S8-C76</b>	TieMnt.,62inW,#8Screw,Tefzel,AQ,PK100	Panduit TM3S8-C76 Cable Tie Mounts are designed for applications requiring resistance to environmental str	C	100	\$	200.93
07498311513	<b>TM3S8-C86</b>	TieMnt.,87inW,#8,MetDetNyl,LTBU,PK100	Panduit TM3S8-C86 Cable Tie Mounts are designed to help the food, beverage and pharmaceutical industrie	C	100	\$	88.73
61305680057	<b>TM3S8-C86A</b>	Cable Tie Mount, .61" (15.5mm)W, #8 Scre	Panduit TM3S8-C86A Cable Tie Mounts are designed to help the food, beverage and pharmaceutical industri	C	100	\$	106.46
07498358261	<b>TM3S8-M</b>	TieMnt.,62inW,#8Screw,Nyl,Nat,PK1000	Panduit TM3S8-M Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or rivet	M	1000	\$	455.11
07498358263	<b>TM3S8-M0</b>	TieMnt.,62inW,#8Screw,WRNyl,BL,PK1000	Panduit TM3S8-M0 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or riv	M	1000	\$	573.85
07498358245	<b>TM3S8-M100</b>	TieMnt.,62inW,#8Screw,WRPoly,BL,PK1000	Panduit TM3S8-M100 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or r	M	1000	\$	710.21
07498358264	<b>TM3S8-M30</b>	TieMnt.,62inW,#8Screw,HSNyl,BL,PK1000	The cable tie mount in black is applied with a #8 (M4) screw and is 0.61" (15.5 mm) wide. It is made of heat-s	M	1000	\$	602.56
07498324805	<b>TM3S8-M69</b>	TieMnt.,62inW,#8Screw,FR,Nyl,Nat,PK1000	Panduit TM3S8-M69 Screw Applied Cable Tie Mounts offer a through hole in the mount in which a screw or ri	M	1000	\$	918.28
07498358071	<b>TMEH-S10-C0</b>	CableTieMnt,EH,#10Screw,WRNyl,PK100	Panduit TMEH-S10-C0 screw applied extra heavy cable tie mounts are designed for use with Panduit extra-h	M	1000	\$	1,379.44
07498354063	<b>TMEH-S10-C100</b>	CableTieMnt,EH,#10Screw,WRNyl,PK100	Panduit TMEH-S10-C100 screw applied extra heavy cable tie mounts are designed for use with Panduit extra	C	100	\$	159.90
07498354064	<b>TMEH-S10-C109</b>	CableTieMnt,EH,#10Screw,Poly,PK100	The extra heavy cable tie mount in green is applied with a #10 (M5) screw. It is made of polypropylene for ind	C	100	\$	139.01
07498358070	<b>TMEH-S10-Q0</b>	CableTieMnt,EH,#10Screw,WRNyl,PK25	Panduit TMEH-S10-Q0 screw applied extra heavy cable tie mounts are designed for use with Panduit extra-h	C	100	\$	214.58
07498311398	<b>TMEH-S10-X0</b>	CableTieMnt,EH,#10Screw,WRNyl,BL,PK10	The extra heavy cable tie mount in black is applied with a #10 (M5) screw. It is made of weather-resistant nyl	C	100	\$	270.50
07498358076	<b>TMEH-S25-C0</b>	CableTieMnt,EH,1/4Screw,WRNyl,PK100	Panduit TMEH-S25-C0 screw applied extra heavy cable tie mounts are designed for use with Panduit extra-h	M	1000	\$	1,379.44
07498358075	<b>TMEH-S25-Q0</b>	CableTieMnt,EH,1/4Screw,WRNyl,PK25	Panduit TMEH-S25-Q0 screw applied extra heavy cable tie mounts are designed for use with Panduit extra-h	C	100	\$	227.54
07498311399	<b>TMEH-S25-X0</b>	CableTieMnt,EH,1/4Screw,WRNyl,BL,PK10	Panduit TMEH-S25-X0 screw applied extra heavy cable tie mounts are designed for use with Panduit extra-he	C	100	\$	270.50
07498358066	<b>TMEH-S8-C0</b>	CableTieMnt,EH,#8Screw,WRNyl,PK100	Panduit TMEH-S8-C0 screw applied extra heavy cable tie mounts are designed for use with Panduit extra-he	M	1000	\$	1,431.44
07498358065	<b>TMEH-S8-Q0</b>	CableTieMnt,EH,#8Screw,WRNyl,PK25	Panduit TMEH-S8-Q0 screw applied extra heavy cable tie mounts are designed for use with Panduit extra-h	C	100	\$	225.39
07498311387	<b>TMEH-S8-X0</b>	CableTieMnt,EH,#8Screw,WRNyl,BL,PK10	The extra heavy cable tie mount in black is applied with a #8 (M4) screw. It is made of weather-resistant nylon	C	100	\$	284.03
07498345427	<b>TMEH-X2-L0Y</b>	SwwTieMnt,WRBLNyl6.6,PK50	Panduit TMEH-X2-L0Y Swivel Mounts fasten two mounts securely together with a connecting ring that allows	C	100	\$	385.65
61305626156	<b>TMEH255-3E-C350</b>	HvyDtyCblTieMntw/12"WStrapCblAssy,PK100	Heavy Duty cable tie mount with 12" wide strap cable assembly, hole size 0.187", screw applied, Heat Stabiliz	M	1000	\$	2,793.23
61305625868	<b>TMEH255-D350</b>	HvyDtyMntHoleS20.187",SCRN/A,PK500	Heavy duty mount hole size 0.187", screw applied, Heat Stabilized, Impact Modified, Weather Resistant Nyl	M	1000	\$	685.60
61305626157	<b>TMEH256-3E-C350</b>	HvyDtyCblTieMntw/12"WStrapCblAssy,PK100	Heavy Duty cable tie mount with 12" wide strap cable assembly, hole size 0.25", screw applied, Heat Stabiliz	M	1000	\$	2,926.21
61305625869	<b>TMEH256-D350</b>	HvyDtyMntHoleS20.25",SCRN/A,PK500	Heavy duty mount hole size 0.25", screw applied, Heat Stabilized, Impact Modified, Weather Resistant Nylon	M	1000	\$	685.60
61305626158	<b>TMEH258-3E-C350</b>	HvyDtyCblTieMntw/12"WStrapCblAssy,PK100	Heavy Duty cable tie mount with 12" wide strap cable assembly, hole size 0.31", screw applied, Heat Stabiliz	M	1000	\$	2,793.23
61305625870	<b>TMEH258-D350</b>	HvyDtyMntHoleS20.31",SCRN/A,PK500	Heavy duty mount hole size 0.31", screw applied, Heat Stabilized, Impact Modified, Weather Resistant Nylon	M	1000	\$	685.60
07498345318	<b>TMEHP10-C0</b>	MntW/PshMntAnchor,PK100	Winged Push Barb Cable Tie Mount, black, standard package	C	100	\$	84.16
61305676351	<b>TMSTEH-TOOL-V</b>	Tool used to install TMSTEH Series Twis	Panduit TMSTEH-TOOL-V Extra-Heavy Duty Twist-On Stud Mount Tools are to be used to apply Panduit twis	PC	1	\$	19.41
61305675946	<b>TMSTEH8-D350</b>	Twist-On Stud Mount, .3125" (8mm) Stud D	Twist-On Stud Mount, .3125" (8mm) Stud Dia., Impact Modified, Heat Stabilized, Weather Resistant Nylon, B	PC	1	\$	1.69
07498377604	<b>TMSTHS10-D0</b>	CbleTieMnt.,38inStud,WRNyl,BL,PK500	The cable tie mount in black is installed onto a 0.38" (9.7mm) stud. It is made of impact-modified weather-resi	M	1000	\$	1,619.19
07498331825	<b>TMSTHS11-D0</b>	CblTieMnt.,44inStud,WRNyl,BL,PK500	The cable tie mount in black is installed onto a 0.44" (11mm) stud. It is made of impact-modified weather-resi	M	1000	\$	2,145.85
07498307902	<b>TMSTHS12-D0</b>	CblTieMnt.,47inStud,WRNyl,BL,PK500	The cable tie mount in black is installed onto a 0.47" (12mm) stud. It is made of impact-modified weather-resi	M	1000	\$	1,554.00
07498361481	<b>TMSTHS13-D0</b>	CbleTieMnt.,5inStud,WRNyl,BL,PK500	The cable tie mount in black is installed onto a 0.50" (12.7mm) stud. It is made of impact-modified weather-re	M	1000	\$	1,619.19
07498361483	<b>TMSTHS16-D0</b>	CbleTieMnt.,63inStud,WRNyl,BL,PK500	Panduit TMSTHS16-D0 Stud Tie Mounts are designed for use with cable ties to route and secure cable bundl	M	1000	\$	1,619.19
07498364251	<b>TMSTHS19-C0</b>	CbleTieMnt.,75inStud,WRNyl,BL,PK100	The cable tie mount in black is installed onto a 0.75" (19.1mm) stud. It is made of impact-modified weather-re	C	100	\$	255.01
07498363043	<b>TMSTHS19-D0</b>	CbleTieMnt.,75inStud,WRNyl,BL,PK500	The cable tie mount in black is installed onto a 0.75" (19.1mm) stud. It is made of impact-modified weather-re	M	1000	\$	1,700.14
07498348224	<b>TMSTLH56-C0</b>	CbleTieMnt.,25inStud,WRNyl,BL,PK100	The cable tie mount in black is installed onto a .25" (6.4mm) stud. It is made of weather-resistant nylon 6.6, w	C	100	\$	47.54
07498348225	<b>TMSTLH56-M0</b>	CbleTieMnt.,25inStud,WRNyl,BL,PK1000	The cable tie mount in black is installed onto a 0.25" (6.4mm) stud. It is made of weather-resistant nylon 6.6,	M	1000	\$	367.74
07498352887	<b>TMSTLH58-C0</b>	CbleTieMnt.,31inStud,WRNyl,BL,PK100	The cable tie mount in black is installed onto a 0.31" (7.9mm) stud. It is made of weather-resistant nylon 6.6,	C	100	\$	47.54
07498352886	<b>TMSTLH58-M0</b>	CbleTieMnt.,31inStud,WRNyl,BL,PK1000	The cable tie mount in black is installed onto a 0.31" (7.9mm) stud. It is made of weather-resistant nylon 6.6,	M	1000	\$	386.10
07498359782	<b>TNC100X50LG2</b>	NZFR MTC, mPPO,100mmx50mmx2M,LG,2MTR	Type TNC slotted wall wiring duct, 99.6mm W x 47.8mm H, 6.6' length, polyphenylene ether + high impact po	MR	1	\$	112.44
07498359783	<b>TNC100X75LG2</b>	NZFR MTC, mPPO,100mmx75mmx2M,LG,2MTR	Type TNC slotted wall wiring duct, 99.6mm W x 72.4mm H, 6.6' length, polyphenylene ether + high impact po	MR	1	\$	131.36
07498359055	<b>TNC25X37LG2</b>	NZFR MTC, mPPO,25mmx37mmx2M,LG,2MTR	Type TNC slotted wall wiring duct, 24.6mm W x 35.8mm H, 6.6' length, polyphenylene ether + high impact po	MR	1	\$	40.94
07498359603	<b>TNC25X75LG2</b>	NZFR MTC, mPPO,25mmx75mmx2M,LG,2MTR	Type TNC slotted wall wiring duct, 24.6mm W x 72.4mm H, 6.6' length, polyphenylene ether + high impact po	MR	1	\$	75.50
07498359604	<b>TNC37X37LG2</b>	NZFR MTC, mPPO,37mmx37mmx2M,LG,2MTR	Type TNC slotted wall wiring duct, 37.1mm W x 35.8mm H, 6.6' length, polyphenylene ether + high impact po	MR	1	\$	57.83
07498359763	<b>TNC37X75LG2</b>	NZFR MTC, mPPO,37mmx75mmx2M,LG,2MTR	Type TNC slotted wall wiring duct, 37.1mm W x 72.4mm H, 6.6' length, polyphenylene ether + high impact po	MR	1	\$	80.23
07498360686	<b>TNC50X50LG2</b>	NZFR MTC, mPPO,50mmx50mmx2M,LG,2MTR	Type TNC slotted wall wiring duct, 49.6mm W x 47.8mm H, 6.6' length, polyphenylene ether + high impact po	MR	1	\$	68.89
07498359776	<b>TNC75X75LG2</b>	NZFR MTC, mPPO,75mmx75mmx2M,LG,2MTR	Type TNC slotted wall wiring duct, 74.6mm W x 72.4mm H, 6.6' length, polyphenylene ether + high impact po	MR	1	\$	107.64
07498325000	<b>TNR</b>	Nylon Rivet Installation Tool	Installation Tool for NR1 Rivets	PC	1	\$	272.00
07498358320	<b>TP2-C</b>	CbleTiePlt,#10Screw,M-Sties,PK100	Panduit's TP2-C Cable Tie Plates have slotted mounting holes to accommodate various fastener spacing. Wi	C	100	\$	51.41
07498358321	<b>TP2-M</b>	CbleTiePlt,#10Screw,M-Sties,PK1000	The cable tie plate in natural color is applied with #10 (M5) screws. It is made of nylon 6.6, which increases m	M	1000	\$	377.94
07498358340	<b>TP4H-C</b>	CbleTiePlt,1/4Screw,M-Hties,PK100	The cable tie plate in natural color is applied with 1/4" (M6) screws. It is made of nylon 6.6, which increas	C	1000	\$	194.39
07498358341	<b>TP4H-D</b>	CbleTiePlt,1/4Screw,M-Hties,PK500	Panduit TP4H-D Cable Tie Plates have a low profile design to keep bundles close to the mounting surface an	M	1000	\$	1,092.55
07498300845	<b>TRBSK</b>	Threaded Rail Fastener Stud Kit#12-24,EA	The TRBSK Bonding Stud Kit incorporates piercing serrations to create a bond point between the rack or cab	KT	1	\$	192.46
07498385463	<b>TTC82C-10</b>	ThermTrans, Comp Label, Adhesive Vinyl C	Thermal Transfer Label, 0.75" x 0.25", Vinyl Cloth, White	M	1000	\$	39.25
07498385459	<b>TTC86C-10</b>	ThermTrans, Comp Label, Adhesive Vinyl C	Thermal Transfer Label, 0.79" x 0.31", Vinyl Cloth, White	M	1000	\$	50.66
07498385460	<b>TTC87C-2.5</b>	ThermTrans, Comp Label, Adhesive Vinyl C	Thermal Transfer Label, 0.80" x 1.44", Vinyl Cloth, White	M	1000	\$	129.64
07498385461	<b>TTC88C-10</b>	ThermTrans, Comp Label, Adhesive Vinyl C	Thermal Transfer Label, 1.00" x 0.75", Vinyl Cloth, White	M	1000	\$	102.06
07498390263	<b>TTC90C-10</b>	ThermTrans, Comp Label, Adhesive Vinyl C	Thermal Transfer Label, 1.50" x 0.25", Vinyl Cloth, White	M	1000	\$	74.18
07498383206	<b>TTLK3</b>	Tool Tension Kit,GS2B-GS4H-PPTS,Tool,EA	Tool tension locking kit for GS2B, GS2BL, GS4H, GS4EH, GS4H121W, GS4MT, PPTS, PPTHEL and PPTMT	PC	1	\$	6.76
07498364316	<b>TTSL-1</b>	TT,Self-LamLbl,Vyl,50"Wx1.50"H,PK5000	Thermal transfer self-laminating label, 0.50" W x 1.50" H, vinyl, clear/white, 3" core.	M	1000	\$	72.90



07498363023	<b>TTSL-2</b>	ThermTrans, Self-Lam Label, Vinyl, 1.00"	Thermal transfer self-laminating label, 1.00" W x 1.50" H, vinyl, clear/white, 3" core.	M	1000	\$	160.76
07498379377	<b>TTSL1VC3-5</b>	ThermTrans, Self-Lam Label, Vinyl, .50"	Thermal transfer self-laminating label, 0.50" W x 1.437" H, vinyl, clear/white, 3" core.	M	1000	\$	76.11
07498380398	<b>TTSL247VC3-5</b>	ThermTrans, Self-Lam Label, Vinyl, .80"	Thermal transfer self-laminating label, 0.80" W x 0.9375" H, vinyl, clear/white, 3" core.	M	1000	\$	73.06
07498371930	<b>TTSL2VC3-10</b>	ThermTrans, Self-Lam Label, Vinyl, 1.00"	Thermal transfer self-laminating label, 1.00" W x 1.50" H, vinyl, clear/white, 3" core.	M	1000	\$	110.41
07498377746	<b>TTSL2VC3-5</b>	ThermTrans, Self-Lam Label, Vinyl, 1.00"	Thermal transfer self-laminating label, 1.00" W x 1.50" H, vinyl, clear/white, 3" core.	M	1000	\$	119.53
07498369794	<b>TTSL2VC3-5-Y</b>	ThermTrans, Self-Lam Label, Vinyl, 1.00"	Thermal transfer self-laminating label, 1.00" W x 1.50" H, vinyl, clear/white, 3" core.	M	1000	\$	119.53
07498371932	<b>TTSL4VC3-5</b>	ThermTrans, Self-Lam Label, Vinyl, 1.00"	Thermal transfer self-laminating label, 1.00" W x 2.44" H, vinyl, clear/white, 3" core.	M	1000	\$	243.86
07498369800	<b>TTSL4VC3-5-Y</b>	ThermTrans, Self-Lam Label, Vinyl, 1.00"	Thermal transfer self-laminating label, 1.00" W x 2.44" H, vinyl, clear/white, 3" core.	M	1000	\$	243.86
07498371933	<b>TTSL6VC3-2.5</b>	ThermTrans, Self-Lam Label, Vinyl, 1.00"	Thermal transfer self-laminating label, 1.00" W x 3.94" H, vinyl, clear/white, 3" core.	M	1000	\$	324.31
07498369797	<b>TTSL6VC3-2.5-Y</b>	ThermTrans, Self-Lam Label, Vinyl, 1.00"	Thermal transfer self-laminating label, 1.00" W x 3.94" H, vinyl, clear/white, 3" core.	M	1000	\$	324.31
07498377895	<b>TTSL8VC3-5</b>	ThermTrans, Self-Lam Label, Vinyl, .50"	Thermal transfer self-laminating label, 0.50" W x 0.75" H, vinyl, clear/white, 3" core.	M	1000	\$	57.55
07498378891	<b>TTSL9VC3-5</b>	ThermTrans, Self-Lam Label, Vinyl, 1.00"	Thermal transfer self-laminating label, 1.00" W x 0.75" H, vinyl, clear/white, 3" core.	M	1000	\$	66.46
07498345283	<b>TV105-.38D20Y</b>	PVC Non-Shrink,.38"x500',600V,BLK,1rl	Non-Shrink PVC tubing, .38" (10.13mm) inside diameter, 600 voltage rating, black.	RL	1	\$	233.89
07498345290	<b>TV105-.50D20Y</b>	PVC Non-Shrink,.50"x500',600V,BLK,1rl	Non-Shrink PVC tubing, .50" (12.7mm) inside diameter, 600 voltage rating, black.	RL	1	\$	297.89
07498345320	<b>TV105-.75TL20Y</b>	PVC Non-Shrink,.75"x500',600V,BLK,1rl	The TV105-.75TL20Y PVC Non-Shrink Tubing provides insulation and protection for lead wires, wire harness	RL	1	\$	369.15
07498345426	<b>TV105-1.0C20Y</b>	PVC Non-Shrink, 1"x100',600V,BLK,1rl	The TV105-1.0C20Y PVC Non-Shrink Tubing provides insulation and protection for lead wires, wire harness a	RL	1	\$	242.63
07498345239	<b>TV105-12M20Y</b>	PVC Non-Shrink, 12 WGx1000',300V,BLK,1rl	Non-Shrink PVC tubing, 12 AWG, .08" (2.26mm) inside diameter, 300 voltage rating, black.	RL	1	\$	129.15
07498345238	<b>TV105-12MY</b>	PVC Non-Shrink, 12AWGx1000',300V,CLR,1rl	Non-Shrink PVC tubing, 12 AWG, .08" (2.26mm) inside diameter, 300 voltage rating, clear.	RL	1	\$	129.15
07498345256	<b>TV105-1M20Y</b>	PVC Non-Shrink, 1 AWGx1000',300V,BLK,1rl	Non-Shrink PVC tubing, 1 AWG, .34" (8.81mm) inside diameter, 300 voltage rating, black.	RL	1	\$	285.03
07498345243	<b>TV105-3M20Y</b>	PVC Non-Shrink, 3 AWGx1000',300V,BLK,1rl	The TV105-3M20Y PVC Non-Shrink Tubing provides insulation and protection for lead wires, wire harness as	RL	1	\$	228.33
07498345241	<b>TV105-6M20Y</b>	PVC Non-Shrink, 6 AWGx1000',300V,BLK,1rl	The TV105-6M20Y PVC Non-Shrink Tubing provides insulation and protection for lead wires, wire harness as	RL	1	\$	189.21
07498345240	<b>TV105-6MY</b>	PVC Non-Shrink, 6 AWGx1000',300V,CLR,1rl	Non-Shrink PVC tubing, 6 AWG, .17" (4.52mm) inside diameter, 300 voltage rating, clear.	RL	1	\$	198.66
07498323374	<b>TWR-C</b>	TnsionWireRtanr,.38"Bdle,Nat,PK100	Wire retainer, .38" (9.5mm) bundle, nylon 6.6, natural, standard package.	C	100	\$	33.19
07498335486	<b>TWR-C0</b>	TnsionWireRtanr,.38"Bdle,WRBL,PK100	Wire retainer, .38" (9.5mm) bundle, weather resistant nylon 6.6, black, standard package.	C	100	\$	36.86
07498323374	<b>TWR-M</b>	TnsionClpWireRetainer,PK1000	Wire retainer, .38" (9.5mm) bundle, nylon 6.6, natural,bulk package.	M	1000	\$	216.44
61305617466	<b>UA12ID</b>	DIELESS CRIMPER ,EA	Dieless Crimp Adapter	PC	1	\$	286.14
61305617467	<b>UA12TKL</b>	CrmpDieAdptrForCD-920andCD-930DIES,EA	Adapter for CD-920 and CD-930 dies	PC	1	\$	1,019.76
61305617468	<b>UA22</b>	CRIMP DIE ADAPTER ,Size22,EA	Size 22 Die Adapter	PC	1	\$	456.26
61305620040	<b>UAM</b>	CUTTER BLADE ADAPTER ,EA	Cutter Blade Adapter	PC	1	\$	436.35
61305617469	<b>UAW</b>	CRIMP DIE ADAPTER ,Wdie,EA	"W" die adaptor for CD-2001 Type Dies used in CT-3001/CCP Tools. (Normally included with CT-3001/CCP	PC	1	\$	604.56
61305677743	<b>UC100</b>	Uni-Crimp 100 Press and Air Kit	The UniCrimp 200 benchtop crimping machine is designed for crimping open or closed barrel terminals with u	PC	1	\$	8,249.80
07498397077	<b>UC200</b>	Semi-Auto,ElectricBenchPress,4000/hr	The UniCrimp 200 benchtop crimping machine is designed for crimping open or closed barrel terminals with u	PC	1	\$	12,591.80
61305617460	<b>UC26</b>	CABLE CUTTER BLADE(CRIMP TOOLS),1",EA	Cutter Blade for 1" Aluminum and Copper Wire	PC	1	\$	327.78
61305617461	<b>UC40</b>	CABLE CUTTER BLADE(CRIMP TOOLS),1.5",EA	Cutter Blade for 1-1/2" Aluminum and Copper Wire	PC	1	\$	327.78
61305617462	<b>UCACSR</b>	Cutter Blade for ACSR and Guy wire ,EA	Cutter Blade for ACSR and Guy wire	PC	1	\$	466.18
61305675590	<b>UCCAD-C130</b>	Universal Cable Clip Angled type Cable D	Panduit UCCAD-C130 Universal Cable Clip, Angled Cable Down is an adjustable edge clip designed for vario	PC	1	\$	0.78
61305675591	<b>UCCCDL-X130</b>	Universal Cable Clip Cable Down latch	Panduit UCCCDL-X130 Universal Cable Clip Latch, are designed to work with cable down style cable clips. T	PC	1	\$	0.34
61305675593	<b>UCCCL-UX130</b>	Universal Cable Clip Cable Up latch	Panduit UCCCL-UX130 Universal Cable Clip Latch, are designed to work with cable up style cable clips. Tog	PC	1	\$	0.34
61305675589	<b>UCCPD-C130</b>	Universal Cable Clip Parallel Type Cable	Panduit UCCPD-C130 Universal Cable Clips for Parallel Type Cable Down, are adjustable edge clips designe	PC	1	\$	0.78
61305675588	<b>UCCPU-C130</b>	Universal Cable Clip Parallel Type Cable	Panduit UCCPU-C130 Universal Cable Clips for Parallel Type Cable Up, are adjustable edge clips designed f	PC	1	\$	0.78
61305656694	<b>UCFG1-V316</b>	ENDURO MARINE OR STANDARD TYPE CABLE TRA	The UCFG1-V316 Stainless Steel Mounting Bracket is designed for use with composite fiberglass cable trays	C	100	\$	835.00
07498391043	<b>UCIB1-V316</b>	UnslottedLadderRung,I-Beam,316SS,PK5	Uniclip Stainless Steel I-Beam Bracket for use with Unslotted Ladder Rungs.	C	100	\$	1,090.26
07498391044	<b>UCIB1-VC</b>	UnslottedLadderRung,I-Beam,G-Steel,PK5	Uniclip Galvanized Steel I-Beam Bracket for use with Unslotted Ladder Rungs.	C	100	\$	819.08
61305678622	<b>UCIB2-V316</b>	Uniclip I-Beam Bracket - 1.2" Base	Uniclip Galvanized Steel I-Beam Bracket for use with Unslotted Ladder Rungs.	C	100	\$	1,090.26
61305617423	<b>UCM10</b>	Cutter Blade for M10 Threaded Rod ,EA	Cutter Blade for M10 Threaded Rod	PC	1	\$	480.50
61305617424	<b>UCM12</b>	Cutter Blade for M12 Threaded Rod ,EA	Cutter Blade for M12 Threaded Rod	PC	1	\$	480.50
61305623428	<b>UCM5</b>	Cutter Blade for M5 Threaded Rod ,EA	Cutter Blade for M5 Threaded Rod	PC	1	\$	480.50
61305617421	<b>UCM6</b>	Cutter Blade for M6 Threaded Rod ,EA	Cutter Blade for M6 Threaded Rod	PC	1	\$	480.50
61305617422	<b>UCM8</b>	Cutter Blade for M8 Threaded Rod ,EA	Cutter Blade for M8 Threaded Rod	PC	1	\$	480.50
07498391047	<b>UCRND1-V316</b>	Unslot,LadderRung,RndRungBkt.,316SS,PK5	Uniclip Stainless Steel Round Rung Bracket for use with Unslotted Ladder Rungs.	C	100	\$	1,468.88
07498391048	<b>UCRND1-VC</b>	Unslot,LadderRung,RndRungBkt.,G-Stl,PK5	Uniclip Galvanized Steel Round Rung Bracket for use with Unslotted Ladder Rungs.	C	100	\$	890.89
07498391012	<b>UCSQ1-V316</b>	Unslot,LadderRung,StrutType,316SS,PK5	Uniclip Stainless Steel Strut-Type Bracket for use with Unslotted Ladder Rungs.	C	100	\$	1,281.85
07498391008	<b>UCSQ1-VC</b>	Unslot,LadderRung,StrutType,G-Steel,PK5	Uniclip Galvanized Steel Strut-Type Bracket for use with Unslotted Ladder Rungs.	C	100	\$	945.99
61305680416	<b>UCSQ2-V316</b>	Uniclip 41mm Strut-Type Bracket, Unslott	Uniclip Galvanized Steel Strut-Type Bracket for use with Unslotted Ladder Rungs.	C	100	\$	1,281.85
07498314820	<b>UCT3S-X0</b>	H&L Cinch Tie,12L,.85W,BL,PK10	Ultra-Cinch™ hook & loop cinch cable tie, 12.0 (305mm) length, .50 (12.7mm) width, nylon hook & loop, nylon	C	100	\$	285.61
07498344931	<b>UCTGS1224-X</b>	12-24UNCx5/8FltHeadPhlpsScrw,PK10	Ultra-Cinch™ hook & loop cable tie, flat head screw for grommet cinch tie, 12-24 UNC x 5/8mm (.625) flat he	C	100	\$	65.90
07498344932	<b>UCTGSM5-X</b>	M5X16mmFltHeadPhlpsScrw,PK10	Ultra-Cinch™ hook & loop cable tie, flat head screw for grommet cinch tie, M5 x 16mm flat head philips screw	C	100	\$	56.96
07498391039	<b>UCTH1-V316</b>	Unslot,LadderRung,TopHatBkt.,316SS,PK5	Uniclip Stainless Steel Top Hat Bracket for use with Unslotted Ladder Rungs.	C	100	\$	1,144.76
07498391042	<b>UCTH1-VC</b>	Unslot,LadderRung,TopHatBkt.,G-Stl,PK5	Uniclip Galvanized Steel Top Hat Bracket for use with Unslotted Ladder Rungs.	C	100	\$	780.06
61305675592	<b>UCUC1-V316</b>	UNICLIP U-CHANNEL TYPE BRACKET	The UCUC1-V316 Uniclip bracket is designed for use with metal locking strap and buckle strap cable cleats t	C	100	\$	1,281.85
61305675975	<b>UCUC1-VC</b>	Uniclip U Channel Type Bracket - Galvani	The UCUC1-VC Uniclip bracket is designed for use with metal locking strap and buckle strap cable cleats to	C	100	\$	900.95
61305676700	<b>UCUC2-V316</b>	Uniclip U-Channel Type Bracket - UCUC2 S	Uniclip U-Channel Type SS Bracket	C	100	\$	1,281.85
61305676992	<b>UCUC3-V316</b>	Uniclip U-Channel Type Bracket - UCUC3 S	Uniclip U-Channel Type 316 Stainless Steel Bracket, UCUC3 Style	C	100	\$	1,281.85
61305617428	<b>UCUNC12</b>	Cutter Blade for 1/2" Threaded Rod ,EA	Cutter Blade for 1/2" Threaded Rod	PC	1	\$	582.73
61305617426	<b>UCUNC14</b>	Cutter Blade for 1/4" Threaded Rod ,EA	Cutter Blade for 1/4" Threaded Rod	PC	1	\$	610.49
61305617427	<b>UCUNC38</b>	Cutter Blade for 3/8" Threaded Rod ,EA	Cutter Blade for 3/8" Threaded Rod	PC	1	\$	582.73
07498340219	<b>UGB-B-SO</b>	Universal grnding,bonding standoff,PR	The UGB-B-SO Universal Ground Bar Bonding Stand-Offs are used with the Universal Ground Bar products.	KT	1	\$	64.40
07498340218	<b>UGB-IN-SO</b>	Universal grnding,insulated standoff,PR	The UGB-IN-SO Universal Ground Bar Bonding Stand-Offs are used with the Universal Ground Bar products.	KT	1	\$	27.35
61305631454	<b>UGB2/0-414-10</b>	10 Port Universal Ground Bar	The UGB2/0-414-12 Universal Ground Bar securely terminates the main equipment grounding conductor with	KT	1	\$	56.24
07498340223	<b>UGB2/0-414-12</b>	Universal Grounding bar 12 port,EA	The UGB2/0-414-12 Universal Ground Bar securely terminates the main equipment grounding conductor with	KT	1	\$	63.84
07498340224	<b>UGB2/0-414-18</b>	Universal Grounding bar 18 port,EA	The UGB2/0-414-18 Universal Ground Bar securely terminates the main equipment grounding conductor with	KT	1	\$	91.19
07498340222	<b>UGB2/0-414-6</b>	Universal Grounding bar 6 port,EA	The UGB2/0-414-6 Universal Ground Bar securely terminates the main equipment grounding conductor with	KT	1	\$	41.04
61305631453	<b>UGB2/0-414-8</b>	8 Port Universal Ground Bar	The UGB2/0-414-6 Universal Ground Bar securely terminates the main equipment grounding conductor with	KT	1	\$	48.64
07498399320	<b>UGCTC3S-X0</b>	H&LTie,Grommet,12L,.85W,BL,PK10	The Ultra-Cinch™ Hook and Loop Cinch Cable Tie have hooks and loops on same side to secure a greater r	C	100	\$	417.44
07498304620	<b>UGCTCV1.5S-X0</b>	H&LTie,Grommet,7.5L,.85W,BL,PK10	The Ultra-Cinch™ Hook and Loop Cinch Cable Tie have hooks and loops on same side to secure a greater r	C	100	\$	413.14
07498399321	<b>UGCTE3S-X0</b>	H&LTie,EndGrommet,12L,.85W,BL,PK10	Ultra-Cinch™ hook & loop cinch cable tie, end mount grommet, 12.0 (305mm) length, .85 (21.6mm) width, ny	C	100	\$	469.63
07498386839	<b>UILJ4</b>	UID,4Pt Label,Laser,Comp,WH,PK5	White, non-adhesive polyester labels, 66 per sheet, 4-port labels.	SH	1	\$	30.41

07498335788	<b>UILS8BW</b>	P1,Cassette,ContinuousTape,WH,EA	White, non-adhesive polyester label cassette.	PC	1	\$	58.01
61305656963	<b>USBAKEY</b>	Key for USB Type A breakout device		PC	1	\$	8.96
07498338408	<b>VCC25-A-C</b>	VertCordClip,Adh.,.25InBDia,Nat,PK100	Adhesive backed vertical cord clip, .25" (6.4mm) bundle, natural, standard package.	C	100	\$	59.14
07498338410	<b>VCC25-A-M</b>	VertCordClip,Adh.,.25InBDia,Nat,PK1000	Panduit VCC25-A-M Rubber Adhesive Backed Vertical Cord Clips are designed to hold cords, cable or wire b	M	1000	\$	466.51
61305676508	<b>VS-ACK-BATTERY</b>	Battery pack for VeriSafe Access Control	Battery Pack for use with VeriSafe Access Control Kit VS-ACK-CPWR.	PC	1	\$	162.83
61305676371	<b>VS-ACK-CPWR</b>	Access control kit for use with VeriSafe	Access Control Kit for use with VeriSafe AVTs. Includes Electronic Latch, Mounting Hardware, and Mechanic	PC	1	\$	501.00
61305676357	<b>VS-ACK-EXT</b>	Access Control Extension Kit for use with	Access Control Extension Kit for use with VS-ACK-CPWR. Allows for Installation into Panels with Lips Up to 5	PC	1	\$	62.63
61305676358	<b>VS-ACK-KEY</b>	Master override key for use with VeriSaf	Master Override Key for use with VeriSafe Access Control Kit VS-ACK-CPWR.	PC	1	\$	11.49
61305673504	<b>VS-AVT-BATTERY</b>	REPLACEMENT BATTERY, VERISAFE, 3.6V	Replacement Battery, Verisafe, 3.6V	PC	1	\$	19.70
61305625679	<b>VS-AVT-C02-L03</b>	VeriSafe Absence of Voltage Tester with	The VS-AVT-C02-L03 VeriSafe Absence of Voltage Tester is the first-of-its-kind voltage tester that determine	PC	1	\$	504.06
61305657115	<b>VS-AVT-C02-L03E</b>	VeriSafe Absence of Voltage Tester- 2 Ft	The VS-AVT-C02-L03E VeriSafe Absence of Voltage Tester is the first-of-its-kind voltage tester that determin	PC	1	\$	504.06
61305625682	<b>VS-AVT-C08-L10</b>	AbsVoltageTester,8ftcbl,10ft,leads,EA	The VS-AVT-C08-L10 VeriSafe Absence of Voltage Tester is the first-of-its-kind voltage tester that determine	PC	1	\$	504.06
61305657114	<b>VS-AVT-C08-L10E</b>	VeriSafe Absence of Voltage Tester- 8 ft	The VS-AVT-C08-L10E VeriSafe Absence of Voltage Tester is the first-of-its-kind voltage tester that determin	PC	1	\$	504.06
61305625685	<b>VS-AVT-CABLE-02</b>	Replacement AVT System Cable, 2 ft.	AVT System Cable for use with VeriSafe AVT device. Cable length is 2 ft.	PC	1	\$	60.41
61305636485	<b>VS-AVT-CABLE-04</b>	VerisafeReplAVTSysCbl,4ft,EA	VeriSafe™ Replacement Cable, 4 ft.	PC	1	\$	63.06
61305625762	<b>VS-AVT-CABLE-08</b>	Replacement AVT System Cable, 8 ft.	AVT System Cable for use with VeriSafe AVT device. Cable length is 8 ft.	PC	1	\$	70.66
61305636486	<b>VS-AVT-CABLE-16</b>	VerisafeReplAVTSysCbl,16ft,EA	VeriSafe™ Replacement Cable, 16 ft.	PC	1	\$	83.40
61305636471	<b>VS-AVT-CABLE-20</b>	VerisafeReplAVTSysCbl,20ft,EA	VeriSafe™ Replacement Cable, 20 ft.	PC	1	\$	90.16
61305636472	<b>VS-AVT-CABLE-30</b>	VerisafeReplAVTSysCbl,30ft,EA	VeriSafe™ Replacement Cable, 30 ft.	PC	1	\$	107.09
61305664411	<b>VS-AVT-DL</b>	Verisafe AVT Diagnostic Codes Label, Pac	The VS-AVT-DL VeriSafe Absence of Voltage Tester Diagnostic Codes Label is designed to easily communic	PK	1	\$	20.96
61305656940	<b>VS-AVT-RBOX</b>	Complete enclosure to retrofit equipment	The VS-AVT-RBOX VeriSafe Retrofit Enclosure is a small enclosure with the VeriSafe AVT installed. Enclosu	PC	1	\$	1,218.64
61305656992	<b>VS-AVT-RKP1</b>	Complete kit to retrofit equipment with	The VS-AVT-RKP1 VeriSafe AVT Retrofit Kit is the complete kit to retrofit equipment with the VeriSafe Absen	KT	1	\$	673.93
61305656993	<b>VS-AVT-RKP2</b>	Complete kit to retrofit equipment with	The VS-AVT-RKP2 VeriSafe AVT Retrofit Kit is the complete kit to retrofit equipment with the VeriSafe Absen	KT	1	\$	673.93
61305631476	<b>VS-AVT-RL</b>	REPLACEMENT LABELS FOR VERISAFE AVT DEVI		KT	1	\$	7.83
61305651725	<b>VS-AVT2-C02L03</b>	VeriSafe Hazardous Location AVT- 2 Ft. C	VeriSafe™ Absence of Voltage Tester for Class 1 Division 2 hazardous locations - 2 ft. system cable, 3 ft. se	PC	1	\$	559.01
61305651734	<b>VS-AVT2-C08L10</b>	VeriSafe Hazardous Location AVT- 8 Ft. C	The VS-AVT2-C08L10 VeriSafe Absence of Voltage Tester is the first-of-its-kind voltage tester that determin	PC	1	\$	559.01
61305656690	<b>VS-CKP14-6</b>	VeriSafe Insulation Piercing Connection	The VS-CKP14-6 VeriSafe Absence of Voltage Tester Piercing Connection Kit provides a fast, secure, and re	PC	1	\$	168.28
61305681299	<b>VS-CKP1K4/0-500</b>	VeriSafe™ Insulation Piercing Connecti	VeriSafe™ Insulation Piercing Connection Kit for Tapping AWG 4/0 to 500MCM copper conductors. Rated for	PC	1	\$	417.50
61305656691	<b>VS-CKP4-000</b>	VeriSafe Insulation Piercing Connection	The VS-CKP4-000 VeriSafe Absence of Voltage Tester Piercing Connection Kit provides a fast, secure, and r	PC	1	\$	168.28
07498362750	<b>VWS106-C</b>	FbrSdle,Vrticl,1.06"Bdle,WH,PK100	Single saddle clip for fiber slack management and fiber patch cord routing. Accepts up to 1.06" dia (26.9mm)	C	100	\$	57.45
07498368314	<b>VWS106-C20</b>	FbrSdle,Vrticl,1.06"Bdle,BL,PK100	Single saddle clip for fiber slack management and fiber patch cord routing. Accepts up to 1.06" dia (26.9mm)	C	100	\$	55.09
07498362751	<b>VWS106-M</b>	FbrSdle,Vrticl,1.06"Bdle,WH,PK1000	Single saddle clip for fiber slack management and fiber patch cord routing. Accepts up to 1.06" dia (26.9mm)	M	1000	\$	383.19
07498307354	<b>VWS3750-C</b>	VrticlWireSdle,.37"x.5"Bdle,Nat,PK100	Vertical wire saddle, .37" x .50" (9.398mm x 12.7mm) bundle, natural, standard package.	C	100	\$	24.46
07498307357	<b>VWS3750-M</b>	VrticlWireSdle,.37"x.5"Bdle,Nat,PK1000	Panduit VWS3750-M Vertical Wire Saddles are designed with a funnel entry to allow fast insertion of wires an	M	1000	\$	152.91
07498307359	<b>VWS3775-C</b>	VrticlWireSdle,.37"x.75"Bdle,Nat,SP	Vertical wire saddle, .37" x .75" (9.398mm x 19.05mm) bundle, natural, standard package.	C	100	\$	25.20
07498307360	<b>VWS3775-M</b>	VrticlWireSdle,.37"x.75"Bdle,Nat,BP	Vertical wire saddle, .37" x .75" (9.398mm x 19.05mm) bundle, natural, bulk package.	M	1000	\$	187.23
07498307361	<b>VWS50100-C</b>	VrticlWireSddl,.50"x1"Bdl,Nat,PK100	Vertical wire saddle, .50" x 1.00" (12.70mm x 25.40mm) bundle, natural, standard package.	C	100	\$	36.79
07498307362	<b>VWS50100-M</b>	VrticlWireSddl,.50"x1"Bdl,Nat,PK1000	Vertical wire saddle, .50" x 1.00" (12.70mm x 25.40mm) bundle, natural, bulk package.	M	1000	\$	294.56
07498362752	<b>VWSDC-C</b>	WireSdle,DualCpcty,Nat,PK100	Dual saddle clip for fiber slack management and fiber patch cord routing. Accepts two cable bundles up to 1.0	C	100	\$	86.30
07498363547	<b>VWSDC-C20</b>	WireSdle,DualCpcty,BL,PK100	Dual saddle clip for fiber slack management and fiber patch cord routing. Accepts two cable bundles up to 1.0	C	100	\$	109.85
07498345140	<b>WB12-L</b>	Grounding Rod Clamp, 1/2"Ground Rod,50PK	Bronze copper ground rod clamp type WB, 1/2" ground rod size.	C	100	\$	581.85
07498345451	<b>WB34-X</b>	Grounding Rod Clamp,3/4-5/8 in,10PK	Bronze copper ground rod clamp type WB, 3/4" ground rod size or 5/8" ground rod size.	C	100	\$	831.60
07498345347	<b>WB58-Q</b>	Grounding Rod Clamp, 5/8"Ground Rod,25PK	Bronze copper ground rod clamp type WB, 5/8" ground rod size.	C	100	\$	717.64
07498399117	<b>WBS6-Q60</b>	WireBdleStrap,6Sq.In Bdl,FR,WH,PK25	Wire bundle strap, 1/4" screw (M6), 6" bundle, flame retardant nylon 6.6, black.	PC	1	\$	4.03
07498361095	<b>WEH-E8-C</b>	WireEndHldr,#28-#16AWG,#8Screw,PK100	Harness wire end holder, #28-#16 AWG, #8 Screw (M4).	C	100	\$	74.69
07498322253	<b>WL1</b>	WARNING LABELS,STATIC SYMBOL,BL/YL,PK1	ISO warning symbol, 2" H x 2" W, 'Caution sensitive electronic devices..' (legend), adhesive paper, black/yell	RL	1	\$	41.75
07498343995	<b>WL32Y</b>	WARNING LABELS,ELECT. SYMBOL,BL/YL,PK1	StrongHold WL32Y ISO Risk of Electrical Shock Labels are adhesive backed and triangular shaped. They ar	PK	1	\$	75.24
07498343996	<b>WL33Y</b>	WARNING LABELS,ELECT. SYM.,BL/YL,PK1	StrongHold WL33Y ISO Risk of Electrical Shock Labels are adhesive backed and triangular shaped. They ar	PK	1	\$	148.90
07498343998	<b>WL35Y</b>	WARNING LABELS,HOT SURFACE,BL/YL,PK1	StrongHold WL35Y ISO Hot Surface Labels are adhesive backed and triangular shaped. They are 2.0" (50.8	PK	1	\$	94.46
07498343999	<b>WL36Y</b>	WARNING LABELS,HOT SURF. SYM.,BL/YL,PK1	StrongHold WL36Y ISO Hot Surface Labels are adhesive backed and triangular shaped. This design displays	PK	1	\$	94.46
07498368599	<b>WR2-C</b>	Wire Retainer, 2" Wide Slot Duct,100pcs	The WR2-C ABS Wire Retainer for 2" Wiring Duct can be inserted between the fingers of type G and H wiring	C	100	\$	124.00
07498368600	<b>WR3-C</b>	Wire Retainer, 3" Wide Slot Duct,100pcs	Panduct® type G wiring duct wire retainer, 3.00" duct width, 2.00" - 4.00" duct height, ABS, black, 100 pc. pac	C	100	\$	126.13
07498368601	<b>WR4-C</b>	Wire Retainer, 4" Wide Slot Duct,100pcs	Panduct® type G wiring duct wire retainer, 4.00" duct width, 2.00" - 4.00" duct height, ABS, black, 100 pc. pac	C	100	\$	157.34
07498368602	<b>WR5-C</b>	Wire Retainer, 5" Wide Slot Duct,100pcs	Panduct® type G wiring duct wire retainer, use with 3x5 - 4x5 or 6x4 duct width, use with 3x5 - 4x5 or 6x4 duc	C	100	\$	189.18
07498325255	<b>WRS-A-C10</b>	Wire Retainer for D&FS Duct,Adj,100pcs	Panduct® solid wall raceway type FS and type D wiring duct wire retainer, 1.00", 1.50", 2.00" duct width. PVC	C	100	\$	310.20
07498357701	<b>CD-2001-F87</b>	Dielsert,CT2001,1-1/0AWG,F87,EA	Die insert used with CT-2001 or CT-3001 (sold separately) to crimp Panduit 1 AWG - 1/0 (50mm2) ferrules a	PC	1	\$	-
07498357702	<b>CD-2001-F89</b>	Dielsert,CT2001,2/0AWG,F89,EA	Die insert used with CT-2001 or CT-3001 (sold separately) to crimp Panduit 2/0 (70mm2) ferrules and ferrule	PC	1	\$	-
07498358713	<b>CD-2001-F90</b>	Dielsert,CT2001,3/0AWG,F90,EA	Die insert used with CT-2001 or CT-3001 (sold separately) to crimp Panduit 3/0 (95mm2) ferrules and ferrule	PC	1	\$	-
07498370744	<b>CD-2001-F91</b>	Dielsert,CT2001,4/0AWG,F91,EA	Die insert used with CT-2001 or CT-3001 (sold separately) to crimp Panduit 4/0 - 250 kcmil (120mm2) ferrule	PC	1	\$	-
07498358714	<b>CD-2001-F92</b>	Dielsert,CT2001,300kcmil,F92,EA	Die insert used with CT-2001 or CT-3001 (sold separately) to crimp Panduit 300 kcmil (150mm2) ferrules and	PC	1	\$	-
07498358722	<b>CD-2001-F93</b>	Dielsert,CT2001,350kcmil,F93,EA	Die insert used with CT-2001 or CT-3001 (sold separately) to crimp Panduit 350 kcmil (185mm2) ferrules and	PC	1	\$	-
07498358723	<b>CD-2001-F94</b>	Dielsert,CT2001,400kcmil,F94,EA	Die insert used with CT-2001 or CT-3001 (sold separately) to crimp Panduit 400-500 kcmil (240mm2) ferrules	PC	1	\$	-
07498385068	<b>CD-800-1</b>	Dielsert,CA-800Applicator,1,RD,EA	Die for CA-800 Applicator	PC	1	\$	-
07498385077	<b>CD-800-10</b>	Dielsert,CA-800Applicator,10,RD,EA	Die for CA-800 Applicator	PC	1	\$	-
07498385078	<b>CD-800-11</b>	Dielsert,CA-800Applicator,11,BU,EA	Die for CA-800 Applicator	PC	1	\$	-
07498385079	<b>CD-800-12</b>	Dielsert,CA-800Applicator,12,RD,EA	Die for CA-800 Applicator	PC	1	\$	-
07498334957	<b>CD-800-13</b>	Dielsert,CA-800Applicator,13,YL,EA	Die for CA-800 Applicator	PC	1	\$	-
07498354372	<b>CD-800-15</b>	Dielsert,CA-800Applicator,15,RD,EA	Die for CA-800 Applicator	PC	1	\$	-
07498373241	<b>CD-800-17</b>	Dielsert,CA-800Applicator,17,YL,EA	Die for CA-800 Applicator	PC	1	\$	-
07498376143	<b>CD-800-18</b>	Dielsert,CA-800Applicator,18,YL,EA	Die for CA-800 Applicator	PC	1	\$	-
07498383423	<b>CD-800-1D</b>	Dielsert,CA-800Applicator,1D,RD,EA	Modified lower die for CA-800 Applicator, for barrel insulated disconnects DV-B series.	PC	1	\$	-
07498385069	<b>CD-800-2</b>	Dielsert,CA-800Applicator,2,BU,EA	Die for CA-800 Applicator	PC	1	\$	-
07498383424	<b>CD-800-2D</b>	Dielsert,CA-800Applicator,2D,BU,EA	Modified lower die for CA-800 Applicator, for barrel insulated disconnects DV-B series.	PC	1	\$	-
07498385070	<b>CD-800-3</b>	Dielsert,CA-800Applicator,3,YL,EA	Die for CA-800 Applicator	PC	1	\$	-
07498385071	<b>CD-800-4</b>	Dielsert,CA-800Applicator,4,RD,EA	Die for CA-800 Applicator	PC	1	\$	-
07498385072	<b>CD-800-5</b>	Dielsert,CA-800Applicator,5,BU,EA	Die for CA-800 Applicator	PC	1	\$	-
07498385073	<b>CD-800-6</b>	Dielsert,CA-800Applicator,6,RD,EA	Die for CA-800 Applicator	PC	1	\$	-

07498385074	<b>CD-800-7</b>	DiInsert,CA-800Applicator,7,RD,EA	Die for CA-800 Applicator	PC	1	\$	-
07498385075	<b>CD-800-8</b>	DiInsert,CA-800Applicator,8,RD/BU,EA	Die for CA-800 Applicator	PC	1	\$	-
07498385076	<b>CD-800-9</b>	DiInsert,CA-800Applicator,9,RD/BU,EA	Die for CA-800 Applicator	PC	1	\$	-
07498374631	<b>CD9-10A</b>	DiInsert,CA9Applicator,10A,RD,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374632	<b>CD9-10B</b>	DiInsert,CA9Applicator,10B,RD,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374633	<b>CD9-11A</b>	DiInsert,CA9Applicator,11A,BU,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374634	<b>CD9-11B</b>	DiInsert,CA9Applicator,11B,BU,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374635	<b>CD9-12A</b>	DiInsert,CA9Applicator,12A,RD,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374636	<b>CD9-13B</b>	DiInsert,CA9Applicator,13B,YL,EA	The CD9-13B Die Insert is designed for use with the CA9 Ezair™ Crimp Applicator. This quick-change die se	PC	1	\$	-
07498374637	<b>CD9-14A</b>	DiInsert,CA9Applicator,14A,RD/BU,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374638	<b>CD9-15A</b>	DiInsert,CA9Applicator,15A,RD,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374639	<b>CD9-16A</b>	DiInsert,CA9Applicator,16A,BU,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374640	<b>CD9-17B</b>	DiInsert,CA9Applicator,17B,YL,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374641	<b>CD9-18B</b>	DiInsert,CA9Applicator,18B,YL,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374618	<b>CD9-1A</b>	DiInsert,CA9Applicator,1A,RD,EA	The CD9-1A Die Insert is designed for use with the CA9 Ezair™ Crimp Applicator. This quick-change die set	PC	1	\$	-
07498383421	<b>CD9-1AD</b>	DiInsert,CA9Applicator,1AD,RD,EA	The CD9-1AD Die Insert is designed for use with the CA9 Ezair™ Crimp Applicator. This quick-change die s	PC	1	\$	-
07498374619	<b>CD9-1B</b>	DiInsert,CA9Applicator,1B,RD,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374620	<b>CD9-2A</b>	DiInsert,CA9Applicator,2A,BU,EA	The CD9-2A Die Insert is designed for use with the CA9 Ezair™ Crimp Applicator. This quick-change die set	PC	1	\$	-
07498383422	<b>CD9-2AD</b>	DiInsert,CA9Applicator,2AD,BU,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374621	<b>CD9-2B</b>	DiInsert,CA9Applicator,2B,BU,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374622	<b>CD9-3B</b>	DiInsert,CA9Applicator,3B,YL,EA	The CD9-3B Die Insert is designed for use with the CA9 Ezair™ Crimp Applicator. This quick-change die set	PC	1	\$	-
07498374623	<b>CD9-4A</b>	DiInsert,CA9Applicator,4A,RD,EA	The CD9-4A Die Insert is designed for use with the CA9 Ezair™ Crimp Applicator. This quick-change die set	PC	1	\$	-
07498374624	<b>CD9-4B</b>	DiInsert,CA9Applicator,4B,RD,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374625	<b>CD9-5A</b>	DiInsert,CA9Applicator,5A,BU,EA	The CD9-5A Die Insert is designed for use with the CA9 Ezair™ Crimp Applicator. This quick-change die set	PC	1	\$	-
07498374626	<b>CD9-5B</b>	DiInsert,CA9Applicator,5B,BU,EA	The CD9-5B Die Insert is designed for use with the CA9 Ezair™ Crimp Applicator. This quick-change die set	PC	1	\$	-
07498374627	<b>CD9-6B</b>	DiInsert,CA9Applicator,6B,RD,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374628	<b>CD9-7A</b>	DiInsert,CA9Applicator,7A,RD,EA	Die Insert for CA9 Applicator	PC	1	\$	-
07498374629	<b>CD9-8B</b>	DiInsert,CA9Applicator,8B,BU/RD,EA	The CD9-8B Die Insert is designed for use with the CA9 Ezair™ Crimp Applicator. This quick-change die set	PC	1	\$	-
07498374630	<b>CD9-9C</b>	DiInsert,CA9Applicator,9C,RD/BU,EA	The CD9-9C Die Insert is designed for use with the CA9 Ezair™ Crimp Applicator. This quick-change die set	PC	1	\$	-
07498372531	<b>DSF-RS</b>	DieSharpeningFixture,Black Oxide,EA	For use with black oxide cutter dies.	PC	1	\$	-
07498376222	<b>KHCA9</b>	CA9 Hose Kit	CA9 Hose Kit	PC	1	\$	-
61305626019	<b>KPPTMTEHTV</b>	Trigger and Valve Replacement Kit		KT	1	\$	-
07498327874	<b>KPTSG</b>	Gripper Kit,PPTS Tool,EA	Gripper Replacement Kit for PPTS	PC	1	\$	-
61305617249	<b>PAT4.0RM</b>	PAT4.0 MANUAL, REPAIR		PC	1	\$	-
07498321965	<b>PATM-RKS</b>	PAT Hose Strain Relief Kit,EA		PC	1	\$	-
07498321964	<b>PATM-TT</b>	PAT Robot Test Tool,EA	Transfer Hose Strain Relief Kit to maintain transfer hose bend radius reducing tie misfeeds due to sharp hose	PC	1	\$	-
61305620460	<b>PATM4.0-RK</b>	PAT4.0 Robot Integration Kit	PAT Robot Test Tool with Rubber Jaws is used during robot tie installation programming providing a safe me	PC	1	\$	-
07498376121	<b>PDH10-37</b>	AirSupplyHose,PDM,PDS,PD3SDispensers	PAT4.0 Robot Integration Kit: Metallic Housing includes a pneumatic trigger actuator for remote tie installation	PC	1	\$	-
07498327189	<b>PHS2</b>	TransferHosePAT2S,2m,EA	Air Hose from Filter/Regulator to all Model PAT Dispensers. Includes Standard Air Fittings	PC	1	\$	-
07498327190	<b>PHS3</b>	TransferHosePAT2S,3m,EA	6.5" (2m) Transfer Hose — transfers cable tie and signal from dispenser to tool head; electrical connectors de	PC	1	\$	-
07498376122	<b>PL283N1</b>	Filter,PDM/PDS/PD3S,u/wPDH10-37,EA	10" (3m) Transfer Hose — transfers cable tie and signal from dispenser to tool head; electrical connectors de	PC	1	\$	-
07498376093	<b>PL289N1</b>	Filter,Regulator,PPTS Pneumatic Tool,EA	Regulates air flow to all model PAT dispensers. Filter/regulator 25 micron (max.) element, 3/8 ports. Includes	PC	1	\$	-
07498376092	<b>PPH10</b>	HoseAssembly,PTS-PPTS-PTHTools,10F,EA	Regulates air flow to all model PAT dispensers.Filter/regulator for PTS, PPTS,PTH, PPTTEH and PPTMT Inst	PC	1	\$	-
61305644894	<b>B1S12E0084</b>	Braided Bonding Strap, Two-Hole, Non-Ins	10.0" (3m) hose assembly (regulator to tool) for PTS, PPTS, PTH, PPTTEH and PTMT Installation Tools; inclu	PC	1	\$	150.45
61305644907	<b>B1S12N0084</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 84 kcmil, 12.00" (304.8 mm), 0.44" (11.2 mm) Hole Dia, 1.25" (	PC	1	\$	146.35
61305656787	<b>B1S12N0168</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 168 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	219.60
61305656798	<b>B1S12N0230</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 230 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	219.60
61305656800	<b>B1S12N0303</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 303 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	278.26
61305644896	<b>B1S18G0168</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 168 kcmil, 18.00" (457.2 mm), 0.44" (11.2 mm) Hole Dia, 1.50"	PC	1	\$	235.99
61305644906	<b>B1S18G0303</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 303 kcmil, 18.00" (457.2 mm), 0.44" (11.2 mm) Hole Dia, 1.50"	PC	1	\$	363.81
61305644908	<b>B1S18N0084</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 84 kcmil, 18.00" (457.2 mm), NEMA, 0.56" (14.2 mm) Hole Dia	PC	1	\$	176.44
61305644910	<b>B1S18N0168</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 168 kcmil, 18.00" (457.2 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	238.94
61305656799	<b>B1S18N0230</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 230 kcmil, 18.00" (457.2 mm), NEMA, 0.56" (14.2 mm) Hole D	PC	1	\$	259.60
61305644911	<b>B1S18N0303</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 300 kcmil, 18.00" (457.2 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	336.15
61305644895	<b>B1S24E0084</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 84 kcmil, 24.00" (609.6 mm), 0.44" (11.2 mm) Hole Dia, 1.25" (	PC	1	\$	198.58
61305644897	<b>B1S24G0168</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 168 kcmil, 24.00" (609.6 mm), 0.44" (11.2 mm) Hole Dia, 1.50"	PC	1	\$	262.61
61305644909	<b>B1S24N0084</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 84 kcmil, 24.00" (609.6 mm), NEMA, 0.56" (14.2 mm) Hole Dia	PC	1	\$	181.90
61305656797	<b>B1S24N0168</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 168 kcmil, 24.00" (609.6 mm) NEMA, 0.56" (14.2 mm) Hole Dia	PC	1	\$	282.63
61305657206	<b>B1S24N0230</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 230 kcmil, 24.00" (609.6 mm), NEMA, 0.56" (14.2 mm) Hole D	PC	1	\$	274.53
61305644912	<b>B1S24N0303</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 300 kcmil, 24.00" (609.6 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	427.65
07498373900	<b>B2M2S-D0</b>	MkrTie,MBarb,8L,Std,WR,BL,PK500	Dome-Top® barb by marker tie, wrap, standard cross section, 8.0 (203mm) length, 1.15 x .91 (29.2 x 23.1mm)	M	1000	\$	2,020.51
61305644913	<b>B2S12E0168</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 168 kcmil, 12.00" (304.8 mm), 0.44" (11.2 mm) Hole Dia, 1.25"	PC	1	\$	208.96
61305657207	<b>B2S12G0460</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 460 kcmil, 12.00" (304.8 mm), 0.44" (11.2 mm) Hole Dia, 1.50"	PC	1	\$	302.88
61305656801	<b>B2S12N0168</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 168 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	219.60
61305644914	<b>B2S12N0337</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 337 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	274.46
61305657208	<b>B2S12N0460</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 460 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	302.88
61305657209	<b>B2S12N0607</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 600 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	391.80
61305656802	<b>B3S12N0253</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 253 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	275.03
61305657210	<b>B3S12N0506</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 506 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	306.28
61305657211	<b>B3S12N0691</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 691 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	416.75
61305657212	<b>B3S12N0911</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 900 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole Di	PC	1	\$	477.38
61305656803	<b>B4S12N0337</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 337 kcmil, 12.00" (304.8mm), NEMA, 0.56" (14.2 mm) Hole Dia	PC	1	\$	302.88
61305657213	<b>B4S12N0675</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 675 kcmil, 12.00" (304.8mm), NEMA, 0.56" (14.2 mm) Hole Dia	PC	1	\$	388.61
61305657214	<b>B4S12N0921</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul, 921 kcmil, 12.00" (304.8mm), NEMA, 0.56" (14.2 mm) Hole Dia	PC	1	\$	507.70
61305657215	<b>B4S12N1215</b>	Braided Bonding Strap, Two-Hole, Non-Ins	Braided Bonding Strap, Two-Hole, Non-Insul 1112 kcmil, 12.00" (304.8 mm), NEMA, 0.56" (14.2 mm) Hole D	PC	1	\$	593.94
07498370780	<b>BC3S-S10-D0</b>	CTie,MBarb,12.5L,Std,WR,BL,PK500	Dome-Top® barb by clamp tie, standard cross section, #10 (M5) screw, 12.5 (318mm) length, weather resista	M	1000	\$	687.91
07498370784	<b>BC4S-S10-D30</b>	CTie,MBarb,15.6L,Std,HS,BL,PK500	Dome-Top® barb by clamp tie, standard cross section, #10 (M5) screw, 15.6 (396mm) length, heat stabilized	M	1000	\$	897.84

07498373840	<b>BF1M-C</b>	MkrTie,Flag,4.6L,M,Nyl,Nat,PK100	Dome-Top® barb by marker tie, flag, miniature cross section, 4.6 (117mm) length, .36 x .81 (9.1 x 20.6mm) m	C	100	\$	44.11
07498373841	<b>BF1M-M</b>	MkrTie,Flag,4.6L,M,Nyl,Nat,PK1000	Dome-Top® barb by marker tie, flag, miniature cross section, 4.6 (117mm) length, .36 x .81 (9.1 x 20.6mm) m	M	1000	\$	277.29
07498373960	<b>BF2M-M</b>	MkrTie,Flag,8.3L,M,Nyl,Nat,PK1000	Dome-Top® barb by marker tie, flag, miniature cross section, 8.3 (211mm) length, .36 x .81 (9.1 x 20.6mm)	M	1000	\$	435.75
07498373955	<b>BM2S-C</b>	MkrTie,Wrap,8L,Std,Nyl,Nat,PK100	Dome-Top® barb by marker tie, wrap, standard cross section, 8.0 (203mm) length, .49 x 9.1 (12.4 x 23.1mm)	C	100	\$	85.88
07498373896	<b>BM4S-D0</b>	MkrTie,Wrap,15.1L,Std,WR,BL,PK500	Dome-Top® barb by marker tie, wrap, miniature cross section, 15.1 (384mm) length, .50 x 9.1 (12.7 x 54.1m	M	1000	\$	1,096.38
07498391345	<b>BPC1-X</b>	Bi-MetalPinConn,AL#1-CU#3AWG,PK10	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	2,565.88
07498391346	<b>BPC1/0-X</b>	Bi-MetalPinConn,AL1/0-CU#2AWG,PK10	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	2,537.56
07498391344	<b>BPC2-L</b>	Bi-MetalPinConn,AL#2-CU#4AWG,PK50	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	2,126.70
07498391347	<b>BPC2/0-X</b>	Bi-MetalPinConn,AL2/0-CU#1AWG,PK10	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	2,689.81
07498391350	<b>BPC250-X</b>	Bi-MetalPinConn,AL250-CU3/0AWG,PK50	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	4,826.58
07498391348	<b>BPC3/0-X</b>	Bi-MetalPinConn,AL3/0-CU1/0AWG,PK10	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	3,148.58
07498391351	<b>BPC300-X</b>	Bi-MetalPinConn,AL300-CU4/0AWG,PK10	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	5,331.35
07498391352	<b>BPC350-X</b>	Bi-MetalPinConn,AL350-CU4/0AWG,PK10	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	5,740.19
07498391343	<b>BPC4-L</b>	Bi-MetalPinConn,AL#4-CU#6AWG,PK50	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	2,008.96
07498391349	<b>BPC4/0-X</b>	Bi-MetalPinConn,AL4/0-CU2/0AWG,PK10	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	3,788.91
07498391353	<b>BPC400-X</b>	Bi-MetalPinConn,AL400-CU250k,PK10	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	6,431.68
07498391354	<b>BPC500-X</b>	Bi-MetalPinConn,AL500-CU350k,PK10	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	7,436.08
07498391342	<b>BPC6-L</b>	Bi-MetalPinConn,AL#6-CU#8AWG,PK50	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	1,917.50
07498391355	<b>BPC600-6</b>	Bi-MetalPinConn,AL600-CU350k,PK6	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	9,315.21
07498391356	<b>BPC750-6</b>	Bi-MetalPinConn,AL750-CU500k,PK6	Bi-metallic pin connector, type BPC, provides copper pigtail for connecting aluminum conductors in a copper	C	100	\$	9,690.59
07498308883	<b>BR-50-10-24</b>	BRDL RNG,.50 in DIA,10-24 THREAD,PK100	Bridle ring, 0.50 dia., 10-24 threaded.	C	100	\$	144.95
07498308885	<b>BR-75-10-24</b>	BRDL RNG,.75 in DIA,10-24 THREAD,PK100	Bridle ring, 0.75 dia., 10-24 threaded.	C	100	\$	159.25
07498308892	<b>BR-1.25-14WS</b>	BRDL RNG,1.25 in DIA,WD SCR THREAD,PK100	Bridle ring, 1.25 dia., wood screw thread.	C	100	\$	208.35
07498308848	<b>BR-1.5-14WSS</b>	BRDL RNG,1.50 in DIA,WD SCR THREAD,PK100	Bridle ring with saddle, 1.5" dia., mounts with wood screw threads.	PC	1	\$	4.53
07498308183	<b>BR-1.5-TW</b>	BRDL RNG,1.50 in DIA,INTEG TGL SCR,PK25	Bridle ring, 1.50 dia., with integrated toggle screw.	C	100	\$	811.04
07498308895	<b>BR-2.0-10-24</b>	BRDL RNG,2.00 in DIA,10-24 THREAD,PK10	Bridle ring, 2.00 diameter., 10- 24 threaded.	C	100	\$	213.21
07498308858	<b>BR-2.0-14WSS</b>	BRDL RNG,2"DIA,Sad,WD SCR THREAD,PK100	Bridle ring with saddle, 2.00" diameter., mounts with wood screw threads.	PC	1	\$	4.90
07498306413	<b>BR-2.0-SN</b>	BRDL RNG,2.00 in DIA,U/SNAIL,PK100	Bridle ring, 2.00 diameter., user supplied nail or fastener.	C	100	\$	425.39
07498308859	<b>BRS-1.5</b>	Saddle ONLY, with 1.50 in DIA BRDL RNG	Saddle only, for use with 1.5 dia. bridle ring	PC	1	\$	2.30
07498308860	<b>BRS-2.0</b>	Saddle ONLY, with 2.00 in DIA BRDL RNG	Saddle only, for use with 2 dia. bridle ring	PC	1	\$	2.43
07498341356	<b>BT1.5I-M10</b>	CTie,MBarb,6.1L,Intm,Nyl,WH,PK1000	Dome-Top® barb by cable tie, intermediate cross section, 6.1 (155mm) length, nylon 6.6, white.	M	1000	\$	111.73
07498341355	<b>BT1.5I-M8</b>	CTie,MBarb,6.1L,Intm,Nyl,GY,PK1000	Dome-Top® barb by cable tie, intermediate cross section, 6.1 (155mm) length, nylon 6.6, gray.	M	1000	\$	111.73
07498341316	<b>BT1M-C30</b>	CTie,MBarb,4L,Mini,HS,BL,PK100	Dome-Top® barb by cable tie, miniature cross section, 4.0 (102mm) length, heat stabilized nylon 6.6, black, s	C	100	\$	23.28
07498341328	<b>BT1M-M10</b>	CTie,MBarb,4L,Mini,Nyl,WH,PK1000	Dome-Top® barb by cable tie, miniature cross section, 4.0 (102mm) length, nylon 6.6, white.	M	1000	\$	72.38
07498341321	<b>BT1M-M2</b>	CTie,MBarb,4L,Mini,Nyl,RD,PK1000	Dome-Top® barb by cable tie, miniature cross section, 4.0 (102mm) length, nylon 6.6, red.	M	1000	\$	72.38
07498341379	<b>BT4I-M14</b>	CTie,MBarb,14.3L,Intm,Nyl,TGY,PK1000	Dome-Top® barb by cable tie, intermediate cross section, 14.3 (363mm) length, nylon 6.6, telephone gray.	M	1000	\$	445.95
07498312156	<b>BT6LH-C69</b>	CTie,MBarb,21.2L,LH,FRNyl,IV,PK100	Dome-Top® barb by cable tie, light-heavy cross section, 21.2 (538mm) length, flame retardant nylon 6.6, nat	M	1000	\$	2,266.31
07498341280	<b>BT6LH-L</b>	CTie,MBarb,21.2L,LH,Nyl,Nat,PK50	Dome-Top® barb by cable tie, light-heavy cross section, 21.2 (538mm) length, nylon 6.6, natural, standard pa	C	100	\$	139.46
07498391433	<b>C-720</b>	CarryCase,CT-720,CrimpingTool,EA	Black steel carrying case for CT-720 crimping tool.	PC	1	\$	382.68
07498300458	<b>C.75WH6-F</b>	Duct CVR w/film, PVC, .75W X 6' ;WHT,6ft	Duct cover with protective film, .75 W x 6' length, PVC, white.	FT	1	\$	1.59
07498309003	<b>C1.5IB6-F</b>	Duct CVR w/film, PVC, 1.5W X 6' ;IBLU,6ft	Duct cover with protective film, 1.5 W x 6' length, PVC, intrinsic blue.	FT	1	\$	2.30
07498339823	<b>C100X050AUT</b>	TT,Raised Pnl Comp Lbl,1"x5",OR	Thermal transfer raised panel component label, 1.00" W x 0.50" H, raised panel, orange, 1 label/roll, 500 pc.	M	1000	\$	488.06
07498342230	<b>C125X030AUT</b>	TT,Raised PanelLabel,1.25"Wx.3"H,BL,PK500	Thermal transfer raised panel component label, 1.25" W x 0.30" H, raised panel, black, 1 label/row, 500 pc. p	M	1000	\$	373.38
07498367361	<b>C138X019VPT</b>	TT,Adh Super-Tack Lbl,1.38"x.19",WH	Thermal transfer component label, 1.38" W x 0.19" H, super-tack polyester, white, 1 label/row, 2500 pc. pack	M	1000	\$	120.39
07498331907	<b>C189X047FNC</b>	P1 TE Comp Lbl Cass,1.89"x.47",WH	Component label, P1 cassette, 1.89" W x 0.47" H, tamper resistant, 175 labels/cassette, 1 pc. package quan	PC	1	\$	100.60
07498300480	<b>C1IB6-F</b>	Duct CVR w/film, PVC, 1W X 6' ;IBLU,6ft	Duct cover with protective film, 1 W x 6' length, PVC, intrinsic blue.	FT	1	\$	1.59
07498300477	<b>C2.5BL6-F</b>	Duct CVR w/film, PVC, 2.5W X 6' ;BLK,6ft	Duct cover with protective film, 2.5 W x 6' length, PVC, black.	FT	1	\$	3.58
07498339829	<b>C300X250AUT</b>	TT,Raised Pnl Comp Lbl,3"x2.5",OR	Thermal transfer raised panel component label, 3.00" W x 2.50" H, raised panel, orange, 1 label/roll, 500 pc.	M	1000	\$	1,518.76
07498332044	<b>C350AW-30-ES</b>	TT,Raised Pnl EM Stop,3.5" dia,BL/RD	Pre-printed raised panel Emergency Stop label, Black on Red, 89mm diameter x 30.5mm hole.	M	1000	\$	3,673.09
07498312702	<b>C390X030Y1T</b>	TT,Non-Adh Poly Comp Lbl,3.9"x3",WH	Thermal transfer, non-adhesive component label, 3.90" W x 0.30" H, polyester, white,2 labels/row, 1000 pc. p	M	1000	\$	243.59
07498339832	<b>C400X100AUT</b>	TT,Raised Pnl Comp Lbl,4"x1",OR	Thermal transfer raised panel component label, 4.00" W x 1.00" H, raised panel, orange, 1 label/roll, 500 pc.	M	1000	\$	1,112.73
07498302361	<b>C400X200PBT</b>	TT,Adh Paper Comp Lbl,4"x2",WH	Thermal transfer component label, 4.00" W x 2.00" H, paper, white, 1 label/row, 1000 pc. package quantity.	M	1000	\$	97.14
07498328088	<b>C400X200SP1-AD</b>	SOLAR LBL,AC DISCON,4.00 X 2.00 IN,PK50	Super-tack solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), 'Photovoltaic ac disconnect...' (legend), polyest	PC	1	\$	3.68
61305610868	<b>C400X200YPT</b>	ThermTrans, Comp Label, Adhesive Super-T	ThermTrans, Comp Label, Adhesive Super-Tack Polyester, 4.00" W x 2.00" H, White, 3" Core	M	1000	\$	271.31
07498328089	<b>C400X400SP1-ASM</b>	SOLAR POD,AC PV MOD,4.00 X 4.00 IN,PK50	Super-tack solar label, 4.0" H x 4.0" W (101.6mm x 101.6mm), 'Photovoltaic ac solar module...' (legend), poly	PC	1	\$	4.40
07498339693	<b>C400X400SP1-DD</b>	SOLAR POD,AC DISCON,4.00 X 4.00 IN,PK50	Super-tack solar label, 4.0" H x 4.0" W (101.6mm x 101.6mm), 'Photovoltaic dc disconnect...' (legend), polye	PC	1	\$	4.40
07498325603	<b>C400X400SP1-DSM</b>	SOLAR POD,DC PV MOD,4.00 X 4.00 IN,PK50	Super-tack solar label, 4.0" H x 4.0" W (101.6mm x 101.6mm), 'Photovoltaic dc solar module...' (legend), poly	PC	1	\$	4.40
07498327937	<b>C400X400SP1-PS</b>	SOLAR POD,INVERTER,4.00 X 4.00 IN,PK50	Super-tack solar label, 4.0" H x 4.0" W (101.6mm x 101.6mm), 'Photovoltaic power source...' (legend), polyes	PC	1	\$	4.40
07498334495	<b>C400X600PBT</b>	TT,Adh Paper Comp Lbl,4"x6",WH,3"core	Thermal transfer component label, 4.00" W x 6.00" H, paper, white, 1 label/row, 1000 pc. package quantity.	M	1000	\$	337.68
07498328060	<b>C600X175SP1-AD</b>	SOLAR POD,AC DISCON,1.75 X 6.00 IN,PK50	Super-tack solar label, 1.75" H x 6.0" W (44.5mm x 152.4mm), 'Photovoltaic ac disconnect' (legend), polyeste	PC	1	\$	3.95
07498328071	<b>C600X175SP1-DD</b>	SOLAR POD,DC DISCON,1.75 X 6.00 IN,PK50	Super-tack solar label, 1.75" H x 6.0" W (44.5mm x 152.4mm), 'Photovoltaic dc disconnect' (legend), polyest	PC	1	\$	3.95
07498312703	<b>C750X050Y1T</b>	TT,Non-Adh Poly Comp Lbl,7.5"x5",WH	Thermal transfer non-adhesive component label, 7.50" W x 0.50" H, polyester, white, 2 labels/row, 1000 pc. p	M	1000	\$	320.44
61305625342	<b>CB25-56HKR-Q</b>	CuMechLug,1Hole,1Brl,0/SFltgTng,#2,PK25	Copper Mechanical Lug, 1 Hole, 1 Barrel, Offset Floating Tongue, #2 - 4/0 AWG, 5/16 (7.9mm) Stud,7/32 he	C	100	\$	1,778.14
07498358214	<b>CB25-18-CY</b>	CuMechLug,OSF,#14-#10AWG,1/8StudPKG100Y	One-hole, copper, single barrel, offset floating tongue lug, #14 - #10 AWG, 1/8 (3.2mm) stud.	C	100	\$	244.20
07498358216	<b>CB35-36-CY</b>	CuMechLug,OSF,#14-#6AWG,3/16StudPKG100Y	The CB35-36-CY Mechanical Cable Lug one-hole copper, single barrel, is made from high strength electrolyti	C	100	\$	265.59
07498358227	<b>CB470-14-CY</b>	CuMechLug,OSF,#14-#4AWG,1/4StudPKG100Y	The CBA70-14-CY Mechanical Cable Lug one-hole copper, single barrel, is made from high strength electrolyti	C	100	\$	265.84
07498354330	<b>CBP12-M</b>	CircuitBoardPost,12"Pst,PK1000	Circuit board post, 12" (3.2mm) post,bulk package.	M	1000	\$	177.13
07498354331	<b>CBP25-M</b>	CircuitBoardPost,25"Pst,PK1000	Circuit board post, 25" (6.4mm) post,bulk package.	M	1000	\$	180.53
07498354333	<b>CBP37-M</b>	CircuitBoardPost,38"Pst,PK1000	Circuit board post, 38" (9.7mm) post, bulk package.	M	1000	\$	184.39
07498391432	<b>CC-720</b>	ControlCycle,CT-720CrimpingTool,EA	Optional controlled cycle mechanism only. Total weight of tool with CC-720 is 8.25 lbs.	PC	1	\$	750.59
07498391425	<b>CD-720-1</b>	Crimp Die,CT-720,#8 -#2 AWG Cu,#6 Al,EA	Crimp Die for CT-720, #8 - #2 AWG Copper, #6 AWG Aluminum.	PC	1	\$	138.89
07498391426	<b>CD-720-2</b>	CrimpDie,CT-720,#1-3/0AWGCu,#4-1/0 Al,EA	Crimp Die for CT-720, #1 - 3/0 AWG copper connector.	PC	1	\$	138.89
07498391427	<b>CD-720-3</b>	CrimpDie,CT-720,4/0-250kcmilCu,2/0 Al,EA	Crimp Die for CT-720, 4/0 AWG - 250 kcmil copper connector.	PC	1	\$	138.89
07498391428	<b>CD-720-4</b>	Crimp Die,CT-720,300 kcmil Cu,4/0 Al,EA	Crimp Die for CT-720, 300 kcmil copper connector.	PC	1	\$	138.89
07498391429	<b>CD-720-5</b>	Crimp Die,CT-720,350 kcmil Cu,250 Al,EA	Crimp Die for CT-720, 350 kcmil copper connector.	PC	1	\$	138.89
07498391430	<b>CD-720-6</b>	Crimp Die,CT-720,400 kcmil Cu,300 Al,EA	Crimp Die for CT-720, 400 kcmil copper connector.	PC	1	\$	138.89
07498391431	<b>CD-720-7</b>	Crimp Die,CT-720,500 kcmil Cu,350 Al,EA	Crimp Die for CT-720, 500 kcmil copper connector.	PC	1	\$	138.89

07498391457	<b>CD-720PV8-2</b>	CrimpDie,CT-720,#8-#2 AWG,Vyl,EA	Crimp Die for CT-720, #8 - #2 AWG vinyl insulated Pan-Term® terminals.	PC	1	\$	138.89
07498392190	<b>CD35-36SL-QY</b>	Cu,MechLug,2H,1B,SFT,#14-#6A,3/16S,PK25	Two-hole, copper, single barrel, straight floating tongue lug, slotted screw, #14 - #6 AWG, 3/16 (4.8mm) stud	C	100	\$	430.11
07498365787	<b>CGR630UA</b>	Cabinet Retrofit Grounding Kit	Retrofit grounding kit for installation on cabinets with threaded #10-32 or M5 rail fasteners and rail depth up to	KT	1	\$	485.20
61305656773	<b>CKSB1-00</b>	Packaged SBC2/0 and CVRSBC2/0	Packaged SBC2/0 and CVRSBC2/0	C	100	\$	1,606.31
61305656771	<b>CKSB10-8</b>	Packaged SBC8 and CVRSBC4	Packaged SBC8 and CVRSBC4	C	100	\$	1,146.00
61305656772	<b>CKSB6-2</b>	Packaged SBC2 and CVRSBC2	Packaged SBC2 and CVRSBC2	C	100	\$	1,633.99
07498395519	<b>CO35-36SL-QY</b>	Cu,MechLug,2H,1B,OF#T,#14-#6A,3/16S,PK25	The CO35-36SL-QY Mechanical Connector Lug two-hole copper, single barrel, is made from high strength el	C	100	\$	380.45
07498313278	<b>CSM-1.25-C</b>	CABLE STUD MGR,1.25 in CABLE SPACE,PK100	Cable stud manager for 1.25" cable spacing.	C	100	\$	64.21
61305616976	<b>CT-2500/LE</b>	BLKFinCrimpTool,1.7Ton,EU,EA	The Panduit® BlackFin® Crimping Tool is built with an innovative in-line ergonomic design requires less hand	PC	1	\$	3,337.50
61305617440	<b>CT-2600/TO</b>	BLKFinCrimpTool,4Ton,ToolOnly,EA	The Panduit® BlackFin® Crimping Tool quickly terminates wires with just a push of a button – perfect for sing	PC	1	\$	2,656.03
07498385024	<b>CT-520CH</b>	Crimp Head,CT-600-A,EA	Crimping head for most #22 – 14 insulated butted seam disconnects and #26 – 22 insulated terminals.	PC	1	\$	770.23
07498391420	<b>CT-720</b>	Large Terminal 6 Ton Crimp Tool,EA	Manual crimping tool for UL Listed or Recognized and CSA Certified terminations of Panduit copper compres	PC	1	\$	1,154.08
07498391422	<b>CT-720-3</b>	Crimping Tool Kit with 3 Dies,EA	Basic tool kit with three dies.Includes: • Three dies (CD-720-1 through CD-720-3) for installing #8 AWG – 250	PC	1	\$	1,892.99
07498391424	<b>CT-720-3CC</b>	Crimping Kit W/Controlled Cycle,3Dies,EA	Controlled cycle tool kit with three dies. Controlled cycle mechanism factory installed on crimping tool.Include	PC	1	\$	2,579.59
07498391421	<b>CT-720-7</b>	Crimping Tool Kit with 7 Dies	Basic tool kit with seven dies.Includes: • Seven dies (CD-720-1 through CD-720-7) for installing #8 AWG – 50	PC	1	\$	2,545.54
07498391423	<b>CT-720-7CC</b>	CrimpingKit W/Controlled Cycle,7Dies,EA	Controlled cycle tool kit with seven dies. Controlled cycle mechanism factory installed on crimping tool.Include	PC	1	\$	3,094.64
07498344115	<b>CVR6-1</b>	Black H-tap Cover,w/CTAP4-8,EA	Black HTAP cover, use with CTAP4-8, CTAP4-6, and CTAP4-4.	C	100	\$	1,094.50
61305656753	<b>CVRSBC2</b>	Insulating Cover (for SBC3 and SBC2)	Insulating Cover (for SBC3 and SBC2)	C	100	\$	736.16
61305656754	<b>CVRSBC2/0</b>	Insulating Cover (for SBC1/0 and SBC2/0)	Insulating Cover (for SBC1/0 and SBC2/0)	C	100	\$	962.11
61305656752	<b>CVRSBC4</b>	Insulating Cover (for SBC8, SBC6S and SB	Insulating Cover (for SBC8, SBC6S and SBC4S)	C	100	\$	551.75
07498391411	<b>CW-56-L</b>	BellevilleWasher,5/8"BoltPKG50	Belleville compression washer, .81" diameter.	C	100	\$	253.36
07498391414	<b>CW-58-Q</b>	BellevilleWasher,5/8"BoltPKG25	Belleville compression washer, 1.49" diameter.	C	100	\$	564.44
07498382749	<b>D-250A-M</b>	DisconnectAdapter,NonIns,2Fem,1Male,1000	The vibration resistant disconnect adapter in metallic brass couples two female tabs and one male tab all size	M	1000	\$	532.25
07498364585	<b>D18-187-C</b>	Disconnect,Fm,Nln,.187x.032,22-18AWG,100	The vibration resistant female disconnect in metallic brass helps overcome the failures caused by high vibrati	C	100	\$	75.68
61305674620	<b>DAP3PUNCH-MS</b>	Data Access Port 2.5in Mild Steel Condui	Data Access Port 2.5in Mild Steel Conduit Greenlee Knockout Punch Attachment. For Use With DAP3* Part	PC	1	\$	1,482.13
61305674622	<b>DAP3PUNCH-SS</b>	Data Access Port 2.5in Stainless Steel C	Data Access Port 2.5in Stainless Steel Conduit Greenlee Knockout Punch Attachment. For Use With DAP3*	PC	1	\$	2,505.00
61305674621	<b>DAP4PUNCH-MS</b>	Data Access Port 3.5in Mild Steel Condui	Data Access Port 3.5in Mild Steel Conduit Greenlee Knockout Punch Attachment. For Use With DAP4* Part	PC	1	\$	3,131.25
61305674623	<b>DAP4PUNCH-SS</b>	Data Access Port 3.5in Stainless Steel C	Data Access Port 3.5in Stainless Steel Conduit Greenlee Knockout Punch Attachment. For Use With DAP4*	PC	1	\$	3,444.38
07498336432	<b>DNF10-250FIB-E</b>	Disc,F,NylFI,12-10AWG,.250x.032",BS,PK20	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a yellow, nyl	C	100	\$	143.31
07498382645	<b>DNF14-205-M</b>	Disc,F,BINy,.205x.032",16-14AWG,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a blue, nyl	M	1000	\$	535.83
07498376155	<b>DNF14-250FI-M</b>	Disc,F,BINy,.250x.032,16-14AWG,IGS,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, nyl	M	1000	\$	492.90
07498336439	<b>DNF18-110FIB-E</b>	Disc,F,RdNy,.110x.032",22-18AWG,20	The vibration resistant female disconnect is made of brass and is tin-plated. It is fully insulated in a blue, nyl	C	100	\$	138.80
07498382641	<b>DNF18-205-M</b>	Disc,F,RdNy,.205x.032",22-18AWG,IGS,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a red, nyl	M	1000	\$	530.73
07498382643	<b>DNF18-206-M</b>	Disc,F,RdNy,.205x.02",22-18AWG,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in a red, nyl	M	1000	\$	530.73
07498382663	<b>DNFR14-206B-M</b>	Disc,F,RA,BINy,.205x.020",16-14AWG,1000	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is insulated in	M	1000	\$	677.94
07498382617	<b>DNFR14-206FI-M</b>	Dis,F,RA,BINy,.205x.020",16-14AWG,BS15000	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	M	1000	\$	706.81
07498336442	<b>DNFR14-250FIB-E</b>	Dis,F,RA,BINy,.205x.032",16-14AWG,20	The vibration resistant, right angle style female disconnect is made of brass and is tin-plated. It is fully insulat	C	100	\$	162.10
07498312066	<b>DNG18-250FB-L</b>	SpGrp,FDis,RdNy,.25x.032",22-18AWG,50	The Supra-Grip™ female disconnect is made of brass and is tin-plated. It is fully insulated in red nylon. It has	C	100	\$	158.25
07498381831	<b>DNH10-250FI-E</b>	Disc,Fem,Ylw,HS,.250 x .032",12-10AWG,20	The female disconnect is made of brass and is tin-plated. It is fully insulated in yellow heat shrink. It has a tab	C	100	\$	271.54
07498320331	<b>DPF10-250FI-L</b>	Disc,F,PmYINy,.25x.032",12-10AWG,BS,50	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	C	100	\$	164.26
07498311998	<b>DPF14-250FIM-L</b>	Disc,M,PBUNy,.250x.032",16-14AWG,500	The vibration resistant DiscoGrip™ male disconnect is made of brass and is nickel-plated. It is fully insulated	C	100	\$	143.70
07498320389	<b>DPF18-110FIB-M</b>	Disc,F,PRdNy,.11x.032",22-18AWG,1000	The vibration resistant DiscoGrip™ female disconnect is made of brass and is tin-plated. It is fully insulated in	M	1000	\$	504.89
07498320336	<b>DPF18-250FIMB-L</b>	Disc,M,DsGrp,RdOs,.250x.032",22-18AWG,500	The vibration resistant DiscoGrip™ male disconnect is made of brass and is nickel-plated. It is fully insulated	C	100	\$	158.06
07498382747	<b>DR18-250-C</b>	Disc,F,RA,NIns,.250x.032",22-18AWG,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is non-insulated in metallic hoo	C	100	\$	100.43
07498311806	<b>DRDCS2-X</b>	2" Corner Strip for DRD,PVC,10pcs	The Panduct PanelMax 2" corner strip in light gray PVC material is used with the DRD22 DIN rail wiring duct.	PC	1	\$	6.20
07498311807	<b>DRDCS3-X</b>	3" Corner Strip for DRD,PVC,10pcs	The Panduct PanelMax 3" corner strip in light gray PVC material is used with the DRD33 DIN rail wiring duct.	PC	1	\$	6.85
07498311809	<b>DRDCS4-X</b>	4" Corner Strip for DRD,PVC,10pcs	The Panduct PanelMax 4" corner strip in light gray PVC material is used with the DRD44 DIN rail wiring duct.	PC	1	\$	8.08
07498311810	<b>DRDSF-C</b>	Replace D" Rail Screws for DRD,100pcs	The Panduct® PanelMax™ replacement DIN rail fasteners are for the DRD DIN rail wiring duct. They come in	PC	1	\$	0.19
07498346017	<b>DV14-205B-C</b>	Disc,F,BIVn,.187/205x.032",16-14AWG,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	C	100	\$	95.36
07498346020	<b>DV14-206B-M</b>	Disc,F,BIVn,.187/205x.02",16-14AWG,1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	M	1000	\$	313.65
07498343555	<b>DV14-250B-E</b>	Disc,M,BIVn,.25x.032",16-14AWG,PK20	The vibration resistant female disconnect is made of copper and is tin-plated. It is barrel insulated in blue vinyl	C	100	\$	121.54
07498382226	<b>DV14-250MB-M</b>	Disc,M,BIVn,.25x.032",16-14AWG,1000	The vibration resistant male disconnect is made of copper and is nickel-plated. It is barrel insulated in blue vin	M	1000	\$	387.78
61305675781	<b>DV14-250P-EYY</b>	Piggyback Disconnect, vinyl barrel insul	Piggyback Disconnect, vinyl barrel insulated, 16 – 14 AWG, .250 x .032 tab size, convenience package.	C	100	\$	239.21
07498368557	<b>DV18-188B-CY</b>	Disc,F,RdVn,.187x.02",22-18AWG,PK1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	C	100	\$	97.09
07498340896	<b>DV18-206B-MY</b>	Disc,F,RdVn,187/0.205x0.02",22-18AWG1000	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	M	1000	\$	313.65
07498382076	<b>DVF14-188-C</b>	Disc,F,BIVn,.187x.02",16-14AWG,100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in blue vinyl	C	100	\$	133.44
07498368565	<b>DVF18-188-CY</b>	Disc,F,VinRd,22-18AWG,.187x.02FN,PK100	The vibration resistant female disconnect is made of brass and is tin-plated. It is barrel insulated in red vinyl h	C	100	\$	133.44
07498333856	<b>F2X2WH6-A</b>	NAR Slot ADH Dct,PVC,2x2x6",WH,6ft	Panduct® type F narrow slot wiring duct, 2 W x 2 H, 6' length, PVC, adhesive, white.	FT	1	\$	9.40
07498376418	<b>F76-12-M</b>	Ferrule,Non-Insul,18AWG,12mmLEN,PK1000	Ferrule, non-insulated, 18 AWG wire range, 0.47(12.0mm) length.	M	1000	\$	124.29
07498376333	<b>F78-15-M</b>	Ferrule,Non-Insul,16AWG,15mmLEN,PK1000	Ferrule, non-insulated, 16 AWG wire range, 0.59(15.0mm) length.	M	1000	\$	137.19
07498376422	<b>F80-20-M</b>	Ferrule,Non-Insul,14AWG,20mmLEN,PK1000	Ferrule, non-insulated, 14 AWG wire range, 0.79(20.0mm) length.	M	1000	\$	235.10
07498376345	<b>F81-20-M</b>	Ferrule,Non-Insul,12AWG,20mmLEN,PK1000	Ferrule, non-insulated, 12 AWG wire range, 0.79(20.0mm) length.	M	1000	\$	301.98
61305666663	<b>FSDX78-10-D</b>	Ferrule, Expanded Black Sleeve, #16 AWG	Polypropylene insulated ferrules single wire black DIN color expanded end sleeve, #16 AWG (1.5mm²) Wire	M	1000	\$	96.56
07498333385	<b>FSDXL83-12-C</b>	Ferrule,Ins,ShiCl,8AWG,12mmPIN,RED,PK100	Polypropylene insulated ferrules single wire red DIN color expanded short circuit protection end sleeve, 8 AW	M	1000	\$	1,075.69
07498333386	<b>FSDXL84-12-C</b>	Ferrule,Ins,ShiCr,6AWG,12mmPIN,BU,PK100	Polypropylene insulated ferrules single wire blue DIN color expanded short circuit protection end sleeve, #6 A	M	1000	\$	1,132.86
61305657444	<b>GBM28CG2-5</b>	Cable Tray Ground Clamp	Cable Tray Ground Clamp	C	100	\$	32,945.03
07498300949	<b>GCC6X6500-1/0</b>	Cross Connector,Copper,500-1/0,EA	Grounding cross connector for 250 – 500 kcmil (150 – 240mm²) and #6 SOL – 1/0 STR AWG (15 – 50mm²)	PC	1	\$	186.39
61305656804	<b>GCHE250-250</b>	Heavy Duty Ground "E" Style Conn. 1/0 ST	Heavy Duty Ground "E" Style Conn. 1/0 STR-250 kcmil (70–120mm²)	C	100	\$	6,495.80
61305664722	<b>GCHE500-250</b>	Heavy Duty Ground "E" Style Conn. 250–	Heavy Duty Ground "E" Style Conn. 250–500 kcmil (150–240mm²), 1/0 STR–250 kcmil (70–120mm²)	C	100	\$	9,218.25
07498310753	<b>GES36FR-CY</b>	Grom Edg SLD,.11"x.12",FR NAT,1H	Solid grommet edging (use one straight edges only), .036" thickness, flame retardant polyethylene, natural, 1	RL	1	\$	58.45
07498366284	<b>GHC2/0-12-C</b>	Gullotine Style Hub,Bronze,1/2 in,100PK	Bronze ground hubs, #10 SOL – 2/0 STR AWG conductor size range, 1/2" (12.7mm) conduit hub size, 1.98"	C	100	\$	689.59
07498366279	<b>GHC2/0-34-L</b>	Gullotine Style Hub,Bronze,3/4 in,50PK	Bronze ground hubs, #10 SOL – 2/0 STR AWG conductor size range, 3/4" (19.1mm) conduit hub size, 2.14"	C	100	\$	877.63
07498366280	<b>GHC3/0-1-L</b>	Gullotine Style Hub,Bronze,1 in,50PK	Bronze ground hubs, #10 SOL – 3/0 STR AWG conductor size range, 1" (25.4mm) conduit hub size, 2.16" (5	C	100	\$	897.56
07498366263	<b>GHC4-1-C</b>	Grounding Hub,Bronze,1 in,100PK	Bronze ground hubs, #8 SOL – #4 STR AWG conductor size range, 1" (25.4mm) conduit hub size, 1.61" (40.	C	100	\$	1,846.44
07498367094	<b>GHC4-12-C</b>	Grounding Hub,Bronze,1/2 in,200PK	Bronze ground hubs, #8 SOL – #4 STR AWG conductor size range, 1/2" (12.7mm) conduit hub size, 1.27" (3	C	100	\$	1,046.34
07498366262	<b>GHC4-34-C</b>	Grounding Hub,Bronze,3/4 in,100PK	Bronze ground hubs, #8 SOL – #4 STR AWG conductor size range, 3/4" (19.1mm) conduit hub size, 1.51" (3	C	100	\$	1,600.21
07498366281	<b>GHCH2/0-12-L</b>	Hvy Duty Hub1/2 in,Serrated Clamps,50PK	Heavy duty bronze ground hubs, #10 SOL – 2/0 STR AWG conductor size range, 1/2" (12.7mm) conduit hub	C	100	\$	2,141.86

07498366284	<b>GHCH3/0-1-L</b>	Hvy Duty Hub 1 in,Serrated Clamps,50PK	Heavy duty bronze ground hubs, #10 SOL to 3/0 STR AWG conductor size range, 1" (25.4mm) conduit hub s	C	100	\$	3,754.41
07498366282	<b>GHCH3/0-34-L</b>	Hvy Duty Hub 3/4 in,Serrated Clamps,50PK	Heavy duty bronze ground hubs, #10 SOL to 3/0 STR AWG conductor size range, 3/4" (19.1mm) conduit hub	C	100	\$	3,692.89
07498366265	<b>GHCH4/0-C</b>	Hvy Duty Hub for Serrated Clamps,100PK	Heavy duty bronze ground hubs, #8 SOL - 4/0 STR AWG conductor size range, 1.89" (48.0mm) hub length.	C	100	\$	1,723.36
07498379671	<b>GM-1-Q</b>	Bronze Grounding Clamp #8 SOL PK25	Bronze grounding clamp #8 SOL - #4 STR	C	100	\$	4,610.05
07498366935	<b>GPC2-4D-E</b>	Pipe Clamp,Bronze,DB,2-1/2-4 in,20PK	Bronze grounding clamp, Direct burial, #10 SOL - #2 STR AWG conductor size range, 2 1/2" - 4" (63.5mm -	C	100	\$	6,893.39
07498366247	<b>GPC2-6-X</b>	Pipe Clamp,Water Pipe 4 -1/2-6 in,10PK	Bronze grounding clamp, #10 SOL - #2 STR AWG conductor size range, 4 1/2" - 6" (114.3mm - 152.4mm) ir	C	100	\$	11,226.48
07498391932	<b>GPC4-1-1-L</b>	Pipe Clamp,1in,w/Conduit Hub,1 in,50PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 1/2" - 1" (12.7mm - 25.4m	C	100	\$	2,461.91
07498391930	<b>GPC4-1-12-Q</b>	Pipe Clamp,1in,w/Conduit Hub,1/2 in,25PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 1/2" - 1" (12.7mm - 25.4m	C	100	\$	2,213.15
07498391931	<b>GPC4-1-34-L</b>	Pipe Clamp,1in,w/Conduit Hub,3/4 in,50PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 1/2" - 1" (12.7mm - 25.4m	C	100	\$	2,031.08
07498391935	<b>GPC4-2-1-Q</b>	Pipe Clamp,2in,w/Conduit Hub,1 in,25PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 1 1/4" - 2" (31.8mm - 50.8	C	100	\$	3,446.65
07498391933	<b>GPC4-2-12-L</b>	Pipe Clamp,2in,w/Conduit Hub,1/2 in,50PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 1 1/4" - 2" (31.8mm - 50.8	C	100	\$	3,539.49
07498391934	<b>GPC4-2-34-Q</b>	Pipe Clamp,2in,w/Conduit Hub,3/4 in,25PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 1 1/4" - 2" (31.8mm - 50.8	C	100	\$	3,200.49
07498391938	<b>GPC4-4-1-X</b>	Pipe Clamp,4in,w/Conduit Hub,1 in,10PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 2 1/2" - 4" (63.5mm - 101	C	100	\$	9,355.30
07498391936	<b>GPC4-4-12-X</b>	Pipe Clamp,4in,w/Conduit Hub,1/2 in,10PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 2 1/2" - 4" (63.5mm - 101	C	100	\$	10,020.00
07498391937	<b>GPC4-4-34-X</b>	Pipe Clamp,4in,w/Conduit Hub,3/4 in,10PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 2 1/2" - 4" (63.5mm - 101	C	100	\$	9,232.16
07498391941	<b>GPC4-6-1-X</b>	Pipe Clamp,6in,w/Conduit Hub,1 in,10PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 4 1/2" - 6" (114.3mm - 15	C	100	\$	11,078.61
07498391939	<b>GPC4-6-12-X</b>	Pipe Clamp,6in,w/Conduit Hub,1/2 in,10PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 4 1/2" - 6" (114.3mm - 15	C	100	\$	10,093.88
07498391940	<b>GPC4-6-34-5</b>	Pipe Clamp,6in,w/Conduit Hub,3/4 in,5PK	Bronze grounding clamp for conduit, #8 SOL - #4 STR AWG conductor size range, 4 1/2" - 6" (114.3mm - 15	C	100	\$	10,586.21
07498366244	<b>GPCA2-1-C</b>	Pipe Clamp,Armored Cable,1/2-1 in,100PK	Bronze grounding clamp, armored cable, zinc plated steel hardware, #8 SOL - #4 STR AWG conductor size r	C	100	\$	1,383.11
07498366245	<b>GPCA2-1D-C</b>	Pipe Clamp,Armored Cbl,DB,1/2-1 in,100PK	Bronze grounding clamp, armored cable, phos bronze hardware, #8 SOL - #4 STR AWG conductor size rang	C	100	\$	2,013.85
07498366922	<b>GPCA2-2-L</b>	Pipe Clamp,Armored Cable,1-1/4-2 in,50PK	Bronze grounding clamp, armored cable, zinc plated steel hardware, #8 SOL - #4 STR AWG conductor size r	C	100	\$	2,950.95
07498366352	<b>GPCA2-4-X</b>	Pipe Clamp,Armored Cable,2-1/2-4 in,10PK	Bronze grounding clamp, armored cable, zinc plated steel hardware, #8 SOL - #4 STR AWG conductor size r	C	100	\$	11,915.66
07498366246	<b>GPCA2-6-X</b>	Pipe Clamp,Armored Cable,4-1/2-6 in,10PK	Bronze grounding clamp, armored cable, zinc plated steel hardware, #8 SOL - #4 STR AWG conductor size r	C	100	\$	13,540.53
07498366340	<b>GPCG2/0-1-12-L</b>	Pipe Clamp 1in,w/Guillotine,1/2 in,50PK	Bronze grounding clamp for conduit with guillotine, #10 SOL - 2/0 STR AWG conductor size range, 1/2" - 1" (	C	100	\$	3,501.59
07498366341	<b>GPCG2/0-1-34-L</b>	Pipe Clamp 1in,w/Guillotine,3/4 in,50PK	Bronze grounding clamp for conduit with guillotine, #10 SOL - 2/0 STR AWG conductor size range, 1/2" - 1" (	C	100	\$	4,854.15
07498367212	<b>GPCG2/0-2-12-Q</b>	Pipe Clamp 2in,w/Guillotine,1/2 in,25PK	Bronze grounding clamp for conduit with guillotine, #10 SOL - 2/0 STR AWG conductor size range, 1 1/4" - 2"	C	100	\$	6,156.94
07498367213	<b>GPCG2/0-2-34-Q</b>	Pipe Clamp 2in,w/Guillotine,3/4 in,25PK	Bronze grounding clamp for conduit with guillotine, #10 SOL - 2/0 STR AWG conductor size range, 1 1/4" - 2"	C	100	\$	7,644.74
07498366360	<b>GPCG2/0-4-12-E</b>	Pipe Clamp 4in,w/Guillotine,1/2 in,20PK	Bronze grounding clamp for conduit with guillotine, #10 SOL - 2/0 STR AWG conductor size range, 2 1/2" - 4"	C	100	\$	14,477.88
07498366363	<b>GPCG2/0-4-34-E</b>	Pipe Clamp 4in,w/Guillotine,3/4 in,20PK	Bronze grounding clamp for conduit with guillotine, #10 SOL - 2/0 STR AWG conductor size range, 2 1/2" - 4"	C	100	\$	15,965.68
07498366342	<b>GPCG3/0-1-1-L</b>	Pipe Clamp 1in,w/Guillotine,1 in,50PK	Bronze grounding clamp for conduit with guillotine, #10 SOL - 3/0 STR AWG conductor size range, 1/2" - 1" (	C	100	\$	7,979.86
07498367214	<b>GPCG3/0-2-1-Q</b>	Pipe Clamp 2in,w/Guillotine,1 in,25PK	Bronze grounding clamp for conduit with guillotine, #10 SOL - 3/0 STR AWG conductor size range, 1 1/4" - 2"	C	100	\$	9,355.39
07498366898	<b>GPCG3/0-4-1-X</b>	Pipe Clamp 4in,w/Guillotine,1 in,10PK	Bronze grounding clamp for conduit with guillotine, #10 SOL - 3/0 STR AWG conductor size range, 2 1/2" - 4"	C	100	\$	16,898.56
07498366135	<b>GPCH2-1-C</b>	Hvy Duty Base Pipe Clamp,1/2-1 in,100PK	Bronze grounding clamp, heavy duty base, #10 SOL - #2 STR AWG conductor size range, 1/2" - 1" (12.7mm	C	100	\$	3,754.41
07498366923	<b>GPCH2-2-L</b>	Hvy Duty Base Pipe Clamp,1-1/4-2 in,50PK	Bronze grounding clamp, heavy duty base, #10 SOL - #2 STR AWG conductor size range, 1 1/4" - 2" (31.8m	C	100	\$	4,062.13
07498366933	<b>GPCH2-4-E</b>	Hvy Duty Base Pipe Clamp,2-1/2-4 in,20PK	Bronze grounding clamp, heavy duty base, #10 SOL - #2 STR AWG conductor size range, 2 1/2" - 4" (63.5m	C	100	\$	10,586.21
07498366353	<b>GPCH2-6-X</b>	Hvy Duty Base Pipe Clamp,4-1/2-6 in,10PK	Bronze grounding clamp, heavy duty base, #10 SOL - #2 STR AWG conductor size range, 4 1/2" - 6" (114.3	C	100	\$	19,695.34
07498366180	<b>GPCH2/0-1-12-Q</b>	Hvy Duty Pipe Clamp,1in,Hub 1/2in,25PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL -2/0 STR AWG conductor size range	C	100	\$	4,012.90
07498366161	<b>GPCH2/0-2-12-Q</b>	Hvy Duty Pipe Clamp,2in,Hub 1/2in,25PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL - 2/0 STR AWG conductor size rang	C	100	\$	4,739.16
07498366148	<b>GPCH2/0-4-12-X</b>	Hvy Duty Pipe Clamp,4in,Hub 1/2in,10PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL - 2/0 STR AWG conductor size rang	C	100	\$	8,616.68
07498366152	<b>GPCH2/0-6-12-X</b>	Hvy Duty Pipe Clamp,6in,Hub 1/2in,10PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL - 2/0 STR AWG conductor size rang	C	100	\$	19,202.94
07498366184	<b>GPCH3/0-1-1-Q</b>	Hvy Duty Pipe Clamp,1in,Hub 1in,25PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL -3/0 STR AWG conductor size range	C	100	\$	4,800.71
07498366183	<b>GPCH3/0-1-34-Q</b>	Hvy Duty Pipe Clamp,1in,Hub 3/4in,25PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL -3/0 STR AWG conductor size range	C	100	\$	4,160.64
07498366177	<b>GPCH3/0-2-1-Q</b>	Hvy Duty Pipe Clamp,2in,Hub 1in,25PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL - 3/0 STR AWG conductor size rang	C	100	\$	6,154.80
07498366176	<b>GPCH3/0-2-34-Q</b>	Hvy Duty Pipe Clamp,2in,Hub 3/4in,25PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL - 3/0 STR AWG conductor size rang	C	100	\$	5,416.19
07498366151	<b>GPCH3/0-4-1-X</b>	Hvy Duty Pipe Clamp,4in,Hub 1 in,10PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL - 3/0 STR AWG conductor size rang	C	100	\$	10,586.21
07498366149	<b>GPCH3/0-4-34-X</b>	Hvy Duty Pipe Clamp,4in,Hub 3/4in,10PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL - 3/0 STR AWG conductor size rang	C	100	\$	10,093.88
07498366154	<b>GPCH3/0-6-1-X</b>	Hvy Duty Pipe Clamp,6in,Hub 1 in,10PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL - 3/0 STR AWG conductor size rang	C	100	\$	17,971.98
07498366153	<b>GPCH3/0-6-34-X</b>	Hvy Duty Pipe Clamp,6in,Hub 3/4in,10PK	Bronze grounding clamp for conduit with guillotine, heavy duty, #10 SOL - 3/0 STR AWG conductor size rang	C	100	\$	20,926.25
07498366919	<b>GPCH4/0-1-L</b>	Heavy Duty Pipe Clamp,1/2-1 in,50PK	Bronze grounding clamp, heavy duty, #8 SOL - 4/0 STR AWG conductor size range, 1/2" - 1" (12.7mm - 25.4	C	100	\$	4,129.86
07498366918	<b>GPCH4/0-1D-L</b>	Heavy Duty Pipe Clamp,DB,1/2-1 in,50PK	Bronze grounding clamp, heavy duty, direct burial #8 SOL - 4/0 STR AWG conductor size range, 1/2" - 1" (12	C	100	\$	4,197.56
07498366178	<b>GPCH4/0-2-Q</b>	Heavy Duty Pipe Clamp,1-1/4-2 in,25PK	Bronze grounding clamp, heavy duty, #8 SOL - 4/0 STR AWG conductor size range, 1 1/4" - 2" (31.8mm - 50	C	100	\$	4,468.36
07498366179	<b>GPCH4/0-2D-Q</b>	Heavy Duty Pipe Clamp,DB,1-1/4-2 in,25PK	Bronze grounding clamp, heavy duty, direct burial, #8 SOL - 4/0 STR AWG conductor size range, 1 1/4" - 2" (	C	100	\$	6,154.80
07498366364	<b>GPCH4/0-4-E</b>	Heavy Duty Pipe Clamp,21/2-4 in,20PK	Bronze grounding clamp, heavy duty, #8 SOL - 4/0 STR AWG conductor size range, 2 1/2" - 4" (63.5mm - 10	C	100	\$	11,644.83
07498366155	<b>GPCH4/0-6-X</b>	Heavy Duty Pipe Clamp,4-1/2-6 in,10PK	Bronze grounding clamp, heavy duty, #8 SOL - 4/0 STR AWG conductor size range, 4 1/2" - 6" (114.3mm - 1	C	100	\$	21,664.86
07498366255	<b>GPCJ2-1-C</b>	Pipe Clamp,Light Water Pipe1/2-1in,100PK	Bronze grounding clamp, Light duty, #10 SOL - #2 STR AWG conductor size range, 1/2" - 1" (12.7mm - 25.4	C	100	\$	832.50
07498391926	<b>GPSC4-1-12-L</b>	Pipe Clamp,1in,w/Strap & Hub 1/2 in,50PK	Bronze grounding clamp for conduit with strap, #8 SOL - #4 STR AWG conductor size range, 1/2" - 1" (12.7m	C	100	\$	2,316.44
07498391927	<b>GPSC4-2-12-L</b>	Pipe Clamp,1in,w/Strap & Hub 3/4 in,50PK	Bronze grounding clamp for conduit with strap, #8 SOL - #4 STR AWG conductor size range, 1/2" - 1" (12.7m	C	100	\$	4,854.15
07498391929	<b>GPSC4-4-12-L</b>	Pipe Clamp,1in,w/Strap & Hub 1 in,50PK	Bronze grounding clamp for conduit with strap, #8 SOL - #4 STR AWG conductor size range, 1/2" - 1" (12.7m	C	100	\$	7,979.86
07498366902	<b>GPSCG4-1-12-X</b>	Pipe Clamp,w/Guillotine,Strap,1/2in,10PK	Bronze grounding clamp for conduit with strap and guillotine, #8 SOL - #4 STR AWG conductor size range, 1/	C	100	\$	4,046.26
07498367216	<b>GPSCG4-2-12-Q</b>	Pipe Clamp,w/Guillotine,Strap,3/4in,25PK	Bronze grounding clamp for conduit with strap and guillotine, #8 SOL - #4 STR AWG conductor size range, 1/	C	100	\$	5,901.08
07498367217	<b>GPSCG4-4-12-Q</b>	Pipe Clamp,w/Guillotine,Strap,1 in,25PK	Bronze grounding clamp for conduit with strap and guillotine, #8 SOL - #4 STR AWG conductor size range, 1/	C	100	\$	7,935.13
07498366913	<b>GPCW6-1-12-L</b>	Pipe Clamp,1/2-1 in,w/Swivel Hub,50PK	Bronze grounding clamp with conduit hub and swivel, #10 SOL - #6 STR AWG conductor size range, 1/2" - 1"	C	100	\$	2,548.09
07498367215	<b>GPCW6-2-12-Q</b>	Pipe Clamp,1-1/4-2 in,w/Swivel Hub,25PK	Bronze grounding clamp with conduit hub and swivel, #10 SOL - #6 STR AWG conductor size range, 1 1/4" -	C	100	\$	5,339.55
07498366899	<b>GPCW6-4-12-X</b>	Pipe Clamp,2-1/2-4 in,w/Swivel Hub,10PK	Bronze grounding clamp with conduit hub and swivel, #10 SOL - #6 STR AWG conductor size range, 2 1/2" -	C	100	\$	10,204.49
07498366912	<b>GPCWA6-1-L</b>	Pipe Clamp with Swivel,1/2-1 in,50PK	Bronze grounding clamp for armored cable with swivel, #10 SOL - #6 STR AWG conductor size range, 1/2" -	C	100	\$	2,922.60
07498366914	<b>GPCWA6-2-L</b>	Pipe Clamp with Swivel,1-1/4-2 in,50PK	Bronze grounding clamp for armored cable with swivel, #10 SOL - #6 STR AWG conductor size range, 1 1/4"	C	100	\$	5,227.79
07498370061	<b>GPCWA6-4-X</b>	Pipe Clamp with Swivel,2-1/2-4 in,10PK	Bronze grounding clamp for armored cable with swivel, #10 SOL - #6 STR AWG conductor size range, 2 1/2"	C	100	\$	13,545.83
07498366252	<b>GPCZ2-1-C</b>	Pipe Clamp,Zinc Plated,1/2-1 in,100PK	Zinc grounding clamp, #10 SOL - #2 STR conductor size range, 1/2" - 1" (12.7mm - 25.4mm) iron pipe size,	C	100	\$	552.91
61305631945	<b>GRDS1-X</b>	Ground Rod Driving Sleeve for 1" Unthrea	Ground Rod Driving Sleeve for 1" Unthreaded Ground Rod	C	100	\$	14,563.06
61305631942	<b>GRDS12-X</b>	Ground Rod Driving Sleeve for 1/2" Unthr	Ground Rod Driving Sleeve for 1/2" Unthreaded Ground Rod	C	100	\$	9,595.83
61305631944	<b>GRDS34-X</b>	Ground Rod Driving Sleeve for 3/4" Unthr	Ground Rod Driving Sleeve for 3/4" Unthreaded Ground Rod	C	100	\$	13,208.36
61305631943	<b>GRDS58-X</b>	Ground Rod Driving Sleeve for 5/8" Unthr	Ground Rod Driving Sleeve for 5/8" Unthreaded Ground Rod	C	100	\$	10,498.95
07498342152	<b>GU-4-X</b>	Grnd Clamp,U-Bolt,2 cable,1 1/4"IPS,10PK	Bronze grounding clamp, type GU, .128-.232" wire dia. range, 1 1/4" IPS.	C	100	\$	19,727.99
61305645023	<b>GXC250-2/0</b>	Mechanical Grounding Cross Connector For	Mechanical Grounding Cross Connector For Wire Ranges #4 - 2/0 AWG to Wire Ranges 2/0 AWG - 250 kcm	C	100	\$	25,710.24
61305645024	<b>GXC250-250</b>	Mechanical Grounding Cross Connector For	Mechanical Grounding Cross Connector For Wire Ranges 2/0 AWG - 250 kcmil or 1/2" Rod	C	100	\$	27,250.25
61305645022	<b>GXC250-4</b>	Mechanical Grounding Cross Connector For	Mechanical Grounding Cross Connector For Wire Ranges #8 - #4 AWG to Wire Ranges 2/0 AWG - 250 kcmi	C	100	\$	32,280.70
61305645021	<b>GXC4-4</b>	Mechanical Grounding Cross Connector For	Mechanical Grounding Cross Connector For Wire Ranges #8 - #4 SOL/STR AWG	C	100	\$	36,425.88

61305645026	<b>GXC500-2/0</b>	Mechanical Grounding Cross Connector For	Mechanical Grounding Cross Connector For Wire Ranges #4 AWG - 2/0 AWG to Wire Ranges 300 kcmil - 5	C	100	\$	45,121.98
61305645027	<b>GXC500-250</b>	Mechanical Grounding Cross Connector For	Mechanical Grounding Cross Connector For Wire Ranges 2/0 AWG - 250 kcmil to Wire Ranges 300 kcmil - 5	C	100	\$	47,842.38
61305645025	<b>GXC500-4</b>	Mechanical Grounding Cross Connector For	Mechanical Grounding Cross Connector For Wire Ranges #3 - #4 AWG to Wire Ranges 300 kcmil - 500 kcm	C	100	\$	42,719.71
61305645028	<b>GXC500-500</b>	Mechanical Grounding Cross Connector For	Mechanical Grounding Cross Connector For Wire Ranges 300 kcmil - 500 kcmil or 3/4" Rod	C	100	\$	60,619.13
07498301470	<b>H050X025H3T</b>	TT,HeatShrink,.5"x.25",.13"dia,BL,2000PC	The thermal transfer military grade heat-shrink label in black is single sided with a 1/8" (3.175mm) diameter a	RL	1	\$	453.34
07498308084	<b>H050X025H4T</b>	TT,HeatShrink,.5"x.25",.13"dia,RD,2000PC	The thermal transfer military grade heat-shrink label in red is single sided with a 1/8" (3.175mm) diameter and	RL	1	\$	518.14
07498301472	<b>H050X034H3T</b>	TT,HeatShrink,.5"x.34",.19"dia,BL,2000PC	The thermal transfer military grade heat-shrink label in black is single sided with a 3/16" (4.76mm) diameter a	RL	1	\$	656.04
07498301473	<b>H050X044H3T</b>	TT,HeatShrink,.5"x.44",.25"dia,BL,2000PC	The thermal transfer military grade heat-shrink label in black is single sided with a 1/4" (6.35mm) diameter an	RL	1	\$	888.09
07498308095	<b>H050X044H4T</b>	TT,HeatShrink,.5"x.44",.25"dia,RD,2000PC	The thermal transfer military grade heat-shrink label in red is single sided with a 1/4" (6.35mm) diameter and	RL	1	\$	777.08
07498301494	<b>H050X064H3T</b>	TT,HS,Tubing,.50"Wx.64"H,RD,2000PC	The thermal transfer military grade heat-shrink label in black is single sided with a 3/8" (9.525mm) diameter a	RL	1	\$	1,114.25
07498308103	<b>H050X064H4T</b>	TT,HS,Tubing,.50"Wx.64"H,RD,2000PC	The thermal transfer military grade heat-shrink label in red is single sided with a 3/8" (9.525mm) diameter and	RL	1	\$	974.96
07498301498	<b>H100X025H3T</b>	TT,HS,Tubing,1.00"Wx.25"H,BL,1000PC	The thermal transfer military grade heat-shrink label in black is single sided with a 1/8" (3.175mm) diameter a	RL	1	\$	453.34
07498301499	<b>H100X034H3T</b>	TT,HS,Tubing,1.00"Wx.34"H,BL,1000PC	The thermal transfer military grade heat-shrink label in black is single sided with a 3/16" (4.76mm) diameter a	RL	1	\$	601.36
07498308094	<b>H100X034H4T</b>	TT,HS,Tubing,1.00"Wx.34"H,RD,1000PC	The thermal transfer military grade heat-shrink label in red is single sided with a 3/16" (4.76mm) diameter and	RL	1	\$	574.04
07498301500	<b>H100X044H3T</b>	TT,HS,Tubing,1.00"Wx.44"H,BL,1000PC	The thermal transfer military grade heat-shrink label in black is single sided with a 1/4" (6.35mm) diameter an	RL	1	\$	814.09
07498308097	<b>H100X044H4T</b>	TT,HS,Tubing,1.00"Wx.44"H,RD,1000PC	The thermal transfer military grade heat-shrink label in red is single sided with a 1/4" (6.35mm) diameter and	RL	1	\$	777.08
07498332303	<b>H100X064H2C</b>	P1 Heat Shrink Cass,1"x.64",YL,75LbIs	The portable printer die-cut heat shrink labels in yellow are made of military-grade polyolefin. They measure 0	PC	1	\$	127.93
07498301501	<b>H100X064H3T</b>	TT,HS,Tubing,1"Wx.64"H,BL,1000PC	The thermal transfer military grade heat-shrink label in black is single sided with a 3/8" (9.525mm) diameter o	RL	1	\$	974.96
07498308104	<b>H100X064H4T</b>	TT,HS,Tubing,1"Wx.64"H,RD,1000PC	The thermal transfer military grade heat-shrink label in red is single sided with a 3/8" (9.525mm) diameter and	RL	1	\$	974.96
07498301019	<b>H100X084H2C</b>	P1 Heat Shrink Cass,1"x.84"x.5" dia,YL	The portable printer die-cut heat shrink labels in yellow are made of military-grade polyolefin. They measure 0	PC	1	\$	135.10
07498301502	<b>H100X084H3T</b>	TT,Heat Shrink,1"x.84",1" dia,BL,1000PC	The thermal transfer military grade heat-shrink label in black is single sided with a 1/2" (12.7mm) diameter an	RL	1	\$	1,166.98
07498301503	<b>H100X165H3T</b>	TT,Heat Shrink,1"x1.65",1" dia,BL,500PC	The thermal transfer military grade heat-shrink label in black is single sided with a 1" (25.4mm) diameter and	RL	1	\$	750.60
07498308108	<b>H100X165H4T</b>	TT,Heat Shrink,1"x1.65",1" dia,RD,500PC	The thermal transfer military grade heat-shrink label in red is single sided with a 1" (25.4mm) diameter and m	RL	1	\$	900.74
07498308092	<b>H150X034H4T</b>	TT,HS,Tubing,1.5"Wx.34"H,RD,500/roll	The thermal transfer military grade heat-shrink label in red is single sided with a 3/16" (4.76mm) diameter and	RL	1	\$	521.50
07498301506	<b>H150X044H3T</b>	TT,HS,Tubing,1.5"Wx.44"H,BL,500/roll	The thermal transfer military grade heat-shrink label in black is single sided with a 1/4" (6.35mm) diameter an	RL	1	\$	631.34
07498308099	<b>H150X044H4T</b>	TT,HS,Tubing,1.5"Wx.44"H,RD,500/roll	The thermal transfer military grade heat-shrink label in red is single sided with a 1/4" (6.35mm) diameter and	RL	1	\$	631.34
07498363221	<b>H2L13-2N-2</b>	Cu,MechLug,2H,2B,#1-2/0STR,1/2S,PK2	Two-hole, copper, two barrel lug, straight tongue, NEMA hole sizes and spacing, #1 STR - 2/0 STR, 1/2 (12.7	C	100	\$	18,119.19
07498363219	<b>H2L4-2N-X</b>	Cu,MechLug,2H,2B,#8SOL-#4STR,1/2S,PK10	Two-hole, copper, two barrel lug, straight tongue, NEMA hole sizes and spacing, #8 SOL - #4 STR, 1/2 (12.7	C	100	\$	11,615.23
07498363220	<b>H2L8-2N-2</b>	Cu,MechLug,2H,2B,#4SOL-#1STR,1/2S,PK2	Two-hole, copper, two barrel lug, straight tongue, NEMA hole sizes and spacing, #4 SOL - #1 STR, 1/2 (12.7	C	100	\$	15,090.58
07498363234	<b>HC13-3</b>	CuMechSplice,2-SetScrew,#1STR-2/0STRPKG3	Two-set screw splice with internal pressure plate, copper, type HC, #1 STR - 2/0 STR.	C	100	\$	9,319.04
07498363235	<b>HC21-1</b>	Cu,MechSpl,2-SetSCR,IntrIPresPlt,EA	Two-set screw splice with internal pressure plate, copper, type HC, 2/0 STR -4/0 STR.	C	100	\$	14,058.65
07498363236	<b>HC30-1</b>	Cu,MechSpl,2-SetSCR,IntrIPresPlt,EA	Two-set screw splice with internal pressure plate, copper, type HC, 4/0 STR - 300 kcmil.	C	100	\$	21,148.28
07498363237	<b>HC50-1</b>	CuMechSplice,2-SetScrew,300-500kcmilPKG1	Two-set screw splice with internal pressure plate, copper, type HC, 300 - 500 kcmil.	C	100	\$	32,957.36
07498363233	<b>HC8-3</b>	CuMechSplice,2-SetScrew,#4SOL-#1STRPKG3	Two-set screw splice with internal pressure plate, copper, type HC, #4 SOL - #1 STR.	C	100	\$	6,477.89
07498310428	<b>HDW1/4-KT</b>	Mounting Hardware Kit,1/4,12-24,M6,EA	Stainless steel mounting hardware for busbar; two 1/4-20 hex bolts, two 1/4-20 hex nuts, four 1/4 flat washers	KT	1	\$	15.99
07498363241	<b>HHL13-2N-5</b>	Cu,MechLug,2H,Tandem,NEMA,#1-2/0STR,PK5	Two-hole, copper, tandem set screw lug, straight tongue, NEMA hole sizes and spacing, #1 STR - 2/0 STR, 1	C	100	\$	14,997.41
07498364847	<b>HL1-2-25-X</b>	Cu,MechLug,2H,IntrIPresPlt,#14SOL,PK10	Two-hole, copper, single barrel, straight tongue lug with internal pressure plate, #14 SOL - #8 STR, 1/4 (6.4m	C	100	\$	5,017.33
07498364846	<b>HL1-25-X</b>	CuMechLug,#14SOL-#8STR,1/4StudPKG10	One-hole, copper, single barrel, straight tongue lug with internal pressure plate, #14 SOL - #8 STR, 1/4 (6.4m	C	100	\$	2,574.89
07498363192	<b>HL13-1-5</b>	CuMechLug,#1STR-2/0STR,3/8StudPKG5	One-hole, copper, single barrel, straight tongue lug with internal pressure plate, #1 STR - 2/0 STR, 3/8 (9.5m	C	100	\$	6,763.69
07498363206	<b>HL13-2-5</b>	Cu,MechLug,2H,IntrIPresPlt,#1-2/0STR,PK5	Two-hole, copper, single barrel, straight tongue lug with internal pressure plate, #1 STR - 2/0 STR, 5/16 (7.9m	C	100	\$	7,969.26
07498363213	<b>HL13-2N-5</b>	Cu,MechLug,2H,NEMA,#1-2/0STR,1/2S,PK5	Two-hole, copper, single barrel, straight tongue lug, NEMA hole sizes and spacing, #1 STR - 2/0 STR, 1/2 (1	C	100	\$	8,072.45
07498363207	<b>HL21-2-5</b>	Cu,MechLug,2H,IntrIPresPlt,PK5	Two-hole, copper, single barrel, straight tongue lug with internal pressure plate, 2/0 STR - 4/0 STR, 3/8 (9.5m	C	100	\$	9,920.85
07498363214	<b>HL21-2N-5</b>	Cu Mech Lug,2/0 STR-4/0STR,1/2InStud,PK5	Two-hole, copper, single barrel, straight tongue lug, NEMA hole sizes and spacing, 2/0 STR - 4/0 STR, 1/2 (	C	100	\$	10,015.30
07498363194	<b>HL30-1-2</b>	CuMechLug,4/0STR-300kcmil,1/2StudPKG2	One-hole, copper, single barrel, straight tongue lug with internal pressure plate, 4/0 STR - 300 kcmil, 1/2 (12.	C	100	\$	14,155.44
07498363208	<b>HL30-2-2</b>	Cu,MechLug,2H,IntrIPresPlt,PK2	Two-hole, copper, single barrel, straight tongue lug with internal pressure plate, 4/0 STR - 300 kcmil, 3/8 (9.5	C	100	\$	15,158.96
07498363190	<b>HL4-1-X</b>	CuMechLug,#8SOL-#4STR,1/4StudPKG10	One-hole, copper, single barrel, straight tongue lug with internal pressure plate, #8 SOL - #4 STR, 1/4 (6.4mm	C	100	\$	3,182.53
07498363191	<b>HL8-1-X</b>	CuMechLug,#4SOL-#1STR,1/4StudPKG10	One-hole, copper, single barrel, straight tongue lug with internal pressure plate, #4 SOL - #1 STR, 1/4 (6.4mm	C	100	\$	4,315.78
07498363205	<b>HL8-2-X</b>	Cu,MechLug,2H,IntrIPresPlt,PK10	Two-hole, copper, single barrel, straight tongue lug with internal pressure plate, #4 SOL - #1 STR, 1/4 (6.4mm	C	100	\$	5,557.46
07498363212	<b>HL8-2N-X</b>	Cu,MechLug,2H,NEMA,#4SOL-#1STR,1/2S,PK10	Two-hole, copper, single barrel, straight tongue lug, NEMA hole sizes and spacing, #4 SOL - #1 STR, 1/2 (1	C	100	\$	5,555.34
07498363201	<b>HLA13-1-90-5</b>	CuMechLug,90°,#1STR-2/0STR,3/8StudPKG5	One-hole, copper, 90° single barrel lug, straight tongue, #1 STR - 2/0 STR, 3/8 (9.5mm) stud hole.	C	100	\$	7,200.79
07498363202	<b>HLA21-1-90-5</b>	CuMechLug,90°,2/0STR-4/0STR,3/8StudPKG5	One-hole, copper, 90° single barrel lug, straight tongue, 2/0 STR - 4/0 STR, 3/8 (9.5mm) stud hole.	C	100	\$	7,657.51
07498363200	<b>HLA8-1-90-X</b>	CuMechLug,90°,#4SOL-#1STR,1/4StudPKG10	One-hole, copper, 90° single barrel lug, straight tongue, #4 SOL - #1 STR, 1/4 (6.4mm) stud hole.	C	100	\$	6,824.54
07498376669	<b>ILT3S-C</b>	BelTYTie,NYL,STD,11.5L,NAT,PK1000	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	C	1000	\$	66.08
07498376671	<b>ILT3S-M</b>	BelTYTie,NYL,STD,11.5L,NAT,PK1000	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	342.89
07498376673	<b>ILT4S-C</b>	BelTYTie,NYL,STD,14.7L,NAT,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	C	100	\$	75.25
07498376676	<b>ILT4S-M</b>	BelTYTie,NYL,STD,14.7L,BLK,PK1000	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	464.66
07498379518	<b>ILT6LH-C</b>	BelTYTie,NYL,LT-H,21.2L,NAT,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,177.06
61305602360	<b>IMLT254H-L</b>	Japan,MLT, I-Series,838mm,304SS,PK50	Stronghold IMLT Tie, 304 SS, Heavy,838mm (33.0"), 0.25 mm (0.010") thick	M	1000	\$	2,117.81
61305602364	<b>IMLT304H-Q</b>	IMLT Tie, 304 SS, Heavy, 998mm (39.3"),	Stronghold IMLT Tie, 304 SS, Heavy, 998mm (39.3"), 0.25 mm (0.010") thick	M	1000	\$	2,647.24
61305602366	<b>IMLT355S-Q</b>	IMLT Tie, 304 SS, STD, 1156mm (45.5"), 0	Stronghold IMLT Tie, 304 SS, Standard, 1156mm (45.5"), 0.25mm (0.010") thick	M	1000	\$	2,713.46
61305602325	<b>IMLT355S-Q6L</b>	IMLT Tie, 316L SS, STD, 1156mm (45.5"),	Stronghold IMLT Tie, 316L SS, Standard, 1156mm (45.5"), 0.25mm (0.010") thick	M	1000	\$	3,584.80
61305602367	<b>IMLT380S-Q</b>	IMLT Tie, 304 SS, STD, 1250mm (49.2"), 0	Stronghold IMLT Tie, 304 SS, Standard, 1250mm (49.2"), 0.25mm (0.010") thick	M	1000	\$	3,039.15
61305602558	<b>IMLT380S-Q6L</b>	IMLT Tie, 316L SS, STD, 1250mm (49.2"),	Stronghold IMLT Tie, 316L SS, Standard, 1250mm (49.2"), 0.25mm (0.010")thick	M	1000	\$	4,481.03
61305602370	<b>IMLT69H-L</b>	IMLT Tie, 304 SS, Heavy, 259mm (10.2"),	Stronghold IMLT Tie, 304 SS, Heavy, 259mm (10.2"), 0.25 mm (0.010") thick	M	1000	\$	817.96
61305602372	<b>IMLT69S-C</b>	IMLT Tie, 304 SS, Standard, 259mm (10.2")	Stronghold IMLT Tie, 304 SS, Standard, 259mm (10.2"), 0.25 mm (0.010") thick	M	1000	\$	678.96
07498353493	<b>IT9100-CUV16B</b>	BelTYTie,WR,NYL,LT-H,14.1L,MAG,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	842.23
07498353499	<b>IT9100-CUV8</b>	BelTYTie,WR,NYL,LT-H,14.1L,GRY,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	842.23
07498360366	<b>IT9115-CUV11</b>	BelTYTie,WR,NYL,LT-H,15.3L,TEAL,PK100	Panduit Belt-Ty™ in line locking ties are easy to use thanks to low-profile snag-free heads and a belt-like para	M	1000	\$	1,053.98
07498384100	<b>J214-312-T</b>	Wire Joint,Non-Ins,#214-3#12AWG,PK200	Wire Joint, non-insulated, 2 #14 - 3 #12 AWG, standard package.	C	100	\$	35.49
07498384104	<b>J216-410-L</b>	Wire Joint,Non-Ins,#216-4#10AWG,PK50	Wire Joint, non-insulated, 2 #16 - 4 #10 AWG, standard package.	C	100	\$	70.85
07498384103	<b>J318-412-2M</b>	Wire Joint,Non-Ins,#318-4#12AWG,PK2000	Wire Joint, non-insulated, 3 #18 - 4 #12 AWG, bulk package.	M	1000	\$	341.95
07498338197	<b>JMDWB-3-X</b>	THREE-LEVEL DROP WIRE BRACKET,PK10	Three-level drop wire bracket. Attaches to #12 wire or 3/8 (9.5mm) threaded rod. Maximum capacity of one J	PC	1	\$	11.29
07498338199	<b>JMTRB38-1-X</b>	SINGLE-LEVEL THREADED ROD BRACKET,PK10	Single-level threaded rod bracket. Accepts 1/4" - 3/8" (6.4mm - 9.5mm) threaded rod.	PC	1	\$	7.24
07498384005	<b>JN314-412-M</b>	Wire Joint,Nylon,CMA10320-26120,PK1000	Wire Joint, nylon insulated, 3 #14 - 4 #12 AWG, bulk package.	M	1000	\$	633.39
07498308458	<b>JP131DW-L6</b>	J-PRO,1.31 in, DROP WIRE CLIP,BU,PK50	J-PRO Cable support system, with clip for use with #12 wire and threaded rod up to 3/8 (9.5mm) in diameter	C	100	\$	677.41
07498396637	<b>JP131HBC50RB-L</b>	J-PRO,1.31 in,1/2 HMR-ON,ROTATE,NAT,PK50	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 5/16 1/2 (7.9mm 12.7mm)	C	100	\$	930.71
07498300095	<b>JP131HBC50RB-L2</b>	J-PRO,1.31 in,1/2 HMR-ON,ROTATE,RED,PK50	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 5/16 1/2 (7.9mm 12.7mm)	C	100	\$	846.10

07498301616	<b>JP131SBC50RB-L2</b>	J-PRO,1.31 in,1/2 SCR-ON,ROTATE,RED,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, rotat	C	100	\$	857.38
07498312595	<b>JP131W-L3</b>	J-PRO,1.31 in,WALL MOUNT,OR,PK50	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	431.84
07498369685	<b>JP131W-L4</b>	J-Pro 1.31" Cable Support System Wall Mo	J-Pro 1.31" Cable Support System Wall Mount, Yellow	C	100	\$	431.84
07498308456	<b>JP131W-L6</b>	J-PRO,1.31 in,WALL MOUNT,BU,PK50	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	431.84
61305624105	<b>JP131WP2B-L6</b>	J-PRO J-Hook for 1.31" bundle with 2-hol	J-PRO J-Hook for 1.31" bundle with 2-hole mounting plate for wall mount applications. Blue	C	100	\$	487.08
07498396609	<b>JP2CMB-L2</b>	J-PRO,2.00 in,CEILING MOUNT,RED,PK50	J-PRO Cable support system, with ceiling mount bracket that has one 3/16 (M5), 1/4 (M6), and 3/8 (M10) mo	C	100	\$	767.95
07498396616	<b>JP2HBC50RB-L</b>	J-PRO,2.00 in,1/2 HMR-ON,ROTATE,NAT,PK50	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 5/16 1/2 (7.9mm 12.7mm)	C	100	\$	991.09
07498396623	<b>JP2HBC50RB-L2</b>	J-PRO,2.00 in,1/2 HMR-ON,ROTATE,RED,PK50	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 5/16 1/2 (7.9mm 12.7mm)	C	100	\$	943.89
07498310060	<b>JP2SBC50-L</b>	J-PRO,2.00 in,1/2 SCREW-ON CLMP,NAT,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, 2.00	C	100	\$	827.84
07498396612	<b>JP2SBC50RB-L2</b>	J-PRO,2.00 in,1/2 SCR-ON,ROTATE,RED,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, rotat	C	100	\$	952.36
07498363696	<b>JP2SBC87-L</b>	J-PRO,2.00 in,3/4 SCREW-ON CLMP,NAT,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 3/4 (19.1mm) thick, 2.00	C	100	\$	929.28
07498396617	<b>JP2SBC87RB-L2</b>	J-PRO,2.00 in,3/4 SCR-ON,ROTATE,RED,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 3/4 (19.1mm) thick, rotat	C	100	\$	1,053.73
07498396687	<b>JP2W-L4</b>	J-Pro 2" Cable Support System Wall Mount	J-Pro 2" Cable Support System Wall Mount, Yellow	C	100	\$	548.73
07498319314	<b>JP2W-L5</b>	J-PRO,2.00 in,WALL MOUNT,GR,PK50	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	603.60
61305624102	<b>JP2WP2B-L6</b>	J-PRO J-Hook for 2.00" bundle with 2-hol	J-PRO J-Hook for 2.00" bundle with 2-hole mounting plate for wall mount applications. Blue	C	100	\$	561.64
07498344068	<b>JP4CP-X20</b>	J-PRO,4.00 in,C-PURLIN CLIP,BL,PK10	J-PRO Cable support system, with c-purlin clip for use with vertical flanges up to 1/4 (6.4mm) thick, 4.00 (101	C	100	\$	1,115.78
07498397735	<b>JP4HBC50RB-X</b>	J-PRO,4.00 in,1/2 HMR-ON,ROTATE,NAT,PK10	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 5/16 1/2 (7.9mm 12.7mm)	C	100	\$	1,582.99
07498397736	<b>JP4HBC50RB-X2</b>	J-PRO,4.00 in,1/2 HMR-ON,ROTATE,RED,PK10	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 5/16 1/2 (7.9mm 12.7mm)	C	100	\$	1,439.06
07498310062	<b>JP4SBC50-X</b>	J-PRO,4.00 in,1/2 SCREW-ON CLMP,NAT,PK10	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, 4.00	C	100	\$	1,455.28
07498397740	<b>JP4SBC50RB-X2</b>	J-PRO,4.00in,1/2 SCREW-ON CLMP,RD,PK10	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, rotat	C	100	\$	1,447.48
07498302171	<b>JP4W-X2</b>	J-PRO,4.00 in,WALL MOUNT,RED,PK10	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	1,149.86
07498302172	<b>JP4W-X6</b>	J-PRO,4.00 in,WALL MOUNT,BU,PK10	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	1,097.56
61305624103	<b>JP4WP2B-X6</b>	J-PRO J-Hook for 4.00" bundle with 2-hol	J-PRO J-Hook for 4.00" bundle with 2-hole mounting plate for wall mount applications. Blue	C	100	\$	1,092.05
07498300365	<b>JP75CMB-L2</b>	J-PRO, .75 in,CEILING MOUNT,RED,PK50	J-PRO Cable support system, with ceiling mount bracket that has one 3/16 (M5), 1/4 (M6), and 3/8 (M10) mo	C	100	\$	463.53
07498322014	<b>JP75DW-L6</b>	J-PRO, .75 in,DROP WIRE CLIP,BU,PK50	J-PRO Cable support system, with clip for use with #12 wire and threaded rod up to 3/8 (9.5mm) in diameter	C	100	\$	434.51
07498397744	<b>JP75HBC50RB-L</b>	J-PRO, .75 in,1/2 HMR-ON,ROTATES,NAT,PK50	J-PRO Cable support system, with hammer-on beam clamp for use with flanges 5/16 1/2 (7.9mm 12.7mm)	C	100	\$	634.73
07498397748	<b>JP75SBC50RB-L</b>	J-PRO, .75 in,1/2 SCR-ON,ROTATE,NAT,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, rotat	C	100	\$	743.21
07498397753	<b>JP75SBC50RB-L2</b>	J-PRO, .75 in,1/2 SCR-ON,ROTATE,RED,PK50	J-PRO Cable support system, with screw-on beam clamp for use with flanges up to 1/2 (12.7mm) thick, rotat	C	100	\$	743.21
07498312594	<b>JP75W-L3</b>	J-PRO, .75 in,WALL MOUNT,OR,PK50	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	250.63
07498319313	<b>JP75W-L5</b>	J-PRO, .75 in,WALL MOUNT,GR,PK50	J-PRO Cable support system, for wall mount applications, one 1/4 (M6) mounting hole for user supplied scre	C	100	\$	250.63
61305624104	<b>JP75WP2B-L6</b>	J-PRO J-Hook for 0.75" bundle with 2-hol	J-PRO J-Hook for 0.75" bundle with 2-hole mounting plate for wall mount applications. Blue	C	100	\$	269.85
07498350408	<b>K-1001</b>	Empty Steel Terminal Kit Box	Empty steel kit box, 15 terminal compartments and two tool compartments, box dimensions: 2.00H x 13.33W	PK	1	\$	131.48
07498386230	<b>K-1100</b>	Empty Steel Box And CT-100A Crimp Tool	Steel box and CT-100A crimping tool.	PK	1	\$	202.78
07498386202	<b>K-504</b>	CableTie,MountKit,Steelbox,EA	Kit for Indoor UsePan-Ty® Cable Ties, cable tie installation tool, and mounts: (1) STS2 tool Natural Nylon 6.6	KT	1	\$	468.75
61305601611	<b>KBINPDSF</b>	Collection Bin Spare Part Kit		KT	1	\$	-
61305601599	<b>KBLADEPAT2-3</b>	Blade & Blade Shaft Spare Part Kit		KT	1	\$	-
61305601613	<b>KBLDPAT2-3</b>	Cut-off Knife & Screw Spare Part Kit		KT	1	\$	-
61305601606	<b>KBLDPHS2-3</b>	Cut-Off Knife & Screw Spare Part Kit		KT	1	\$	-
07498304114	<b>KCTPAT</b>	Cable Tube Assm & Contact Extractor Spar		KT	1	\$	-
07498304121	<b>KDHPAT</b>	Detent Harness Spare Part Kit		KT	1	\$	-
61305601602	<b>KFJPAT3</b>	Front Jaw Spare Part Kit		KT	1	\$	-
07498308561	<b>KFUSEPAT</b>	Fuse Spare Part Kit		KT	1	\$	-
61305601601	<b>KGGPAT2-3</b>	Gripper Assm & Exit Track Assm Spare Par		KT	1	\$	-
61305601582	<b>KHARNPDM</b>	Buzzer, Power Module, Switch & Door Swit		KT	1	\$	-
07498304122	<b>KHRPAT</b>	Head Retainer & Blade Pin & E-Ring Spare		KT	1	\$	-
61305601587	<b>KHRPAT2-3</b>	Shaft, Pivot Head Retainer, Head Retaine		KT	1	\$	-
61305601596	<b>KHSGPAT2-3</b>	RH & LH Housing Assm & Screws Spare Part		KT	1	\$	-
07498304124	<b>KHSMPAT</b>	Head Stop Mount & Disk & Pad Spare Part		KT	1	\$	-
07498304125	<b>KHSPAT</b>	Head Stop Spare Part Kit		PC	1	\$	-
07498304126	<b>KJHPAT</b>	Jack Harness & Hardware Spare Part Kit		KT	1	\$	-
07498308539	<b>KLABELSPAT</b>	Tension Label Indicator & PAT1M Label &		KT	1	\$	-
07498304127	<b>KMMPAT</b>	Motor Mount & Bracket Bolts Spare Part K		KT	1	\$	-
07498304128	<b>KMOTPAT</b>	Motor & Key Spare Part Kit		KT	1	\$	-
61305601600	<b>KMOTPAT2-3</b>	Motor Harness Assm & Key Spare Part Kit		KT	1	\$	-
61305601585	<b>KPADPAT2-3</b>	Gripper Track, Head Stop & Rear Jaw Pad		KT	1	\$	-
61305601604	<b>KPHM</b>	LH Coupler, RH Coupler Assm & Screws Spa		KT	1	\$	-
61305601615	<b>KPISTONPAT2-3</b>	Piston & O-Rings Spare Part Kit		KT	1	\$	-
61305601610	<b>KPISTONPHS2-3</b>	Piston, O-Rings, Piston Sleeve, Gaskets		KT	1	\$	-
61305601616	<b>KPISTLVPAT2-3</b>	O-Ring, Piston Sleeve, Gaskets & Reducer		KT	1	\$	-
61305601588	<b>KRJPAT2</b>	Rear Jaw & Rear Jaw Hande Assm Spare Par		KT	1	\$	-
07498313637	<b>KRJPAT3</b>	Rear Jaw Spare Part Kit		KT	1	\$	-
61305601614	<b>KROTAPAT3</b>	Rotary Receiver Spare Part Kit		KT	1	\$	-
61305601578	<b>KROTAPDM</b>	Rotary Receiver Spare Part Kit		KT	1	\$	-
61305601586	<b>KTBLKPAT2-3</b>	Spring, Tension Block, Shaft, Detent Yok		KT	1	\$	-
61305601603	<b>KTIPPAT3</b>	Tip Collector Spare Part Kit		KT	1	\$	-
61305601573	<b>KTUBEPMDFMY</b>	Air Hose, Plug, Quick Connect & Quick Co		KT	1	\$	-
07498391020	<b>LAA1-56-X</b>	ALug,#1AWG,5/16StudPKG10	One-hole, aluminum, long barrel, #1 AWG, 5/16 (7.9mm) stud hole.	C	100	\$	1,677.29
07498391031	<b>LAA2/0-12-5</b>	ALug,2/0AWG,1/2StudPKG5	One-hole, aluminum, long barrel, 2/0 AWG, 1/2 (12.7mm) stud hole.	C	100	\$	2,369.54
07498391051	<b>LAA300-12-2</b>	ALug,300kcmil,1/2StudPKG2	One-hole, aluminum, long barrel, 300 kcmil, 1/2 (12.7mm) stud hole.	C	100	\$	4,255.79
07498309786	<b>LAA4/0-58-5</b>	Aluminum Compression Lug, 1 Hole, 4/0 AW	Aluminum Compression Lug, 1 Hole, 4/0 AWG, 5/8" (15.9mm) Stud	C	100	\$	3,471.89
07498309789	<b>LAA4/0-58-C</b>	Aluminum Compression Lug, 1 Hole, 4/0 AW	Aluminum Compression Lug, 1 Hole, 4/0 AWG, 5/8"(15.9mm) Stud, Bulk	C	100	\$	3,645.49
07498391065	<b>LAA500-58-2</b>	ALug,500kcmil,5/8StudPKG2	One-hole, aluminum, long barrel, 500 kcmil, 5/8 (15.9mm) stud hole.	C	100	\$	8,829.79
07498397019	<b>LAA900-58-1</b>	One-hole,Al,LgBrf,900Kcmil,58-1,EA	One-hole, aluminum, long barrel, 900 kcmil, 5/8 (15.9mm) stud hole.	C	100	\$	9,269.56
07498391125	<b>LAB1/0-38-X</b>	ALug,2Hole,1/0AWG,3/8StudPKG10	Two-hole, aluminum, long barrel, 1/0 AWG, 3/8 (9.5mm) stud hole.	C	100	\$	2,485.99
07498391150	<b>LAB300-12-2</b>	ALug,2Hole,300kcmil,1/2StudPKG2	Two-hole, aluminum, long barrel, 300 kcmil, 1/2 (12.7mm) stud hole.	C	100	\$	4,786.98
07498391180	<b>LAB800-12-1</b>	ALug,2Hole,800kcmil,1/2StudPKG1	Two-hole, aluminum, long barrel, 800 kcmil, 1/2 (12.7mm) stud hole.	C	100	\$	11,701.29
07498359227	<b>LAM2A1000-58-6Y</b>	Al,MechLug,1H,2B,500-1000K,5/8S,PK6	One-hole, aluminum, two barrel lug, dual barrel, type LAM2A, NEMA hole sizes and spacing, 500 - 1000 kcmi	C	100	\$	6,188.14



0749832582	LAM2LB600-12-3	Al Lug,#2AWG-600 kcmil,1/2in Stud,PK3	Two-hole, aluminum, two barrel lug, dual barrel, type LAM2B, NEMA hole sizes and spacing, #2 AWG - 600 k	C	100	\$	6,962.21
0749835972	LAM3D350-12-1Y	Al,MechLug,4H,3B,#6A-350K,1/2S,EA	Four-hole, aluminum, three barrel lug, type LAM3D, NEMA hole sizes and spacing, #6 AWG - 350 kcmil, 1/2 (	C	100	\$	16,675.10
0749835969	LAMA1000-58-6Y	AlMechLug,500-1000kcmil,5/8StudPKG6Y	One-hole, aluminum, single barrel lug, type LAMA, 500 - 1000 kcmil, 5/8 (15.9mm) stud hole.	C	100	\$	3,473.19
07498359617	LAMA600-38-6Y	AlMechLug,#4AWG-600kcmil,3/8StudPKG6Y	One-hole, aluminum, single barrel lug, type LAMA, #2 AWG - 600 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	2,601.43
07498359618	LAMA600S-38-6Y	Al,MechLug,1H,1B,#4A-600KO/1/0A-250K,PK6	One-hole, aluminum, single barrel lug, type LAMA, #4 AWG - 600 kcmil, 1/0 AWG - 250 kcmil, 3/8 (9.5mm) s	C	100	\$	2,737.86
61305657093	LAMAR3-10-Q	Aluminum Mechanical Connector, One Hole,	Anti-Rotational, Aluminum Mechanical Connector, One Hole, Single Barrel Lug - #14 - #3 AWG, .204 (5.18m	C	100	\$	2,076.56
61305666734	LAMAR300-38-Q	Aluminum Mechanical Connector, One Hole,	Anti-Rotational,Aluminum Mechanical Connector, One Hole, Single Barrel Lug - #6 AWG - 300 kcmil, .437 (11	C	100	\$	2,388.10
61305666735	LAMAR630S-38-6	Aluminum Mechanical Connector, One Hole,	Anti-Rotational,Aluminum Mechanical Connector, One Hole, Single Barrel Lug - #4 AWG - 600 kcmil, .420 (10	C	100	\$	3,962.08
07498359621	LAMB350-12-6Y	Al Lug,#6AWG-350kcmil,1/2in Stud,PK6	Two-hole, aluminum, single barrel lug, type LAMB, NEMA hole sizes and spacing, #6 AWG - 350 kcmil, 1/2 (1	C	100	\$	2,241.89
07498359622	LAMB600-12-3Y	Al,MechLug,2H,1B,#4A-600K,1/2S,PK3	Two-hole, aluminum, single barrel lug, type LAMB, NEMA hole sizes and spacing, #4 AWG - 600 kcmil, 1/2 (1	C	100	\$	3,650.06
07498332581	LAMLB1000-12-3	Al,MechLug,2H,1B,500K,1000K,1/2S,PK3	Two-hole, aluminum, single barrel lug, type LAMB, NEMA hole sizes and spacing, 500 kcmil - 1000 kcmil, 1/2	C	100	\$	5,044.36
07498338223	LCA1-00-E	CuLug,Blank,#1AWGPKG20	Blank tongue, standard barrel lug, #1 AWG wire.	C	100	\$	1,033.65
07498355833	LCA1-12H-E	CuLug,#1AWG,1/2Stud,45°PKG20	One-hole, standard barrel with window lug, #1 AWG wire, 45° angle tongue, 1/2 stud hole.	C	100	\$	1,461.84
07498355832	LCA1-38H-E	CuLug,#1AWG,3/8Stud,45°PKG20	One-hole, standard barrel with window lug, #1 AWG wire, 45° angle tongue, 3/8 stud hole.	C	100	\$	1,429.59
07498338228	LCA1/0-00-X	CuLug,Blank,1/0AWGPKG10	Blank tongue, standard barrel lug, #1/0 AWG wire.	C	100	\$	1,143.45
07498344443	LCA1/0-10H-L	CuLug,#10AWG,#10Stud,45°PKG50	One-hole, standard barrel with window lug, #10 AWG wire, 45° angle tongue, #10 stud hole.	C	100	\$	143.29
61305661153	LCA1000-12-3	Copper Lug, 1 Hole, 1000 kcmil, 1/2" Stu	Copper compression lug, 1 hole, 1000 kcmil Code conductor, Standard barrel, 1/2" stud hole	C	100	\$	11,636.01
61305662461	LCA1000-58-3	Copper Lug, 1 Hole, 1000 kcmil, 5/8" Stu	Copper compression lug, 1 hole, 1000 kcmil Code conductor, Standard barrel, 5/8" stud hole	C	100	\$	12,977.03
07498338224	LCA2-00-Q	CuLug,Blank,#2AWGPKG25	Blank tongue, standard barrel lug, #2 AWG wire.	C	100	\$	958.04
07498355829	LCA2-12H-Q	CuLug,#2AWG,1/2Stud,45°PKG25	One-hole, standard barrel with window lug, #2 AWG wire, 45° angle tongue, 1/2 stud hole.	C	100	\$	1,315.65
07498355828	LCA2-38H-Q	CuLug,#2AWG,3/8Stud,45°PKG25	One-hole, standard barrel with window lug, #2 AWG wire, 45° angle tongue, 3/8 stud hole.	C	100	\$	1,293.34
07498355855	LCA2/0-34H-X	CuLug,2/0AWG,3/4Stud,45°PKG10	One-hole, standard barrel with window lug, 2/0 AWG wire, 45° angle tongue, 3/4 stud hole.	C	100	\$	1,769.85
07498355946	LCA250-14F-X	CuLugSBW,250kcmil,1/4Stud,90°PKG10	One-hole, standard barrel with window lug, 250 kcmil cable, 90° angle tongue, 1/4 stud hole.	C	100	\$	2,987.93
07498355866	LCA250-14H-X	CuLugSBW,250kcmil,1/4Stud,45°PKG10	One-hole, standard barrel with window lug, 250 kcmil cable, 45° angle tongue,	C	100	\$	2,716.30
07498355870	LCA250-34H-X	CuLug,1H,250kcmil,3/4Stud,45°PKG10	One-hole, standard barrel with window lug, 250 kcmil cable, 45° angle tongue, 3/4 bolt hole.	C	100	\$	2,571.39
07498355947	LCA250-56F-X	CuLugSBW,250kcmil,5/16Stud,90°PKG10	One-hole, standard barrel with window lug, 250 kcmil cable, 90° angle tongue, 5/16 stud hole.	C	100	\$	2,997.28
07498355867	LCA250-56H-X	CuLugSBW,250kcmil,5/16Stud,45°PKG10	One-hole, standard barrel with window lug, 250 kcmil cable, 45° angle tongue, 5/16 stud hole.	C	100	\$	2,997.28
07498338230	LCA3/0-00-X	CuLug,Blank,3/0AWGPKG10	Blank tongue, standard barrel lug, #3/0 AWG wire.	C	100	\$	1,543.51
07498355859	LCA3/0-12H-X	STDlug,3/0AWG,.5in,45°,WDW,PK10	One-hole, standard barrel with window lug, 3/0 AWG wire, 45° angle tongue, 1/2 stud hole.	C	100	\$	2,083.79
07498355856	LCA3/0-14H-X	STDlug,3/0AWG,.25in,45°,WDW,PK10	One-hole, standard barrel with window lug, 3/0 AWG wire, 45° angle tongue, 1/4 stud hole.	C	100	\$	2,212.04
07498355860	LCA3/0-34H-X	CuLug,3/0AWG,3/4Stud,45°PKG10	One-hole, standard barrel with window lug, 3/0 AWG wire, 45° angle tongue, 3/4 bolt hole.	C	100	\$	2,212.04
07498386960	LCA300-12H-X	CuLug,300kcmil,1/2Stud,45°PKG10	One-hole, standard barrel with window lug, 300 kcmil cable, 45° angle tongue, 1/2 stud hole.	C	100	\$	3,386.33
07498386959	LCA300-38F-X	STDlug,300mcm,.38in,90°,WDW,PK10	One-hole, standard barrel with window lug, 300 kcmil cable, 90° angle tongue, 3/8 stud hole.	C	100	\$	3,155.59
07498386958	LCA300-38H-X	STDlug,300mcm,.38in,45°,WDW,PK10	One-hole, standard barrel with window lug, 300 kcmil cable, 45° angle tongue, 3/8 stud hole.	C	100	\$	3,305.85
07498390195	LCA300-56-X	STDlug,300mcm,.3in,WDW,PK10	One-hole, standard barrel with window lug, 300 kcmil cable, 5/16 stud hole.	C	100	\$	2,208.91
07498386957	LCA300-56F-X	STDlug,300mcm,.3in,90°,WDW,PK10	One-hole, standard barrel with window lug, 300 kcmil cable, 90° angle tongue, 5/16 stud hole.	C	100	\$	3,005.31
07498386956	LCA300-56H-X	STDlug,300mcm,.3in,45°,WDW,PK10	One-hole, standard barrel with window lug, 300 kcmil cable, 45° angle tongue, 5/16 stud hole.	C	100	\$	3,005.31
07498386963	LCA300-58F-X	CuLug,300kcmil,5/8Stud,90°PKG10	One-hole, standard barrel with window lug, 300 kcmil cable, 90° angle tongue, 5/8 stud hole.	C	100	\$	3,305.85
07498386962	LCA300-58H-X	CuLug,300kcmil,5/8Stud,45°PKG10	One-hole, standard barrel with window lug, 300 kcmil cable, 45° angle tongue, 5/8 stud hole.	C	100	\$	3,005.31
07498371936	LCA300-78-X	CuLug,300kcmil,7/8StudPKG10	One-hole, standard barrel with window lug, 300 kcmil cable, 7/8 stud hole.	C	100	\$	2,208.91
07498386965	LCA300-78F-X	CuLug,300kcmil,7/8Stud,90°PKG10	One-hole, standard barrel with window lug, 300 kcmil cable, 90° angle tongue, 7/8 stud hole.	C	100	\$	3,154.96
07498386964	LCA300-78H-X	CuLug,300kcmil,7/8Stud,45°PKG10	One-hole, standard barrel with window lug, 300 kcmil cable, 45° angle tongue, 7/8 stud hole.	C	100	\$	3,004.73
07498371940	LCA350-00-X	CuLug,Blank,350KcmilPKG10	Blank tongue, standard barrel lug, 350 Kcmil Cable.	C	100	\$	2,306.63
07498386966	LCA350-38H-X	CuLug,350kcmil,3/8Stud,45°PKG10	One-hole, standard barrel with window lug, 350 kcmil cable, 45° angle tongue, 3/8 stud hole, standard packag	C	100	\$	3,269.69
07498386971	LCA350-58F-X	CuLug,350kcmil,5/8Stud,90°PKG10	One-hole, standard barrel with window lug, 350 kcmil cable, 90° angle tongue, 5/8 stud hole.	C	100	\$	3,425.40
07498371939	LCA350-78-X	CuLug,350kcmil,7/8StudPKG10	One-hole, standard barrel with window lug, 350 kcmil cable, 7/8 stud hole.	C	100	\$	2,537.29
07498386973	LCA350-78F-X	CuLug,350kcmil,7/8Stud,90°PKG10	One-hole, standard barrel with window lug, 350 kcmil cable, 90° angle tongue, 7/8 stud hole.	C	100	\$	3,113.99
07498386972	LCA350-78H-X	CuLug,350kcmil,7/8Stud,45°PKG10	One-hole, standard barrel with window lug, 350 kcmil cable, 45° angle tongue, 7/8 stud hole.	C	100	\$	3,425.40
07498355822	LCA4-10H-L	CuCompLugSB,1H,#4-#3A,#2A,#10S,45°,PK50	One-hole, standard barrel with window lug, #4 — #3 AWG STR, #2 AWG SOL wire, 45° angle tongue, #10 st	C	100	\$	682.28
07498355825	LCA4-38H-L	Cu,CompLug,1H,#4-#3A,#2A,3/8S,45°,PK50	One-hole, standard barrel with window lug, #4 — #3 AWG STR, #2 AWG SOL wire, 45° angle tongue, 3/8 stu	C	100	\$	682.28
07498338231	LCA4/0-00-X	CuLug,Blank,4/0AWGPKG10	Blank tongue, standard barrel lug, #4/0 AWG wire.	C	100	\$	1,695.20
07498343241	LCA4/0-12-C	Copper Compression Lug, 1 Hole, 4/0 AWG,	One-hole, standard barrel with window lug, 4/0 AWG wire, 1/2" stud hole, bulk package.	C	100	\$	1,861.99
07498355933	LCA4/0-14F-X	STDlug,4/0AWG,.25in,90°,WDW,PK10	One-hole, standard barrel with window lug, 4/0 AWG wire, 90° angle tongue, 1/4 stud hole.	C	100	\$	2,513.56
07498355861	LCA4/0-14H-X	STDlug,4/0AWG,.25in,45°,WDW,PK10	One-hole, standard barrel with window lug, 4/0 AWG wire, 45° angle tongue, 1/4 stud hole.	C	100	\$	2,513.56
07498355865	LCA4/0-34H-X	CuLug,4/0AWG,3/4Stud,45°PKG10	One-hole, standard barrel with window lug, 4/0 AWG wire, 45° angle tongue, 3/4bolt hole.	C	100	\$	2,285.06
07498343233	LCA4/0-38-C	Copper Compression Lug, 1 Hole, 4/0 AWG,	One-hole, standard barrel with window lug, 4/0 AWG wire, 3/8" stud hole, bulk package.	C	100	\$	1,773.25
07498355934	LCA4/0-56F-X	STDlug,4/0AWG,.3in,90°,WDW,PK10	One-hole, standard barrel with window lug, 4/0 AWG wire, 90° angle tongue, 5/16 stud hole.	C	100	\$	2,513.56
07498355862	LCA4/0-56H-X	STDlug,4/0AWG,.3in,45°,WDW,PK10	One-hole, standard barrel with window lug, 4/0 AWG wire, 45° angle tongue, 5/16 stud hole.	C	100	\$	2,285.06
07498386975	LCA400-38F-6	CuLug,400kcmil,3/8Stud,90°PKG6	One-hole, standard barrel with window lug, 400 kcmil cable, 90° angle tongue, 3/8 stud hole.	C	100	\$	3,523.43
07498386974	LCA400-38H-6	CuLug,400kcmil,3/8Stud,45°PKG6	One-hole, standard barrel with window lug, 400 kcmil cable, 45° angle tongue, 3/8 stud hole.	C	100	\$	3,691.23
07498386979	LCA400-58F-6	CuLug,400kcmil,5/8Stud,90°PKG6	One-hole, standard barrel with window lug, 400 kcmil cable, 90° angle tongue, 5/8 stud hole.	C	100	\$	3,691.23
07498386978	LCA400-58H-6	CuLug,400kcmil,5/8Stud,45°PKG6	One-hole, standard barrel with window lug, 400 kcmil cable, 45° angle tongue, 5/8 stud hole.	C	100	\$	3,691.23
07498371942	LCA400-78-6	CuLug,400kcmil,7/8StudPKG6	One-hole, standard barrel with window lug, 400 kcmil cable, 7/8 stud hole.	C	100	\$	2,734.28
07498386980	LCA400-78H-6	CuLug,400kcmil,7/8Stud,45°PKG6	One-hole, standard barrel with window lug, 400 kcmil cable, 45° angle tongue, 7/8 stud hole.	C	100	\$	3,691.23
07498371947	LCA500-1-6	CuLug,500kcmil,1StudPKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 1 stud hole.	C	100	\$	3,454.90
07498386993	LCA500-1F-6	CuLug,500kcmil,1Stud,90°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 90° angle tongue, 1 stud hole.	C	100	\$	4,240.18
07498386992	LCA500-1H-6	CuLug,500kcmil,1Stud,45°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 45° angle tongue, 1 stud hole.	C	100	\$	4,240.18
07498371945	LCA500-34-6	CuLug,500kcmil,3/4StudPKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 3/4 stud hole.	C	100	\$	3,297.85
07498386989	LCA500-34F-6	CuLug,500kcmil,3/4Stud,90°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 90° angle tongue, 3/4 stud hole.	C	100	\$	4,240.18
07498386988	LCA500-34H-6	CuLug,500kcmil,3/4Stud,45°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 45° angle tongue, 3/4 stud hole.	C	100	\$	4,240.18
07498386982	LCA500-38H-6	CuLug,1H,500kcmil,3/8Stud,45°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 45° angle tongue, 3/8 stud hole.	C	100	\$	4,664.20
07498386987	LCA500-58F-6	CuLug,1H,500kcmil,5/8Stud,90°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 90° angle tongue, 5/8 stud hole.	C	100	\$	4,664.20
07498386986	LCA500-58H-6	CuLug,1H,500kcmil,5/8Stud,45°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 45° angle tongue, 5/8 stud hole.	C	100	\$	4,240.18
07498371946	LCA500-78-6	CuLug,500kcmil,7/8StudPKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 7/8 stud hole.	C	100	\$	3,454.90
07498386991	LCA500-78F-6	CuLug,500kcmil,7/8Stud,90°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 90° angle tongue, 7/8 stud hole.	C	100	\$	4,664.20
07498386990	LCA500-78H-6	CuLug,500kcmil,7/8Stud,45°PKG6	One-hole, standard barrel with window lug, 500 kcmil cable, 45° angle tongue, 7/8 stud hole.	C	100	\$	4,240.18
07498338226	LCA6-00-L	CuLug,Blank,#6AWGPKG50	Blank tongue, standard barrel lug, #6 AWG wire.	C	100	\$	403.73

07498302820	LCA6-12-L	CuLug,#6AWG,1/2StudPKG50	One-hole, standard barrel with window lug, #6 AWG wire, 1/2 stud hole.	C	100	\$	690.86
07498355821	LCA6-38H-L	CuLugSBW,#6AWG,3/8Stud,45°PKG50	One-hole, standard barrel with window lug, #6 AWG wire, 45° angle tongue, 3/8 stud hole.	C	100	\$	520.29
07498355903	LCA6-56F-L	CuLugSBW,#6AWG,5/16Stud,90°PKG50	One-hole, standard barrel with window lug, #6 AWG wire, 90° angle tongue, 5/16 stud hole.	C	100	\$	520.29
07498386994	LCA600-12H-6	CuLug,600kcmil,1/2Stud,45°PKG6	One-hole, standard barrel with window lug, 600 kcmil cable, 45° angle tongue, 1/2 stud hole.	C	100	\$	8,768.13
07498386997	LCA600-58F-6	CuLug,600kcmil,5/8Stud,90°PKG6	One-hole, standard barrel with window lug, 600 kcmil cable, 90° angle tongue, 5/8 stud hole.	C	100	\$	8,350.60
07498386996	LCA600-58H-6	CuLug,600kcmil,5/8Stud,45°PKG6	One-hole, standard barrel with window lug, 600 kcmil cable, 45° angle tongue, 5/8 stud hole.	C	100	\$	8,350.60
07498371949	LCA600-78-6	CuLug,600kcmil,7/8StudPKG6	One-hole, standard barrel with window lug, 600 kcmil cable, 7/8 stud hole.	C	100	\$	6,804.16
07498386999	LCA600-78F-6	CuLug,600kcmil,7/8Stud,90°PKG6	One-hole, standard barrel with window lug, 600 kcmil cable, 90° angle tongue, 7/8 stud hole.	C	100	\$	8,350.60
07498386998	LCA600-78H-6	CuLug,600kcmil,7/8Stud,45°PKG6	One-hole, standard barrel with window lug, 600 kcmil cable, 45° angle tongue, 7/8 stud hole.	C	100	\$	8,350.60
61305639763	LCA750-38-6	Copper Compression Lug, 1 Hole, 750 kcmil	Copper Compression Lug, 1 Hole, 750 kcmil Code Conductor, Standard Barrel, 3/8" Stud	C	100	\$	6,017.83
07498338227	LCA8-00-L	CuLug,Blank,#8AWGPKG50	Blank tongue, standard barrel lug, #8 AWG wire.	C	100	\$	366.19
07498355804	LCA8-38H-L	CuLugSBW,#8AWG,3/8Stud,45°PKG50	One-hole, standard barrel with window lug, #8 AWG wire, 45° angle tongue, 3/8 stud hole.	C	100	\$	495.45
07498387256	LCAF1-12F-X	CuLug,#1AWG,Flared,1/2Stud,90°PKG10	One-hole, flared barrel, #1 AWG wire, 1/2 stud hole, 90° angle tongue.	C	100	\$	1,542.41
07498387255	LCAF1-12H-X	CuLug,#1AWG,Flared,1/2Stud,45°PKG10	One-hole, flared barrel, #1 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	1,402.18
07498387250	LCAF1-14F-X	CuLug,1H,#1AWG,Flared,1/4Stud,90°PKG10	One-hole, flared barrel, #1 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	1,421.49
07498387249	LCAF1-14H-X	CuLug,1H,#1AWG,Flared,1/4Stud,45°PKG10	One-hole, flared barrel, #1 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	1,421.49
07498387254	LCAF1-38F-X	CuLug,#1AWG,Flared,3/8Stud,90°PKG10	One-hole, flared barrel, #1 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	1,550.55
07498387253	LCAF1-38H-X	CuLug,#1AWG,Flared,3/8Stud,45°PKG10	One-hole, flared barrel, #1 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,550.55
07498387251	LCAF1-56H-X	CuLug,#1AWG,Flared,5/16Stud,45°PKG10	One-hole, flared barrel, #1 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,638.08
07498387263	LCAF1/0-12H-X	CuLug,1/0AWG,Flared,1/2Stud,45°PKG10	One-Hole, flared barrel, 1/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	1,676.93
07498387257	LCAF1/0-14H-X	CuLug,1/0AWG,Flared,1/4Stud,45°PKG10	One-Hole, flared barrel, 1/0 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	1,505.49
07498387262	LCAF1/0-38F-X	CuLug,1/0AWG,Flared,3/8Stud,90°PKG10	One-Hole, flared barrel, 1/0 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	1,821.60
07498387261	LCAF1/0-38H-X	CuLug,1/0AWG,Flared,3/8Stud,45°PKG10	One-Hole, flared barrel, 1/0 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,821.60
07498387260	LCAF1/0-56F-X	CuLug,1/0AWG,Flared,5/16Stud,90°PKG10	One-Hole, flared barrel, 1/0 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	1,738.80
07498387259	LCAF1/0-56H-X	CuLug,1/0AWG,Flared,5/16Stud,45°PKG10	One-Hole, flared barrel, 1/0 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,821.60
07498387248	LCAF2-12F-E	CuLug,#2AWG,Flared,1/2Stud,90°PKG20	One-hole, flared barrel, #2 AWG wire, 1/2 stud hole, 90° angle tongue.	C	100	\$	1,437.16
07498387247	LCAF2-12H-E	CuLug,#2AWG,Flared,1/2Stud,45°PKG20	One-hole, flared barrel, #2 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	1,437.16
07498387246	LCAF2-38F-E	CuLug,1H,#2AWG,Flared,3/8Stud,90°PKG20	One-hole, flared barrel, #2 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	1,325.03
07498387245	LCAF2-38H-E	CuLug,#2AWG,Flared,3/8Stud,45°PKG20	One-hole, flared barrel, #2 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,388.15
07498387707	LCAF2/0-12H-X	CuLug,2/0AWG,Flared,1/2Stud,45°PKG10	One-hole, flared barrel, 2/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	2,091.20
07498387266	LCAF2/0-14F-X	CuLug,2/0AWG,Flared,1/4Stud,90°PKG10	One-hole, flared barrel, 2/0 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	1,924.53
07498387265	LCAF2/0-14H-X	CuLug,2/0AWG,Flared,1/4Stud,45°PKG10	One-hole, flared barrel, 2/0 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	2,016.19
07498387269	LCAF2/0-38H-X	CuLug,2/0AWG,Flared,3/8Stud,45°PKG10	One-hole, flared barrel, 2/0 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,902.34
07498387268	LCAF2/0-56F-X	CuLug,2/0AWG,Flared,5/16Stud,90°PKG10	One-hole, flared barrel, 2/0 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	2,023.16
07498387267	LCAF2/0-56H-X	CuLug,2/0AWG,Flared,5/16Stud,45°PKG10	One-hole, flared barrel, 2/0 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,839.24
07498387727	LCAF250-12H-X	CuLug,250kcmil,Flared,1/2Stud,45°PKG10	One-hole, flared barrel, 250 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	3,487.49
07498387726	LCAF250-38F-X	CuLug,250kcmil,Flared,3/8Stud,90°PKG10	One-hole, flared barrel, 250 kcmil cable, 3/8 stud hole, 90° angle tongue.	C	100	\$	3,328.94
07498387725	LCAF250-38H-X	CuLug,250kcmil,Flared,3/8Stud,45°PKG10	One-hole, flared barrel, 250 kcmil cable, 3/8 stud hole, 45° angle tongue.	C	100	\$	3,487.49
07498355798	LCAF250-58-X	CuLug,250kcmil,Flared,5/8StudPKG10	One-hole, flared barrel, 250 kcmil cable, 5/8 stud hole.	C	100	\$	2,465.96
07498387730	LCAF250-58F-X	CuLug,250kcmil,Flared,5/8Stud,90°PKG10	One-hole, flared barrel, 250 kcmil cable, 5/8 stud hole, 90° angle tongue.	C	100	\$	3,170.41
07498387729	LCAF250-58H-X	CuLug,250kcmil,Flared,5/8Stud,45°PKG10	One-hole, flared barrel, 250 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	3,170.41
07498374450	LCAF250-78-X	CuLug,250kcmil,Flared,7/8StudPKG10	One-hole, flared barrel, 250 kcmil cable, 7/8 stud hole.	C	100	\$	2,583.41
07498387732	LCAF250-78F-X	CuLug,250kcmil,Flared,7/8Stud,90°PKG10	One-hole, flared barrel, 250 kcmil cable, 7/8 stud hole, 90° angle tongue.	C	100	\$	3,170.41
07498387731	LCAF250-78H-X	CuLug,250kcmil,Flared,7/8Stud,45°PKG10	One-hole, flared barrel, 250 kcmil cable, 7/8 stud hole, 45° angle tongue.	C	100	\$	3,170.41
07498355777	LCAF3/0-14-X	CuLug,3/0AWG,Flared,1/4StudPKG10	One-hole, flared barrel, 3/0 AWG wire, 1/4 stud hole.	C	100	\$	1,798.64
07498387710	LCAF3/0-14F-X	CuLug,3/0AWG,Flared,1/4Stud,90°PKG10	One-hole, flared barrel, 3/0 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	2,543.64
07498387709	LCAF3/0-14H-X	CuLug,3/0AWG,Flared,1/4Stud,45°PKG10	One-hole, flared barrel, 3/0 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	2,543.64
07498387714	LCAF3/0-38F-X	CuLug,3/0AWG,Flared,3/8Stud,90°PKG10	One-hole, flared barrel, 3/0 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	2,363.05
07498387713	LCAF3/0-38H-X	CuLug,3/0AWG,Flared,3/8Stud,45°PKG10	One-hole, flared barrel, 3/0 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	2,475.56
07498387712	LCAF3/0-56F-X	CuLug,3/0AWG,Flared,5/16Stud,90°PKG10	One-hole, flared barrel, 3/0 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	2,543.64
07498387711	LCAF3/0-56H-X	CuLug,3/0AWG,Flared,5/16Stud,45°PKG10	One-hole, flared barrel, 3/0 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	2,543.64
07498387752	LCAF300-12F-6	CuLug,300kcmil,Flared,1/2Stud,90°PKG6	One-hole, flared barrel, 300 kcmil cable, 1/2 stud hole, 90° angle tongue.	C	100	\$	4,370.85
07498387751	LCAF300-12H-6	CuLug,300kcmil,Flared,1/2Stud,45°PKG6	One-hole, flared barrel, 300 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	4,370.85
07498387734	LCAF300-38F-6	CuLug,300kcmil,Flared,3/8Stud,90°PKG6	One-hole, flared barrel, 300 kcmil cable, 3/8 stud hole, 90° angle tongue.	C	100	\$	4,579.00
07498387733	LCAF300-38H-6	CuLug,300kcmil,Flared,3/8Stud,45°PKG6	One-hole, flared barrel, 300 kcmil cable, 3/8 stud hole, 45° angle tongue.	C	100	\$	4,370.85
07498387754	LCAF300-58F-6	CuLug,300kcmil,Flared,5/8Stud,90°PKG6	One-hole, flared barrel, 300 kcmil cable, 5/8 stud hole, 90° angle tongue.	C	100	\$	4,051.18
07498387753	LCAF300-58H-6	CuLug,300kcmil,Flared,5/8Stud,45°PKG6	One-hole, flared barrel, 300 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	4,051.18
07498374452	LCAF300-78-6	CuLug,300kcmil,Flared,7/8StudPKG6	One-hole, flared barrel, 300 kcmil cable, 7/8 stud hole.	C	100	\$	3,300.84
07498387756	LCAF300-78F-6	CuLug,300kcmil,Flared,7/8Stud,90°PKG6	One-hole, flared barrel, 300 kcmil cable, 7/8 stud hole, 90° angle tongue.	C	100	\$	4,051.18
07498387755	LCAF300-78H-6	CuLug,300kcmil,Flared,7/8Stud,45°PKG6	One-hole, flared barrel, 300 kcmil cable, 7/8 stud hole, 45° angle tongue.	C	100	\$	4,051.18
07498374456	LCAF350-1-6	CuLug,350kcmil,Flared,1StudPKG6	One-hole, flared barrel, 350 kcmil cable, 1 stud hole.	C	100	\$	3,706.53
07498387760	LCAF350-12F-6	CuLug,350kcmil,Flared,1/2Stud,90°PKG6	One-hole, flared barrel, 350 kcmil cable, 1/2 stud hole, 90° angle tongue.	C	100	\$	5,401.30
07498387759	LCAF350-12H-6	CuLug,350kcmil,Flared,1/2Stud,45°PKG6	One-hole, flared barrel, 350 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	5,401.30
07498387768	LCAF350-1F-6	CuLug,350kcmil,Flared,1Stud,90°PKG6	One-hole, flared barrel, 350 kcmil cable, 1 stud hole, 90° angle tongue.	C	100	\$	4,549.19
07498387767	LCAF350-1H-6	CuLug,350kcmil,Flared,1Stud,45°PKG6	One-hole, flared barrel, 350 kcmil cable, 1 stud hole, 45° angle tongue.	C	100	\$	4,549.19
07498374454	LCAF350-34-6	CuLug,350kcmil,Flared3/4StudPKG6	One-hole, flared barrel, 350 kcmil cable, 3/4 stud hole.	C	100	\$	3,706.53
07498387764	LCAF350-34F-6	CuLug,350kcmil,Flared3/4Stud,90°PKG6	One-hole, flared barrel, 350 kcmil cable, 3/4 stud hole, 90° angle tongue.	C	100	\$	4,549.19
07498387763	LCAF350-34H-6	CuLug,350kcmil,Flared3/4Stud,45°PKG6	One-hole, flared barrel, 350 kcmil cable, 3/4 stud hole, 45° angle tongue.	C	100	\$	4,549.19
07498387758	LCAF350-38F-6	CuLug,350kcmil,Flared,3/8Stud,90°PKG6	One-hole, flared barrel, 350 kcmil cable, 3/8 stud hole, 90° angle tongue.	C	100	\$	4,776.64
07498387757	LCAF350-38H-6	CuLug,350kcmil,Flared,3/8Stud,45°PKG6	One-hole, flared barrel, 350 kcmil cable, 3/8 stud hole, 45° angle tongue.	C	100	\$	4,549.19
07498387762	LCAF350-58F-6	CuLug,350kcmil,Flared,5/8Stud,90°PKG6	One-hole, flared barrel, 350 kcmil cable, 5/8 stud hole, 90° angle tongue.	C	100	\$	4,549.19
07498387761	LCAF350-58H-6	CuLug,350kcmil,Flared,5/8Stud,45°PKG6	One-hole, flared barrel, 350 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	4,549.19
07498374455	LCAF350-78-6	CuLug,350kcmil,Flared,7/8StudPKG6	One-hole, flared barrel, 350 kcmil cable, 7/8 stud hole.	C	100	\$	3,706.53
07498387766	LCAF350-78F-6	CuLug,350kcmil,Flared,7/8Stud,90°PKG6	One-hole, flared barrel, 350 kcmil cable, 7/8 stud hole, 90° angle tongue.	C	100	\$	4,549.19
07498387765	LCAF350-78H-6	CuLug,350kcmil,Flared,7/8Stud,45°PKG6	One-hole, flared barrel, 350 kcmil cable, 7/8 stud hole, 45° angle tongue.	C	100	\$	4,549.19
07498355741	LCAF4-10-L	CuLug,#4AWG,Flared,#10StudPKG50	One-hole, flared barrel, #4 AWG wire, #10 stud hole.	C	100	\$	543.16
07498387234	LCAF4-10F-L	CuLug,#4AWG,Flared,#10Stud,90°PKG50	One-hole, flared barrel, #4 AWG wire, #10 stud hole, 90° angle tongue.	C	100	\$	733.28

07498387233	<b>LCAF4-10H-L</b>	CuLug,#4AWG,Flared,#10Stud,45°PKG50	One-hole, flared barrel, #4 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	698.38
07498387235	<b>LCAF4-14H-L</b>	CuLug,#4AWG,Flared,1/4Stud,45°PKG50	One-hole, flared barrel, #4 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	773.55
07498387240	<b>LCAF4-38F-L</b>	CuLug,#4AWG,Flared,3/8Stud,90°PKG50	One-hole, flared barrel, #4 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	768.20
07498387239	<b>LCAF4-38H-L</b>	CuLug,#4AWG,Flared,3/8Stud,45°PKG50	One-hole, flared barrel, #4 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	768.20
07498387238	<b>LCAF4-56F-L</b>	CuLug,#4AWG,Flared,5/16Stud,90°PKG50	One-hole, flared barrel, #4 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	895.45
07498387718	<b>LCAF4/0-14F-X</b>	CuLug,4/0AWG,Flared,1/4Stud,90°PKG10	One-hole, flared barrel, 4/0 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	2,823.93
07498387717	<b>LCAF4/0-14H-X</b>	CuLug,4/0AWG,Flared,1/4Stud,45°PKG10	One-hole, flared barrel, 4/0 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	2,567.21
07498387722	<b>LCAF4/0-38F-X</b>	CuLug,1H,4/0AWG,Flared,3/8Stud,90°PKG10	One-hole, flared barrel, 4/0 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	2,828.60
07498387721	<b>LCAF4/0-38H-X</b>	CuLug,1H,4/0AWG,Flared,3/8Stud,45°PKG10	One-hole, flared barrel, 4/0 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	2,828.60
07498387720	<b>LCAF4/0-56F-X</b>	CuLug,4/0AWG,Flared,5/16Stud,90°PKG10	One-hole, flared barrel, 4/0 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	2,643.86
07498387719	<b>LCAF4/0-56H-X</b>	CuLug,4/0AWG,Flared,5/16Stud,45°PKG10	One-hole, flared barrel, 4/0 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	2,908.24
07498387770	<b>LCAF400-12F-6</b>	CuLug,400kcmil,Flared,1/2Stud,90°PKG6	One-hole, flared barrel, 400 kcmil cable, 1/2 stud hole, 90° angle tongue.	C	100	\$	9,993.08
07498387769	<b>LCAF400-12H-6</b>	CuLug,400kcmil,Flared,1/2Stud,45°PKG6	One-hole, flared barrel, 400 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	9,993.08
07498387772	<b>LCAF400-58F-6</b>	CuLug,400kcmil,Flared,5/8Stud,90°PKG6	One-hole, flared barrel, 400 kcmil cable, 5/8 stud hole, 90° angle tongue.	C	100	\$	9,902.35
07498387771	<b>LCAF400-58H-6</b>	CuLug,400kcmil,Flared,5/8Stud,45°PKG6	One-hole, flared barrel, 400 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	9,002.14
07498374457	<b>LCAF400-78-6</b>	CuLug,400kcmil,Flared,7/8StudPKG6	One-hole, flared barrel, 400 kcmil cable, 7/8 stud hole.	C	100	\$	7,001.70
07498387774	<b>LCAF400-78F-6</b>	CuLug,400kcmil,Flared,7/8Stud,90°PKG6	One-hole, flared barrel, 400 kcmil cable, 7/8 stud hole, 90° angle tongue.	C	100	\$	9,002.14
07498387773	<b>LCAF400-78H-6</b>	CuLug,400kcmil,Flared,7/8Stud,45°PKG6	One-hole, flared barrel, 400 kcmil cable, 7/8 stud hole, 45° angle tongue.	C	100	\$	9,002.14
07498355712	<b>LCAF6-10-L</b>	CuLug,#6AWG,Flared,#10StudPKG50	One-hole, flared barrel, #6 AWG wire, #10 stud hole.	C	100	\$	482.71
07498387226	<b>LCAF6-10F-L</b>	CuLug,#6AWG,Flared,#10Stud,90°PKG50	One-hole, flared barrel, #6 AWG wire, #10 stud hole, 90° angle tongue.	C	100	\$	620.59
07498387225	<b>LCAF6-10H-L</b>	CuLug,#6AWG,Flared,#10Stud,45°PKG50	One-hole, flared barrel, #6 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	591.05
07498387228	<b>LCAF6-14F-L</b>	CuLug,#6AWG,Flared,1/4Stud,90°PKG50	One-hole, flared barrel, #6 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	620.59
07498387227	<b>LCAF6-14H-L</b>	CuLug,#6AWG,Flared,1/4Stud,45°PKG50	One-hole, flared barrel, #6 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	620.59
07498387232	<b>LCAF6-38F-L</b>	CuLug,#6AWG,Flared,3/8Stud,90°PKG50	One-hole, flared barrel, #6 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	622.24
07498387231	<b>LCAF6-38H-L</b>	CuLug,#6AWG,Flared,3/8Stud,45°PKG50	One-hole, flared barrel, #6 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	622.24
07498387230	<b>LCAF6-56F-L</b>	CuLug,#6AWG,Flared,5/16Stud,90°PKG50	One-hole, flared barrel, #6 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	517.83
07498387229	<b>LCAF6-56H-L</b>	CuLug,#6AWG,Flared,5/16Stud,45°PKG50	One-hole, flared barrel, #6 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	517.83
07498356675	<b>LCAF600-58-6</b>	CuLug,646.4kcmil,Flared,5/8StudPKG6	One-hole, flared barrel, 600 kcmil cable, 5/8 stud hole.	C	100	\$	11,669.44
07498355708	<b>LCAF8-10-L</b>	CuLug,#8AWG,Flared,#10StudPKG50	One-hole, flared barrel, #8 AWG wire, #10 stud hole.	C	100	\$	372.26
07498387218	<b>LCAF8-10F-L</b>	CuLug,#8AWG,Flared,#10Stud,90°PKG50	One-hole, flared barrel, #8 AWG wire, #10 stud hole, 90° angle tongue.	C	100	\$	526.46
07498387220	<b>LCAF8-14F-L</b>	CuLug,#8AWG,Flared,1/4Stud,90°PKG50	One-hole, flared barrel, #8 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	526.46
07498387219	<b>LCAF8-14H-L</b>	CuLug,#8AWG,Flared,1/4Stud,45°PKG50	One-hole, flared barrel, #8 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	478.60
07498387224	<b>LCAF8-38F-L</b>	CuLug,#8AWG,Flared,3/8Stud,90°PKG50	One-hole, flared barrel, #8 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	526.46
07498387223	<b>LCAF8-38H-L</b>	CuLug,#8AWG,Flared,3/8Stud,45°PKG50	One-hole, flared barrel, #8 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	526.46
07498387222	<b>LCAF8-56F-L</b>	CuLug,#8AWG,Flared,5/16Stud,90°PKG50	One-hole, flared barrel, #8 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	478.60
07498387221	<b>LCAF8-56H-L</b>	CuLug,#8AWG,Flared,5/16Stud,45°PKG50	One-hole, flared barrel, #8 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	526.46
61305664402	<b>LCAN1/0-14F-X</b>	Copper Compression Lug, 1 Hole, #1/0 AWG	Copper Compression Lug, 1 Hole, #1/0 AWG, Narrow Tongue, 1/4" Stud, 90° Angle Tongue	C	100	\$	1,785.04
61305664398	<b>LCAN1/0-14H-X</b>	Copper Compression Lug, 1 Hole, #1/0 AWG	Copper Compression Lug, 1 Hole, #1/0 AWG, Narrow Tongue, 1/4" Stud, 45° Angle Tongue	C	100	\$	1,785.04
61305664403	<b>LCAN1/0-38-X</b>	Copper Compression Lug, 1 Hole, #1/0 AWG	Copper Compression Lug, 1 Hole, #1/0 AWG, Narrow Tongue, 3/8" Stud	C	100	\$	1,497.98
61305668370	<b>LCAN2-14F-Q</b>	Copper Compression Lug, 1 Hole, #2 AWG,	Copper Compression Lug, 1 Hole, #2 AWG, Narrow Tongue, 1/4" Stud, 90° Angle Tongue	C	100	\$	1,440.09
61305668369	<b>LCAN2-14H-Q</b>	Copper Compression Lug, 1 Hole, #2 AWG,	Copper Compression Lug, 1 Hole, #2 AWG, Narrow Tongue, 1/4" Stud, 45° Angle Tongue	C	100	\$	1,440.09
61305668368	<b>LCAN2-56-Q</b>	Copper Narrow Tongue Lug, 1 Hole, #2 AWG,	Copper Compression Lug, 1 Hole, #2 AWG, Narrow Tongue, 1/4" Stud, 90° Angle Tongue	C	100	\$	1,066.74
61305664400	<b>LCAN2/0-14F-X</b>	Copper Compression Lug, 1 Hole, #2/0 AWG	Copper Compression Lug, 1 Hole, #2/0 AWG, Narrow Tongue, 1/4" Stud, 90° Angle Tongue	C	100	\$	2,052.39
61305668390	<b>LCAN350-38F-X</b>	Copper Compression Lug, 1 Hole, 350 KCMIL	Copper Compression Lug, 1 Hole, 350 KCMIL, Narrow Tongue, 3/8" Stud, 90° Angle Tongue	C	100	\$	3,669.20
61305668389	<b>LCAN350-38H-X</b>	Copper Compression Lug, 1 Hole, 350 KCMIL	Copper Compression Lug, 1 Hole, 350 KCMIL, Narrow Tongue, 3/8" Stud, 45° Angle Tongue	C	100	\$	3,669.20
07498382517	<b>LCAN4/0-38F-X</b>	Copper Compression Lug, 1 Hole, Narrow T	Copper Compression Lug, 1 Hole, Narrow Tongue	C	100	\$	2,556.79
07498382516	<b>LCAN4/0-38H-X</b>	Copper Compression Lug, 1 Hole, Narrow T	Copper Compression Lug, 1 Hole, Narrow Tongue	C	100	\$	2,556.79
61305668385	<b>LCAN4/0-56F-X</b>	Copper Compression Lug, 1 Hole, #4/0 AWG	Copper Compression Lug, 1 Hole, #4/0 AWG, Narrow Tongue, 5/16" Stud, 90° Angle Tongue	C	100	\$	2,556.79
07498344749	<b>LCAX1-10F-X</b>	CuLug,#1AWG,#10Stud,90°PKG10	One-hole, flex lug, #1 AWG wire, #10 stud hole, 90° angle tongue.	C	100	\$	1,408.35
07498344750	<b>LCAX1-10H-X</b>	CuLug,#1AWG,#10Stud,45°PKG10	One-hole, flex lug, #1 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	1,408.35
07498343519	<b>LCAX1-12H-X</b>	CuLug,#1AWG,1/2Stud,45°PKG10	One-hole, flex lug, #1 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	1,393.99
07498343517	<b>LCAX1-38F-X</b>	CuLug,#1AWG,3/8Stud,90°PKG10	One-hole, flex lug, #1 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	1,395.29
07498343516	<b>LCAX1-38H-X</b>	CuLug,#1AWG,3/8Stud,45°PKG10	One-hole, flex lug, #1 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,328.84
07498343513	<b>LCAX1-56H-X</b>	CuLug,#1AWG,5/16Stud,45°PKG10	One-hole, flex lug, #1 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,344.35
07498347553	<b>LCAX1/0-10-X</b>	CuLug,1/0AWG,#10StudPKG10	One-hole, flex lug, 1/0 AWG wire, #10 stud hole.	C	100	\$	1,067.69
07498344263	<b>LCAX2-12H-E</b>	CuLug,#2AWG,1/2Stud,45°PKG20	One-hole, flex lug, #2 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	1,436.10
07498344753	<b>LCAX2/0-10H-X</b>	CuLug,2/0AWG,#10Stud,45°PKG10	One-hole, flex lug, 2/0 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	1,604.33
07498344306	<b>LCAX2/0-14F-X</b>	CuLugF,2/0AWG,1/4Stud,90°PKG10	One-hole, flex lug, 2/0 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	1,595.14
07498344307	<b>LCAX2/0-14H-X</b>	CuLugF,2/0AWG,1/4Stud,45°PKG10	One-hole, flex lug, 2/0 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	1,595.14
07498344756	<b>LCAX2/0-58H-X</b>	CuLug,2/0AWG,5/8Stud,45°PKG10	One-hole, flex lug, 2/0 AWG wire, 5/8 stud hole, 45° angle tongue.	C	100	\$	1,929.44
07498344775	<b>LCAX250-14-X</b>	CuLugF,250kcmil,1/4StudPKG10	One-hole, flex lug, 250 kcmil cable, 1/4 stud hole.	C	100	\$	2,445.78
07498344776	<b>LCAX250-14F-X</b>	CuLugF,250kcmil,1/4Stud,90°PKG10	One-hole, flex lug, 250 kcmil cable, 1/4 stud hole, 90° angle tongue.	C	100	\$	3,143.81
07498344777	<b>LCAX250-14H-X</b>	CuLugF,250kcmil,1/4Stud,45°PKG10	One-hole, flex lug, 250 kcmil cable, 1/4 stud hole, 45° angle tongue.	C	100	\$	3,143.81
07498344772	<b>LCAX250-34-X</b>	CuLug,250kcmil,3/4StudPKG10	One-hole, flex lug, 250 kcmil cable, 3/4 stud hole.	C	100	\$	2,786.94
07498344770	<b>LCAX250-56F-X</b>	CuLugF,250kcmil,5/16Stud,90°PKG10	One-hole, flex lug, 250 kcmil cable, 5/16 stud hole, 90° angle tongue.	C	100	\$	3,158.51
07498344771	<b>LCAX250-56H-X</b>	CuLugF,250kcmil,5/16Stud,45°PKG10	One-hole, flex lug, 250 kcmil cable, 5/16 stud hole, 45° angle tongue.	C	100	\$	3,474.38
07498343578	<b>LCAX250-58F-X</b>	CuLug,250kcmil,5/8Stud,90°PKG10	One-hole, flex lug, 250 kcmil cable, 5/8 stud hole, 90° angle tongue.	C	100	\$	3,762.36
07498343577	<b>LCAX250-58H-X</b>	CuLug,250kcmil,5/8Stud,45°PKG10	One-hole, flex lug, 250 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	3,420.33
07498344760	<b>LCAX3/0-10-X</b>	CuLug,3/0AWG,#10StudPKG10	One-hole, flex lug, 3/0 AWG wire, #10 stud hole.	C	100	\$	1,853.24
07498343547	<b>LCAX3/0-14F-X</b>	STDFlexLug,3/0AWG,.25in,90°,WDW,PK10	One-hole, flex lug, 3/0 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	2,388.14
07498343546	<b>LCAX3/0-14H-X</b>	STDFlexLug,3/0AWG,.25in,45°,WDW,PK10	One-hole, flex lug, 3/0 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	2,501.88
07498343583	<b>LCAX300-12H-6</b>	CuLug,300kcmil,1/2Stud,45°PKG6	One-hole, flex lug, 300 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	4,871.95
07498343580	<b>LCAX300-38H-6</b>	CuLug,300kcmil,3/8Stud,45°PKG6	One-hole, flex lug, 300 kcmil cable, 3/8 stud hole, 45° angle tongue.	C	100	\$	4,317.55
07498344782	<b>LCAX350-56F-6</b>	CuLug,350kcmil,5/16Stud,90°PKG6	One-hole, flex lug, 350 kcmil cable, 5/16 stud hole, 90° angle tongue.	C	100	\$	4,172.29
07498344783	<b>LCAX350-56H-6</b>	CuLug,350kcmil,5/16Stud,45°PKG6	One-hole, flex lug, 350 kcmil cable, 5/16 stud hole, 45° angle tongue.	C	100	\$	4,172.29
07498343596	<b>LCAX350-58F-6</b>	CuLug,350kcmil,5/8Stud,90°PKG6	One-hole, flex lug, 350 kcmil cable, 5/8 stud hole, 90° angle tongue.	C	100	\$	4,840.00
07498343595	<b>LCAX350-58H-6</b>	CuLug,350kcmil,5/8Stud,45°PKG6	One-hole, flex lug, 350 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	4,840.00

07498343398	<b>LCAX4-10F-L</b>	CuLug,#4AWG,#10Stud,90°PKG50	One-hole, flex lug, #4 AWG wire, #10 stud hole., 90° angle tongue.	C	100	\$	693.49
07498343420	<b>LCAX4-38F-L</b>	CuLug,#4AWG,3/8Stud,90°PKG50	One-hole, flex lug, #4 AWG wire, 3/8 stud hole., 90° angle tongue.	C	100	\$	684.41
07498343419	<b>LCAX4-38H-L</b>	CuLug,#4AWG,3/8Stud,45°PKG50	One-hole, flex lug, #4 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	684.41
07498344764	<b>LCAX4/0-14F-X</b>	STDFlexLug,4/0AWG,.25in,90°,WDW,PK10	One-hole, flex lug, 4/0 AWG wire, 1/4 stud hole., 90° angle tongue.	C	100	\$	2,694.56
07498344767	<b>LCAX4/0-34F-X</b>	CuLug,4/0AWG,3/4Stud,90°PKG10	One-hole, flex lug, 4/0 AWG wire, 3/4 stud hole., 90° angle tongue.	C	100	\$	3,709.49
07498344768	<b>LCAX4/0-34H-X</b>	CuLug,4/0AWG,3/4Stud,5°PKG10	One-hole, flex lug, 4/0 AWG wire, 3/4 stud hole, 45° angle tongue.	C	100	\$	3,709.49
07498343598	<b>LCAX450-12H-6</b>	CuLug,450kcmil,1/2Stud,45°PKG6	One-hole, flex lug, 450 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	9,055.18
07498343601	<b>LCAX450-58H-6</b>	CuLug,450kcmil,5/8Stud,45°PKG6	One-hole, flex lug, 450 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	8,231.98
07498344788	<b>LCAX500-38F-6</b>	CuLug,500kcmil,3/8Stud,90°PKG6	One-hole, flex lug, 500 kcmil cable, 3/8 stud hole., 90° angle tongue.	C	100	\$	9,072.84
07498344789	<b>LCAX500-38H-6</b>	CuLug,500kcmil,3/8Stud,45°PKG6	One-hole, flex lug, 500 kcmil cable, 3/8 stud hole, 45° angle tongue.	C	100	\$	9,504.86
07498344784	<b>LCAX500-56-6</b>	CuLug,500kcmil,5/16StudPKG6	One-hole, flex lug, 500 kcmil cable, 5/16 stud hole.	C	100	\$	6,720.66
07498344980	<b>LCAX500-58F-6</b>	CuLug,500kcmil,5/8Stud,90°PKG6	One-hole, flex lug, 500 kcmil cable, 5/8 stud hole., 90° angle tongue.	C	100	\$	9,875.13
07498344981	<b>LCAX500-58H-6</b>	CuLug,500kcmil,5/8Stud,45°PKG6	One-hole, flex lug, 500 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	9,875.13
07498343353	<b>LCAX6-10H-L</b>	CuLugF,#6AWG,#10Stud,45°PKG50	One-hole, flex lug, #6 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	650.33
07498343383	<b>LCAX6-38H-L</b>	CuLugF,#6AWG,3/8Stud,45°PKG50	One-hole, flex lug, #6 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	592.69
07498343375	<b>LCAX6-56H-L</b>	CuLugF,#6AWG,5/16Stud,45°PKG50	One-hole, flex lug, #6 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	526.76
07498344798	<b>LCAX650-12F-6</b>	CuLug,646.4kcmil,1/2Stud,90°PKG6	One-hole, flex lug, 650 kcmil cable, 1/2 stud hole., 90° angle tongue.	C	100	\$	14,471.86
07498344799	<b>LCAX650-12H-6</b>	CuLug,646.4kcmil,1/2Stud,45°PKG6	One-hole, flex lug, 650 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	13,156.24
07498344796	<b>LCAX650-38F-6</b>	CuLug,646.4kcmil,3/8Stud,90°PKG6	One-hole, flex lug, 650 kcmil cable, 3/8 stud hole., 90° angle tongue.	C	100	\$	13,156.24
07498344797	<b>LCAX650-38H-6</b>	CuLug,646.4kcmil,3/8Stud,45°PKG6	One-hole, flex lug, 650 kcmil cable, 3/8 stud hole, 45° angle tongue.	C	100	\$	13,156.24
07498344792	<b>LCAX650-56-6</b>	CuLug,646.4kcmil,5/16StudPKG6	One-hole, flex lug, 650 kcmil cable, 5/16 stud hole.	C	100	\$	9,745.33
07498344802	<b>LCAX750-12F-3</b>	CuLug,777.7kcmil,1/2Stud,90°PKG3	One-hole, flex lug, 750 kcmil cable, 1/2 stud hole., 90° angle tongue.	C	100	\$	15,201.09
07498344803	<b>LCAX750-12H-3</b>	CuLug,777.7kcmil,1/2Stud,45°PKG3	One-hole, flex lug, 750 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	15,201.09
61305639772	<b>LCAX8-12-L</b>	Copper Compression Lug, 1 Hole, #8 AWG F	Copper Compression Lug, 1 Hole, #8 AWG Flex Conductor, Standard Barrel, 1/2" Stud	C	100	\$	597.40
61305639731	<b>LCAX8-12F-L</b>	Copper Compression Lug, 1 Hole, #8 AWG F	Copper Compression Lug, 1 Hole, #8 AWG Flex Conductor, Standard Barrel, 1/2" Stud, 90° Bent	C	100	\$	806.74
61305639683	<b>LCAX8-12H-L</b>	Copper Compression Lug, 1 Hole, #8 AWG F	Copper Compression Lug, 1 Hole, #8 AWG Flex Conductor, Standard Barrel, 1/2" Stud, 45° Bent	C	100	\$	806.74
07498343320	<b>LCAX8-14H-L</b>	CuLugF,#8AWG,1/4Stud,45°PKG50	One-hole, flex lug, #8 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	498.85
07498343343	<b>LCAX8-38F-L</b>	CuLugF,#8AWG,3/8Stud,90°PKG50	One-hole, flex lug, #8 AWG wire, 3/8 stud hole., 90° angle tongue.	C	100	\$	498.85
07498343340	<b>LCAX8-38H-L</b>	CuLugF,#8AWG,3/8Stud,45°PKG50	One-hole, flex lug, #8 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	498.85
07498343332	<b>LCAX8-56H-L</b>	CuLugF,#8AWG,5/16Stud,45°PKG50	One-hole, flex lug, #8 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	498.85
07498369844	<b>LCAXF1-14-X</b>	CuLug,#1AWG,Flared,1/4StudPKG10	One-hole, flex lug, flared barrel, #1 AWG wire, 1/4 stud hole.	C	100	\$	1,102.74
07498369843	<b>LCAXF2-38-E</b>	CuLug,#2AWG,Flared,3/8StudPKG20	One-hole, flex lug, flared barrel, #2 AWG wire, 3/8 stud hole.	C	100	\$	1,021.06
07498341732	<b>LCAXF250-12-X</b>	CuLug,250,Flex,Flared,1/2inStud,PK10	Copper Compression Lug, 1 Hole, 250 kcmil AWG Flex, Flared Barrel, 1/2" (12.7mm) Stud	C	100	\$	3,641.90
07498369846	<b>LCAXF4/0-38-X</b>	CuLug,4/0AWG,Flared,3/8"StudPKG10	One-hole, flex lug, flared barrel, 4/0 AWG wire, 3/8" stud hole.	C	100	\$	1,917.44
07498387160	<b>LCB1-10F-E</b>	CuLug,#1AWG,Long,#10Stud,90°PKG20	One-hole, long barrel lug, #1 AWG wire, #10 stud hole, 90° angle tongue.	C	100	\$	1,740.83
07498387159	<b>LCB1-10H-E</b>	CuLug,#1AWG,Long,#10Stud,45°PKG20	One-hole, long barrel lug, #1 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	1,582.58
07498343211	<b>LCB1-12-TL</b>	CuLug,#1AWG,Long,1/2StudPKG50	One-hole, long barrel lug, #1 AWG wire, 1/4 stud hole, bulk package.	C	100	\$	1,172.33
61305631894	<b>LCB1-12W-E</b>	Copper 1 Hole Long Barrel - With Inspect	Copper Compression Lug, 1 Hole, #1 AWG, Long Barrel, 1/2" (12.7mm) Stud, Window	C	100	\$	1,098.56
61305631895	<b>LCB1-12WF-E</b>	Copper 1 Hole, Long Barrel With Window L	Copper Compression Lug, 1 Hole, #1 AWG, Long Barrel, 1/2" (12.7mm) Stud, Window, 90° Bent	C	100	\$	1,483.44
61305631896	<b>LCB1-12WH-E</b>	Copper 1 Hole, #1 AWG, Long Barrel w/Win	Copper Compression Lug, 1 Hole, #1 AWG, Long Barrel, 1/2" (12.7mm) Stud, Window, 45° Bent	C	100	\$	1,483.44
07498361167	<b>LCB1-14-E</b>	CuLug,#1AWG,Long,1/4StudPKG20	One-hole, long barrel lug, #1 AWG wire, 1/4 stud hole.	C	100	\$	1,289.55
07498387162	<b>LCB1-56F-E</b>	CuLug,#1AWG,Long,5/16Stud,90°PKG20	One-hole, long barrel lug, #1 AWG wire, 5/16 stud hole, 90° angle tongue.	C	100	\$	1,740.83
07498387161	<b>LCB1-56H-E</b>	CuLug,#1AWG,Long,5/16Stud,45°PKG20	One-hole, long barrel lug, #1 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,582.58
07498338238	<b>LCB1/0-10-X</b>	CuLug,1/0AWG,Long,#10StudPKG10	One-hole, long barrel lug, 1/0 AWG wire, #10 stud hole.	C	100	\$	1,255.19
07498387164	<b>LCB1/0-10F-X</b>	CuLug,1/0AWG,Long,#10Stud,90°PKG10	One-hole, long barrel lug, 1/0 AWG wire, #10 stud hole, 90° angle tongue.	C	100	\$	1,694.55
07498387163	<b>LCB1/0-10H-X</b>	CuLug,1/0AWG,Long,#10Stud,45°PKG10	One-hole, long barrel lug, 1/0 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	1,775.25
07498387169	<b>LCB1/0-12H-X</b>	CuLug,1/0AWG,Long,1/2Stud,45°PKG10	One-hole, long barrel lug, 1/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	1,775.25
61305631823	<b>LCB1/0-12W-X</b>	Copper 1 Hole Long Barrel With Inspectio	Copper Compression Lug, 1 Hole, 1/0 AWG, Long Barrel, 1/2" (12.7mm) Stud, Window	C	100	\$	1,137.69
61305631555	<b>LCB1/0-12WF-X</b>	Copper 1 Hole, 1/0 AWG, Long Barrel w/Wi	Copper Compression Lug, 1 Hole, 1/0 AWG, Long Barrel, 1/2" (12.7mm) Stud, Window, 90° Bent	C	100	\$	1,535.80
61305631822	<b>LCB1/0-12WH-X</b>	Copper 1 Hole, 1/0 AWG, Long Barrel w/Wi	Copper Compression Lug, 1 Hole, 1/0 AWG, Long Barrel, 1/2" (12.7mm) Stud, Window, 45° Bent	C	100	\$	1,535.80
07498387168	<b>LCB1/0-38F-X</b>	CuLug,1/0AWG,Long,3/8Stud,90°PKG10	One-hole, long barrel lug, 1/0 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	1,710.06
07498387167	<b>LCB1/0-38H-X</b>	CuLug,1/0AWG,Long,3/8Stud,45°PKG10	One-hole, long barrel lug, 1/0 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,628.63
61305634386	<b>LCB1/0-38W-X</b>	Copper 1 Hole Long Barrel With Inspectio	Copper Compression Lug, 1 Hole, 1/0 AWG, Long Barrel, 3/8" Stud (9.525mm), Window	C	100	\$	1,098.56
61305631824	<b>LCB1/0-38WH-X</b>	Copper 1 Hole, 1/0 AWG, Long Barrel w/Wi	Copper Compression Lug, 1 Hole, 1/0 AWG, Long Barrel, 3/8" Stud (9.525mm), Window, 45° Bent	C	100	\$	1,483.44
07498387165	<b>LCB1/0-56H-X</b>	CuLug,1/0AWG,Long,5/16Stud,45°PKG10	One-hole, long barrel lug, 1/0 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,775.25
61305631893	<b>LCB1/0-56W-X</b>	Copper 1 Hole Long Barrel With Inspectio	Copper Compression Lug, 1 Hole, 1/0 AWG, Long Barrel, 5/16 (7.9mm) Stud, Window	C	100	\$	1,088.00
61305631825	<b>LCB1/0-56WF-X</b>	Copper 1 Hole, Long Barrel With Window L	Copper Compression Lug, 1 Hole, 1/0 AWG, Long Barrel, 5/16 (7.9mm) Stud, Window, 90° Bent	C	100	\$	1,468.64
61305631892	<b>LCB1/0-56WH-X</b>	Copper 1 Hole, 1/0 AWG, Long Barrel w/Wi	Copper Compression Lug, 1 Hole, 1/0 AWG, Long Barrel, 5/16 (7.9mm) Stud, Window, 45° Bent	C	100	\$	1,468.64
07498397213	<b>LCB10-14WF-L</b>	CuLug,#10AWG,Long,1/4Stud,90°PKG50	One-hole, long barrel lug with inspection window, #10 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	592.69
07498397214	<b>LCB10-14WH-L</b>	CuLug,#10AWG,Long,1/4Stud,45°PKG50	One-hole, long barrel lug with inspection window, #10 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	620.90
61305634383	<b>LCB1000-12WF-3</b>	Copper Compression Lug, 1 Hole, 1000 kcm	Copper Compression Lug, 1 Hole, 1000 kcmil, Long Barrel, 1/2" (12.7mm) Stud, Window, 90° Bent	C	100	\$	21,131.86
61305634382	<b>LCB1000-12WH-3</b>	Copper Compression Lug, 1 Hole, 1000 kcm	Copper Compression Lug, 1 Hole, 1000 kcmil, Long Barrel, 1/2" (12.7mm) Stud, Window, 45° Bent	C	100	\$	21,131.86
07498383323	<b>LCB1000-38W-3</b>	CuLug,1000kcmil,Long,3/8StudPKG3	One-hole, long barrel lug with window, 1000 kcmil cable, 3/8 stud hole.	C	100	\$	16,093.51
07498390190	<b>LCB1000-58-3</b>	CuLugLB,1000kcmil,Long,5/8StudPKG3	One-hole, long barrel lug, 1000 kcmil cable, 5/8 stud hole.	C	100	\$	16,435.86
07498387156	<b>LCB2-10F-Q</b>	CuLug,#2AWG,Long,#10Stud,90°PKG25	One-hole, long barrel lug, #2 AWG wire, #10 stud hole, 90° angle tongue.	C	100	\$	1,583.94
07498387155	<b>LCB2-10H-Q</b>	CuLug,#2AWG,Long,#10Stud,45°PKG25	One-hole, long barrel lug, #2 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	1,583.94
07498387157	<b>LCB2-56H-Q</b>	CuLug,#2AWG,Long,5/16Stud,45°PKG25	One-hole, long barrel lug, #2 AWG wire, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,521.00
61305632031	<b>LCB2-56WF-Q</b>	Copper Compression Lug, 1 Hole, #2 AWG,	Copper Compression Lug, 1 Hole, #2 AWG, Long Barrel, 5/16" Stud(7.9mm), Window, 90° Bent	C	100	\$	1,440.09
61305632032	<b>LCB2-56WH-Q</b>	Copper Compression Lug, 1 Hole, #2 AWG,	Copper Compression Lug, 1 Hole, #2 AWG, Long Barrel, 5/16" Stud(7.9mm), Window, 45° Bent	C	100	\$	1,440.09
07498387173	<b>LCB2/0-12H-X</b>	CuLug,2/0AWG,Long,1/2Stud,45°PKG10	One-hole, long barrel lug, 2/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	1,909.78
07498387171	<b>LCB2/0-38H-X</b>	CuLug,2/0AWG,Long,3/8Stud,45°PKG10	One-hole, long barrel lug, 2/0 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	2,100.75
07498387184	<b>LCB250-12F-X</b>	CuLug,250kcmil,Long,1/2Stud,90°PKG10	One-hole, long barrel lug, 250 kcmil cable, 1/2 stud hole, 90° angle tongue.	C	100	\$	3,140.88
07498387183	<b>LCB250-12H-X</b>	CuLug,250kcmil,Long,1/2Stud,45°PKG10	One-hole, long barrel lug, 250 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	3,140.88
61305616974	<b>LCB250-38-X</b>	Copper Compression Lug, 1 Hole, 250 kcmi	One-hole, long barrel lug, 250 kcmil cable, 3/8" stud hole	C	100	\$	3,236.98
07498390143	<b>LCB250-78-X</b>	CuLug,250kcmil,Long,7/8StudPKG10	One-hole, long barrel lug, 250 kcmil cable, 7/8 stud hole.	C	100	\$	2,437.33
07498387186	<b>LCB250-78F-X</b>	CuLug,250kcmil,Long,7/8Stud,90°PKG10	One-hole, long barrel lug, 250 kcmil cable, 7/8 stud hole, 90° angle tongue.	C	100	\$	3,290.46
07498387185	<b>LCB250-78H-X</b>	CuLug,250kcmil,Long,7/8Stud,45°PKG10	One-hole, long barrel lug, 250 kcmil cable, 7/8 stud hole, 45° angle tongue.	C	100	\$	2,991.30

07498387178	<b>LCB3/0-12F-X</b>	CuLug,3/0AWG,Long,1/2Stud,90°PKG10	One-hole, long barrel lug, 3/0 AWG wire, 1/2 stud hole, 90° angle tongue.	C	100	\$	2,443.10
07498387177	<b>LCB3/0-12H-X</b>	CuLug,3/0AWG,Long,1/2Stud,45°PKG10	One-hole, long barrel lug, 3/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	2,559.46
07498387176	<b>LCB3/0-38F-X</b>	LG.Lug,3/0AWG, .38in,90°,NoWWDW,PK10	One-hole, long barrel lug, 3/0 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	2,443.10
07498387175	<b>LCB3/0-38H-X</b>	LG.Lug,3/0AWG, .3in,45°,NoWWDW,PK10	One-hole, long barrel lug, 3/0 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	2,326.78
07498387191	<b>LCB300-12H-X</b>	CuLug,300kcmil,Long,1/2Stud,45°PKG10	One-hole, long barrel lug, 300 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	3,552.11
07498387189	<b>LCB300-38H-X</b>	CuLug,300kcmil,Long,3/8Stud,45°PKG10	One-hole, long barrel lug, 300 kcmil cable, 3/8 stud hole, 45° angle tongue.	C	100	\$	3,552.11
07498390148	<b>LCB300-56-X</b>	CuLug,300kcmil,Long,5/16StudPKG10	One-hole, long barrel lug, 300 kcmil cable, 5/16 stud hole.	C	100	\$	2,894.36
07498387187	<b>LCB300-56H-X</b>	CuLug,300kcmil,Long,5/16Stud,45°PKG10	One-hole, long barrel lug, 300 kcmil cable, 5/16 stud hole, 45° angle tongue.	C	100	\$	3,552.11
07498387196	<b>LCB350-12F-X</b>	CuLug,350kcmil,Long,1/2Stud,90°PKG10	One-hole, long barrel lug, 350 kcmil cable, 1/2 stud hole, 90° angle tongue.	C	100	\$	3,793.95
07498387195	<b>LCB350-12H-X</b>	CuLug,350kcmil,Long,1/2Stud,45°PKG10	One-hole, long barrel lug, 350 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	3,793.95
07498390156	<b>LCB350-78-X</b>	CuLug,350kcmil,Long,7/8StudPKG10	One-hole, long barrel lug, 350 kcmil cable, 7/8 stud hole.	C	100	\$	2,944.25
07498387198	<b>LCB350-78F-X</b>	CuLug,350kcmil,Long,7/8Stud,90°PKG10	One-hole, long barrel lug, 350 kcmil cable, 7/8 stud hole, 90° angle tongue.	C	100	\$	3,974.60
07498387197	<b>LCB350-78H-X</b>	CuLug,350kcmil,Long,7/8Stud,45°PKG10	One-hole, long barrel lug, 350 kcmil cable, 7/8 stud hole, 45° angle tongue.	C	100	\$	3,613.28
07498338235	<b>LCB4-10-L</b>	CuLug,LB,4-3AWGSTR,2AWGSOL,#10StudPKG50	Copper Compression Lug, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole.	C	100	\$	661.78
07498387152	<b>LCB4-10F-L</b>	Cu,CompLug,1H,#4-#3A,#2A,#10S,90°, PK50	One-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, 90° angle tongue.	C	100	\$	893.41
07498387151	<b>LCB4-10H-L</b>	Cu,CompLug,1H,#4-#3A,#2A,#10S,45°, PK50	One-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, 45° angle tongue.	C	100	\$	812.19
61305631479	<b>LCB4-12W-L</b>	Copper Compression Lug, 1 Hole, #4 AWG,	Copper Compression Lug, 1 Hole, #4 AWG, Long Barrel, 1/2" Stud(12.7mm), Window	C	100	\$	1,062.10
61305631482	<b>LCB4-12WF-L</b>	Copper Compression Lug, 1 Hole, #4 AWG,	Copper Compression Lug, 1 Hole, #4 AWG, Long Barrel, 1/2" Stud(12.7mm), Window, 90° Bent	C	100	\$	1,434.28
61305631481	<b>LCB4-12WH-L</b>	Copper Compression Lug, 1 Hole, #4 AWG,	Copper Compression Lug, 1 Hole, #4 AWG, Long Barrel, 1/2" Stud(12.7mm), Window, 45° Bent	C	100	\$	1,434.28
61305634673	<b>LCB4-56F-L</b>	Copper 1 Hole Lug Long Barrel 90° Angle	Copper Compression Lug, 1 Hole, #4 AWG, Long Barrel, 5/16" (7.9mm) Stud, 90° Bent	C	100	\$	812.56
61305634656	<b>LCB4-56H-L</b>	Copper 1 Hole Lug Long Barrel-45° Angle	Copper Compression Lug, 1 Hole, #4 AWG, Long Barrel, 5/16" (7.9mm) Stud, 45° Bent	C	100	\$	812.56
07498387182	<b>LCB4/0-12F-X</b>	LG.Lug,4/0AWG, .5in,90°,NoWWDW,PK10	One-hole, long barrel lug, 4/0 AWG wire, 1/2 stud hole, 90° angle tongue.	C	100	\$	2,712.13
07498387181	<b>LCB4/0-12H-X</b>	LG.Lug,4/0AWG, .5in,45°,NoWWDW,PK10	One-hole, long barrel lug, 4/0 AWG wire, 1/2 stud hole, 45° angle tongue.	C	100	\$	2,841.28
07498387179	<b>LCB4/0-38H-X</b>	LG.Lug,4/0AWG, .38in,45°,NoWWDW,PK10	One-hole, long barrel lug, 4/0 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	2,684.90
07498387202	<b>LCB400-12F-6</b>	Copper Compression Lug, 1 Hole, 400 kcmil	Copper Compression Lug, 1 Hole, 400 kcmil, Long Barrel, 1/2" (12.7mm) Stud, 90° Bent	C	100	\$	4,599.08
07498387199	<b>LCB400-38H-6</b>	CuLug,400kcmil,Long,3/8Stud,45°PKG6	One-hole, long barrel lug, 400 kcmil cable, 3/8 stud hole, 45° angle tongue.	C	100	\$	4,380.05
07498390160	<b>LCB400-58-6</b>	CuLug,400kcmil,Long,5/8StudPKG6	One-hole, long barrel lug, 400 kcmil cable, 5/8 stud hole.	C	100	\$	3,569.00
07498387204	<b>LCB400-58F-6</b>	CuLug,400kcmil,Long,5/8Stud,90°PKG6	One-hole, long barrel lug, 400 kcmil cable, 5/8 stud hole, 90° angle tongue.	C	100	\$	4,818.05
07498387203	<b>LCB400-58H-6</b>	CuLug,400kcmil,Long,5/8Stud,45°PKG6	One-hole, long barrel lug, 400 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	4,380.05
07498390161	<b>LCB400-78-6</b>	CuLug,400kcmil,Long,7/8StudPKG6	One-hole, long barrel lug, 400 kcmil cable, 7/8 stud hole.	C	100	\$	3,925.86
07498387206	<b>LCB400-78F-6</b>	CuLug,400kcmil,Long,7/8Stud,90°PKG6	One-hole, long barrel lug, 400 kcmil cable, 7/8 stud hole, 90° angle tongue.	C	100	\$	4,818.05
07498387205	<b>LCB400-78H-6</b>	CuLug,400kcmil,Long,7/8Stud,45°PKG6	One-hole, long barrel lug, 400 kcmil cable, 7/8 stud hole, 45° angle tongue.	C	100	\$	4,818.05
07498387207	<b>LCB500-12H-6</b>	CuLug,500kcmil,Long,1/2Stud,45°PKG6	One-hole, long barrel lug, 500 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	5,794.40
07498387210	<b>LCB500-58F-6</b>	CuLug,500kcmil,Long,5/8Stud,90°PKG6	One-hole, long barrel lug, 500 kcmil cable, 5/8 stud hole, 90° angle tongue.	C	100	\$	5,216.79
07498387209	<b>LCB500-58H-6</b>	CuLug,500kcmil,Long,5/8Stud,45°PKG6	One-hole, long barrel lug, 500 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	5,216.79
07498387212	<b>LCB500-78F-6</b>	CuLug,500kcmil,Long,7/8Stud,90°PKG6	One-hole, long barrel lug, 500 kcmil cable, 7/8 stud hole, 90° angle tongue.	C	100	\$	5,216.79
07498387211	<b>LCB500-78H-6</b>	CuLug,500kcmil,Long,7/8Stud,45°PKG6	One-hole, long barrel lug, 500 kcmil cable, 7/8 stud hole, 45° angle tongue.	C	100	\$	5,216.79
07498387146	<b>LCB6-10F-L</b>	CuLug,#6AWG,Long,#10Stud,90°PKG50	One-hole, long barrel lug, #6 AWG wire, #10 stud hole, 90° angle tongue.	C	100	\$	659.44
07498387112	<b>LCB6-10H-L</b>	CuLug,#6AWG,Long,#10Stud,45°PKG50	One-hole, long barrel lug, #6 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	659.44
61305631556	<b>LCB6-12W-L</b>	Copper Compression Lug, 1 Hole, #6 AWG,	Copper Compression Lug, 1 Hole, #6 AWG, Long Barrel, 1/2" (12.7mm) Stud, Window	C	100	\$	1,062.10
61305631587	<b>LCB6-12WF-L</b>	Copper Compression Lug, 1 Hole, #6 AWG,	Copper Compression Lug, 1 Hole, #6 AWG, Long Barrel, 1/2" (12.7mm) Stud, Window, 90° Bent	C	100	\$	1,369.78
61305631934	<b>LCB6-12WH-L</b>	Copper Compression Lug, 1 Hole, #6 AWG,	Copper Compression Lug, 1 Hole, #6 AWG, Long Barrel, 1/2" (12.7mm) Stud, Window, 45° Bent	C	100	\$	1,369.78
07498387147	<b>LCB6-14H-L</b>	CuLug,LB,#6AWG,Long,1/4Stud,45°PKG50	One-hole, long barrel lug, #6 AWG wire, 1/4 stud hole, 45° angle tongue.	C	100	\$	556.43
07498387150	<b>LCB6-38F-L</b>	CuLug,LB,#6AWG,Long,3/8Stud,90°PKG50	One-hole, long barrel lug, #6 AWG wire, 3/8 stud hole, 90° angle tongue.	C	100	\$	612.08
07498387149	<b>LCB6-38H-L</b>	CuLug,LB,#6AWG,Long,3/8Stud,45°PKG50	One-hole, long barrel lug, #6 AWG wire, 3/8 stud hole, 45° angle tongue.	C	100	\$	612.08
07498341997	<b>LCB6-56W-L</b>	CuLug,#6AWG,Long,5/16StudPKG50	One-hole, long barrel lug with window, #6 AWG cable, 5/16 stud hole.	C	100	\$	476.49
07498387213	<b>LCB600-12H-6</b>	CuLug,600kcmil,Long,1/2Stud,45°PKG6	One-hole, long barrel lug, 600 kcmil cable, 1/2 stud hole, 45° angle tongue.	C	100	\$	10,596.69
07498387216	<b>LCB600-58F-6</b>	CuLug,1H,600kcmil,Long,5/8Stud,90°PKG6	One-hole, long barrel lug, 600 kcmil cable, 5/8 stud hole, 90° angle tongue.	C	100	\$	9,545.01
07498387215	<b>LCB600-58H-6</b>	CuLug,600kcmil,Long,5/8Stud,45°PKG6	One-hole, long barrel lug, 600 kcmil cable, 5/8 stud hole, 45° angle tongue.	C	100	\$	9,545.01
07498344913	<b>LCB750-12-6</b>	CuLug,1H,750kcmil,Long,1/2StudPKG6	One-hole, long barrel lug, 750 kcmil cable, 1/2 stud hole.	C	100	\$	7,356.01
07498383320	<b>LCB750-38W-6</b>	CuLug,750kcmil,Long,3/8StudPKG6	One-hole, long barrel lug with window, 750 kcmil cable, 3/8 stud hole.	C	100	\$	7,868.00
07498379759	<b>LCB750-58W-6</b>	CuLug,750kcmil,Long,5/8StudPKG6	One-hole, long barrel lug with window, 750 kcmil cable, 5/8 stud hole.	C	100	\$	7,661.34
07498390174	<b>LCB750-78-6</b>	CuLug,1H,750kcmil,Long,7/8StudPKG6	One-hole, long barrel lug, 750 kcmil cable, 7/8 stud hole.	C	100	\$	7,797.38
07498379760	<b>LCB750-78W-6</b>	CuLug,750kcmil,Long,7/8StudPKG6	One-hole, long barrel lug with window, 750 kcmil cable, 7/8 stud hole.	C	100	\$	8,427.45
07498387099	<b>LCB8-10F-L</b>	CuLug,#8AWG,Long,#10Stud,90°PKG50	One-hole, long barrel lug, #8 AWG wire, #10 stud hole, 90° angle tongue.	C	100	\$	641.34
07498387000	<b>LCB8-10H-L</b>	CuLug,#8AWG,Long,#10Stud,45°PKG50	One-hole, long barrel lug, #8 AWG wire, #10 stud hole, 45° angle tongue.	C	100	\$	583.01
07498387111	<b>LCB8-14F-L</b>	CuLug,#8AWG,Long,1/4Stud,90°PKG50	One-hole, long barrel lug, #8 AWG wire, 1/4 stud hole, 90° angle tongue.	C	100	\$	641.34
07498390177	<b>LCB800-58-6</b>	CuLug,800kcmil,Long,5/8Stud,PKG6	One-hole, long barrel lug, 800 kcmil cable, 5/8 stud hole.	C	100	\$	11,977.55
07498379761	<b>LCB800-58W-6</b>	CuLug,800kcmil,Long,5/8StudPKG6	One-hole, long barrel lug with window, 800 kcmil cable, 5/8 stud hole.	C	100	\$	11,727.89
07498390146	<b>LCBH250-12-X</b>	Cu,CompLug,1H,250K,CRT,1/2S,PK10	One-hole, long barrel lug with corona relief taper, 250 kcmil cable, 1/2 stud hole.	C	100	\$	2,711.76
07498364522	<b>LCBX1-12-X</b>	Copper Compression Lug, 1 Hole, #1 AWG F	One-hole, flex lug, long barrel, #1 AWG, 1/2" stud hole.	C	100	\$	1,259.20
07498343667	<b>LCBX1-14-X</b>	CuLug,#1AWG,Long,1/4StudPKG10	One-hole, flex lug, long barrel, #1 AWG, 1/4 stud hole.	C	100	\$	1,183.53
07498343670	<b>LCBX1-14F-X</b>	CuLug,#1AWG,Long,1/4Stud,90°PKG10	One-hole, flex lug, long barrel, #1 AWG, 1/4 stud hole, 90° angle tongue.	C	100	\$	1,597.56
07498343668	<b>LCBX1-14H-X</b>	CuLug,#1AWG,Long,1/4Stud,45°PKG10	One-hole, flex lug, long barrel, #1 AWG, 1/4 stud hole, 45° angle tongue.	C	100	\$	1,521.50
07498343679	<b>LCBX1-38F-X</b>	CuLug,#1AWG,Long,3/8Stud,90°PKG10	One-hole, flex lug, long barrel, #1 AWG, 3/8 stud hole, 90° angle tongue.	C	100	\$	1,758.39
07498343677	<b>LCBX1-38H-X</b>	CuLug,#1AWG,Long,3/8Stud,45°PKG10	One-hole, flex lug, long barrel, #1 AWG, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,598.53
07498343671	<b>LCBX1-56-X</b>	CuLug,#1AWG,Long,5/16StudPKG10	One-hole, flex lug, long barrel, #1 AWG, 5/16 stud hole.	C	100	\$	1,231.04
07498343674	<b>LCBX1-56F-X</b>	CuLug,#1AWG,Long,5/16Stud,90°PKG10	One-hole, flex lug, long barrel, #1 AWG, 5/16 stud hole, 90° angle tongue.	C	100	\$	1,582.83
07498343673	<b>LCBX1-56H-X</b>	CuLug,#1AWG,Long,5/16Stud,45°PKG10	One-hole, flex lug, long barrel, #1 AWG, 5/16 stud hole, 45° angle tongue.	C	100	\$	1,582.83
07498343692	<b>LCBX1/0-12F-X</b>	CuLugF,1/0AWG,Long,1/2Stud,90°PKG10	One-hole, flex lug, long barrel, 1/0 AWG, 1/2 stud hole, 90° angle tongue.	C	100	\$	2,015.61
07498343691	<b>LCBX1/0-12H-X</b>	CuLugF,1/0AWG,Long,1/2Stud,45°PKG10	One-hole, flex lug, long barrel, 1/0 AWG, 1/2 stud hole, 45° angle tongue.	C	100	\$	1,832.36
07498343683	<b>LCBX1/0-14F-X</b>	CuLug,1/0AWG,Long,1/4Stud,90°PKG10	One-hole, flex lug, long barrel, 1/0 AWG, 1/4 stud hole, 90° angle tongue.	C	100	\$	1,774.31
07498343682	<b>LCBX1/0-14H-X</b>	CuLug,1/0AWG,Long,1/4Stud,45°PKG10	One-hole, flex lug, long barrel, 1/0 AWG, 1/4 stud hole, 45° angle tongue.	C	100	\$	1,858.81
07498343688	<b>LCBX1/0-38F-X</b>	CuLugF,1/0AWG,Long,3/8Stud,90°PKG10	One-hole, flex lug, long barrel, 1/0 AWG, 3/8 stud hole, 90° angle tongue.	C	100	\$	1,867.91
07498343686	<b>LCBX1/0-38H-X</b>	CuLugF,1/0AWG,Long,3/8Stud,45°PKG10	One-hole, flex lug, long barrel, 1/0 AWG, 3/8 stud hole, 45° angle tongue.	C	100	\$	1,956.84
07498344309	<b>LCBX2-12F-E</b>	CuLug,#2AWG,Long,1/2Stud,90°PKG20	One-hole, flex lug, long barrel, #2 AWG, 1/2 stud hole, 90° angle tongue.	C	100	\$	1,713.21
07498344310	<b>LCBX2-12H-E</b>	CuLug,#2AWG,Long,1/2Stud,45°PKG20	One-hole, flex lug, long barrel, #2 AWG, 1/2 stud hole, 45° angle tongue.	C	100	\$	1,557.46

07498344313	<b>LCBX2-14H-E</b>	CuLug,#2AWG,Long,1/4Stud,45°PKG20	One-hole, flex lug, long barrel, #2 AWG, 1/4 stud hole, 45° angle tongue.	C	100	\$	1,511.94
07498344315	<b>LCBX2-38F-E</b>	CuLug,#2AWG,Long,3/8Stud,90°PKG20	One-hole, flex lug, long barrel, #2 AWG, 3/8 stud hole, 90° angle tongue.	C	100	\$	1,587.59
07498343709	<b>LCBX2/0-12F-X</b>	CuLug,2/0AWG,Long,1/2Stud,90°PKG10	One-hole, flex lug, long barrel, 2/0 AWG, 1/2 stud hole, 90° angle tongue.	C	100	\$	2,262.06
07498343706	<b>LCBX2/0-12H-X</b>	CuLugF,2/0AWG,Long,1/2Stud,45°PKG10	One-hole, flex lug, long barrel, 2/0 AWG, 1/2 stud hole, 45° angle tongue.	C	100	\$	2,369.75
07498343694	<b>LCBX2/0-14-X</b>	CuLug,2/0AWG,Long,1/4StudPKG10	One-hole, flex lug, long barrel, 2/0 AWG, 1/4 stud hole, 90° angle tongue.	C	100	\$	1,548.68
07498343697	<b>LCBX2/0-14F-X</b>	CuLug,2/0AWG,Long,1/4Stud,90°PKG10	One-hole, flex lug, long barrel, 2/0 AWG, 1/4 stud hole, 90° angle tongue.	C	100	\$	2,191.79
07498343695	<b>LCBX2/0-14H-X</b>	CuLug,2/0AWG,Long,1/4Stud,45°PKG10	One-hole, flex lug, long barrel, 2/0 AWG, 1/4 stud hole, 45° angle tongue.	C	100	\$	1,992.54
07498343701	<b>LCBX2/0-38F-X</b>	CuLugF,2/0AWG,Long,3/8Stud,90°PKG10	One-hole, flex lug, long barrel, 2/0 AWG, 3/8 stud hole, 90° angle tongue.	C	100	\$	2,196.53
07498343700	<b>LCBX2/0-38H-X</b>	CuLugF,2/0AWG,Long,3/8Stud,45°PKG10	One-hole, flex lug, long barrel, 2/0 AWG, 3/8 stud hole, 45° angle tongue.	C	100	\$	2,301.14
07498343745	<b>LCBX250-38F-X</b>	CuLug,250kcmil,Long,3/8Stud,90°PKG10	One-hole, flex lug, long barrel, 250 kcmil, 3/8 stud hole, 90° angle tongue.	C	100	\$	4,358.60
07498312656	<b>LCBX250-58-X</b>	CuLug,250kcmil,Long,5/8StudPKG10	One-hole, flex lug, long barrel, 250 kcmil, 5/8 stud hole.	C	100	\$	3,170.06
07498343715	<b>LCBX3/0-38H-X</b>	LGFlexLug,3/0AWG,.38in,45°,WDW,PK10	One-hole, flex lug, long barrel, 3/0 AWG, 3/8 stud hole, 45° angle tongue.	C	100	\$	2,855.35
07498357608	<b>LCBX300-12F-6</b>	CuLug,300kcmil,Long,1/2Stud,90°PKG6	One-hole, flex lug, long barrel, 300 kcmil, 1/2 stud hole, 90° angle tongue.	C	100	\$	4,365.74
07498357609	<b>LCBX300-12H-6</b>	CuLug,300kcmil,Long,1/2Stud,45°PKG6	One-hole, flex lug, long barrel, 300 kcmil, 1/2 stud hole, 45° angle tongue.	C	100	\$	4,365.74
07498343754	<b>LCBX300-38F-6</b>	CuLug,300kcmil,Long,3/8Stud,90°PKG6	One-hole, flex lug, long barrel, 300 kcmil, 3/8 stud hole, 90° angle tongue.	C	100	\$	4,637.74
07498343751	<b>LCBX300-38H-6</b>	CuLug,300kcmil,Long,3/8Stud,45°PKG6	One-hole, flex lug, long barrel, 300 kcmil, 3/8 stud hole, 45° angle tongue.	C	100	\$	4,216.13
07498343772	<b>LCBX350-12F-6</b>	CuLug,350kcmil,Long,1/2Stud,90°PKG6	One-hole, flex lug, long barrel, 350 kcmil, 1/2 stud hole, 90° angle tongue.	C	100	\$	5,903.14
07498343769	<b>LCBX350-12H-6</b>	CuLug,350kcmil,Long,1/2Stud,45°PKG6	One-hole, flex lug, long barrel, 350 kcmil, 1/2 stud hole, 45° angle tongue.	C	100	\$	5,366.50
07498343763	<b>LCBX350-38F-6</b>	CuLug,350kcmil,Long,3/8Stud,90°PKG6	One-hole, flex lug, long barrel, 350 kcmil, 3/8 stud hole, 90° angle tongue.	C	100	\$	5,209.49
07498343760	<b>LCBX350-38H-6</b>	CuLug,350kcmil,Long,3/8Stud,45°PKG6	One-hole, flex lug, long barrel, 350 kcmil, 3/8 stud hole, 45° angle tongue.	C	100	\$	5,209.49
07498342883	<b>LCBX4-14H-L</b>	CuLug,#4AWG,Long,1/4Stud,45°PKG50	One-hole, flex lug, long barrel, #4 AWG, 1/4 stud hole, 45° angle tongue.	C	100	\$	827.89
07498342887	<b>LCBX4-38F-L</b>	CuLug,#4AWG,Long,3/8Stud,90°PKG50	One-hole, flex lug, long barrel, #4 AWG, 3/8 stud hole, 90° angle tongue.	C	100	\$	869.24
07498342886	<b>LCBX4-38H-L</b>	CuLug,#4AWG,Long,3/8Stud,45°PKG50	One-hole, flex lug, long barrel, #4 AWG, 3/8 stud hole, 45° angle tongue.	C	100	\$	869.24
07498343733	<b>LCBX4/0-12H-X</b>	LGFlexLug,4/0AWG,.5in,45°,WDW,PK10	One-hole, flex lug, long barrel, 4/0 AWG, 1/2 stud hole, 45° angle tongue.	C	100	\$	3,186.83
07498343727	<b>LCBX4/0-38F-X</b>	LGFlexLug,4/0AWG,.38in,45°,WDW,PK10	One-hole, flex lug, long barrel, 4/0 AWG, 3/8 stud hole, 90° angle tongue.	C	100	\$	3,094.33
07498343724	<b>LCBX4/0-38H-X</b>	LGFlexLug,4/0AWG,.38in,45°,WDW,PK10	One-hole, flex lug, long barrel, 4/0 AWG, 3/8 stud hole, 45° angle tongue.	C	100	\$	3,094.33
07498357615	<b>LCBX450-38F-6</b>	CuLug,450kcmil,Long,3/8Stud,90°PKG6	One-hole, flex lug, long barrel, 450 kcmil, 3/8 stud hole, 90° angle tongue.	C	100	\$	8,178.49
07498357622	<b>LCBX450-38H-6</b>	CuLug,450kcmil,Long,3/8Stud,45°PKG6	One-hole, flex lug, long barrel, 450 kcmil, 3/8 stud hole, 45° angle tongue.	C	100	\$	8,178.49
07498357630	<b>LCBX500-12F-6</b>	CuLug,500kcmil,Long,1/2Stud,90°PKG6	One-hole, flex lug, long barrel, 500 kcmil, 1/2 stud hole, 90° angle tongue.	C	100	\$	9,528.44
07498357631	<b>LCBX500-12H-6</b>	CuLug,500kcmil,Long,1/2Stud,45°PKG6	One-hole, flex lug, long barrel, 500 kcmil, 1/2 stud hole, 45° angle tongue.	C	100	\$	8,662.21
07498357633	<b>LCBX500-38F-6</b>	CuLug,500kcmil,Long,3/8Stud,90°PKG6	One-hole, flex lug, long barrel, 500 kcmil, 3/8 stud hole, 90° angle tongue.	C	100	\$	9,105.65
07498357634	<b>LCBX500-38H-6</b>	CuLug,500kcmil,Long,3/8Stud,45°PKG6	One-hole, flex lug, long barrel, 500 kcmil, 3/8 stud hole, 45° angle tongue.	C	100	\$	9,105.65
07498342877	<b>LCBX6-14H-L</b>	CuLugF,#6AWG,Long,1/4Stud,45°PKG50	One-hole, flex lug, long barrel, #6 AWG, 1/4 stud hole, 45° angle tongue.	C	100	\$	612.39
07498342881	<b>LCBX6-38F-L</b>	CuLugF,#6AWG,Long,3/8Stud,90°PKG50	One-hole, flex lug, long barrel, #6 AWG, 3/8 stud hole, 90° angle tongue.	C	100	\$	643.80
07498342880	<b>LCBX6-38H-L</b>	CuLugF,#6AWG,Long,3/8Stud,45°PKG50	One-hole, flex lug, long barrel, #6 AWG, 3/8 stud hole, 45° angle tongue.	C	100	\$	585.28
07498342343	<b>LCBX8-10F-L</b>	CuLugF,#8AWG,Long,#10Stud,90°PKG50	One-hole, flex lug, long barrel, #8 AWG, #10 stud hole, 90° angle tongue.	C	100	\$	658.00
07498343650	<b>LCBX8-10H-L</b>	CuLugF,#8AWG,Long,#10Stud,45°PKG50	One-hole, flex lug, long barrel, #8 AWG, #10 stud hole, 45° angle tongue.	C	100	\$	626.69
07498342346	<b>LCBX8-14F-L</b>	CuLugF,#8AWG,Long,1/4Stud,90°PKG50	One-hole, flex lug, long barrel, #8 AWG, 1/4 stud hole, 90° angle tongue.	C	100	\$	695.64
07498343652	<b>LCBX8-14H-L</b>	CuLugF,#8AWG,Long,1/4Stud,45°PKG50	One-hole, flex lug, long barrel, #8 AWG, 1/4 stud hole, 45° angle tongue.	C	100	\$	695.64
07498342350	<b>LCBX8-38F-L</b>	CuLug,#8AWG,Long,3/8Stud,90°PKG50	One-hole, flex lug, long barrel, #8 AWG, 3/8 stud hole, 90° angle tongue.	C	100	\$	664.33
07498342418	<b>LCBX8-38H-L</b>	CuLug,#8AWG,Long,3/8Stud,45°PKG50	One-hole, flex lug, long barrel, #8 AWG, 3/8 stud hole, 45° angle tongue.	C	100	\$	664.33
07498390072	<b>LCC1-12F-E</b>	CuLugLB,2Hole,#1AWG,1/2Stud,90°PKG20	Two-hole, long barrel lug, #1 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,558.56
07498390071	<b>LCC1-12H-E</b>	CuLugLB,2Hole,#1AWG,1/2Stud,45°PKG20	Two-hole, long barrel lug, #1 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,325.98
07498380685	<b>LCC1-12WF-E</b>	CuLugLBW,2Hole,#1AWG,1/2Stud,90°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,451.44
07498380781	<b>LCC1-12WH-E</b>	CuLugLBW,2Hole,#1AWG,1/2Stud,45°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,451.44
07498390053	<b>LCC1-14AF-E</b>	CuLugLB,2Hole,#1AWG,1/4,5/8,90°PKG20	Two-hole, long barrel lug, #1 AWG wire, 1/4 stud hole, 5/8 hole spacing, 90° angle tongue.	C	100	\$	2,604.74
07498390049	<b>LCC1-14AH-E</b>	CuLugLBW,2Hole,#1AWG,1/4,.63,90°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,480.73
07498380695	<b>LCC1-14AWF-E</b>	CuLugLB,2Hole,#1AWG,1/4,63,45°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,412.78
07498380782	<b>LCC1-14AWH-E</b>	CuLugLB,2Hole,#1AWG,1/4,63,45°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,193.44
0749838242	<b>LCC1-14B-E</b>	CuLugLB,2Hole,#1AWG,1/4Stud,.75PKG20	Two-hole, long barrel lug, #1 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,930.06
07498390058	<b>LCC1-14BF-E</b>	CuLugLB,2Hole,#1AWG,1/4,3/4,90°PKG20	Two-hole, long barrel lug, #1 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,478.43
07498390054	<b>LCC1-14BH-E</b>	CuLugLB,2Hole,#1AWG,1/4,3/4,45°PKG20	Two-hole, long barrel lug, #1 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,478.43
07498379801	<b>LCC1-14BW-E</b>	CuLug,2Hole,#10AWG,1/4Stud,.75PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,803.51
07498380699	<b>LCC1-14BWF-E</b>	CuLugLBW,2Hole,#1AWG,1/4,.75,90°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,213.53
07498380783	<b>LCC1-14BWH-E</b>	CuLugLBW,2Hole,#1AWG,1/4Stud,45°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,213.53
07498390068	<b>LCC1-38DF-E</b>	CuLugLB,2Hole,#1AWG,3/8,1.90°PKG20	Two-hole, long barrel lug, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,302.76
07498390067	<b>LCC1-38DH-E</b>	CuLugLB,2Hole,#1AWG,3/8,1.45°PKG20	Two-hole, long barrel lug, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,302.76
07498380708	<b>LCC1-38DWF-E</b>	CuLugLBW,2Hole,#1AWG,3/8,1.90°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,532.58
07498380784	<b>LCC1-38DWH-E</b>	CuLugLBW,2Hole,#1AWG,3/8,1.45°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,302.35
07498338244	<b>LCC1-56B-E</b>	CuLugLB,2Hole,#1AWG,5/16,.75PKG20	Two-hole, long barrel lug, #1 AWG wire, 5/16 stud hole, .75 hole spacing.	C	100	\$	1,941.75
07498390062	<b>LCC1-56BF-E</b>	CuLugLBL,2Hole,#1AWG,5/16,3/4,90°PKG20	Two-hole, long barrel lug, #1 AWG wire, 5/16 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,382.59
07498390061	<b>LCC1-56BH-E</b>	CuLugLB,2Hole,#1AWG,5/16,3/4,45°PKG20	Two-hole, long barrel lug, #1 AWG wire, 5/16 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,382.59
07498379803	<b>LCC1-56BW-E</b>	CuLugLBW,2Hole,#1AWG,5/16,.75PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 5/16 stud hole, .75 hole spacing.	C	100	\$	1,803.51
07498380709	<b>LCC1-56BWF-E</b>	CuLugLBW,2Hole,#1AWG,5/16,.75,90°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 5/16 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,213.53
07498380785	<b>LCC1-56BWH-E</b>	CuLugLBW,2Hole,#1AWG,5/16,.75,45°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 5/16 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,213.53
07498338245	<b>LCC1-56C-E</b>	CuLugLB,2Hole,#1AWG,5/16,.88PKG20	Two-hole, long barrel lug, #1 AWG wire, 5/16 stud hole, .88 hole spacing.	C	100	\$	1,941.75
07498390066	<b>LCC1-56CF-E</b>	CuLugLB,2Hole,#1AWG,5/16,7/8,90°PKG20	Two-hole, long barrel lug, #1 AWG wire, 5/16 stud hole, 7/8 hole spacing, 90° angle tongue.	C	100	\$	2,620.86
07498390063	<b>LCC1-56CH-E</b>	CuLugLB,2Hole,#1AWG,5/16,7/8,45°PKG20	Two-hole, long barrel lug, #1 AWG wire, 5/16 stud hole, 7/8 hole spacing, 45° angle tongue.	C	100	\$	2,382.59
07498379804	<b>LCC1-56CW-E</b>	CuLugLBW,2Hole,#1AWG,5/16,.88PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 5/16 stud hole, .88 hole spacing.	C	100	\$	1,803.51
07498380718	<b>LCC1-56CWF-E</b>	CuLugLBW,2Hole,#1AWG,5/16,.88,90°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 5/16 stud hole, .88 hole spacing, 90° angle tongue.	C	100	\$	2,213.53
07498380786	<b>LCC1-56CWH-E</b>	CuLugLBW,2Hole,#1AWG,5/16,.88,45°PKG20	Two-hole, long barrel lug with window, #1 AWG wire, 5/16 stud hole, .88 hole spacing, 45° angle tongue.	C	100	\$	2,213.53
61305611149	<b>LCC1/0-12-B-X</b>	Cu Lug,DB,1/0AWG,2H,1/2Stud,1.75HS,PK10	Direct Burial Grounding Lug for 1/0 AWG wire.	C	100	\$	2,021.20
07498338268	<b>LCC1/0-12D-X</b>	CuLugLB,2Hole,1/0AWG,1/2,1PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 1/2 stud hole, 1 hole spacing.	C	100	\$	2,089.44
07498390084	<b>LCC1/0-12DF-X</b>	CuLugLB,2Hole,1/0AWG,1/2,1.90°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,564.14
07498390083	<b>LCC1/0-12DH-X</b>	CuLugLB,2Hole,1/0AWG,1/2,1.45°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 1/2 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,564.14
07498379807	<b>LCC1/0-12DW-X</b>	CuLugLBW,2Hole,1/0AWG,1/2,1PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/2 stud hole, 1 hole spacing.	C	100	\$	2,030.20
07498380722	<b>LCC1/0-12DWF-X</b>	CuLugLBW,2Hole,1/0AWG,1/2,1.90°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,491.63

07498380787	LCC1/0-12DWH-X	CuLugLBW,2Hole,1/0AWG,1/2,1,45°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/2 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,491.63
07498390086	LCC1/0-12F-X	CuLugLB,2Hole,1/0AWG,1/2,13/4,90°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,820.61
07498390085	LCC1/0-12H-X	CuLugLB,2Hole,1/0AWG,1/2,13/4,45°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,564.18
07498380719	LCC1/0-12WF-X	CuLugLBW,2Hole,1/0AWG,1/2,1,75,90°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,693.04
07498380788	LCC1/0-12WH-X	CuLugLBW,2Hole,1/0AWG,1/2,1,75,45°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/2 stud holes, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,693.04
07498390074	LCC1/0-14AF-X	CuLugLB,2Hole,1/0AWG,1/4,5/8,90°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 1/4 stud hole, 5/8 hole spacing, 90° angle tongue.	C	100	\$	3,008.50
07498390073	LCC1/0-14AH-X	CuLugLB,2Hole,1/0AWG,1/4,5/8,45°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 1/4 stud hole, 5/8 hole spacing, 45° angle tongue.	C	100	\$	2,735.00
07498380724	LCC1/0-14AWF-X	CuLugLBW,2Hole,1/0AWG,1/4,63,90°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,861.10
07498380789	LCC1/0-14AWH-X	CuLugLBW,2Hole,1/0AWG,1/4,63,45°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,540.15
07498390076	LCC1/0-14BF-X	CuLugLB,2Hole,1/0AWG,1/4,3/4,90°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	3,008.50
07498390075	LCC1/0-14BH-X	CuLugLB,2Hole,1/0AWG,1/4,3/4,45°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,735.00
07498379809	LCC1/0-14BW-X	CuLugLBW,2Hole,1/0AWG,1/4,75PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,900.31
07498380725	LCC1/0-14BWF-X	CuLugLBW,2Hole,1/0AWG,1/4,75,90°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,443.50
07498380790	LCC1/0-14BWH-X	CuLugLBW,2Hole,1/0AWG,1/4,75,45°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,443.50
07498380726	LCC1/0-14DWF-X	CuLugLBW,2Hole,1/0AWG,1/4,1,90°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,748.33
07498380791	LCC1/0-14DWH-X	CuLugLBW,2Hole,1/0AWG,1/4,1,45°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,748.33
07498363924	LCC1/0-38-X	Cu Lug,1/0AWG,2H,3/8Stud,1.75HS,PK10	Two-hole, long barrel lug, 1/0 AWG wire, 3/8" stud hole, 1.75" hole spacing.	C	100	\$	2,078.99
07498390082	LCC1/0-38DF-X	CuLugLB,2Hole,1/0AWG,3/8,1,90°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,665.36
07498390081	LCC1/0-38DH-X	CuLugLB,2Hole,1/0AWG,3/8,1,45°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,792.30
07498380728	LCC1/0-38DWF-X	CuLugLBW,2Hole,1/0AWG,3/8,1,90°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,538.65
07498380793	LCC1/0-38DWH-X	CuLugLBW,2Hole,1/0AWG,3/8,1,45°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,538.65
07498380727	LCC1/0-38WF-X	CuLugLBW,2Hole,1/0AWG,3/8,1,75,90°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 3/8 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,854.89
07498380792	LCC1/0-38WH-X	CuLugLBW,2Hole,1/0AWG,3/8,1,75,45°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 1/4 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,718.95
07498382772	LCC1/0-56C-X	CuLugLB,2Hole,1/0AWG,5/16,88PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 5/16 stud hole, .88 hole spacing.	C	100	\$	2,228.43
07498390078	LCC1/0-56CF-X	CuLugLBW,2Hole,1/0AWG,5/16,7/8,90°PKG10	Two-hole, long barrel lug with window, 1/0 AWG wire, 5/16 stud hole, 7/8 hole spacing, 90° angle tongue.	C	100	\$	3,008.50
07498390077	LCC1/0-56CH-X	CuLugLB,2Hole,1/0AWG,5/16,7/8,45°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 5/16 stud hole, 7/8 hole spacing, 45° angle tongue.	C	100	\$	2,735.00
07498338273	LCC1/0-56D-X	CuLugLB,2Hole,1/0AWG,5/16,1PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	2,127.14
07498390080	LCC1/0-56DF-X	CuLugLB,2Hole,1/0AWG,5/16,1,90°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,735.00
07498390079	LCC1/0-56DH-X	CuLugLB,2Hole,1/0AWG,5/16,1,45°PKG10	Two-hole, long barrel lug, 1/0 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,008.50
07498397385	LCC10-14AWH-L	CuLugLBW,2Hole,#10AWG,1/4,63,45°PKG50	Two-hole, long barrel lug with window, #10 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,124.35
07498397388	LCC10-14BWH-L	CuLugLBW,2Hole,#10AWG,1/4,75,45°PKG50	Two-hole, long barrel lug with window, #10 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,947.85
07498345576	LCC10-14DW-L	CuLug,2 Hole,#10AWG,1/4Stud,1PKG50	Two-hole, long barrel lug with window, #10 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,502.04
07498390222	LCC1000-00-3	CuLug,Blank,1000kcmil,LongPKG3	Blank tongue, long barrel lug, 1000 kcmil cable.	C	100	\$	16,485.33
07498353733	LCC1000-38D-3	CuLugLB,2Hole,1000kcmil,3/8,1PKG3	Two-hole, long barrel lug, 1000 kcmil cable, 3/8 stud hole, 1.00 hole spacing.	C	100	\$	16,947.63
07498379862	LCC1000-38DW-3	CuLugLBW,2Hole,1000kcmil,3/8,1PKG3	Two-hole, long barrel lug with window, 1000 kcmil, 3/8 stud hole, 1.00 hole spacing.	C	100	\$	13,389.73
61305634384	LCC1000-38WH-3	Copper Compression Lug, 2 Hole, 1000 kcm		C	100	\$	21,726.61
07498390298	LCC2-00-Q	CuLug,Blank,#2AWG,Long,PKG25	Blank tongue, long barrel lug, #2 AWG wire.	C	100	\$	1,597.75
07498386846	LCC2-10AWF-Q	CuLugLBW,2Hole,#2AWG,#10,63,90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, #10 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,181.91
07498386845	LCC2-10AWH-Q	CuLugLBW,2Hole,#2AWG,#10,63,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, #10 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,181.91
07498379787	LCC2-10BW-Q	CuLug,2Hole,#2AWG,#10Stud,75PKG25	Two-hole, long barrel lug with window, #2 AWG wire, #10 stud hole, .75 hole spacing.	C	100	\$	1,616.73
07498380592	LCC2-10BWF-Q	CuLugLBW,2Hole,#2AWG,#10,75,90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, #10 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,981.98
07498380770	LCC2-10BWH-Q	CuLugLBW,2Hole,#2AWG,#10,75,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, #10 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,180.16
61305611148	LCC2-12-B-Q	Cu Lug,DB,#2,2H,1/2Stud,1.75HS,PK25	Direct Burial Grounding Lug for 2 AWG wire.	C	100	\$	1,908.26
07498390044	LCC2-12F-Q	CuLug,2Hole,#2AWG,1/2Stud,90°PKG25	Two-hole, long barrel lug, #2 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,259.65
07498390043	LCC2-12H-Q	CuLug,2Hole,#2AWG,1/2Stud,45°PKG25	Two-hole, long barrel lug, #2 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,259.65
07498380593	LCC2-12WF-Q	CuLug,2Hole,#2 AWG,1/2Stud,90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,209.30
07498380771	LCC2-12WH-Q	CuLug,2Hole,#2 AWG,1/2Stud,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,209.30
07498380772	LCC2-14AWH-Q	CuLugLBW,2Hole,#2AWG,1/4,63,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,082.73
07498390024	LCC2-14BH-Q	CuLugLB,2Hole,#2AWG,3/8,3/4,45°PKG25	Two-hole, long barrel lug, #2 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,323.05
07498380773	LCC2-14BWH-Q	CuLugLBW,2Hole,#2AWG,1/4,75,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,204.00
07498380774	LCC2-14DWH-Q	CuLugLBW,2Hole,#2AWG,1/4,1,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,248.45
07498380598	LCC2-38BWF-Q	CuLugLBW,2Hole,#2AWG,3/8,75,90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,043.83
07498380776	LCC2-38BWH-Q	CuLugLBW,2Hole,#2AWG,3/8,75,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,043.83
07498380599	LCC2-38CWF-Q	CuLugLBW,2Hole,#2AWG,3/8,88,90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud hole, .88 hole spacing, 90° angle tongue.	C	100	\$	2,104.64
07498380777	LCC2-38CWH-Q	CuLugLBW,2Hole,#2AWG,3/8,88,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud hole, .88 hole spacing, 45° angle tongue.	C	100	\$	2,104.64
07498390042	LCC2-38DF-Q	CuLugLB,2Hole,#2AWG,3/8,1,90°PKG25	Two-hole, long barrel lug, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,237.21
07498390039	LCC2-38DH-Q	CuLugLB,2Hole,#2AWG,3/8,1,45°PKG25	Two-hole, long barrel lug, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,237.21
07498380681	LCC2-38DWF-Q	CuLugLBW,2Hole,#2AWG,3/8,1,90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud holes, 1 hole spacing, 90° angle tongue.	C	100	\$	2,188.76
07498380778	LCC2-38DWH-Q	CuLugLBW,2Hole,#2AWG,3/8,1,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,192.09
07498390038	LCC2-38F-Q	CuLugLB,2Hole,#2AWG,3/8,13/4,90°PKG25	Two-hole, long barrel lug, #2 AWG wire, 3/8 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,054.25
07498390037	LCC2-38H-Q	CuLugLB,2Hole,#2AWG,3/8,13/4,45°PKG25	Two-hole, long barrel lug, #2 AWG wire, 3/8 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,054.25
07498380597	LCC2-38WF-Q	CuLugLBW,2Hole,#2AWG,3/8,1,75,90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,412.19
07498380775	LCC2-38WH-Q	CuLugLBW,2Hole,#2AWG,3/8,1,75,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 3/8 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,192.90
07498390032	LCC2-56BF-Q	CuLugLB,2Hole,#2AWG,5/16,3/4,90°PKG25	Two-hole, long barrel lug, #2 AWG wire, 5/16 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,051.39
07498390029	LCC2-56BH-Q	CuLugLB,2Hole,#2AWG,5/16,3/4,45°PKG25	Two-hole, long barrel lug, #2 AWG wire, 5/16 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,051.39
07498379796	LCC2-56BW-Q	CuLugLBW,2Hole,#2AWG,5/16,75PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 5/16 stud hole, .75 hole spacing.	C	100	\$	1,649.19
07498380682	LCC2-56BWF-Q	CuLugLBW,2Hole,#2AWG,5/16,75,90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 5/16 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,124.93
07498380779	LCC2-56BWH-Q	CuLugLBW,2Hole,#2AWG,5/16,75,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 5/16 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,023.75
07498338251	LCC2-56C-Q	CuLugLB,2Hole,#2AWG,5/16,88PKG25	Two-hole, long barrel lug, #2 AWG wire, 5/16 stud hole, .88 hole spacing.	C	100	\$	1,672.71
07498390034	LCC2-56CF-Q	CuLugLB,2Hole,#2AWG,5/16,7/8,90°PKG25	Two-hole, long barrel lug, #2 AWG wire, 5/16 stud hole, 7/8 hole spacing, 90° angle tongue.	C	100	\$	2,051.39
07498390033	LCC2-56CH-Q	CuLugLB,2Hole,#2AWG,5/16,7/8,45°PKG25	Two-hole, long barrel lug, #2 AWG wire, 5/16 stud hole, 7/8 hole spacing, 45° angle tongue.	C	100	\$	2,051.39
07498379797	LCC2-56CWF-Q	CuLugLBW,2Hole,#2AWG,5/16,88PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 5/16 stud hole, .88 hole spacing.	C	100	\$	1,558.89
07498380684	LCC2-56CWH-Q	CuLugLBW,2Hole,#2AWG,5/16,88,90°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 5/16 stud hole, .88 hole spacing, 90° angle tongue.	C	100	\$	2,104.64
07498380780	LCC2-56CWF-Q	CuLugLBW,2Hole,#2AWG,5/16,88,45°PKG25	Two-hole, long barrel lug with window, #2 AWG wire, 5/16 stud hole, .88 hole spacing, 45° angle tongue.	C	100	\$	2,104.64
61305611150	LCC2/0-12-B-X	Cu Lug,DB,2/0AWG,2H,1/2Stud,1.75HS,PK10	Direct Burial Grounding Lug for 2/0 AWG wire.	C	100	\$	2,052.80
07498338274	LCC2/0-12D-X	CuLugLB,2Hole,2/0AWG,1/2,1PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 1/2 stud hole, 1 hole spacing.	C	100	\$	1,988.95
07498390137	LCC2/0-12DF-X	CuLugLB,2Hole,2/0AWG,1/2,1,90°PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,557.10

07498390133	LCC2/0-12DH-X	CuLugLB,2Hole,2/0AWG,1/2,1.45"PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 1/2 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,557.10
07498379815	LCC2/0-12DW-X	CuLugLBW,2Hole,2/0AWG,1/2,1PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/2 stud hole, 1 hole spacing.	C	100	\$	1,988.95
07498380730	LCC2/0-12DWF-X	CuLugLBW,2Hole,2/0AWG,1/2,1.90"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,557.15
07498380795	LCC2/0-12DWH-X	CuLugLBW,2Hole,2/0AWG,1/2,1.45"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/2 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,557.15
07498390142	LCC2/0-12F-X	CuLugLB,2Hole,2/0AWG,1/2,13/4,90"PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,841.28
07498390138	LCC2/0-12H-X	CuLugLB,2Hole,2/0AWG,1/2,13/4,45"PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,841.28
07498380729	LCC2/0-12WF-X	CuLugLBW,2Hole,2/0AWG,1/2,1.75,90"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,980.35
07498380794	LCC2/0-12WH-X	CuLugLBW,2Hole,2/0AWG,1/2,1.75,45"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,980.35
07498338275	LCC2/0-14A-X	CuLug,2 Hole,2/0 AWG,1/4Stud,.63PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	2,142.90
07498390121	LCC2/0-14AF-X	CuLugLB,2Hole,2/0AWG,1/4,5/8,90"PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 1/4 stud hole, 5/8 hole spacing, 90° angle tongue.	C	100	\$	3,030.71
07498390089	LCC2/0-14AH-X	CuLugLB,2Hole,2/0AWG,1/4,5/8,45"PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 1/4 stud hole, 5/8 hole spacing, 45° angle tongue.	C	100	\$	2,755.19
07498379816	LCC2/0-14AW-X	CuLugLBW,2Hole,2/0AWG,1/4,63PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,894.05
07498380731	LCC2/0-14AWF-X	CuLugLBW,2Hole,2/0AWG,1/4,.63,90"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,678.54
07498380796	LCC2/0-14AWH-X	CuLugLBW,2Hole,2/0AWG,1/4,.63,45"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,435.03
07498338276	LCC2/0-14B-X	CuLugLB,2Hole,2/0AWG,1/4,.75PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,244.96
07498390124	LCC2/0-14BF-X	CuLugLB,2Hole,2/0AWG,1/4,3/4,90"PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,755.19
07498390122	LCC2/0-14BH-X	CuLugLB,2Hole,2/0AWG,1/4,3/4,45"PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,755.19
07498379817	LCC2/0-14BW-X	CuLugLBW,2Hole,2/0AWG,1/4,.75PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,003.90
07498380732	LCC2/0-14BWF-X	CuLug,2Hole,2/0AWG,1/4Stud,90"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,459.35
07498380797	LCC2/0-14BWH-X	CuLugLBW,2Hole,2/0AWG,1/4,.75,45"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,459.35
07498390132	LCC2/0-38DF-X	CuLugLB,2Hole,2/0AWG,3/8,1,90"PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,812.84
07498390131	LCC2/0-38DH-X	CuLugLB,2Hole,2/0AWG,3/8,1,45"PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,684.96
07498380733	LCC2/0-38DWF-X	CuLugLBW,2Hole,2/0AWG,3/8,1,90"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,812.89
07498380798	LCC2/0-38DWH-X	CuLugLBW,2Hole,2/0AWG,3/8,1,45"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,557.15
07498338278	LCC2/0-56D-X	CuLug,2 Hole,2/0 AWG,5/16Stud,1PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	2,083.64
07498390129	LCC2/0-56DF-X	CuLugLB,2Hole,2/0AWG,5/16,1,90"PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,557.10
07498390127	LCC2/0-56DH-X	CuLugLB,2Hole,2/0AWG,5/16,1,45"PKG10	Two-hole, long barrel lug, 2/0 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,684.96
07498379819	LCC2/0-56DW-X	CuLugLBW,2Hole,2/0AWG,5/16,1PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	1,988.95
07498380734	LCC2/0-56DWF-X	CuLugLBW,2Hole,2/0AWG,5/16,1,90"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,557.15
07498380799	LCC2/0-56DWH-X	CuLugLBW,2Hole,2/0AWG,5/16,1,45"PKG10	Two-hole, long barrel lug with window, 2/0 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,812.89
07498379835	LCC250-00W-X	CuLug,Blank,250kcmil,LongPKG10	Blank tongue, long barrel lug with window, 250 kcmil cable.	C	100	\$	3,147.85
61305611152	LCC250-12-B-X	Cu Lug,DB,250kcmil,2H,1/2Stud,1.75",PK10	Direct Burial Grounding Lug for 250 kcmil wire.	C	100	\$	3,592.00
07498338289	LCC250-12D-X	CuLug,2Hole,250kcmil,1/2Stud,1,PKG10	Two-hole, long barrel lug, 250 kcmil cable, 1/2 stud hole, 1 hole spacing.	C	100	\$	2,948.36
07498390215	LCC250-12DF-X	CuLugLB,2Hole,250kcmil,1/2,1,90"PKG10	Two-hole, long barrel lug, 250 kcmil wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,618.18
07498390213	LCC250-12DH-X	CuLugLB,2Hole,250kcmil,1/2,1,45"PKG10	Two-hole, long barrel lug, 250 kcmil wire, 1/2 stud hole, 1 hole spacing, 45° angle Ttngue.	C	100	\$	3,618.18
07498379837	LCC250-12DW-X	CuLug,2Hole,250kcmil,1/2Stud,1PKG10	Two-hole, long barrel lug with window, 250 kcmil, 1/2 stud hole, 1 hole spacing.	C	100	\$	3,296.66
07498380747	LCC250-12DWF-X	CuLugLBW,2Hole,250kcmil,1/2,1,90"PKG10	Two-hole, long barrel lug with window, 250 kcmil cable, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,450.46
07498380920	LCC250-12DWH-X	CuLugLBW,2Hole,250kcmil,1/2,1,45"PKG10	Two-hole, long barrel lug with window, 250 kcmil cable, 1/2 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	4,045.86
07498390211	LCC250-12F-X	CuLugLB,2Hole,250kcmil,1/2,13/4,90"PK10	Two-hole, long barrel lug, 250 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	4,249.80
07498390209	LCC250-12H-X	CuLugLB,2Hole,250kcmil,1/2,13/4,45"PK10	Two-hole, long barrel lug, 250 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	4,249.80
07498380746	LCC250-12WF-X	CuLugLBW,2Hole,250kcmil,1/2,1.75,90"PK10	Two-hole, long barrel lug with window, 250 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	4,289.59
07498380899	LCC250-12WH-X	CuLugLB,2Hole,250kcmil,1/2,1.75,45"PK10	Two-hole, long barrel lug with window, 250 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	4,289.59
07498390207	LCC250-38DF-X	CuLugLB,2Hole,250kcmil,3/8,1,90"PKG10	Two-hole, long barrel lug, 250 kcmil wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,017.53
07498380748	LCC250-38DWF-X	CuLugLBW,2Hole,250kcmil,3/8,1,90"PKG10	Two-hole, long barrel lug with window, 250 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,288.16
07498380921	LCC250-38DWH-X	CuLugLBW,2Hole,250kcmil,3/8,1,45"PKG10	Two-hole, long barrel lug with window, 250 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	4,288.16
07498380749	LCC250-56DWF-X	CuLug,2Hole,250kcmil,5/16Stud,90"PKG10	Two-hole, long barrel lug with window, 250 kcmil cable, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,083.96
07498386849	LCC250-56DWH-X	CuLug,2Hole,250kcmil,5/16Stud,45"PKG10	Two-hole, long barrel lug with window, 250 kcmil cable, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	4,288.16
07498390163	LCC3/0-12DF-X	CuLugLB,2Hole,3/0AWG,1/2,1,90"PKG10	Two-hole, long barrel lug, 3/0 AWG wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,883.61
07498390162	LCC3/0-12DH-X	CuLugLB,2Hole,3/0AWG,1/2,1,45"PKG10	Two-hole, long barrel lug, 3/0 AWG wire, 1/2 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,883.61
07498379824	LCC3/0-12DW-X	CuLugLBW,2Hole,3/0AWG,1/2,1PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 1/2 stud hole, 1 hole spacing.	C	100	\$	2,242.81
07498380736	LCC3/0-12DWF-X	CuLugLBW,2Hole,3/0AWG,1/2,1,90"PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,171.69
07498380889	LCC3/0-12DWH-X	CuLugLBW,2Hole,3/0AWG,1/2,1,45"PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 1/2 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,883.34
07498390158	LCC3/0-12F-X	CuLugLB,2Hole,3/0AWG,1/2,13/4,90"PKG10	Two-hole, long barrel lug, 3/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	3,267.65
07498390154	LCC3/0-12H-X	CuLugLB,2Hole,3/0AWG,1/2,13/4,45"PKG10	Two-hole, long barrel lug, 3/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	3,267.65
07498380735	LCC3/0-12WF-X	CuLugLBW,2Hole,3/0AWG,1/2,1.75,90"PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	3,056.23
07498380844	LCC3/0-12WH-X	CuLugLBW,2Hole,3/0AWG,1/2,1.75,45"PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	3,056.23
07498390147	LCC3/0-14BF-X	CuLugLB,2Hole,3/0AWG,1/4,3/4,90"PKG10	Two-hole, long barrel lug, 3/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	3,620.16
07498390144	LCC3/0-14BH-X	CuLugLB,2Hole,3/0AWG,1/4,3/4,45"PKG10	Two-hole, long barrel lug, 3/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	3,291.08
07498379825	LCC3/0-14BW-X	CuLugLBW,2Hole,3/0AWG,1/4,.75PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,260.11
07498380737	LCC3/0-14BWF-X	CuLugLBW,2Hole,3/0AWG,1/4,.75,90"PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,773.91
07498380890	LCC3/0-14BWH-X	CuLugLBW,2Hole,3/0AWG,1/4,.75,45"PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,773.91
07498390153	LCC3/0-38DF-X	CuLugLB,2Hole,3/0AWG,3/8,1,90"PKG10	Two-hole, long barrel lug, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,883.61
07498390149	LCC3/0-38DH-X	CuLugLB,2Hole,3/0AWG,3/8,1,45"PKG10	Two-hole, long barrel lug, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,171.96
07498380738	LCC3/0-38DWF-X	CuLugLBW,2Hole,3/0AWG,3/8,1,90"PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,883.34
07498380891	LCC3/0-38DWH-X	CuLugLBW,2Hole,3/0AWG,3/8,1,45"PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,883.34
07498379827	LCC3/0-56DW-X	CuLugLBW,2Hole,3/0AWG,5/16,1PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	2,242.81
07498380739	LCC3/0-56DWF-X	CuLugLBW,2Hole,3/0AWG,5/16,1,90"PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,171.69
07498380892	LCC3/0-56DWH-X	CuLugLBW,2Hole,3/0AWG,5/16,1,45"PKG10	Two-hole, long barrel lug with window, 3/0 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,883.34
07498390210	LCC300-00-X	CuLug,Blank,300kcmil,LongPKG10	Blank tongue, long barrel lug, 300 kcmil cable.	C	100	\$	3,764.08
07498383602	LCC300-00W-X	CuLug,Blank,300kcmil,LongPKG10	Blank tongue, long barrel lug with window, 300 kcmil cable.	C	100	\$	4,469.09
07498390223	LCC300-12F-X	CuLugLB,2Hole,300kcmil,1/2,13/4,90"PK10	Two-hole, long barrel lug, 300 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	5,323.48
07498390221	LCC300-12H-X	CuLugLB,2Hole,300kcmil,1/2,13/4,45"PK10	Two-hole, long barrel lug, 300 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	4,839.54
07498386851	LCC300-12WF-X	CuLugLBW,2Hole,300kcmil,1/2,1.75,90"PK10	Two-hole, long barrel lug with window, 300 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	5,513.46
07498386850	LCC300-12WH-X	CuLugLBW,2Hole,300kcmil,1/2,1.75,45"PK10	Two-hole, long barrel lug with window, 300 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	5,989.79
07498371951	LCC300-38D-X	CuLugLB,2Hole,300kcmil,3/8,1PKG10	Two-hole, long barrel lug, 300 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	4,080.53
07498390219	LCC300-38DF-X	CuLugLB,2Hole,300kcmil,3/8,1,90"PKG10	Two-hole, long barrel lug, 300 kcmil wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	5,246.60
07498390217	LCC300-38DH-X	CuLugLB,2Hole,300kcmil,3/8,1,45"PKG10	Two-hole, long barrel lug, 300 kcmil wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	5,246.60



07498386853	LCC300-38DWF-X	CuLugLBW,2Hole,300kcmil,3/8,1,90°PKG10	Two-hole, long barrel lug with window, 300 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	5,513.46
07498386852	LCC300-38DWH-X	CuLugLBW,2Hole,300kcmil,3/8,1,45°PKG10	Two-hole, long barrel lug with window, 300 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	5,340.05
07498379842	LCC350-00W-X	CuLug,Blank,350kcmil,LongPKG10	Blank tongue, long barrel lug with window, 350 kcmil cable.	C	100	\$	4,150.41
07498390233	LCC350-12F-X	CuLugLB,2Hole,350kcmil,1/2,13/4,90°PK10	Two-hole, long barrel lug, 350 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	5,187.91
07498390231	LCC350-12H-X	CuLugLB,2Hole,350kcmil,1/2,13/4,45°PK10	Two-hole, long barrel lug, 350 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	5,187.91
07498386855	LCC350-12WF-X	CuLugLBW,2Hole,350kcmil,1/2,1.75,90°P10	Two-hole, long barrel lug with window, 350 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	4,972.64
07498386854	LCC350-12WH-X	CuLugLBW,2Hole,350kcmil,1/2,1.75,45°P10	Two-hole, long barrel lug with window, 350 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	4,972.64
07498371952	LCC350-14B-X	CuLugLB,2Hole,350kcmil,1/4,.75PKG10	Two-hole, long barrel lug, 350 kcmil cable, 1/4 stud hole, .75 hole spacing.	C	100	\$	4,162.64
07498390226	LCC350-14BF-X	CuLugLB,2Hole,350kcmil,1/4,3/4,90°PKG10	Two-hole, long barrel lug, 350 kcmil wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	5,108.89
07498390224	LCC350-14BH-X	CuLugLB,2Hole,350kcmil,1/4,3/4,45°PKG10	Two-hole, long barrel lug, 350 kcmil wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	5,108.89
07498379844	LCC350-14BW-X	CuLugLBW,2Hole,350kcmil,1/4,.75PKG10	Two-hole, long barrel lug with window, 350 kcmil, 1/4 stud hole, .75 hole spacing.	C	100	\$	3,717.18
07498386857	LCC350-14BWF-X	CuLugLBW,2Hole,350kcmil,1/4,.75,90°PK10	Two-hole, long barrel lug with window, 350 kcmil cable, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	5,018.13
07498386856	LCC350-14BWH-X	CuLugLBW,2Hole,350kcmil,1/4,.75,45°PK10	Two-hole, long barrel lug with window, 350 kcmil cable, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	5,519.91
07498390229	LCC350-38DF-X	CuLugLB,2Hole,350kcmil,3/8,1,90°PKG10	Two-hole, long barrel lug, 350 kcmil wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,523.33
07498390228	LCC350-38DH-X	CuLugLB,2Hole,350kcmil,3/8,1,45°PKG10	Two-hole, long barrel lug, 350 kcmil wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	4,523.33
07498386859	LCC350-38DWF-X	CuLugLBW,2Hole,350kcmil,3/8,1,90°PKG10	Two-hole, long barrel lug with window, 350 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	5,753.69
07498386858	LCC350-38DWH-X	CuLugLBW,2Hole,350kcmil,3/8,1,45°PKG10	Two-hole, long barrel lug with window, 350 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	5,230.63
07498390297	LCC4-00-L	Cu,CompLug,BT,#4-#3A,#2A,L,B,PK50	Blank tongue, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire.	C	100	\$	2,247.83
07498379780	LCC4-00W-L	CuLug,Blank,#4AWG,LongPKG50	Blank tongue, long barrel lug with window, #4 AWG wire.	C	100	\$	2,354.61
07498380587	LCC4-10BWF-L	Cu,CompLug,2H,#4-#3A,#2A,#10S,90°,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, .75 hole spacin	C	100	\$	1,879.50
07498380765	LCC4-10BWH-L	Cu,CompLug,2H,#4-#3A,#2A,#10S,45°,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, .75 hole spacin	C	100	\$	1,879.50
07498334512	LCC4-14ADW-L	Cu,CompLug,2H,#4-#3A,#2A,1/4S,ST,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole (one slotted), .6	C	100	\$	1,329.53
07498389998	LCC4-14AH-L	LGLug,2-4AWG,2hol,.63in space,NoWDW,PK50	Two-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, 5/8 hole spacing, 45° angle	C	100	\$	1,688.29
07498390002	LCC4-14BH-L	LGLug,2-4AWG,2hol,.75in space,NoWDW,PK50	Two-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, 3/4 hole spacing, 45° angle	C	100	\$	1,866.70
07498380590	LCC4-14BWF-L	Cu,CompLug,2H,#4-#3A,#2A,1/4S,90°,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, .75 hole spacin	C	100	\$	1,880.31
07498380768	LCC4-14BWH-L	LGLug,2-4AWG,2hol,.75in space,WDW,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, .75 hole spacin	C	100	\$	1,880.31
07498390009	LCC4-38DF-L	Cu,CompLug,2H,#4-#3A,#2A,3/8S,90°,PK50	Two-hole, long barrel lug, #4 — #3 AWG STR, #2 AWG SOL wire, 3/8 stud hole, 1 hole spacing, 90° angle to	C	100	\$	1,727.91
07498390004	LCC4-38DH-L	Cu,CompLug,LB,2H,4-3A,2A,3/8S,45°,PK50	Two-hole, long barrel lug, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,900.69
07498380591	LCC4-38DWF-L	Cu,CompLug,2H,#4-#3A,#2A,3/8S,90°,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 3/8 stud hole, 1 hole spacing,	C	100	\$	1,955.68
07498380769	LCC4-38DWH-L	Cu,CompLug,2H,#4-#3A,#2A,3/8S,45°,PK50	Two-hole, long barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 3/8 stud hole, 1 hole spacing,	C	100	\$	1,777.90
07498390203	LCC40-12DF-X	LGLug,4/0AWG,.5in,1in,90°NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,572.74
07498390201	LCC40-12DH-X	LGLug,4/0AWG,.5in,1in,45°NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 1/2 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,572.74
07498381921	LCC40-12DW-X	LGLug,4/0AWG,.5in,1in,WDW,P10	Two-hole, long barrel lug with window, 4/0 AWG wire, 1/2 stud hole, 1 hole spacing.	C	100	\$	2,643.63
07498386848	LCC40-12DWF-X	LGLug,4/0AWG,.5in,1in,90°,WDW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,398.80
07498380994	LCC40-12DWH-X	LGLug,4/0AWG,.5in,1in,45°,WDW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 1/2 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,398.80
07498390189	LCC40-12F-X	LGLug,4/0AWG,.5in,1.75in,90°NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	3,738.80
07498390191	LCC40-12H-X	LGLug,4/0AWG,.5in,1.75in,45°NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	3,568.84
07498380893	LCC40-12WH-X	LGLug,4/0AWG,.5in,1.75in,45°,WDW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	3,738.69
07498322310	LCC40-14AWF-X	LGLug,4/0AWG,.25in,.63in,90°,WDW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	3,080.03
07498336143	LCC40-14AWH-X	CuLug,2Hole,4/0AWG,1/4Std,.63,45°PKG10	Two-hole, long barrel lug with window, 4/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	3,080.03
07498338285	LCC40-14B-X	LGLug,4/0AWG,.25in,.75in,NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,617.29
07498390168	LCC40-14BF-X	LGLug,4/0AWG,.25in,.75in,90°NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	3,364.96
07498390167	LCC40-14BH-X	LGLug,4/0AWG,.25in,.75in,45°NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	3,364.96
07498379831	LCC40-14BW-X	LGLug,4/0AWG,.25in,.75in,WDW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,508.84
07498380742	LCC40-14BWF-X	LGLug,4/0AWG,.25in,.75in,90°,WDW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	3,080.03
07498380895	LCC40-14BWH-X	CuLug,2Hole,4/0AWG,1/4Std,.75,45°PKG10	Two-hole, long barrel lug with window, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	3,368.01
61305634385	LCC40-14W-X	Copper Compression Lug, 2 Hole, 4/0 AWG,		C	100	\$	2,078.71
07498390189	LCC40-38DF-X	LGLug,4/0AWG,.38in,1in,90°,NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,701.48
07498390188	LCC40-38DH-X	LGLug,4/0AWG,.38in,1in,45°,NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,533.23
07498380744	LCC40-38DWF-X	CuLug,2Hole,4/0AWG,3/8Std,1,90°PKG10	Two-hole, long barrel lug with window, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,365.58
07498380897	LCC40-38DWH-X	CuLug,2Hole,4/0AWG,3/8Std,1,45°PKG10	Two-hole, long barrel lug with window, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,525.83
07498390187	LCC40-38F-X	LGLug,4/0AWG,.38in,1.75in,90°NoWDW,PK1	Two-hole, long barrel lug, 4/0 AWG wire, 3/8 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	3,774.11
07498390186	LCC40-38H-X	LGLug,4/0AWG,.38in,1.75in,45°NoWDW,PK1	Two-hole, long barrel lug, 4/0 AWG wire, 3/8 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	3,774.11
07498380743	LCC40-38WF-X	CuLug,2Hole,4/0AWG,3/8Std,1.75,90°PKG10	Two-hole, long barrel lug with window, 4/0 AWG wire, 3/8 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	3,431.06
07498380896	LCC40-38WH-X	CuLug,2Hole,4/0AWG,3/8Std,1.75,45°PKG10	Two-hole, long barrel lug with window, 4/0 AWG wire, 3/8 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	3,431.06
07498390172	LCC40-56DF-X	LGLug,4/0AWG,.3in,1in,90°NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,160.89
07498390171	LCC40-56DH-X	LGLug,4/0AWG,.3in,1in,45°NoWDW,PK10	Two-hole, long barrel lug, 4/0 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,476.99
07498379834	LCC40-56DWH-X	LGLug,4/0AWG,.3in,1in,WDW,P10	Two-hole, long barrel lug with window, 4/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	2,575.60
07498380745	LCC40-56DWF-X	LGLug,4/0AWG,.3in,1in,90°,WDW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,476.99
07498380898	LCC40-56DWH-X	LGLug,4/0AWG,.3in,1in,45°,WDW,PK10	Two-hole, long barrel lug with window, 4/0 AWG wire, 5/16 stud holes, 1 hole spacing, 45° angle tongue.	C	100	\$	3,476.99
07498379846	LCC400-00W-6	CuLug,Blank,400kcmil,LongPKG6	Blank tongue, long barrel lug with window, 400 kcmil cable.	C	100	\$	4,364.43
07498390243	LCC400-12F-6	LGLug,400mcm,.5in,1.75in,90°NoWDW,PK6	Two-hole, long barrel lug, 400 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	5,923.98
07498390242	LCC400-12H-6	LGLug,400mcm,.5in,1.75in,45°NoWDW,PK10	Two-hole, long barrel lug, 400 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	5,654.70
07498386861	LCC400-12WF-6	LGLug,400mcm,.5in,1.75in,90°,WDW,PK6	Two-hole, long barrel lug with window, 400 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	5,789.95
07498386860	LCC400-12WH-6	LGLug,400mcm,.5in,1.75in,45°,WDW,PK10	Two-hole, long barrel lug with window, 400 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	6,050.60
07498390237	LCC400-14BF-6	LGLug,400mcm,.25in,.75in,90°NoWDW,PK6	Two-hole, long barrel lug, 400 kcmil wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	4,803.80
07498390234	LCC400-14BH-6	LGLug,400mcm,.25in,.75in,45°NoWDW,PK6	Two-hole, long barrel lug, 400 kcmil wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	4,803.80
07498379848	LCC400-14BW-6	LGLug,400mcm,.25in,.75in,WDW,PK6	Two-hole, long barrel lug with window, 400 kcmil, 1/4 stud hole, .75 hole spacing.	C	100	\$	3,914.25
07498386863	LCC400-14BWF-6	LGLug,400mcm,.25in,.75in,90°,WDW,PK6	Two-hole, long barrel lug with window, 400 kcmil cable, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	4,874.31
07498386862	LCC400-14BWH-6	LGLug,400mcm,.25in,.75in,45°,WDW,PK6	Two-hole, long barrel lug with window, 400 kcmil cable, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	5,168.24
07498390239	LCC400-38DF-6	LGLug,400mcm,.38in,1in,90°,NoWDW,PK6	Two-hole, long barrel lug, 400 kcmil wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,803.80
07498390238	LCC400-38DH-6	LGLug,400mcm,.38in,1in,45°,NoWDW,PK6	Two-hole, long barrel lug, 400 kcmil wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	4,803.80
07498379849	LCC400-38DWF-6	LGLug,400mcm,.38in,1in,WDW,PK6	Two-hole, long barrel lug with window, 400 kcmil, 3/8 stud hole, 1 hole spacing.	C	100	\$	4,510.43
07498386865	LCC400-38DWF-6	LGLug,400mcm,.38in,1in,90°,WDW,PK6	Two-hole, long barrel lug with window, 400 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	5,611.80
07498386864	LCC400-38DWH-6	LGLug,400mcm,.38in,1in,45°,WDW,PK6	Two-hole, long barrel lug with window, 400 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	5,953.33
07498379850	LCC500-00W-6	CuLug,Blank,500kcmil,LongPKG6	Blank tongue, long barrel lug with window, 500 kcmil cable.	C	100	\$	5,459.41
61305611153	LCC500-12-B-6	Cu Lug,DB,500kcmil,2H,1/2Std,1.75°,PK6	Direct Burial Grounding Lug for 500 kcmil wire.	C	100	\$	5,815.13

07498390253	LCC500-12F-6	LGLug,500mcm,5in,1.75in,90°,NoWDW,PK6	Two-hole, long barrel lug, 500 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	7,518.28
07498386867	LCC500-12WF-6	LGLug,500mcm,5in,1.75in,90°,WDW,PK6	Two-hole, long barrel lug with window, 500 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	6,010.94
07498386866	LCC500-12WH-6	LGLug,500mcm,5in,1.75in,45°,WDW,PK6	Two-hole, long barrel lug with window, 500 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	8,395.33
07498371956	LCC500-14B-6	LGLug,500mcm,25in,75in,NoWDW,PK6	Two-hole, long barrel lug, 500 kcmil cable, 1/4 stud hole, .75 hole spacing.	C	100	\$	5,921.76
07498390247	LCC500-14BF-6	LGLug,500mcm,25in,75in,90°,NoWDW,PK6	Two-hole, long barrel lug, 500 kcmil wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	7,984.00
07498390244	LCC500-14BH-6	LGLug,500mcm,25in,75in,45°,NoWDW,PK6	Two-hole, long barrel lug, 500 kcmil wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	7,986.71
07498379852	LCC500-14BW-6	LGLug,500mcm,25in,75in,WDW,PK6	Two-hole, long barrel lug with window, 500 kcmil, 1/4 stud hole, .75 hole spacing.	C	100	\$	5,295.58
07498386869	LCC500-14BWF-6	LGLug,500mcm,25in,75in,90°,WDW,PK6	Two-hole, long barrel lug with window, 500 kcmil cable, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	5,491.78
07498386868	LCC500-14BWH-6	LGLug,500mcm,25in,75in,45°,WDW,PK6	Two-hole, long barrel lug with window, 500 kcmil cable, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	6,576.60
07498390249	LCC500-38DF-6	LGLug,500mcm,38in,1in,90°,NoWDW,PK6	Two-hole, long barrel lug, 500 kcmil wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	6,690.65
07498390248	LCC500-38DH-6	LGLug,500mcm,38in,1in,45°,NoWDW,PK6	Two-hole, long barrel lug, 500 kcmil wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	7,359.71
07498386871	LCC500-38DWF-6	LGLug,500mcm,38in,1in,90°,WDW,PK6	Two-hole, long barrel lug with window, 500 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	5,890.40
07498386870	LCC500-38DWH-6	LGLug,500mcm,38in,1in,45°,WDW,PK6	Two-hole, long barrel lug with window, 500 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	7,761.14
07498390296	LCC6-00-L	CuLug,Blank,#6AWG,Long,PKG50	Blank tongue, long barrel lug, #6 AWG wire.	C	100	\$	2,100.80
07498379770	LCC6-00W-L	CuLug,Blank,#6AWG,Long,PKG50	Blank tongue, long barrel lug with window, #6 AWG wire.	C	100	\$	2,100.80
07498336146	LCC6-10ABWF-L	Cu,CompLug,2H,#6A,#10S,ST,90°,PK50	Two-hole, long barrel lug with window, #6 AWG wire, #10 stud hole (one slotted), .63 — .75 hole spacing, 90°	C	100	\$	1,677.14
07498380756	LCC6-10AWH-L	CuLug,LBW,2Hole,#6AWG,#10,63.45°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, #10 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,844.98
07498380579	LCC6-10BWF-L	CuLug,LBW,2Hole,#6AWG,#10,75.90°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, #10 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,677.24
07498380757	LCC6-10BWH-L	CuLug,LBW,2Hole,#6AWG,#10,75.45°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, #10 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,844.98
61305611147	LCC6-12-B-L	Cu Lug,DB,#6,2H,1/2Stud,1.75HS,PK50	Direct Burial Grounding Lug for 6 AWG wire.	C	100	\$	1,815.06
61305631933	LCC6-12F-L	Copper Compression Lug, 2 Hole, #6 AWG,	Copper Compression Lug, 2 Hole, #6 AWG, Long Barrel, 1/2" (12.7mm) Stud, 1.75" (44.4mm) Hole Spacing,	C	100	\$	2,365.26
61305631922	LCC6-12H-L	Copper Compression Lug, 2 Hole, #6 AWG,	Copper Compression Lug, 2 Hole, #6 AWG, Long Barrel, 1/2" (12.7mm) Stud, 1.75" (44.4mm) Hole Spacing,	C	100	\$	2,365.26
07498389993	LCC6-14BF-L	LGLug,6AWG,75in space,90°,NoWDW,PK50	Two-hole, long barrel lug, #6 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	1,751.29
07498389992	LCC6-14BH-L	CuLug,LB,2Hole,#6AWG,1/4,3/4,45°PKG50	Two-hole, long barrel lug, #6 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	1,834.69
07498380583	LCC6-14BWF-L	LGLug,6AWG,75in space,90°,WDW,PK50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	1,844.98
07498380761	LCC6-14BWH-L	CuLug,LBW,2Hole,#6AWG,1/4,75.45°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,677.24
07498389995	LCC6-14DF-L	LGLug,6AWG,1in space,90°,NoWDW,PK50	Two-hole, long barrel lug, #6 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,230.51
07498389994	LCC6-14DH-L	CuLug,LB,2Hole,#6AWG,1/4,1.45°PKG50	Two-hole, long barrel lug, #6 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,230.51
07498380582	LCC6-14DWF-L	LGLug,6AWG,1in space,90°,WDW,PK50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,880.31
07498380760	LCC6-14DWH-L	CuLug,LBW,2Hole,#6AWG,1/4,1.45°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,880.31
07498344362	LCC6-14EWF-L	LGLug,6AWG,1.25in space,90°,WDW,PK50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, 1.25 hole spacing, 90° angle tongue.	C	100	\$	1,676.86
07498344361	LCC6-14EWH-L	CuLug,LBW,2Hole,#6AWG,1/4,1.25,45°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, 1.25 hole spacing, 45° angle tongue.	C	100	\$	1,676.86
07498344360	LCC6-14JWF-L	LGLug,6AWG,5in space,90°,WDW,PK50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, .50 hole spacing, 90° angle tongue.	C	100	\$	1,600.64
07498344359	LCC6-14JWH-L	CuLug,LBW,2Hole,#6AWG,1/4,5.45°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 1/4 stud hole, .50 hole spacing, 45° angle tongue.	C	100	\$	1,524.41
07498380585	LCC6-38BWF-L	CuLug,LBW,2Hole,#6AWG,3/8,75.90°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 3/8 stud hole, 75 hole spacing, 90° angle tongue.	C	100	\$	1,661.06
07498380763	LCC6-38BWH-L	CuLug,LBW,2Hole,#6AWG,3/8,75.45°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 3/8 stud hole, 75 hole spacing, 45° angle tongue.	C	100	\$	1,661.06
07498379779	LCC6-38CW-L	CuLug,LBW,2Hole,#6AWG,3/8,88PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 3/8 stud hole, .88 hole spacing.	C	100	\$	1,411.11
07498380586	LCC6-38CWF-L	CuLug,LBW,2Hole,#6AWG,3/8,88.90°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 3/8 stud hole, .88 hole spacing, 90° angle tongue.	C	100	\$	1,814.39
07498380764	LCC6-38CWH-L	CuLug,LBW,2Hole,#6AWG,3/8,88.45°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 3/8 stud hole, .88 hole spacing, 45° angle tongue.	C	100	\$	1,995.81
07498389997	LCC6-38DF-L	CuLug,LB,2Hole,#6AWG,3/8,1.90°PKG50	Two-hole, long barrel lug, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,844.75
07498389996	LCC6-38DH-L	CuLug,LB,2Hole,#6AWG,3/8,1.45°PKG50	Two-hole, long barrel lug, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,677.04
07498380584	LCC6-38DWF-L	CuLug,LBW,2Hole,#6AWG,3/8,1.90°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,794.85
07498380762	LCC6-38DWH-L	CuLug,LBW,2Hole,#6AWG,3/8,1.45°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,880.31
07498386842	LCC6-56BWF-L	CuLug,LBW,2Hole,#6AWG,5/16,75.90°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 5/16 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,827.19
07498386841	LCC6-56BWH-L	CuLug,LBW,2Hole,#6AWG,5/16,75.45°PKG50	Two-hole, long barrel lug with window, #6 AWG wire, 5/16 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,661.06
07498379854	LCC600-00W-6	CuLug,Blank,600kcmil,Long,PKG6	Blank tongue, long barrel lug with window, 600 kcmil cable.	C	100	\$	8,133.31
07498390258	LCC600-12H-6	LGLug,600mcm,5in,1.75in,45°,NoWDW,PK6	Two-hole, long barrel lug, 600 kcmil wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	10,655.60
07498386873	LCC600-12WF-6	LGLug,600mcm,5in,1.75in,90°,WDW,PK6	Two-hole, long barrel lug with window, 600 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	8,096.54
07498386872	LCC600-12WH-6	LGLug,600mcm,5in,1.75in,45°,WDW,PK6	Two-hole, long barrel lug with window, 600 kcmil cable, 1/2 stud holes, 1.75 hole spacing, 45° angle tongue.	C	100	\$	11,473.90
07498390257	LCC600-38DF-6	LGLug,600mcm,38in,1in,90°,NoWDW,PK6	Two-hole, long barrel lug, 600 kcmil wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	8,661.73
07498390254	LCC600-38DH-6	LGLug,600mcm,38in,1in,45°,NoWDW,PK6	Two-hole, long barrel lug, 600 kcmil wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	8,661.73
07498379856	LCC600-38DW-6	LGLug,600mcm,38in,1in,WDW,PK6	Two-hole, long barrel lug with window, 600 kcmil, 3/8 stud hole, 1 hole spacing.	C	100	\$	7,798.81
07498386875	LCC600-38DWF-6	LGLug,600mcm,38in,1in,90°,WDW,PK6	Two-hole, long barrel lug with window, 600 kcmil cable, 3/8 stud holes, 1 hole spacing, 90° angle tongue.	C	100	\$	7,102.64
07498386874	LCC600-38DWH-6	LGLug,600mcm,38in,1in,45°,WDW,PK6	Two-hole, long barrel lug with window, 600 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	7,931.06
07498336148	LCC8-10ABW-L	Cu,CompLug,2H,#8A,#10S,ST,PK50	Two-hole, long barrel lug with window, #8 AWG wire, two #10 stud holes (one slotted), .63 — .75 hole spacing	C	100	\$	1,018.33
07498336131	LCC8-10ABWF-L	Copper Comp. Lug, 2 Hole, #8 AWG, #10 (4)	Copper Comp. Lug, 2 Hole, #8 AWG, #10 (4.8mm) Stud, Slotted Tongue, 90° Bent	C	100	\$	1,248.49
07498389978	LCC8-10AH-L	CuLug,LB,2Hole,#8AWG,#10,5/8,45°PKG50	Two-hole, long barrel lug, #8 AWG wire, #10 stud hole, 5/8 hole spacing, 45° angle tongue.	C	100	\$	1,176.56
07498379765	LCC8-10BW-L	CuLug,LBW,2Hole,#8AWG,#10,75PKG50	Two-hole, long barrel lug with window, #8 AWG wire, #10 stud hole, .75 hole spacing.	C	100	\$	1,047.93
07498380573	LCC8-10BWF-L	CuLug,LBW,2Hole,#8AWG,#10,75.90°PKG50	Two-hole, long barrel lug with window, #8 AWG wire, #10 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,414.70
07498380751	LCC8-10BWH-L	CuLug,LBW,2Hole,#8AWG,#10,75.45°PKG50	Two-hole, long barrel lug with window, #8 AWG wire, #10 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,286.09
61305620046	LCC8-12-L	Copper Compression Lug, 2 Hole, #8 AWG,		C	100	\$	1,107.81
07498389980	LCC8-14AH-L	CuLug,LB,2Hole,#8AWG,1/4,5/8,45°PKG50	Two-hole, long barrel lug, #8 AWG wire, 1/4 stud hole, 5/8 hole spacing, 45° angle tongue.	C	100	\$	1,294.21
07498380752	LCC8-14AWH-L	CuLug,LBW,2Hole,#8AWG,1/4,63.45°PKG50	Two-hole, long barrel lug with window, #8 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,388.15
07498389983	LCC8-14BF-L	CuLug,LB,2Hole,#8AWG,1/4,3/4,90°PKG50	Two-hole, long barrel lug, #8 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	1,408.65
07498389982	LCC8-14BH-L	CuLug,LB,2Hole,#8AWG,1/4,3/4,45°PKG50	Two-hole, long barrel lug, #8 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	1,280.58
07498379768	LCC8-14BW-L	CuLug,LBW,2Hole,#8AWG,1/4,75PKG50	Two-hole, long barrel lug with window, #8 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,038.05
07498380576	LCC8-14BWF-L	CuLug,LBW,2Hole,#8AWG,1/4,75.90°PKG50	Two-hole, long barrel lug with window, #8 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,274.09
07498380754	LCC8-14BWH-L	CuLug,LBW,2Hole,#8AWG,1/4,75.45°PKG50	Two-hole, long barrel lug with window, #8 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,274.09
07498389985	LCC8-14DF-L	CuLug,LB,2Hole,#8AWG,1/4,1.90°PKG50	Two-hole, long barrel lug, #8 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,307.18
07498389984	LCC8-14DH-L	CuLug,LB,2Hole,#8AWG,1/4,1.45°PKG50	Two-hole, long barrel lug, #8 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,188.33
07498379767	LCC8-14DWF-L	CuLug,LBW,2Hole,#8AWG,1/4,1PKG50	Two-hole, long barrel lug with window, #8 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,009.73
07498380575	LCC8-14DWH-L	CuLug,LBW,2Hole,#8AWG,1/4,1.90°PKG50	Two-hole, long barrel lug with window, #8 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,298.20
07498380753	LCC8-14DWH-L	CuLug,LBW,2Hole,#8AWG,1/4,1.45°PKG50	Two-hole, long barrel lug with window, #8 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,428.01
07498389987	LCC8-38DF-L	CuLug,LB,2Hole,#8AWG,3/8,1.90°PKG50	Two-hole, long barrel lug, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,307.18
07498389986	LCC8-38DH-L	CuLug,LB,2Hole,#8AWG,3/8,1.45°PKG50	Two-hole, long barrel lug, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,307.18
07498380577	LCC8-38DWF-L	CuLug,LBW,2Hole,#8AWG,3/8,1.90°PKG50	Two-hole, long barrel lug with window, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,189.34
07498380755	LCC8-38DWH-L	CuLug,LBW,2Hole,#8AWG,3/8,1.45°PKG50	Two-hole, long barrel lug with window, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,189.34

0749838324	<b>LCC800-12W-6</b>	LGLug,800mcm,5in,1.75in,WDW,PK6	Two-hole, long barrel lug with window, 800 kcmil, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	12,647.60
07498375305	<b>LCCF1-12-X</b>	CuLug,2Hole,#1AWG,Flared,1/2StudPKG10	Two-hole, long flared barrel, #1 AWG wire, 1/2 stud hole, 1 3/4 hole spacing.	C	100	\$	1,842.08
07498389011	<b>LCCF1-12F-X</b>	Cu,CompLug,2H,#1A,FB,1/2S,90°,PK10	Two-hole, long flared barrel, #1 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,260.73
0749838910	<b>LCCF1-12H-X</b>	Cu,CompLug,2H,#1A,FB,1/2S,45°,PK10	Two-hole, long flared barrel, #1 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,260.73
07498375301	<b>LCCF1-14A-X</b>	CuLug,LFB,2Hole,#1AWG,1/4,5/8PKG10	Two-hole, long flared barrel, #1 AWG wire, 1/4 stud hole, 5/8 hole spacing.	C	100	\$	1,836.44
07498389003	<b>LCCF1-14AF-X</b>	CuCompLug,2H,#1A,FB,1/4S,5/8HS,90°,PK10	Two-hole, long flared barrel, #1 AWG wire, 1/4 stud hole, 5/8 hole spacing, 90° angle tongue.	C	100	\$	2,479.10
07498389002	<b>LCCF1-14AH-X</b>	CuCompLug,2H,#1A,FB,1/4S,5/8HS,45°,PK10	Two-hole, long flared barrel, #1 AWG wire, 1/4 stud hole, 5/8 hole spacing, 45° angle tongue.	C	100	\$	2,253.71
07498389005	<b>LCCF1-14BF-X</b>	Cu,CompLug,2H,#1A,FB,1/4S,90°,PK10	Two-hole, long flared barrel, #1 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,253.71
07498389004	<b>LCCF1-14BH-X</b>	Cu,CompLug,2H,#1A,FB,1/4S,45°,PK10	Two-hole, long flared barrel, #1 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,253.71
07498375304	<b>LCCF1-38D-X</b>	CuLug,2Hole,#1AWG,Flared,3/8StudPKG10	Two-hole, long flared barrel, #1 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,840.70
07498389009	<b>LCCF1-38DF-X</b>	Cu,CompLug,2H,#1A,FB,3/8S,90°,PK10	Two-hole, long flared barrel, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,603.28
07498389008	<b>LCCF1-38DH-X</b>	Cu,CompLug,2H,#1A,FB,3/8S,45°,PK10	Two-hole, long flared barrel, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,366.63
07498375303	<b>LCCF1-56C-X</b>	CuLug,2Hole,#1AWG,Flared,5/16StudPKG10	Two-hole, long flared barrel, #1 AWG wire, 5/16 stud hole, 7/8 hole spacing, NEMA hole sizes and spacing.	C	100	\$	1,908.60
07498389007	<b>LCCF1-56CF-X</b>	Cu,CompLug,2H,#1A,FB,5/16S,90°,PK10	Two-hole, long flared barrel, #1 AWG wire, 5/16 stud hole, 7/8 hole spacing, NEMA hole sizes and spacing, 90° angle tongue.	C	100	\$	2,342.53
07498389006	<b>LCCF1-56CH-X</b>	Cu,CompLug,2H,#1A,FB,5/16S,45°,PK10	Two-hole, long flared barrel, #1 AWG wire, 5/16 stud hole, 7/8 hole spacing, NEMA hole sizes and spacing, 45° angle tongue.	C	100	\$	2,342.53
07498389094	<b>LCCF1/0-12F-X</b>	Cu,CompLug,2H,1/0A,FB,1/2S,90°,PK10	Two-hole, long flared barrel, 1/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing.	C	100	\$	2,649.25
07498389093	<b>LCCF1/0-12H-X</b>	Cu,CompLug,2H,1/0A,FB,1/2S,45°,PK10	Two-hole, long flared barrel, 1/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing.	C	100	\$	2,914.18
07498389013	<b>LCCF1/0-14AF-X</b>	CuCompLug,2H,1/0A,FB,1/4S,5/8,90°PK10	Two-hole, long flared barrel, 1/0 AWG wire, 1/4 stud hole, 5/8 hole spacing, 90° angle tongue.	C	100	\$	2,836.13
07498389012	<b>LCCF1/0-14AH-X</b>	CuCompLug,2H,1/0A,FB,1/4S,5/8,45°PK10	Two-hole, long flared barrel, 1/0 AWG wire, 1/4 stud hole, 5/8 hole spacing, 45° angle tongue.	C	100	\$	2,836.13
07498375307	<b>LCCF1/0-14B-X</b>	CuLug,LFB,2Hole,1/0AWG,1/4,3/4PKG10	Two-hole, long flared barrel, 1/0 AWG wire, 1/4 stud hole, 3/4 hole spacing.	C	100	\$	2,099.18
07498389015	<b>LCCF1/0-14BF-X</b>	Cu,CompLug,2H,1/0A,FB,1/4S,90°,PK10	Two-hole, long flared barrel, 1/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,836.13
07498389014	<b>LCCF1/0-14BH-X</b>	Cu,CompLug,2H,1/0A,FB,1/4S,45°,PK10	Two-hole, long flared barrel, 1/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,836.13
07498376158	<b>LCCF1/0-38D-X</b>	CuLug,2Hole,1/0AWG,Flared,3/8StudPKG10	Two-hole, long flared barrel, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,019.46
07498389019	<b>LCCF1/0-38DF-X</b>	Cu,CompLug,2H,1/0A,FB,3/8S,90°,PK10	Two-hole, long flared barrel, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,596.45
07498389018	<b>LCCF1/0-38DH-X</b>	Cu,CompLug,2H,1/0A,FB,3/8S,45°,PK10	Two-hole, long flared barrel, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,855.91
07498375308	<b>LCCF1/0-56C-X</b>	CuLug,2Hole,1/0AWG,Flared,5/16StudPKG10	Two-hole, long flared barrel, 1/0 AWG wire, 5/16 stud hole, 7/8 hole spacing.	C	100	\$	2,099.18
07498389017	<b>LCCF1/0-56CF-X</b>	Cu,CompLug,2H,1/0A,FB,5/16S,90°,PK10	Two-hole, long flared barrel, 1/0 AWG wire, 5/16 stud hole, 7/8 hole spacing, 90° angle tongue.	C	100	\$	2,578.29
07498389016	<b>LCCF1/0-56CH-X</b>	Cu,CompLug,2H,1/0A,FB,5/16S,45°,PK10	Two-hole, long flared barrel, 1/0 AWG wire, 5/16 stud hole, 7/8 hole spacing, 45° angle tongue.	C	100	\$	2,578.29
07498389001	<b>LCCF2-12F-E</b>	Cu,CompLug,2H,#2A,FB,1/2S,90°,PK20	Two-hole, long flared barrel, #2 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,150.40
07498389000	<b>LCCF2-12H-E</b>	Cu,CompLug,2H,#2A,FB,1/2S,45°,PK20	Two-hole, long flared barrel, #2 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,150.40
07498388992	<b>LCCF2-14AH-E</b>	CuCompLug,2H,#2A,FB,1/4S,5/8HS,45°PK20	Two-hole, long flared barrel, #2 AWG wire, 1/4 stud hole, 5/8 hole spacing, 45° angle tongue.	C	100	\$	2,257.93
07498388995	<b>LCCF2-14BF-E</b>	Cu,CompLug,2H,#2A,FB,1/4S,90°,PK20	Two-hole, long flared barrel, #2 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	2,365.43
07498388994	<b>LCCF2-14BH-E</b>	Cu,CompLug,2H,#2A,FB,1/4S,45°,PK20	Two-hole, long flared barrel, #2 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	2,150.40
07498388999	<b>LCCF2-38DF-E</b>	Cu,CompLug,2H,#2A,FB,3/8S,90°,PK20	Two-hole, long flared barrel, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,431.73
07498388998	<b>LCCF2-38DH-E</b>	Cu,CompLug,2H,#2A,FB,3/8S,45°,PK20	Two-hole, long flared barrel, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,210.66
07498375298	<b>LCCF2-56B-E</b>	CuLug,2Hole,#2AWG,Flared,5/16StudPKG20	Two-hole, long flared barrel, #2 AWG wire, 5/16 stud hole, 3/4 hole spacing, NEMA hole sizes and spacing.	C	100	\$	1,705.86
07498388997	<b>LCCF2-56BF-E</b>	Cu,CompLug,2H,#2A,FB,5/16S,90°,PK20	Two-hole, long flared barrel, #2 AWG wire, 5/16 stud hole, 3/4 hole spacing, NEMA hole sizes and spacing, 90° angle tongue.	C	100	\$	2,302.05
07498388996	<b>LCCF2-56BH-E</b>	Cu,CompLug,2H,#2A,FB,5/16S,45°,PK20	Two-hole, long flared barrel, #2 AWG wire, 5/16 stud hole, 3/4 hole spacing, NEMA hole sizes and spacing, 45° angle tongue.	C	100	\$	2,092.79
07498389102	<b>LCCF2/0-12F-X</b>	Cu,CompLug,2H,2/0A,FB,1/2S,90°,PK10	Two-hole, long flared barrel, 2/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing.	C	100	\$	3,045.06
07498389101	<b>LCCF2/0-12H-X</b>	Cu,CompLug,2H,2/0A,FB,1/2S,45°,PK10	Two-hole, long flared barrel, 2/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing.	C	100	\$	3,349.56
07498375310	<b>LCCF2/0-14A-X</b>	CuLug,LFB,2Hole,2/0AWG,1/4,5/8PKG10	Two-hole, long flared barrel, 2/0 AWG wire, 1/4 stud hole, 5/8 hole spacing.	C	100	\$	2,367.35
07498389096	<b>LCCF2/0-14AF-X</b>	CuCompLug,2H,2/0A,FB,1/4S,5/8,90°PK10	Two-hole, long flared barrel, 2/0 AWG wire, 1/4 stud hole, 5/8 hole spacing, 90° angle tongue.	C	100	\$	3,349.56
07498389095	<b>LCCF2/0-14AH-X</b>	CuCompLug,2H,2/0A,FB,1/4S,5/8,45°PK10	Two-hole, long flared barrel, 2/0 AWG wire, 1/4 stud hole, 5/8 hole spacing, 45° angle tongue.	C	100	\$	3,045.06
07498389098	<b>LCCF2/0-14BH-X</b>	Cu,CompLug,2H,2/0A,FB,1/4S,90°,PK10	Two-hole, long flared barrel, 2/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	3,349.56
07498389097	<b>LCCF2/0-14BF-X</b>	Cu,CompLug,2H,2/0A,FB,1/4S,45°,PK10	Two-hole, long flared barrel, 2/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	3,045.06
07498389100	<b>LCCF2/0-38DF-X</b>	Cu,CompLug,2H,2/0A,FB,3/8S,90°,PK10	Two-hole, long flared barrel, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,234.78
07498389099	<b>LCCF2/0-38DH-X</b>	Cu,CompLug,2H,2/0A,FB,3/8S,45°,PK10	Two-hole, long flared barrel, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,234.78
07498389122	<b>LCCF250-12EF-X</b>	CuCompLug,2H,250K,FB,1/2S,1.25,90°PK10	Two-hole, long flared barrel, 250 kcmil cable, 1/2 bolt holes, 1.25 hole spacing, 90° angle tongue.	C	100	\$	4,200.15
07498389121	<b>LCCF250-12EH-X</b>	CuCompLug,2H,250K,FB,1/2S,1.25,45°PK10	Two-hole, long flared barrel, 250 kcmil cable, 1/2 bolt holes, 1.25 hole spacing, 45° angle tongue.	C	100	\$	4,200.15
07498389124	<b>LCCF250-12F-X</b>	Cu,CompLug,2H,250K,FB,1/2S,90°,PK10	Two-hole, long flared barrel, 250 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing.	C	100	\$	4,484.89
07498389123	<b>LCCF250-12H-X</b>	Cu,CompLug,2H,250K,FB,1/2S,45°,PK10	Two-hole, long flared barrel, 250 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing.	C	100	\$	4,484.89
07498375345	<b>LCCF250-14B-X</b>	Cu,CompLug,2H,250K,FB,1/4S,PK10	Two-hole, long flared barrel, 250 kcmil cable, 1/4 bolt holes, .75 hole spacing.	C	100	\$	3,344.93
07498389118	<b>LCCF250-14BF-X</b>	Cu,CompLug,2H,250K,FB,1/4S,90°,PK10	Two-hole, long flared barrel, 250 kcmil cable, 1/4 bolt holes, .75 hole spacing, 90° angle tongue.	C	100	\$	4,730.65
07498389117	<b>LCCF250-14BH-X</b>	Cu,CompLug,2H,250K,FB,1/4S,45°,PK10	Two-hole, long flared barrel, 250 kcmil cable, 1/4 bolt holes, .75 hole spacing, 45° angle tongue.	C	100	\$	4,300.60
07498389120	<b>LCCF250-38DF-X</b>	Cu,CompLug,2H,250K,FB,3/8S,90°,PK10	Two-hole, long flared barrel, 250 kcmil cable, 3/8 bolt holes, 1 hole spacing, 90° angle tongue.	C	100	\$	4,315.71
07498389119	<b>LCCF250-38DH-X</b>	Cu,CompLug,2H,250K,FB,3/8S,45°,PK10	Two-hole, long flared barrel, 250 kcmil cable, 3/8 bolt holes, 1 hole spacing, 45° angle tongue.	C	100	\$	4,747.29
07498389108	<b>LCCF3/0-12F-X</b>	Cu,CompLug,2H,3/0A,FB,1/2S,90°,PK10	Two-hole, long flared barrel, 3/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing.	C	100	\$	3,757.69
07498389107	<b>LCCF3/0-12H-X</b>	Cu,CompLug,2H,3/0A,FB,1/2S,45°,PK10	Two-hole, long flared barrel, 3/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing.	C	100	\$	3,416.09
07498376159	<b>LCCF3/0-14B-X</b>	CuLug,2Hole,3/0AWG,Flared,1/4StudPKG10	Two-hole, long flared barrel, 3/0 AWG wire, 1/4 stud hole, 3/4 hole spacing.	C	100	\$	2,836.13
07498389104	<b>LCCF3/0-14BF-X</b>	Cu,CompLug,2H,3/0A,FB,1/4S,90°,PK10	Two-hole, long flared barrel, 3/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	3,477.94
07498389103	<b>LCCF3/0-14BH-X</b>	Cu,CompLug,2H,3/0A,FB,1/4S,45°,PK10	Two-hole, long flared barrel, 3/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	3,477.94
07498375314	<b>LCCF3/0-38D-X</b>	CuLug,2Hole,3/0AWG,Flared,3/8StudPKG10	Two-hole, long flared barrel, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	2,579.21
07498389106	<b>LCCF3/0-38DF-X</b>	Cu,CompLug,2H,3/0A,FB,3/8S,90°,PK10	Two-hole, long flared barrel, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,647.78
07498389105	<b>LCCF3/0-38DH-X</b>	Cu,CompLug,2H,3/0A,FB,3/8S,45°,PK10	Two-hole, long flared barrel, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,316.16
07498371974	<b>LCCF300-12-6</b>	CuLug,2Hole,300kcmil,Flared,1/2StudPKG6	Two-hole, long flared barrel, 300 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing.	C	100	\$	4,891.18
07498389281	<b>LCCF300-12F-6</b>	Cu,CompLug,2H,300K,FB,1/2S,90°,PK6	Two-hole, long flared barrel, 300 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing.	C	100	\$	6,474.00
07498389129	<b>LCCF300-12H-6</b>	Cu,CompLug,2H,300K,FB,1/2S,45°,PK6	Two-hole, long flared barrel, 300 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing.	C	100	\$	7,121.40
07498375346	<b>LCCF300-14B-6</b>	CuLug,2Hole,300kcmil,Flared,1/4StudPKG6	Two-hole, long flared barrel, 300 kcmil cable, 1/4 bolt holes, .75 hole spacing.	C	100	\$	4,795.26
07498389126	<b>LCCF300-14BF-6</b>	Cu,CompLug,2H,300K,FB,1/4S,90°,PK6	Two-hole, long flared barrel, 300 kcmil cable, 1/4 bolt holes, .75 hole spacing, 90° angle tongue.	C	100	\$	6,225.58
07498389125	<b>LCCF300-14BH-6</b>	Cu,CompLug,2H,300K,FB,1/4S,45°,PK6	Two-hole, long flared barrel, 300 kcmil cable, 1/4 bolt holes, .75 hole spacing, 45° angle tongue.	C	100	\$	6,848.13
07498371973	<b>LCCF300-38D-6</b>	CuLug,2Hole,300kcmil,Flared,3/8StudPKG6	Two-hole, long flared barrel, 300 kcmil cable, 3/8 bolt holes, 1 hole spacing.	C	100	\$	5,035.03
07498389128	<b>LCCF300-38DF-6</b>	Cu,CompLug,2H,300K,FB,3/8S,90°,PK6	Two-hole, long flared barrel, 300 kcmil cable, 3/8 bolt holes, 1 hole spacing, 90° angle tongue.	C	100	\$	6,474.00
07498389127	<b>LCCF300-38DH-6</b>	Cu,CompLug,2H,300K,FB,3/8S,45°,PK6	Two-hole, long flared barrel, 300 kcmil cable, 3/8 bolt holes, 1 hole spacing, 45° angle tongue.	C	100	\$	7,121.40
61305602216	<b>LCCF300-38E-6</b>	Cu,CompLug,2H,300K,FB,3/8S,1.25,PK6	Two-hole, long flared barrel, 300 kcmil cable, 3/8 (9.5mm) bolt holes, 1.25 hole spacing.	C	100	\$	5,035.33
07498371977	<b>LCCF350-12E-6</b>	LGLugFL,350mcm,5in,1.25in,NoWDW,PK6	Two-hole, long flared barrel, 350 kcmil cable, 1/2 bolt holes, 1.25 hole spacing.	C	100	\$	5,573.19
07498389937	<b>LCCF350-12EF-6</b>	CuCompLug,2H,350K,FB,1/2S,1.25,90°PK6	Two-hole, long flared barrel, 350 kcmil cable, 1/2 bolt holes, 1.25 hole spacing, 90° angle tongue.	C	100	\$	6,972.28
07498389936	<b>LCCF350-12EH-6</b>	CuCompLug,2H,350K,FB,1/2S,1.25,45°PK6	Two-hole, long flared barrel, 350 kcmil cable, 1/2 bolt holes, 1.25 hole spacing, 45° angle tongue.	C	100	\$	6,972.28

07498389939	<b>LCCF350-12F-6</b>	Cu,CompLug,2H,350K,FB,1/2S,90°,PK6	Two-hole, long flared barrel, 350 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	7,161.80
07498389938	<b>LCCF350-12H-6</b>	Cu,CompLug,2H,350K,FB,1/2S,45°,PK6	Two-hole, long flared barrel, 350 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	7,878.00
07498371975	<b>LCCF350-14B-6</b>	CuLug,2Hole,350kcmil,Flared,1/4StudPKG6	Two-hole, long flared barrel, 350 kcmil cable, 1/4 bolt holes, .75 hole spacing.	C	100	\$	5,212.21
07498389907	<b>LCCF350-14BF-6</b>	Cu,CompLug,2H,350K,FB,1/4S,90°,PK6	Two-hole, long flared barrel, 350 kcmil cable, 1/4 bolt holes, .75 hole spacing, 90° angle tongue.	C	100	\$	6,846.66
07498389906	<b>LCCF350-14BH-6</b>	Cu,CompLug,2H,350K,FB,1/4S,45°,PK6	Two-hole, long flared barrel, 350 kcmil cable, 1/4 bolt holes, .75 hole spacing, 45° angle tongue.	C	100	\$	7,531.33
07498371976	<b>LCCF350-38D-6</b>	CuLug,2Hole,350kcmil,Flared,3/8StudPKG6	Two-hole, long flared barrel, 350 kcmil cable, 3/8 bolt holes, 1 hole spacing.	C	100	\$	4,975.26
07498389909	<b>LCCF350-38DF-6</b>	Cu,CompLug,2H,350K,FB,3/8S,90°,PK6	Two-hole, long flared barrel, 350 kcmil cable, 3/8 bolt holes, 1 hole spacing, 90° angle tongue.	C	100	\$	6,846.66
07498389908	<b>LCCF350-38DH-6</b>	Cu,CompLug,2H,350K,FB,3/8S,45°,PK6	Two-hole, long flared barrel, 350 kcmil cable, 3/8 bolt holes, 1 hole spacing, 45° angle tongue.	C	100	\$	6,846.66
07498375293	<b>LCCF4-14A-L</b>	CuLug,LF,2Hole,#4AWG,1/4,5/8PKG50	Two-hole, long flared barrel, #4 AWG wire, 1/4 stud hole, 5/8 hole spacing, NEMA hole sizes and spacing.	C	100	\$	820.30
07498388986	<b>LCCF4-14AH-L</b>	CuCompLug,2H,#4A,FB,1/4S,5/8,45°,PK50	Two-hole, long flared barrel, #4 AWG wire, 1/4 stud hole, 5/8 hole spacing, NEMA hole sizes and spacing, 45° angle tongue.	C	100	\$	1,052.00
07498375294	<b>LCCF4-14B-L</b>	CuLug,LF,2Hole,#4AWG,1/4,3/4PKG50	Two-hole, long flared barrel, #4 AWG wire, 1/4 stud hole, 3/4 hole spacing.	C	100	\$	820.30
07498388989	<b>LCCF4-14BF-L</b>	Cu,CompLug,2H,#4A,FB,1/4S,90°,PK50	Two-hole, long flared barrel, #4 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	1,157.20
07498388988	<b>LCCF4-14BH-L</b>	Cu,CompLug,2H,#4A,FB,1/4S,45°,PK50	Two-hole, long flared barrel, #4 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	1,157.20
07498375295	<b>LCCF4-38D-L</b>	CuLug,2Hole,#4AWG,Flared,3/8StudPKG50	Two-hole, long flared barrel, #4 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	859.39
07498388990	<b>LCCF4-38DH-L</b>	Cu,CompLug,2H,#4A,FB,3/8S,45°,PK50	Two-hole, long flared barrel, #4 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,052.00
07498389116	<b>LCCF4/0-12F-X</b>	Cu,CompLug,2H,4/0A,FB,1/2S,90°,PK10	Two-hole, long flared barrel, 4/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing,	C	100	\$	4,323.99
07498389115	<b>LCCF4/0-12H-X</b>	Cu,CompLug,2H,4/0A,FB,1/2S,45°,PK10	Two-hole, long flared barrel, 4/0 AWG wire, 1/2 stud hole, 1 3/4 hole spacing, NEMA hole sizes and spacing,	C	100	\$	4,323.99
07498375316	<b>LCCF4/0-14B-X</b>	CuLug,2Hole,4/0AWG,Flared,1/4StudPKG10	Two-hole, long flared barrel, 4/0 AWG wire, 1/4 stud hole, 1/4 hole spacing.	C	100	\$	3,153.00
07498389110	<b>LCCF4/0-14BF-X</b>	Cu,CompLug,2H,4/0A,FB,1/4S,90°,PK10	Two-hole, long flared barrel, 4/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	4,256.54
07498389109	<b>LCCF4/0-14BH-X</b>	Cu,CompLug,2H,4/0A,FB,1/4S,45°,PK10	Two-hole, long flared barrel, 4/0 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	3,869.58
07498375318	<b>LCCF4/0-38-X</b>	LGLug,LF,4/0AWG,.3in,1.75in,NoWDDW,PK10	Two-hole, long flared barrel, 4/0 AWG wire, 3/8 stud hole, 1 3/4 hole spacing.	C	100	\$	3,040.11
07498389112	<b>LCCF4/0-38DF-X</b>	CuCompLug,2H,4/0A,FB,3/8S,1.25,90°,PK10	Two-hole, long flared barrel, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,256.54
07498389113	<b>LCCF4/0-38H-X</b>	Cu,CompLug,2H,4/0A,FB,3/8S,45°,PK10	Two-hole, long flared barrel, 4/0 AWG wire, 3/8 stud hole, 1 3/4 hole spacing, 45° angle tongue.	C	100	\$	3,908.76
07498389943	<b>LCCF400-12F-6</b>	Cu,CompLug,2H,400K,FB,1/2S,90°,PK6	Two-hole, long flared barrel, 400 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	13,123.05
07498389942	<b>LCCF400-12H-6</b>	Cu,CompLug,2H,400K,FB,1/2S,45°,PK6	Two-hole, long flared barrel, 400 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	14,435.35
07498371979	<b>LCCF400-38D-6</b>	CuLug,2Hole,400kcmil,Flared,3/8StudPKG6	Two-hole, long flared barrel, 400 kcmil cable, 3/8 bolt holes, 1 hole spacing.	C	100	\$	10,984.34
07498389941	<b>LCCF400-38DF-6</b>	Cu,CompLug,2H,400K,FB,3/8S,90°,PK6	Two-hole, long flared barrel, 400 kcmil cable, 3/8 bolt holes, 1 hole spacing, 90° angle tongue.	C	100	\$	13,123.05
07498389940	<b>LCCF400-38DH-6</b>	Cu,CompLug,2H,400K,FB,3/8S,45°,PK6	Two-hole, long flared barrel, 400 kcmil cable, 3/8 bolt holes, 1 hole spacing, 45° angle tongue.	C	100	\$	13,123.05
07498336134	<b>LCCF500-12F-6</b>	Cu,CompLug,2H,500K,FB,1/2S,90°,PK6	Two-hole, long flared barrel, 500 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	15,684.63
07498336135	<b>LCCF500-12H-6</b>	Cu,CompLug,2H,500K,FB,1/2S,45°,PK6	Two-hole, long flared barrel, 500 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	14,937.74
07498383326	<b>LCCF500-38D-6</b>	Cu,CompLug,2H,500K,FBWin,3/8S,PK6	Two-hole, long flared barrel with window, 500 kcmil cable, 3/8 bolt holes, 1 hole spacing.	C	100	\$	10,443.01
07498344709	<b>LCCF6-10AW-L</b>	Cu,CompLug,2H,#6A,FBWin,#10S,PK50	Two-hole, long flared barrel with window, #6 AWG wire, #10 stud hole, .63 hole spacing, NEMA hole sizes and	C	100	\$	1,420.69
07498375291	<b>LCCF6-14B-L</b>	CuLug,LF,2Hole,#6AWG,1/4,3/4PKG50	Two-hole, long flared barrel, #6 AWG wire, 1/4 stud hole, 3/4 hole spacing.	C	100	\$	655.14
07498388983	<b>LCCF6-14BF-L</b>	Cu,CompLug,2H,#6A,FB,1/4S,90°,PK50	Two-hole, long flared barrel, #6 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	884.91
07498388044	<b>LCCF6-14BH-L</b>	Cu,CompLug,2H,#6A,FB,1/4S,45°,PK50	Two-hole, long flared barrel, #6 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	884.91
07498388985	<b>LCCF6-38DF-L</b>	Cu,CompLug,2H,#6A,FB,3/8S,90°,PK50	Two-hole, long flared barrel, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	827.00
07498388984	<b>LCCF6-38DH-L</b>	Cu,CompLug,2H,#6A,FB,3/8S,45°,PK50	Two-hole, long flared barrel, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	827.00
07498336136	<b>LCCF600-12F-6</b>	Cu,CompLug,2H,600K,FB,1/2S,90°,PK6	Two-hole, long flared barrel, 600 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	18,922.46
07498336138	<b>LCCF600-12H-6</b>	Cu,CompLug,2H,600K,FB,1/2S,45°,PK6	Two-hole, long flared barrel, 600 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	18,922.46
07498357816	<b>LCCF750-12F-3</b>	Cu,CompLug,2H,750K,FB,1/2S,90°,PK3	Two-hole, long flared barrel, 750 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	29,707.00
07498357817	<b>LCCF750-12H-3</b>	Cu,CompLug,2H,750K,FB,1/2S,45°,PK3	Two-hole, long flared barrel, 750 kcmil cable, 1/2 bolt holes, 1.75 hole spacing, NEMA hole sizes and spacing	C	100	\$	32,677.73
07498375323	<b>LCCF750-38D-3</b>	CuLug,2Hole,750kcmil,Flared,3/8StudPKG3	Two-hole, long flared barrel, 750 kcmil cable, 3/8 bolt holes, 1 hole spacing.	C	100	\$	14,310.00
07498357818	<b>LCCF750-38DF-3</b>	Cu,CompLug,2H,750K,FB,3/8S,90°,PK3	Two-hole, long flared barrel, 750 kcmil cable, 3/8 bolt holes, 1 hole spacing, 90° angle tongue.	C	100	\$	18,398.56
07498357819	<b>LCCF750-38DH-3</b>	Cu,CompLug,2H,750K,FB,3/8S,45°,PK3	Two-hole, long flared barrel, 750 kcmil cable, 3/8 bolt holes, 1 hole spacing, 45° angle tongue.	C	100	\$	18,398.56
07498375287	<b>LCCF8-14A-L</b>	CuLug,LF,2Hole,#8AWG,1/4,5/8PKG50	Two-hole, long flared barrel, #8 AWG wire, 1/4 stud hole, 5/8 hole spacing, NEMA hole sizes and spacing.	C	100	\$	568.55
07498387979	<b>LCCF8-14AF-L</b>	CuCompLug,2H,#8A,FB,1/4S,5/8,90°,PK50	Two-hole, long flared barrel, #8 AWG wire, 1/4 stud hole, 5/8 hole spacing, NEMA hole sizes and spacing, 90°	C	100	\$	731.00
07498387779	<b>LCCF8-14AH-L</b>	CuCompLug,2H,#8A,FB,1/4S,5/8,45°,PK50	Two-hole, long flared barrel, #8 AWG wire, 1/4 stud hole, 5/8 hole spacing, NEMA hole sizes and spacing, 45°	C	100	\$	731.00
07498375288	<b>LCCF8-14B-L</b>	CuLug,LF,2Hole,#8AWG,1/4,3/4PKG50	Two-hole, long flared barrel, #8 AWG wire, 1/4 stud hole, 3/4 hole spacing.	C	100	\$	595.60
07498388037	<b>LCCF8-14BF-L</b>	Cu,CompLug,2H,#8A,FB,1/4S,90°,PK50	Two-hole, long flared barrel, #8 AWG wire, 1/4 stud hole, 3/4 hole spacing, 90° angle tongue.	C	100	\$	731.00
07498387980	<b>LCCF8-14BH-L</b>	Cu,CompLug,2H,#8A,FB,1/4S,45°,PK50	Two-hole, long flared barrel, #8 AWG wire, 1/4 stud hole, 3/4 hole spacing, 45° angle tongue.	C	100	\$	731.00
07498375289	<b>LCCF8-38D-L</b>	CuLug,2Hole,#8AWG,Flared,3/8StudPKG50	Two-hole, long flared barrel, #8 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	595.60
07498388039	<b>LCCF8-38DF-L</b>	Cu,CompLug,2H,#8A,FB,3/8S,90°,PK50	Two-hole, long flared barrel, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	734.84
07498388038	<b>LCCF8-38DH-L</b>	Cu,CompLug,2H,#8A,FB,3/8S,45°,PK50	Two-hole, long flared barrel, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	734.84
07498345348	<b>LCCX1-12-X</b>	CuLug,2Hole,#1AWG,1/2Stud,1.75PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,418.51
07498342561	<b>LCCX1-14A-X</b>	CuLug,FLB,2Hole,#1AWG,1/4Stud,63PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,836.44
07498342563	<b>LCCX1-14AF-X</b>	CuLug,FLB,2Hole,#1AWG,1/4,63,90°PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,253.71
07498342562	<b>LCCX1-14AH-X</b>	CuLug,FLB,2Hole,#1AWG,1/4,63,45°PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,253.71
07498342564	<b>LCCX1-14B-X</b>	CuLug,FLB,2Hole,#1AWG,1/4Stud,75PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,852.89
07498342627	<b>LCCX1-14BF-X</b>	CuLug,FLB,2Hole,#1AWG,1/4,75,90°PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,273.79
07498342628	<b>LCCX1-14BH-X</b>	CuLug,FLB,2Hole,#1AWG,1/4,75,45°PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,273.79
07498342565	<b>LCCX1-14D-X</b>	CuLug,FLB,2Hole,#1AWG,1/4Stud,1PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,888.88
07498342604	<b>LCCX1-14DF-X</b>	CuLug,FLB,2Hole,#1AWG,1/4,1,90°PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,318.19
07498342626	<b>LCCX1-14DH-X</b>	CuLug,FLB,2Hole,#1AWG,1/4,1,45°PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,318.19
07498342569	<b>LCCX1-38DF-X</b>	CuLug,FLB,2Hole,#1AWG,3/8,1,90°PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,366.63
07498342568	<b>LCCX1-38DH-X</b>	CuLug,FLB,2Hole,#1AWG,3/8,1,45°PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,366.63
07498342630	<b>LCCX1-56C-X</b>	CuLug,2Hole,#1AWG,5/16Stud,88PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 5/16 stud hole, .88 hole spacing.	C	100	\$	1,735.09
07498342631	<b>LCCX1-56CF-X</b>	CuLug,FLB,2Hole,#1AWG,5/16,88,90°PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 5/16 stud hole, .88 hole spacing, 90° angle tongue.	C	100	\$	2,342.43
07498342629	<b>LCCX1-56CH-X</b>	CuLug,FLB,2Hole,#1AWG,5/16,88,45°PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 5/16 stud hole, .88 hole spacing, 45° angle tongue.	C	100	\$	2,342.43
07498342566	<b>LCCX1-56D-X</b>	CuLug,FLB,2Hole,#1AWG,5/16,1PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	1,735.09
07498342633	<b>LCCX1-56DF-X</b>	CuLug,FLB,2Hole,#1AWG,5/16,1,90°PKG10	Two-hole, flex lug, long barrel, #1 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,342.43
07498342635	<b>LCCX1-56DH-X</b>	Copper Compression Lug, 2 Hole, #1 AWG F	Copper Compression Lug, 2 Hole, #1 AWG Flex, 5/16" (7.9mm) Stud, 45° Bent	C	100	\$	2,342.43
07498342579	<b>LCCX1/0-12F-X</b>	CuLug,FLB,2Hole,1/0AWG,1/2,1.75,90°PKG10	Two-hole, flex lug, long barrel, 1/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,649.14
07498342578	<b>LCCX1/0-12H-X</b>	Copper Compression Lug, 2 Hole, 1/0 AWG	Copper Compression Lug, 2 Hole, 1/0 AWG Flex, 1/2" (12.7mm) Stud, 45° Bent	C	100	\$	2,649.14
07498342572	<b>LCCX1/0-14AF-X</b>	CuLug,FLB,2Hole,1/0AWG,1/4,63,90°PKG10	Two-hole, flex lug, long barrel, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,718.65
07498342571	<b>LCCX1/0-14AH-X</b>	CuLug,FLB,2Hole,1/0AWG,1/4,63,45°PKG10	Two-hole, flex lug, long barrel, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,471.51
07498342632	<b>LCCX1/0-14BH-X</b>	CuLug,FLB,2Hole,1/0AWG,1/4,75,45°PKG10	Two-hole, flex lug, long barrel, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,495.81
07498342575	<b>LCCX1/0-38DH-X</b>	CuLug,FLB,2Hole,1/0AWG,3/8,1,45°PKG10	Two-hole, flex lug, long barrel, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,855.91

07498342560	LCCX2-12F-E	CuLug, 2 Hole, #2AWG, 1/2Stud, 90°PKG20	Two-hole, flex lug, long barrel, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,211.94
07498342559	LCCX2-12H-E	CuLug, 2 Hole, #2AWG, 1/2Stud, 45°PKG20	Two-hole, flex lug, long barrel, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,433.15
07498342876	LCCX2-14BH-E	CuLugFLB, 2Hole, #2AWG, 1/4, 75.45°PKG20	Two-hole, flex lug, long barrel, #2 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,403.46
07498342636	LCCX2-38DF-E	CuLugFLB, 2Hole, #2AWG, 3/8, 1.90°PKG20	Two-hole, flex lug, long barrel, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,387.50
07498342637	LCCX2-38DH-E	CuLugFLB, 2Hole, #2AWG, 3/8, 45°PKG20	Two-hole, flex lug, long barrel, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,273.79
07498342589	LCCX2/0-12F-X	CuLugFLB, 2Hole, 2/0AWG, 1/2, 1.75, 90°PKG10	Two-hole, flex lug, long barrel, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,733.45
07498342588	LCCX2/0-12H-X	CuLugFLB, 2Hole, 2/0AWG, 1/2, 1.75, 45°PKG10	Two-hole, flex lug, long barrel, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,733.45
07498342582	LCCX2/0-14AF-X	CuLugFLB, 2Hole, 2/0AWG, 1/4, 63.90°PKG10	Two-hole, flex lug, long barrel, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,745.13
07498342581	LCCX2/0-14AH-X	CuLugFLB, 2Hole, 2/0AWG, 1/4, 63.45°PKG10	Two-hole, flex lug, long barrel, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,495.81
07498342583	LCCX2/0-14B-X	CuLugFLB, 2Hole, 2/0AWG, 1/4, 75°PKG10	Two-hole, flex lug, long barrel, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	1,959.85
07498342621	LCCX2/0-14BH-X	CuLugFLB, 2Hole, 2/0AWG, 1/4, 75.45°PKG10	Two-hole, flex lug, long barrel, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,519.61
07498342585	LCCX2/0-38DH-X	CuLugFLB, 2Hole, 2/0AWG, 3/8, 1.45°PKG10	Two-hole, flex lug, long barrel, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,751.61
07498343787	LCCX250-14B-X	CuLug, 2Hole, 250kcmil, 1/4Stud, 75°PKG10	Two-hole, flex lug, long barrel, 250 kcmil cable, 1/4 stud hole, .75 hole spacing.	C	100	\$	3,504.20
07498342599	LCCX250-14BF-X	CuLug, 2Hole, 250kcmil, 1/4Stud, 90°PKG10	Two-hole, flex lug, long barrel, 250 kcmil cable, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	4,300.60
07498343790	LCCX250-14BH-X	CuLug, 2Hole, 250kcmil, 1/4Stud, 45°PKG10	Two-hole, flex lug, long barrel, 250 kcmil cable, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	4,300.60
07498342611	LCCX250-38DF-X	CuLugFLB, 2Hole, 250kcmil, 3/8, 1.90°PKG10	Two-hole, flex lug, long barrel, 250 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,611.51
07498342610	LCCX250-38DH-X	CuLugFLB, 2Hole, 250kcmil, 3/8, 1.45°PKG10	Two-hole, flex lug, long barrel, 250 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	4,611.51
07498342590	LCCX3/0-14B-X	CuLugFLB, 2Hole, 3/0AWG, 1/4, 75°PKG10	Two-hole, flex lug, long barrel, 3/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,531.89
07498342598	LCCX3/0-14BF-X	CuLugFLB, 2Hole, 3/0AWG, 1/4, 75.90°PKG10	Two-hole, flex lug, long barrel, 3/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	3,107.50
07498342594	LCCX3/0-14BH-X	CuLugFLB, 2Hole, 3/0AWG, 1/4, 75.45°PKG10	Two-hole, flex lug, long barrel, 3/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	3,107.50
07498342593	LCCX3/0-38DF-X	CuLugFLB, 2Hole, 3/0AWG, 3/8, 1.90°PKG10	Two-hole, flex lug, long barrel, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,293.60
07498342592	LCCX3/0-38DH-X	CuLugFLB, 2Hole, 3/0AWG, 3/8, 1.45°PKG10	Two-hole, flex lug, long barrel, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,622.96
07498344301	LCCX300-38DF-6	CuLugFLB, 2Hole, 300kcmil, 3/8, 1.90°PKG6	Two-hole, flex lug, long barrel, 300 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	6,337.55
07498344300	LCCX300-38DH-6	CuLugFLB, 2Hole, 300kcmil, 3/8, 1.45°PKG6	Two-hole, flex lug, long barrel, 300 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	5,761.40
07498342624	LCCX350-12F-E	CuLugFLB, 2Hole, 350kcmil, 1/2, 1.75, 90°PKG6	Two-hole, flex lug, long barrel, 350 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	7,876.04
07498342623	LCCX350-12H-E	CuLugFLB, 2Hole, 350kcmil, 1/2, 1.75, 45°PKG6	Two-hole, flex lug, long barrel, 350 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	7,161.80
07498342615	LCCX350-14B-E	Cu, CompLug, 2H, 350kFlex, 1/4S, 75H, PK6	Two-hole, flex lug, long barrel, 350 kcmil cable, 1/4 stud hole, .75 hole spacing.	C	100	\$	6,848.38
07498342619	LCCX350-14BF-E	CuLug, 2Hole, 350kcmil, 1/4Stud, 90°PKG6	Two-hole, flex lug, long barrel, 350 kcmil cable, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	8,404.74
07498342600	LCCX350-14BH-E	CuLug, 2Hole, 350kcmil, 1/4Stud, 45°PKG6	Two-hole, flex lug, long barrel, 350 kcmil cable, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	8,404.74
07498342618	LCCX350-38DF-6	LGFlexLug, 350mcm, .38in, 1in, 90°, WDW, PK6	Two-hole, flex lug, long barrel, 350 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	7,521.55
07498342617	LCCX350-38DH-6	CuLugFLB, 2Hole, 350kcmil, 3/8, 1.45°PKG6	Two-hole, flex lug, long barrel, 350 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	7,521.55
07498334504	LCCX4-14AB-L	CuCompLug, 2H, 4AFlex, 1/4S, .63-.75, ST, PK50	Two-hole, flex lug, long barrel, #4 AWG wire, slotted 1/4 stud hole, .63 — .75 hole spacing.	C	100	\$	1,484.84
07498342873	LCCX4-14BF-L	CuLugFLB, 2Hole, #4AWG, 1/4, 75.90°PKG50	Two-hole, flex lug, long barrel, #4 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,026.63
07498342872	LCCX4-14BH-L	CuLugFLB, 2Hole, #4AWG, 1/4, 75.45°PKG50	Two-hole, flex lug, long barrel, #4 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,842.41
07498342549	LCCX4-38B-L	CuLug, 2Hole, #4AWG, 3/8Stud, 75°PKG50	Two-hole, flex lug, long barrel, #4 AWG wire, 3/8 stud hole, .75 hole spacing.	C	100	\$	1,418.53
07498334505	LCCX4-38BD-L	Cu, CompLug, 2H, #4AFlex, 3/8S, ST, PK50	Two-hole, flex lug, long barrel, #4 AWG wire, slotted 3/8 stud hole, .75 — 1 hole spacing.	C	100	\$	1,489.44
07498342875	LCCX4-38BF-L	CuLugFLB, 2Hole, #4AWG, 3/8, 75.90°PKG50	Two-hole, flex lug, long barrel, #4 AWG wire, 3/8 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,915.11
07498342874	LCCX4-38BH-L	CuLugFLB, 2Hole, #4AWG, 3/8, 75.45°PKG50	Two-hole, flex lug, long barrel, #4 AWG wire, 3/8 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,915.11
07498342552	LCCX4-38DF-L	CuLugFLB, 2Hole, #4AWG, 3/8, 1.90°PKG50	Two-hole, flex lug, long barrel, #4 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,106.60
07498342551	LCCX4-38DH-L	CuLugFLB, 2Hole, #4AWG, 3/8, 1.45°PKG50	Two-hole, flex lug, long barrel, #4 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,915.11
07498343781	LCCX4/0-12H-X	LGFlexLug, 4/0AWG, .5in, 1.8in, 45°, WDW, P10	Two-hole, flex lug, long barrel, 4/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	4,323.69
07498357945	LCCX4/0-14BF-X	LGFlexLug, 4/0AWG, .25in, .8in, 90°, WDW, PK1	Two-hole, flex lug, long barrel, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	3,864.28
07498357949	LCCX4/0-14BH-X	LGFlexLug, 4/0AWG, .25in, .75in, 45°, WDW, P1	Two-hole, flex lug, long barrel, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	3,864.28
07498344587	LCCX6-10A-L	CuLug, 2 Hole, #6AWG, #10Stud, .63PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, #10 stud hole, .63 hole spacing.	C	100	\$	1,167.70
07498342534	LCCX6-10B-L	CuLugFLB, 2Hole, #6AWG, #10, 75°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, #10 stud hole, .75 hole spacing.	C	100	\$	1,226.09
07498342863	LCCX6-10BF-L	CuLugFLB, 2Hole, #6AWG, #10, 75.90°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, #10 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,576.50
07498342862	LCCX6-10BH-L	CuLugFLB, 2Hole, #6AWG, #10, 75.45°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, #10 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,655.33
07498342864	LCCX6-14BH-L	CuLugFLB, 2Hole, #6AWG, 1/4, 75.45°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,672.19
07498342867	LCCX6-14DF-L	LGFlexLug, 6AWG, 1in space, 90°, WDW, PK50	Two-hole, flex lug, long barrel, #6 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,787.06
07498342866	LCCX6-14DH-L	CuLugFLB, 2Hole, #6AWG, 1/4, 1.45°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,624.60
07498342869	LCCX6-38AF-L	CuLugFLB, 2Hole, #6AWG, 3/8, 63.90°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 3/8 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,885.91
07498342868	LCCX6-38AH-L	CuLugFLB, 2Hole, #6AWG, 3/8, 63.45°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 3/8 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,714.46
07498342541	LCCX6-38C-L	CuLugFLB, 2Hole, #6AWG, 3/8, 88°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 3/8 stud hole, .88 hole spacing.	C	100	\$	1,397.13
07498342871	LCCX6-38CF-L	CuLugFLB, 2Hole, #6AWG, 3/8, 88.90°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 3/8 stud hole, .88 hole spacing, 90° angle tongue.	C	100	\$	1,714.46
07498342870	LCCX6-38CH-L	CuLugFLB, 2Hole, #6AWG, 3/8, 88.45°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 3/8 stud hole, .88 hole spacing, 45° angle tongue.	C	100	\$	1,885.91
07498342544	LCCX6-38DF-L	CuLugFLB, 2Hole, #6AWG, 3/8, 1.90°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,822.54
07498342543	LCCX6-38DH-L	CuLugFLB, 2Hole, #6AWG, 3/8, 1.45°PKG50	Two-hole, flex lug, long barrel, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,656.85
07498334500	LCCX8-10AB-L	Cu, CompLug, 2H, #8AFlex, #10S, ST, PK50	Two-hole, flex lug, long barrel, #8 AWG wire, slotted #10 stud hole, .63 — .75 hole spacing.	C	100	\$	1,040.85
07498342524	LCCX8-10AH-L	CuLugFLB, 2Hole, #8AWG, #10, 63.45°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, #10 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,405.04
07498342523	LCCX8-10B-L	CuLugFLB, 2Hole, #8AWG, #10, 75°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, #10 stud hole, .75 hole spacing.	C	100	\$	1,040.85
07498342854	LCCX8-10BF-L	CuLugFLB, 2Hole, #8AWG, #10, 75.90°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, #10 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,405.04
07498342853	LCCX8-10BH-L	CuLugFLB, 2Hole, #8AWG, #10, 75.45°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, #10 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,405.04
61305620047	LCCX8-12-L	Copper Compression Lug, 2 Hole, #8 AWG F		C	100	\$	1,007.66
07498334501	LCCX8-14AB-L	Cu, CompLug, 2H, #8AFlex, 1/4S, ST, PK50	Two-hole, flex lug, long barrel, #8 AWG wire, slotted 1/4 stud hole, .63 — .75 hole spacing.	C	100	\$	1,144.91
07498342527	LCCX8-14AH-L	CuLugFLB, 2Hole, #8AWG, 1/4, 63.45°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,545.54
07498342859	LCCX8-14BF-L	CuLugFLB, 2Hole, #8AWG, 1/4, 75.90°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,475.28
07498342858	LCCX8-14BH-L	CuLugFLB, 2Hole, #8AWG, 1/4, 75.45°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,405.04
07498342530	LCCX8-14D-L	CuLugFLB, 2Hole, #8AWG, 1/4, 1PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,144.91
07498342861	LCCX8-14DF-L	CuLugFLB, 2Hole, #8AWG, 1/4, 1.90°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,405.04
07498342860	LCCX8-14DH-L	CuLugFLB, 2Hole, #8AWG, 1/4, 1.45°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,405.04
07498342533	LCCX8-38DF-L	CuLugFLB, 2Hole, #8AWG, 3/8, 1.90°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,545.54
07498342532	LCCX8-38DH-L	CuLugFLB, 2Hole, #8AWG, 3/8, 1.45°PKG50	Two-hole, flex lug, long barrel, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,545.54
07498369825	LCCXF1-14A-X	CuLug, 2Hole, #1AWG, 1/4Stud, .63, PKG10	Two-hole, flex lug, long flared barrel, #1 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	3,156.03
07498369826	LCCXF1-38DF-X	CuLug, 2 Hole, #1AWG, 3/8Stud, 90°, PKG10	Two-hole, flex lug, long flared barrel, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,260.63
07498301382	LCCXF1/0-14B-X	CuLug, 2 Hole, 1/0AWG, 1/4Stud, .75, PKG10	Two-hole, flex lug, long flared barrel, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,105.98
07498302310	LCCXF2-14E-E	CuLug, 2Hole, #2AWG, 1/4Stud, 1.25PKG20	Two-hole, flex lug, long flared barrel, #2 AWG wire, 1/4 stud hole, 1.25 hole spacing.	C	100	\$	2,883.19
07498301391	LCCXF2-38DF-E	CuLug, 2Hole, #2AWG, 3/8Stud, 90°PKG20	Two-hole, flex lug, long flared barrel, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,173.70

07498301359	LCCXF2-38DH-E	CuLug,2Hole,#2 AWG,3/8Stud,45°PKG20	Two-hole, flex lug, long flared barrel, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,974.95
07498369820	LCCXF2-56B-E	CuLug,2Hole,#2AWG,5/16Stud,.75PKG20	Two-hole, flex lug, long flared barrel, #2 AWG wire, 5/16 stud hole, .75 hole spacing.	C	100	\$	3,171.51
07498369831	LCCXF2/0-12-X	CuLug,2Hole,2/0AWG,1/4Stud,1.75PKG10	Two-hole, flex lug, long flared barrel, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	4,002.59
07498369827	LCCXF2/0-14A-X	CuLug,2-Hole,2/0AWG,1/4Stud,.63PKG10	Two-hole, flex lug, long flared barrel, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	3,467.11
07498369828	LCCXF2/0-14B-X	CuLug,2-Hole,2/0AWG,1/4Stud,.75PKG10	Two-hole, flex lug, long flared barrel, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	3,467.11
07498369829	LCCXF2/0-38D-X	CuLug,2-Hole,2/0AWG,3/8Stud,1PKG10	Two-hole, flex lug, long flared barrel, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	3,754.41
07498341731	LCCXF250-12-X	CuLug,2Hole,250kcmil,1/2Stud,1.75,PKG10	Two-hole, flex lug, long flared barrel, 250 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	5,045.18
07498369833	LCCXF3/0-38D-X	CuLug,2-Hole,3/0AWG,3/8Stud,1PKG10	Two-hole, flex lug, long flared barrel, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	3,711.55
07498369840	LCCXF3-350-38D-E	CuLug,2-Hole,350kcmil,3/8Stud,1PKG60	Two-hole, flex lug, long flared barrel, 350 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	4,094.31
07498369814	LCCXF4-14A-L	CuLug,2Hole,#4AWG,1/4Stud,.63PKG50	Two-hole, flex lug, long flared barrel, #4 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	1,778.49
07498369816	LCCXF4-38D-L	CuLug,2-Hole,#4AWG,3/8Stud,1PKG50	Two-hole, flex lug, long flared barrel, #4 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	1,969.70
07498369834	LCCXF4/0-14A-X	CuLug,2-Hole,4/0AWG,1/4Stud,.63,PKG10	Two-hole, flex lug, long flared barrel, 4/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	3,785.35
07498301404	LCCXF4/0-14AF-X	CuLug,2-Hole,4/0AWG,1/4Stud,90°,PKG10	Two-hole, flex lug, long flared barrel, 4/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	5,110.61
07498301372	LCCXF4/0-14AH-X	CuLug,2-Hole,4/0AWG,1/4Stud,45°,PKG10	Two-hole, flex lug, long flared barrel, 4/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	5,110.61
07498369835	LCCXF4/0-14B-X	CuLug,2-Hole,4/0AWG,1/4Stud,.75,PKG10	Two-hole, flex lug, long flared barrel, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	3,974.63
07498369836	LCCXF4/0-38D-X	CuLug,2-Hole,4/0AWG,3/8Stud,1,PKG10	Two-hole, flex lug, long flared barrel, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	4,089.31
07498301375	LCCXF6-14AH-L	CuLug,2 Holes,#6AWG,1/4Stud,45°,PKG50	Two-hole, flex lug, long flared barrel, #6 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,795.40
61305617056	LCCXF650-38E-6	CuLug,2H,650k Flex,Long Barrel,3/8,PKG	Two-hole, flex lug, long barrel, 650 kcmil flex, 3/8 stud size, 1.25 hole spacing.	C	100	\$	12,798.50
07498369842	LCCXF750-38D-3	CuLug,2Hole,750kcmil,3/8Stud,1PKG3	Two-hole, flex lug, long flared barrel, 750 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	13,628.56
07498369949	LCCXF8-14D-L	CuLug,2-Hole,#8AWG,1/4Stud,1PKG50	Two-hole, flex lug, long flared barrel, #8 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,022.06
07498382515	LCCXN2-14AF-E	Copper Compression Lug, 2 Hole, Narrow T	Copper Compression Lug, 2 Hole, Narrow Tongue	C	100	\$	2,881.78
07498382509	LCCXN2-14AH-E	Copper Compression Lug, 2 Hole, Narrow T	Copper Compression Lug, 2 Hole, Narrow Tongue	C	100	\$	2,881.78
07498366241	LCCXN2-14B-E	Copper Compression Lug, 2 Hole, #2 AWG,	Copper Compression Lug, 2 Hole, #2 AWG, Narrow Tongue, 1/4" (6.4mm) Stud, .75 (19.1mm) Hole Spacing	C	100	\$	2,134.76
07498366242	LCCXN2-14D-E	Copper Compression Lug, 2 Hole, #2 AWG,	Copper Compression Lug, 2 Hole, #2 AWG, Narrow Tongue, 1/4" (6.4mm) Stud, 1.00 (19.1mm) Hole Spacing	C	100	\$	2,134.76
07498312694	LCCXN450-12-6	CuLug,2Hole,450kcmil,Narrow1/2Stud,PKG6	Two-hole, flex lug, long barrel, narrow tongue, 450 kcmil cable, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	8,443.88
07498338292	LCD1-12-E	CuLugSBW,2Hole,#1AWG,1/2Stud,1.75PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	1,424.76
07498356849	LCD1-12F-E	CuLugSBW,2Hole,#1AWG,1/2Stud,90°PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,015.03
07498356718	LCD1-12H-E	CuLugSBW,2Hole,#1AWG,1/2Stud,45°PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,015.03
07498356714	LCD1-14AH-E	CuLugSBW,2Hole,#1AWG,1/4,63.45°PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,117.60
07498356846	LCD1-14BF-E	CuLugSBW,2Hole,#1AWG,1/4,75.90°PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,414.70
07498356715	LCD1-14BH-E	CuLugSBW,2Hole,#1AWG,1/4,75.45°PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,414.70
07498399142	LCD1-38AD-E	Cu,CompLug,2H,#1A,3/8S,ST,PK20	Two-hole, standard barrel lug with window, #1 AWG wire, 3/8 stud hole and slotted stud hole, 5/8 hole spacing	C	100	\$	1,493.96
07498356848	LCD1-38DF-E	CuLug,2Hole,#1AWG,3/8,1.90°PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,310.96
07498356717	LCD1-38DH-E	CuLugSBW,2Hole,#1AWG,3/8,1.45°PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,100.88
07498338296	LCD1-56C-E	CuLugSBW,2Hole,#1AWG,5/16,.88PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 5/16 stud hole, .88 hole spacing.	C	100	\$	1,508.76
07498356716	LCD1-56CH-E	CuLugSBW,2Hole,#1AWG,5/16,.88,45°PKG20	Two-hole, standard barrel lug with window, #1 AWG wire, 5/16 stud hole, .88 hole spacing, 45° angle tongue.	C	100	\$	1,939.94
07498390091	LCD1/0-00-X	CuLug,LongBlank,1/0AWGPKG10	Long blank tongue, standard barrel lug, #1/0 AWG wire.	C	100	\$	1,692.49
07498356871	LCD1/0-12F-X	CuLugSBW,2Hole,1/0AWG,1/2,1.75,90°PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,077.09
07498356723	LCD1/0-12H-X	CuLugSBW,2Hole,1/0AWG,1/2,1.75,45°PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,284.79
07498356851	LCD1/0-14BF-X	CuLugSBW,2Hole,1/0AWG,1/4,.75,90°PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,137.91
07498345327	LCD1/0-14D-X	Copper Compression Lug, 2 Hole, 1/0 AWG,	1/0 AWG Wire, 1/4" Stud Hole, 1" Hole Spacing	C	100	\$	1,659.06
07498399143	LCD1/0-38AD-X	Cu,CompLug,2H,1/0A,3/8S,ST,PK10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 3/8 stud hole and slotted stud hole, 5/8 hole spacing	C	100	\$	1,522.06
07498356722	LCD1/0-38DH-X	CuLugSBW,2Hole,1/0AWG,3/8,1.45°PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,239.79
07498338323	LCD1/0-56C-X	CuLugSBW,2Hole,1/0AWG,5/16,.88PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 5/16 stud hole, .88 hole spacing.	C	100	\$	1,691.16
07498356721	LCD1/0-56CH-X	CuLugSBW,2Hole,1/0AWG,5/16,.88,45°PKG10	Two-hole, standard barrel lug with window, 1/0 AWG wire, 5/16 stud hole, .88 hole spacing, 45° angle tongue.	C	100	\$	2,174.40
61305617055	LCD1/0-56D-X	Copper Compression Lug, 2 Hole, 1/0 AWG,		C	100	\$	1,610.84
61305617287	LCD1/0-56DF-X	Copper Compression Lug, 2 Hole, 1/0 AWG,		C	100	\$	2,174.40
61305617286	LCD1/0-56DH-X	Copper Compression Lug, 2 Hole, 1/0 AWG,		C	100	\$	2,174.40
07498337944	LCD1/0-14DF-L	CuLug,2Hole,#10AWG,1/4Stud,90°PKG50	Two-hole, standard barrel lug with window, #10 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,856.79
07498397381	LCD1/0-38DF-L	CuLug,2Hole,#10AWG,3/8Stud,90°PKG50	Two-hole, standard barrel lug with window, #10 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,042.35
07498397382	LCD1/0-38DH-L	CuLug,2Hole,#10AWG,3/8Stud,45°PKG50	Two-hole, standard barrel lug with window, #10 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,042.35
07498345328	LCD1000-12E-3	CuLug,2Hole,1000kcmil,1/2Stud,1.25PKG30	Two-hole, standard barrel lug with window, 1000 kcmil cable, 1/2 stud hole, 1.25 hole spacing, NEMA hole size	C	100	\$	15,483.71
07498342131	LCD1000-58G-3	Copper Compression Lug, 2 Hole, 1000 kcm	Two-hole, standard barrel lug with window, 1000 kcmil cable, 5/8" stud hole, 1.50" hole spacing, NEMA hole size	C	100	\$	12,643.76
07498356796	LCD2-12F-Q	CuLug,2Hole,#2AWG,1/2Stud,90°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	1,781.29
07498356702	LCD2-12H-Q	CuLug,2Hole,#2AWG,1/2Stud,45°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	1,781.29
07498356676	LCD2-14BH-Q	CuLugSB,2Hole,#2AWG,1/4,.75,45°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,672.80
07498356781	LCD2-14DF-Q	CuLugSBW,2Hole,#2AWG,1/4,1.90°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,752.46
07498356677	LCD2-14DH-Q	CuLugSB,2Hole,#2AWG,1/4,1.45°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,593.14
07498399141	LCD2-38AD-Q	Cu,CompLug,2H,#2A,3/8S,ST,PK25	Two-hole, standard barrel lug with window, #2 AWG wire, 3/8 stud hole and slotted stud hole, 5/8 hole spacing	C	100	\$	1,298.15
07498356792	LCD2-38DF-Q	CuLugSBW,2Hole,#2AWG,3/8,1.90°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,752.46
07498356679	LCD2-38DH-Q	CuLugSBW,2Hole,#2AWG,3/8,1.45°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,752.46
07498338302	LCD2-56B-Q	CuLugSBW,2Hole,#2AWG,5/16,.75PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 5/16 stud hole, .75 hole spacing.	C	100	\$	1,333.91
07498356782	LCD2-56BF-Q	CuLugSBW,2Hole,#2AWG,5/16,.75,90°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 5/16 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,886.44
07498356678	LCD2-56BH-Q	CuLugSBW,2Hole,#2AWG,5/16,.75,45°PKG25	Two-hole, standard barrel lug with window, #2 AWG wire, 5/16 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,714.95
61305639682	LCD2-56D-Q	Copper Compression Lug, 2 Hole, #2 AWG C	Copper Compression Lug, 2 Hole, #2 AWG Code Conductor, Standard Barrel, 5/16" Stud, 1" Hole Spacing	C	100	\$	1,157.78
61305639732	LCD2-56DF-Q	Copper Compression Lug, 2 Hole, #2 AWG C	Copper Compression Lug, 2 Hole, #2 AWG Code Conductor, Standard Barrel, 5/16" Stud, 1" Hole Spacing, 9	C	100	\$	1,562.73
61305639733	LCD2-56DH-Q	Copper Compression Lug, 2 Hole, #2 AWG C	Copper Compression Lug, 2 Hole, #2 AWG Code Conductor, Standard Barrel, 5/16" Stud, 1" Hole Spacing, 4	C	100	\$	1,562.73
07498356745	LCD2/0-12H-X	CuLugSBW,2Hole,2/0AWG,1/2,1.75,45°PKG10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,470.41
07498356724	LCD2/0-14AH-X	CuLugSBW,2Hole,2/0AWG,1/4,63.45°PKG10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,557.13
07498356725	LCD2/0-14BH-X	CuLugSBW,2Hole,2/0AWG,1/4,75.45°PKG10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,557.13
07498356875	LCD2/0-38DF-X	CuLugSBW,2Hole,2/0AWG,3/8,1.90°PKG10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,557.13
07498356742	LCD2/0-38DH-X	CuLugSBW,2Hole,2/0AWG,3/8,1.45°PKG10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,557.13
07498356874	LCD2/0-56CF-X	CuLugSBW,2Hole,2/0AWG,5/16,.88,90°PKG10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 5/16 stud hole, .88 hole spacing, 90° angle tongue.	C	100	\$	2,672.91
07498356741	LCD2/0-56CH-X	CuLugSBW,2Hole,2/0AWG,5/16,.88,45°PKG10	Two-hole, standard barrel lug with window, 2/0 AWG wire, 5/16 stud hole, .88 hole spacing, 45° angle tongue.	C	100	\$	2,672.91
07498390099	LCD250-00-X	CuLug,LongBlank,250KcmilPKG10	Long blank tongue, standard barrel lug, 250 kcmil Cable.	C	100	\$	2,858.25
07498356759	LCD250-12H-X	CuLugSBW,2Hole,250kcmil,1/2,1.75,45°P10	Two-hole, standard barrel lug with window, 250 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	4,042.25
07498356890	LCD250-38DF-X	CuLugSBW,2Hole,250kcmil,3/8,1.90°PKG10	Two-hole, standard barrel lug with window, 250 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,012.53

07498390095	<b>LCD3/0-00-X</b>	CuLug,LongBlank,3/0AWGPKG10	Long blank tongue, standard barrel lug, #3/0 AWG wire.	C	100	\$	2,302.93
07498356881	<b>LCD3/0-12F-X</b>	CuLugSBW,2Hole,3/0AWG,1/2,1.75,90°PKG10	Two-hole, standard barrel lug with window, 3/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,960.89
61305617058	<b>LCD3/0-14A-X</b>	Copper Compression Lug, 2 Hole, 3/0 AWG,		C	100	\$	2,119.96
61305617289	<b>LCD3/0-14AF-X</b>	Copper Compression Lug, 2 Hole, 3/0 AWG,		C	100	\$	2,862.21
61305617288	<b>LCD3/0-14AH-X</b>	Copper Compression Lug, 2 Hole, 3/0 AWG,		C	100	\$	2,862.21
07498338328	<b>LCD3/0-14B-X</b>	CuLugSBW,2Hole,3/0AWG,1/4,.75,45°PKG10	Two-hole, standard barrel lug with window, 3/0 AWG wire, 1/4 stud hole, .75 hole spacing.	C	100	\$	2,331.89
07498356746	<b>LCD3/0-14BH-X</b>	CuLugSBW,2Hole,3/0AWG,1/4,.75,45°PKG10	Two-hole, standard barrel lug with window, 3/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	3,148.01
07498356880	<b>LCD3/0-38DF-X</b>	CuLugSBW,2Hole,3/0AWG,3/8,1,90°PKG10	Two-hole, standard barrel lug with window, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,892.25
07498356750	<b>LCD3/0-38DH-X</b>	CuLugSBW,2Hole,3/0AWG,3/8,1,45°PKG10	Two-hole, standard barrel lug with window, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue..	C	100	\$	2,760.80
07498355963	<b>LCD3/0-56D-X</b>	CuLugSBW,2Hole,3/0AWG,5/16,1PKG10	Two-hole, standard barrel lug with window, 3/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	2,045.00
07498356879	<b>LCD3/0-56DF-X</b>	CuLugSBW,2Hole,3/0AWG,5/16,1,90°PKG10	Two-hole, standard barrel lug with window, 3/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,629.31
07498356747	<b>LCD3/0-56DH-X</b>	CuLugSBW,2Hole,3/0AWG,5/16,1,45°PKG10	Two-hole, standard barrel lug with window, 3/0 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,892.25
07498389953	<b>LCD300-12F-X</b>	CuLugSBW,2Hole,300kcmil,1/2,1.75,90°P10	Two-hole, standard barrel lug with window, 300 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	4,451.01
07498389952	<b>LCD300-12H-X</b>	CuLugSBW,2Hole,300kcmil,1/2,1.75,45°P10	Two-hole, standard barrel lug with window, 300 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	4,896.10
07498389951	<b>LCD300-38DF-X</b>	CuLugSBW,2Hole,300kcmil,3/8,1,90°PKG10	Two-hole, standard barrel lug with window, 300 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,451.01
07498389950	<b>LCD300-38DH-X</b>	CuLugSBW,2Hole,300kcmil,3/8,1,45°PKG10	Two-hole, standard barrel lug with window, 300 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	4,451.01
07498390103	<b>LCD350-00-X</b>	CuLug,LongBlank,350KcmilPKG10	Long blank tongue, standard barrel lug, 350 kcmil Cable.	C	100	\$	3,715.63
07498371962	<b>LCD350-12E-X</b>	CuLug,2Hole,350kcmil,1/2Stud,1.25PKG10	Two-hole, standard barrel lug with window, 350 kcmil cable, 1/2 stud hole, 1.25 hole spacing.	C	100	\$	4,236.71
07498389959	<b>LCD350-12EF-X</b>	CuLugSBW,2Hole,350kcmil,1/2,1.25,90°P10	Two-hole, standard barrel lug with window, 350 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 90° angle tongue	C	100	\$	5,199.65
07498389958	<b>LCD350-12EH-X</b>	CuLugSBW,2Hole,350kcmil,1/2,1.25,45°P10	Two-hole, standard barrel lug with window, 350 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 45° angle tongue	C	100	\$	5,199.65
07498389961	<b>LCD350-12F-X</b>	CuLugSBW,2Hole,350kcmil,1/2,1.75,90°P10	Two-hole, standard barrel lug with window, 350 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	4,777.25
07498389960	<b>LCD350-12H-X</b>	CuLugSBW,2Hole,350kcmil,1/2,1.75,45°P10	Two-hole, standard barrel lug with window, 350 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	5,254.96
07498371960	<b>LCD350-14B-X</b>	CuLugSBW,2Hole,350kcmil,1/4,.75PKG10	Two-hole, standard barrel lug with window, 350 kcmil cable, 1/4 stud hole, .75 hole spacing.	C	100	\$	3,593.64
07498389955	<b>LCD350-14BF-X</b>	CuLugSBW,2Hole,350kcmil,1/4,.75,90°PK10	Two-hole, standard barrel lug with window, 350 kcmil cable, 1/4 stud hole, .75 hole spacing, 90° angle tongue	C	100	\$	4,410.30
07498389954	<b>LCD350-14BH-X</b>	CuLugSBW,2Hole,350kcmil,1/4,45°PKG10	Two-hole, standard barrel lug with window, 350 kcmil cable, 1/4 stud hole, .75 hole spacing, 45° angle tongue	C	100	\$	4,851.33
07498389957	<b>LCD350-38DF-X</b>	CuLugSBW,2Hole,350kcmil,3/8,1,90°PKG10	Two-hole, standard barrel lug with window, 350 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	4,630.80
07498389956	<b>LCD350-38DH-X</b>	CuLugSBW,2Hole,350kcmil,3/8,1,45°PKG10	Two-hole, standard barrel lug with window, 350 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	4,851.33
61305639681	<b>LCD350-56B-X</b>	Copper Compression Lug, 2 Hole, 350 kcmi	Copper Compression Lug, 2 Hole, 350 kcmil Code Conductor, Standard Barrel, 5/16" Stud, .75" Hole Spacing	C	100	\$	3,141.34
07498399263	<b>LCD4-10AF-L</b>	Cu,CompLug,2H,#4-#3A,#2A,#10S,90°,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, .63 hole s	C	100	\$	1,534.03
07498399264	<b>LCD4-10BF-L</b>	Cu,CompLug,2H,#4-#3A,#2A,#10S,90°,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, .75 hole s	C	100	\$	1,607.09
07498314812	<b>LCD4-10BH-L</b>	Cu,CompLug,2H,#4-#3A,#2A,#10S,45°,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, #10 stud hole, .75 hole s	C	100	\$	1,460.98
61305639735	<b>LCD4-12-L</b>	Copper Compression Lug, 2 Hole, #4 AWG C	Copper Compression Lug, 2 Hole, #4 AWG Code Conductor, Standard Barrel, 1/2" Stud, 1.75" Hole Spacing	C	100	\$	1,479.73
61305639734	<b>LCD4-12F-L</b>	Copper Compression Lug, 2 Hole, #4 AWG C	Copper Compression Lug, 2 Hole, #4 AWG Code Conductor, Standard Barrel, 1/2" Stud, 1.75" Hole Spacing	C	100	\$	1,997.30
61305639743	<b>LCD4-12H-L</b>	Copper Compression Lug, 2 Hole, #4 AWG C	Copper Compression Lug, 2 Hole, #4 AWG Code Conductor, Standard Barrel, 1/2" Stud, 1.75" Hole Spacing	C	100	\$	1,997.30
07498356671	<b>LCD4-14BH-L</b>	STDLug,2-4AWG,2hol,1in space,WDW,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, .75 hole sp	C	100	\$	1,475.01
07498356672	<b>LCD4-14DH-L</b>	STDLug,2-4AWG,2hol,1in space,WDW,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 1/4 stud hole, 1 hole spa	C	100	\$	1,545.25
07498399140	<b>LCD4-38AD-L</b>	Cu,CompLug,2H,#4-#3A,#2A,3/8S,ST,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 3/8 stud holes (one slotte	C	100	\$	1,040.48
07498356775	<b>LCD4-38DF-L</b>	Cu,CompLugSBW,2H,4-3A,2A,3/8S,90°,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 3/8 stud hole, 1 hole spa	C	100	\$	1,545.19
07498356673	<b>LCD4-38DH-L</b>	Cu,CompLug,2H,#4-#3A,#2A,3/8S,45°,PK50	Two-hole, standard barrel lug with window, #4 — #3 AWG STR, #2 AWG SOL wire, 3/8 stud hole, 1 hole spa	C	100	\$	1,474.96
61305639777	<b>LCD4-56B-L</b>	Copper Compression Lug, 2 Hole, #4 AWG C	Copper Compression Lug, 2 Hole, #4 AWG Code Conductor, Standard Barrel, 5/16" Stud, .75" Hole Spacing	C	100	\$	1,000.76
07498306678	<b>LCD4-56C-L</b>	Copper Compression Lug, 2 Hole, #4 - #3	Two-hole, standard barrel lug with window, #4 - #3 AWG STR, #2 AWG SOL wire, 5/16" stud hole, .88" hole	C	100	\$	1,144.54
61305623511	<b>LCD4-56D-L</b>	Copper Lug, 2 Hole, Standard Barrel		C	100	\$	983.28
07498356889	<b>LCD4/0-12F-X</b>	STDLug,4/0AWG,.5in,1.75in,90°,WDW,PK10	Two-hole, standard barrel lug with window, 4/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, NEMA hole sizes	C	100	\$	3,462.56
07498356755	<b>LCD4/0-12H-X</b>	STDLug,4/0AWG,.5in,1.75in,45°,PK10	Two-hole, standard barrel lug with window, 4/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, NEMA hole sizes	C	100	\$	3,627.43
07498356753	<b>LCD4/0-14BH-X</b>	STDLug,4/0AWG.25in,.63in,45°,WDW,PK10	Two-hole, standard barrel lug with window, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	3,268.44
61305639776	<b>LCD4/0-56B-X</b>	Copper Compression Lug, 2 Hole, 4/0 AWG	Copper Compression Lug, 2 Hole, 4/0 AWG Code Conductor, Standard Barrel, 5/16" Stud, .75" Hole Spacing	C	100	\$	2,116.79
07498389974	<b>LCD4/0-56BF-X</b>	Copper Compression Lug, 2 Hole, 4/0 AWG	Copper Compression Lug, 2 Hole, 4/0 AWG Code Conductor, Standard Barrel, 5/16" Stud, .75" Hole Spacing	C	100	\$	2,857.45
61305639775	<b>LCD4/0-56BH-X</b>	Copper Compression Lug, 2 Hole, 4/0 AWG	Copper Compression Lug, 2 Hole, 4/0 AWG Code Conductor, Standard Barrel, 5/16" Stud, .75" Hole Spacing	C	100	\$	2,857.45
61305617059	<b>LCD4/0-56D-X</b>	Copper Compression Lug, 2 Hole, 4/0 AWG,		C	100	\$	2,201.38
07498389965	<b>LCD400-12F-6</b>	STDLug,400mcm,.5in,1.75in,90°,WDW,PK6	Two-hole, standard barrel lug with window, 400 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	5,749.98
07498389964	<b>LCD400-12H-6</b>	STDLug,400mcm,.5in,1.75in,45°,WDW,PK10	Two-hole, standard barrel lug with window, 400 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	5,749.98
07498389963	<b>LCD400-38DF-6</b>	STDLug,400mcm,.38in,1in,90°,WDW,PK6	Two-hole, standard barrel lug with window, 400 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	5,606.24
07498389962	<b>LCD400-38DH-6</b>	STDLug,400mcm,.38in,1in,45°,WDW,PK6	Two-hole, standard barrel lug with window, 400 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	5,873.20
61305617061	<b>LCD400-56D-6</b>	Copper Compression Lug, 2 Hole, 400 kcmi		C	100	\$	3,954.96
61305617295	<b>LCD400-56DF-6</b>	Copper Compression Lug, 1 Hole, 400 kcmi		C	100	\$	5,339.54
61305617294	<b>LCD400-56DH-6</b>	Copper Compression Lug, 1 Hole, 400 kcmi		C	100	\$	5,339.54
07498390107	<b>LCD500-00-6</b>	CuLug,LongBlank,500KcmilPKG6	Long blank tongue, standard barrel lug, 500 kcmil Cable.	C	100	\$	5,515.68
07498371966	<b>LCD500-12E-6</b>	STDLug,500mcm,.5in,1.25in,WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 1/2 stud hole, 1.25 hole spacing.	C	100	\$	5,224.05
07498389971	<b>LCD500-12EF-6</b>	STDLug,500mcm,.5in,1.25in,90°,WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 90° angle tongue	C	100	\$	6,716.66
07498389970	<b>LCD500-12EH-6</b>	STDLug,500mcm,.5in,1.25in,45°,WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 45° angle tongue	C	100	\$	7,388.33
07498389973	<b>LCD500-12F-6</b>	STDLug,500mcm,.5in,1.75in,90°,WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	7,446.11
07498371964	<b>LCD500-14B-6</b>	STDLug,500mcm,.25in,1in,WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 1/4 stud hole, 1 hole spacing.	C	100	\$	4,718.73
07498389967	<b>LCD500-14BF-6</b>	STDLug,500mcm.25in,1in,90°,WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	5,791.16
07498389966	<b>LCD500-14BH-6</b>	STDLug,500mcm,.25in,1in,45°WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	5,791.16
07498389969	<b>LCD500-38DF-6</b>	STDLug,500mcm,.38in,1in,90°,WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	5,682.90
07498389968	<b>LCD500-38DH-6</b>	STDLug,500mcm,.38in,1in,45°WDW,PK6	Two-hole, standard barrel lug with window, 500 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue..	C	100	\$	5,412.29
07498338053	<b>LCD6-10AF-D</b>	Cu,CompLug,2H,#6A,#10S,90°,PK500	Two-hole, standard barrel lug with window, #6 AWG wire, #10 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	1,207.30
07498343937	<b>LCD6-10BF-L</b>	CuLugSBW,2Hole,#6AWG,#10,75,90°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, #10 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,398.03
07498343940	<b>LCD6-10BH-L</b>	CuLugSBW,2Hole,#6AWG,#10,75,45°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, #10 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,334.48
07498343847	<b>LCD6-10D-L</b>	CuLug,2Hole,#6AWG,#10(M5)Stud,1PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, #10 stud hole, 1 hole spacing.	C	100	\$	988.41
07498344117	<b>LCD6-10DF-L</b>	CuLugSBW,2Hole,#6AWG,#10,1,90°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, #10 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,397.81
07498344588	<b>LCD6-10DH-L</b>	CuLugSBW,2Hole,#6AWG,#10,1,45°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, #10 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,270.75
61305639746	<b>LCD6-12-L</b>	Copper Compression Lug, 2 Hole, #6 AWG C	Copper Compression Lug, 2 Hole, #6 AWG Code Conductor, Standard Barrel, 1/2" Stud, 1.75" Hole Spacing	C	100	\$	1,416.29
61305639749	<b>LCD6-12F-L</b>	Copper Compression Lug, 2 Hole, #6 AWG C	Copper Compression Lug, 2 Hole, #6 AWG Code Conductor, Standard Barrel, 1/2" Stud, 1.75" Hole Spacing	C	100	\$	1,912.19
07498356768	<b>LCD6-14DF-L</b>	STDLug,6AWG,1in space,90°,WDW,PK50	Two-hole, standard barrel lug with window, #6 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,334.38
07498356666	<b>LCD6-14DH-L</b>	CuLugSBW,2Hole,#6AWG,1/4,1,45°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,397.91
07498356770	<b>LCD6-38DF-L</b>	CuLugSBW,2Hole,#6AWG,3/8,1,90°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,850.21

0749835668	<b>LCD6-38DH-L</b>	CuLugSBW,2Hole,#6AWG,3/8,1,45°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,766.11
0749835679	<b>LCD6-56DF-L</b>	CuLugSBW,2Hole,#6AWG,5/16,1,90°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,410.74
0749835667	<b>LCD6-56DH-L</b>	CuLugSBW,2Hole,#6AWG,5/16,1,45°PKG50	Two-hole, standard barrel lug with window, #6 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue..	C	100	\$	1,410.74
0749838977	<b>LCD600-12F-6</b>	STDLug,600mcm,.5in,1.75in,90°,WDW,PK6	Two-hole, standard barrel lug with window, 600 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	10,825.06
0749838976	<b>LCD600-12H-6</b>	STDLug,600mcm,.5in,1.75in,45°,WDW,PK6	Two-hole, standard barrel lug with window, 600 kcmil cable, 1/2 stud hole, 1.75 hole spacing, NEMA hole size	C	100	\$	10,825.06
0749838975	<b>LCD600-38DF-6</b>	STDLug,600mcm,.38in,1in,90°,WDW,PK6	Two-hole, standard barrel lug with window, 600 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	9,013.41
0749838974	<b>LCD600-38DH-6</b>	STDLug,600mcm,.38in,1in,45°,WDW,PK6	Two-hole, standard barrel lug with window, 600 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	9,013.41
07498342128	<b>LCD750-38D-E</b>	STDLug,750mcm,.38in,1in,WDW,PK6	Two-hole, standard barrel lug with window, 750 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	8,232.64
07498356657	<b>LCD8-10AH-L</b>	CuLug,2Hole,#8AWG,10,(M5)Stud,45°PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, #10 stud hole, .63 hole spacing, 45° angle tongue..	C	100	\$	982.19
07498356658	<b>LCD8-14AH-L</b>	CuLugSBW,2Hole,#8AWG,1/4,63,45°PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,090.85
07498356659	<b>LCD8-14BH-L</b>	CuLugSBW,2Hole,#8AWG,1/4,.75,45°PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue..	C	100	\$	1,408.65
07498356763	<b>LCD8-14DF-L</b>	CuLugSBW,2Hole,#8AWG,1/4,1,90°PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,090.85
07498399138	<b>LCD8-38AD-L</b>	Cu,CompLug,2H,#8A,3/8S,ST,PK50	Two-hole, standard barrel lug with window, #8 AWG wire, 3/8 stud hole and slotted stud hole, 5/8 hole spac	C	100	\$	885.23
07498356764	<b>LCD8-38DF-L</b>	CuLugSBW,2Hole,#8AWG,3/8,1,90°PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,123.86
07498356661	<b>LCD8-38DH-L</b>	CuLugSBW,2Hole,#8AWG,3/8,1,45°PKG50	Two-hole, standard barrel lug with window, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,123.86
61305617060	<b>LCD8-56D-L</b>	Copper Compression Lug, 2 Hole, #8 AWG,	Two-hole, standard barrel lug with window, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	757.05
61305617293	<b>LCD8-56DF-L</b>	Copper Compression Lug, 2 Hole, 8/0 AWG,		C	100	\$	1,021.91
61305617291	<b>LCD8-56DH-L</b>	Copper Compression Lug, 2 Hole, 8/0 AWG,		C	100	\$	1,021.91
61305668371	<b>LCDN1-14A-E</b>	Copper Compression Lug, 2 Hole, #1 AWG,		C	100	\$	1,673.18
07498344468	<b>LCDN1/0-14DF-X</b>	Cu,CompLug,2H,1/0A,NT,1/4S,90°,PK10	Two-hole, standard barrel with window, narrow tongue lug, 1/0 AWG wire, 1/4 stud hole, 1 hole spacing, 90° a	C	100	\$	2,482.63
07498344467	<b>LCDN1/0-14DH-X</b>	Cu,CompLug,2H,1/0A,NT,1/4S,45°,PK10	Two-hole, standard barrel with window, narrow tongue lug, 1/0 AWG wire, 1/4 stud hole, 1 hole spacing, 45° a	C	100	\$	1,748.05
07498344470	<b>LCDN1/0-56DH-X</b>	Cu,CompLug,2H,1/0A,NT,5/16S,45°,PK10	Two-hole, standard barrel with window, narrow tongue lug, 1/0 AWG wire, 5/16 stud hole, 1 hole spacing, 45° a	C	100	\$	1,748.05
07498344463	<b>LCDN2-14DH-Q</b>	Cu,CompLug,2H,#2A,NT,1/4S,45°,PK25	Two-hole, standard barrel with window, narrow tongue lug, #2 AWG wire, 1/4 stud hole, 1 hole spacing, 45° a	C	100	\$	1,870.80
61305668386	<b>LCDN4/0-14A-X</b>	Copper Compression Lug, 2 Hole, #4/0 AWG	Copper Compression Lug, 2 Hole, #4/0 AWG, Narrow Tongue, 1/4" Stud, 0.625" Hole Spacing	C	100	\$	1,741.16
61305616884	<b>LCDT2/0-12-B-X</b>	Copper Lug Direct Burial Heavy Duty, # 2	Copper Lug Direct Burial Heavy Duty, # 2/0 Str CU Conductor, 2 Hole, 1/2" (12.7mm) Stud	C	100	\$	5,495.18
61305616887	<b>LCDT250-12-B-X</b>	Copper Lug Direct Burial Heavy Duty, # 2	Copper Lug Direct Burial Heavy Duty, # 250 kcmil Str CU Conductor, 2 Hole, 1/2" (12.7mm) Stud	C	100	\$	9,537.35
61305616885	<b>LCDT3/0-12-B-X</b>	Copper Lug Direct Burial Heavy Duty, # 3	Copper Lug Direct Burial Heavy Duty, # 3/0 Str CU Conductor, 2 Hole, 1/2" (12.7mm) Stud	C	100	\$	6,914.98
61305616888	<b>LCDT350-12-B-X</b>	Copper Lug Direct Burial Heavy Duty, # 3	Copper Lug Direct Burial Heavy Duty, # 350 kcmil Str CU Conductor, 2 Hole, 1/2" (12.7mm) Stud	C	100	\$	20,168.95
61305629671	<b>LCDT4/0-12-B-X</b>	Copper Lug Direct Burial Heavy Duty, # 4	Copper Lug Direct Burial Heavy Duty, # 4/0 Str CU Conductor, 2 Hole, 1/2" (12.7mm) Stud	C	100	\$	7,114.61
61305616889	<b>LCDT500-12-B-6</b>	Copper Lug Direct Burial Heavy Duty, # 5	Copper Lug Direct Burial Heavy Duty, # 500 kcmil Str CU Conductor, 2 Hole, 1/2" (12.7mm) Stud	C	100	\$	17,428.95
07498342376	<b>LCDX1-12-X</b>	CuLug,2Hole,#1AWG,1/2Stud,1.75PKG10	Two-hole, flex lug, #1 AWG wire, 1/2 stud hole, 1.75 hole spacing.	C	100	\$	2,899.56
07498342745	<b>LCDX1-12F-X</b>	CuLug,2Hole,#1AWG,1/2Stud,90°PKG10	Two-hole, flex lug, #1 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	3,728.15
07498342744	<b>LCDX1-12H-X</b>	CuLug,2Hole,#1AWG,1/2Stud,45°PKG10	Two-hole, flex lug, #1 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	3,728.15
07498342719	<b>LCDX1-14AH-X</b>	CuLugF,2Hole,#1AWG,1/4,.63,45°PKG10	Two-hole, flex lug, #1 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,743.44
07498342733	<b>LCDX1-14BH-X</b>	CuLugF,2Hole,#1AWG,1/4,.75,45°PKG10	Two-hole, flex lug, #1 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,584.94
07498342735	<b>LCDX1-14D-X</b>	CuLugF,2Hole,#1AWG,1/4Stud,1PKG10	Two-hole, flex lug, #1 AWG wire, 1/4 stud hole, 1 hole spacing.	C	100	\$	1,291.41
07498342737	<b>LCDX1-14DF-X</b>	CuLugF,2Hole,#1AWG,1/4,1,90°PKG10	Two-hole, flex lug, #1 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,584.94
07498342736	<b>LCDX1-14DH-X</b>	CuLugF,2Hole,#1AWG,1/4,1,45°PKG10	Two-hole, flex lug, #1 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,584.94
07498342743	<b>LCDX1-38DF-X</b>	CuLugF,2Hole,#1AWG,3/8,1,90°PKG10	Two-hole, flex lug, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,608.44
07498342742	<b>LCDX1-38DH-X</b>	CuLugF,2Hole,#1AWG,3/8,1,45°PKG10	Two-hole, flex lug, #1 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,608.44
07498342738	<b>LCDX1-56D-X</b>	CuLugF,2Hole,#1AWG,5/16,1PKG10	Two-hole, flex lug, #1 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	1,291.41
07498342741	<b>LCDX1-56DF-X</b>	CuLugF,2Hole,#1AWG,5/16,1,90°PKG10	Two-hole, flex lug, #1 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,584.94
07498342740	<b>LCDX1-56DH-X</b>	CuLugF,2Hole,#1AWG,5/16,1,45°PKG10	Two-hole, flex lug, #1 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,584.94
07498342761	<b>LCDX1/0-12D-X</b>	CuLug,2Hole,1/0AWG,1/2Stud,1PKG10	Two-hole, flex lug, 1/0 AWG wire, 1/2 stud hole, 1 hole spacing.	C	100	\$	1,834.69
07498342763	<b>LCDX1/0-12DF-X</b>	CuLugF,2Hole,1/0AWG,1/2,1,90°PKG10	Two-hole, flex lug, 1/0 AWG wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,476.74
07498342762	<b>LCDX1/0-12DH-X</b>	CuLugF,2Hole,1/0AWG,1/2,1,45°PKG10	Two-hole, flex lug, 1/0 AWG wire, 1/2 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,476.74
07498342765	<b>LCDX1/0-12F-X</b>	CuLugF,2Hole,1/0AWG,1/2,1.75,90°PKG10	Two-hole, flex lug, 1/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,476.74
07498342764	<b>LCDX1/0-12H-X</b>	CuLugF,2Hole,1/0AWG,1/2,1.75,45°PKG10	Two-hole, flex lug, 1/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,476.74
07498342747	<b>LCDX1/0-14AH-X</b>	CuLugF,2Hole,1/0AWG,1/4,.63,45°PKG10	Two-hole, flex lug, 1/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,154.59
07498342750	<b>LCDX1/0-14BH-X</b>	CuLugF,2Hole,1/0AWG,1/4,.75,45°PKG10	Two-hole, flex lug, 1/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,073.74
07498342752	<b>LCDX1/0-56B-X</b>	CuLug,2Hole,1/0AWG,5/16Stud,.75PKG10	Two-hole, flex lug, 1/0 AWG wire, 5/16 stud hole, .75 hole spacing.	C	100	\$	1,716.33
07498342755	<b>LCDX1/0-56BF-X</b>	CuLugF,2Hole,1/0AWG,5/16,.75,90°PKG10	Two-hole, flex lug, 1/0 AWG wire, 5/16 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	2,206.65
07498342754	<b>LCDX1/0-56BH-X</b>	CuLugF,2Hole,1/0AWG,5/16,.75,45°PKG10	Two-hole, flex lug, 1/0 AWG wire, 5/16 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,206.65
07498342378	<b>LCDX1/0-56D-X</b>	CuLugF,2Hole,1/0AWG,5/16,1PKG10	Two-hole, flex lug, 1/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	1,716.33
07498342756	<b>LCDX1/0-56DH-X</b>	CuLugF,2Hole,1/0AWG,5/16,1,45°PKG10	Two-hole, flex lug, 1/0 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,427.30
07498342718	<b>LCDX2-12F-E</b>	CuLug,2Hole,#2AWG,1/2Stud,90°PKG20	Two-hole, flex lug, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	3,193.78
07498342697	<b>LCDX2-12H-E</b>	CuLug,2Hole,#2AWG,1/2Stud,45°PKG20	Two-hole, flex lug, #2 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	3,193.78
07498342688	<b>LCDX2-14BH-E</b>	CuLugF,2Hole,#2AWG,1/4,.75,45°PKG20	Two-hole, flex lug, #2 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,237.61
07498342692	<b>LCDX2-14DF-E</b>	CuLugF,2Hole,#2AWG,1/4,1,90°PKG20	Two-hole, flex lug, #2 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,648.39
07498342691	<b>LCDX2-14DH-E</b>	CuLugF,2Hole,#2AWG,1/4,1,45°PKG20	Two-hole, flex lug, #2 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,774.50
07498342693	<b>LCDX2-56DH-E</b>	CuLugF,2Hole,#2AWG,5/16Stud,45°PKG20	Two-hole, flex lug, #2 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,522.26
07498342782	<b>LCDX2/0-12D-X</b>	CuLugF,2Hole,2/0AWG,1/2,1PKG10	Two-hole, flex lug, 2/0 AWG wire, 1/2 stud hole, 1 hole spacing.	C	100	\$	2,308.99
07498342784	<b>LCDX2/0-12DF-X</b>	CuLugF,2Hole,2/0AWG,1/2,1,90°PKG10	Two-hole, flex lug, 2/0 AWG wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,117.01
07498342783	<b>LCDX2/0-12DH-X</b>	CuLugF,2Hole,2/0AWG,1/2,1,45°PKG10	Two-hole, flex lug, 2/0 AWG wire, 1/2 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,117.01
07498342786	<b>LCDX2/0-12F-X</b>	CuLugF,2Hole,2/0AWG,1/2,1.75,90°PKG10	Two-hole, flex lug, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	2,864.05
07498342785	<b>LCDX2/0-12H-X</b>	CuLugF,2Hole,2/0AWG,1/2,1.75,45°PKG10	Two-hole, flex lug, 2/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	2,603.68
07498342768	<b>LCDX2/0-14AF-X</b>	CuLugF,2Hole,2/0AWG,1/4Stud,90°PKG10	Two-hole, flex lug, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	2,964.65
07498342766	<b>LCDX2/0-14AH-X</b>	CuLugF,2Hole,2/0AWG,1/4,63,45°PKG10	Two-hole, flex lug, 2/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	2,829.90
07498342770	<b>LCDX2/0-14BH-X</b>	CuLugF,2Hole,2/0AWG,1/4,.75,45°PKG10	Two-hole, flex lug, 2/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	2,695.15
07498342780	<b>LCDX2/0-38DF-X</b>	CuLugF,2Hole,2/0AWG,3/8,1,90°PKG10	Two-hole, flex lug, 2/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,706.13
07498342776	<b>LCDX2/0-56D-X</b>	CuLugF,2Hole,2/0AWG,5/16,1PKG10	Two-hole, flex lug, 2/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	2,111.55
07498342777	<b>LCDX2/0-56DF-X</b>	CuLugF,2Hole,2/0AWG,5/16,1,90°PKG10	Two-hole, flex lug, 2/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	2,986.18
07498342777	<b>LCDX2/0-56DH-X</b>	CuLugF,2Hole,2/0AWG,5/16,1,45°PKG10	Two-hole, flex lug, 2/0 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,714.71
07498342402	<b>LCDX250-12E-X</b>	CuLug,2Hole,250kcmil,1/2Stud,1.25PKG10	Two-hole, flex lug, 250 kcmil cable, 1/2 stud hole, 1.25 hole spacing.	C	100	\$	4,118.89
07498342818	<b>LCDX250-12EF-X</b>	CuLugF,2Hole,250kcmil,1/2,1.25,90°PKG10	Two-hole, flex lug, 250 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 90° angle tongue.	C	100	\$	5,307.86
07498342817	<b>LCDX250-12EH-X</b>	CuLugF,2Hole,250kcmil,1/2,1.25,45°PKG10	Two-hole, flex lug, 250 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 45° angle tongue.	C	100	\$	5,560.63
07498342821	<b>LCDX250-12F-X</b>	CuLugF,2Hole,250kcmil,1/2,1.75,90°PKG10	Two-hole, flex lug, 250 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	3,065.23



07498342820	<b>LCDX250-12H-X</b>	CuLugF,2Hole,250kcmil,1/2,1.75,45°PKG10	Two-hole, flex lug, 250 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	3,065.23
07498342814	<b>LCDX250-38DF-X</b>	CuLugF,2Hole,250kcmil,3/8,1,90°PKG10	Two-hole, flex lug, 250 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	5,177.96
07498342811	<b>LCDX250-38DH-X</b>	CuLugF,2Hole,250kcmil,3/8,1,45°PKG10	Two-hole, flex lug, 250 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	4,707.25
07498342827	<b>LCDX250-38F-X</b>	CuLugF,2Hole,250kcmil,3/8,1.75,90°PKG10	Two-hole, flex lug, 250 kcmil cable, 3/8 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	5,055.11
07498342826	<b>LCDX250-38H-X</b>	CuLugF,2Hole,250kcmil,3/8,1.75,45°PKG10	Two-hole, flex lug, 250 kcmil cable, 3/8 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	5,560.63
07498342796	<b>LCDX3/0-12F-X</b>	CuLugF,2Hole,3/0AWG,1/2,1.75,90°PKG10	Two-hole, flex lug, 3/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	4,040.49
07498342794	<b>LCDX3/0-12H-X</b>	CuLugF,2Hole,3/0AWG,1/2,1.75,45°PKG10	Two-hole, flex lug, 3/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	3,673.19
07498342384	<b>LCDX3/0-14A-X</b>	CuLug,2Hole,3/0AWG,1/4Stud,63PKG10	Two-hole, flex lug, 3/0 AWG wire, 1/4 stud hole, .63 hole spacing.	C	100	\$	2,389.54
07498342789	<b>LCDX3/0-14AF-X</b>	CuLugF,2Hole,3/0AWG,1/4,63,90°PKG10	Two-hole, flex lug, 3/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	3,379.29
07498342787	<b>LCDX3/0-14AH-X</b>	CuLugF,2Hole,3/0AWG,1/4,63,45°PKG10	Two-hole, flex lug, 3/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	3,379.29
07498342793	<b>LCDX3/0-38DF-X</b>	CuLugF,2Hole,3/0AWG,3/8,1,90°PKG10	Two-hole, flex lug, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,349.06
07498342387	<b>LCDX3/0-38DH-X</b>	CuLugF,2Hole,3/0AWG,3/8,1,45°PKG10	Two-hole, flex lug, 3/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,349.06
07498342790	<b>LCDX3/0-56D-X</b>	CuLugF,2Hole,3/0AWG,5/16,1PKG10	Two-hole, flex lug, 3/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	2,275.75
07498342792	<b>LCDX3/0-56DF-X</b>	CuLugF,2Hole,3/0AWG,5/16,1,90°PKG10	Two-hole, flex lug, 3/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,072.08
07498342791	<b>LCDX3/0-56DH-X</b>	CuLugF,2Hole,3/0AWG,5/16,1,45°PKG10	Two-hole, flex lug, 3/0 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,379.29
07498343646	<b>LCDX300-12F-6</b>	CuLug,2Hole,300kcmil,1/2Stud,90°PKG6	Two-hole, flex lug, 300 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	7,275.00
07498343644	<b>LCDX300-12H-6</b>	CuLug,2Hole,300kcmil,1/2Stud,45°PKG6	Two-hole, flex lug, 300 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	6,613.61
07498343643	<b>LCDX300-38D-6</b>	CuLug,2Hole,300kcmil,3/8Stud,1PKG6	Two-hole, flex lug, 300 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	4,215.38
07498342833	<b>LCDX300-38DF-6</b>	CuLugF,2Hole,300kcmil,3/8,1,90°PKG6	Two-hole, flex lug, 300 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	5,690.88
07498342832	<b>LCDX300-38DH-6</b>	CuLugF,2Hole,300kcmil,3/8,1,45°PKG6	Two-hole, flex lug, 300 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	5,432.21
07498342839	<b>LCDX350-12EF-6</b>	CuLugF,2Hole,350kcmil,1/2,1.25,90°PKG6	Two-hole, flex lug, 350 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 90° angle tongue.	C	100	\$	7,509.34
07498342838	<b>LCDX350-12EH-6</b>	CuLugF,2Hole,350kcmil,1/2,1.25,45°PKG6	Two-hole, flex lug, 350 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 45° angle tongue.	C	100	\$	6,826.66
07498342842	<b>LCDX350-12F-6</b>	CuLugF,2Hole,350kcmil,1/2,1.75,90°PKG6	Two-hole, flex lug, 350 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	7,394.21
07498342841	<b>LCDX350-12H-6</b>	CuLugF,2Hole,350kcmil,1/2,1.75,45°PKG6	Two-hole, flex lug, 350 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	6,722.00
07498342835	<b>LCDX350-38DF-6</b>	STDFlexLug,350mcm,38in,1in,90°,WDW,PK6	Two-hole, flex lug, 350 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	6,627.91
07498342836	<b>LCDX350-38F-6</b>	STDFlexLug,350mcm,38in,1.8in,90°,WDW,P	Two-hole, flex lug, 350 kcmil cable, 3/8 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	6,876.35
07498342409	<b>LCDX350-38H-6</b>	CuLug,2Hole,350kcmil,3/8,1.75,45°PKG6	Two-hole, flex lug, 350 kcmil cable, 3/8 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	6,876.35
07498345358	<b>LCDX350-56D-6</b>	CuLug,2Hole,350kcmil,5/16Stud,1PKG6	Two-hole, flex lug, 350 kcmil cable, 5/16 stud hole, 1 hole spacing.	C	100	\$	5,143.39
07498310132	<b>LCDX4-10AF-L</b>	Copper Compression Lug, 2 Hole, #4 AWG F	Copper Compression Lug, 2 Hole, #4 AWG Flex, #10 (M5) Stud, 90°/2 Bent	C	100	\$	1,441.68
07498310130	<b>LCDX4-10AH-L</b>	Copper Compression Lug, 2 Hole, #4 AWG F	Copper Compression Lug, 2 Hole, #4 AWG Flex, #10 (M5) Stud, 45°/2 Bent	C	100	\$	1,441.68
07498342674	<b>LCDX4-14BH-L</b>	CuLugF,2Hole,#4AWG,1/4,75,45°PKG50	Two-hole, flex lug, #4 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,743.79
07498342678	<b>LCDX4-14DF-L</b>	CuLugF,2Hole,#4AWG,1/4,1,90°PKG50	Two-hole, flex lug, #4 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,664.53
07498342677	<b>LCDX4-14DH-L</b>	CuLugF,2Hole,#4AWG,1/4,1,45°PKG50	Two-hole, flex lug, #4 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,664.53
07498342683	<b>LCDX4-38DF-L</b>	CuLugF,2Hole,#4AWG,3/8,1,90°PKG50	Two-hole, flex lug, #4 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,456.49
07498342682	<b>LCDX4-38DH-L</b>	CuLugF,2Hole,#4AWG,3/8,1,45°PKG50	Two-hole, flex lug, #4 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,529.30
07498342679	<b>LCDX4-56D-L</b>	CuLug,2Hole,#4AWG,5/16Stud,1PKG50	Two-hole, flex lug, #4 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	1,132.85
07498342681	<b>LCDX4-56DF-L</b>	CuLug,2Hole,#4AWG,5/16Stud,90°PKG50	Two-hole, flex lug, #4 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,602.14
07498342680	<b>LCDX4-56DH-L</b>	CuLug,2Hole,#4AWG,5/16Stud,45°PKG50	Two-hole, flex lug, #4 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,456.49
07498342395	<b>LCDX4/0-12D-X</b>	STDLug,4/0AWG,.5in,1in,WDW,PK10	Two-hole, flex lug, 4/0 AWG wire, 1/2 stud hole, 1 hole spacing.	C	100	\$	2,662.91
07498342799	<b>LCDX4/0-12DF-X</b>	STDFlexLug,4/0AWG,.5in,1in,90°,WDW,PK10	Two-hole, flex lug, 4/0 AWG wire, 1/2 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,295.19
07498342389	<b>LCDX4/0-12DH-X</b>	STDFlexLug,4/0AWG,.5in,1in,45°,WDW,PK10	Two-hole, flex lug, 4/0 AWG wire, 1/2 stud hole, 1.25 hole spacing, 45° angle tongue.	C	100	\$	3,295.19
07498342390	<b>LCDX4/0-12E-X</b>	CuLug,2Hole,4/0AWG,1/2Stud,1.25PKG10	Two-hole, flex lug, 4/0 AWG wire, 1/2 stud hole, 1.25 hole spacing.	C	100	\$	2,684.94
07498342806	<b>LCDX4/0-12EF-X</b>	STDFixLug,4/0AWG,.5in,1.3in,90°,WDW,P10	Two-hole, flex lug, 4/0 AWG wire, 1/2 stud hole, 1.25 hole spacing, 90° angle tongue.	C	100	\$	3,459.95
07498342805	<b>LCDX4/0-12EH-X</b>	STDFixLug,4/0AWG,.5in,1.3in,45°,WDW,P10	Two-hole, flex lug, 4/0 AWG wire, 1/2 stud hole, 1.25 hole spacing, 45° angle tongue.	C	100	\$	3,624.69
07498342809	<b>LCDX4/0-12F-X</b>	STDFixLug,4/0AWG,.5in,1.8in,90°,WDW,P10	Two-hole, flex lug, 4/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	3,719.49
07498342808	<b>LCDX4/0-12H-X</b>	STDLug,4/0AWG,.5in,1.75in,45°,WDW,PK10	Two-hole, flex lug, 4/0 AWG wire, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	3,719.49
07498345350	<b>LCDX4/0-14AF-X</b>	CuLug,2Hole,4/0AWG,1/4Stud,90°PKG10	Two-hole, flex lug, 4/0 AWG wire, 1/4 stud hole, .63 hole spacing, 90° angle tongue.	C	100	\$	3,395.00
07498345351	<b>LCDX4/0-14AH-X</b>	STDFlexLug,4/0AWG,.25in,.6in,45°,WDW,P1	Two-hole, flex lug, 4/0 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	3,566.66
07498345353	<b>LCDX4/0-14BF-X</b>	CuLug,2Hole,4/0AWG,1/4Stud,90°PKG10	Two-hole, flex lug, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	3,566.66
07498345354	<b>LCDX4/0-14BH-X</b>	STDFlexLug,4/0AWG,.25in,.8in,45°,WDW,P1	Two-hole, flex lug, 4/0 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	3,566.66
07498342393	<b>LCDX4/0-38DH-X</b>	STDFlexLug,4/0AWG,.38in,1in,45°,WDW,PK1	Two-hole, flex lug, 4/0 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,297.29
07498344986	<b>LCDX4/0-56D-X</b>	CuLug,2Hole,4/0AWG,5/16Stud,1PKG10	Two-hole, flex lug, 4/0 AWG wire, 5/16 stud hole, 1 hole spacing.	C	100	\$	2,514.81
07498345356	<b>LCDX4/0-56DF-X</b>	STDLug,4/0AWG,.3in,1in,90°,WDW,PK10	Two-hole, flex lug, 4/0 AWG wire, 5/16 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	3,395.00
07498345357	<b>LCDX4/0-56DH-X</b>	CuLug,2Hole,4/0AWG,5/16Stud,45°PKG10	Two-hole, flex lug, 4/0 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	3,566.66
07498342414	<b>LCDX450-12F-6</b>	CuLug,2Hole,450kcmil,1/2Stud,90°PKG6	Two-hole, flex lug, 450 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	9,645.00
07498342412	<b>LCDX450-12H-6</b>	CuLug,2Hole,450kcmil,1/2Stud,45°PKG6	Two-hole, flex lug, 450 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	9,645.00
07498345362	<b>LCDX450-38DF-6</b>	CuLug,2Hole,450kcmil,3/8Stud,90°PKG6	Two-hole, flex lug, 450 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	8,230.29
07498345363	<b>LCDX450-38DH-6</b>	CuLug,2Hole,450kcmil,3/8Stud,45°PKG6	Two-hole, flex lug, 450 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	8,230.29
07498342419	<b>LCDX500-12E-6</b>	STDFlexLug,500mcm,.5in,1.25in,WDW,PK6	Two-hole, flex lug, 500 kcmil cable, 1/2 stud hole, 1.25 hole spacing.	C	100	\$	8,398.39
07498345371	<b>LCDX500-12EH-6</b>	STDFlexLug,500mcm,.5in,1.25in,45°,WDW,P	Two-hole, flex lug, 500 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 45° angle tongue.	C	100	\$	11,877.84
07498344987	<b>LCDX500-12H-6</b>	STDFlexLug,500mcm,.5in,1.75in,45°,WDW,P	Two-hole, flex lug, 500 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	10,257.13
07498345368	<b>LCDX500-38DF-6</b>	STDFlexLug,500mcm,.38in,1in,90°,WDW,PK6	Two-hole, flex lug, 500 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	9,880.83
07498345369	<b>LCDX500-38DH-6</b>	STDFlexLug,500mcm,.38in,1in,45°,WDW,PK6	Two-hole, flex lug, 500 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	9,880.83
07498345364	<b>LCDX500-56D-6</b>	CuLug,2Hole,500kcmil,5/16Stud,1PKG6	Two-hole, flex lug, 500 kcmil cable, 5/16 stud hole, 1 hole spacing.	C	100	\$	7,319.24
07498342646	<b>LCDX6-10AH-L</b>	CuLugF,2Hole,#6AWG,#10,63,45°PKG50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,374.10
07498342648	<b>LCDX6-10B-L</b>	CuLugF,2Hole,#6AWG,#10,75,45°PKG50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, .75 hole spacing.	C	100	\$	1,066.31
07498342650	<b>LCDX6-10BF-L</b>	CuLugF,2Hole,#6AWG,#10,75,90°PKG50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	1,439.53
07498342649	<b>LCDX6-10BH-L</b>	CuLugF,2Hole,#6AWG,#10,75,45°PKG50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,308.65
07498342651	<b>LCDX6-10G-L</b>	Cu,CompLug,2H,#6AFlex,#10S,1.50H,PK50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, 1.50 hole spacing.	C	100	\$	1,066.31
07498342653	<b>LCDX6-10GF-L</b>	CuLugF,2Hole,#6AWG,#10,1.5,90°PKG50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, 1.50 hole spacing, 90° angle tongue.	C	100	\$	1,439.53
07498342652	<b>LCDX6-10GH-L</b>	CuLugF,2Hole,#6AWG,#10,1.5,45°PKG50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, 1.50 hole spacing, 45° angle tongue.	C	100	\$	1,308.65
07498342654	<b>LCDX6-10P-L</b>	Cu,CompLug,2H,#6AFlex,#10S,.69H,PK50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, .69 hole spacing.	C	100	\$	1,222.78
07498342656	<b>LCDX6-10PF-L</b>	CuLugF,2Hole,#6AWG,#10,.69,90°PKG50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, .69 hole spacing, 90° angle tongue.	C	100	\$	1,500.88
07498342655	<b>LCDX6-10PH-L</b>	CuLugF,2Hole,#6AWG,#10,.69,45°PKG50	Two-hole, flex lug, #6 AWG wire, #10 stud hole, .69 hole spacing, 45° angle tongue.	C	100	\$	1,650.96
07498342660	<b>LCDX6-14BH-L</b>	CuLugF,2Hole,#6AWG,1/4,.75,45°PKG50	Two-hole, flex lug, #6 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,258.98
07498342664	<b>LCDX6-14DF-L</b>	STDFlexLug,6AWG,1in space,90°,WDW,PK50	Two-hole, flex lug, #6 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,450.71
07498342663	<b>LCDX6-14DH-L</b>	CuLugF,2Hole,#6AWG,1/4,1,45°PKG50	Two-hole, flex lug, #6 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,318.83

07498342669	<b>LCDX6-38DF-L</b>	CuLugF,2Hole,#6AWG,3/8,1,90°PKG50	Two-hole, flex lug, #6 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,341.55
07498342666	<b>LCDX6-56DH-L</b>	CuLugF,2Hole,#6AWG,5/16,1,45°PKG50	Two-hole, flex lug, #6 AWG wire, 5/16 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	2,135.16
07498345372	<b>LCDX600-12F-6</b>	CuLug,2Hole,600kcmil,1/2Stud,90°PKG60	Two-hole, flex lug, 600 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	10,764.20
07498345373	<b>LCDX600-12H-6</b>	STDFlexLug,600mcm,5in,1.75in,45°,WDW,P	Two-hole, flex lug, 600 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	10,764.20
07498345377	<b>LCDX650-12F-6</b>	CuLug,2Hole,646.4kcmil,1/2Stud,90°PKG6	Two-hole, flex lug, 650 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	13,299.13
07498345378	<b>LCDX650-12H-6</b>	CuLug,2Hole,646.4kcmil,1/2Stud,45°PKG6	Two-hole, flex lug, 650 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	13,299.13
07498345374	<b>LCDX650-38D-6</b>	CuLug,2Hole,646.4kcmil,3/8Stud,1PKG6	Two-hole, flex lug, 650 kcmil cable, 3/8 stud hole, 1 hole spacing.	C	100	\$	9,723.20
07498345375	<b>LCDX650-38DF-6</b>	CuLug,2Hole,646.4kcmil,3/8Stud,90°PKG6	Two-hole, flex lug, 650 kcmil cable, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	12,501.38
07498345376	<b>LCDX650-38DH-6</b>	CuLug,2Hole,646.4kcmil,3/8Stud,45°PKG6	Two-hole, flex lug, 650 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	12,501.38
07498342348	<b>LCDX750-12E-3</b>	STDFlexLug,750mcm,38in,1.25in,WDW,P	Two-hole, flex lug, 750 kcmil cable, 1/2 stud hole, 1.25 hole spacing.	C	100	\$	12,896.79
07498345381	<b>LCDX750-12EF-3</b>	STDFlexLug,750mcm,5in,1.25in,90°,WDW,P	Two-hole, flex lug, 750 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 90° angle tongue.	C	100	\$	15,827.76
07498345382	<b>LCDX750-12EH-3</b>	STDFlexLug,750mcm,5in,1.25in,45°,WDW,P	Two-hole, flex lug, 750 kcmil cable, 1/2 stud hole, 1.25 hole spacing, 45° angle tongue.	C	100	\$	15,827.76
07498345386	<b>LCDX750-12F-3</b>	STDFlexLug,750mcm,5in,1.75in,90°,WDW,P	Two-hole, flex lug, 750 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 90° angle tongue.	C	100	\$	17,644.40
07498345383	<b>LCDX750-12G-3</b>	Cu,CompLug,2H,777.7kFlex,1/2S,1.50H,PK3	Two-hole, flex lug, 750 kcmil cable, 1/2 stud hole, 1.50 hole spacing.	C	100	\$	13,692.26
07498345387	<b>LCDX750-12H-3</b>	STDFlexLug,750mcm,5in,1.75in,45°,WDW,P	Two-hole, flex lug, 750 kcmil cable, 1/2 stud hole, 1.75 hole spacing, 45° angle tongue.	C	100	\$	16,804.19
07498344989	<b>LCDX750-38DH-3</b>	CuLug,2Hole,777.7kcmil,3/8Stud,45°PKG3	Two-hole, flex lug, 750 kcmil cable, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	17,687.35
07498345388	<b>LCDX750-58G-3</b>	Cu,CompLug,2H,777.7kFlex,5/8S,PK3	Two-hole, flex lug, 750 kcmil cable, 5/8 stud hole, 1.50 hole spacing.	C	100	\$	14,360.56
07498342354	<b>LCDX8-10AH-L</b>	CuLugF,2Hole,#8AWG,#10,63.45°PKG50	Two-hole, flex lug, #8 AWG wire, #10 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	982.28
61305639745	<b>LCDX8-12-L</b>	Copper Compression Lug, 2 Hole, #8 AWG F	Copper Compression Lug, 2 Hole, #8 AWG Flex Conductor, Standard Barrel, 1/2" Stud	C	100	\$	1,289.95
61305639748	<b>LCDX8-12F-L</b>	Copper Compression Lug, 2 Hole, #8 AWG F	Copper Compression Lug, 2 Hole, #8 AWG Flex Conductor, Standard Barrel, 1/2" Stud, 90° Bent	C	100	\$	1,741.44
61305639747	<b>LCDX8-12H-L</b>	Copper Compression Lug, 2 Hole, #8 AWG F	Copper Compression Lug, 2 Hole, #8 AWG Flex Conductor, Standard Barrel, 1/2" Stud, 45° Bent	C	100	\$	1,741.44
07498342356	<b>LCDX8-14AH-L</b>	CuLugF,2Hole,#8AWG,1/4,63.45°PKG50	Two-hole, flex lug, #8 AWG wire, 1/4 stud hole, .63 hole spacing, 45° angle tongue.	C	100	\$	1,041.20
07498342642	<b>LCDX8-14BF-L</b>	CuLugF,2Hole,#8AWG,1/4,75.90°PKG50	Two-hole, flex lug, #8 AWG wire, 1/4 stud hole, .75 hole spacing, 90° angle tongue.	C	100	\$	991.63
07498342641	<b>LCDX8-14BH-L</b>	CuLugF,2Hole,#8AWG,1/4,75.45°PKG50	Two-hole, flex lug, #8 AWG wire, 1/4 stud hole, .75 hole spacing, 45° angle tongue.	C	100	\$	1,090.80
07498342359	<b>LCDX8-14D-L</b>	CuLugF,2Hole,#8AWG,1/4,1PKG50	Two-hole, flex lug, #8 AWG wire, 1/4 stud hole, 1.50 hole spacing.	C	100	\$	771.31
07498342644	<b>LCDX8-14DF-L</b>	CuLugF,2Hole,#8AWG,1/4,1,90°PKG50	Two-hole, flex lug, #8 AWG wire, 1/4 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,090.80
07498342643	<b>LCDX8-14DH-L</b>	CuLugF,2Hole,#8AWG,1/4,1,45°PKG50	Two-hole, flex lug, #8 AWG wire, 1/4 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,090.80
07498342360	<b>LCDX8-38D-L</b>	CuLugF,2Hole,#8AWG,3/8,1PKG50	Two-hole, flex lug, #8 AWG wire, 3/8 stud hole, 1 hole spacing.	C	100	\$	832.51
07498342362	<b>LCDX8-38DF-L</b>	CuLugF,2Hole,#8AWG,3/8,1,90°PKG50	Two-hole, flex lug, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 90° angle tongue.	C	100	\$	1,021.64
07498342361	<b>LCDX8-38DH-L</b>	CuLugF,2Hole,#8AWG,3/8,1,45°PKG50	Two-hole, flex lug, #8 AWG wire, 3/8 stud hole, 1 hole spacing, 45° angle tongue.	C	100	\$	1,123.83
07498377529	<b>LCMA10-10F-C</b>	CuMetricLug,90°,10mm²,M10StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² 2r, M10 stud hole, 90° angle tongue.	C	100	\$	283.00
07498379995	<b>LCMA10-10H-C</b>	CuMetricLug,45°,10mm²,M10StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² 2r, M10 stud hole, 45° angle tongue.	C	100	\$	283.00
61305623515	<b>LCMA10-12-C</b>	Copper Compression Metric Lug, 1 Hole, 1		C	100	\$	288.43
07498377551	<b>LCMA10-5F-C</b>	CuMetricLug,90°,10mm²,M5StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² 2r, M5 stud hole, 90° angle tongue.	C	100	\$	607.31
07498379997	<b>LCMA10-5H-C</b>	CuMetricLug,45°,10mm²,M5StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² 2r, M5 stud hole, 45° angle tongue.	C	100	\$	607.31
07498375196	<b>LCMA10-6F-C</b>	CuMetricLug,90°,10mm²,M6StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² 2r, M6 stud hole, 90° angle tongue.	C	100	\$	250.65
07498379998	<b>LCMA10-6H-C</b>	CuMetricLug,45°,10mm²,M6StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² 2r, M6 stud hole, 45° angle tongue.	C	100	\$	250.65
07498375273	<b>LCMA10-8F-C</b>	CuMetricLug,90°,10mm²,M8StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² 2r, M8 stud hole, 90° angle tongue.	C	100	\$	238.25
07498380040	<b>LCMA10-8H-C</b>	CuMetricLug,45°,10mm²,M8StudPKG100	One-hole, metric conductor, standard barrel with window lug, 10mm² 2r, M8 stud hole, 45° angle tongue.	C	100	\$	227.85
07498380191	<b>LCMA120-10H-L</b>	CuMetricLug,45°,120mm²,95mm²,M10,PKG5	One-hole, metric conductor, standard barrel with window lug, 120mm² 2r, 95mm² class 5/6f, M10 stud hole,	C	100	\$	3,412.81
07498379978	<b>LCMA120-12F-L</b>	CuMetricLug,90°,120mm²,95mm²,M12,PKG5	One-hole, metric conductor, standard barrel with window lug, 120mm² 2r, 95mm² class 5/6f, M12 stud hole,	C	100	\$	3,412.81
07498380192	<b>LCMA120-12H-L</b>	CuMetricLug,45°,120mm²,95mm²,M12,PKG5	One-hole, metric conductor, standard barrel with window lug, 120mm² 2r, 95mm² class 5/6f, M12 stud hole,	C	100	\$	3,575.30
61305623516	<b>LCMA120-14-L</b>	Copper Compression Metric Lug, 1 Hole, 1		C	100	\$	2,850.86
07498379979	<b>LCMA120-16F-L</b>	CuMetricLug,90°,120mm²,95mm²,M16,PKG5	One-hole, metric conductor, standard barrel with window lug, 120mm² 2r, 95mm² class 5/6f, M16 stud hole,	C	100	\$	3,405.09
07498380193	<b>LCMA120-16H-L</b>	CuMetricLug,45°,120mm²,95mm²,M16,PKG5	One-hole, metric conductor, standard barrel with window lug, 120mm² 2r, 95mm² class 5/6f, M16 stud hole,	C	100	\$	3,095.51
07498379980	<b>LCMA120-8F-L</b>	CuMetricLug,90°,120mm²,95mm²,M8StudPK	One-hole, metric conductor, standard barrel with window lug, 120mm² 2r, 95mm² class 5/6f, M8 stud hole, 9	C	100	\$	3,095.51
07498380194	<b>LCMA120-8H-L</b>	CuMetricLug,45°,120mm²,95mm²,M8StudPK	One-hole, metric conductor, standard barrel with window lug, 120mm² 2r, 95mm² class 5/6f, M8 stud hole, 4	C	100	\$	3,095.51
07498376203	<b>LCMA150-10F-X</b>	CuMetricLug,90°,150mm²,120mm²,M10,PKG	One-hole, metric conductor, standard barrel with window lug, 150mm² 2r, 120mm² class 5/6f, M10 stud hole,	C	100	\$	4,058.64
07498377742	<b>LCMA150-10H-X</b>	CuMetricLug,45°,150mm²,120mm²,M10,PKG	One-hole, metric conductor, standard barrel with window lug, 150mm² 2r, 120mm² class 5/6f, M10 stud hole,	C	100	\$	4,464.51
07498376204	<b>LCMA150-12F-X</b>	CuMetricLug,90°,150mm²,120mm²,M12,PKG	One-hole, metric conductor, standard barrel with window lug, 150mm² 2r, 120mm² class 5/6f, M12 stud hole,	C	100	\$	4,058.64
07498377743	<b>LCMA150-12H-X</b>	CuMetricLug,45°,150mm²,120mm²,M12,PKG	One-hole, metric conductor, standard barrel with window lug, 150mm² 2r, 120mm² class 5/6f, M12 stud hole,	C	100	\$	4,058.64
07498376205	<b>LCMA150-16F-X</b>	CuMetricLug,90°,150mm²,120mm²,M16,PKG	One-hole, metric conductor, standard barrel with window lug, 150mm² 2r, 120mm² class 5/6f, M16 stud hole,	C	100	\$	4,251.86
07498377748	<b>LCMA150-16H-X</b>	CuMetricLug,45°,150mm²,120mm²,M16,PKG	One-hole, metric conductor, standard barrel with window lug, 150mm² 2r, 120mm² class 5/6f, M16 stud hole,	C	100	\$	3,865.34
07498376963	<b>LCMA150-20-X</b>	CuMetricLug,150mm²,M20StudPKG10	One-hole, metric conductor, standard barrel with window lug, 150mm² wire, M20 stud hole,	C	100	\$	3,453.48
07498376206	<b>LCMA150-20F-X</b>	CuMetricLug,90°,150mm²,120mm²,M20,PKG	One-hole, metric conductor, standard barrel with window lug, 150mm² 2r, 120mm² class 5/6f, M20 stud hole,	C	100	\$	4,440.18
07498377749	<b>LCMA150-20H-X</b>	CuMetricLug,45°,150mm²,120mm²,M20,PKG	One-hole, metric conductor, standard barrel with window lug, 150mm² 2r, 120mm² class 5/6f, M20 stud hole,	C	100	\$	4,440.18
07498376209	<b>LCMA150-8F-X</b>	CuMetricLug,90°,150mm²,120mm²,M8,PKG1	One-hole, metric conductor, standard barrel with window lug, 150mm² 2r, 120mm² class 5/6f, M8 stud hole,	C	100	\$	3,865.34
07498377750	<b>LCMA150-8H-X</b>	CuMetricLug,45°,150mm²,120mm²,M8,PKG1	One-hole, metric conductor, standard barrel with window lug, 150mm² 2r, 120mm² class 5/6f, M8 stud hole,	C	100	\$	3,865.34
07498379929	<b>LCMA16-10F-C</b>	CuMetricLug,90°,16mm²,10mm²,M10,PKG10	One-hole, metric conductor, standard barrel with window lug, 16mm² 2r, 10mm² class 5/6f, M10 stud hole, 9	C	100	\$	354.34
07498380146	<b>LCMA16-10H-C</b>	CuMetricLug,45°,16mm²,10mm²,M10,PKG10	One-hole, metric conductor, standard barrel with window lug, 16mm² 2r, 10mm² class 5/6f, M10 stud hole, 4	C	100	\$	371.20
07498379930	<b>LCMA16-5F-C</b>	CuMetricLug,90°,16mm²,10mm²,M5StudPKG	One-hole, metric conductor, standard barrel with window lug, 16mm² 2r, 10mm² class 5/6f, M5 stud hole, 90	C	100	\$	318.60
07498380148	<b>LCMA16-5H-C</b>	CuMetricLug,45°,16mm²,10mm²,M5StudPKG	One-hole, metric conductor, standard barrel with window lug, 16mm² 2r, 10mm² class 5/6f, M5 stud hole, 45	C	100	\$	318.60
07498379932	<b>LCMA16-6F-C</b>	CuMetricLug,90°,16mm²,10mm²,M6StudPKG	One-hole, metric conductor, standard barrel with window lug, 16mm² 2r, 10mm² class 5/6f, M6 stud hole, 90	C	100	\$	297.34
07498380150	<b>LCMA16-6H-C</b>	CuMetricLug,45°,16mm²,10mm²,M6StudPKG	One-hole, metric conductor, standard barrel with window lug, 16mm² 2r, 10mm² class 5/6f, M6 stud hole, 45	C	100	\$	311.50
07498379943	<b>LCMA16-8F-C</b>	CuMetricLug,90°,16mm²,10mm²,M8StudPKG	One-hole, metric conductor, standard barrel with window lug, 16mm² 2r, 10mm² class 5/6f, M8 stud hole, 90	C	100	\$	321.88
07498380151	<b>LCMA16-8H-C</b>	CuMetricLug,45°,16mm²,10mm²,M8StudPKG	One-hole, metric conductor, standard barrel with window lug, 16mm² 2r, 10mm² class 5/6f, M8 stud hole, 45	C	100	\$	306.55
07498380480	<b>LCMA185-10F-X</b>	CuMetricLug,90°,185mm²,150mm²,M10,PKG	One-hole, metric conductor, standard barrel with window lug, 185mm² 2r, 150mm² class 5/6f, M10 stud hole,	C	100	\$	4,793.13
07498377751	<b>LCMA185-10H-X</b>	CuMetricLug,45°,185mm²,150mm²,M10,PKG	One-hole, metric conductor, standard barrel with window lug, 185mm² 2r, 150mm² class 5/6f, M10 stud hole,	C	100	\$	4,357.39
07498380481	<b>LCMA185-12F-X</b>	CuMetricLug,90°,185mm²,150mm²,M12,PKG	One-hole, metric conductor, standard barrel with window lug, 185mm² 2r, 150mm² class 5/6f, M12 stud hole,	C	100	\$	5,287.54
07498377752	<b>LCMA185-12H-X</b>	CuMetricLug,45°,185mm²,150mm²,M12,PKG	One-hole, metric conductor, standard barrel with window lug, 185mm² 2r, 150mm² class 5/6f, M12 stud hole,	C	100	\$	5,551.91
07498380562	<b>LCMA185-16F-X</b>	CuMetricLug,90°,185mm²,150mm²,M16,PKG	One-hole, metric conductor, standard barrel with window lug, 185mm² 2r, 150mm² class 5/6f, M16 stud hole,	C	100	\$	5,640.84
07498377753	<b>LCMA185-16H-X</b>	CuMetricLug,45°,185mm²,150mm²,M16,PKG	One-hole, metric conductor, standard barrel with window lug, 185mm² 2r, 150mm² class 5/6f, M16 stud hole,	C	100	\$	5,640.84
07498376967	<b>LCMA185-20-X</b>	CuMetricLug,185mm²,M20StudPKG10	One-hole, metric conductor, standard barrel with window lug, 185mm² wire, M20 stud hole,	C	100	\$	4,665.50
07498380563	<b>LCMA185-20F-X</b>	CuMetricLug,90°,185mm²,150mm²,M20,PKG	One-hole, metric conductor, standard barrel with window lug, 185mm² 2r, 150mm² class 5/6f, M20 stud hole,	C	100	\$	5,998.51
07498377754	<b>LCMA185-20H-X</b>	CuMetricLug,45°,185mm²,150mm²,M20,PKG	One-hole, metric conductor, standard barrel with window lug, 185mm² 2r, 150mm² class 5/6f, M20 stud hole,	C	100	\$	6,298.45
61305625558	<b>LCMA185-8-X</b>	Copper Compression Metric Lug, 1 Hole, S		C	100	\$	3,219.55
61305625552	<b>LCMA185-8F-X</b>	Copper Compression Metric Lug, 1 Hole, S		C	100	\$	4,139.41

61305623622	<b>LCMA185-8H-X</b>	Copper Compression Metric Lug, 1 Hole, S	C	100	\$	4,139.41
61305623519	<b>LCMA2.5-4-C</b>	Copper Compression Metric Lug, 1 Hole, 2	C	100	\$	177.84
07498380395	<b>LCMA240-10F-X</b>	CuMetricLug.90°,240mm²,185mm²,M10,PKG	C	100	\$	5,152.33
07498377762	<b>LCMA240-10H-X</b>	CuMetricLug.45°,240mm²,185mm²,M10,PKG	C	100	\$	5,152.33
07498380396	<b>LCMA240-12F-X</b>	CuMetricLug.90°,240mm²,185mm²,M12,PKG	C	100	\$	8,158.49
07498377763	<b>LCMA240-12H-X</b>	CuMetricLug.45°,240mm²,185mm²,M12,PKG	C	100	\$	7,416.80
07498377764	<b>LCMA240-16H-X</b>	CuMetricLug.45°,240mm²,185mm²,M16,PKG	C	100	\$	5,152.33
07498380420	<b>LCMA240-20F-X</b>	CuMetricLug.90°,240mm²,185mm²,M20,PKG	C	100	\$	8,404.49
07498377765	<b>LCMA240-20H-X</b>	CuMetricLug.45°,240mm²,185mm²,M20,PKG	C	100	\$	8,404.49
07498379947	<b>LCMA25-10F-C</b>	CuMetricLug.90°,25mm²,16mm²,M10,PKG10	C	100	\$	501.88
07498380152	<b>LCMA25-10H-C</b>	CuMetricLug.45°,25mm²,16mm²,M10,PKG10	C	100	\$	501.88
61305625556	<b>LCMA25-5-C</b>	Copper Compression Metric Lug, 1 Hole, 2	C	100	\$	271.23
61305625550	<b>LCMA25-5F-C</b>	Copper Compression Metric Lug, 1 Hole, S	C	100	\$	366.15
61305610820	<b>LCMA25-5H-C</b>	Copper Compression Metric Lug, 1 Hole, S	C	100	\$	385.41
07498379949	<b>LCMA25-6F-C</b>	CuMetricLug.90°,25mm²,16mm²,M6StudPKG	C	100	\$	423.98
07498380155	<b>LCMA25-6H-C</b>	CuMetricLug.45°,25mm²,16mm²,M6StudPKG	C	100	\$	404.73
07498379950	<b>LCMA25-8F-C</b>	CuMetricLug.90°,25mm²,16mm²,M8StudPKG	C	100	\$	422.26
07498380162	<b>LCMA25-8H-C</b>	CuMetricLug.45°,25mm²,16mm²,M8StudPKG	C	100	\$	442.36
07498376972	<b>LCMA300-10-5</b>	CuMetricLug.300mm²,M10StudPKG5	C	100	\$	7,188.79
07498377881	<b>LCMA300-10F-5</b>	CuMetricLug.90°,300mm²,240mm²,M10,PKG	C	100	\$	9,242.73
07498377734	<b>LCMA300-10H-5</b>	CuMetricLug.45°,300mm²,240mm²,M10,PKG	C	100	\$	9,242.73
07498376973	<b>LCMA300-12-5</b>	CuMetricLug.300mm²,M12StudPKG5	C	100	\$	8,646.46
07498377882	<b>LCMA300-12F-5</b>	CuMetricLug.90°,300mm²,240mm²,M12,PKG	C	100	\$	10,167.00
07498377735	<b>LCMA300-12H-5</b>	CuMetricLug.45°,300mm²,240mm²,M12,PKG	C	100	\$	10,167.00
07498377883	<b>LCMA300-16F-5</b>	CuMetricLug.90°,300mm²,240mm²,M16,PKG	C	100	\$	11,381.34
07498377736	<b>LCMA300-16H-5</b>	CuMetricLug.45°,300mm²,240mm²,M16,PKG	C	100	\$	11,381.34
07498376975	<b>LCMA300-20-5</b>	CuMetricLug.300mm²,M20StudPKG5	C	100	\$	9,961.64
07498377885	<b>LCMA300-20F-5</b>	CuMetricLug.90°,300mm²,240mm²,M20,PKG	C	100	\$	12,225.61
07498377741	<b>LCMA300-20H-5</b>	CuMetricLug.45°,300mm²,240mm²,M20,PKG	C	100	\$	12,225.61
07498380164	<b>LCMA35-10H-C</b>	CuMetricLug.45°,35mm²,25mm²,M10,PKG10	C	100	\$	753.13
07498379960	<b>LCMA35-12F-C</b>	CuMetricLug.90°,35mm²,25mm²,M12,PKG10	C	100	\$	854.98
07498380165	<b>LCMA35-12H-C</b>	CuMetricLug.45°,35mm²,25mm²,M12,PKG10	C	100	\$	854.98
07498379965	<b>LCMA35-6F-C</b>	CuMetricLug.90°,35mm²,25mm²,M6StudPKG	C	100	\$	646.50
07498380184	<b>LCMA35-6H-C</b>	CuMetricLug.45°,35mm²,25mm²,M6StudPKG	C	100	\$	646.50
07498380186	<b>LCMA35-8H-C</b>	CuMetricLug.45°,35mm²,25mm²,M8StudPKG	C	100	\$	1,097.75
07498376977	<b>LCMA400-20-5</b>	CuMetricLug.400mm²,M20StudPKG5	C	100	\$	14,702.35
07498380422	<b>LCMA50-10F-L</b>	CuMetricLug.90°,50mm²,35mm²,M10StudPK	C	100	\$	985.05
07498380195	<b>LCMA50-10H-L</b>	CuMetricLug.45°,50mm²,35mm²,M10StudPK	C	100	\$	938.13
07498380435	<b>LCMA50-12F-L</b>	CuMetricLug.90°,50mm²,35mm²,M12StudPK	C	100	\$	1,099.71
07498380196	<b>LCMA50-12H-L</b>	CuMetricLug.45°,50mm²,35mm²,M12StudPK	C	100	\$	1,049.74
07498380455	<b>LCMA50-6F-L</b>	CuMetricLug.90°,50mm²,35mm²,M6StudPKG	C	100	\$	1,796.44
07498380244	<b>LCMA50-6H-L</b>	CuMetricLug.45°,50mm²,35mm²,M6StudPKG	C	100	\$	615.69
07498380264	<b>LCMA50-8H-L</b>	CuMetricLug.45°,50mm²,35mm²,M8StudPKG	C	100	\$	965.15
07498376980	<b>LCMA500-00-1</b>	CuMetricLug.Blank,500mm²,PKG1	C	100	\$	23,649.39
07498376979	<b>LCMA500-20-1</b>	CuMetricLug.500mm²,M20StudPKG1	C	100	\$	17,328.86
07498376983	<b>LCMA630-00-1</b>	CuMetricLug.Blank,630mm²,PKG1	C	100	\$	27,750.70
61305623517	<b>LCMA630-12-1</b>	Copper Compression Metric Lug, 1 Hole, 6	C	100	\$	22,672.90
07498376982	<b>LCMA630-20-1</b>	CuMetricLug.630mm²,M20StudPKG1	C	100	\$	21,548.05
07498380387	<b>LCMA70-12H-L</b>	CuMetricLug.45°,70mm²,50mm²,M12StudPK	C	100	\$	1,475.68
07498380473	<b>LCMA70-6F-L</b>	CuMetricLug.90°,70mm²,50mm²,M6StudPKG	C	100	\$	1,260.91
07498380388	<b>LCMA70-6H-L</b>	CuMetricLug.45°,70mm²,50mm²,M6StudPKG	C	100	\$	1,320.95
07498380476	<b>LCMA95-10F-L</b>	CuMetricLug.90°,95mm²,70mm²,M10StudPK	C	100	\$	2,586.63
07498380477	<b>LCMA95-12F-L</b>	CuMetricLug.90°,95mm²,70mm²,M12StudPK	C	100	\$	2,346.13
07498380391	<b>LCMA95-12H-L</b>	CuMetricLug.45°,95mm²,70mm²,M12StudPK	C	100	\$	2,580.74
07498380478	<b>LCMA95-16F-L</b>	CuMetricLug.90°,95mm²,70mm²,M16StudPK	C	100	\$	2,401.46
07498380392	<b>LCMA95-16H-L</b>	CuMetricLug.45°,95mm²,70mm²,M16StudPK	C	100	\$	2,401.46
61305610819	<b>LCMA95-6H-L</b>	Copper Compression Metric Lug, 1 Hole, S	C	100	\$	2,340.19
07498380479	<b>LCMA95-8F-L</b>	CuMetricLug.90°,95mm²,70mm²,M8StudPKG	C	100	\$	2,709.79
07498380393	<b>LCMA95-8H-L</b>	CuMetricLug.45°,95mm²,70mm²,M8StudPKG	C	100	\$	2,463.44
07498306809	<b>LCMAN70-10-L</b>	Copper Compression Metric Lug, Narrow T	C	100	\$	948.39
07498348471	<b>LCMAX300-10-5</b>	CuMetricLug.FlxCon,300mm²,M10StudPKG5	C	100	\$	13,158.14
07498377875	<b>LCMAX300-10F-5</b>	CuMetricLug.90°,300mm²,M10StudPKG5	C	100	\$	19,539.88
07498377730	<b>LCMAX300-10H-5</b>	CuMetricLug.45°,300mm²,M10StudPKG5	C	100	\$	17,763.51
07498341050	<b>LCMAX300-12-5</b>	CuMetricLug.FlxCon,300mm²,M12StudPKG5	C	100	\$	14,473.98
07498377876	<b>LCMAX300-12F-5</b>	CuMetricLug.90°,300mm²,M12StudPKG5	C	100	\$	17,763.51
07498377731	<b>LCMAX300-12H-5</b>	CuMetricLug.45°,300mm²,M12StudPKG5	C	100	\$	17,763.51
07498348472	<b>LCMAX300-16-5</b>	CuMetricLug.FlxCon,300mm²,M16StudPKG5	C	100	\$	13,158.14
07498377879	<b>LCMAX300-16F-5</b>	CuMetricLug.90°,300mm²,M16StudPKG5	C	100	\$	17,763.51
07498377732	<b>LCMAX300-16H-5</b>	CuMetricLug.45°,300mm²,M16StudPKG5	C	100	\$	17,763.51
07498348473	<b>LCMAX300-20-5</b>	CuMetricLug.FlxCon,300mm²,M20StudPKG5	C	100	\$	13,158.14
07498377880	<b>LCMAX300-20F-5</b>	CuMetricLug.90°,300mm²,M20StudPKG5	C	100	\$	17,763.51
07498377733	<b>LCMAX300-20H-5</b>	CuMetricLug.45°,300mm²,M20StudPKG5	C	100	\$	17,763.51
07498361772	<b>LCMB10-10-L</b>	CuMetricLug.Long,10mm²,10mm²,M10,PKG50	C	100	\$	432.34
07498361785	<b>LCMB10-5-L</b>	CuMetricLug.Long,10mm²,10mm²,M5StudPKG	C	100	\$	813.13
07498361788	<b>LCMB10-6-L</b>	CuMetricLug.Long,10mm²,10mm²,M6StudPKG	C	100	\$	335.80
07498361788	<b>LCMB10-8-L</b>	CuMetricLug.Long,10mm²,10mm²,M8PKG50	C	100	\$	333.60
07498361957	<b>LCMB120-12-X</b>	CuMetricLug.Long,120mm²,95mm²,M12,PKG1	C	100	\$	3,433.54
		One-hole, metric conductor, standard barrel with window lug, 240mm² 2r, 185mm² class 5/6f, M10 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 240mm² 2r, 185mm² class 5/6f, M10 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 240mm² 2r, 185mm² class 5/6f, M12 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 240mm² 2r, 185mm² class 5/6f, M12 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 240mm² 2r, 185mm² class 5/6f, M16 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 240mm² 2r, 185mm² class 5/6f, M16 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 240mm² 2r, 185mm² class 5/6f, M20 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 240mm² 2r, 185mm² class 5/6f, M20 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 25mm² 2r, 16mm² class 5/6f, M10 stud hole, 9	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 25mm² 2r, 16mm² class 5/6f, M10 stud hole, 4	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 25mm² 2r, 16mm² class 5/6f, M6 stud hole, 90	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 25mm² 2r, 16mm² class 5/6f, M6 stud hole, 45	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 25mm² 2r, 16mm² class 5/6f, M8 stud hole, 90	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 25mm² 2r, 16mm² class 5/6f, M8 stud hole, 45	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 300mm² wire, M10 stud hole.	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 300mm² 2r, 240mm² class 5/6f, M10 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 300mm² 2r, 240mm² class 5/6f, M10 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 300mm² wire, M12 stud hole.	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 300mm² 2r, 240mm² class 5/6f, M12 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 300mm² 2r, 240mm² class 5/6f, M12 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 300mm² 2r, 240mm² class 5/6f, M16 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 300mm² 2r, 240mm² class 5/6f, M16 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 300mm² wire, M20 stud hole.	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 300mm² 2r, 240mm² class 5/6f, M20 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 300mm² 2r, 240mm² class 5/6f, M20 stud hole	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 35mm² 2r, 25mm² class 5/6f, M10 stud hole, 4	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 35mm² 2r, 25mm² class 5/6f, M10 stud hole, 9	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 35mm² 2r, 25mm² class 5/6f, M6 stud hole, 45	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 35mm² 2r, 25mm² class 5/6f, M8 stud hole, 45	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 400mm² wire, M20 stud hole.	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 50mm² 2r, 35mm² class 5/6f, M10 stud hole, 9	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 50mm² 2r, 35mm² class 5/6f, M10 stud hole, 4	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 50mm² 2r, 35mm² class 5/6f, M12 stud hole, 9	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 50mm² 2r, 35mm² class 5/6f, M12 stud hole, 4	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 50mm² 2r, 35mm² class 5/6f, M6 stud hole, 90	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 50mm² 2r, 35mm² class 5/6f, M6 stud hole, 45	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 50mm² 2r, 35mm² class 5/6f, M8 stud hole, 45	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 500mm² wire, blank tongue.	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 500mm² wire, M20 stud hole.	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 630mm² wire, blank tongue.	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 70mm² 2r, 50mm² class 5/6f, M12 stud hole, 4	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 70mm² 2r, 50mm² class 5/6f, M6 stud hole, 90	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 70mm² 2r, 50mm² class 5/6f, M6 stud hole, 45	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 95mm² 2r, 70mm² class 5/6f, M10 stud hole, 9	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 95mm² 2r, 70mm² class 5/6f, M12 stud hole, 9	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 95mm² 2r, 70mm² class 5/6f, M12 stud hole, 4	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 95mm² 2r, 70mm² class 5/6f, M16 stud hole, 4	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 95mm² 2r, 70mm² class 5/6f, M8 stud hole, 90	C	100	\$	
		One-hole, metric conductor, standard barrel with window lug, 95mm² 2r, 70mm² class 5/6f, M8 stud hole, 45	C	100	\$	
		Copper Compression Metric Lug, Narrow Tongue, 1 Hole, 70mm² Wire, M10 Stud	C	100	\$	

07498361960	<b>LCMB120-16-X</b>	Cu,CompMetLug,1H,L-B,120mm <sup>2</sup> r,PK10	One-hole, metric conductor, long barrel, 120mm <sup>2</sup> 2r, 95mm <sup>2</sup> class 5/6f, M16 stud hole.	C	100	\$	3,293.93
07498361964	<b>LCMB120-8-X</b>	CuMetricLug,Long,120mm <sup>2</sup> ,95mm <sup>2</sup> ,M8,PKG10	One-hole, metric conductor, long barrel, 120mm <sup>2</sup> 2r, 95mm <sup>2</sup> class 5/6f, M8 stud hole.	C	100	\$	3,998.64
07498361971	<b>LCMB150-10-X</b>	CuMetricLug,Long,150mm <sup>2</sup> ,120mm <sup>2</sup> ,M10,PKG	One-hole, metric conductor, long barrel, 150mm <sup>2</sup> 2r, 120mm <sup>2</sup> class 5/6f, M10 stud hole.	C	100	\$	4,719.18
07498361974	<b>LCMB150-12-X</b>	CuMetricLug,Long,150mm <sup>2</sup> ,120mm <sup>2</sup> ,M12,PKG	One-hole, metric conductor, long barrel, 150mm <sup>2</sup> 2r, 120mm <sup>2</sup> class 5/6f, M12 stud hole.	C	100	\$	4,747.91
07498361975	<b>LCMB150-16-X</b>	CuMetricLug,Long,150mm <sup>2</sup> ,120mm <sup>2</sup> ,M16,PKG	One-hole, metric conductor, long barrel, 150mm <sup>2</sup> 2r, 120mm <sup>2</sup> class 5/6f, M16 stud hole.	C	100	\$	4,561.79
07498361990	<b>LCMB150-20-X</b>	CuMetricLug,Long,150mm <sup>2</sup> ,120mm <sup>2</sup> ,M20,PKG	One-hole, metric conductor, long barrel, 150mm <sup>2</sup> 2r, 120mm <sup>2</sup> class 5/6f, M20 stud hole.	C	100	\$	5,230.44
07498361996	<b>LCMB150-8-X</b>	CuMetricLug,Long,150mm <sup>2</sup> ,120mm <sup>2</sup> ,M8,PKG1	One-hole, metric conductor, long barrel, 150mm <sup>2</sup> 2r, 120mm <sup>2</sup> class 5/6f, M8 stud hole.	C	100	\$	4,265.73
07498361789	<b>LCMB16-10-L</b>	CuMetricLug,Long,16mm <sup>2</sup> ,10mm <sup>2</sup> ,M10,PKG50	One-hole, metric conductor, long barrel, 16mm <sup>2</sup> 2r, 10mm <sup>2</sup> class 5/6f, M10 stud hole.	C	100	\$	491.06
07498361791	<b>LCMB16-5-L</b>	CuMetricLug,Long,16mm <sup>2</sup> ,10mm <sup>2</sup> ,M5StudPKG	One-hole, metric conductor, long barrel, 16mm <sup>2</sup> 2r, 10mm <sup>2</sup> class 5/6f, M5 stud hole.	C	100	\$	417.16
07498361792	<b>LCMB16-6-L</b>	CuMetricLug,Long,16mm <sup>2</sup> ,10mm <sup>2</sup> ,M6StudPKG	One-hole, metric conductor, long barrel, 16mm <sup>2</sup> 2r, 10mm <sup>2</sup> class 5/6f, M6 stud hole.	C	100	\$	388.99
07498361793	<b>LCMB16-8-L</b>	CuMetricLug,Long,16mm <sup>2</sup> ,10mm <sup>2</sup> ,M8StudPKG	One-hole, metric conductor, long barrel, 16mm <sup>2</sup> 2r, 10mm <sup>2</sup> class 5/6f, M8 stud hole.	C	100	\$	431.80
07498362015	<b>LCMB185-10-X</b>	CuMetricLug,Long,185mm <sup>2</sup> ,150mm <sup>2</sup> ,M10,PKG	One-hole, metric conductor, long barrel, 185mm <sup>2</sup> 2r, 150mm <sup>2</sup> class 5/6f, M10 stud hole.	C	100	\$	4,639.49
07498362018	<b>LCMB185-12-X</b>	Cu,CompMetLug,1H,L-B,185mm <sup>2</sup> r,PK10	One-hole, metric conductor, long barrel, 185mm <sup>2</sup> 2r, 150mm <sup>2</sup> class 5/6f, M12 stud hole.	C	100	\$	5,936.45
07498362019	<b>LCMB185-16-X</b>	CuMetricLug,Long,185mm <sup>2</sup> ,150mm <sup>2</sup> ,M16,PKG	One-hole, metric conductor, long barrel, 185mm <sup>2</sup> 2r, 150mm <sup>2</sup> class 5/6f, M16 stud hole.	C	100	\$	6,683.03
07498362023	<b>LCMB185-20-X</b>	CuMetricLug,Long,185mm <sup>2</sup> ,150mm <sup>2</sup> ,M20,PKG	One-hole, metric conductor, long barrel, 185mm <sup>2</sup> 2r, 150mm <sup>2</sup> class 5/6f, M20 stud hole.	C	100	\$	6,411.84
07498362266	<b>LCMB240-10-6</b>	CuMetricLug,Long,240mm <sup>2</sup> ,185mm <sup>2</sup> ,M10,PKG	One-hole, metric conductor, long barrel, 240mm <sup>2</sup> 2r, 185mm <sup>2</sup> class 5/6f, M10 stud hole.	C	100	\$	5,937.70
07498362272	<b>LCMB240-16-6</b>	CuMetricLug,Long,240mm <sup>2</sup> ,185mm <sup>2</sup> ,M16,PKG	One-hole, metric conductor, long barrel, 240mm <sup>2</sup> 2r, 185mm <sup>2</sup> class 5/6f, M16 stud hole.	C	100	\$	5,990.98
07498362278	<b>LCMB240-20-6</b>	CuMetricLug,Long,240mm <sup>2</sup> ,185mm <sup>2</sup> ,M20,PKG	One-hole, metric conductor, long barrel, 240mm <sup>2</sup> 2r, 185mm <sup>2</sup> class 5/6f, M20 stud hole.	C	100	\$	9,843.65
61305625553	<b>LCMB25-5-L</b>	Copper Compression Metric Lug, 1 Hole, L		C	100	\$	520.85
07498361795	<b>LCMB25-6-L</b>	CuMetricLug,Long,25mm <sup>2</sup> ,16mm <sup>2</sup> ,M6StudPKG	One-hole, metric conductor, long barrel, 25mm <sup>2</sup> 2r, 16mm <sup>2</sup> class 5/6f, M6 stud hole.	C	100	\$	548.26
07498361796	<b>LCMB25-8-L</b>	CuMetricLug,Long,25mm <sup>2</sup> ,16mm <sup>2</sup> ,M8StudPKG	One-hole, metric conductor, long barrel, 25mm <sup>2</sup> 2r, 16mm <sup>2</sup> class 5/6f, M8 stud hole.	C	100	\$	491.06
07498362285	<b>LCMB300-10-6</b>	CuMetricLug,Long,300mm,240mm,5/6f,M10,PK6	One-hole, metric conductor, long barrel, 300mm <sup>2</sup> 2r, 240mm <sup>2</sup> class 5/6f, M10 stud hole.	C	100	\$	10,055.78
07498362289	<b>LCMB300-20-6</b>	CuCompMetLug,1H,L-B,300mm <sup>2</sup> r,5/6f,PK6	One-hole, metric conductor, long barrel, 300mm <sup>2</sup> 2r, 240mm <sup>2</sup> class 5/6f, M20 stud hole.	C	100	\$	12,810.05
07498362293	<b>LCMB35-12-Q</b>	CuMetricLug,Long,35mm <sup>2</sup> ,25mm <sup>2</sup> ,M12,PKG25	One-hole, metric conductor, long barrel, 35mm <sup>2</sup> 2r, 25mm <sup>2</sup> class 5/6f, M12 stud hole.	C	100	\$	982.19
07498362294	<b>LCMB35-6-Q</b>	CuMetricLug,Long,35mm <sup>2</sup> ,25mm <sup>2</sup> ,M6StudPKG	One-hole, metric conductor, long barrel, 35mm <sup>2</sup> 2r, 25mm <sup>2</sup> class 5/6f, M6 stud hole.	C	100	\$	736.01
07498362295	<b>LCMB35-8-Q</b>	CuMetricLug,Long,35mm <sup>2</sup> ,25mm <sup>2</sup> ,M8StudPKG	One-hole, metric conductor, long barrel, 35mm <sup>2</sup> 2r, 25mm <sup>2</sup> class 5/6f, M8 stud hole.	C	100	\$	1,309.61
07498362290	<b>LCMB400-12-6</b>	CuMetricLug,Long,400mm <sup>2</sup> ,M12StudPKG6	One-hole, metric conductor, long barrel, 400mm <sup>2</sup> 2r, M12 stud hole.	C	100	\$	17,309.96
07498362247	<b>LCMB400-20-6</b>	CuMetricLug,Long,400mm <sup>2</sup> ,M20StudPKG6	One-hole, metric conductor, long barrel, 400mm <sup>2</sup> 2r, M20 stud hole.	C	100	\$	17,563.19
07498364088	<b>LCMB50-10-E</b>	CuMetricLug,Long,50mm <sup>2</sup> ,35mm <sup>2</sup> ,M10,PKG20	One-hole, metric conductor, long barrel, 50mm <sup>2</sup> 2r, 35mm <sup>2</sup> class 5/6f, M10 stud hole.	C	100	\$	1,225.59
07498364089	<b>LCMB50-12-E</b>	CuMetricLug,Long,50mm <sup>2</sup> ,35mm <sup>2</sup> ,M12,PKG20	One-hole, metric conductor, long barrel, 50mm <sup>2</sup> 2r, 35mm <sup>2</sup> class 5/6f, M12 stud hole.	C	100	\$	1,340.11
07498364090	<b>LCMB50-6-E</b>	CuMetricLug,Long,50mm <sup>2</sup> ,35mm <sup>2</sup> ,M6StudPKG	One-hole, metric conductor, long barrel, 50mm <sup>2</sup> 2r, 35mm <sup>2</sup> class 5/6f, M6 stud hole.	C	100	\$	2,163.83
07498364091	<b>LCMB50-8-E</b>	CuMetricLug,Long,50mm <sup>2</sup> ,35mm <sup>2</sup> ,M8StudPKG	One-hole, metric conductor, long barrel, 50mm <sup>2</sup> 2r, 35mm <sup>2</sup> class 5/6f, M8 stud hole.	C	100	\$	1,078.80
07498362838	<b>LCMB500-12-3</b>	CuMetricLug,Long,500mm <sup>2</sup> ,M12StudPKG3	One-hole, metric conductor, long barrel, 500mm <sup>2</sup> 2r, M12 stud hole.	C	100	\$	24,986.00
07498362839	<b>LCMB500-16-3</b>	CuMetricLug,Long,500mm <sup>2</sup> ,M16StudPKG3	One-hole, metric conductor, long barrel, 500mm <sup>2</sup> 2r, M16 stud hole.	C	100	\$	22,739.01
07498362840	<b>LCMB500-20-3</b>	CuMetricLug,Long,500mm <sup>2</sup> ,M20StudPKG3	One-hole, metric conductor, long barrel, 500mm <sup>2</sup> 2r, M20 stud hole.	C	100	\$	21,801.56
07498362841	<b>LCMB630-16-3</b>	CuMetricLug,Long,630mm <sup>2</sup> ,M16StudPKG3	One-hole, metric conductor, long barrel, 630mm <sup>2</sup> 2r, M16 stud hole.	C	100	\$	30,904.59
07498362849	<b>LCMB630-20-3</b>	CuMetricLug,Long,630mm <sup>2</sup> ,M20StudPKG3	One-hole, metric conductor, long barrel, 630mm <sup>2</sup> 2r, M20 stud hole.	C	100	\$	25,039.35
07498362159	<b>LCMB70-10-X</b>	CuMetricLug,Long,70mm <sup>2</sup> ,50mm <sup>2</sup> ,M10,PKG10	One-hole, metric conductor, long barrel, 70mm <sup>2</sup> 2r, 50mm <sup>2</sup> class 5/6f, M10 stud hole.	C	100	\$	1,427.45
07498362161	<b>LCMB70-8-X</b>	CuMetricLug,Long,70mm <sup>2</sup> ,50mm <sup>2</sup> ,M8StudPKG	One-hole, metric conductor, long barrel, 70mm <sup>2</sup> 2r, 50mm <sup>2</sup> class 5/6f, M8 stud hole.	C	100	\$	1,395.23
07498362242	<b>LCMB95-10-X</b>	CuMetricLug,Long,95mm <sup>2</sup> ,70mm <sup>2</sup> ,M10,PKG10	One-hole, metric conductor, long barrel, 95mm <sup>2</sup> 2r, 70mm <sup>2</sup> class 5/6f, M10 stud hole.	C	100	\$	2,932.73
07498362244	<b>LCMB95-16-X</b>	CuMetricLug,Long,95mm <sup>2</sup> ,70mm <sup>2</sup> ,M16,PKG10	One-hole, metric conductor, long barrel, 95mm <sup>2</sup> 2r, 70mm <sup>2</sup> class 5/6f, M16 stud hole.	C	100	\$	2,923.61
61305625617	<b>LCMB95-6-X</b>	Copper Compression Metric Lug, 1 Hole, L		C	100	\$	2,521.79
07498362245	<b>LCMB95-8-X</b>	CuMetricLug,Long,95mm <sup>2</sup> ,70mm <sup>2</sup> ,M8StudPKG	One-hole, metric conductor, long barrel, 95mm <sup>2</sup> 2r, 70mm <sup>2</sup> class 5/6f, M8 stud hole.	C	100	\$	2,654.59
07498364050	<b>LCMBX300-10-6</b>	CuMetricLug,Long,300mm,240mm,5f,M10,PK6	One-hole, metric conductor, long barrel, 300mm <sup>2</sup> 2r, 240mm <sup>2</sup> class 5f, M10 stud hole.	C	100	\$	13,918.43
07498364051	<b>LCMBX300-12-6</b>	CuMetricLug,Long,300mm,240mm,5f,M12,PK6	One-hole, metric conductor, long barrel, 300mm <sup>2</sup> 2r, 240mm <sup>2</sup> class 5f, M12 stud hole.	C	100	\$	15,370.49
07498364052	<b>LCMBX300-16-6</b>	CuCompMetLug,1H,L-B,300mm <sup>2</sup> r,5f,M16,PK6	One-hole, metric conductor, long barrel, 300mm <sup>2</sup> 2r, 240mm <sup>2</sup> class 5f, M16 stud hole.	C	100	\$	17,329.70
07498364053	<b>LCMBX300-20-6</b>	CuCompMetLug,1H,L-B,300mm <sup>2</sup> r,M20,2r,PK6	One-hole, metric conductor, long barrel, 300mm <sup>2</sup> 2r, 240mm <sup>2</sup> class 5f, M20 stud hole.	C	100	\$	18,743.01
07498361168	<b>LCMC10-00-L</b>	CuMetricLug,2Hole,Blank,Long,10mm <sup>2</sup> ,PKG50	Two-hole, metric conductor, long barrel, 10mm <sup>2</sup> 2r, blank tongue.	C	100	\$	1,441.09
07498361757	<b>LCMC10-8-L</b>	CuMetricLug,2Hole,Long,10mm <sup>2</sup> ,M8StudPKG5	Two-hole, metric conductor, long barrel, 10mm <sup>2</sup> 2r, M8 stud hole.	C	100	\$	484.15
07498362299	<b>LCMC120-00-X</b>	CuMetricLug,2Hole,Blank,Long,120/95mm,PKG10	Two-hole, metric conductor, long barrel, 120mm <sup>2</sup> 2r, 95mm <sup>2</sup> class 5/6f, blank tongue.	C	100	\$	5,782.96
07498362305	<b>LCMC120-14-X</b>	CuMetricLug,2Hole,Long,120/95mm,M14,PKG10	Two-hole, metric conductor, long barrel, 120mm <sup>2</sup> 2r, 95mm <sup>2</sup> class 5/6f, M14 stud hole.	C	100	\$	5,170.46
07498362787	<b>LCMC150-00-X</b>	CuMetricLug,2Hole,Blank,Long,150/120mm,PKG10	Two-hole, metric conductor, long barrel, 150mm <sup>2</sup> 2r, 120mm <sup>2</sup> class 5/6f, blank tongue.	C	100	\$	8,640.00
07498362789	<b>LCMC150-14-X</b>	CuMetricLug,2Hole,Long,150/120mm,M14,PKG10	Two-hole, metric conductor, long barrel, 150mm <sup>2</sup> 2r, 120mm <sup>2</sup> class 5/6f, M14 stud hole.	C	100	\$	6,895.35
07498361759	<b>LCMC16-00-L</b>	CuMetricLug,2Hole,Blank,Long,16/10mm,PKG50	Two-hole, metric conductor, long barrel, 16mm <sup>2</sup> 2r, 10mm <sup>2</sup> class 5/6f, blank tongue.	C	100	\$	734.33
07498362792	<b>LCMC185-14-X</b>	CuMetricLug,2Hole,Long,185/150mm,M14,PKG10	Two-hole, metric conductor, long barrel, 185mm <sup>2</sup> 2r, 150mm <sup>2</sup> class 5/6f, M14.	C	100	\$	9,951.24
61305623631	<b>LCMC185-8-X</b>	Copper Compression Metric Lug, 2 Hole, L		C	100	\$	7,078.06
07498364066	<b>LCMC240-14-6</b>	CuMetricLug,2Hole,Long,240/185mm,M14,PKG6	Two-hole, metric conductor, long barrel, 240mm <sup>2</sup> 2r, 185mm <sup>2</sup> class 5/6f, M14 stud hole.	C	100	\$	8,080.56
07498361761	<b>LCMC25-00-L</b>	CuMetricLug,2Hole,Blank,Long,25/16mm,PKG50	Two-hole, metric conductor, long barrel, 25mm <sup>2</sup> 2r, 16mm <sup>2</sup> class 5/6f, blank tongue.	C	100	\$	1,448.23
07498361765	<b>LCMC25-10-L</b>	CuMetricLug,2Hole,Long,25/16mm,M10,PKG50	Two-hole, metric conductor, long barrel, 25mm <sup>2</sup> 2r, 16mm <sup>2</sup> class 5/6f, M10 stud hole.	C	100	\$	884.35
07498361766	<b>LCMC25-12-L</b>	CuMetricLug,2Hole,Long,25/16mm <sup>2</sup> ,M12,PKG5	Two-hole, metric conductor, long barrel, 25mm <sup>2</sup> 2r, 16mm <sup>2</sup> class 5/6f, M12 stud hole.	C	100	\$	1,296.50
61305623632	<b>LCMC25-5-L</b>	Copper Compression Metric Lug, 2 Hole, L		C	100	\$	693.68
07498361767	<b>LCMC25-8-L</b>	CuMetricLug,2Hole,Long,25/16mm <sup>2</sup> ,M8,PKG5	Two-hole, metric conductor, long barrel, 25mm <sup>2</sup> 2r, 16mm <sup>2</sup> class 5/6f, M8 stud hole.	C	100	\$	770.79
07498362296	<b>LCMC35-00-Q</b>	CuMetricLug,2Hole,Blank,Long,35/25mm,PKG25	Two-hole, metric conductor, long barrel, 35mm <sup>2</sup> 2r, 25mm <sup>2</sup> class 5/6f, blank tongue.	C	100	\$	2,412.15
07498362297	<b>LCMC35-10-Q</b>	CuMetricLug,2Hole,Long,35/25mm,M10,PKG25	Two-hole, metric conductor, long barrel, 35mm <sup>2</sup> 2r, 25mm <sup>2</sup> class 5/6f, M10 stud hole.	C	100	\$	1,396.64
61305623633	<b>LCMC35-8-Q</b>	Copper Compression Metric Lug, 2 Hole, L		C	100	\$	1,326.80
07498364084	<b>LCMC400-16-6</b>	Cu,CompMetLug,2H,L-B,400mm <sup>2</sup> r,M16S,PK6	Two-hole, metric conductor, long barrel, 400mm <sup>2</sup> 2r, M16 stud hole.	C	100	\$	21,599.89
07498364102	<b>LCMC50-00-E</b>	Cu,CompMetLug,2H,BT,L-B,50mm <sup>2</sup> r,PK20	Two-hole, metric conductor, long barrel, 50mm <sup>2</sup> 2r, 35mm <sup>2</sup> class 5/6f, blank tongue.	C	100	\$	2,219.99
07498364103	<b>LCMC50-10-E</b>	CuMetricLug,2Hole,Long,50/35mm,M10,PKG20	Two-hole, metric conductor, long barrel, 50mm <sup>2</sup> 2r, 35mm <sup>2</sup> class 5/6f, M10 stud hole.	C	100	\$	1,729.75
07498364104	<b>LCMC50-12-E</b>	Cu,CompMetLug,2H,L-B,50mm <sup>2</sup> r,PK20	Two-hole, metric conductor, long barrel, 50mm <sup>2</sup> 2r, 35mm <sup>2</sup> class 5/6f, M12 stud hole.	C	100	\$	1,944.15
07498364095	<b>LCMC500-12-3</b>	CuMetricLug,2Hole,Long,500mm <sup>2</sup> ,M12,PKG3	Two-hole, metric conductor, long barrel, 500mm <sup>2</sup> 2r, M12 stud hole.	C	100	\$	31,873.19
07498364096	<b>LCMC500-14-3</b>	CuMetricLug,2Hole,Long,500mm <sup>2</sup> ,M14,PKG3	Two-hole, metric conductor, long barrel, 500mm <sup>2</sup> 2r, M14 stud hole.	C	100	\$	28,321.89
07498364093	<b>LCMC500-16-3</b>	CuMetricLug,2Hole,Long,500mm <sup>2</sup> ,M16,PKG3	Two-hole, metric conductor, long barrel, 500mm <sup>2</sup> 2r, M16 stud hole.	C	100	\$	28,810.09
07498364098	<b>LCMC630-12-3</b>	CuMetricLug,2Hole,Long,630mm <sup>2</sup> ,M12,PKG3	Two-hole, metric conductor, long barrel, 630mm <sup>2</sup> 2r, M12.	C	100	\$	37,585.96
07498364099	<b>LCMC630-14-3</b>	CuMetricLug,2Hole,Long,630mm <sup>2</sup> ,M14,PKG3	Two-hole, metric conductor, long barrel, 630mm <sup>2</sup> 2r, M14.	C	100	\$	35,528.50
07498364100	<b>LCMC630-16-3</b>	CuMetricLug,2Hole,Long,630mm <sup>2</sup> ,M16,PKG3	Two-hole, metric conductor, long barrel, 630mm <sup>2</sup> 2r, M16.	C	100	\$	35,225.19
07498362795	<b>LCMC70-10-X</b>	CuMetricLug,2Hole,Long,70/50mm,M10,PKG10	Two-hole, metric conductor, long barrel, 70mm <sup>2</sup> 2r, 50mm <sup>2</sup> class 5/6f, M10.	C	100	\$	2,082.98
61305623634	<b>LCMC95-10-X</b>	Copper Compression Metric Lug, 2 Hole, L		C	100	\$	3,916.28

07498362834	<b>LCMC95-14-X</b>	CuMetricLug,2Hole,Long,95/70mm,M14,PKG10	Two-hole, metric conductor, long barrel, 95mm <sup>2</sup> 2r, 70mm <sup>2</sup> class 5f/6f, M14.	C	100	\$	3,954.51
61305625616	<b>LCMC95-6-X</b>	Copper Compression Metric Lug, 2 Hole, L		C	100	\$	3,372.86
07498364085	<b>LCMCX300-00-6</b>	CuMetricLug,2Hole,Blank,Long,300mm <sup>2</sup> ,5f,PKG	Two-hole, metric conductor, long barrel, 300mm <sup>2</sup> class 5f, blank tongue.	C	100	\$	26,111.29
07498364086	<b>LCMCX300-12-6</b>	CuMetricLug,2Hole,Long,300mm <sup>2</sup> ,5f,M12,PKG	Two-hole, metric conductor, long barrel, 300mm <sup>2</sup> class 5f, M12 Stud.	C	100	\$	18,161.06
07498364087	<b>LCMCX300-14-6</b>	Cu,CompMetLug,2H,L-B,300mm <sup>2</sup> ,5f,M14S,PK6	Two-hole, metric conductor, long barrel, 300mm <sup>2</sup> class 5f, M14 Stud.	C	100	\$	22,622.80
07498399745	<b>LCMD10-00-Q</b>	CuMetricLug,Blank,10mm <sup>2</sup> ,PKG25	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 10mm <sup>2</sup> wire.	C	100	\$	780.01
07498300387	<b>LCMD10-6CD-Q</b>	Cu,CompMetLug,2H,10mm <sup>2</sup> ,ST,M6S,PK25	Two-hole, metric conductor, standard barrel with window lug, 10mm <sup>2</sup> wire, M6 stud hole, slotted tongue.	C	100	\$	333.35
07498399744	<b>LCMD10-8-Q</b>	CuMetricLug,2Hole,10mm <sup>2</sup> ,M8StudPKG25	Two-hole, metric conductor, standard barrel with window lug, 10mm <sup>2</sup> wire, M8 stud hole.	C	100	\$	461.43
07498399766	<b>LCMD120-00-X</b>	CuMetricLug,Blank,120mm <sup>2</sup> ,PKG10	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 120mm <sup>2</sup> wire.	C	100	\$	5,175.79
61305623627	<b>LCMD120-1240-X</b>	Copper Compression Metric Lug, 2 Hole, S		C	100	\$	4,312.75
07498399765	<b>LCMD120-14-X</b>	CuMetricLug,2Hole,120mm <sup>2</sup> ,M14StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 120mm <sup>2</sup> wire, M14 stud hole.	C	100	\$	4,856.00
07498399775	<b>LCMD150-00-X</b>	CuMetricLug,Blank,150mm <sup>2</sup> ,PKG10	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 150mm <sup>2</sup> wire.	C	100	\$	7,104.68
07498300395	<b>LCMD150-10CD-X</b>	Cu,CompMetLug,2H,150mm <sup>2</sup> ,ST,M10S,PK10	Two-hole, metric conductor, standard barrel with window lug, 150mm <sup>2</sup> wire, M10 stud hole, slotted tongue.	C	100	\$	5,052.94
07498399774	<b>LCMD150-14-X</b>	CuMetricLug,2Hole,150mm <sup>2</sup> ,M14StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 150mm <sup>2</sup> wire, M14 stud hole.	C	100	\$	5,759.20
07498399747	<b>LCMD16-00-Q</b>	CuMetricLug,Blank,16mm <sup>2</sup> ,PKG25	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 16mm <sup>2</sup> wire.	C	100	\$	730.21
61305623518	<b>LCMD16-12-Q</b>	Copper Compression Metric Lug, 2 Hole, 1		C	100	\$	668.41
07498300388	<b>LCMD16-6CD-Q</b>	Cu,CompMetLug,2H,16mm <sup>2</sup> ,ST,M6S,PK25	Two-hole, metric conductor, standard barrel with window lug, 16mm <sup>2</sup> wire, M6 stud hole, slotted tongue.	C	100	\$	424.20
07498399746	<b>LCMD16-8-Q</b>	CuMetricLug,2Hole,16mm <sup>2</sup> ,M8StudPKG25	Two-hole, metric conductor, standard barrel with window lug, 16mm <sup>2</sup> wire, M8 stud hole.	C	100	\$	569.95
07498399780	<b>LCMD185-00-X</b>	CuMetricLug,Blank,185mm <sup>2</sup> ,PKG10	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 185mm <sup>2</sup> wire.	C	100	\$	9,375.03
07498300396	<b>LCMD185-10CD-X</b>	Cu,CompMetLug,2H,185mm <sup>2</sup> ,ST,M10S,PK10	Two-hole, metric conductor, standard barrel with window lug, 185mm <sup>2</sup> wire, M10 stud hole, slotted tongue.	C	100	\$	5,129.64
07498399779	<b>LCMD185-14-X</b>	CuMetricLug,2Hole,185mm <sup>2</sup> ,M14StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 185mm <sup>2</sup> wire, M14 stud hole.	C	100	\$	8,321.43
07498300397	<b>LCMD240-10CD-5</b>	Cu,CompMetLug,2H,240mm <sup>2</sup> ,ST,M10S,PK5	Two-hole, metric conductor, standard barrel with window lug, 240mm <sup>2</sup> wire, M10 stud hole, slotted tongue.	C	100	\$	6,148.25
07498399751	<b>LCMD25-00-Q</b>	CuMetricLug,Blank,25mm <sup>2</sup> ,PKG25	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 25mm <sup>2</sup> wire.	C	100	\$	1,376.33
07498399749	<b>LCMD25-10-Q</b>	CuMetricLug,2Hole,25mm <sup>2</sup> ,M10StudPKG25	Two-hole, metric conductor, standard barrel with window lug, 25mm <sup>2</sup> wire, M10 stud hole.	C	100	\$	840.03
07498399750	<b>LCMD25-12-Q</b>	CuMetricLug,2Hole,25mm <sup>2</sup> ,M12StudPKG25	Two-hole, metric conductor, standard barrel with window lug, 25mm <sup>2</sup> wire, M12 stud hole.	C	100	\$	1,166.39
07498399748	<b>LCMD25-8-Q</b>	CuMetricLug,2Hole,25mm <sup>2</sup> ,M8StudPKG25	Two-hole, metric conductor, standard barrel with window lug, 25mm <sup>2</sup> wire, M8 stud hole.	C	100	\$	740.09
07498399790	<b>LCMD300-00-5</b>	CuMetricLug,Blank,300mm <sup>2</sup> ,PKG5	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 300mm <sup>2</sup> wire.	C	100	\$	17,219.45
61305625561	<b>LCMD300-10CD-5</b>	Copper Compression Metric Lug, 2 Hole, 3		C	100	\$	9,534.66
07498399789	<b>LCMD300-14-5</b>	CuMetricLug,2Hole,300mm <sup>2</sup> ,M14StudPKG5	Two-hole, metric conductor, standard barrel with window lug, 300mm <sup>2</sup> wire, M14 stud hole.	C	100	\$	15,292.75
07498399754	<b>LCMD35-00-Q</b>	CuMetricLug,Blank,35mm <sup>2</sup> ,PKG25	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 35mm <sup>2</sup> wire.	C	100	\$	1,541.04
07498399752	<b>LCMD35-10-Q</b>	CuMetricLug,2Hole,35mm <sup>2</sup> ,M10StudPKG25	Two-hole, metric conductor, standard barrel with window lug, 35mm <sup>2</sup> wire, M10 stud hole.	C	100	\$	1,337.90
61305623636	<b>LCMD35-1040-Q</b>	Copper Compression Metric Lug, 2 Hole, S		C	100	\$	1,112.20
07498399753	<b>LCMD35-12-Q</b>	CuMetricLug,2Hole,35mm <sup>2</sup> ,M12StudPKG25	Two-hole, metric conductor, standard barrel with window lug, 35mm <sup>2</sup> wire, M12 stud hole.	C	100	\$	1,268.98
61305625559	<b>LCMD35-8-Q</b>	Copper Compression Metric Lug, 2 Hole, 3		C	100	\$	1,479.56
07498300390	<b>LCMD35-8CD-Q</b>	Cu,CompMetLug,2H,35mm <sup>2</sup> ,ST,M8S,PK25	Two-hole, metric conductor, standard barrel with window lug, 35mm <sup>2</sup> wire, M8 stud hole, slotted tongue.	C	100	\$	1,412.34
07498399796	<b>LCMD400-00-5</b>	CuMetricLug,Blank,400mm <sup>2</sup> ,PKG5	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 400mm <sup>2</sup> wire.	C	100	\$	23,759.26
07498306677	<b>LCMD400-14-5</b>	CuMetricLug,2Hole,400mm <sup>2</sup> ,M14StudPKG5	Two-hole, metric conductor, standard barrel with window lug, 400mm <sup>2</sup> wire, M14 stud hole.	C	100	\$	22,450.94
07498399795	<b>LCMD400-16-5</b>	CuMetricLug,2Hole,400mm <sup>2</sup> ,M16StudPKG5	Two-hole, metric conductor, standard barrel with window lug, 400mm <sup>2</sup> wire, M16 stud hole.	C	100	\$	22,115.54
07498399757	<b>LCMD50-00-X</b>	CuMetricLug,Blank,50mm <sup>2</sup> ,PKG10	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 50mm <sup>2</sup> wire.	C	100	\$	1,958.76
07498399755	<b>LCMD50-10-X</b>	CuMetricLug,2Hole,50mm <sup>2</sup> ,M10StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 50mm <sup>2</sup> wire, M10 stud hole.	C	100	\$	1,640.49
07498300391	<b>LCMD50-10CD-X</b>	Cu,CompMetLug,2H,50mm <sup>2</sup> ,ST,M10S,PK10	Two-hole, metric conductor, standard barrel with window lug, 50mm <sup>2</sup> wire, M10 stud hole, slotted tongue.	C	100	\$	1,273.94
07498399756	<b>LCMD50-12-X</b>	CuMetricLug,2Hole,50mm <sup>2</sup> ,M12StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 50mm <sup>2</sup> wire, M12 stud hole.	C	100	\$	1,847.09
07498399800	<b>LCMD500-00-1</b>	CuMetricLug,LongBlank,500mm <sup>2</sup> ,PKG1	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 500mm <sup>2</sup> wire.	C	100	\$	28,417.45
07498399797	<b>LCMD500-12-1</b>	CuMetricLug,2Hole,500mm <sup>2</sup> ,M12StudPKG1	Two-hole, metric conductor, standard barrel with window lug, 500mm <sup>2</sup> wire, M12 stud hole.	C	100	\$	29,482.76
07498399799	<b>LCMD500-16-1</b>	CuMetricLug,2Hole,500mm <sup>2</sup> ,M16StudPKG1	Two-hole, metric conductor, standard barrel with window lug, 500mm <sup>2</sup> wire, M16 stud hole.	C	100	\$	30,626.46
07498300386	<b>LCMD6-5CD-Q</b>	Cu,CompMetLug,2H,4,6mm <sup>2</sup> ,ST,MSS,PK25	Two-hole, metric conductor, standard barrel with window lug, 4-6mm <sup>2</sup> wire, M5 stud hole, slotted tongue.	C	100	\$	265.15
07498399804	<b>LCMD630-00-1</b>	CuMetricLug,LongBlank,630mm <sup>2</sup> ,PKG1	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 630mm <sup>2</sup> wire, blank tongue.	C	100	\$	32,645.30
07498399802	<b>LCMD630-14-1</b>	CuMetricLug,2Hole,630mm <sup>2</sup> ,M14StudPKG1	Two-hole, metric conductor, standard barrel with window lug, 630mm <sup>2</sup> wire, M14 stud hole.	C	100	\$	38,706.83
07498399803	<b>LCMD630-16-1</b>	CuMetricLug,2Hole,630mm <sup>2</sup> ,M16StudPKG1	Two-hole, metric conductor, standard barrel with window lug, 630mm <sup>2</sup> wire, M16 stud hole.	C	100	\$	34,851.60
07498399758	<b>LCMD70-10-X</b>	CuMetricLug,2Hole,70mm <sup>2</sup> ,M10StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 70mm <sup>2</sup> wire, M10 stud hole.	C	100	\$	2,062.89
61305623637	<b>LCMD70-1040-X</b>	Copper Compression Metric Lug, 2 Hole, S		C	100	\$	1,850.53
07498300392	<b>LCMD70-10CD-X</b>	Cu,CompMetLug,2H,70mm <sup>2</sup> ,ST,M10S,PK10	Two-hole, metric conductor, standard barrel with window lug, 70mm <sup>2</sup> wire, M10 stud hole, slotted tongue.	C	100	\$	1,622.39
61305623638	<b>LCMD70-1240-X</b>	Copper Compression Metric Lug, 2 Hole, S		C	100	\$	1,955.14
07498399763	<b>LCMD95-00-X</b>	CuMetricLug,Blank,95mm <sup>2</sup> ,PKG10	Two-hole, metric conductor, long blank tongue, standard barrel with window lug, 95mm <sup>2</sup> wire.	C	100	\$	4,222.98
61305625560	<b>LCMD95-10-X</b>	Copper Compression Metric Lug, 2 Hole, 9		C	100	\$	3,514.51
07498300393	<b>LCMD95-10CD-X</b>	Cu,CompMetLug,2H,95mm <sup>2</sup> ,ST,M10S,PK10	Two-hole, metric conductor, standard barrel with window lug, 95mm <sup>2</sup> wire, M10 stud hole, slotted tongue.	C	100	\$	3,195.11
07498399762	<b>LCMD95-14-X</b>	CuMetricLug,2Hole,95mm <sup>2</sup> ,M14StudPKG10	Two-hole, metric conductor, standard barrel with window lug, 95mm <sup>2</sup> wire, M14 stud hole.	C	100	\$	3,531.09
07498382506	<b>LCMDN120-1023-X</b>	Copper Compression Metric Lug, 2 Hole, 1		C	100	\$	6,777.40
07498382508	<b>LCMDN150-1023-X</b>	Copper Compression Metric Lug, 2 Hole, 1		C	100	\$	8,199.95
07498348422	<b>LCMDX300-00-5</b>	Copper Compression Metric Lug, Blank Ton	Two-hole, metric flex conductor, standard barrel with window lug, 300mm <sup>2</sup> flex wire, blank tongue.	C	100	\$	19,191.73
07498348495	<b>LCMDX300-12-5</b>	Copper Compression Metric Lug, 2 Hole, 3	Two-hole, metric flex conductor, standard barrel with window lug, 300mm <sup>2</sup> flex wire, M12 stud hole.	C	100	\$	21,026.18
07498348673	<b>LCMDX300-14-5</b>	Copper Compression Metric Lug, 2 Hole, 3	Two-hole, metric flex conductor, standard barrel with window lug, 300mm <sup>2</sup> flex wire, M14 stud hole.	C	100	\$	19,114.70
61305631402	<b>LCP1000-12-3</b>	Copper Compression Lug, 4 Hole, 1000 kcm	Copper Compression Lug, 4 Hole, 1000 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing	C	100	\$	31,473.74
61305656916	<b>LCP1000-12F-2</b>	Copper Compression Lug, 4 Hole, 1000 kcm	Copper Compression Lug, 4 Hole, 1000 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing, 90° Bend	C	100	\$	37,141.49
61305656915	<b>LCP1000-12H-2</b>	Copper Compression Lug, 4 Hole, 1000 kcm	Copper Compression Lug, 4 Hole, 1000 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing, 45° Bend	C	100	\$	37,141.49
61305631403	<b>LCP750-12-3</b>	Copper Compression Lug, 4 Hole, 750 kcmi	Copper Compression Lug, 4 Hole, 750 kcmil, 1/2" (12.7mm) Stud, 1.75" Hole Spacing	C	100	\$	28,715.53
61305626092	<b>LCYX8-12-L</b>	Copper Comp. Lug, 2 Hole, #8 AWG Flex, 1	Copper Compression Lug, 2 Hole, #8 AWG Flex, 1/2" (12.7mm) Stud, 1.75" Hole Spacing, No Window	C	100	\$	1,140.86
07498339186	<b>LV-S-2G</b>	LOW VOLTAGE MTG BKT,2-Gang,PK25	Low voltage integral mounting bracket, double gang stud bracket.	C	100	\$	352.01
07498359625	<b>ML10T-LY</b>	Cu,MechLug,1H,Tin-Pttd,B,#8SOL,PK50	One-hole, copper, single barrel post lug, straight tongue, tin-plated, #8 SOL - 1/0 STR, 5/16 (7.9mm) stud hol	C	100	\$	1,105.16
07498359626	<b>ML250-QY</b>	Cu Mech Lug,#6 STR,250kcmil,3/8Stud,PK25	One-hole, copper, single barrel post lug, straight tongue, #6 STR - 250 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	1,954.05
07498359627	<b>ML250T-QY</b>	Cu,MechLug,1H,Tin-Pttd,B,#6STR,250K,PK25	One-hole, copper, single barrel post lug, straight tongue, tin-plated, #6 STR - 250 kcmil, 3/8 (9.5mm) stud hol	C	100	\$	2,256.90
07498359631	<b>ML8-CY</b>	Cu Mech Lug,#14 SOL-8 STR,3/16Stud,PK100	One-hole, copper, single barrel post lug, straight tongue, #14 SOL - #8 STR, 3/16 (4.8mm) stud hole.	C	100	\$	327.14
07498311789	<b>MLTFC2H-LP316BU</b>	PanSteelTie,316SS,POLY,H,7.9,BLU,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	3,674.94
07498311785	<b>MLTFC2H-LP316GR</b>	PanSteelTie,316SS,POLY,H,7.9,GRN,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	3,674.94
07498311773	<b>MLTFC2H-LP316RD</b>	PanSteelTie,316SS,POLY,H,7.9,RED,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	3,674.94
07498311792	<b>MLTFC2H-LP316WH</b>	PanSteelTie,316SS,POLY,H,7.9,WHI,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	3,674.94
07498311782	<b>MLTFC2H-LP316YL</b>	PanSteelTie,316SS,POLY,H,7.9,YEL,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	3,674.94

07498311791	<b>MLTFC6H-LP316BU</b>	PanSteelTie,316SS,POLY,H.20.5,BLU,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	6,457.70
07498311787	<b>MLTFC6H-LP316GR</b>	PanSteelTie,316SS,POLY,H.20.5,GRN,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	6,457.70
07498311779	<b>MLTFC6H-LP316RD</b>	PanSteelTie,316SS,POLY,H.20.5,RED,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	6,457.70
07498311794	<b>MLTFC6H-LP316WH</b>	PanSteelTie,316SS,POLY,H.20.5,WH,T,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	6,457.70
07498311784	<b>MLTFC6H-LP316YL</b>	PanSteelTie,316SS,POLY,H.20.5,YEL,P50	Pan-Steel® Polyester Fully Coated Cable Ties speed up installation with a unique self-locking head design tha	M	1000	\$	6,457.70
07498344661	<b>MSC2W38T15-L6</b>	PanSteel Strapping,N316L,TS1335,.4",12"	Panduit® Pan-Steel® Nylon 11 Coated Strapping can be cut to meet your many project needs. Built with 316L	M	1000	\$	2,960.26
07498344663	<b>MSC6W38T15-L6</b>	PanSteel Strapping,N316L,TS1335,.4",24"	Panduit® Pan-Steel® Nylon 11 Coated Strapping can be cut to meet your many project needs. Built with 316L	M	1000	\$	4,558.75
07498344664	<b>MSC8W38T15-L6</b>	PanSteel Strapping,N316L,TS1335,.4",31"	Panduit® Pan-Steel® Nylon 11 Coated Strapping can be cut to meet your many project needs. Built with 316L	M	1000	\$	5,766.30
07498333100	<b>N050X150C1T</b>	TT,Non-Lam Lbl,Nyl Cloth,.5"x1.5",WH	White, nylon cloth label, 0.50" x 1.5".	M	1000	\$	80.64
07498380916	<b>P10-10LF-L</b>	Fork,Locking,Non-Ins,12-10AWG,#10,PK500	Locking Fork Terminal, non-insulated, 14- 10 AWG, #10 stud size, standard package.	C	100	\$	86.40
07498336492	<b>P10-10R-E</b>	Ring,Non-Insul,12-10AWG,#10 STUD,PK20	Ring Terminal, 12 – 10 AWG, #10 stud size, non-insulated, convenience package.	C	100	\$	83.10
07498380522	<b>P10-14F-L</b>	Fork,Non-Insul,12-10AWG,1/4 IN,PK50	Fork Terminal, non-insulated, 12- 10 AWG, 1/4 stud size, standard package.	C	100	\$	80.75
07498380913	<b>P10-6LF-D</b>	Fork,Locking,non-ins,12-10AWG,#6,PK500	Locking Fork Terminal, non-insulated, 14- 10 AWG, #6 stud size, bulk package.	M	1000	\$	355.41
07498380551	<b>P10-6RHT6-D</b>	Ring,HiTemp,NonIns,12-10AWG,#6,PK500	High Temperature Ring Terminal, 12 – 10 AWG, #6 stud size, non-insulated, bulk package.	M	1000	\$	487.75
07498381231	<b>P10-P55-L</b>	Pin,Non-Insul,12-10AWG,.55 pin len,PK50	Pin Terminal, 12 10 AWG, non-insulated, .55 pin length, standard package.	C	100	\$	132.88
07498380282	<b>P12-14HDR-L</b>	Ring,HD,non-insul,16-12AWG,1/4IN,PK50	Ring Terminal, 16-12 AWG, 1/4" stud size, heavy duty, non-insulated, standard package.	C	100	\$	101.39
07498380286	<b>P12-38HDR-L</b>	Ring,HD,non-insul,16-12AWG,3/8IN,PK50	Ring Terminal, 16-12 AWG, 3/8" stud size, heavy duty, non-insulated, standard package.	C	100	\$	105.43
07498380276	<b>P12-6HDR-L</b>	Ring,HD,non-insul,16-12AWG,#6 STUD,PK50	Ring Terminal, 16-12 AWG, #6 stud size, heavy duty, non-insulated, standard package.	C	100	\$	89.48
07498380278	<b>P12-8HDR-L</b>	Ring,HD,non-insul,16-12AWG,#8 STUD,PK50	Ring Terminal, 16-12 AWG, #8 stud size, heavy duty, non-insulated, standard package.	C	100	\$	89.48
07498363374	<b>P122</b>	Z-PURLIN CLIP,1/4 in HOLE,PK100	Z-Purlin clip for wire, S-hooks, straps, and chain.	PC	1	\$	0.96
07498363377	<b>P1224TI</b>	Z-PURLIN CLIP,1/4-20,THREADED ROD,PK100	Z-Purlin clip with 1/4" threaded rod hanger.	PC	1	\$	2.11
07498363376	<b>P1226T</b>	Z-PURLIN CLIP,1/4-3/8 in,THRD ROD,PK100	Z-Purlin clip with 1/4" or 3/8" threaded rod hanger - requires nuts.	PC	1	\$	1.86
07498363378	<b>P1226TI</b>	Z-PURLIN CLIP,3/8-16,THREADED ROD,PK100	Z-Purlin clip with 3/8" threaded rod hanger.	PC	1	\$	1.94
07498363346	<b>P123</b>	Z-PURLIN CLIP,1/4 in,BOTTOM HOLE,PK100	Z-Purlin clip with 1/4" bottom hole for assemblies.	PC	1	\$	0.98
07498363373	<b>P12312P</b>	Z-PURLIN CLIP,3/4 in,EMT,PK100	Z-Purlin clip with 3/4" push fit conduit clip.	PC	1	\$	2.19
07498363379	<b>P12316M</b>	Z-PURLIN CLIP,1 in,CONDUIT,PK100	Z-Purlin clip with 1" snap close conduit clip.	PC	1	\$	2.43
07498363347	<b>P12316P</b>	Z-PURLIN CLIP,1 in,EMT,PK100	Z-Purlin clip with 1" push fit conduit clip.	PC	1	\$	2.18
07498363380	<b>P12320M</b>	Z-PURLIN CLIP,1.25 in,CONDUIT,PK100	Z-Purlin clip with 1-1/4" snap close conduit clip.	PC	1	\$	2.63
07498363383	<b>P1236M</b>	Z-PURLIN CLIP,3/8 in,CONDUIT,PK100	Z-Purlin clip with 3/8" snap close conduit clip.	PC	1	\$	2.36
07498363381	<b>P123812M</b>	Z-PURLIN CLIP,1/2-3/4 in,CONDUIT,PK100	Z-Purlin clip with 1/2" to 3/4" snap close conduit clip.	PC	1	\$	2.03
07498363348	<b>P1238P</b>	Z-PURLIN CLIP,1/2 in,EMT,PK100	Z-Purlin clip with 1/2" push fit conduit clip.	PC	1	\$	1.99
07498363304	<b>P12P</b>	PUSH FIT CONDUIT CLIP,3/4 in,EMT,PK100	Push fit conduit clip for 3/4" conduit, 1/2" Rigid/IMC, with 1/4 non-threaded mounting hole, static load capacity	PC	1	\$	0.71
07498363315	<b>P12P12P</b>	PUSH FIT CLIP,3/4 TO 3/4 in,EMT,PK100	Push fit conduit clip, fits EMT 3/4" to 3/4", fits Rigid/IMC 1/2" to 1/2", static load capacity: 25 lbs.	PC	1	\$	1.71
07498363305	<b>P12P16P</b>	PUSH FIT CLIP,3/4 TO 1 in,EMT,PK100	Push fit conduit clip, fits EMT 3/4" to 1", fits Rigid/IMC 1/2" to 3/4", static load capacity: 25 lbs.	PC	1	\$	2.00
07498363863	<b>P12P58SM</b>	BEAM CLAMP,5/16-1/2,PUSH,3/4 in,SM,PK100	Beam clamp for 5/16" - 1/2" flange with 3/4" push fit conduit clip, 1/2" Rigid/IMC, static load capacity: 15 lbs. v	PC	1	\$	2.13
07498363034	<b>P12P912</b>	BEAM CLAMP,9/16-3/4,PUSH,3/4 in,PK100	Beam clamp for 9/16 - 3/4" flange with 3/4" push fit conduit clip, 1/2" Rigid/IMC, static load capacity: 25 lbs. -	PC	1	\$	3.40
07498363929	<b>P12P912SM</b>	BEAM CLAMP,9/16-3/4,PUSH,3/4 in,SM,PK100	Beam clamp for 9/16" - 3/4" flange with 3/4" push fit conduit clip, 1/2" Rigid/IMC, static load capacity: 15 lbs. v	PC	1	\$	2.86
07498363993	<b>P12PATA</b>	T-BAR CLIP,3/4 in,EMT, TOP MOUNT,PK100	T-bar clip with 3/4" push fit conduit clip.	PC	1	\$	1.86
07498364033	<b>P12PATS</b>	T-BAR CLIP,3/4 in,EMT,SIDE MOUNT,PK100	T-bar clip with 3/4" push fit conduit clip - side mount.	PC	1	\$	2.06
07498363826	<b>P12PF</b>	STUD WALL CLIP,3/4 in,EMT,PUSH FIT,PK100	Stud wall clip with 3/4" push fit conduit clip.	PC	1	\$	2.36
07498380910	<b>P14-10LF-C</b>	Fork,Lock,Non-Ins,18-14AWG,#10STUD,PK100	Locking Fork Terminal, non-insulated, 18- 14 AWG, #10 stud size, standard package.	C	100	\$	62.81
07498380214	<b>P14-4R-C</b>	Ring,Non-Insul,16-14AWG,#4 STUD,PK100	Ring Terminal, 18 – 14 AWG, #4 stud size, non-insulated, standard package.	C	100	\$	49.08
07498380855	<b>P14-6FN-C</b>	Fork,Non-Ins,16-14AWG,#6 STUD,NRW,PK100	Fork Terminal, non-insulated, 18- 14 AWG, #6 stud size, narrow tongue, standard package.	C	100	\$	48.14
07498363327	<b>P1616M</b>	CONDUIT CLIP,SNAP CLOSE,1 in,PK100	Snap close conduit clip, fits EMT/Rigid/IMC 1 to 1, static load capacity:100 lbs.	PC	1	\$	2.19
07498363323	<b>P1620M</b>	CONDUIT CLIP,SNAP CLOSE,1-1.25 in,PK100	Snap close conduit clip, fits EMT/Rigid/IMC 1 1/4 to 1, static load capacity:100 lbs.	PC	1	\$	2.61
07498363321	<b>P1624M</b>	CONDUIT CLIP,SNAP CLOSE,1-1.50 in,PK100	Snap close conduit clip, fits EMT/Rigid/IMC 1 1/2 to 1, static load capacity:100 lbs.	PC	1	\$	2.65
07498363330	<b>P166M</b>	CONDUIT CLIP,SNAP CLOSE,3/8 in,PK100	Snap close conduit clip, fits EMT/Rigid/IMC 3/8" to 1, static load capacity:100 lbs.	PC	1	\$	1.86
07498363325	<b>P16812M</b>	CONDUIT CLP,1/2-3/4 TO 1in,SNP CLS,PK100	Snap close conduit clip, fits EMT/Rigid/IMC 1/2 - 3/4 to 1, static load capacity:100 lbs.	PC	1	\$	1.94
07498363319	<b>P16M</b>	CONDUIT CLIP,SNP CLS,NON-THRD,1 in,PK100	Snap close conduit clip for 1" conduit with 1/4" non-threaded mounting hole, static load capacity: 100 lbs - ver	PC	1	\$	0.94
07498362996	<b>P16M58</b>	BEAM CLAMP,5/16-1/2in,SNP CLS,1 in,PK100	Beam clamp for 5/16" - 1/2" flange with 1" snap closed conduit clip, bottom mount, static load capacity: 75 lbs	PC	1	\$	3.00
07498363864	<b>P16M58SM</b>	BEAM CLAMP,5/16-1/2in,SD MNT,3/8in,PK100	Beam clamp for 5/16" - 1/2" flange with 1" snap closed conduit clip, side mount, static load capacity: 25 lbs. v	PC	1	\$	2.40
07498364002	<b>P16MATA</b>	T-BAR CLIP,1 in,CONDUIT, TOP MOUNT,PK100	T-bar clip with 1" snap close conduit clip.	PC	1	\$	2.21
07498364034	<b>P16MATS</b>	T-BAR CLIP,1 in,CONDUIT,SIDE MOUNT,PK100	T-bar clip with 1" snap close conduit clip - side mount.	PC	1	\$	2.21
07498363149	<b>P16MB18</b>	BOX/CONDUIT HANGER,1 in,CNDT,#12AWG,PK25	Box support assembly for 1 EMT/Rigid/IMC conduit for use with #12 wire to 1/4 rod.	PC	1	\$	7.24
07498363833	<b>P16MF</b>	STUD WALL CLIP, 1 in,SNAP CLOSE,PK100	Stud wall clip with 1" snap-close conduit clip.	PC	1	\$	2.78
07498363278	<b>P16P</b>	PUSH FIT CONDUIT CLIP,1 in,EMT,PK100	Push fit conduit clip for 1" conduit, 3/4" Rigid/IMC, with 1/4 non-threaded mounting hole, static load capacity: 2	PC	1	\$	0.88
07498363281	<b>P16P16P</b>	PUSH FIT CLIP,1 in TO 1 in,EMT,PK100	Push fit conduit clip, fits EMT 1" to 1", fits Rigid/IMC 3/4" to 3/4", static load capacity: 25 lbs.	PC	1	\$	2.13
07498362960	<b>P16P24</b>	BEAM CLAMP,1/8-1/4in,PUSH FIT,1in,PK100	Beam clamp for 1/8" - 1/4" flange with 1" push fit conduit clip, 3/4" Rigid/IMC, static load capacity: 25 lbs. - ve	PC	1	\$	2.71
07498362949	<b>P16P24SM</b>	BEAM CLAMP,1/8-1/4in,PUSH,SD MNT,PK100	Beam clamp for 1/8" - 1/4" flange with 1" push fit conduit clip, 3/4" Rigid/IMC, static load capacity: 25 lbs. - ve	PC	1	\$	2.19
07498362989	<b>P16P58</b>	BEAM CLAMP,5/16-1/2in,PUSH FIT,1in,PK100	Beam clamp for 5/16" - 1/2" flange with 1" push fit conduit clip, 3/4" Rigid/IMC, static load capacity: 25 lbs. - v	PC	1	\$	2.84
07498363861	<b>P16P58SM</b>	BEAM CLAMP,5/16-1/2in,PUSH,SD MNT,PK100	Beam clamp for 5/16" - 1/2" flange with 1" push fit conduit clip, 3/4" Rigid/IMC, static load capacity: 15 lbs. ve	PC	1	\$	2.30
07498363021	<b>P16P912</b>	BEAM CLAMP,9/16-3/4in,PUSH FIT,1in,PK100	Beam clamp for 9/16" - 3/4" flange with 1" push fit conduit clip, 3/4" Rigid/IMC, static load capacity: 25 lbs. - v	PC	1	\$	3.09
07498363904	<b>P16P912SM</b>	BeamClmp,9/16-3/4in,Psh,SDMNT,1",PK100	Beam clamp for 9/16" - 3/4" flange with 1" push fit conduit clip, 3/4" Rigid/IMC, static load capacity: 15 lbs. ve	PC	1	\$	2.63
07498363985	<b>P16PATA</b>	T-BAR CLIP,1 in EMT, TOP MOUNT,PK100	T-bar clip with 1" push fit conduit clip.	PC	1	\$	2.19
07498364025	<b>P16PATS</b>	T-BAR CLIP,1 in EMT,SIDE MOUNT,PK100	T-bar clip with 1" push fit conduit clip - side mount.	PC	1	\$	2.09
07498363795	<b>P16PF</b>	STUD WALL CLIP, 1 in PUSH FIT,PK100	Stud wall clip with 1" push fit conduit clip.	PC	1	\$	2.49
07498380905	<b>P18-10LF-M</b>	Fork,Locking,Non-Ins,22-16AWG,#10,PK1000	Locking Fork Terminal, non-insulated, 22- 16 AWG, #10 stud size, bulk package.	M	1000	\$	251.40
07498380200	<b>P18-4R-C</b>	Ring,Non-Insul,22-16AWG,#4 STUD,PK100	Ring Terminal, 22 – 16 AWG, #4 stud size, non-insulated, standard package.	C	100	\$	46.30
07498380211	<b>P18-56R-M</b>	Ring,Non-Ins,22-16AWG,5/16 IN, PK1000	Ring Terminal, 22 – 16 AWG, 5/16" stud size, non-insulated, bulk package.	M	1000	\$	339.36
07498380900	<b>P18-6LF-C</b>	Fork,Locking,Non-Ins,22-16AWG,#6,PK100	Locking Fork Terminal, non-insulated, 22- 16 AWG, #6 stud size, standard package.	C	100	\$	62.85
07498380535	<b>P18-6RHT6-C</b>	Ring,NonInsul,22-18AWG,#6 STUD,PK1000	High Temperature Ring Terminal, 22 – 18 AWG, #6 stud size, non-insulated, standard package.	C	100	\$	61.81
07498380701	<b>P18-8FF-M</b>	Fork,Flange,Non-Insul,22-16AWG,#8,PK1000	Flanged Fork Terminal, 22- 16 AWG, #8 stud size, non-insulated, bulk package.	M	1000	\$	252.84
07498380902	<b>P18-8LF-C</b>	Fork,Locking,Non-Ins,22-16AWG,#8,PK100	Locking Fork Terminal, non-insulated, 22- 16 AWG, #8 stud size, standard package.	C	100	\$	58.18
07498387045	<b>P2-10R-X</b>	Ring,Non-Ins,2 AWG,#10 STUD,PK10	Ring terminal, large wire, 2 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	441.49
07498312802	<b>P2-10RHT6-X</b>	Ring,HiTemp,Non-Ins,2 AWG,#10 STUD,PK10	High Temperature Ring Terminal, 2 AWG, #10 stud size, non-insulated.	C	100	\$	329.23
07498363322	<b>P20M</b>	CONDUIT CLP,SNP CLS,1.25 in,NO-THD,PK100	Snap close conduit clip for 1-1/4" conduit 1/4" non-threaded mounting hole, static load capacity: 100 lbs - vert	PC	1	\$	1.44
07498362966	<b>P20M24</b>	BEAM CLAMP,1/8-1/4 in,SNP CLS,1.25,PK100	Beam clamp for 1/8" - 1/4" flange with 1-1/4" snap closed conduit clip, 1/4" non-threaded mounting hole, botto	PC	1	\$	3.39

07498362998	<b>P20M58</b>	BEAM CLAMP, 5/16-1/2 in, SNAP, 1.25in, PK100	Beam clamp for 5/16" - 1/2" flange with 1-1/4" snap closed conduit clip, bottom mount, static load capacity: 75 lbs	PC	1	\$	3.24
07498363873	<b>P20M58SM</b>	BEAM CLAMP, 5/16-1/2 in, SD MNT, 1.25, PK100	Beam clamp for 5/16" - 1/2" flange with 1-1/4" snap closed conduit clip, side mount, static load capacity: 25 lbs	PC	1	\$	2.71
07498363042	<b>P20M912</b>	BEAM CLAMP, 9/16-3/4 in, SNAP, 1.25in, PK100	Beam clamp for 9/16" - 3/4" flange with 1-1/4" snap closed conduit clip, bottom mount, static load capacity: 7	PC	1	\$	3.65
07498363946	<b>P20M912SM</b>	BEAM CLAMP, 9/16-3/4 in, SD MNT, 1.25, PK100	Beam clamp for 9/16" - 3/4" flange with 1-1/4" snap closed conduit clip, side mount, static load capacity: 25 lbs	PC	1	\$	3.18
07498389028	<b>P22-10R-C</b>	Ring, Non-Insul, 26-22AWG, #10 STUD, PK100	Ring Terminal, 26 - 22 AWG, #10 stud size, non-insulated, standard package.	C	100	\$	44.00
07498389020	<b>P22-2R-C</b>	Ring, Non-Insul, 26-22AWG, #2 STUD, PK100	Ring Terminal, 26 - 22 AWG, #2 stud size, non-insulated, standard package.	C	100	\$	44.00
07498389044	<b>P22-4F-C</b>	Fork, Non-Insul, 26-22AWG, #4 STUD, PK100	Fork Terminal, non-insulated, 26-22 AWG, #4 stud size, standard package.	C	100	\$	44.00
07498389024	<b>P22-6R-C</b>	Ring, Non-Insul, 26-22AWG, #6 STUD, PK100	Ring Terminal, 26 - 22 AWG, #6 stud size, non-insulated, standard package.	C	100	\$	44.00
07498389026	<b>P22-8R-C</b>	Ring, Non-Insul, 26-22AWG, #8 STUD, PK100	Ring Terminal, 26 - 22 AWG, #8 stud size, non-insulated, standard package.	C	100	\$	44.00
07498363320	<b>P24M</b>	CONDUIT CLIP, SNP CLS, 1.50in, NO-THD, PK100	Snap close conduit clip for 1-1/2" conduit with 1/4 non-threaded mounting hole, static load capacity: 100 lbs - ver	PC	1	\$	1.50
07498362965	<b>P24M24</b>	BEAM CLAMP, 1/8-1/4 in, SNP CLS, 1.50, PK100	Beam clamp for 1/8" - 1/4" flange with 1-1/2" snap closed conduit clip, bottom mount, static load capacity: 75	PC	1	\$	3.68
07498363855	<b>P24M24SM</b>	BEAM CLAMP, 1/8-1/4 in, SD MNT, 1.50, PK100	Beam clamp for 1/8" - 1/4" flange with 1-1/2" snap closed conduit clip, side mount, static load capacity: 25 lbs	PC	1	\$	3.14
07498362997	<b>P24M58</b>	BEAM CLAMP, 5/16-1/2in, SNAP, 1.50 in, PK100	Beam clamp for 5/16" - 1/2" flange with 1-1/2" snap closed conduit clip, bottom mount, static load capacity: 7	PC	1	\$	3.68
07498363872	<b>P24M58SM</b>	BEAM CLAMP, 5/16-1/2 in, SD MNT, 1.50, PK100	Beam clamp for 5/16" - 1/2" flange with 1-1/2" snap close conduit clip, side mount, static load capacity: 25 lbs	PC	1	\$	3.14
07498363040	<b>P24M912</b>	BEAM CLAMP, 9/16-3/4 in, SNAP, 1.50in, PK100	Beam clamp for 9/16" - 3/4" flange with 1-1/2" snap closed conduit clip, bottom mount, static load capacity: 7	PC	1	\$	3.80
07498363945	<b>P24M912SM</b>	BEAM CLAMP, 9/16-3/4 in, SM, 1.50 in, PK100	Beam clamp for 9/16" - 3/4" flange with 1-1/2" snap close conduit clip, side mount, static load capacity: 25 lbs	PC	1	\$	3.26
07498390841	<b>P3000050EG</b>	BEAM CLAMP, 3/4 in, FLGE, 1/2-1/3 HOLE, PK25	Malleable iron beam clamp for 3/4" flange with 1/2-1/3 threaded hole.	PC	1	\$	11.99
07498390842	<b>P3100037EG</b>	BEAM CLAMP, 1 1/4 in, FLG, 3/8-1/6 HOLE, PK25	Malleable iron beam clamp for 1 1/4" flange with 3/8-1/6 threaded hole.	PC	1	\$	8.25
07498363328	<b>P32M</b>	CONDUIT CLIP, SNP CLS, 2 in, NO-THD, PK100	Snap close conduit clip for 2" conduit with 1/4 non-threaded mounting hole, static load capacity: 100 lbs - verti	PC	1	\$	1.69
07498363888	<b>P32M58SM</b>	BEAM CLAMP, 5/16-1/2 in, SD MNT, 2 in, PK100	Beam clamp for 5/16" - 1/2" flange with 2" snap close conduit clip, side mount, static load capacity: 25 lbs. ve	PC	1	\$	2.96
07498363048	<b>P32M912</b>	BEAM CLAMP, 9/16-3/4 in, SNAP, 2 in, PK100	Beam clamp for 9/16" - 3/4" flange with 2" snap closed conduit clip, static load capacity: 75 lbs. vertically.	PC	1	\$	3.90
07498363954	<b>P32M912SM</b>	BEAM CLAMP, 9/16-3/4 in, SD MNT, 2 in, PK100	Beam clamp for 9/16" - 3/4" flange with 2" snap closed conduit clip - side mount, static load capacity: 25 lbs.	PC	1	\$	3.36
07498363962	<b>P350</b>	SCREW-ON BOX TO STUD SUPPORT, PK100	Stud fastener used to secure box to stud with self-tapping screws.	PC	1	\$	1.15
07498363975	<b>P35012P</b>	SCREW-ON SUPPORT, 1/2-3/4, CNDT, PUSH, PK100	Stud fastener used to secure 3/4" conduit to metal stud.	PC	1	\$	2.09
07498363976	<b>P35016M</b>	SCREW-ON SUPPORT, 1 in, CONDUIT, SNAP, PK100	Stud fastener used to secure 1" conduit to metal stud, EMT Size: 1.00", Rigid/IMC: 1.00".	PC	1	\$	2.24
07498363969	<b>P35016P</b>	SCREW-ON SUPPORT, 1 in, CONDUIT, PUSH, PK100	Stud fastener used to secure 1" conduit to metal stud, EMT Size: 1.00", Rigid/IMC: 3/4".	PC	1	\$	2.00
07498363984	<b>P350812M</b>	SCREW-ON SUPPORT, 1/2-3/4, CNDT, SNAP, PK100	Stud fastener used to secure 1/2" or 3/4" conduit to metal stud.	PC	1	\$	2.05
07498363974	<b>P3508P</b>	SCREW-ON SUPPORT, 1/2 in, EMT, PUSH, PK100	Stud fastener used to secure 1/2" conduit to metal stud.	PC	1	\$	1.81
07498374197	<b>P4ACS</b>	T-BAR FASTENER, THREADED HOLE, PK100	T-bar fastener; conduit and box support for T-bar with 1/4-20 threaded impression.	PC	1	\$	1.11
07498363845	<b>P4G162</b>	T-BAR SCISSOR CLIP, 2 in, STUD, PK50	T-bar scissor clip for 1" T-bar with 1/4"-20 stud 2" long.	PC	1	\$	2.68
07498363896	<b>P4H912</b>	HAMMER-ON BEAM CLAMP, TAB, 9/16-3/4in, PK100	Beam clamp for 9/16" - 3/4" flange for wire, S-hook, strap, and chain, static load capacity: 200 lbs.	PC	1	\$	1.44
07498363403	<b>P4TI</b>	ROD HANGER, 1/4-20 THREADED, PK100	Rod hanger for 1/4-20 threaded rod - threaded hole, Black.	PC	1	\$	0.65
07498363425	<b>P4TI58</b>	BEAM CLAMP, 5/16-1/2, ROD HGR, 1/4-20, PK100	Beam clamp for 5/16" - 1/2" flange with rod hanger for 1/4-20 threaded rod, static load capacity: 160 lbs.	PC	1	\$	2.00
07498363429	<b>P4TI912</b>	BEAM CLAMP, 9/16-3/4, ROD HGR, 1/4-20, PK100	Beam clamp for 9/16" - 3/4" flange with rod hanger for 1/4-20 threaded rod, static load capacity: 160 lbs.	PC	1	\$	2.43
07498363617	<b>P4TIO</b>	ROD HANGER, OFFSET, 1/4-20 THD, PK100	Rod hanger for 1/4-20 threaded rod with offset bracket.	PC	1	\$	1.61
07498362869	<b>P4WVN</b>	WING NUT WASHER, 1/4-20 STUD, PK100	Wing nut washer to accept 1/4-20 threaded bolt, Silver.	PC	1	\$	0.46
07498362942	<b>P4Z3412P</b>	MULTIFUNCTION CLIP, 3/4 in, PUSH, PK100	Multi-function clip for drop wire or flange, fits EMT 3/4", fits Rigid/IMC 1/2", no static load rating -- for positioni	PC	1	\$	1.99
07498362945	<b>P4Z3416M</b>	MULTIFUNCTION CLIP, 1 in, SNAP, PK100	Multi-function clip for drop wire or flange, fits EMT 1", fits Rigid/IMC 1", no static load rating -- for positioning o	PC	1	\$	1.99
07498362940	<b>P4Z3416P</b>	MULTIFUNCTION CLIP, 1 in, PUSH, PK100	Multi-function clip for drop wire or flange, fits EMT 1", fits Rigid/IMC 3/4", no static load rating -- for positioning	PC	1	\$	1.93
07498362947	<b>P4Z34812M</b>	MULTIFUNCTION CLIP, 1/2-3/4 in, PK100	Multi-function clip for drop wire or flange, fits EMT 1/2" - 3/4", fits Rigid/IMC 1/2", - 3/4", no static load rating --	PC	1	\$	1.94
07498362941	<b>P4Z348P</b>	MULTIFUNCTION CLIP, 1/2 in, PUSH, PK100	Multi-function clip for drop wire or flange, fits EMT 1/2", no static load rating -- for positioning only.	PC	1	\$	1.93
07498364126	<b>P512HDT</b>	ADJUSTABLE BOX BAR HANGER, 3/4 STUD, PK50	Adjustable box bar hanger - Includes 3/8 stud to accommodate fixture stems.	PC	1	\$	9.96
07498363331	<b>P520</b>	LIGHTING SUPPORT ASSEMBLY, PK25	Lighting support assembly for Lightolier 5 and Calculitea series fixtures.	PC	1	\$	20.53
07498363413	<b>P6A</b>	ROD HANGER, 3/8 in, NON-THREADED ROD, PK100	Rod hanger for 3/8 plain rod, Black.	PC	1	\$	0.59
07498363411	<b>P6A24</b>	BEAM CLAMP, 1/8-1/4, HMR ON, 3/8, NT, PK100	Beam clamp for 1/8" - 1/4" flange with rod hanger for 3/8" plain rod, static load capacity: 160 lbs.	PC	1	\$	1.88
07498363426	<b>P6A58</b>	BEAM CLAMP, 5/16-1/2, HMR ON, 3/8, NT, PK100	Beam clamp for 5/16" - 1/2" flange with rod hanger for 3/8" plain rod, static load capacity: 160 lbs.	PC	1	\$	1.88
07498363430	<b>P6A912</b>	BEAM CLAMP, 9/16-3/4, HMR ON, 3/8, NT, PK100	Beam clamp for 9/16" - 3/4" flange with rod hanger for 3/8" plain rod, static load capacity: 160 lbs.	PC	1	\$	2.55
07498363637	<b>P6AO</b>	ROD HANGER, 3/8in, NON-THD RD, OFFSET, PK100	Rod hanger for 3/8 plain rod with offset bracket.	PC	1	\$	1.43
07498363329	<b>P6M</b>	CONDUIT CLIP, SNAP CLOSE, 3/8in, CNDT, PK100	Snap close conduit clip for 3/8" conduit with 1/4 non-threaded mounting hole, static load capacity: 100 lbs - ve	PC	1	\$	0.71
07498363016	<b>P6M58</b>	BEAM CLAMP, 5/16-1/2, SNAP, 3/8, CNDT, PK100	Beam clamp for 5/16" - 1/2" flange with 3/8" snap closed conduit clip, bottom mount, static load capacity: 75 l	PC	1	\$	2.43
07498363895	<b>P6M58SM</b>	BEAM CLAMP, 5/16-1/2, SNAP, 3/8, SD MT, PK100	Beam clamp for 5/16" - 1/2" flange with 3/8" snap closed conduit clip, side mount, static capacity: 25 lbs. verti	PC	1	\$	2.78
07498363052	<b>P6M912</b>	BEAM CLAMP, 9/16-3/4, SNAP, 3/8, CNDT, PK100	Beam clamp for 9/16" - 3/4" flange with 3/8" snap closed conduit clip, bottom mount, static load capacity: 75 l	PC	1	\$	3.34
07498363961	<b>P6M912SM</b>	BEAM CLAMP, 9/16-3/4, SNAP, 3/8, SD MT, PK100	Beam clamp for 9/16" - 3/4" flange, 3/8" snap closed conduit clip, side mount, static load capacity: 25 lbs. ver	PC	1	\$	2.53
07498364016	<b>P6MATA</b>	T-BAR CLIP, 3/8 CONDUIT, TOP MOUNT, PK100	T-bar clip with 3/8" snap close conduit clip.	PC	1	\$	2.36
07498364042	<b>P6MATS</b>	T-BAR CLIP, 3/8 CONDUIT, SIDE MOUNT, PK100	T-bar clip with 3/8" snap close conduit clip - side mount.	PC	1	\$	2.15
07498363157	<b>P6MB18</b>	BOX/CONDUIT HANGER, 3/8 CNDT, #12AWG, PK25	Box support assembly for 3/8 EMT/Rigid/IMC conduit with drop wire clip.	PC	1	\$	7.11
07498363835	<b>P6MF</b>	METAL STUD BRACKET, HMR-ON, 3/8, SNAP, PK100	Stud wall clip with 3/8" snap-close conduit clip.	PC	1	\$	2.78
07498363409	<b>P6TA24</b>	BEAM CLAMP, 1/8-1/4, RD HGR, 1/4-3/8, PK100	Beam clamp for 1/8" - 1/4" flange with 1/4 - 3/8 threaded rod hanger - requires nuts, static load capacity: 160 lb	PC	1	\$	1.88
07498363419	<b>P6TA58</b>	BEAM CLAMP, 5/16-1/2, RD HGR, 1/4-3/8, PK100	Beam clamp for 5/16" - 1/2" flange with 1/4 - 3/8 threaded rod hanger - requires nuts, static load capacity: 160	PC	1	\$	1.80
07498363433	<b>P6TB</b>	ROD/WIRE HANGER, 1/4-3/8 THD, RT ANG, PK100	Rod hanger for 1/4 - 3/8 threaded rod with angle bracket - requires nuts.	PC	1	\$	1.34
07498363416	<b>P6TI</b>	ROD/WIRE HANGER, 3/8-16 THD, ROD, PK100	Rod hanger for 3/8-16 threaded rod - threaded hole, Black.	PC	1	\$	0.59
07498363412	<b>P6TI24</b>	BEAM CLAMP, 1/8-1/4, ROD HGR, 3/8-16, PK100	Beam clamp for 1/8" - 1/4" flange with 3/8 threaded rod hanger - threaded hole, static load capacity: 160 lbs.	PC	1	\$	2.11
07498363428	<b>P6TI58</b>	BEAM CLAMP, 5/16-1/2, ROD HGR, 3/8-16, PK100	Beam clamp for 5/16" - 1/2" flange with 3/8 threaded rod hanger - threaded hole, static load capacity: 160 lbs.	PC	1	\$	1.93
07498363431	<b>P6TI912</b>	BEAM CLAMP, 9/16-3/4, ROD HGR, 3/8-16, PK100	Beam clamp for 9/16" - 3/4" flange with 3/8 threaded rod hanger - threaded hole, static load capacity: 160 lbs.	PC	1	\$	2.43
07498363514	<b>P6TIB</b>	ROD/WIRE HANGER, 3/8-16 THD, RT ANG, PK100	Rod hanger for 3/8 threaded rod (threaded hole) with angle bracket.	PC	1	\$	1.63
07498363690	<b>P6TIO</b>	ROD/WIRE HANGER, 3/8-16 THD, OFFSET, PK100	Rod hanger for 3/8 threaded rod (threaded hole) with offset bracket.	PC	1	\$	1.49
07498363586	<b>P6TO</b>	ROD/WIRE HANGER, 1/4-3/8 THD, OFFSET, PK100	Rod hanger for 1/4 - 3/8 threaded rod with offset bracket - nuts required.	PC	1	\$	1.49
07498363402	<b>P708</b>	ROD HNGR, #8 WIRE, 1/4 in, PLAIN ROD, PK100	Rod hanger for #8 wire or 1/4 plain rod.	PC	1	\$	0.56
07498363408	<b>P70824</b>	BM CLMP, 1/8-1/4, #8 WIRE, 1/4 PLN RD, PK100	Beam clamp for 1/8" - 1/4" flange with rod hanger for #8 wire or 1/4 plain rod.	PC	1	\$	1.78
07498363418	<b>P70858</b>	BM CLMP, 5/16-1/4, #8 WIRE, 1/4 PLN RD, PK100	Beam clamp for 5/16" - 1/2" flange with rod hanger for #8 wire or 1/4 plain rod.	PC	1	\$	1.78
07498390827	<b>P708912</b>	BM CLMP, 9/16-1/4, #8 WIRE, 1/4 PLN RD, PK100	Beam clamp for 9/16" - 3/4" flange with rod hanger for #8 wire or 1/4 plain rod.	PC	1	\$	1.96
07498363432	<b>P708AB</b>	ROD HNGR, #8 WIRE, 1/4 in, PLAIN ROD, PK100	Rod hanger for #8 wire or 1/4 plain rod with angle bracket.	PC	1	\$	1.46
07498363568	<b>P708AO</b>	ROD HNGR, #8 WIRE, 1/4 in, PLAIN ROD, PK100	Rod hanger for #8 wire or 1/4 plain rod with offset bracket.	PC	1	\$	1.31
07498363837	<b>P766</b>	FAR SIDE BOX SUPPORT, 2-1/2-4 in, PK100	Far side box support adjustable for 2 1/2" - 4" studs.	PC	1	\$	0.75
07498363158	<b>P766PMD</b>	FAR SIDE BOX SUPPORT, 3-5/8 in, PK100	Far side box support for 1-1/2" - 2-1/8" deep boxes with 3-5/8" stud walls - plastic.	PC	1	\$	0.91
07498311064	<b>P8-10RHT6-T</b>	Ring Terminal, high temperature, non-ins	High Temperature Ring Terminal, 8 AWG, #10 stud size, non-insulated, bulk package.	M	1000	\$	954.84
07498363324	<b>P812M</b>	SNAP CLOSE CONDUIT CLIP, 1/2-3/4, NT, PK100	Snap close conduit clip for 1/2" - 3/4" conduit with 1/4 non-threaded mounting hole, static load capacity: 100 lb	PC	1	\$	0.66

07498363326	<b>P812M4I</b>	SNAP CLOSE CONDUIT CLIP,1/2-3/4,TD,PK100	Snap close conduit clip for 1/2" - 3/4" conduit with 1/4"-20 threaded hole, static load capacity: 25 lbs. horizon	PC	1	\$	0.71
07498364010	<b>P812MATA</b>	T-BAR CLIP,1/2-3/4 in, TOP MOUNT,PK100	T-bar clip with 1/2" - 3/4" snap close conduit clip.	PC	1	\$	2.11
07498364041	<b>P812MATS</b>	T-BAR CLIP,1/2-3/4 in, SIDE MOUNT,PK100	T-bar clip with 1/2" - 3/4" snap close conduit clip - side mount.	PC	1	\$	2.11
07498363146	<b>P812MB1824</b>	BOX/CONDUIT HGR,1/2-3/4, CNDT, BEAM, PK25	Box support assembly for 1/2 - 3/4 EMT/Rigid/IMC conduit with beam clamp for 1/8 - 1/4 flange.	PC	1	\$	7.70
07498363834	<b>P812MF</b>	METAL STUD CLIP,1/2-3/4 in, SNF, HMR, PK100	Metal stud clip with 1/2" - 3/4" snap-close conduit clip.	PC	1	\$	2.34
07498363282	<b>P8P</b>	PUSH FIT CONDUIT CLIP, 1/2 in, EMT, PK100	Push fit conduit clip for 1/2" conduit with 1/4 non-threaded mounting hole, static load capacity: 25 lbs. - vertica	PC	1	\$	0.65
07498363303	<b>P8P12P</b>	PUSH FIT CLIP, 1/2 TO 3/4 in, EMT, PK100	Push fit conduit clip, fits EMT 1/2" to 3/4", static load capacity: 25 lbs.	PC	1	\$	1.68
07498363283	<b>P8P16P</b>	PUSH FIT CLIP, 1/2 TO 1 in, CONDUIT, PK100	Push fit conduit clip, fits EMT 1/2" to 1", static load capacity: 25 lbs.	PC	1	\$	1.74
07498362961	<b>P8P24</b>	BEAM CLAMP, 1/8-1/4, PUSH, 1/2, EMT, SM, PK100	Beam clamp for 1/8" - 1/4" flange with 1/2" push fit conduit clip, static load capacity: 25 lbs. - vertically for bott	PC	1	\$	2.46
07498363852	<b>P8P24SM</b>	BEAM CLAMP, 1/8-1/4, PUSH, 1/2, EMT, SM, PK100	Beam clamp for 1/8" - 1/4" flange with 1/2" push fit conduit clip, static load capacity: 15 lbs. vertically for side	PC	1	\$	2.00
07498362992	<b>P8P58</b>	BEAM CLAMP, 5/16-1/2, PUSH, 1/2, EMT, PK100	Beam clamp for 5/16" - 1/2" flange with 1/2" push fit conduit clip, static load capacity: 25 lbs. - vertically for bo	PC	1	\$	2.46
07498363862	<b>P8P58SM</b>	BEAM CLAMP, 5/16-1/2, PSH, 1/2, EMT, SM, PK100	Beam clamp for 5/16" - 1/2" flange with 1/2" push fit conduit clip, static load capacity: 15 lbs. vertically for side	PC	1	\$	2.11
07498363293	<b>P8P8P</b>	PUSH FIT CLIP, 1/2 TO 1/2 in, EMT, PK100	Push fit conduit clip, fits EMT 1/2" to 1/2", static load capacity: 25 lbs.	PC	1	\$	1.63
07498363033	<b>P8P912</b>	BEAM CLAMP, 9/16-3/4, PUSH, 1/2, EMT, PK100	Beam clamp for 9/16" - 3/4" flange with 1/2" push fit conduit clip, static load capacity: 25 lbs. - vertically for bo	PC	1	\$	2.86
07498363923	<b>P8P912SM</b>	BEAM CLAMP, 9/16-3/4, PSH, 1/2, EMT, SM, PK100	Beam clamp for 9/16" - 3/4" flange with 1/2" push fit conduit clip, static load capacity: 15 lbs. vertically for side	PC	1	\$	2.53
07498363992	<b>P8PATA</b>	T-BAR CLIP, 1/2 in, EMT, TOP MOUNT, PK100	T-bar clip with 1/2" push fit conduit clip .	PC	1	\$	1.78
07498364026	<b>P8PAT5</b>	T-BAR CLIP, 1/2 in, EMT, SIDE MOUNT, PK100	T-bar clip with 1/2" push fit conduit clip - side mount.	PC	1	\$	1.78
07498363822	<b>P8PF</b>	METAL STUD CLIP, 1/2 in, PUSH FIT, PK100	Metal stud clip with 1/2" push fit conduit clip.	PC	1	\$	2.59
07498390861	<b>PAB</b>	ANGLE BRACKET, 1/4 in HOLES, PK100	Angle bracket with 1/4" mounting hole, Silver.	PC	1	\$	0.54
07498362937	<b>PAF14</b>	Z-PURLIN CLIP, 1/16-1/4 in, ANGLED, PK100	Z-Purlin clip Ffr 1/16" - 1/4" angled flange.	PC	1	\$	0.90
07498363065	<b>PAO</b>	OFFSET BRACKET, 1/4 in, MNTG HOLE, PK100	Offset bracket with 1/4" mounting hole, Silver.	PC	1	\$	0.53
07498363771	<b>PAOL12P</b>	METAL DECK/CONDUIT BRACKET, 1/2 in, PK100	Metal deck/conduit support bracket with 3/4" push fit conduit clip.	PC	1	\$	2.09
07498363691	<b>PAOL16P</b>	METAL DECK/CONDUIT BRACKET, 3/4 in, PK100	Metal deck/conduit support bracket with 1" push fit conduit clip.	PC	1	\$	2.15
07498363769	<b>PAOL8P</b>	METAL DECK/CONDUIT BRACKET, 1 in, PK100	Metal deck/conduit support bracket with 1 1/2" push fit conduit clip.	PC	1	\$	2.24
07498385603	<b>PARW125-YEL</b>	INSPECTION ARROW MARKER, BL/YL, PK25	Inspection Arrow Marker, 0.13 x 0.19, black legend/yellow background.	C	100	\$	441.28
61305656975	<b>PAS1014D7345</b>	Safety Sign, 10.0"H x 14.0"W, Danger 'Re	Safety Sign, 10.0"H x 14.0"W, Danger 'Regulated Area- Beryllium', Aluminum, Red/ Black on White	PC	1	\$	28.89
61305656973	<b>PAS1014D7346</b>	Safety Sign, 10.0"H x 14.0"W, Danger 'Re	Safety Sign, 10.0"H x 14.0"W, Danger 'Respirable Crystalline Silica', Aluminum, Red/ Black on White	PC	1	\$	26.89
07498364017	<b>PATA4I</b>	T-BAR CLIP, 1/4-20, MOUNTING HOLE, PK100	T-bar clip with 1/4"-20 threaded hole.	PC	1	\$	0.98
07498362861	<b>PBC12P</b>	SCREW-ON CLAMP, 3/4, EMT, 1/2 in, IMC, PK100	Screw-on beam clamp for up to 1/2" flange with 3/4" conduit clip, static load capacity: 25 lbs.	PC	1	\$	3.20
07498362885	<b>PBC12PSM</b>	SCREW-ON CLP, 3/4, EMT, 1/2 in, IMC, SM, PK100	Screw-on beam clamp for up to 1/2" flange with 3/4" conduit clip - side mount, static load capacity: 15 lbs.	PC	1	\$	2.90
07498362886	<b>PBC16M</b>	SCREW-ON CLAMP, 1 in, EMT/IMC, PK100	Screw-on beam clamp for up to 1/2" flange with 1" conduit clip, static load capacity: 100 lbs.	PC	1	\$	3.49
07498362903	<b>PBC16MSM</b>	SCREW-ON CLAMP, 1 in, EMT/IMC, SD MNT, PK100	Screw-on beam clamp for up to 1/2" flange with 1" conduit clip - side mount, static load capacity: 25 lbs.	PC	1	\$	3.49
07498362868	<b>PBC16P</b>	SCREW-ON CLAMP, 1 in, EMT, 3/4 in, IMC, PK100	Screw-on beam clamp for up to 1/2" flange with 1" conduit clip, static load capacity: 25 lbs.	PC	1	\$	3.05
07498362876	<b>PBC16PSM</b>	SCREW-ON CLP, 1 in, EMT, 3/4 in, IMC, SM, PK100	Screw-on beam clamp for up to 1/2" flange with 1" conduit clip - side mount, static load capacity: 15 lbs.	PC	1	\$	3.05
07498362927	<b>PBC200CD1B</b>	SCREW-ON CLAMP ASSEMBLY, 3/4 in, CNDT, PK100	Screw-on beam clamp for up to 1/2" flange with 3/4" conduit clip.	PC	1	\$	3.28
07498362929	<b>PBC200CD2.5B</b>	SCREW-ON CLAMP ASSEMBLY, 1.25 in, EMT, PK100	Screw-on beam clamp for up to 1/2" flange with 1 1/4" conduit clip.	PC	1	\$	3.21
07498362931	<b>PBC200CD2B</b>	SCREW-ON CLAMP ASSEMBLY, 1 in, CNDT, PK100	Screw-on beam clamp for up to 1/2" flange with 1" conduit clip.	PC	1	\$	3.21
07498362934	<b>PBC200CD3B</b>	SCREW-ON CLAMP ASSEMBLY, 1.50 in, EMT, PK100	Screw-on beam clamp for up to 1/2" flange with 1 1/2" conduit clip.	PC	1	\$	3.39
07498362935	<b>PBC200CD4B</b>	SCREW-ON CLAMP ASSEMBLY, 1.50 in, IMC, PK100	Screw-on beam clamp for up to 1/2" flange.	PC	1	\$	3.76
07498362936	<b>PBC200CD5B</b>	SCREW-ON CLAMP ASSEMBLY, 2 in, CNDT, PK100	Screw-on beam clamp for up to 1/2" flange with 2" conduit clip.	PC	1	\$	4.21
07498362892	<b>PBC20M</b>	SCREW-ON CLAMP, 1.25 in, EMT/IMC, PK100	Screw-on beam clamp for up to 1/2" flange with 1 1/4" conduit clip, static load capacity: 100 lbs.	PC	1	\$	3.64
07498362895	<b>PBC20MSM</b>	SCREW-ON CLAMP, 1.25 in, EMT/IMC, SM, PK100	Screw-on beam clamp for up to 1/2" flange with 1 1/4" conduit clip - side mount, static load capacity: 25 lbs.	PC	1	\$	3.64
07498362887	<b>PBC24M</b>	SCREW-ON CLAMP, 1.50 in, EMT/IMC, PK100	Screw-on beam clamp for up to 1/2" flange with 1 1/2" conduit clip, static load capacity: 100 lbs.	PC	1	\$	3.68
07498362888	<b>PBC24MSM</b>	SCREW-ON CLAMP, 1.50 in, EMT/IMC, SM, PK100	Screw-on beam clamp for up to 1/2" flange with 1 1/2" conduit clip - side mount, static load capacity: 25 lbs.	PC	1	\$	3.68
07498362909	<b>PBC32M</b>	SCREW-ON CLAMP, 2 in, EMT/IMC, PK100	Screw-on beam clamp for up to 1/2" flange with 2" conduit clip, static load capacity: 100 lbs.	PC	1	\$	3.80
07498362910	<b>PBC32MSM</b>	SCREW-ON CLAMP, 2 in, EMT/IMC, SM, PK100	Screw-on beam clamp for up to 1/2" flange with 2" conduit clip - side mount, static load capacity: 25 lbs.	PC	1	\$	3.80
07498362877	<b>PBC8P</b>	SCREW-ON CLAMP, 1/2 in, EMT, PK100	Screw-on beam clamp for up to 1/2" flange with 1/2" conduit clip, static load capacity: 25 lbs.	PC	1	\$	2.84
07498362879	<b>PBC8PSM</b>	SCREW-ON CLAMP, 1/2 in, EMT, SIDE MNT, PK100	Screw-on beam clamp for up to 1/2" flange with 1/2" conduit clip - side mount, static load capacity: 15 lbs.	PC	1	\$	2.84
07498393685	<b>PCA07-A</b>	Non-Adh, Clip-On WM, OD .08"-1", A Leg	Clip-On Wire Markers, .08-10 Wire OD, Black/White 300 PC, Legend: 'A'.	PK	1	\$	52.79
07498393686	<b>PCA07-B</b>	Non-Adh, Clip-On WM, OD .08"-1", B Leg	Clip-On Wire Markers, .08-10 Wire OD, Black/White 300 PC, Legend: 'B'.	PK	1	\$	52.79
07498393687	<b>PCA07-C</b>	Non-Adh, Clip-On WM, OD .08"-1", C Leg	Clip-On Wire Markers, .08-10 Wire OD, Black/White 300 PC, Legend: 'C'.	PK	1	\$	52.79
07498393688	<b>PCA07-D</b>	Non-Adh, Clip-On WM, OD .08"-1", D Leg	Clip-On Wire Markers, .08-10 Wire OD, Black/White 300 PC, Legend: 'D'.	PK	1	\$	52.79
07498393689	<b>PCA07-E</b>	Non-Adh, Clip-On WM, OD .08"-1", E Leg	Clip-On Wire Markers, .08-10 Wire OD, Black/White 300 PC, Legend: 'E'.	PK	1	\$	52.79
07498393690	<b>PCA07-F</b>	Non-Adh, Clip-On WM, OD .08"-1", F Leg	Clip-On Wire Markers, .08-10 Wire OD, Black/White 300 PC, Legend: 'F'.	PK	1	\$	52.79
07498393691	<b>PCA07-G</b>	Non-Adh, Clip-On WM, OD .08"-1", G Leg	Clip-On Wire Markers, .08-10 Wire OD, Black/White 300 PC, Legend: 'G'.	PK	1	\$	52.79
07498393696	<b>PCA07-L</b>	Non-Adh, Clip-On WM, OD .08"-1", L Leg	Clip-On Wire Markers, .08-10 Wire OD, Black/White 300 PC, Legend: 'L'.	PK	1	\$	52.79
07498393722	<b>PCA07-MIN</b>	Non-Adh, Clip-On WM, OD .08"-1", - Leg	Clip-On Wire Markers, .08-10 Wire OD, Black/White 300 PC, Legend: 'E'.	PK	1	\$	52.79
07498393698	<b>PCA07-N</b>	Non-Adh, Clip-On WM, OD .08"-1", N Leg	Clip-On Wire Markers, .08-10 Wire OD, Black/White 300 PC, Legend: 'N'.	PK	1	\$	52.79
07498302450	<b>PCD0BSS</b>	Conduit Clip for 1/2" Conduit with Bolt	Conduit Clip for 1/2" Conduit with Bolt and 1/4"-20 Threaded Hole, Stainless Steel	PC	1	\$	3.99
07498302456	<b>PCD1BSS</b>	Conduit Clip for 3/4" Conduit, 3/4" Rigi	Conduit Clip for 3/4" Conduit, 3/4" Rigid/IMC with Bolt and 1/4"-20 Threaded Hole, Stainless Steel	PC	1	\$	3.95
07498362871	<b>PCD2.5B</b>	CONDUIT CLAMP, 1-1/4 in, CONDUIT, PK100	Conduit clamp for 1 1/4" conduit with nut and bolt and 1/4 non-threaded mounting hole.	PC	1	\$	1.15
07498302451	<b>PCD2.5BSS</b>	Conduit Clamp for 1 1/4" Conduit with Nu	Conduit Clamp for 1 1/4" Conduit with Nut and Bolt and Plain Mounting Hole, Stainless Steel	PC	1	\$	4.58
07498302449	<b>PCD2BSS</b>	Conduit Clamp for 1" Conduit, with Bolt	Conduit Clamp for 1" Conduit, with Bolt and 1/4"-20 Threaded Hole, Stainless Steel	PC	1	\$	4.65
07498362872	<b>PCD3B</b>	CONDUIT CLAMP, 1-1/2 in, CONDUIT, PK100	Conduit clamp for 1 1/2" conduit, 1 1/4 Rigid/IMC, with nut and bolt and non-threaded mounting hole.	PC	1	\$	1.15
07498302447	<b>PCD3BSS</b>	Conduit Clamp for 1-1/2" Conduit with Bo	Conduit Clamp for 1-1/2" Conduit with Bolt and 1/4"-20 Threaded Hole, Stainless Steel	PC	1	\$	4.76
07498362875	<b>PCD4B</b>	CONDUIT CLAMP, 1-1/2 in, RIGID/IMC, PK100	Conduit clamp for 1 1/2" Rigid/IMC with nut and bolt and 5/16 non-threaded mounting hole.	PC	1	\$	1.43
07498302453	<b>PCD4BSS</b>	Conduit Clamp for 1 1/2" Rigid/IMC with	Conduit Clamp for 1 1/2" Rigid/IMC with Nut and Bolt and Plain Mounting Hole, Stainless Steel	PC	1	\$	8.26
07498362915	<b>PCD5B</b>	CONDUIT CLAMP, 2 in, CONDUIT, PK50	Conduit clamp for 2" conduit, 2" Rigid/IMC, with nut and bolt and 5/16 non-threaded mounting hole.	PC	1	\$	1.88
07498302448	<b>PCD5BSS</b>	Conduit Clamp for 2" Conduit with Nut an	Conduit Clamp for 2" Conduit with Nut and Bolt and Plain Mounting Hole, Stainless Steel	PC	1	\$	9.79
07498362917	<b>PCD6B</b>	CONDUIT CLAMP, 2-1/2 in, CONDUIT, PK50	Conduit clamp for 2 1/2" conduit, 2 1/2" Rigid/IMC, with nut and bolt and 5/16 non-threaded mounting hole.	PC	1	\$	2.80
07498362921	<b>PCD7B</b>	CONDUIT CLAMP, 3 in, CONDUIT, PK25	Conduit clamp for 3" conduit, 3" Rigid/IMC, with nut and bolt and 5/16 non-threaded mounting hole.	PC	1	\$	3.15
07498362924	<b>PCD8B</b>	CONDUIT CLAMP, 3-1/2 in, CONDUIT, PK25	Conduit clamp for 3 1/2" conduit, 3 1/2" Rigid/IMC, with nut and bolt and 5/16 non-threaded mounting hole.	PC	1	\$	3.90
07498362925	<b>PCD9B</b>	CONDUIT CLAMP, 4 in, CONDUIT, PK10	Conduit clamp for 4" conduit, 4" Rigid/IMC, with nut and bolt and 1/2 non-threaded mounting hole.	PC	1	\$	4.74
07498395730	<b>PCL100-0</b>	NUMBER, 1.00 in VNYL CLOTH, '0', BL/YL, PK25	Vinyl cloth number, 1.00" (25.4mm) legend height, 1.50" (38.1) height, '0' (legend), black/yellow, vinyl cloth, 1	C	100	\$	293.44
07498395740	<b>PCL100-0-9</b>	NO, VlyCloth, '0,9', '1'H, 10/card, PK25	Vinyl cloth number, 1.00" (25.4mm) legend height, 1.50" (38.1) height, '0-9' (legend), black/yellow, vinyl cloth,	C	100	\$	256.74
07498395731	<b>PCL100-1</b>	NUMBER, 1.00 in VNYL CLOTH, '1', BL/YL, PK25	Vinyl cloth number, 1.00" (25.4mm) legend height, 1.50" (38.1) height, '1' (legend), black/yellow, vinyl cloth, 1	C	100	\$	256.74
07498395732	<b>PCL100-2</b>	NUMBER, 1.00 in VNYL CLOTH, '2', BL/YL, PK25	Vinyl cloth number, 1.00" (25.4mm) legend height, 1.50" (38.1) height, '2' (legend), black/yellow, vinyl cloth, 1	C	100	\$	256.74





07498393683	<b>PCM-X3</b>	Pre-Printed,WM,.25"Wx1.5"L,X3,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'X3'	C	100	\$	351.26
07498392867	<b>PCM-X4</b>	Pre-Printed,WM,.25"Wx1.5"L,X4,LGND,PK25	Wire Marker Card, Vinyl Cloth, 'X4'	C	100	\$	351.26
07498396054	<b>PCMH-0</b>	Pre-Printed,WM,.25"Wx1.5"L,0,PK25	Wire Marker Card, Vinyl Cloth, Half, '0'	C	100	\$	335.30
07498396058	<b>PCMH-10</b>	Pre-PrintedCards,.25"Wx1.5"L,10,PK25	Wire Marker Card, Vinyl Cloth, Half, '10'	C	100	\$	351.26
07498396070	<b>PCMH-11</b>	Pre-PrintedCards,.25"Wx1.5"L,11,PK25	Wire Marker Card, Vinyl Cloth, Half, '11'	C	100	\$	351.26
07498396081	<b>PCMH-12</b>	Pre-PrintedCards,.25"Wx1.5"L,12,PK25	Wire Marker Card, Vinyl Cloth, Half, '12'	C	100	\$	351.26
07498396093	<b>PCMH-13</b>	Pre-PrintedCards,.25"Wx1.5"L,13,PK25	Wire Marker Card, Vinyl Cloth, Half, '13'	C	100	\$	335.30
07498396104	<b>PCMH-14</b>	Pre-PrintedCards,.25"Wx1.5"L,14,PK25	Wire Marker Card, Vinyl Cloth, Half, '14'	C	100	\$	351.26
07498396115	<b>PCMH-15</b>	Pre-PrintedCards,.25"Wx1.5"L,15,PK25	Wire Marker Card, Vinyl Cloth, Half, '15'	C	100	\$	351.26
07498396127	<b>PCMH-16</b>	Pre-PrintedCards,.25"Wx1.5"L,16,PK25	Wire Marker Card, Vinyl Cloth, Half, '16'	C	100	\$	351.26
07498396138	<b>PCMH-17</b>	Pre-PrintedCards,.25"Wx1.5"L,17,PK25	Wire Marker Card, Vinyl Cloth, Half, '17'	C	100	\$	351.26
07498396150	<b>PCMH-18</b>	Pre-PrintedCards,.25"Wx1.5"L,18,PK25	Wire Marker Card, Vinyl Cloth, Half, '18'	C	100	\$	335.30
07498396161	<b>PCMH-19</b>	Pre-PrintedCards,.25"Wx1.5"L,19,PK25	Wire Marker Card, Vinyl Cloth, Half, '19'	C	100	\$	351.26
07498396173	<b>PCMH-20</b>	Pre-PrintedCards,.25"Wx1.5"L,20,PK25	Wire Marker Card, Vinyl Cloth, Half, '20'	C	100	\$	351.26
07498396184	<b>PCMH-21</b>	Pre-PrintedCards,.25"Wx1.5"L,21,PK25	Wire Marker Card, Vinyl Cloth, Half, '21'	C	100	\$	351.26
07498396195	<b>PCMH-22</b>	Pre-PrintedCards,.25"Wx1.5"L,22,PK25	Wire Marker Card, Vinyl Cloth, Half, '22'	C	100	\$	335.30
07498396206	<b>PCMH-23</b>	Pre-PrintedCards,.25"Wx1.5"L,23,PK25	Wire Marker Card, Vinyl Cloth, Half, '23'	C	100	\$	351.26
07498396217	<b>PCMH-24</b>	Pre-PrintedCards,.25"Wx1.5"L,24,PK25	Wire Marker Card, Vinyl Cloth, Half, '24'	C	100	\$	351.26
07498396228	<b>PCMH-25</b>	Pre-PrintedCards,.25"Wx1.5"L,25,PK25	Wire Marker Card, Vinyl Cloth, Half, '25'	C	100	\$	351.26
07498396268	<b>PCMH-6</b>	Pre-PrintedCards,.25"Wx1.5"L,6,PK25	Wire Marker Card, Vinyl Cloth, Half, '6'	C	100	\$	335.30
07498396280	<b>PCMH-7</b>	Pre-PrintedCards,.25"Wx1.5"L,7,PK25	Wire Marker Card, Vinyl Cloth, Half, '7'	C	100	\$	335.30
07498396291	<b>PCMH-8</b>	Pre-PrintedCards,.25"Wx1.5"L,8,PK25	Wire Marker Card, Vinyl Cloth, Half, '8'	C	100	\$	335.30
07498396302	<b>PCMH-9</b>	Pre-PrintedCards,.25"Wx1.5"L,9,PK25	Wire Marker Card, Vinyl Cloth, Half, '9'	C	100	\$	351.26
07498363343	<b>PCNB12P</b>	NAIL BRACKET,3/4 in,CONDUIT,PK100	Nail/conduit bracket with 3/4" push fit conduit clip.	PC	1	\$	2.05
07498363344	<b>PCNB812M</b>	NAIL BRACKET,1/2-3/4 in,CONDUIT,PK100	Nail/conduit bracket with 1/2 - 3/4" push fit conduit clip.	PC	1	\$	1.71
07498363342	<b>PCNB8P</b>	NAIL BRACKET,1/2 in,CONDUIT,PK100	Nail/conduit bracket with 1/2" push fit conduit clip.	PC	1	\$	1.99
07498360189	<b>PCS-PPST</b>	SOLAR SNAP-ON PIPE MARKER,RD/WH,EA	Solar snap-on pipe marker, 4.0" H x 4.0" W (101.6mm x 101.6mm), warning header, 'Photovoltaic power sou	PC	1	\$	9.35
07498360162	<b>PCS-PPSU</b>	SOLAR SNAP-ON PIPE MARKER,RD/WH,EA	Solar snap-on pipe marker, 8.0" H x 8.0" W (203.2mm x 203.2mm), warning header, 'Photovoltaic power sou	PC	1	\$	12.49
07498361172	<b>PCS-SCT</b>	SOLAR SNAP-ON PIPE MARKER,RD/WH,EA	Solar snap-on pipe marker, 4.0" H x 4.0" W (101.6mm x 101.6mm), 'Solar circuit' (legend) caution symbol, re	PC	1	\$	9.35
07498361173	<b>PCS-SCU</b>	SOLAR SNAP-ON PIPE MARKER,RD/WH,EA	Solar snap-on pipe marker, 8.0" H x 8.0" W (203.2mm x 203.2mm), 'Solar circuit' (legend) caution symbol, re	PC	1	\$	12.49
07498359634	<b>PCSB2/0-10-2Y</b>	MultiTap,Cir,Dbi,10Ports,2/0-#14STRPKG2Y	Multi-Tap connector, double-sided, clear insulation, 10 ports, 2/0 - #14 STR.	C	100	\$	15,100.04
07498359635	<b>PCSB2/0-10S-2Y</b>	MultiTap,Cir,Sng,10Ports,2/0-#14STRPKG2Y	Multi-Tap connector, single-sided, clear insulation, 10 ports, 2/0 - #14 STR.	C	100	\$	13,224.40
07498359637	<b>PCSB2/0-12S-1Y</b>	MultiTap,Clear,12Ports,2/0-#14STRPKG1Y	Multi-Tap connector, single-sided, clear insulation, 12 ports, 2/0 - #14 STR.	C	100	\$	16,666.01
07498359640	<b>PCSB2/0-14S-1Y</b>	MultiTap,Cir,Sng,14Ports,2/0-#14STRPKG1Y	Multi-Tap connector, single-sided, clear insulation, 14 ports, 2/0 - #14 STR.	C	100	\$	19,247.54
07498377451	<b>PCSB2/0-5-6</b>	MultiConn,Dbi-Sd,Cir,5Ports,2/0,PK6	Multi-Tap connector, double-sided, clear insulation, 5 ports, 2/0 - #14 STR, #10 - #14 SOL.	C	100	\$	6,683.86
07498359649	<b>PCSB2/0-6S-4Y</b>	MultiTap,Clear,6Ports,2/0-#14STRPKG4Y	Multi-Tap connector, single-sided, clear insulation, 6 ports, 2/0 - #14 STR.	C	100	\$	6,967.83
07498377454	<b>PCSB2/0-8-4</b>	MultiConn,Dbi-Sd,Cir,8Pt,2/0,#14STR,PK4	Multi-Tap connector, double-sided, clear insulation, 8 ports, 2/0 - #14 STR, #10 - #14 SOL.	C	100	\$	9,870.49
07498359652	<b>PCSB2/0-8S-3Y</b>	MultiTap,Clear,8Ports,2/0-#14STRPKG3Y	Multi-Tap connector, single-sided, clear insulation, 8 ports, 2/0 - #14 STR.	C	100	\$	8,314.58
07498359653	<b>PCSB250-10-2Y</b>	MultiConn,Dbi-Sd,Cir,10-port,250K,PK2	Multi-Tap connector, double-sided, clear insulation, 10 ports, 250 kcmil - #10 STR.	C	100	\$	21,689.25
07498359654	<b>PCSB250-10S-2Y</b>	MultiConn,Sgl-Sd,Cir,10-port,250K,PK2	Multi-Tap connector, single-sided, clear insulation, 10 ports, 250 kcmil - #10 STR.	C	100	\$	16,023.38
07498359655	<b>PCSB250-12-2Y</b>	MultiConn,Dbi-Sd,Cir,12-port,250K,PK2	Multi-Tap connector, double-sided, clear insulation, 12 ports, 250 kcmil - #10 STR.	C	100	\$	28,623.90
07498359656	<b>PCSB250-12S-2Y</b>	MultiConn,Sgl-Sd,Cir,12-port,250K,PK2	Multi-Tap connector, single-sided, clear insulation, 12 ports, 250 kcmil - #10 STR.	C	100	\$	21,151.98
07498359658	<b>PCSB250-14S-1Y</b>	MultiConn,Sgl-Sd,Cir,14-port,250K,EA	Multi-Tap connector, single-sided, clear insulation, 14 ports, 250 kcmil - #10 STR.	C	100	\$	25,594.24
07498359668	<b>PCSB250-5-4Y</b>	MultiConn,Dbi-Sd,Cir,5Ports,250K,PK4	Multi-Tap connector, double-sided, clear insulation, 5 ports, 250 kcmil - #6 STR.	C	100	\$	7,522.38
07498359669	<b>PCSB250-5S-4Y</b>	MultiConn,Sgl-Sd,Cir,5Ports,250K,PK4	Multi-Tap connector, single-sided, clear insulation, 5 ports, 250 kcmil - #10 STR.	C	100	\$	6,482.54
07498359671	<b>PCSB250-6S-4Y</b>	MultiConn,Sgl-Sd,Cir,6Ports,250K,PK4	Multi-Tap connector, single-sided, clear insulation, 6 ports, 250 kcmil - #10 STR.	C	100	\$	7,232.38
07498359673	<b>PCSB250-8-3Y</b>	MultiConn,Dbi-Sd,Cir,8Pt,250K,#6STR,PK3	Multi-Tap connector, double-sided, clear insulation, 8 ports, 250 kcmil - #6 STR.	C	100	\$	12,332.66
07498359674	<b>PCSB250-8S-3Y</b>	MultiConn,Sgl-Sd,Cir,8Pt,250K,#10STR,PK3	Multi-Tap connector, single-sided, clear insulation, 8 ports, 250 kcmil - #10 STR.	C	100	\$	9,863.54
07498359675	<b>PCSB350-10-2Y</b>	MultiConn,Dbi-Sd,Cir,10-port,350K,PK2	Multi-Tap connector, double-sided, clear insulation, 10 ports, 350 kcmil - #10 STR.	C	100	\$	23,373.09
07498359676	<b>PCSB350-10S-2Y</b>	MultiConn,Sgl-Sd,Cir,10-port,350K,PK2	Multi-Tap connector, single-sided, clear insulation, 10 ports, 350 kcmil - #10 STR.	C	100	\$	18,250.91
07498366698	<b>PCSB350-12S-1Y</b>	MultiConn,Sgl-Sd,Cir,12-port,350K,EA	Multi-Tap connector, single-sided, clear insulation, 12 ports, 350 kcmil - #10 STR.	C	100	\$	24,092.11
07498359679	<b>PCSB350-14S-1Y</b>	MultiConn,Sgl-Sd,Cir,14-port,350K,EA	Multi-Tap connector, single-sided, clear insulation, 14 ports, 350 kcmil - #10 STR.	C	100	\$	29,153.61
07498377465	<b>PCSB350-5-3</b>	MultiConn,Dbi-Sd,Cir,5Ports,350K,PK3	Multi-Tap connector, double-sided, clear insulation, 5 ports, 350 kcmil - #10 STR, #10 SOL.	C	100	\$	9,546.48
07498359688	<b>PCSB350-5S-3Y</b>	MultiConn,Sgl-Sd,Cir,5Ports,350K,PK3	Multi-Tap connector, single-sided, clear insulation, 5 ports, 350 kcmil - #10 STR.	C	100	\$	7,464.74
07498359690	<b>PCSB350-6S-2Y</b>	MultiConn,Sgl-Sd,Cir,6Ports,350K,PK2	Multi-Tap connector, single-sided, clear insulation, 6 ports, 350 kcmil - #10 STR.	C	100	\$	9,339.88
07498377468	<b>PCSB350-8-2</b>	MultiConn,Dbi-Sd,Cir,8Pt,350K,#10STR,PK2	Multi-Tap connector, double-sided, clear insulation, 8 ports, 350 kcmil - #10 STR, #10 SOL.	C	100	\$	15,909.34
07498359710	<b>PCSB350-8S-2Y</b>	MultiConn,Sgl-Sd,Cir,8Pt,350K,#10STR,PK2	Multi-Tap connector, single-sided, clear insulation, 8 ports, 350 kcmil - #10 STR.	C	100	\$	12,501.23
07498359711	<b>PCSB4-10-4Y</b>	MultiTap,Cir,Dbi,10Ports,#4-#14STRPKG4Y	Multi-Tap connector, double-sided, clear insulation, 10 ports, #4 - #14 STR.	C	100	\$	10,100.23
07498359739	<b>PCSB4-10S-4Y</b>	MultiTap,Cir,Sng,10Ports,#4-#14STRPKG4Y	Multi-Tap connector, single-sided, clear insulation, 10 ports, #4 - #14 STR.	C	100	\$	8,845.61
07498359751	<b>PCSB4-12S-3Y</b>	MultiTap,Cir,Sng,12Ports,#4-#14STRPKG3Y	Multi-Tap connector, single-sided, clear insulation, 12 ports, #4 - #14 STR.	C	100	\$	11,140.53
07498359752	<b>PCSB4-14-2Y</b>	MultiTap,Cir,Dbi,14Ports,#4-#14STRPKG2Y	Multi-Tap connector, double-sided, clear insulation, 14 ports, #4 - #14 STR.	C	100	\$	15,400.36
07498359753	<b>PCSB4-14S-2Y</b>	MultiTap,Cir,Sng,14Ports,#4-#14STRPKG2Y	Multi-Tap connector, single-sided, clear insulation, 14 ports, #4 - #14 STR.	C	100	\$	13,487.31
07498359800	<b>PCSB4-5-6Y</b>	MultiConn,Dbi-Sd,Cir,5Ports,#4,PK6	Multi-Tap connector, double-sided, clear insulation, 5 ports, #4 - #14 STR, #10 - #14 SOL.	C	100	\$	6,481.69
07498359849	<b>PCSB4-6S-6Y</b>	MultiTap,Clear,6Ports,#4-#14STRPKG6Y	Multi-Tap connector, single-sided, clear insulation, 6 ports, #4 - #14 STR.	C	100	\$	5,483.58
07498359945	<b>PCSB600-10-1Y</b>	MultiConn,Dbi-Sd,Cir,10-port,600K,#6A,EA	Multi-Tap connector, double-sided, clear insulation, 10 ports, 600 kcmil - #6 AWG STR.	C	100	\$	26,524.06
07498359982	<b>PCSB600-10S-1Y</b>	MultiConn,Sgl-Sd,Cir,10-port,600K,EA	Multi-Tap connector, single-sided, clear insulation, 10 ports, 600 kcmil - #6 STR AWG	C	100	\$	21,070.04
07498359983	<b>PCSB600-12-1Y</b>	MultiConn,Dbi-Sd,Cir,12-port,600K,#6A,EA	Multi-Tap connector, double-sided, clear insulation, 12 ports, 600 kcmil - #6 AWG STR.	C	100	\$	33,990.99
07498359984	<b>PCSB600-12S-1Y</b>	MultiConn,Sgl-Sd,Cir,12-port,600K,EA	Multi-Tap connector, single-sided, clear insulation, 12 ports, 600 kcmil - #6 STR AWG	C	100	\$	25,962.61
07498359985	<b>PCSB600-14-1Y</b>	MultiConn,Dbi-Sd,Cir,14-port,600K,#6A,EA	Multi-Tap connector, double-sided, clear insulation, 14 ports, 600 kcmil - #6 AWG STR.	C	100	\$	41,130.68
07498359986	<b>PCSB600-14S-1Y</b>	MultiConn,Sgl-Sd,Cir,14-port,600K,EA	Multi-Tap connector, single-sided, clear insulation, 14 ports, 600 kcmil - #6 STR AWG	C	100	\$	30,786.24
07498342139	<b>PCSB600-5-2</b>	MultiConn,Dbi-Sd,Cir,5Ports,600K,#6A,PK2	Multi-Tap connector, double-sided, clear insulation, 5 ports, 600 kcmil - #6 AWG STR.	C	100	\$	13,947.18
07498360124	<b>PCSB600-5S-2Y</b>	MultiConn,Sgl-Sd,Cir,5Ports,600K,PK2	Multi-Tap connector, single-sided, clear insulation, 5 ports, 600 kcmil - #6 STR AWG	C	100	\$	10,720.55
07498360126	<b>PCSB600-6S-2Y</b>	MultiConn,Sgl-Sd,Cir,6Ports,600K,PK2	Multi-Tap connector, single-sided, clear insulation, 6 ports, 600 kcmil - #6 STR.	C	100	\$	11,729.35
07498360128	<b>PCSB600-8S-2Y</b>	MultiConn,Sgl-Sd,Cir,8Pt,600K,#4STR,PK2	Multi-Tap connector, single-sided, clear insulation, 8 ports, 600 kcmil - #6 STR.	C	100	\$	15,043.95
07498302242	<b>PCSB750-2S-1</b>	MultiConn,Sgl-Sd,Cir,2Ports,750K,EA	Multi-Tap connector, single-sided, clear insulation, 2 ports, 750 kcmil - #10 STR.	C	100	\$	12,532.24
07498360154	<b>PCSB750-5-1Y</b>	MultiConn,Dbi-Sd,Cir,5Ports,750K,EA	Multi-Tap connector, double-sided, clear insulation, 5 ports, 750 kcmil - #10 STR.	C	100	\$	31,374.35
07498360155	<b>PCSB750-6-1Y</b>	MultiConn,Dbi-Sd,Cir,6Ports,750K,EA	Multi-Tap connector, double-sided, clear insulation, 6 ports, 750 kcmil - #10 STR.	C	100	\$	39,997.81

07498360161	<b>PCSB750-8-1Y</b>	MultiConn,DbI-Sd,Clr,8P1,750K,1/0STR,EA	Multi-Tap connector, double-sided, clear insulation, 8 ports, 750 kcmil - 1/0 STR.	C	100	\$	43,869.69
07498372248	<b>PEC311</b>	INDEPENDENT DROP WIRE CLIP,PK100	Independent drop wire clip.	PC	1	\$	1.84
07498390959	<b>PEC3114Z34</b>	INDEPENDENT DROP WIRE CLIP	Independent drop wire clip with P4Z34 spring steel drop wire clip.	PC	1	\$	2.75
07498342712	<b>PECWMS-915B</b>	Dot-MatrixLbI,0.59"x0.35",Cloth,PK25	Dot-Matrix Label, 0.59" x 0.35", Cloth, Black/Yellow	C	100	\$	1,875.79
07498362949	<b>PFB12P</b>	PUSH FIT CLIP,3/4 in,EMT,PK100	Conduit clip for 3/4" conduit with angle bracket.	PC	1	\$	2.05
07498362956	<b>PFB6M</b>	SNAP CLOSE CLIP,3/8 in,CONDUIT,PK100	Conduit clip for 3/8" conduit with angle bracket.	PC	1	\$	1.94
07498362950	<b>PFB812M</b>	SNAP CLOSE CLIP,1/2-3/4 in,CONDUIT,PK100	Conduit clip for 1/2" - 3/4" conduit with angle bracket.	PC	1	\$	1.86
07498362948	<b>PFB8P</b>	PUSH FIT CLIP,1/2 in,EMT,PK100	Conduit clip for 1/2" conduit with angle bracket.	PC	1	\$	1.61
07498363097	<b>PFB518</b>	BOX MTG BRACKET,BREAK-AWAY FEATURE,PK50	Box support bracket to mount electrical boxes at 12", 16", or 18" heights.	PC	1	\$	5.49
61305610409	<b>PFM0247</b>	2"x30FT GLOW MARK STRIPE TAPE	Marking Tape to alert others to potential hazard areas, 2in x 30ft, Stripe Pattern, Photoluminescent marking t	RL	1	\$	233.96
07498381808	<b>PH14-56R-Q</b>	Ring,Heat Shrink,16-14AWG,5/16"STUD,PK25	Heat Shrink Ring Terminal 16 - 14 AWG, 5/16" stud size.	C	100	\$	216.56
07498381804	<b>PH14-6R-Q</b>	Ring, Heat Shrink,16-14AWG,#6 STUD,PK25	Heat Shrink Ring Terminal 16 - 14 AWG, #6 stud size.	C	100	\$	187.04
07498363161	<b>PIDS</b>	T-BAR DROP WIRE CLIP,1 in,T-BAR,PK50	T-bar drop wire clip for 1" T-bar with 5/8" long stud.	PC	1	\$	1.99
07498363838	<b>PJ1A25</b>	FAR SIDE BOX SUPPORT,2-1/2 in,STUD,PK100	Far side box support for 2-1/2" studs.	PC	1	\$	1.71
07498363840	<b>PJ1A4</b>	FAR SIDE BOX SUPPORT,4 in,STUD,PK100	Far side box support for 4" studs.	PC	1	\$	1.71
07498363841	<b>PJ1A6</b>	FAR SIDE BOX SUPPORT,6 in,STUD,PK100	Far side box support for 6" studs.	PC	1	\$	1.94
07498382867	<b>PK14-56R-C</b>	Ring,Kynar Ins,16-14AWG,5/16"STUD,PK100	Ring terminal, 18 - 14 AWG, KYNAR insulated, 5/16" stud size, bulk package.	C	100	\$	184.43
07498382853	<b>PK18-14R-C</b>	Ring,Kynar Insul,22-18AWG,1/4"STUD,PK100	Ring terminal, 22 - 16 AWG, KYNAR insulated, 1/4" stud size, bulk package.	C	100	\$	184.43
07498363270	<b>PK20</b>	CONDUIT CLIP,1-1/4 in,EMT,PK100	Conduit clip to support 1-1/4" conduit from drop wire or flange; no static load rating - for positioning only.	PC	1	\$	1.19
07498328278	<b>PK6-56R-T</b>	Ring,Kynar Insul,6 AWG,#5/16" STUD,PK200	Ring terminal, #6 AWG, KYNAR insulated, 5/16" stud size.	M	1000	\$	4,286.39
07498328276	<b>PK6-8R-T</b>	Ring,Kynar Insul,6 AWG,#8 STUD,PK200	Ring terminal, #6 AWG, KYNAR insulated, #8 stud size.	M	1000	\$	4,286.39
07498355279	<b>PL2M2S-L0</b>	MarkerTie,Wrap,Std,7.4in,Bl,PK50	Pan-Ty® marker tie, wrap, standard cross section, 7.4 (188mm) length, 87 x 1.07 (22.1 x 27.2mm) marker w	C	100	\$	248.79
07498377662	<b>PLB4H-TL</b>	DbI,LoopTie,LH,14.4in,Nyl,Nat,PK250	Pan-Ty® double loop cable tie, light-heavy cross section, 14.7 (373mm) length, nylon 6.6, natural.	M	1000	\$	949.31
07498301700	<b>PLB4H-TL39</b>	DbI,LoopTie,LH,14.4in,HS,Nat,PK250	Pan-Ty® double loop cable tie, light-heavy cross section, 14.7 (373mm) length, heat stabilized, natural.	M	1000	\$	1,112.85
07498301699	<b>PLB4S-M39</b>	DbI,LoopTie,Std,14.8in,HS,Nat,PK1000	Pan-Ty® double loop cable tie, standard cross section, 14.8 (376mm) length, heat stabilized, natural.	M	1000	\$	506.18
07498355620	<b>PLC2S-S10-M20</b>	ClampTie,Std,7.9in,#10,Bl,PK1000	Pan-Ty® locking clamp tie, standard cross section, #10 (M5) screw, 7.9 (201mm) length, nylon 6.6, black.	M	1000	\$	376.35
07498355631	<b>PLC4S-S10-M30</b>	ClampTie,Std,15in,#10,Bl,HS,PK1000	Pan-Ty® locking clamp tie, standard cross section, 10 (M5) screw, 15.0 (381mm) length, heat stabilized nyl	M	1000	\$	887.10
07498355719	<b>PLF1M-M2</b>	MarkerTie,Flag,Min,4.3in,RD,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 4.3 (109mm) length, .31 x .75 (7.9 x 19.1mm) marker write-on	M	1000	\$	288.79
07498355721	<b>PLF1M-M3</b>	MarkerTie,Flag,Min,4.3in,OR,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 4.3 (109mm) length, .31 x .75 (7.9 x 19.1mm) marker write-on	M	1000	\$	288.79
07498355725	<b>PLF1M-M6</b>	MarkerTie,Flag,Min,4.3in,BU,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 4.3 (109mm) length, .31 x .75 (7.9 x 19.1mm) marker write-on	M	1000	\$	288.79
07498353365	<b>PLF1MC-M</b>	MarkerTie,Flag,Min,4.3in,Nat,PK1000	Pan-Ty® flag tie, flag, miniature cross section, 4.3 (109mm) length, .29 x .32 (7.4 x 8.0mm) marker write-on	M	1000	\$	257.64
07498390831	<b>PLFC</b>	FLOUR LGT FIXT HNGR, SIDE MNT CLIP,PK100	Fluorescent light fixture hanger with side mount clip	PC	1	\$	1.18
07498390833	<b>PLFC90</b>	FLOUR LGT FIXT HNGR, TOP MNT CLIP,PK100	Fluorescent light fixture hanger with top mount clip	PC	1	\$	1.06
07498355298	<b>PLM1M-C0</b>	MarkerTie,Wrap,Min,3.9in,Bl,PK100	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	C	100	\$	53.21
07498355756	<b>PLM1M-M1</b>	MarkerTie,Wrap,Min,3.9in,BR,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	M	1000	\$	309.11
07498355766	<b>PLM1M-M5</b>	MarkerTie,Wrap,Min,3.9in,GR,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	M	1000	\$	309.11
07498355768	<b>PLM1M-M7</b>	MarkerTie,Wrap,Min,3.9in,PUR,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 3.9 (99mm) length, .26 x .95 (6.6 x 24.1mm) marker write	M	1000	\$	309.11
07498355792	<b>PLM2M-M6</b>	MarkerTie,Wrap,Min,8in,BU,PK1000	Pan-Ty® marker tie, wrap, miniature cross section, 8.0 (203mm) length, .26 x .95 (6.6 x 24.1mm) marker writ	M	1000	\$	451.86
07498344733	<b>PLM2S-C4Y</b>	MarkerTie,Wrap,Std,7.4in,Y,PK100	Pan-Ty® marker tie, wrap, standard cross section, 7.4 (188mm) length, .44 x .87 (11.1 x 22.1mm) marker wr	C	100	\$	95.13
07498355498	<b>PLP1.5I-C</b>	PanTyPMTie,NYL,INT,6.1,TS178,NAT,PK100	Pan-Ty® Locking Push Mount Ties use an easy-to-use all-in-one wingless design to attach bundles to surface	C	100	\$	43.90
07498355873	<b>PLP1.5I-M0</b>	PanTyPMTie,WR,NYL,INT,6,TS178,BLK,P1000	Pan-Ty® Locking Push Mount Ties use an easy-to-use all-in-one wingless design to attach bundles to surface	M	1000	\$	350.61
07498354733	<b>PLT1.5I-C1</b>	CableTie,Interm,5.6in,Nyl,BR,PK100	Pan-Ty® locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, brown, standard package.	C	100	\$	26.48
07498354743	<b>PLT1.5I-C20</b>	CableTie,Interm,5.6in,Nyl,Bl,PK100	Pan-Ty® locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, black, standard package.	C	100	\$	26.48
07498354739	<b>PLT1.5I-C7</b>	CableTie,Interm,5.6in,Nyl,PU,PK100	Pan-Ty® locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, purple, standard package.	C	100	\$	26.48
07498354740	<b>PLT1.5I-C8</b>	CableTie,Interm,5.6in,Nyl,GY,PK100	Pan-Ty® locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, gray, standard package.	C	100	\$	26.48
07498355978	<b>PLT1.5I-M32</b>	CableTie,Int,5.6in,HS,RD,PK1000	Pan-Ty® locking tie, intermediate cross section, 5.6 (142mm) length, heat stabilized nylon 6.6, red.	M	1000	\$	143.20
07498354943	<b>PLT1.5I-M7</b>	CableTie,Int,5.6in,Nyl,PU,PK1000	Pan-Ty® locking tie, intermediate cross section, 5.6 (142mm) length, nylon 6.6, purple, bulk package.	M	1000	\$	108.65
07498356018	<b>PLT1.5M-M3</b>	CableTie,Min,5.6in,Nyl,OR,PK1000	Pan-Ty® locking tie, miniature cross section, 5.6 (142mm) length, nylon 6.6, orange.	M	1000	\$	98.30
07498356023	<b>PLT1.5M-M5</b>	CableTie,Min,5.6in,Nyl,GR,PK1000	Pan-Ty® locking tie, miniature cross section, 5.6 (142mm) length, nylon 6.6, green.	M	1000	\$	98.30
07498356024	<b>PLT1.5M-M6</b>	CableTie,Min,5.6in,Nyl,BU,PK1000	Pan-Ty® locking tie, miniature cross section, 5.6 (142mm) length, nylon 6.6, blue.	M	1000	\$	98.30
07498356025	<b>PLT1.5M-M7</b>	CableTie,Min,5.6in,Nyl,PU,PK1000	Pan-Ty® locking tie, miniature cross section, 5.6 (142mm) length, nylon 6.6, purple.	M	1000	\$	98.30
07498356026	<b>PLT1.5M-M8</b>	CableTie,Min,5.6in,Nyl,GY,PK1000	Pan-Ty® locking tie, miniature cross section, 5.6 (142mm) length, nylon 6.6, gray.	M	1000	\$	98.30
61305639464	<b>PLT1.5M-XMR39</b>	CableTie,Min,5.6in,Nat,RL5000	Reel-Fed cable tie for PAT1.5M system, miniature cross section, 5.6 (142mm) length, heat stabilized nylon 6.	M	1000	\$	126.94
07498354730	<b>PLT1M-C14</b>	CableTie,Min,3.9in,Nyl,TGY,PK100	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, telephone gray, standard package	C	100	\$	23.03
07498354726	<b>PLT1M-C7</b>	CableTie,Min,3.9in,Nyl,PU,PK100	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, purple, standard package.	C	100	\$	23.03
07498339685	<b>PLT1M-L1</b>	CableTie,Min,4.0in,Nylon,BR,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, brown.	M	1000	\$	167.15
07498344437	<b>PLT1M-L4Y</b>	CTie,4"L,Mini,Nyl,YL,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, yellow.	M	1000	\$	167.15
07498353979	<b>PLT1M-L8-4</b>	CTie,4"L,Mini,Nyl,SL/YL,Stripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, slate/yellow stripe.	M	1000	\$	183.80
07498353984	<b>PLT1M-L8-7</b>	CTie,4"L,Mini,Nyl,SL/VL,Stripe,PK50	Pan-Ty® locking tie, miniature cross section, 4.0" (102mm) length, nylon 6.6, slate/violet stripe.	M	1000	\$	192.55
07498328075	<b>PLT1M-M53</b>	CableTie,Min,3.9in,Nyl,FOR,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, fluorescent orange.	M	1000	\$	75.93
07498328076	<b>PLT1M-M54</b>	CableTie,Min,3.9in,Nyl,FOY,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, fluorescent yellow.	M	1000	\$	75.93
07498328077	<b>PLT1M-M55</b>	CableTie,Min,3.9in,Nyl,FGR,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, fluorescent green.	M	1000	\$	75.93
07498328078	<b>PLT1M-M59</b>	CableTie,Min,3.9in,Nyl,FPK,PK1000	Pan-Ty® locking tie, miniature cross section, 3.9 (99mm) length, nylon 6.6, fluorescent pink.	M	1000	\$	75.93
07498324756	<b>PLT2.5H-L</b>	CableTie,LH,9.8in,Nyl,Nat,PK50	Pan-Ty® locking tie, light-heavy cross section, 9.8 (251mm) length, nylon 6.6, natural, standard package.	C	100	\$	91.20
07498354292	<b>PLT2EH-C</b>	CableTie,EH,9.0in,Nat,PK100	Pan-Ty® lashing tie, extra-heavy cross section, 9.0 (229mm) length, nylon 6.6, natural.	M	1000	\$	1,256.21
07498354290	<b>PLT2EH-Q0</b>	CableTie,EH,9.0in,WR,Blk,PK25	Pan-Ty® lashing tie, extra-heavy cross section, 9.0 (229mm) length, weather resistant nylon 6.6, black, stand	C	100	\$	180.58
07498338753	<b>PLT2H-TL2</b>	CableTie,LH,8.1in,Nyl,RD,PK250	Pan-Ty® locking tie, light-heavy cross section, 8.1 (206mm) length, nylon 6.6, red.	M	1000	\$	664.29
07498338757	<b>PLT2H-TL6</b>	CableTie,LH,8.1in,Nyl,BU,PK250	Pan-Ty® locking tie, light-heavy cross section, 8.1 (206mm) length, nylon 6.6, blue.	M	1000	\$	664.29
07498354754	<b>PLT2I-C14</b>	CableTie,Int,8in,Nyl,TGY,PK100	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, telephone gray, standard pac	C	100	\$	37.95
07498328084	<b>PLT2I-M54</b>	CableTie,Int,8in,Nyl,FOY,PK1000	Pan-Ty® locking tie, intermediate cross section, 8.0 (203mm) length, nylon 6.6, fluorescent yellow.	M	1000	\$	152.98
07498356307	<b>PLT2M-M1</b>	CableTie,Min,8in,Nyl,BR,PK1000	Pan-Ty® locking tie, miniature cross section, 8.0 (203mm) length, nylon 6.6, brown.	M	1000	\$	95.99
07498356319	<b>PLT2M-M7</b>	CableTie,Min,8in,Nyl,PU,PK1000	Pan-Ty® locking tie, miniature cross section, 8.0 (203mm) length, nylon 6.6, purple.	M	1000	\$	95.99
07498354767	<b>PLT2S-C14</b>	CableTie,Std,7.4in,Nyl,TGY,PK100	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, telephone gray.	C	100	\$	33.80
07498334288	<b>PLT2S-M54</b>	CableTie,Std,7.4in,Nyl,FOY,PK1000	Pan-Ty® locking tie, standard cross section, 7.4 (188mm) length, nylon 6.6, fluorescent yellow, bulk package.	M	1000	\$	162.16
07498354041	<b>PLT2S-MP</b>	CableTie,Std,7.4in,Nyl,Nat,BOX1000	Pan-Ty® locking tie in a box, standard cross section, 7.4 (188mm) length, nylon 6.6, natural.	M	1000	\$	166.78
07498354044	<b>PLT2S-MP0</b>	CBLTie,Std,7.4in,NYL,Natural,PK1000	Pan-Ty® locking tie in a box, standard cross section, 7.4 (188mm) length, weather resistant nylon 6.6, black.	M	1000	\$	186.76
07498356445	<b>PLT3I-M14</b>	CableTie,Int,11.4in,Nyl,TGY,PK1000	Pan-Ty® locking tie, intermediate cross section, 11.4 (290mm) length, nylon 6.6, telephone gray, bulk packag	M	1000	\$	297.49

07498356454	<b>PLT3I-M5</b>	CableTie,Int,11.4in,Nyl,GR,PK1000	Pan-Ty® locking tie, intermediate cross section, 11.4 (290mm) length, nylon 6.6, green.	M	1000	\$	291.66
07498356455	<b>PLT3I-M6</b>	CableTie,Int,11.4in,Nyl,BU,PK1000	Pan-Ty® locking tie, intermediate cross section, 11.4 (290mm) length, nylon 6.6, blue.	M	1000	\$	291.66
07498356476	<b>PLT3S-M1</b>	CableTie,Std,11.5in,Nyl,BR,PK1000	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, brown.	M	1000	\$	369.68
07498328092	<b>PLT3S-M54</b>	CableTie,Std,11.5in,Nyl,FY,PK1000	Pan-Ty® locking tie, standard cross section, 11.5 (292mm) length, nylon 6.6, fluorescent yellow.	M	1000	\$	414.69
07498356565	<b>PLT4I-C14</b>	CableTie,Int,14.5in,Nyl,TGY,PK100	Pan-Ty® locking tie, intermediate cross section, 14.5 (368mm) length, nylon 6.6, telephone gray, standard pa	C	1000	\$	70.94
07498356617	<b>PLT4S-M14</b>	CableTie,Std,14.5in,Nyl,TGY,PK1000	Pan-Ty® locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, telephone gray.	M	1000	\$	428.60
07498356630	<b>PLT4S-M7</b>	CableTie,Std,14.5in,Nyl,PU,PK1000	Pan-Ty® locking tie, standard cross section, 14.5 (368mm) length, nylon 6.6, purple.	M	1000	\$	428.60
61305656980	<b>PLVS0305D7347</b>	Safety Sign, 3.50"H x 5.0"W, Danger 'Con	Safety Sign, 10.0"H x 14.0"W, Danger 'Re	PC	1	\$	3.14
61305656978	<b>PLVS1014D7345</b>	Safety Sign, 10.0"H x 14.0"W, Danger 'R	Safety Sign, 10.0"H x 14.0"W, Danger 'Regulated Area- Beryllium', Dura-Polyester Vinyl, Red/ Black on White	PC	1	\$	16.64
61305656960	<b>PLVS1014D7346</b>	Safety Sign, 10.0"H x 14.0" W, Danger 'R	Safety Sign, 10.0"H x 14.0" W, Danger 'Respirable Crystalline Silica, Dura-Polyester Vinyl, Red/ Black on Wh	PC	1	\$	16.64
07498354614	<b>PLWP2H-TL30</b>	PanTyWPMtie,NYL,STD,7.8,TS222,NAT,PK100	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	M	1000	\$	1,333.98
07498354311	<b>PLWP2S-C</b>	PanTyWPMtie,NYL,STD,7.8,TS222,NAT,PK100	Pan-Ty® Locking Wing Mount Push Ties use an all-in-one design to attach bundles to another surface using a	C	100	\$	51.98
07498363020	<b>PM912</b>	HAMMER-ON BEAM CLAMP,9/16-3/4 in,PK100	Beam clamp for 9/16" - 3/4" flange, static load capacity: 75 lbs.	PC	1	\$	2.06
07498379665	<b>PMCS101</b>	MC/AC CABLE BRACKETS,7 Runs,PK50	Support brackets for up to 7 runs of MC/AC cable, 0.56" - 0.69" in diameter.	PC	1	\$	4.01
07498379701	<b>PMCS50</b>	MC/AC CABLE BRACKETS,4 Runs,PK100	Support brackets for up to 4 runs of MC/AC cable, 0.43" - 0.56" in diameter.	PC	1	\$	2.18
07498397165	<b>PMDR-GRS</b>	Pre-Prtd Mrkr Tape Refill,8' rl	Roll Wire Marker, 'Grs', 8 Ft/Rl	RL	1	\$	4.95
07498363815	<b>PMF250</b>	BOX TO STUD SUPPORT,1/4 in, DRYWALL,PK100	Box-to-stud support offset for 1/4"dry wall.	PC	1	\$	2.61
07498363821	<b>PMF375</b>	BOX TO STUD SUPPORT,3/8 in, DRYWALL,PK100	Box-to-stud support offset for 3/8" dry wall.	PC	1	\$	2.65
07498363801	<b>PMF500</b>	BOX TO STUD SUPPORT,1/2 in, DRYWALL,PK100	Box-to-stud support offset for 1/2" dry wall.	PC	1	\$	2.65
07498363823	<b>PMF625</b>	BOX TO STUD SUPPORT,5/8 in, DRYWALL,PK100	Box-to-stud support offset for 5/8" dry wall.	PC	1	\$	2.65
07498363820	<b>PMF750</b>	BOX TO STUD SUPPORT,3/4 in, DRYWALL,PK100	Box-to-stud support offset for 3/4" dry wall.	PC	1	\$	2.65
07498363836	<b>PMFO</b>	BOX TO STUD SUPPORT,FLUSH WALL,PK100	Box-to-stud support for flush wall applications.	PC	1	\$	3.36
07498363832	<b>PMFS</b>	BOX-STUD SUPPORT,1/4-3/4in,DRYWALL,PK100	Box-to-stud support adjustable for 1/4" - 3/4" dry wall.	PC	1	\$	3.49
07498363772	<b>PMSF</b>	BOX-STUD SUPPORT,NON-ADJUSTABLE,PK100	Box-to-stud support - non-adjustable.	PC	1	\$	1.53
07498363393	<b>PMSR24</b>	STRAP HNGR,STRGHT FEED,1/8-1/4 in,PK100	Strap hanger clip with hammer-on beam clamp for 1/8 - 1/4 flange - 90 degrees.	PC	1	\$	6.20
07498363398	<b>PMSR58</b>	STRAP HNGR,STRGHT FEED,5/16-1/2 in,PK100	Strap hanger clip with hammer-on beam clamp for 5/16 - 1/2 flange - 90 degrees.	PC	1	\$	6.20
07498363401	<b>PMSR912</b>	STRAP HNGR,STRGHT FEED,9/16-3/4 in,PK100	Strap hanger clip with hammer-on beam clamp for 9/16 - 3/4 Flange - 90 degrees.	PC	1	\$	7.63
07498363390	<b>PMS524</b>	STRAP HANGER,SIDE FEED,1/8-1/4 in,PK100	Strap hanger clip with hammer-on beam clamp for 1/8 - 1/4 flange.	PC	1	\$	5.93
07498363396	<b>PMS558</b>	STRAP HANGER,SIDE FEED,5/16-1/2 in,PK100	Strap hanger clip with hammer-on beam clamp for 5/16 - 1/2 flange.	PC	1	\$	6.01
07498363400	<b>PMS5912</b>	STRAP HANGER,SIDE FEED,9/16-3/4 in,PK100	Strap hanger clip with hammer-on beam clamp for 9/16" - 3/4" flange.	PC	1	\$	7.41
07498311030	<b>PMV1-3RB-XY</b>	Metric Ring Terminal, vinyl insulated, 0'	Metric ring terminal, vinyl barrel insulated, butted seam, funnel entry, 0.5 - 1.0mm <sup>2</sup> wire range, M3 stud size.	C	100	\$	111.35
07498336546	<b>PN10-12R-E</b>	Ring,Nylon Insul,12-10AWG,1/2"STUD,PK20	Ring Terminal, 12 - 10 AWG, 1/2" stud size, nylon insulated, convenience package.	C	100	\$	301.71
07498380323	<b>PN10-14F-D</b>	Fork,Nylon Ins,12-10AWG,1/4 IN,PK500	Fork Terminal, nylon insulated, 12- 10 AWG, 1/4 stud size, bulk package.	M	1000	\$	646.65
07498336548	<b>PN10-38R-E</b>	Ring,Nylon Insul,12-10AWG,3/8"STUD,PK20	Ring Terminal, 12 - 10 AWG, 3/8" stud size, nylon insulated, convenience package.	C	100	\$	189.96
07498380679	<b>PN10-8FF-2K</b>	Fork,Flange,Nylon,12-10AWG,#8,REEL2000	Flanged Fork Terminal, nylon insulated, metal insulation grip sleeve, 12- 10 AWG wire range, #8 stud size.	M	1000	\$	673.73
07498380612	<b>PN10-8FF-L</b>	Fork,Flange,Nylon,12-10AWG,#8,PK50	Flanged Fork Terminal, nylon insulated, 12 - 10 AWG, #8 stud size, standard package.	C	100	\$	197.10
61305602293	<b>PN10-8RN-D</b>	Ring,NylonInsul,12-10AWG,#8nSTUD,PK500	Ring Terminal, 12 - 10 AWG, #8 narrow stud size, nylon insulated, bulk package.	M	1000	\$	627.40
07498379990	<b>PN12-38HDR-2K</b>	Ring,HD,Nylon Ins,16-12AWG,3/8",REEL2000	Heavy Duty Ring Terminal, nylon insulated, metal insulation grip sleeve, 16 - 12 AWG wire range, .05 stock	M	1000	\$	819.73
07498380245	<b>PN12-38HDR-D</b>	Ring,HD,Nylon Ins,16-12AWG,3/8",PK500	Ring Terminal, 16-12 AWG, 3/8" stud size, heavy duty, nylon insulated, bulk package.	M	1000	\$	830.79
07498380886	<b>PN14-10FN-M</b>	Fork,NYL Ins,18-14AWG,#10,NRW,PK1000	Fork Terminal, nylon insulated, 16- 14 AWG, #10 stud size, narrow tongue, bulk package.	M	1000	\$	511.60
07498380315	<b>PN14-14F-M</b>	Fork,Nylon Ins,18-14AWG,1/4",PK1000	Fork Terminal, nylon insulated, 16- 14 AWG, 1/4 stud size, bulk package.	M	1000	\$	607.69
07498380623	<b>PN14-4R-3K</b>	Ring,Nylon,16-14AWG,#4 STUD,REEL3000	Ring Terminal, nylon insulated, metal sleeve, 16 - 14 AWG, #4 stud size.	M	1000	\$	444.01
07498381083	<b>PN14-6FN-3K</b>	Fork,NYL Ins,16-14AWG,#6,NRW,REEL3000	Fork Terminal, nylon insulated, narrow tongue,metal insulation grip sleeve, 16- 14 AWG wire range, #6 stud s	M	1000	\$	443.99
07498380884	<b>PN18-10FN-M</b>	Fork,NYL Ins,22-18AWG,#10,NRW,PK1000	Fork Terminal, nylon insulated, 22- 18 AWG, #10 stud size, narrow tongue, bulk package.	M	1000	\$	511.69
07498380307	<b>PN18-14F-M</b>	Fork, Nylon Ins,22-18AWG,1/4",PK1000	Fork Terminal, nylon insulated, 22- 18 AWG, 1/4 stud size, bulk package.	M	1000	\$	608.00
07498381024	<b>PNF10-10F-D</b>	Fork,Funnel,NYL Ins,12-10AWG,#10,PK500	Fork Terminal, nylon insulated, funnel entry, 12- 10 AWG, #10 stud size, bulk package.	M	1000	\$	787.30
07498351369	<b>PNF10-14LF-L</b>	Fork,Lock,Fnl,NYL,12-10AWG,1/4",PK50	Locking Fork Terminal, nylon insulated, funnel entry, 12- 10 AWG, 1/4 stud size.	C	100	\$	182.28
07498381016	<b>PNF10-6F-D</b>	Fork,Fnl,NYL Ins,12-10AWG,#6,PK500	Fork Terminal, nylon insulated, funnel entry, 12- 10 AWG, #6 stud size, bulk package.	M	1000	\$	787.30
07498351366	<b>PNF10-6LF-L</b>	Fork,Locking,Fnl,NYL,12-10AWG,#6,PK50	Locking Fork Terminal, nylon insulated, funnel entry, 12- 10 AWG, #6 stud size, standard package.	C	100	\$	173.74
07498381046	<b>PNF14-10F-M</b>	Fork,Fnl,NYL Ins,16-14AWG,#10,PK1000	Fork Terminal, nylon insulated, funnel entry, 16- 14 AWG, #10 stud size, bulk package.	M	1000	\$	586.15
07498351323	<b>PNF14-4R-C</b>	Ring,Funnel,Nylon,16-14AWG,#4,PK100	Ring Terminal, 16 - 14 AWG, #4 stud size, funnel entry, nylon insulated, standard package.	C	100	\$	140.98
07498351329	<b>PNF14-56R-C</b>	Ring,Funnel,Nylon,16-14AWG,5/16",PK100	Ring Terminal, 16 - 14 AWG, 5/16" stud size, funnel entry, nylon insulated, standard package.	C	100	\$	150.76
07498351322	<b>PNF18-38R-C</b>	Ring,Funnel,Nylon,22-18AWG,3/8",PK100	Ring Terminal, 22 - 18 AWG, 3/8" stud size, funnel entry, nylon insulated, standard package.	C	100	\$	157.09
07498381129	<b>PNF18-4R-3K</b>	Ring,Funnel,Nylon,22-18AWG,#4,REEL3000	Ring Terminal, nylon insulated, funnel entry, metal sleeve, 22 - 18 AWG, #4 stud size.	M	1000	\$	510.56
07498351315	<b>PNF18-4R-C</b>	Ring,Funnel,Nylon,22-18AWG,#4,PK100	Ring Terminal, 22 - 18 AWG, #4 stud size, funnel entry, nylon insulated, standard package.	C	100	\$	140.98
07498359713	<b>PNF18-4RN-M</b>	Ring,Funnel,Nylon,22-18AWG,#4,NRW,PK1000	Ring Terminal, 22 - 18 AWG, #4 stud size, narrow tongue, funnel entry, nylon insulated.	M	1000	\$	586.19
07498381147	<b>PNF18-6FF-3K</b>	Fork,Flange,Fnl,NYL,22-18AWG,#6,REEL3000	Flanged Fork Terminal, nylon insulated, funnel entry, metal insulation grip sleeve, 22 - 18 AWG wire range, #6	M	1000	\$	510.59
07498351316	<b>PNF18-6RN-C</b>	Ring,Funnel,Nylon,22-18AWG,#6,NRW,PK100	Ring Terminal, 22 - 18 AWG, #6 stud size, narrow tongue, funnel entry, nylon insulated, standard package.	C	100	\$	140.98
07498351360	<b>PNF18-8LF-C</b>	Fork,Locking,Fnl,NYL,22-18AWG,#8,PK100	Locking Fork Terminal, nylon insulated, funnel entry, 22-18 AWG, #8 stud size, standard package.	C	100	\$	149.46
07498363261	<b>PNL-1/0-2-L</b>	Cu,MechLug,2H,ST,#8SOL,1/0STR,9/16S,PK50	Two-hole, copper, single barrel, straight tongue lug, #8 SOL - 1/0 STR, 5/16 (7.9mm) stud hole.	C	100	\$	4,191.45
07498363256	<b>PNL-1000-3</b>	Cu,MechLug,1H,ST,500-1000K,1/2S,PK3	One-hole, copper, single barrel, straight tongue lug, 500 - 1000 kcmil, 1/2 (12.7mm) stud hole.	C	100	\$	13,499.03
07498363262	<b>PNL-250-2-Q</b>	Cu,MechLug,2H,ST,#6SOL,250K,3/8S,PK25	Two-hole, copper, single barrel, straight tongue lug, #6 SOL - 250 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	4,331.90
07498363263	<b>PNL-500-2-3</b>	Cu,MechLug,2H,ST,#4SOL,500K,3/8S,PK3	Two-hole, copper, single barrel, straight tongue lug, #4 SOL - 500 kcmil, 3/8 (9.5mm) stud hole.	C	100	\$	9,860.39
07498363265	<b>PNLC-1/0-3</b>	CuMechSplice,2-SetScrew,#8SOL-1/0STRPKG3	Two-set screw splice, copper, type PNLC, #8 SOL - 1/0 STR.	C	100	\$	4,126.59
07498363266	<b>PNLC-250-1</b>	Cu,MechSpl,2-SetSCR,#6SOL,250K,EA	Two-set screw splice, copper, type PNLC, #6 SOL - 250 kcmil.	C	100	\$	7,060.14
07498388055	<b>PPM-10</b>	Pre-Prtd Mrkrs,Hi-Temp,.25"x1.5",10,WH	Wire Marker Card, Hi-Temp, '10'	C	100	\$	401.11
07498388056	<b>PPM-11</b>	Pre-Prtd Mrkrs,Hi-Temp,.25"x1.5",11,WH	Wire Marker Card, Hi-Temp, '11'	C	100	\$	401.11
07498388057	<b>PPM-12</b>	Pre-Prtd Mrkrs,Hi-Temp,.25"x1.5",12,WH	Wire Marker Card, Hi-Temp, '12'	C	100	\$	401.11
07498388058	<b>PPM-13</b>	Pre-Prtd Mrkrs,Hi-Temp,.25"x1.5",13,WH	Wire Marker Card, Hi-Temp, '13'	C	100	\$	401.11
07498388059	<b>PPM-14</b>	Pre-Prtd Mrkrs,Hi-Temp,.25"x1.5",14,WH	Wire Marker Card, Hi-Temp, '14'	C	100	\$	420.21
07498388060	<b>PPM-15</b>	Pre-Prtd Mrkrs,Hi-Temp,.25"x1.5",15,WH	Wire Marker Card, Hi-Temp, '15'	C	100	\$	420.21
07498388049	<b>PPM-4</b>	Pre-Print,Mkr,Card,Hi-Temp,4,WH,PK25	Wire Marker Card, Hi-Temp, '4'	C	100	\$	420.21
07498388050	<b>PPM-5</b>	Pre-Prtd Mrkrs,Hi-Temp,.25"x1.5",5,WH	Wire Marker Card, Hi-Temp, '5'	C	100	\$	401.11
07498388051	<b>PPM-6</b>	Pre-Prtd Mrkrs,Hi-Temp,.25"x1.5",6,WH	Wire Marker Card, Hi-Temp, '6'	C	100	\$	401.11
07498388052	<b>PPM-7</b>	Pre-Prtd Mrkrs,Hi-Temp,.25"x1.5",7,WH	Wire Marker Card, Hi-Temp, '7'	C	100	\$	401.11
07498388053	<b>PPM-8</b>	Pre-Prtd Mrkrs,Hi-Temp,.25"x1.5",8,WH	Wire Marker Card, Hi-Temp, '8'	C	100	\$	401.11
07498388054	<b>PPM-9</b>	Pre-Print,Mkr,Card,Hi-Temp,9,WH,PK25	Wire Marker Card, Hi-Temp, '9'	C	100	\$	401.11

07498354768	PPS0103WSL1-ADI	SOLAR LBL,WRN,AC/DC INVERTER,WH/RD,PK50	Solar label, 1.5" H x 3.0" W (38.1mm x 76.2mm), warning header, "Electrical shock hazard ac/dc inverter" (leg	PC	1	\$	2.05
07498357281	PPS0103WSL1-SLC	SOLAR LBL,WRN,SOL LOAD CONTR,WH/RD,PK50	Solar label, 1.5" H x 3.0" W (38.1mm x 76.2mm), warning header, "Electrical shock hazard solar load control	PC	1	\$	2.05
07498380951	PPS0103WSL1-W09	SOLAR LBL,WRN,AC/DC INVRTR,BL/OR/WH,PK50	Solar label, 1.5" H x 3.0" W (38.1mm x 76.2mm), warning header, "Electrical shock hazard ac/dc inverter" (leg	PC	1	\$	1.96
07498380953	PPS0103WSL1-W10	SOLAR LBL,WRN,SOL LD CONT,BL/OR/WH,PK50	Solar label, 1.5" H x 3.0" W (38.1mm x 76.2mm), warning header, "Electrical shock hazard solar load control	PC	1	\$	1.96
07498380968	PPS0204CSL1-C01	SOLAR LBL,CAUTION,SOL ELECT,WH/RL,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), caution header, "Solar electric system connected" (legend)	PC	1	\$	3.21
07498381014	PPS0204CSL1-C02	SOLAR LBL,CAUTION,PV SYSTEM,.,BL/YL,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), caution header, "Photovoltaic system circuit is backed" (le	PC	1	\$	3.21
07498381028	PPS0204CSL1-C03	SOLAR LBL,CAUTION,PV SYSTEM,.,BL/YL,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), caution header, "Solar circuit" (legend), polyester adhesive	PC	1	\$	3.21
07498380964	PPS0204CSL1-PVS	SOLAR LBL,CAUTION,PV SYSTEM,.,WH/RD,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), caution header, "Pv system circuit breaker is backed" (leg	PC	1	\$	3.21
07498341113	PPS0204WS001	Adhesive Sign, Polyester, 2.25" X 4.5",	Adhesive Sign, Polyester, 2.25" X 4.5", WARNING Header, SOLAR, 1 sgn/cd, 5 cds/p, BL/OR/WH	PC	1	\$	9.69
07498374200	PPS0204WSL1-ACD	"2.00" X 4.00" Preprinted Solar Label *	2.00" X 4.00" Preprinted Solar Label *Warning: Turn Off Photovoltaic AC Disconnect Prior To Working Inside	PC	1	\$	3.21
07498360972	PPS0204WSL1-BPA	SOL LBL,WARN,BIPOLAR PV ARRAY,WH/RD,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Bipolar photovoltaic array disconnection	PC	1	\$	3.21
07498358355	PPS0204WSL1-DCC	SOLAR LBL,WARN,ELEC SHOCK HAZ,WH/RD,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Electrical shock hazard the dc conductor	PC	1	\$	2.46
07498360962	PPS0204WSL1-DPS	SOLAR LBL,WARN,DUAL POWER SRC,WH/RD,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Dual power source second source is a pv	PC	1	\$	3.21
07498360970	PPS0204WSL1-ESH	SOLAR LBL,WARN,ELEC SHCK HAZ,WH/RD,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Electrical shock hazard if a ground fault i	PC	1	\$	3.21
07498360963	PPS0204WSL1-IOC	SOLAR LBL,WARN,INVRTR OUTPUT,WH/RD,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Inverter output connection do not relocat	PC	1	\$	3.21
07498343297	PPS0204WSL1-TER	SOLAR LBL,WARN,DO NOT TOUCH,WH/RD,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Electrical shock hazard do not touch term	PC	1	\$	2.94
07498381029	PPS0204WSL1-W02	SOL LBL,WARN,DO NOT TOUCH,BL/OR/WH,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Electrical shock hazard do not touch term	PC	1	\$	3.21
07498381031	PPS0204WSL1-W03	SOL LBL,WARN,DC CONDUCTORS,BL/OR/WH,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Electrical shock hazard the dc conductor	PC	1	\$	3.21
07498381071	PPS0204WSL1-W04	SOL LBL,WARN,TURN OFF PV,BL/OR/WH,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Turn off photovoltaic ac disconnect prior	PC	1	\$	3.21
07498381093	PPS0204WSL1-W05	SOL LBL,WARN,DUAL PWR SRC,BL/OR/WH,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Dual power source second source is a p	PC	1	\$	3.21
07498381094	PPS0204WSL1-W06	SOL LBL,WARN,ELEC SHCK HAZ,BL/OR/WH,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Electrical shock hazard if a ground fault i	PC	1	\$	3.21
07498381098	PPS0204WSL1-W07	SOL LBL,WARN,BIPOLAR PV ARR,BL/OR/WH,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Bipolar photovoltaic array disconnection	PC	1	\$	3.21
07498381104	PPS0204WSL1-W08	SOL LBL,WARN,INVRTR OUTPUT,BL/OR/WH,PK50	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, "Inverter output connection do not relocat	PC	1	\$	3.21
07498353348	PPS0206BSR1-MD	SOLAR LBL,PV SYSTEM MAIN DISC,WH/RD,PK50	Solar label, 1.75" H x 6.0" W (44.5mm x 152.4mm), blank header, "Photovoltaic system main disconnect" (leg	PC	1	\$	3.95
07498338118	PPS0206BSR1-RS	Solar, Reflective Label, 6.00" X 1.75" (	Solar, Reflective Label, 6.00" X 1.75" (152.4mm X 44.45mm), "Photovoltaic System Equipped With Rapid Sh	PC	1	\$	2.81
07498353347	PPS0206BSR1-SD	SOLAR LABEL,PV SYSTEM DISC,WH/RD,PK50	Solar label, 1.75" H x 6.0" W (44.5mm x 152.4mm), blank header, "Photovoltaic system disconnect" (legend),	PC	1	\$	3.95
07498360971	PPS0206BSR1-SDI	SOLAR LABEL,SOLAR DISCONNECT,WH/RD,PK50	Solar label, 1.75" H x 6.0" W (44.5mm x 152.4mm), blank header, "Solar disconnect" (legend), reflective polye	PC	1	\$	3.95
07498374201	PPS0206CSR1-DND	SOLAR LBL,CAUTION,DO NOT DISC,WH/RD,PK50	Solar Label, 1.75" H x 6.00" W (44.5mm x 152.4mm), Caution Header, "Do Not Disconnect Under Load" (Leg	PC	1	\$	3.95
07498374202	PPS0206CSR1-SC	SOL LBL,CAUTION,SOLAR CIRCUIT,WH/RD,PK50	Solar Label, 1.75" H x 6.00" W (44.5mm x 152.4mm), Caution Header, "Solar Circuit" (Legend), Reflective Po	PC	1	\$	3.95
07498374203	PPS0206CSR1-SEC	SOL LBL,CAUTION,SOLAR ELEC,.,WH/RD,PK50	Solar Label, 1.75" H x 6.00" W (44.5mm x 152.4mm), Caution Header, "Solar Electric System Connected" (le	PC	1	\$	3.95
07498353350	PPS0206WSR1-PS	SOLAR LBL,WARN,PV PWR SRC,BL/OR/WH,PK50	Solar label, 1.75" H x 6.0" W (44.5mm x 152.4mm), warning header, "Photovoltaic power source" (legend), Ref	PC	1	\$	3.95
07498353363	PPS0404WSL1-TER	LABEL,SOLAR,ELECT SHOCK,.,RD/WH,PK50	Solar label, 4.0" H x 4.0" W (101.6mm x 101.6mm), warning header, "Electrical shock hazard..." (legend), pol	PC	1	\$	2.90
07498381109	PPS0404WSL1-W01	LABEL,SOLAR,ELECT SHOCK,.,OR/BL,WH,PK50	Solar label, 4.0" H x 4.0" W (101.6mm x 101.6mm), warning header, "Electrical shock hazard do not touch ter	PC	1	\$	2.94
07498363844	PPT16	T-BAR SCISSOR CLIP,5/8 in,STUD,PK50	T-bar scissor clip for 1" T-bar with 1/4"-20 stud 5/8" long	PC	1	\$	1.75
07498354880	PRT1S-C0	Cable Tie, Std, Rel, 4.8in, WR, BL, PK100	Pan-Ty® releasable tie, standard cross section, 4.8 (122mm) length, weather resistant nylon 6.6, black, stand	C	100	\$	43.31
07498354984	PRT2H-L	Cable Tie, LH, Rel, 8.4in, Nyl, Nat, SP	Pan-Ty® releasable tie, light-heavy cross section, 8.4 (213mm) length, nylon 6.6, natural, standard package.	C	100	\$	108.01
07498354985	PRT2H-L0	Cable Tie, LH, Rel, 8.4in, WR, BL, SP	Pan-Ty® releasable tie, light-heavy cross section, 8.4 (213mm) length, weather resistant nylon 6.6, black, sta	C	100	\$	118.34
07498338926	PRT3H-TL	Cable Tie, LH, Rel, 11.4in, Nyl, Nat, PK250	Pan-Ty® releasable tie, light-heavy cross section, 11.4 (290mm) length, nylon 6.6, natural, bulk package.	M	1000	\$	1,103.70
6130569840	PRT4S-M7	Cable Tie, Releasable, 14.5L (368mm), St	Pan-Ty® releasable wing push mount tie, standard cross section, 6.8 (173mm) length, heat stabilized nylon 6	M	1000	\$	708.08
07498357008	PRWP1.SS-D30	WgPshMntTie,Rel,6.8L,Std,HS,BL,PK500	M	1000	\$	670.50	
07498363162	PSC2A	CABLE CLP, 22-28, 1/16-3/16in, FLNG, PK100	Cable clip for 0.22" - 0.28" flexible cable on 1/16" - 3/16" flange.	PC	1	\$	0.75
07498363165	PSC2D	CABLE CLP, 47-56, 1/16-3/16in, FLNG, PK100	Cable clip for 0.47" - 0.56" flexible cable on 1/16" - 3/16" flange.	PC	1	\$	0.85
07498363166	PSC2E	CABLE CLP, 50-72, 1/16-3/16in, FLNG, PK100	Cable clip for 0.50" - 0.72" flexible cable on 1/16" - 3/16" flange.	PC	1	\$	0.90
07498363167	PSC2F	CABLE CLP, 75-94, 1/16-3/16in, FLNG, PK100	Cable clip for 0.75" - 0.94" flexible cable on 1/16" - 3/16" flange.	PC	1	\$	0.88
07498363168	PSC2G	CBLE CLP, 97-1.25, 1/16-3/16in, FLNG, PK100	Cable clip for 0.97" - 1.25" flexible cable on 1/16" - 3/16" flange.	PC	1	\$	0.98
07498363169	PSC4A	CABLE CLP, 22-28, 3/16-9/32in, FLNG, PK100	Cable clip for 0.22" - 0.28" flexible cable on 3/16" - 9/32" flange.	PC	1	\$	0.75
07498363188	PSC4F	CABLE CLP, 75-94, 3/16-9/32in, FLNG, PK100	Cable clip for 0.75" - 0.94" flexible cable on 3/16" - 9/32" flange.	PC	1	\$	0.88
07498363196	PSC4G	CBLE CLP, 97-1.25, 3/16-9/32in, FLNG, PK100	Cable clip for 0.97" - 1.25" flexible cable on 3/16" - 9/32" flange.	PC	1	\$	0.98
07498363197	PSC8A	CABLE CLI, 22-28, 5/16-1/2in, FLNG, PK100	Cable clip for 0.22" - 0.28" flexible cable on 5/16" - 1/2" flange.	PC	1	\$	0.75
07498363218	PSC8B	CABLE CLIP, 31-38, 5/16-1/2in, FLNG, PK100	Cable clip for 0.31" - 0.38" flexible cable on 5/16" - 1/2" flange.	PC	1	\$	0.71
07498363224	PSC8C	CABLE CLIP, 38-44, 5/16-1/2in, FLNG, PK100	Cable clip for 0.38" - 0.44" flexible cable on 5/16" - 1/2" flange.	PC	1	\$	0.79
07498363225	PSC8D	CABLE CLIP, 47-56, 5/16-1/2in, FLNG, PK100	Cable clip for 0.47" - 0.56" flexible cable on 5/16" - 1/2" flange.	PC	1	\$	0.85
07498363227	PSC8E	CABLE CLIP, 50-72, 5/16-1/2in, FLNG, PK100	Cable clip for 0.50" - 0.72" flexible cable on 5/16" - 1/2" flange.	PC	1	\$	0.79
07498363244	PSC8F	CABLE CLIP, 75-94, 5/16-1/2in, FLNG, PK100	Cable clip for 0.75" - 0.94" flexible cable on 5/16" - 1/2" flange.	PC	1	\$	0.88
07498363251	PSC8G	CABLE CLP, 97-1.25, 5/16-1/2in, FLNG, PK100	Cable clip for 0.97" - 1.25" flexible cable on 5/16" - 1/2" flange.	PC	1	\$	1.09
07498364115	PSCH16B	ONE-PIECE STRUT CLAMP, 1 in, EMT, PK50	One-piece strut clamp with saddle used to secure 1" conduit, 3/4" Rigid/IMC, 59 lbs. static load capacity.	PC	1	\$	2.31
07498364116	PSCH20B	ONE-PIECE STRUT CLAMP, 1-1/4 in, EMT, PK50	One-piece strut clamp with saddle used to secure 1-1/4" conduit, 1" Rigid/IMC, 75 lbs. static load capacity.	PC	1	\$	2.36
07498364119	PSCH40B	ONE-PIECE STRUT CLAMP, 2in, RIGID/IMC, PK25	One-piece strut clamp with saddle used to secure 2" Rigid/IMC conduit, 80 lbs. static load capacity.	PC	1	\$	4.24
07498364120	PSCH48B	ONE-PIECE STRUT CLAMP, 2-1/2 in, EMT, PK25	One-piece strut clamp with saddle used to secure 2-1/2" Rigid/IMC, 125 lbs. static load capacity	PC	1	\$	4.64
07498364121	PSCH56B	ONE-PIECE STRUT CLAMP, 3 in, EMT, PK30	One-piece strut clamp with saddle used to secure 3" conduit, 3" Rigid/IMC, 160 lbs. static load capacity.	PC	1	\$	5.89
07498364122	PSCH64B	ONE-PIECE STRUT CLAMP, 3-1/2 in, EMT, PK30	One-piece strut clamp with saddle used to secure 3-1/2" conduit, 3 1/2" Rigid/IMC, 200 lbs. static load capaci	PC	1	\$	7.20
07498364113	PSCH8B	ONE-PIECE STRUT CLAMP, 1/2 in, EMT, PK100	One-piece strut clamp with saddle used to secure 1/2" conduit, 50 lbs. static load capacity.	PC	1	\$	2.49
07498301351	PSCPUR-Q	CuParallelSplice,Color-dPurplePKG25	Copper parallel splice, purple.	C	100	\$	631.73
07498363333	PSK125I	UNIV STRUT CLAMP, 3/4 in, CONDUIT, PK100	Universal strut clamp for 3/4" EMT/Rigid/IMC conduit, 200 lbs. static load capacity.	PC	1	\$	1.93
07498363334	PSK165I	UNIV STRUT CLAMP, 1 in, CONDUIT, PK100	Universal strut clamp for 1" EMT/Rigid/IMC conduit, 200 lbs. static load capacity.	PC	1	\$	2.00
07498363335	PSK205I	UNIV STRUT CLAMP, 1.25 in, CONDUIT, PK100	Universal strut clamp for 1 1/4" EMT/Rigid/IMC conduit, 200 lbs. static load capacity.	PC	1	\$	2.00
07498363336	PSK245I	UNIV STRUT CLAMP, 1.50 in, CONDUIT, PK50	Universal strut clamp for 1 1/2" EMT/Rigid/IMC conduit, 200 lbs. static load capacity.	PC	1	\$	2.49
07498363337	PSK325I	UNIV STRUT CLAMP, 2 in, CONDUIT, PK50	Universal strut clamp for 2" EMT/Rigid/IMC conduit, 200 lbs. static load capacity.	PC	1	\$	2.80
07498363339	PSK485I	UNIV STRUT CLAMP, 3 in, CONDUIT, PK50	Universal strut clamp for 3" EMT/Rigid/IMC conduit, 350 lbs. static load capacity	PC	1	\$	4.34
07498363340	PSK565I	UNIV STRUT CLAMP, 3.50 in, CONDUIT, PK25	Universal strut clamp for 3 1/2" EMT/Rigid/IMC conduit, 350 lbs. static load capacity.	PC	1	\$	4.64
07498363341	PSK645I	UNIV STRUT CLAMP, 4 in, CONDUIT, PK25	Universal strut clamp for 4" EMT/Rigid/IMC conduit, 350 lbs. static load capacity.	PC	1	\$	4.68
07498363332	PSK85I	UNIV STRUT CLAMP, 1/2 in, CONDUIT, PK100	Universal strut clamp for 1/2" EMT/Rigid/IMC conduit, 200 lbs. static load capacity.	PC	1	\$	1.84
07498383304	PSN12-L	ParallelSplice,Nyl114,12AWG,PK50	Parallel Splice, 14 - 12 AWG, nylon insulated, standard package.	C	100	\$	130.39
07498343786	PSWM-1500Y	Vyl W/O Self-Lam W/M, 1.5" X 1.5" X .75", 6 Mk	White write-on, self-laminating vinyl label, 1.50 x 1.50.	C	100	\$	321.89
07498380837	PV10-10LFX-D	Locking Fork Terminal, Vyl, 12-10AWG, #10Std, PK500	Locking Fork Terminal, vinyl insulated, 12- 10 AWG, #10 stud size, expanded insulation for large wire O.D., b	M	1000	\$	512.75
07498336239	PV10-10R-E	Ring Terminal, Vinyl, 12-10AWG, #10, PK20	Ring Terminal, 12 - 10 AWG, #10 stud size, vinyl insulated, funnel entry, convenience package.	C	100	\$	124.96
07498380819	PV10-14LF-D	LkgForkTerm,Vyl,12,10AWG,1/4"StudPK500	Locking Fork Terminal, vinyl insulated, funnel entry, butted seam, 12- 10 AWG, 1/4 stud size, bulk package.	M	1000	\$	507.80

07498380838	<b>PV10-14LFX-L</b>	LkgForkTerm,Vyl,12-10AWG,1/4"Std,PK50	Locking Fork Terminal, vinyl insulated, 12- 10 AWG, 1/4 stud size, expanded insulation for large wire O.D.	C	100	\$	166.98
07498380177	<b>PV10-56RX-D</b>	RingTerm,Vyl,12,10AWG,5/16"Stud,PK500	Ring Terminal, 12 – 10 AWG, 5/16" stud size, vinyl insulated, expanded insulation for large wire O.D., bulk pa	M	1000	\$	537.68
07498380832	<b>PV10-6LFX-L</b>	LkgForkTerm,Vyl,12,10AWG,#6Stud,PK50	Locking Fork Terminal, vinyl insulated, 12- 10 AWG, #6 stud size, expanded insulation for large wire O.D., sta	C	100	\$	135.10
07498380168	<b>PV10-6RX-L</b>	RingTerm,Vyl,12,10AWG,#6Stud,PK50	Ring Terminal, 12 – 10 AWG, #6 stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	122.69
07498380835	<b>PV10-8LFX-D</b>	LkgForkTerm,Vyl,12-10AWG,#8Std,PK500	Locking Fork Terminal, vinyl insulated, 12- 10 AWG, #8 stud size, expanded insulation for large wire O.D., bu	M	1000	\$	512.75
07498336243	<b>PV10-8R-E</b>	Ring Terminal,Vinyl,12-10AWG,#8,PK20	Ring Terminal, 12 – 10 AWG, #8 stud size, vinyl insulated, funnel entry, convenience package.	C	100	\$	112.66
61305675790	<b>PV10-P55-EYY</b>	Terminal Convenience Package	Pin Terminal, 12 10 AWG, vinyl insulated, .55 pin length, convenience package.	C	100	\$	230.63
07498380262	<b>PV12-38HDR-L</b>	RingTerm,HDty,Vyl,16,12AWG,3/8"StudPK50	Ring Terminal, 16 – 12 AWG, 3/8" stud size, heavy duty, vinyl insulated, funnel entry, standard package.	C	100	\$	158.30
07498380260	<b>PV12-56HDR-L</b>	RingTerm,HDty,Vyl,16,12AWG,5/16"StudPK500	Ring Terminal, 16 – 12 AWG, 5/16" stud size, heavy duty, vinyl insulated, funnel entry, standard package.	C	100	\$	166.21
07498336374	<b>PV14-10F-E</b>	Fork Terminal,Vinyl,16-14AWG,#10,PK20	Fork Terminal, vinyl insulated, funnel entry, 16 – 14 AWG, #10 stud size, convenience package.	C	100	\$	96.80
07498380876	<b>PV14-10LFN-M</b>	LkgForkTerm,Narrow,Vyl,18,#10StudPK1000	Locking Fork Terminal, vinyl insulated, funnel entry, 18- 14 AWG, #10 stud size, narrow tongue, bulk package	M	1000	\$	322.35
07498336244	<b>PV14-10R-E</b>	Ring Terminal,Vinyl,16-14AWG,#10,PK20	Ring Terminal, 16 – 14 AWG, #10 stud size, vinyl insulated, funnel entry, convenience package.	C	100	\$	96.80
07498352493	<b>PV14-14F-M</b>	Fork Term,Vinyl,16-14AWG,1/4IN,PK1000	Fork Terminal, vinyl insulated, funnel entry, 16- 14 AWG, 1/4 stud size, bulk package.	M	1000	\$	443.05
07498380166	<b>PV14-38RX-L</b>	RingTerm,Vyl,16,14AWG,3/8"Stud,PK50	Ring Terminal, 16 – 14 AWG, 3/8" stud size, vinyl insulated, expanded insulation for large wire O.D.	C	100	\$	121.83
07498336254	<b>PV14-6F-E</b>	Fork Terminal,Vinyl,16-14AWG,#6,PK20	Fork Terminal, vinyl insulated, funnel entry, 16 – 14 AWG, #6 stud size, convenience package.	C	100	\$	96.80
07498346503	<b>PV14-6FF-C</b>	FlgdForkTerm,Vyl,16,14AWG,#6Stud,PK100	Flanged Fork Terminal, vinyl insulated, funnel entry, 16- 14 AWG, #6 stud size, standard package.	C	100	\$	91.38
07498380424	<b>PV14-6FX-C</b>	ForkTerm,Vyl,16,14AWG,#6Stud,PK100	Fork Terminal, vinyl insulated, 16- 14 AWG, #6 stud size, expanded insulation for large wire O.D., standard p	C	100	\$	114.04
07498336348	<b>PV14-8F-E</b>	Fork Terminal,Vinyl,16-14AWG,#8,PK20	Fork Terminal, vinyl insulated, funnel entry, 16 – 14 AWG, #8 stud size, convenience package.	C	100	\$	94.28
07498380427	<b>PV14-8FX-M</b>	ForkTerm,Vyl,16,14AWG,#8Stud,PK1000	Fork Terminal, vinyl insulated, 16- 14 AWG, #8 stud size, expanded insulation for large wire O.D., bulk packa	M	1000	\$	368.53
07498336422	<b>PV14-8LF-E</b>	Locking Fork,Vinyl,16-14AWG,#8,PK20	Locking Fork Terminal, vinyl insulated, funnel entry, 18- 14 AWG, #8 stud size, convenience package.	C	100	\$	104.78
07498380158	<b>PV14-8RX-C</b>	RingTerm,Vyl,16,14AWG,#8Stud,PK100	Ring Terminal, 16 – 14 AWG, #8 stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	92.63
07498368650	<b>PV18-10FF-CY</b>	FlgdForkTerm,Vyl,22,16AWG,#10StudPK100	Flanged Fork Terminal, vinyl insulated, funnel entry, 22 - 16 AWG, #10 stud size.	C	100	\$	91.95
07498341072	<b>PV18-10FN-MY</b>	ForkTerm,Vyl,22,16AWG,#10StudPK1000	Fork Terminal, vinyl insulated, funnel entry, 22- 16 AWG, #10 stud size, narrow tongue, bulk package.	M	1000	\$	328.20
07498368714	<b>PV18-10FX-CY</b>	ForkTerm,Vyl,22,18AWG,#10Stud,PK100	Fork Terminal, vinyl insulated, 22- 18 AWG, #10 stud size, expanded insulation for large wire O.D., standard	C	100	\$	88.09
07498368853	<b>PV18-10RX-CY</b>	RingTerm,Vyl,22,18AWG,#10Stud,PK100	Ring Terminal, 22 – 18 AWG, #10 stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	87.70
07498368857	<b>PV18-14RX-CY</b>	RingTerm,Vyl,22,18AWG,1/4"Stud,PK100	Ring Terminal, 22 – 18 AWG, 1/4" stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	120.64
07498312067	<b>PV18-38RX-LY</b>	RingTerm,Vyl,22,18AWG,3/8"Stud,PK50	Ring Terminal, 22 – 18 AWG, 3/8" stud size, vinyl insulated, expanded insulation for large wire O.D.	C	100	\$	111.69
07498341505	<b>PV18-6FF-MY</b>	FlgdForkTerm,Vyl,22,16AWG,#6StudPK1000	Flanged Fork Terminal, vinyl insulated, funnel entry, 22- 16 AWG, #6 stud size, bulk package.	M	1000	\$	421.28
07498369459	<b>PV18-6FX-CY</b>	Fork Terminal, vinyl insulated, 22- 18 AWG, #6 stud size, expanded insulation for large wire O.D., standard p	C	100	\$	99.95	
07498369462	<b>PV18-6LFW-CY</b>	LkgForkTerm,WideVyl,22,18AWG,#6StudPK1000	Locking Fork Terminal, vinyl insulated, funnel entry, 22- 18 AWG, #6 stud size, wide tongue, standard packag	C	100	\$	87.24
07498369463	<b>PV18-6LFX-CY</b>	LkgForkTerm,Vyl,22,16AWG,#6Stud,PK100	Locking Fork Terminal, vinyl insulated, 22- 16 AWG, #6 stud size, expanded insulation for large wire O.D., sta	C	100	\$	100.73
07498369467	<b>PV18-6RX-CY</b>	RingTerm,Vyl,22,18AWG,#6Stud,PK100	Ring Terminal, 22 – 18 AWG, #6 stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	87.70
07498369472	<b>PV18-8FX-CY</b>	ForkTerm,Vyl,22,18AWG,#8Stud,PK100	Fork Terminal, vinyl insulated, 22- 18 AWG, #8 stud size, expanded insulation for large wire O.D., standard p	C	100	\$	103.91
07498369476	<b>PV18-8LFX-CY</b>	LkgForkTerm,Vyl,22,16AWG,#8Stud,PK1000	Locking Fork Terminal, vinyl insulated, 22- 16 AWG, #8 stud size, expanded insulation for large wire O.D., sta	C	100	\$	95.93
07498369480	<b>PV18-8RX-CY</b>	RingTerm,Vyl,22,18AWG,#8Stud,PK100	Ring Terminal, 22 – 18 AWG, #8 stud size, vinyl insulated, expanded insulation for large wire O.D., standard	C	100	\$	87.70
07498369486	<b>PV2-10RX-XY</b>	RingTerm,VylExp,2AWG,#10Stud,PK10	Ring Terminal, large wire, 2 AWG, #10 stud size, vinyl expanded insulation, standard package.	C	100	\$	550.64
07498369488	<b>PV2-12R-XY</b>	RingTerm,Vyl,2AWG,1/2"Stud,PK10	Ring Terminal, large wire, 2 AWG, 1/2" stud size, vinyl insulated, standard package.	C	100	\$	597.36
07498342046	<b>PV2-14RX-TY</b>	RingTerm,VylExp,2AWG,1/4"Stud,PK200	Ring Terminal, large wire, 2 AWG, 1/4" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	3,785.51
07498369498	<b>PV2-38RX-XY</b>	RingTerm,Vyl,2AWG,3/8"Stud,PK10	Ring Terminal, large wire, 2 AWG, 3/8" stud size, vinyl expanded insulation, standard package.	C	100	\$	550.64
61305675792	<b>PV22-10R-CYY</b>	Ring Terminal, vinyl insulated, 26 - 22	Ring Terminal, 26 – 22 AWG, #10 stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	74.13
61305675795	<b>PV22-2R-MYY</b>	Ring Terminal, vinyl insulated, 26 - 22	Ring Terminal, 26 – 22 AWG, #2 stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	320.70
61305675796	<b>PV22-4F-CYY</b>	Fork Terminal, vinyl insulated, 26 - 22	Fork Terminal, vinyl insulated, funnel entry, 26 - 22 AWG, #4 stud size, standard package.	C	100	\$	74.13
61305675799	<b>PV22-4R-MYY</b>	Ring Terminal, vinyl insulated, 26 - 22	Ring Terminal, 26 – 22 AWG, #4 stud size, vinyl insulated, funnel entry, bulk package.	M	1000	\$	320.70
61305675800	<b>PV22-6F-CYY</b>	Fork Terminal, vinyl insulated, 26 - 22	Fork Terminal, vinyl insulated, funnel entry, 26 - 22 AWG, #6 stud size, standard package.	C	100	\$	74.13
61305675802	<b>PV22-6R-CYY</b>	Ring Terminal, vinyl insulated, 26 - 22	Ring Terminal, 26 – 22 AWG, #6 stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	74.13
61305675804	<b>PV22-8R-CYY</b>	Ring Terminal, vinyl insulated, 26 - 22	Ring Terminal, 26 – 22 AWG, #8 stud size, vinyl insulated, funnel entry, standard package.	C	100	\$	74.13
07498387039	<b>PV4-12RX-E</b>	RingTerm,VylExp,4AWG,1/2"Stud,PK20	Ring Terminal, large wire, 4 AWG, 1/2" stud size, vinyl expanded insulation, standard package.	C	100	\$	492.05
07498387036	<b>PV4-14RX-E</b>	RingTerm,Vyl,4AWG,1/4"Stud,PK20	Ring Terminal, large wire, 4 AWG, 1/4" stud size, vinyl expanded insulation, standard package.	C	100	\$	492.05
07498387109	<b>PV4-38R-T</b>	RingTerm,Vyl,4AWG,3/8"Stud,PK200	Ring Terminal, large wire, 4 AWG, 3/8" stud size, vinyl insulated, bulk package.	M	1000	\$	2,298.78
07498387043	<b>PV4-38RX-T</b>	RingTerm,VylExp,4AWG,3/8"Stud,PK200	Ring Terminal, large wire, 4 AWG, 3/8" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	2,665.28
07498387037	<b>PV4-56RX-E</b>	RingTerm,VylExp,4AWG,5/16"Stud,PK20	Ring Terminal, large wire, 4 AWG, 5/16" stud size, vinyl expanded insulation, standard package.	C	100	\$	491.99
07498312454	<b>PV6-38RX-X</b>	RingTerm,Vyl,6AWG,3/8"Stud,PK10	Ring Terminal, large wire, 6 AWG, 3/8" stud size, vinyl expanded insulation, standard package.	C	100	\$	426.64
07498312453	<b>PV6-56RX-X</b>	RingTerm,VylExp,6AWG,5/16"Stud,PK10	Ring Terminal, large wire, 6 AWG, 5/16" stud size, vinyl expanded insulation, standard package.	C	100	\$	426.64
07498387007	<b>PV6-8RX-E</b>	RingTerm,VylExp,6AWG,#8Stud,PK20	Ring Terminal, large wire, 6 AWG, #8 stud size, vinyl expanded insulation, standard package.	C	100	\$	426.64
07498312452	<b>PV8-12RX-XY</b>	RingTerm,VylExp,8AWG,1/2"Stud,PK10	Ring Terminal, large wire, 8 AWG, 1/2" stud size, vinyl expanded insulation.	C	100	\$	346.36
07498341420	<b>PV8-38RX-TY</b>	RingTerm,VylExp,8AWG,3/8"Stud,PK200	Ring Terminal, large wire, 8 AWG, 3/8" stud size, vinyl expanded insulation, bulk package.	M	1000	\$	1,863.41
07498369514	<b>PV8-8RX-QY</b>	RingTerm,Vyl,8AWG,#8Stud,PK25	Ring Terminal, large wire, 8 AWG, #8 stud size, vinyl expanded insulation, standard package.	C	100	\$	323.85
07498364049	<b>PVF14</b>	PURLIN CLIP,1/16-1/4 in,PK100	Purlin clip for 1/16" - 1/4" vertical flange.	PC	1	\$	0.79
07498363525	<b>PVF144TI</b>	PURLIN CLP,1/16-5/32 in,1/4 in ROD,PK100	Purlin clip for 1/16" - 5/32" vertical flange with rod hanger for 1/4" threaded rod.	PC	1	\$	1.78
07498363520	<b>PVF146T</b>	PURLIN CLP,1/16-5/32 in,1/4-3/8 in,PK100	Purlin clip for 1/16" - 5/32" vertical flange with rod hanger for 1/4" - 3/8" threaded rod - requires nuts.	PC	1	\$	1.74
07498363567	<b>PVF146TI</b>	PURLIN CLP,1/16-5/32 in,3/8 in ROD,PK100	Purlin clip for 1/16" - 5/32" vertical flange with rod holder for 3/8" threaded rod.	PC	1	\$	1.78
07498363515	<b>PVF14708</b>	PURLIN CLP,1/16-5/32 in,#8 WIRE,PK100	Purlin clip for 1/16" - 5/32" vertical flange with rod holder for #8 wire through 1/4" plain rod.	PC	1	\$	1.75
61305656979	<b>PVS0305D7347</b>	Safety Sign, 3.50"H x 5.0"W, Danger 'Con		PC	1	\$	16.51
61305656977	<b>PVS1014D7345</b>	Safety Sign, 10.0"H x 14.0"W, Danger 'Re	Safety Sign, 10.0"H x 14.0"W, Danger 'Regulated Area- Beryllium', Adhesive Vinyl, Red/ Black on White	PC	1	\$	16.74
61305656972	<b>PVS1014D7346</b>	Safety Sign, 10.0"H x 14.0"W, Danger 'Re	Safety Sign, 10.0"H x 14.0"W, Danger 'Respirable Crystalline Silica', Adhesive Vinyl, Red/ Black on White	PC	1	\$	16.74
07498310344	<b>PW150F-L3</b>	Panwrap,1.50 IDx50ft,Orange,1rl	Pan-Wrap™ split harness wrap, 1.5" (38.1mm), 50 ft. (15m) per reel, polyethylene, orange.	RL	1	\$	425.06
07498310341	<b>PW50F-T3</b>	Panwrap, .50 IDx200ft,Orange,1rl	Pan-Wrap™ split harness wrap, .50" (12.7mm), 200 ft. (61m) per reel, polyethylene, orange.	RL	1	\$	366.65
07498310339	<b>PW50F-T4</b>	Panwrap, .50 IDx200ft,Yellow,1rl	Pan-Wrap™ split harness wrap, .50" (12.7mm), 200 ft. (61m) per reel, polyethylene, yellow.	RL	1	\$	366.65
07498310381	<b>PW75F-C4</b>	Panwrap, .75 IDx100ft,Yellow,1rl	Pan-Wrap™ split harness wrap, .75" (19.1mm), 100 ft. (30m) per reel, polyethylene, yellow.	RL	1	\$	258.45
07498373673	<b>PWMX3</b>	FLEX CONDUIT/CABLE HANGER,1-1/8 in,PK100	Flexible conduit/cable hanger, 1 1/8" bundle, 3 runs of MC/AC, 50 lbs. ultimate load.	PC	1	\$	0.60
07498380267	<b>RGS13442-1</b>	Grounding Strip KI,42 RU,Thread Rail, EA	Grounding strip; 73.40" (1.9m) length; .67" (17mm) width; .05" (1.27mm) thickness; provided with .16 oz. (5cc	KT	1	\$	162.73
07498380273	<b>RGS13452-1</b>	Grounding Strip KI,52 RU,Thread Rail,EA	Grounding strip; 90.90" (2.3m) length; .67" (17mm) width; .05" (1.27mm) thickness; provided with .16 oz. (5cc	KT	1	\$	170.05
07498302290	<b>RGTBS1032G</b>	Bonding Screw, Green, 4 Pk.	Four pack, green, thread-forming bonding screw, #10-32 x 1/2".	KT	1	\$	9.44
07498369760	<b>RGTBSM5G-C</b>	Bonding Screw, Green,M5,100PK	Green thread-forming bonding screw, M5 x 15mm.	C	100	\$	126.00
07498360876	<b>RGTS-CY</b>	Grounding Screw,Thread-Form,12-24 ,100PK	Thread-forming grounding screw, #12-24 x 1/2".	C	100	\$	38.08
61305631167	<b>S100X125TAT-A</b>	TT,Self-LamLbl,Tedlar,PK2500	The thermal transfer self-laminating adhesive label is made of self-extinguishing polyvinylfluoride and is suppli	M	1000	\$	182.53
07498359909	<b>S250-56R-5</b>	TubeRingTerm,NonIns,250Kcmil,5/16StudPK5	Tubular Ring Terminal, 250 kcmil, 5/16 stud size, non-insulated, standard package.	C	100	\$	995.34

07498359911	<b>S250-76R-5</b>	TubRingTerm,NonIns,250Kcmil,7/16StudPK5	Tubular Ring Terminal, 250 kcmil, 7/16 stud size, non-insulated, standard package.	C	100	\$	1,042.73
07498359895	<b>S3/0-76R-5</b>	TubRingTerm,NonIns,3/0AWG,7/16StudPK5	Tubular Ring Terminal, 3/0 AWG, 7/16 stud size, non-insulated, standard package.	C	100	\$	749.13
07498391290	<b>SA1000-1</b>	AlSplice,TinPlated,1000kcmilPKG1	Aluminum splice, type SA, tin plated, 1000 kcmil.	C	100	\$	14,465.78
07498397025	<b>SA900-1</b>	AlSpl,TypeSA,TinPltd,900KcmilEA	Aluminum splice, type SA, tin plated, 900 kcmil.	C	100	\$	10,535.53
07498354519	<b>SBA1/0-Q</b>	SplitBolt,Al,1/0STR-#8SOLA,PKG25	Split bolt, aluminum dual rated, type SBA, 1/0 STR - #8 SOL AWG.	C	100	\$	1,985.68
07498390301	<b>SBA2-C</b>	SplitBolt,Al,#2STR-#8STRAWG,PKG100	Split bolt, aluminum dual rated, type SBA, #2 STR - #8 STR AWG.	C	100	\$	1,570.59
07498390307	<b>SBA2/0-Q</b>	SplitBolt,Al,2/0STR-#8STRAWG,PKG25	Split bolt, aluminum dual rated, type SBA, 2/0 STR - #8 STR AWG.	C	100	\$	3,212.91
07498390312	<b>SBA350-1</b>	SplitBolt,Al,350Kcmil-#4STRAWG,PKG1	Split bolt, aluminum dual rated, type SBA, 350 kcmil - #4 STR AWG.	C	100	\$	10,090.33
07498390308	<b>SBA4/0-Q</b>	SplitBolt,Al,4/0STR-#6STRAWG,PKG25	Split bolt, aluminum dual rated, type SBA, 4/0 STR - #6 STR AWG.	C	100	\$	5,243.03
07498390313	<b>SBA500-1</b>	SplitBit,Al,500K,#2STR,DualRatd,EA	Split bolt, aluminum dual rated, type SBA, 500 kcmil - #2 STR.	C	100	\$	13,152.43
07498390303	<b>SBA6-C</b>	SplitBolt,Al,#6STR-#10SOLA,PKG100	Split bolt, aluminum dual rated, type SBA, #6 STR - #10 SOL AWG.	C	100	\$	1,041.10
61305617238	<b>SBBOLT25100-C</b>	HexBolt,FullThread,1/4"-20UNCx1"L,100	1/4"-20 UNC X 1" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	120.08
61305617239	<b>SBBOLT25125-C</b>	HexBolt,FullThread,1/4"-20UNCx1 1/4",100	1/4"-20 UNC X 1 1/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	150.93
61305617240	<b>SBBOLT25150-C</b>	HexBolt,FullThread,1/4"-20UNCx1 1/2",100	1/4"-20 UNC X 1 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	155.84
61305617241	<b>SBBOLT25200-C</b>	HexBolt,FullThread,1/4"-20UNCx2",100	1/4"-20 UNC X 2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	199.10
61305617242	<b>SBBOLT25250-C</b>	HexBolt,FullThread,1/4"-20UNCx2 1/2",100	1/4"-20 UNC X 2 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	233.09
61305617243	<b>SBBOLT25300-C</b>	HexBolt,FullThread,1/4"-20UNCx3",100	1/4"-20 UNC X 3" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	971.94
61305617235	<b>SBBOLT2550-C</b>	HexBolt,FullThread,1/4"-20UNCx1/2",100	1/4"-20 UNC X 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	89.14
61305617236	<b>SBBOLT2562-C</b>	HexBolt,FullThread,1/4"-20UNCx5/8",100	1/4"-20 UNC X 5/8" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	105.44
61305617237	<b>SBBOLT2575-C</b>	HexBolt,FullThread,1/4"-20UNCx3/4",100	1/4"-20 UNC X 3/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	105.25
61305617247	<b>SBBOLT31100-C</b>	HexBolt,FullThread,5/16"-16UNCx1",100	5/16"-16 UNC X 1" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	230.99
61305617248	<b>SBBOLT31125-C</b>	HexBolt,FullThread,5/16"-16UNC1 1/4",100	5/16"-16 UNC X 1 1/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	230.71
61305617250	<b>SBBOLT31150-C</b>	HexBolt,FullThread,5/16"-16UNC1 1/2",100	5/16"-16 UNC X 1 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	255.14
61305617251	<b>SBBOLT31175-C</b>	HexBolt,FullThread,5/16"-16UNC1 3/4",100	5/16"-16 UNC X 1 3/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	302.00
61305617252	<b>SBBOLT31200-C</b>	HexBolt,FullThread,5/16"-16UNCx2",100	5/16"-16 UNC X 2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	327.21
61305617253	<b>SBBOLT31250-C</b>	HexBolt,FullThread,5/16"-16UNC2 1/2",100	5/16"-16 UNC X 2 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	409.96
61305617254	<b>SBBOLT31300-C</b>	HexBolt,FullThread,5/16"-16UNCx3",100	5/16"-16 UNC X 3" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	1,926.18
61305617244	<b>SBBOLT3150-C</b>	HexBolt,FullThread,5/16"-16UNCx1/2",100	5/16"-16 UNC X 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	197.25
61305617245	<b>SBBOLT3162-C</b>	HexBolt,FullThread,5/16"-16UNCx5/8",100	5/16"-16 UNC X 5/8" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	211.11
61305617246	<b>SBBOLT3175-C</b>	HexBolt,FullThread,5/16"-16UNCx3/4",100	5/16"-16 UNC X 3/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	202.03
61305617258	<b>SBBOLT38100-C</b>	HexBolt,FullThread,3/8"-16UNCx1",100	3/8"-16 UNC X 1" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	291.28
61305617259	<b>SBBOLT38125-C</b>	HexBolt,FullThread,3/8"-16UNCx1 1/4",100	3/8"-16 UNC X 1 1/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	322.88
61305617260	<b>SBBOLT38150-C</b>	HexBolt,FullThread,3/8"-16UNCx1 1/2",100	3/8"-16 UNC X 1 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	389.93
61305617339	<b>SBBOLT38175-C</b>	HexBolt,FullThread,3/8"-16UNCx1 3/4",100	3/8"-16 UNC X 1 3/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	419.96
61305617340	<b>SBBOLT38200-C</b>	HexBolt,FullThread,3/8"-16UNCx2",100	3/8"-16 UNC X 2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	415.44
61305617296	<b>SBBOLT38250-C</b>	3/8"-16 UNC X 2 1/2" LG. HEX BOLT Full Th	3/8"-16 UNC X 2 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	479.91
61305617297	<b>SBBOLT38300-C</b>	HexBolt,FullThread,3/8"-16UNCx3",100	3/8"-16 UNC X 3" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	591.89
61305617255	<b>SBBOLT3850-C</b>	HexBolt,FullThread,3/8"-16UNCx1/2",100	3/8"-16 UNC X 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	249.31
61305617256	<b>SBBOLT3862-C</b>	HexBolt,FullThread,3/8"-16UNCx5/8",100	3/8"-16 UNC X 5/8" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	266.85
61305617257	<b>SBBOLT3875-C</b>	HexBolt,FullThread,3/8"-16UNCx3/4",100	3/8"-16 UNC X 3/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	260.29
61305617298	<b>SBBOLT44150-C</b>	HexBolt,FullThread,7/16"-14UNC1 1/2",100	7/16"-14 UNC X 1 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	789.20
61305617299	<b>SBBOLT44200-C</b>	7/16"-14 UNC X 2" LG. HEX BOLT Full Threa	7/16"-14 UNC X 2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	848.24
61305617303	<b>SBBOLT50100-C</b>	HexBolt,FullThread,1/2"-13UNCx1",100	1/2"-13 UNC X 1" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	544.15
61305617304	<b>SBBOLT50125-C</b>	HexBolt,FullThread,1/2"-13UNCx1 1/4",100	1/2"-13 UNC X 1 1/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	602.85
61305617305	<b>SBBOLT50150-C</b>	HexBolt,FullThread,1/2"-13UNCx1 1/2",100	1/2"-13 UNC X 1 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	727.70
61305617306	<b>SBBOLT50175-C</b>	HexBolt,FullThread,1/2"-13UNCx1 3/4",100	1/2"-13 UNC X 1 3/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	716.00
61305617307	<b>SBBOLT50200-C</b>	HexBolt,FullThread,1/2"-13UNCx2",100	1/2"-13 UNC X 2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	856.85
61305617308	<b>SBBOLT50250-C</b>	HexBolt,FullThread,1/2"-13UNCx2 1/2",100	1/2"-13 UNC X 2 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	984.03
61305617309	<b>SBBOLT50300-L</b>	HexBolt,FullThread,1/2"-13UNCx3",100	1/2"-13 UNC X 3" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	1,011.53
61305617300	<b>SBBOLT5050-C</b>	HexBolt,FullThread,1/2"-13UNCx1/2",100	1/2"-13 UNC X 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	651.70
61305617301	<b>SBBOLT5062-C</b>	HexBolt,FullThread,1/2"-13UNCx5/8",100	1/2"-13 UNC X 5/8" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	620.28
61305617302	<b>SBBOLT5075-C</b>	HexBolt,FullThread,1/2"-13UNCx3/4",100	1/2"-13 UNC X 3/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	485.43
61305617312	<b>SBBOLT62100-C</b>	HexBolt,FullThread,5/8"-11UNCx1",100	5/8"-11 UNC X 1" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	1,057.46
61305617313	<b>SBBOLT62125-C</b>	HexBolt,FullThread,5/8"-11UNCx1 1/4",100	5/8"-11 UNC X 1 1/4" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	1,159.23
61305617314	<b>SBBOLT62150-L</b>	HexBolt,FullThread,5/8"-11UNCx1 1/2",100	5/8"-11 UNC X 1 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	1,259.16
61305617315	<b>SBBOLT62200-L</b>	HexBolt,FullThread,5/8"-11UNCx2",100	5/8"-11 UNC X 2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	1,461.59
61305617316	<b>SBBOLT62250-L</b>	HexBolt,FullThread,5/8"-11UNCx2 1/2",100	5/8"-11 UNC X 2 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	1,664.03
61305617317	<b>SBBOLT62300-L</b>	HexBolt,FullThread,5/8"-11UNCx3",100	5/8"-11 UNC X 3" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	1,500.38
61305617310	<b>SBBOLT6250-C</b>	HexBolt,FullThread,5/8"-11UNCx1/2",100	5/8"-11 UNC X 1/2" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	2,541.14
61305617311	<b>SBBOLT6262-C</b>	HexBolt,FullThread,5/8"-11UNCx5/8",100	5/8"-11 UNC X 5/8" LG. HEX BOLT Full Thread, Silicon Bronze.	C	100	\$	2,555.29
07498370773	<b>SBCT3/0-Q</b>	SplitBit,Cu,TinPltd,#1STR,3/0STRA,PK25	Split bolt, copper, tin plated, type SBCT, #1 STR - 3/0 STR AWG.	C	100	\$	5,183.95
07498370763	<b>SBCT500-1</b>	SplitBolt,Cu,TinPlated,300-500kcmilPKG1	Split bolt, copper, tin plated, type SBCT, 300 - 500 kcmil.	C	100	\$	15,074.38
07498370764	<b>SBCT750-1</b>	SplitBit,Cu,TinPltd,2/0STR,750K,EA	Split bolt, copper, tin plated, type SBCT, 2/0 STR - 750 kcmil.	C	100	\$	24,780.09
61305617328	<b>SBFW25-C</b>	Flat Washer,1/4",Silicone Bronze,PKG100	1/4 Flat Washer Silicon Bronze.	C	100	\$	50.54
61305617329	<b>SBFW31-C</b>	Flat Washer,5/16",Silicone Bronze,PKG100	5/16 Flat Washer Silicon Bronze.	C	100	\$	71.33
61305617330	<b>SBFW38-C</b>	Flat Washer,3/8",Silicone Bronze,PKG100	3/8 Flat Washer Silicon Bronze.	C	100	\$	109.89
61305617331	<b>SBFW44-C</b>	Flat Washer,7/16",Silicone Bronze,PKG100	7/16 Flat Washer Silicon Bronze.	C	100	\$	402.30
61305617332	<b>SBFW50-C</b>	Flat Washer,1/2",Silicone Bronze,PKG100	1/2 Flat Washer Silicon Bronze.	C	100	\$	247.18
61305617359	<b>SBFW62-C</b>	5/8 Flat Washer Silicone Bronze		C	100	\$	417.35
61305617209	<b>SBITW25-C</b>	LockWasher,InternalTooth,1/4",PK100	1/4 Internal Tooth Lock Washer, Phosphorous Bronze.	C	100	\$	26.29
61305617210	<b>SBITW31-C</b>	LockWasher,InternalTooth,5/16",PK100	5/16 Internal Tooth Lock Washer, Phosphorous Bronze.	C	100	\$	38.43
61305617211	<b>SBITW38-C</b>	LockWasher,InternalTooth,3/8",PK100	3/8 Internal Tooth Lock Washer, Phosphorous Bronze.	C	100	\$	56.26
61305617212	<b>SBITW44-C</b>	LockWasher,InternalTooth,7/16",PK100	7/16 Internal Tooth Lock Washer, Phosphorous Bronze.	C	100	\$	67.18
61305617213	<b>SBITW50-C</b>	LockWasher,InternalTooth,1/2",PK100	1/2 Internal Tooth Lock Washer, Phosphorous Bronze.	C	100	\$	82.04
61305617214	<b>SBITW62-C</b>	LockWasher,InternalTooth,5/8",PK100	5/8 Internal Tooth Lock Washer, Phosphorous Bronze.	C	100	\$	144.25
61305617318	<b>SBNUT25-C</b>	HexNut,SiliconeBronze,1/4-20UNC,PK100	1/4-20 UNC Hex Nut Silicon Bronze.	C	100	\$	63.60
61305617319	<b>SBNUT31-C</b>	HexNut,SiliconeBronze,5/16-18UNC,PK100	5/16-18 UNC Hex Nut Silicon Bronze.	C	100	\$	114.29

61305617334	<b>SBNUT38-C</b>	HexNut,SiliconeBronze,3/8-16UNC,PK100	3/8-16 UNC Hex Nut Silicon Bronze.	C	100	\$	165.70
61305617335	<b>SBNUT44-C</b>	HexNut,SiliconeBronze,7/16-14UNC,PK100	7/16-14 UNC Hex Nut Silicon Bronze.	C	100	\$	262.81
61305617320	<b>SBNUT50-C</b>	HexNut,SiliconeBronze,1/2-13UNC,PK100	1/2-13 UNC Hex Nut Silicon Bronze.	C	100	\$	330.33
61305617321	<b>SBNUT62-C</b>	HexNut,SiliconeBronze,5/8-11UNC,PK100	5/8-11 UNC Hex Nut Silicon Bronze.	C	100	\$	690.90
61305617326	<b>SBQC1/0-X</b>	QuadSplitBolt,Bronze,#6-1/0AWGPKG10	Bronze split bolt connector, type SBQC.	C	100	\$	6,159.15
61305617322	<b>SBSLW25-C</b>	SplitLockWasher,S-Bronze,1/4",PK100	1/4 Split Lock Washer Silicon Bronze.	C	100	\$	61.78
61305617323	<b>SBSLW31-C</b>	SplitLockWasher,S-Bronze,5/16",PK100	5/16 Split Lock Washer Silicon Bronze.	C	100	\$	95.50
61305617324	<b>SBSLW38-C</b>	SplitLockWasher,S-Bronze,3/8",PK100	3/8 Split Lock Washer Silicon Bronze.	C	100	\$	150.93
61305617325	<b>SBSLW44-C</b>	SplitLockWasher,S-Bronze,7/16",PK100	7/16 Split Lock Washer Silicon Bronze.	C	100	\$	420.49
61305617326	<b>SBSLW50-C</b>	SplitLockWasher,S-Bronze,1/2",PK100	1/2 Split Lock Washer Silicon Bronze.	C	100	\$	277.73
61305617327	<b>SBSLW62-C</b>	SplitLockWasher,S-Bronze,5/8",PK100	5/8 Split Lock Washer Silicon Bronze.	C	100	\$	467.38
61305617328	<b>SCMS10-C</b>	Metric Butt Splice,CU,10mm²,PK100	Copper metric butt splice, standard barrel, 10mm² wire.	C	100	\$	167.71
61305617329	<b>SCMS150-X</b>	CUCompMetricButtSplice,150mm²Wire,10Pac	Copper metric butt splice, standard barrel, 150mm² wire.	C	100	\$	2,799.38
61305617330	<b>SCMS16-C</b>	Metric Butt Splice,CU,16mm²,PK100	Copper metric butt splice, standard barrel, 16mm² wire.	C	100	\$	196.79
61305617331	<b>SCMS185-X</b>	CUCompMetricButtSplice,185mm²Wire,10Pac	Copper metric butt splice, standard barrel, 185mm² wire.	C	100	\$	3,830.44
61305617332	<b>SCMS25-L</b>	Metric Butt Splice,CU,25mm²,PK50	Copper metric butt splice, standard barrel, 25mm² wire.	C	100	\$	346.13
61305617333	<b>SCMS35-L</b>	Metric Butt Splice,CU,35mm²,PK50	Copper metric butt splice, standard barrel, 35mm² wire.	C	100	\$	498.01
61305617334	<b>SCMS400-5</b>	CuMetricButtSplice,400mm²PKG5	Copper metric butt splice, standard barrel, 400mm² wire.	C	100	\$	12,486.09
61305617335	<b>SCMS50-L</b>	Metric Butt Splice,CU,50mm²,PK50	Copper metric butt splice, standard barrel, 50mm² wire.	C	100	\$	639.55
61305617336	<b>SCMS500-6</b>	CuMetricButtSplice,500mm²PKG6	Copper metric butt splice, standard barrel, 500mm² wire.	C	100	\$	14,853.84
61305617337	<b>SCMS630-6</b>	CuMetricButtSplice,630mm²PKG6	Copper metric butt splice, standard barrel, 630mm² wire.	C	100	\$	31,416.94
61305617338	<b>SCMSX300-5</b>	CuMetricButtSplice,300mm²PKG5	Copper metric butt splice, standard barrel, 300mm² flex wire.	C	100	\$	11,891.53
61305617339	<b>SCSF250-X</b>	CuButtSplice,250kcmilCablePKG10	Copper butt splice, flared barrel, 250 kcmil flex and 262.6 kcmil locomotive cable.	C	100	\$	3,846.01
61305617340	<b>SCSF8-L</b>	CuButtSplice,#8AWGCablePKG50	Copper butt splice, flared barrel, #8 AWG locomotive cable.	C	100	\$	837.65
61305617341	<b>SCST1/0-B-X</b>	Copper Compression Splice, Heavy Duty wi	Copper Compression Splice, Heavy Duty IEEE-837-2014 Rated, with inspection window, 1/0 AWG	C	100	\$	5,820.74
61305617342	<b>SCST2-B-Q</b>	Copper Compression Splice, Heavy Duty wi	Copper Compression Splice, Heavy Duty IEEE-837-2014 Rated, with inspection window, 2 AWG	C	100	\$	7,012.73
61305617343	<b>SCST2/0-B-X</b>	Copper Compression Splice, Heavy Duty IE	Copper Compression Splice, Heavy Duty IEEE-837-2014 Rated, with inspection window, 2/0 AWG	C	100	\$	6,091.86
61305617344	<b>SCST250-B-X</b>	Copper Compression Splice, Heavy Duty IE	Copper Compression Splice, Heavy Duty IEEE-837-2014 Rated, with inspection window, 250 kcmil	C	100	\$	14,463.51
61305617345	<b>SCST3/0-B-X</b>	Copper Compression Splice, Heavy Duty IE	Copper Compression Splice, Heavy Duty IEEE-837-2014 Rated, with inspection window, 3/0 AWG	C	100	\$	9,947.68
61305617346	<b>SCST350-B-X</b>	Copper Compression Splice, Heavy Duty IE	Copper Compression Splice, Heavy Duty IEEE-837-2014 Rated, with inspection window, 350 kcmil	C	100	\$	18,395.01
61305617347	<b>SCST4/0-B-X</b>	Copper Compression Splice, Heavy Duty IE	Copper Compression Splice, Heavy Duty IEEE-837-2014 Rated, with inspection window, 4/0 AWG	C	100	\$	6,643.36
61305617348	<b>SCST500-B-6</b>	Copper Compression Splice, Heavy Duty IE	Copper Compression Splice, Heavy Duty IEEE-837-2014 Rated, with inspection window, 500 kcmil	C	100	\$	25,585.25
61305617349	<b>SCSX2/0-X</b>	CuButtSpliceW/InspWin,#2/0AWG,PK10	Copper Compression Butt Splice with Inspection Window, #2/0 AWG Flex Cable	C	100	\$	1,605.04
61305617350	<b>SCSX4-L</b>	CuButtSpliceW/InspWin,#4AWG,PK50	Copper Compression Butt Splice with Inspection Window, #4 AWG Flex Cable	C	100	\$	536.76
61305617351	<b>SCSX4/0-X</b>	CuButtSpliceW/InspWin,#4/0AWG,PK10	Copper Compression Butt Splice with Inspection Window, #4/0 AWG Flex Cable	C	100	\$	2,913.49
61305617352	<b>SCSX6-L</b>	CuButtSpliceW/InspWin,#6AWG,PK50	Copper Compression Butt Splice with Inspection Window, #6 AWG Flex Cable	C	100	\$	379.18
61305617353	<b>SCSX8-L</b>	CuButtSpliceW/InspWin,#8AWG,PK50	Copper Compression Butt Splice with Inspection Window, #8 AWG Flex Cable	C	100	\$	194.83
61305617354	<b>SE150P-TR10</b>	Braided Sleeve,1.50"X200",BLK,1rl	Braided Expandable Sleeveing, .150" diameter (38.1mm), provides continuous abrasion resistance for wires,	RL	1	\$	732.59
61305617355	<b>SG100M-M</b>	SPRGripTie,NYL,MINI,4.2,TS80,NAT,PK1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	56.99
61305617356	<b>SG150I-M</b>	SPRGripTie,NYL,INT,6.2,TS178,NAT,PK1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	87.18
61305617357	<b>SG200S-M30</b>	SPRGripTie,HS,NYL,STD,8.2,TS222,BLK,P1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	150.03
61305617358	<b>SG250S-C</b>	SPRGripTie,NYL,STD,10.4,TS334,NAT,PK1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	1000	\$	54.94
61305617359	<b>SG350LH-TL</b>	SPRGripTie,NYL,LT-H,15.3,TS534,NAT,P250	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	719.08
61305617360	<b>SG350LH-TL0</b>	SPRGripTie,WR,NYL,LTH,15,TS534,BLK,P250	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	825.69
61305617361	<b>SG350LH-TL30</b>	SPRGripTie,HS,NYL,LTH,15,TS334,BLK,P250	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	887.84
61305617362	<b>SG370S-C</b>	SPRGripTie,NYL,STD,15.3,TS334,NAT,PK1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	M	1000	\$	64.74
61305617363	<b>SG450H-C</b>	SPRGripTie,NYL,H,18.6,TS778,NAT,PK1000	Super-Grip® Cable Ties are designed with high strength and flexibility to tightly grip bundles and resist lateral	C	1000	\$	945.35
61305617364	<b>SGCT</b>	Static Ground Clamp for Tankers		PC	1	\$	507.01
61305617365	<b>SPF1-1/0-L</b>	Service Post,2 SOL-1/0 STR, fem, 50pk	Bronze, service post connector, female, one cable, type SPF1. #2 SOL - 1/0 STR.	C	100	\$	7,267.13
61305617366	<b>SPF1-2-C</b>	Service Post,6 STR-#2 STR, fem.,100pk	Bronze, service post connector, female, one cable, type SPF1. #6 STR - #2 STR.	C	100	\$	5,656.01
61305617367	<b>SPF1-2/0-Q</b>	Service Post,1 SOL-2/0 STR, fem,25pk	Bronze, service post connector, female, one cable, type SPF1. #1 SOL - 2/0 STR.	C	100	\$	9,845.03
61305617368	<b>SPF1-3-C</b>	Service Post,6 STR-#3 STR, fem,100pk	Bronze, service post connector, female, one cable, type SPF1. #6 STR - #3 STR.	C	100	\$	5,643.16
61305617369	<b>SPF1-350-12</b>	Service Post,4/0 STR-350 kcmil,fem.,12pk	Bronze, service post connector, female, one cable, type SPF1. 4/0 STR - 350 kcmil.	C	100	\$	25,558.44
61305617370	<b>SPF1-500-12</b>	Service Post,300-500 kcmil,fem.,12pk	Bronze, service post connector, female, one cable, type SPF1. 300 kcmil - 500 kcmil.	C	100	\$	31,460.19
61305617371	<b>SPF1-7-C</b>	ServicePost,10SOL-#7STR,fem,SPF1,100pk	Bronze, service post connector, female, one cable, type SPF1. #10 SOL - #7 STR.	C	100	\$	3,073.61
61305617372	<b>SPF1-8-C</b>	ServicePost,12SOL-#8STR,fem,SPF1,100pk	Bronze, service post connector, female, one cable, type SPF1. #12 SOL - #8 STR.	C	100	\$	2,774.63
61305617373	<b>SPF2-1/0-L</b>	Service Post,2 SOL-1/0 STR, fem.,50pk	Bronze, service post connector, female, two cables, type SPF2. #2 SOL - 1/0 STR.	C	100	\$	8,439.79
61305617374	<b>SPF2-2-C</b>	Service Post,10 SOL-#2 STR, fem.,100pk	Bronze, service post connector, female, two cables, type SPF2. #10 SOL - #2 STR.	C	100	\$	5,957.54
61305617375	<b>SPF2-2/0-Q</b>	Service Post,2 SOL-2/0 STR, fem.,25pk	Bronze, service post connector, female, two cables, type SPF2. #2 SOL - 2/0 STR.	C	100	\$	10,164.10
61305617376	<b>SPF2-350-12</b>	Service Post,1 STR-350 kcmil, fem.,12pk	Bronze, service post connector, female, two cables, type SPF2. #1 STR - 350 kcmil.	C	100	\$	28,183.34
61305617377	<b>SPF2-4/0-Q</b>	Service Post,1 SOL-4/0 STR, fem.,25pk	Bronze, service post connector, female, two cables, type SPF2. #1 SOL - 4/0 STR.	C	100	\$	15,944.43
61305617378	<b>SPF2-500-12</b>	Service Post,300-500 kcmil, fem.,12pk	Bronze, service post connector, female, two cables, type SPF2. 3/0 STR - 500 kcmil.	C	100	\$	34,736.21
61305617379	<b>SPF2-7-C</b>	ServicePost,10SOL-#7STR,fem,SPF2,100pk	Bronze, service post connector, female, two cables, type SPF2. #10 SOL - #7 STR.	C	100	\$	3,114.34
61305617380	<b>SPF2-8-C</b>	ServicePost,12SOL-#8STR,fem,SPF2,100pk	Bronze, service post connector, female, two cables, type SPF2. #12 SOL - #8 STR.	C	100	\$	2,958.65
61305617381	<b>SR-500-3Y</b>	Splicer/Reducer,Al,3/0AWG-500kcmilPKG3Y	Splicer/reducer, aluminum, dual rated, type SR, 3/0 AWG - 500 kcmil.	C	100	\$	6,168.19
61305617382	<b>SR-750-1Y</b>	Splicer/Reducer,Al,250-750kcmilPKG1Y	Splicer/reducer, aluminum, dual rated, type SR, 250 - 750 kcmil.	C	100	\$	8,775.85
61305617383	<b>SSBOLT25125-C</b>	Stainless Steel,1/4-20 X 1 1/4" HEX HEAD	Stainless Steel, 1/4-20 X 1 1/4" HEX HEAD BOLT	C	100	\$	133.60
61305617384	<b>SSBOLT25150-C</b>	Stainless Steel,1/4-20 X 1 1/2" HEX HEAD	Stainless Steel, 1/4-20 X 1 1/2" HEX HEAD BOLT	C	100	\$	156.91
61305617385	<b>SSBOLT25175-C</b>	Stainless Steel,1/4-20 X 1 3/4" HEX HEAD	Stainless Steel, 1/4-20 X 1 3/4" HEX HEAD BOLT	C	100	\$	163.14
61305617386	<b>SSBOLT25200-C</b>	Stainless Steel,1/4-20 X 2" HEX HEAD BOL	Stainless Steel, 1/4-20 X 2" HEX HEAD BOLT	C	100	\$	169.68
61305617387	<b>SSBOLT2525-C</b>	Stainless Steel,1/4-20 X 2 1/4" HEX HEAD	Stainless Steel, 1/4-20 X 2 1/4" HEX HEAD BOLT	C	100	\$	270.38
61305617388	<b>SSBOLT25250-C</b>	Stainless Steel,1/4-20 X 2 1/2" HEX HEAD	Stainless Steel, 1/4-20 X 2 1/2" HEX HEAD BOLT	C	100	\$	190.86
61305617389	<b>SSBOLT25300-C</b>	Stainless Steel,1/4-20 X 3" HEX HEAD BOL	Stainless Steel, 1/4-20 X 3" HEX HEAD BOLT	C	100	\$	201.03
61305617390	<b>SSBOLT2550-C</b>	Stainless Steel,1/4-20 X 1 1/2" HEX HEAD B	Stainless Steel, 1/4-20 X 1 1/2" HEX HEAD BOLT	C	100	\$	91.20
61305617391	<b>SSBOLT2562-C</b>	Stainless Steel,1/4-20 X 5/8" HEX HEAD B	Stainless Steel, 1/4-20 X 5/8" HEX HEAD BOLT	C	100	\$	97.28
61305617392	<b>SSBOLT2575-C</b>	Stainless Steel,1/4-20 X 3/4" HEX HEAD B	Stainless Steel, 1/4-20 X 3/4" HEX HEAD BOLT	C	100	\$	101.79
61305617393	<b>SSBOLT31100-C</b>	Stainless Steel,5/16-18 X 1" HEX HEAD BO	Stainless Steel, 5/16-18 X 1" HEX HEAD BOLT	C	100	\$	148.43



61305625704	<b>SSBOLT31125-C</b>	Stainless Steel, 5/16-18 X 1 1/4" HEX HEA	Stainless Steel, 5/16-18 X 1 1/4" HEX HEAD BOLT	C	100	\$	233.26
61305625705	<b>SSBOLT31150-C</b>	Stainless Steel, 5/16-18 X 1 1/2" HEX HEA	Stainless Steel, 5/16-18 X 1 1/2" HEX HEAD BOLT	C	100	\$	233.26
61305625706	<b>SSBOLT31175-C</b>	Stainless Steel, 5/16-18 X 1 3/4" HEX HEA	Stainless Steel, 5/16-18 X 1 3/4" HEX HEAD BOLT	C	100	\$	296.89
61305625707	<b>SSBOLT31200-C</b>	Stainless Steel, 5/16-18 X 2" HEX HEAD BO	Stainless Steel, 5/16-18 X 2" HEX HEAD BOLT	C	100	\$	354.13
61305625708	<b>SSBOLT31250-C</b>	Stainless Steel, 5/16-18 X 2 1/2" HEX HEA	Stainless Steel, 5/16-18 X 2 1/2" HEX HEAD BOLT	C	100	\$	462.30
61305625709	<b>SSBOLT31300-C</b>	Stainless Steel, 5/16-18 X 3" HEX HEAD BO	Stainless Steel, 5/16-18 X 3" HEX HEAD BOLT	C	100	\$	508.95
61305625700	<b>SSBOLT3150-C</b>	Stainless Steel, 5/16-18 X 1/2" HEX HEAD	Stainless Steel, 5/16-18 X 1/2" HEX HEAD BOLT	C	100	\$	148.43
61305625701	<b>SSBOLT3162-C</b>	Stainless Steel, 5/16-18 X 5/8" HEX HEAD	Stainless Steel, 5/16-18 X 5/8" HEX HEAD BOLT	C	100	\$	169.68
61305625702	<b>SSBOLT3175-C</b>	Stainless Steel, 5/16-18 X 3/4" HEX HEAD	Stainless Steel, 5/16-18 X 3/4" HEX HEAD BOLT	C	100	\$	169.68
61305625722	<b>SSBOLT38125-C</b>	Stainless Steel, 3/8-16 X 1 1/4" HEX HEAD	Stainless Steel, 3/8-16 X 1 1/4" HEX HEAD BOLT	C	100	\$	240.56
61305625724	<b>SSBOLT38150-C</b>	Stainless Steel, 3/8-16 X 1 1/2" HEX HEAD	Stainless Steel, 3/8-16 X 1 1/2" HEX HEAD BOLT	C	100	\$	275.68
61305625725	<b>SSBOLT38175-C</b>	Stainless Steel, 3/8-16 X 1 3/4" HEX HEAD	Stainless Steel, 3/8-16 X 1 3/4" HEX HEAD BOLT	C	100	\$	318.09
61305625726	<b>SSBOLT38200-C</b>	Stainless Steel, 3/8-16 X 2" HEX HEAD BOL	Stainless Steel, 3/8-16 X 2" HEX HEAD BOLT	C	100	\$	339.29
61305625727	<b>SSBOLT38250-C</b>	Stainless Steel, 3/8-16 X 2 1/2" HEX HEAD	Stainless Steel, 3/8-16 X 2 1/2" HEX HEAD BOLT	C	100	\$	530.76
61305625728	<b>SSBOLT38300-C</b>	Stainless Steel, 3/8-16 X 3" HEX HEAD BOL	Stainless Steel, 3/8-16 X 3" HEX HEAD BOLT	C	100	\$	578.36
61305625710	<b>SSBOLT3850-C</b>	Stainless Steel, 3/8-16 X 1/2" HEX HEAD B	Stainless Steel, 3/8-16 X 1/2" HEX HEAD BOLT	C	100	\$	212.08
61305625711	<b>SSBOLT3862-C</b>	Stainless Steel, 3/8-16 X 5/8" HEX HEAD B	Stainless Steel, 3/8-16 X 5/8" HEX HEAD BOLT	C	100	\$	224.54
61305625712	<b>SSBOLT3875-C</b>	Stainless Steel, 3/8-16 X 3/4" HEX HEAD B	Stainless Steel, 3/8-16 X 3/4" HEX HEAD BOLT	C	100	\$	233.26
61305625734	<b>SSBOLT50150-C</b>	Stainless Steel, 1/2-13 X 1 1/2" HEX HEAD	Stainless Steel, 1/2-13 X 1 1/2" HEX HEAD BOLT	C	100	\$	795.21
61305625735	<b>SSBOLT50175-C</b>	Stainless Steel, 1/2-13 X 1 3/4" HEX HEAD	Stainless Steel, 1/2-13 X 1 3/4" HEX HEAD BOLT	C	100	\$	883.55
61305625737	<b>SSBOLT50250-C</b>	Stainless Steel, 1/2-13 X 2 1/2" HEX HEAD	Stainless Steel, 1/2-13 X 2 1/2" HEX HEAD BOLT	C	100	\$	1,208.73
61305625738	<b>SSBOLT50300-L</b>	Stainless Steel, 1/2-13 X 3" HEX HEAD BOL	Stainless Steel, 1/2-13 X 3" HEX HEAD BOLT	C	100	\$	1,253.06
61305625729	<b>SSBOLT5050-C</b>	Stainless Steel, 1/2-13 X 1/2" HEX HEAD B	Stainless Steel, 1/2-13 X 1/2" HEX HEAD BOLT	C	100	\$	440.40
61305625730	<b>SSBOLT5062-C</b>	Stainless Steel, 1/2-13 X 5/8" HEX HEAD B	Stainless Steel, 1/2-13 X 5/8" HEX HEAD BOLT	C	100	\$	489.38
61305625808	<b>SSBOLT62100-C</b>	Stainless Steel, 5/8-11 X 1" HEX HEAD BOL	Stainless Steel, 5/8-11 X 1" HEX HEAD BOLT	C	100	\$	975.45
61305625809	<b>SSBOLT62125-C</b>	Stainless Steel, 5/8-11 X 1 1/4" HEX HEAD	Stainless Steel, 5/8-11 X 1 1/4" HEX HEAD BOLT	C	100	\$	1,166.31
61305625810	<b>SSBOLT62150-L</b>	Stainless Steel, 5/8-11 X 1 1/2" HEX HEAD	Stainless Steel, 5/8-11 X 1 1/2" HEX HEAD BOLT	C	100	\$	1,060.29
61305625819	<b>SSBOLT62175-L</b>	Stainless Steel, 5/8-11 X 1 3/4" HEX HEAD	Stainless Steel, 5/8-11 X 1 3/4" HEX HEAD BOLT	C	100	\$	1,717.66
61305625820	<b>SSBOLT62200-L</b>	Stainless Steel, 5/8-11 X 2" HEX HEAD BOL	Stainless Steel, 5/8-11 X 2" HEX HEAD BOLT	C	100	\$	1,272.34
61305625821	<b>SSBOLT62250-L</b>	Stainless Steel, 5/8-11 X 2 1/2" HEX HEAD	Stainless Steel, 5/8-11 X 2 1/2" HEX HEAD BOLT	C	100	\$	1,399.56
61305625822	<b>SSBOLT62300-L</b>	Stainless Steel, 5/8-11 X 3" HEX HEAD BOL	Stainless Steel, 5/8-11 X 3" HEX HEAD BOLT	C	100	\$	2,014.54
61305625805	<b>SSBOLT6250-C</b>	Stainless Steel, 5/8-11 X 1/2" HEX HEAD B	Stainless Steel, 5/8-11 X 1/2" HEX HEAD BOLT	C	100	\$	1,054.98
61305625806	<b>SSBOLT6262-C</b>	Stainless Steel, 5/8-11 X 5/8" HEX HEAD B	Stainless Steel, 5/8-11 X 5/8" HEX HEAD BOLT	C	100	\$	1,265.99
61305625807	<b>SSBOLT6275-C</b>	Stainless Steel, 5/8-11 X 3/4" HEX HEAD B	Stainless Steel, 5/8-11 X 3/4" HEX HEAD BOLT	C	100	\$	1,484.40
07498352019	<b>SSC2S-S6-C</b>	CTie, 2PC, 7.4L, #6Sc, Std, Nyl, Nat, PK100	Sta-Strap® clamp tie, standard cross section, #6 (M3) screw, 7.4 (187mm) length, nylon 6.6, natural, standar	C	100	\$	57.86
61305626026	<b>SSFW31-C</b>	STAINLESS STEEL, 5/16 FLAT WASHER	Stainless Steel, 5/16 FLAT WASHER	C	100	\$	148.05
61305626028	<b>SSFW62-C</b>	STAINLESS STEEL, 5/8 FLAT WASHER	Stainless Steel, 5/8 FLAT WASHER	C	100	\$	148.43
07498379630	<b>SSL0204-PPS</b>	LABEL, SOLAR "PHOTOVOLTAIC. ", R/W/C, PK250	Solar label, 2.0" H x 4.0" W (50.8mm x 101.6mm), warning header, 'Photovoltaic power source' (legend), poly	PC	1	\$	6.99
61305625993	<b>SSNUT31-C</b>	STAINLESS STEEL, 5/16-18 HEX NUT	Stainless Steel, 5/16-18 HEX NUT	C	100	\$	148.05
61305625996	<b>SSNUT62-C</b>	STAINLESS STEEL, 5/8-11 HEX NUT	Stainless Steel, 5/8-11 HEX NUT	C	100	\$	381.70
07498322375	<b>SSPM2.5HP-L300</b>	Sta-Strap Tie, HSWR NYL, CP, LTH, 10, BLK, PK50	Sta-Strap® Cable Ties have a unique design that ties directly to a chassis or panel without separate fasteners	C	100	\$	157.34
07498322377	<b>SSPM4HP-L300</b>	Sta-Strap Tie, HSWR NYL, CP, LTH, 15, BLK, PK50	Sta-Strap® Cable Ties have a unique design that ties directly to a chassis or panel without separate fasteners	C	100	\$	200.78
61305626020	<b>SSSLW25-C</b>	STAINLESS STEEL, 1/4 SPLIT LOCKWASHER	Stainless Steel, 1/4 SPLIT LOCKWASHER	C	100	\$	214.14
61305626021	<b>SSSLW31-C</b>	STAINLESS STEEL, 5/16 SPLIT LOCKWASHER	Stainless Steel, 5/16 SPLIT LOCKWASHER	C	100	\$	148.05
61305626022	<b>SSSLW38-C</b>	STAINLESS STEEL, 3/8 SPLIT LOCKWASHER	Stainless Steel, 3/8 SPLIT LOCKWASHER	C	100	\$	162.85
61305626023	<b>SSSLW50-C</b>	STAINLESS STEEL, 1/2 SPLIT LOCKWASHER	Stainless Steel, 1/2 SPLIT LOCKWASHER	C	100	\$	118.45
61305626024	<b>SSSLW62-C</b>	STAINLESS STEEL, 5/8 SPLIT LOCKWASHER	Stainless Steel, 5/8 SPLIT LOCKWASHER	C	100	\$	446.13
07498350022	<b>SST1.5M-C</b>	CTie, 2PC, 5.5L, Mini, Nyl, Nat, PK100	Sta-Strap® cable tie, releasable, miniature cross section, 5.5 (140mm) length, nylon 6.6, natural, standard pa	C	100	\$	29.54
07498357402	<b>SST1.5M-M30</b>	CTie, 2PC, 5.5L, Mini, HS, BL, PK1000	Sta-Strap® cable tie, releasable, miniature cross section, 5.5 (140mm) length, heat stabilized nylon 6.6, black	M	1000	\$	117.71
07498350051	<b>SST1.5S-M</b>	CTie, 2PC, 5.7L, Std, Nyl, Nat, PK1000	Sta-Strap® cable tie, releasable, standard cross section, 5.7 (146mm) length, nylon 6.6, natural.	M	1000	\$	160.90
07498357433	<b>SST1.5S-M0</b>	CTie, 2PC, 5.7L, Std, WR, BL, PK1000	Sta-Strap® cable tie, releasable, standard cross section, 5.7 (146mm) length, weather resistant nylon 6.6, bla	M	1000	\$	172.48
07498350004	<b>SST1M-C0</b>	CTie, 2PC, 4L, Mini, WR, BL, PK100	Sta-Strap® cable tie, releasable, miniature cross section, 4.0 (102mm) length, weather resistant nylon 6.6, bl	C	100	\$	30.16
07498357509	<b>SST1M-M20</b>	CTie, 2PC, 4L, Mini, Nyl, BL, PK1000	Sta-Strap® cable tie, releasable, miniature cross section, 4.0 (102mm) length, nylon 6.6, black.	M	1000	\$	85.00
07498350014	<b>SST1M-MP0</b>	CTiesinaBox, 2PC, 4L, M, WR, BL, PK1000	Sta-Strap® cable tie box, releasable, miniature cross section, 4.0 (102mm) length, weather resistant nylon 6.	M	1000	\$	180.25
07498350079	<b>SST2I-C</b>	CTie, 2PC, 8.1L, Intm, Nyl, Nat, PK100	Sta-Strap® cable tie, releasable, intermediate cross section, 8.1 (206mm) length, nylon 6.6, natural, standard	C	100	\$	40.38
07498357666	<b>SST2S-M20</b>	CTie, 2PC, 6.7L, Std, Nyl, BL, PK1000	Sta-Strap® cable tie, releasable, standard cross section, 6.7 (172mm) length, nylon 6.6, black.	M	1000	\$	178.78
07498350101	<b>SST2S-MP</b>	CTiesinaBox, 2PC, 6.7L, Std, Nyl, Nat, PK1000	Sta-Strap® cable tie box, releasable, standard cross section, 6.7 (172mm) length, nylon 6.6, natural.	M	1000	\$	207.41
07498350119	<b>SST3I-C</b>	CTie, 2PC, 11L, Intm, Nyl, Nat, PK100	Sta-Strap® cable tie, releasable, intermediate cross section, 11.0 (279mm) length, nylon 6.6, natural, standar	C	100	\$	54.59
07498350139	<b>SST3S-C</b>	CTie, 2PC, 11L, Std, Nyl, Nat, PK100	Sta-Strap® cable tie, releasable, standard cross section, 11.0 (279mm) length, nylon 6.6, natural, standard p	C	100	\$	68.18
07498333092	<b>T024X000YKC-BK</b>	P1 Poly Cont Tape Cass., 24"x25", BL/CL	Black on clear, polyester continuous tape.	PC	1	\$	54.65
07498333037	<b>T038X000VWC-WH</b>	P1 Vyl Cont Tape Cass., 38"x25", WH/RD	White on Red, vinyl continuous tape, .38" X 25'	PC	1	\$	54.59
07498319838	<b>T050X000VPC-RD</b>	P1 Vyl Cont Tape Cass., 5"x25", RD/WH	Red on white, viny label tape, 0.50".	PC	1	\$	54.59
07498335682	<b>T075X000YKC-BK</b>	P1 Cass, PES., 75"Wx25ftL, Clear/Black, EA	Black on clear, polyester tape. Width: 0.75".	PC	1	\$	61.90
07498319837	<b>T100X000VPC-RD</b>	P1 Vyl Cont Tape Cass, 1"x25", RD/WH	Red on white, viny label tape, 1.00".	PC	1	\$	70.94
07498377505	<b>T100X000Y01</b>	Super-TackBL, 1.00inWx100ftLg, EA	Super-Tack continuous tape, polyester, black, 1 inch wide x 100 feet long.	RL	1	\$	212.24
61305638096	<b>T200X000RUT</b>	RFLTVContinuousTape, OR, 2.00"Wx50'FL, EA	Reflective Continuous Tape, Orange 2.00" W x 50' L	RL	1	\$	259.14
07498345645	<b>T225X000YK1</b>	ThermTrans, Continuous Tape, Polyester,	Clear, non-printable polyester tape.	RL	1	\$	60.38
61305638099	<b>T300X000RPT</b>	RFLTVContinuousTape, 3.00"Wx50ftL, WH, EA	Reflective Continuous Tape, White, 3.00" W x 50' L	RL	1	\$	329.99
07498360244	<b>TDP46HE/E</b>	DsktpPrintr, INT, 600dpi, 33lbs., 1EA	The desktop printer for international usage has 600 dpi resolution and 4.0" (101.6 mm) per second maximum	PC	1	\$	5,753.59
07498300848	<b>TRBSM5K</b>	Threaded Rail Fastener Stud Kit M5, EA	Bonding stud kit for threaded M5 rail fasteners; includes 25 bonding studs and 50 bonding nuts.	KT	1	\$	196.01
61305631455	<b>UGB2/0-414-14</b>	14 Port Universal Ground Bar		KT	1	\$	72.94
61305631440	<b>UGB2/0-414-4</b>	4 Port Universal Ground Bar		KT	1	\$	27.35