

Class A Rapid Response Non-Transporting Minimum Equipment and Supplies. (EMR, BLS, and ALS)

This is the minimum equipment and supplies required on dedicated Class A EMS Rapid Response Vehicles operated by Licensed EMS Agencies and Fire Department Rapid Response Licensed Agencies. All supplies must be clean and organized. When applicable, items must be sealed and within current expiration period. Vehicles must have required equipment on-board during EMS response and patient treatment.

Response Type		
EMR	BLS	ALS
Qty	Qty	Qty

A. Airway and Ventilation

Portable suction unit, assembled and ready for use – commercially available manual unit is acceptable	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Large bore rigid oral suction catheters – must have internal diameter greater than or equal to 0.25 inches	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Portable oxygen system with non-gravity dependent oxygen flow regulator (bourdon gauge flowmeter/15 lpm)	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Adult nasal cannula	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Pediatric nasal cannula	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Adult non-rebreather (NRB) mask	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Pediatric non-rebreather (NRB) mask	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Oxygen connection tubing – may be with BVM or nebulizers	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Oropharyngeal airways – sizes 0 through 5	1 set <input type="checkbox"/>	1 set <input type="checkbox"/>	1 set <input type="checkbox"/>
Nasopharyngeal airways – assorted sizes, 16 Fr – 34 Fr (≥ 5 different sizes)	1 set <input type="checkbox"/>	1 set <input type="checkbox"/>	1 set <input type="checkbox"/>
Supraglottic airway Resus kits i-Gel®– sizes 3, 4, and 5.	NA	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Adult end-tidal CO2 detectors – colorimetric or qualitative	NA	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Pediatric end-tidal CO2 detectors – colorimetric or qualitative	NA	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Adult, child and infant bag valves, self-filling with oxygen reservoir	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Clear masks for bag valves, sizes: adult, child, infant and neonatal	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Chest decompression large bore needle: Adult: minimum of 3.25" length 14 – 16 gauge Child: 1.25" 16 gauge for pediatrics	NA	NA	1ea <input type="checkbox"/>

B. Monitoring and Assessment

Blood pressure cuffs – XL, Adult and Child sizes	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Stethoscope, suitable for adult and pediatric use	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
AED with adult defibrillator pads – if NOT pediatric capable, must have pediatric pads	1 <input type="checkbox"/>	1 <input type="checkbox"/>	NA
Glucometer with single-use fully disposable lancets and glucose strips	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>

Pulse oximeter for adult and pediatric use with all necessary equipment (portable or attached to cardiac monitor)	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Patient monitoring system capable of cardiac rhythm monitoring, 12-lead acquisition, data transmission, transcutaneous pacing, defibrillation and cardioversion	NA	NA	1 <input type="checkbox"/>
Spare battery for patient monitoring system	NA	NA	1 <input type="checkbox"/>
Adult and pediatric defibrillation and transcutaneous pacing cables/pads and electrodes for patient monitoring system	NA	NA	1 <input type="checkbox"/>
Cables, probes and supplies for ECG monitoring	NA	NA	1 <input type="checkbox"/>
C. Immobilization Equipment			
Rigid cervical collar: Large, medium, small and child -OR- Adjustable cervical collar – adult and pediatric	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Padded extremity splints (cardboard, wire, air, or SAMS)	2 <input type="checkbox"/>	2 <input type="checkbox"/>	2 <input type="checkbox"/>
D. Wound Management			
Sterile burn sheets	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Sterile 10" x 30" multi-trauma dressings	2 <input type="checkbox"/>	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Sterile 4"x4" gauze	12 <input type="checkbox"/>	12 <input type="checkbox"/>	12 <input type="checkbox"/>
Sterile occlusive dressings, 3" x 8" or larger	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Adhesive tape, assorted sizes and types. One roll must be hypoallergenic/latex-free	2 rolls <input type="checkbox"/>	2 rolls <input type="checkbox"/>	2 rolls <input type="checkbox"/>
Self-adhering gauze bandages – Kling or equivalent	4 rolls <input type="checkbox"/>	4 rolls <input type="checkbox"/>	4 rolls <input type="checkbox"/>
Triangular bandages	2 <input type="checkbox"/>	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Commercial Arterial Tourniquet – CAT®, MAT®, etc.	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Heavy-duty bandage scissors or shears	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
E. Infection Control			
Protective eyewear – full peripheral glasses, goggles or face shield	Min 2 <input type="checkbox"/>	Min 2 <input type="checkbox"/>	Min 2 <input type="checkbox"/>
NIOSH N-95 or N-100 face masks	Min 2 <input type="checkbox"/>	Min 2 <input type="checkbox"/>	Min 2 <input type="checkbox"/>
Protective gowns or coveralls	Min 2 <input type="checkbox"/>	Min 2 <input type="checkbox"/>	Min 2 <input type="checkbox"/>
Protective shoe covers	Min 2 <input type="checkbox"/>	Min 2 <input type="checkbox"/>	Min 2 <input type="checkbox"/>
Disposable exam gloves meeting NFPA 1999 requirements – assorted and appropriate sizes. Must include hypoallergenic/latex-free types (XL, L, M, and S)	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Disinfectant waterless hand cleaner	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Biohazard trash bags	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Portable sharps containers	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
F. Medications			
Albuterol, 2.5 mg/3 ml unit dose ampule	NA	2 <input type="checkbox"/>	2 <input type="checkbox"/>

Ipratropium Bromide (Atrovent®) 500 microgram unit dose ampules <i>(If not carrying Combivent® -or- Duoneb®)</i>	NA	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Combivent® -OR- Duoneb® - 2.5mg Albuterol mixed with 0.5mg Ipratropium Bromide. <i>(Optional: Squads may also choose to carry Albuterol and Ipratropium Bromide individually.)</i>	NA	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Aspirin, 81 mg tablets, chewable	NA	1 BTL <input type="checkbox"/>	1 BTL <input type="checkbox"/>
Atropine, 1 mg, pre-loaded syringe	NA	NA	3 <input type="checkbox"/>
D50W, 25 gm pre-loaded syringe	NA	NA	1 <input type="checkbox"/>
Diphenhydramine (Benadryl®), Injectable 100 mg total	NA	100mg <input type="checkbox"/>	100mg <input type="checkbox"/>
Epinephrine, 1:10,000 , 1 mg pre-loaded syringe	NA	NA	6 <input type="checkbox"/>
Epinephrine, 1:1,000 , 1 mg <i>(BLS MUST carry Epi 1:1000 -or- 2 each Epi Pen and 2 each Epi Pen Jr.)</i>	NA	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Epi Pen and Epi Pen Jr. Optional <i>(EMR's shall only utilize auto-injectors)</i>	2 <input type="checkbox"/>	NA	NA
Naloxone, 1 mg/ml <i>(Optional prepackaged IN atomizer in a concentration not to exceed 1 ml per nostril)</i>	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Nitroglycerin, 0.4 mg (1/150) tablet or spray	NA	1 Bottle <input type="checkbox"/>	1 Bottle <input type="checkbox"/>
Normal saline, 0.9%, 1000 ml	NA	NA	2 <input type="checkbox"/>
Oral glucose, 15 gm	2 <input type="checkbox"/>	2 <input type="checkbox"/>	2 <input type="checkbox"/>
G. OPTIONAL Medications			
Acetaminophen (Tylenol®), oral suspension, 650 mg for adults	NA	650 mg <input type="checkbox"/>	650 mg <input type="checkbox"/>
Acetaminophen (Tylenol®), oral suspension, 160mg/5ml for pediatrics	NA	4 <input type="checkbox"/>	4 <input type="checkbox"/>
Acetaminophen, 100ml bag	NA	NA	2 <input type="checkbox"/>
Adenosine (Adenocard®), 18 mg total	NA	NA	2 <input type="checkbox"/>
Ipratropium Bromide (Atrovent®) 500 microgram unit dose ampules <i>(If not carrying Combivent® -or- Duoneb®)</i>	NA	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Combivent® -OR- Duoneb® - 2.5mg Albuterol mixed with 0.5mg Ipratropium Bromide. <i>(Optional: Squads may also choose to carry Albuterol and Ipratropium Bromide individually.)</i>	NA	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Amiodarone, Injectable (May substitute with Lidocaine)	NA	NA	450 mg <input type="checkbox"/>
Aspirin, 81 mg tablets, chewable	NA	1 Bottle <input type="checkbox"/>	1 Bottle <input type="checkbox"/>
Atropine, 1 mg, pre-loaded syringe	NA	NA	3 <input type="checkbox"/>
Calcium Chloride, 1 gm	NA	NA	2 <input type="checkbox"/>
Cefazolin, 1 gm	NA	NA	3 <input type="checkbox"/>
D50W, 25 gm pre-loaded syringe	NA	NA	1 <input type="checkbox"/>
Diphenhydramine (Benadryl®), Injectable 100 mg total	NA	100mg <input type="checkbox"/>	100mg <input type="checkbox"/>
Dexamethasone 10 mg	NA	NA	10 mg <input type="checkbox"/>
Droperidol 2.5 mg/ml or 5 mg/ml	NA	NA	10 mg <input type="checkbox"/>

Epinephrine, 1:10,000 , 1 mg pre-loaded syringe	NA	NA	6 <input type="checkbox"/>
Epinephrine, 1:1,000 , 1 mg <i>(BLS MUST carry Epi 1:1000 -or- 2 each Epi Pen and 2 each Epi Pen Jr.)</i>	NA	2 <input type="checkbox"/>	4 <input type="checkbox"/>
Epi Pen and Epi Pen Jr. Optional <i>(EMR's shall only utilize auto-injectors)</i>	2 <input type="checkbox"/>	NA	NA
Fentanyl (Sublimaze®), (ALS= 200 mcg total) (CCT= 1000 mcg total)	NA	NA	1000 mcg <input type="checkbox"/>
Furosemide (Lasix®) (ALS= 80 mg total) (CCT= 100 mg total)	NA	NA	80 mg <input type="checkbox"/>
Glucagon, 1 mg	NA	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Heparin, 5,000 unit bolus (CCT can utilize 25,000 units/250 ml bag)	NA	NA	1 <input type="checkbox"/>
Hydralazine, 20 mg total	NA	20 mg <input type="checkbox"/>	20 mg <input type="checkbox"/>
Ketamine (Ketalar) 320 mg	NA	NA	320 mg <input type="checkbox"/>
Ketorolac (Toradol), 30 mg total	NA	NA	20 mg <input type="checkbox"/>
Lidocaine (Xylocaine®), 100 mg pre-loaded syringe (May substitute with Amiodarone)	NA	NA	3 <input type="checkbox"/>
Lidocaine (Xylocaine®) for infusion (May substitute with Amiodarone)	NA	NA	1 <input type="checkbox"/>
Nitroglycerin, 0.4 mg (1/150) tablet or spray	NA	1 Bottle <input type="checkbox"/>	1 Bottle <input type="checkbox"/>
Magnesium Sulfate, 4 gm total	NA	4 gm <input type="checkbox"/>	4 gm <input type="checkbox"/>
Metoprolol. (15 mg)		15 mg <input type="checkbox"/>	15 mg <input type="checkbox"/>
Midazolam (Versed®), 10 mg total	NA	NA	10 mg <input type="checkbox"/>
Morphine Sulfate, 10 mg total	NA	NA	10 mg <input type="checkbox"/>
Ondansetron (Zofran®), 4 mg / tablet ODT	NA	2 Tabs <input type="checkbox"/>	2 Tabs <input type="checkbox"/>
Ondansetron (Zofran®), total 8 mg	NA	8 mg <input type="checkbox"/>	8 mg <input type="checkbox"/>
Normal saline, 0.9%, 1000 ml	NA	NA	2 <input type="checkbox"/>
Oral glucose, 15 gm	2 <input type="checkbox"/>	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Oxytocin, 20 units total	NA	20 Units <input type="checkbox"/>	20 Units <input type="checkbox"/>
Tetracaine (0.5%), (Ophthalmic drops) 2 ml total	NA	2 ml <input type="checkbox"/>	2 ml <input type="checkbox"/>
Thiamine, 100 mg	NA	NA	100 mg <input type="checkbox"/>
Tranexamic Acid (TXA) 2 gm total	NA	NA	2 gm <input type="checkbox"/>
Sodium Bicarbonate, 100 mEq total	NA	NA	100 mEq <input type="checkbox"/>
Sodium Chloride (Normal Saline) (0.9%), (1,000 ml or 500 ml bags) 4000 ml total	NA	NA	4 L <input type="checkbox"/>
Sodium Chloride (Normal Saline) (0.9%), 100 ml IV bag	NA	NA	2 <input type="checkbox"/>
3% Hypertonic Normal Saline	NA	NA	500 ml <input type="checkbox"/>
OPTIONAL RSI Medications			
Etomidate (Amidate), 80 mg total	NA	NA	80 mg <input type="checkbox"/>

Succinylcholine (Anectine), 400 mg total	NA	NA	400 mg <input type="checkbox"/>
Rocuronium (Zemuron®) 200 mg	NA	NA	200 mg <input type="checkbox"/>
H. OB Equipment			
Sterile OB kits with bulb syringe	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Thermal absorbent blanket and head cover made of a heat-reflective material	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
I. Safety - Quantities for crew configuration			
Protective helmet meeting ANSI Z89.1 Type II, NFPA 1908-2007 or NFPA 1951-2007 standards	Min Crew <input type="checkbox"/>	Min Crew <input type="checkbox"/>	Min Crew <input type="checkbox"/>
Protective eyewear meeting ANSI Z87.1-2003 standards	Min Crew <input type="checkbox"/>	Min Crew <input type="checkbox"/>	Min Crew <input type="checkbox"/>
High visibility clothing compliant with 23 CFR Part 643 (Federal Highway Worker Visibility Act) ANSI/ISEA 107-2004-Class 3 or 207.	Min Crew <input type="checkbox"/>	Min Crew <input type="checkbox"/>	Min Crew <input type="checkbox"/>
Protective gloves, extrication-type or heavy-duty leather	Min Crew <input type="checkbox"/>	Min Crew <input type="checkbox"/>	Min Crew <input type="checkbox"/>
Current DOT Emergency Response Guidebook (paper or electronic version)	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
J. Miscellaneous			
Blankets	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Flashlight	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Cold packs	2 <input type="checkbox"/>	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Hot packs	2 <input type="checkbox"/>	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Protocol manual	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Triage Tags	25 <input type="checkbox"/>	25 <input type="checkbox"/>	25 <input type="checkbox"/>
WV triage tape rolls – red, yellow, green, black, and blue or blue white striped	1 ea <input type="checkbox"/>	1 ea <input type="checkbox"/>	1 ea <input type="checkbox"/>
K. IV and Medication Administration			
60gtts/ml Mini-drip IV administration set. May utilize Select-3® sets or equivalent	NA	NA	2 <input type="checkbox"/>
10 to 15gtts/ml Macro-drip IV administration set. May utilize Select-3® sets or equivalent	NA	NA	2 <input type="checkbox"/>
Extension sets. May utilize Select-3® sets or equivalent	NA	NA	2 <input type="checkbox"/>
Saline locks and flushes	NA	NA	2 <input type="checkbox"/>
Adequate site preparation materials – alcohol or povidone	NA	NA	2 <input type="checkbox"/>
Venous tourniquets	NA	NA	2 <input type="checkbox"/>
IV catheters, sizes 14g, 16g, 18g, 20g, 22g and 24g	NA	NA	2 ea <input type="checkbox"/>
Nebulizer kits	NA	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Drug atomizers	1 <input type="checkbox"/>	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Syringes in appropriate quantities and sizes – 1ml, 3ml, 5ml, 10ml, 30ml, 60ml	NA	2 <input type="checkbox"/>	2 <input type="checkbox"/>

Needles in appropriate quantities, sizes and lengths. Some greater than 1.5" in length for IM medication administration	NA	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Length/weight based pediatric drug and equipment reference – <i>Broselow</i> tape or Pedi Wheel or equivalent	NA	NA	1 <input type="checkbox"/>
L. OPTIONAL			
Blood Product (Packed Red Blood Cells or approved equivalent) <i>(requires specific IV blood administration equipment)</i>	NA	NA	1 unit <input type="checkbox"/>
Video Assisted Laryngoscope - <i>(ALS-RSI Protocol requires this device as standard equipment)</i> (Blade for each pt. age/size that DAI / RSI permitted)	NA	NA	1 ea. <input type="checkbox"/> <i>Optional based on use of RSI</i>
Laryngoscope handle with extra batteries	N/A	1 <input type="checkbox"/>	1 <input type="checkbox"/>
Laryngoscope blades – • 0 & 1 (Miller) straight • 2, 3, 4 (Miller) straight or (Macintosh) curved • Spare bulbs if applicable	N/A	1 ea. <input type="checkbox"/>	1 ea. <input type="checkbox"/>
ET tubes, sizes:			
• 2.5 cuffed or uncuffed	N/A	2 ea. <input type="checkbox"/>	2 ea. <input type="checkbox"/>
• 3.0 or 3.5 cuffed or uncuffed	N/A	2 ea. <input type="checkbox"/>	2 ea. <input type="checkbox"/>
• 4.0 or 4.5 cuffed	N/A	2 ea. <input type="checkbox"/>	2 ea. <input type="checkbox"/>
• 5.0 or 5.5 cuffed	N/A	2 ea. <input type="checkbox"/>	2 ea. <input type="checkbox"/>
• 6.0 or 6.5 cuffed	N/A	2 ea. <input type="checkbox"/>	2 ea. <input type="checkbox"/>
• 7.0 or 7.5 cuffed	N/A	2 ea. <input type="checkbox"/>	2 ea. <input type="checkbox"/>
• 8.0 or 8.5 cuffed	N/A	2 ea. <input type="checkbox"/>	2 ea. <input type="checkbox"/>