

## BLS Convalescent Transport Minimum Medication and Equipment Supply List April 2026

<p>This is the minimum medication and equipment supply list required on dedicated Convalescent Transport Vehicles operated by WVOEMS Licensed EMS Agencies. All supplies must be clean and organized. When applicable, items must be sealed and within current expiration period. Vehicles must have required equipment on-board during transport and patient treatment.</p>	<p><b>Classification</b></p> <p><b>BLS Convalescent Transport</b></p> <p><b>Qty</b></p>
<b>A.1 Ambulance Operations Equipment</b>	
Wheeled stretcher, multi-level, with 5-point (over shoulder) patient restraint system: (Antler, Railing, and Cot Safety Hook) or Power Assisted and Track Securing device) or (FAA aircraft approved stretcher system)	1 <input type="checkbox"/>
Stair chair or suitable substitute	1 <input type="checkbox"/>
Blankets	2 <input type="checkbox"/>
Sheets	4 <input type="checkbox"/>
Pillow, fluid resistant	1 <input type="checkbox"/>
Towels	2 <input type="checkbox"/>
Bedpan, disposable	1 <input type="checkbox"/>
Urinal, disposable	1 <input type="checkbox"/>
Emesis Bag; Disposable, splash resistant	4 <input type="checkbox"/>
Protocol access appropriate for level of staffing (electronic or paper)	<input type="checkbox"/>
AC power supply with sufficient output to run all on board portable electric equipment (inverter or generator)	<input type="checkbox"/>
<b>A.2 Ambulance Operations - Two-Way Communications</b>	
Mobile Radio; Between vehicle, dispatcher and/or 911 center (if applicable) May utilize Portable Radio	<input type="checkbox"/>
<b>B.1 PPE - Infection Control (Quantity and Sized for entire EMS crew)</b>	
Protective eyewear - full peripheral glasses or goggles or face shield	4 <input type="checkbox"/>
NIOSH N-95 or N-100 face masks	4 <input type="checkbox"/>
Protective gowns or coveralls, shoe covers	4 <input type="checkbox"/>
Disposable exam gloves meeting NFPA 1999 requirements – assorted appropriate sizes, must include hypoallergenic/latex free types (XL, L, M, S)	1 bx ea. <input type="checkbox"/>
Waterless hand sanitizer	1 <input type="checkbox"/>
Disinfectant for cleaning vehicle interior and equipment	1 <input type="checkbox"/>
Biohazard trash bags	2 <input type="checkbox"/>
Fixed and Portable sharps containers	1 ea. <input type="checkbox"/>
<b>B.2 PPE - Safety Equipment (Quantity and Sized for entire EMS crew)</b>	
Clothing, High visibility, compliant with 23 CFR Part 643 (Federal Highway Worker Visibility Act) meeting ANSI/ISEA 107-2004 class 3 requirements	Total Crew <input type="checkbox"/>
Chemical light sticks or reflective triangles, etc.	3 <input type="checkbox"/>
Child occupant protection system	1 <input type="checkbox"/>
Emergency Response Guidebook, (ERG - Hazmat) Current DOT	1 <input type="checkbox"/>
Fire Extinguisher, 5lb 2A-10BC or FAA approved Fire Extinguisher	1 <input type="checkbox"/>
Flashlights	2 <input type="checkbox"/>

Soft Restraints; commercially available	1 set <input type="checkbox"/>
<b>C.1 Trauma - Immobilization Equipment</b>	
Cervical collars- Rigid: large, medium, small & child, (OR) adult and pediatric adjustable	2 ea. <input type="checkbox"/>
Head/cervical immobilization devices - towel/blanket rolls are acceptable	2 sets <input type="checkbox"/>
Backboards: radiolucent, fluid impervious and full-length	1 <input type="checkbox"/>
Backboard patient securing strapping: Four (4) 9-foot straps or equivalent	1 set <input type="checkbox"/>
Traction splints, adult and child – a single splint is acceptable if adjustable for both	1 ea. <input type="checkbox"/>
Extremity splints; padded (Cardboard, wire, air, or moldable)	2 ea. <input type="checkbox"/>
<b>C.2 Trauma - Wound Management</b>	
Abdominal Pads; Sterile, sized 5" x 9" or 8" x 10"	2 <input type="checkbox"/>
Adhesive tape – assorted sizes – 1 roll must be hypoallergenic/latex free	4 rolls <input type="checkbox"/>
Gauze; Sterile, sized 4"x 4"	24 <input type="checkbox"/>
Gauze; Conforming Stretch Roll bandaging	8 rolls <input type="checkbox"/>
Heavy duty bandage scissors or shears	1 <input type="checkbox"/>
Multi-Trauma Dressing; Sterile, sized 10" x 30"	2 <input type="checkbox"/>
Triangular Bandages	2 <input type="checkbox"/>
Tourniquet; Commercial - Mechanical, Extremity	1 <input type="checkbox"/>
Sterile Saline or Sterile Water for irrigation, 1000 ml total	1000 mL <input type="checkbox"/>
<b>C.3 Trauma - Additional Equipment</b>	
Body Bag, Impermeable	1 <input type="checkbox"/>
Cold packs	4 <input type="checkbox"/>
Hot packs	4 <input type="checkbox"/>
<b>E.1 Monitoring and Assessment</b>	
Blood pressure cuff – XL, adult, child & infant	1 ea. <input type="checkbox"/>
Stethoscope, suitable for adult and pediatric use	1 <input type="checkbox"/>
Glucometer with supplies (lancets must be single use, fully disposable types)	1 <input type="checkbox"/>
Pulse oximeter for adult and pediatric use (Portable or ECG monitor module)	1 <input type="checkbox"/>
Thermometer, capable of measuring a range of 86°-105° F	1 <input type="checkbox"/>
AED with adult and pediatric defibrillator pads	1 <input type="checkbox"/>
<b>ALS ECG / Defibrillator Monitoring System (OPTIONAL)</b>	
<ul style="list-style-type: none"> <li>Cardiac Rhythm monitoring</li> <li>12 Lead acquisition, data transmission</li> <li>Defibrillation and Cardioversion</li> </ul>	Optional <input type="checkbox"/>
<ul style="list-style-type: none"> <li>Cables and electrode set for ECG monitoring and 12 lead acquisition</li> </ul>	Optional <input type="checkbox"/>
<ul style="list-style-type: none"> <li>Adult and pediatric defibrillation and transcutaneous pacing cables and pads (A total of 2 is required if pads accommodate both adult and pediatric patients)</li> </ul>	Opt: AED mode 2 ea <input type="checkbox"/>
<ul style="list-style-type: none"> <li>AC power supply, battery and spare battery</li> </ul>	Optional <input type="checkbox"/>
<b>F.1 Airway and Ventilation</b>	
Fixed suction system, electric powered with disposable collection container, and large bore tubing, assembled and ready for use	1 <input type="checkbox"/>
Portable suction unit, assembled and ready for use	1 <input type="checkbox"/>
Suction Catheter; Oral, Large bore, Rigid (with internal diameter ≥ 0.25 inches)	2 <input type="checkbox"/>
Suction Catheter; Flexible (sized: 6 Fr, 10 Fr and 14 Fr)	2 ea. <input type="checkbox"/>
Salem Sump Tubes; (sized 8 Fr, 12 Fr, and 18 Fr)	1 ea. <input type="checkbox"/>
Syringe, 60 cc (irrigation syringe with suction catheter tip) for Salem Sump Tubes	1 <input type="checkbox"/>

O <sup>2</sup> Main on-board system: BLS-ALS = (1 "M" cylinder ~3,000 L equiv) with 2 outlets; CCT Ground minimum = (2 M size tanks 6,000 L) or (1 H: 6,900 L)	1 <input type="checkbox"/>
O <sup>2</sup> adjustable liter flow regulators (capable of 15 lpm)	2 <input type="checkbox"/>
O <sup>2</sup> Portable tank (D size or larger):non-gravity dependent flow gauge/regulator (15 lpm)	1 <input type="checkbox"/>
O <sup>2</sup> Full spare portable cylinder (1 D size "350 L" or larger)	1 <input type="checkbox"/>
O <sup>2</sup> connecting tubing – may be stored with BVM or nebulizers	2 <input type="checkbox"/>
Nasal Cannula: Adult	2 <input type="checkbox"/>
Nasal cannula: Pediatric	2 <input type="checkbox"/>
Non-rebreather masks (NRB): Adult	2 <input type="checkbox"/>
Non-rebreather masks (NRB): Pediatric	2 <input type="checkbox"/>
Nasopharyngeal airways – assorted sizes, 16 Fr – 34 Fr (≥ 5 different sizes)	1 ea. <input type="checkbox"/>
Oropharyngeal airways – sizes 0 through 5	1 set <input type="checkbox"/>
BVM; (bag valve mask, self-filling with O <sup>2</sup> reservoir) Adult, Child, Infant	1 ea. <input type="checkbox"/>
BVM Masks, Clear: adult, child, infant, and neonatal (if not pre-packaged with BVM)	1 ea. <input type="checkbox"/>
Supraglottic Airways, (igel® resus kit Adult Sizes 3, 4, and 5) <i>RESUS Kit is required for EMS use</i>	1 ea. <input type="checkbox"/>
End-tidal CO <sub>2</sub> detector (ADULT) colorimetric / qualitative device (2 ea.) OR Quantitative EtCO <sub>2</sub> Monitor system	1 ea. <input type="checkbox"/> or Mon. <input type="checkbox"/>
End-tidal CO <sub>2</sub> detectors; (PEDIATRIC) colorimetric / qualitative device (2 ea.) OR Quantitative EtCO <sub>2</sub> Monitor system	1 ea. <input type="checkbox"/> or Mon. <input type="checkbox"/>
Positive End Expiratory Pressure Valve (PEEP) ( <i>BVM with PEEP valve meet this requirement</i> )	1 <input type="checkbox"/>
CPAP device with 2 masks and tubing circuits	1 <input type="checkbox"/>
Magill forceps: Adult and Pediatric size	1 each <input type="checkbox"/>
<b>F.2 OPTIONAL Equipment and Supplies</b>	
Non-invasive vital signs monitor	<input type="checkbox"/>
Mechanical Chest Compression Device	Optional <input type="checkbox"/>
Bandaging, Elastic wrap	<input type="checkbox"/>
Hemostatic dressings, impregnated gauze-type hemostatic agent	<input type="checkbox"/>
Pediatric spinal immobilization device	<input type="checkbox"/>
Jewelry/ring cutter or ring breaker	<input type="checkbox"/>
Pelvic immobilization device	1 <input type="checkbox"/>
Pocket mask with one-way valve	<input type="checkbox"/>
Supraglottic Airways, (igel® Pediatric Sizes 1, 1.5, 2, and 2.5)	1 ea. <input type="checkbox"/>
<b>G.1 IV and Medication Administration Supplies</b>	
Length-/weight based pediatric drug-equipment reference, tape, pedi wheel or equivalent	1 <input type="checkbox"/>
IM, SQ, IV site preparation materials – alcohol or povidone pads	5 ea. <input type="checkbox"/>
Medication atomizers, (intranasal Naloxone, etc)	2 <input type="checkbox"/>
Nebulizer kits, (albuterol and/or ipratropium bromide, etc.)	2 <input type="checkbox"/>
Syringe, 10 ml	2 <input type="checkbox"/>
Syringe, 1 ml	2 <input type="checkbox"/>
Needles; hypodermic, various sizes and lengths. IM-SQ medication administration (some must be a minimum of 1.5 inches)	2 ea. <input type="checkbox"/>
<b>H.1 Medications</b>	
Acetaminophen (Tylenol®), oral suspension, 650 mg for adults	650 mg <input type="checkbox"/>
Acetaminophen (Tylenol®), oral suspension, 160mg/5ml for pediatrics	4 <input type="checkbox"/>
Albuterol, 2.5 mg	4 <input type="checkbox"/>

Albuterol / Ipratropium Bromide (Duo-Neb® or Combivent®), 2.5mg / 0.5mg ( <i>Optional for agencies that do not carry Ipratropium Bromide seperately</i> )	4 <input type="checkbox"/>
Aspirin, 81 mg chewable tablets	1 Bottle <input type="checkbox"/>
Diphenhydramine (Benadryl®), Injectable 100 mg total	100 mg <input type="checkbox"/>
Epinephrine, 1:1,000, 1 mg	2 <input type="checkbox"/>
Ipratropium Bromide, 0.5mg ( <i>Optional for agencies that do not carry Duo-Neb® or Combivent® seperately</i> )	4 <input type="checkbox"/>
Naloxone (Narcan®), 1mg/ml ( <i>Optional prepackaged IN atomizer in a concentration not to exceed 1 ml per nostril</i> )	2 <input type="checkbox"/>
Nitroglycerin, 0.4mg (1/150) tablets or spray	1 Bottle <input type="checkbox"/>
Ondansetron (Zofran®), total 8 mg	8 mg <input type="checkbox"/>
Oral Glucose, 15 gm	2 <input type="checkbox"/>
<b>H.2    OPTIONAL    Medications and IV Solutions</b>	
Epi Pen Jr. and Epi Pen Adult	1 each <input type="checkbox"/>
Glucagon, 1 mg	1 <input type="checkbox"/>
Glucagon Auto Injector - Adult	1 <input type="checkbox"/>
Glucagon Auto Injector - Pediatric	1 <input type="checkbox"/>
Mark 1 Kit	<input type="checkbox"/>
<b>END OF CONVOLESCENT TRANSPORT MEDICATION AND EQUIPMENT LIST</b>	