

Precision Packing



Precision Hydraulic Components
Made in the USA for 40 Years



MADE IN THE USA



Wear Rings

Vee Packing Sets



Bearing Rings



U-Cups

Wiper Rings



Telescopic Kits



Precision Packing

Manufacturing Plant and Office

2145 Centerwood Drive

Warren Michigan 48091

Contact Information

Phone: 586-756-8700

Fax: 586-756-8710

Customer Service Email: CS@precpack.com

Web Site: www.PrecPack.com



MADE IN THE USA

All Products listed are manufactured by Precision Packing Corporation. Please refer to “Standard Conditions of Sale” for terms and condition of all sales.



Please call or email Customer Service for sizes and styles not listed. We are always adding new products and can tool for new sizes provided that minimum order requirements are met.

Precision Packing

Sealing Solutions

Vee Packing	2 - 28
U-Cups	30 - 32
Telescopic Kits	34 - 42

Bearings and Wear Rings

Bearings	44 - 47
Wear Rings	48
Back Up Rings	50, 51

Wiper Rings



MADE IN THE USA



AN Wipers	52, 53
BT Wipers	54, 55
CS Wipers	56
HCH Wipers	58
HD Wipers	60, 61
HW & KW Wipers	62
MW Wipers	64, 65
PF, PG & WD Wipers	66
Technical Specifications	68 - 81

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	0.250	1.000	NFB	F	66-1 X .25-F	\$0.88	2416
VP	0.250	1.000	NFB	M	66-1 X .25-M	\$0.88	2415
VP	0.250	1.000	NFB	R	66-1 x .25-R	\$0.88	2414
VP	0.312	0.812	NFB	R	66-.812 X .312-R	\$0.81	1813
VP	0.375	1.000	NFB	F	66-1 X .375-F	\$0.86	2421
VP	0.375	1.000	NFB	M	66-1 X .375-M	\$0.86	2420
VP	0.375	1.000	NFB	R	66-1 X .375-R	\$0.86	2422
VP	0.437	0.812	NFB	R	66-.812 X .437-R	\$0.79	2618
VP	0.500	0.875	NFB	F-020	66-.875 X .5-F-020	\$0.80	1003
VP	0.500	0.875	NFB	M	66-.875 X .5-M	\$0.80	1002
VP	0.500	0.875	NFB	R	66-.875 X .5-R	\$0.80	1001
VP	0.500	1.000	GFN	M	33-1 X .5-M	\$0.84	2439
VP	0.500	1.000	TPE	R	40-1 x .5-R	\$0.84	2440
VP	0.500	1.000	NFB	F	66-1 X .5-F	\$0.84	1013
VP	0.500	1.000	NFB	M	66-1 X .5-M	\$0.84	1014
VP	0.500	1.000	NFB	R	66-1 X .5-R	\$0.84	1012
VP	0.625	1.000	TPE	R	40-1 X .625-R	\$0.82	2423
VP	0.625	1.000	TPE	R(BLK)	40-1 X .625-R(BLK)	\$0.82	2576
VP	0.625	1.000	NFB	F	66-1 X .625-F	\$0.82	1816
VP	0.625	1.000	NFB	M	66-1 X .625-M+020	\$0.82	1815
VP	0.625	1.000	NFB	R	66-1 X .625-R	\$0.82	1805
VP	0.625	1.125	GFN	F	33-1.125 X .625-F	\$0.87	2397
VP	0.625	1.125	GFN	F-060	33-1.125 X .625-F-.060	\$0.87	2013
VP	0.625	1.125	GFN	M	33-1.125 X .625-M	\$0.87	1296
VP	0.625	1.125	GFN	M-050	33-1.125 X .625-M-050	\$0.87	2465
VP	0.625	1.125	GFN	M-080	33-1.125 X .625-M-080	\$0.87	2800
VP	0.625	1.125	TPE	R	40-1.125 X .625-R	\$0.87	2419
VP	0.625	1.125	NFB	F	66-1.125 X .625-F	\$0.87	1016
VP	0.625	1.125	NFB	F-050	66-1.125 X.625-F-.050	\$0.87	2617
VP	0.625	1.125	NFB	M-050	66-1.125 X.625-M-050	\$0.87	2373
VP	0.625	1.125	NFB	R	66-1.125 X .625-R	\$0.87	1015
VP	0.708	1.023	NFB	R	66-1.023 X .708 -R	\$0.81	2671
VP	0.750	1.250	GFN	F	33-1.25 X .75-F	\$0.89	1299
VP	0.750	1.250	GFN	M	33-1.25 X .75-M	\$0.89	1298
VP	0.750	1.250	GFN	M-015	33-1.25 X .75-M-015	\$0.89	2359
VP	0.750	1.250	GFN	M+020	33-1.25 X .75-M+020	\$0.89	1297
VP	0.750	1.250	NFB	R	66-1.25 X .75-R	\$0.89	1017
VP	0.750	1.375	NFB	F	66-1.375 X .75-F	\$0.96	1124
VP	0.750	1.375	NFB	M	66-1.375 X .75-M	\$0.96	1125
VP	0.750	1.375	NFB	M+050	66-1.375 X .75-M+050	\$0.96	2320
VP	0.750	1.375	NFB	R	66-1.375 X .75-R	\$0.96	1123

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	0.750	1.500	NFB	F+050	66-1.5 X .75-F+050	\$1.03	1175
VP	0.750	1.500	NFB	M+050	66-1.5 X .75-M+050	\$1.03	1177
VP	0.750	1.500	NFB	R	66-1.5 X .75-R	\$1.03	1176
VP	0.812	1.187	GFN	M	33-1.187 x .812-M	\$0.84	2598
VP	0.812	1.187	NFB	F	66-1.187 x .813-F	\$0.84	2599
VP	0.812	1.187	NFB	R	66-1.187 x .812-R	\$0.84	2600
VP	0.812	1.312	GFN	F	33-1.312 X .812-F	\$0.90	1301
VP	0.812	1.312	GFN	M	33-1.312 X .812-M	\$0.90	1300
VP	0.812	1.312	TPE	R	40-1.312 X .812-R	\$0.90	1469
VP	0.812	1.312	TPE	R(BLK)	40-1.312 X .812-R(BLACK)	\$0.90	2581
VP	0.812	1.312	NFB	R	66-1.312 X .812-R	\$0.75	1018
VP	0.875	1.250	GFN	F+050	33-1.25 X .875-F+050	\$0.85	1290
VP	0.875	1.250	GFN	M+050	33-1.25 X .875-M+050	\$0.85	1291
VP	0.875	1.250	TPE	R+025	40-1.25 X .875-R+025	\$0.85	2263
VP	0.875	1.250	NFB	R	66-1.25 X .875-R	\$0.85	1004
VP	0.875	1.250	NFB	RS	66-1.25 x .875-RS	\$0.85	2603
VP	0.875	1.375	GFN	F	33-1.375 X .875-F	\$0.92	2468
VP	0.875	1.375	GFN	M	33-1.375 X .875-M	\$0.92	2507
VP	0.875	1.375	GFN	M+030	33-1.375 X .875-M+030	\$0.92	2467
VP	0.875	1.375	TPE	R	40-1.375 X .875-R	\$0.92	2560
VP	0.875	1.375	NFB	F	66-1.375 X .875-F	\$0.92	1021
VP	0.875	1.375	NFB	F-050	66-1.375 X .875-F-050	\$0.92	2243
VP	0.875	1.375	NFB	M	66-1.375 X .875-M	\$0.92	1901
VP	0.875	1.375	NFB	M-040	66-1.375 X .875-M-040	\$0.92	1926
VP	0.875	1.375	NFB	M+050	66-1.375 X .875-M+050	\$0.92	1019
VP	0.875	1.375	NFB	M+125	66-1.375 X .875-M+125	\$0.92	1020
VP	0.875	1.375	NFB	R	66-1.375 X .875-R	\$0.92	1022
VP	0.875	1.500	NFB	F	66-1.5 X .875-F	\$0.99	1128
VP	0.875	1.500	NFB	M	66-1.5 X .875-M	\$0.99	1127
VP	0.875	1.500	NFB	R	66-1.5 X .875-R	\$0.99	1126
VP	1.000	1.375	GFN	F	33-1.375 X 1-F	\$0.87	1292
VP	1.000	1.375	GFN	M	33-1.375 X 1-M	\$0.87	1293
VP	1.000	1.375	TPE	R	40-1.375 X 1-R	\$0.87	1467
VP	1.000	1.375	NFB	F	66-1.375 X 1-F	\$0.87	2837
VP	1.000	1.375	NFB	R	66-1.375 X 1-R	\$0.87	1005
VP	1.000	1.500	GFN	F	33-1.5 X 1-F	\$0.94	1302
VP	1.000	1.500	GFN	F-110	33-1.5 X 1-F-110	\$0.94	2717
VP	1.000	1.500	GFN	M	33-1.5 X 1-M	\$0.94	1303
VP	1.000	1.500	GFN	M-020	33-1.5 X 1-M-020	\$0.94	2562
VP	1.000	1.500	GFN	M-050	33-1.5 X 1-M-050	\$0.94	2463
VP	1.000	1.500	GFN	M-080	33-1.5 X 1-M-080	\$0.94	2799
VP	1.000	1.500	GFN	M+030	33-1.5 X 1-M+030	\$0.94	2133

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	1.000	1.500	TPE	R	40-1.5 X 1-R	\$0.94	1470
VP	1.000	1.500	TPE	R-030	40-1.5 X 1-R-030	\$0.94	2464
VP	1.000	1.500	TPE	R(55D)	40-1.5 X 1-R(55D)	\$0.94	2052
VP	1.000	1.500	TPE	R(BLK)	40-1.5 X 1-R (BLK)	\$0.94	2577
VP	1.000	1.500	NFB	F	66-1.5 X 1-F	\$0.94	1024
VP	1.000	1.500	NFB	M	66-1.5 X 1-M	\$0.94	1025
VP	1.000	1.500	NFB	R	66-1.5 X 1-R	\$0.94	1023
VP	1.000	1.625	NFB	F	66-1.625 X 1-F	\$1.02	1131
VP	1.000	1.625	NFB	M	66-1.625 X 1-M	\$1.02	1130
VP	1.000	1.625	NFB	R	66-1.625 X 1-R	\$1.02	1129
VP	1.000	1.750	GFN	M	33-1.75 X 1-M	\$1.10	2496
VP	1.000	1.750	TPE	R	40-1.75 X 1-R	\$1.10	1527
VP	1.000	1.750	NFB	F	66-1.75 X 1-F	\$1.10	1180
VP	1.000	1.750	NFB	M	66-1.75 X 1-M	\$1.10	1179
VP	1.000	1.750	NFB	R	66-1.75 X 1-R	\$1.10	1178
VP	1.125	1.625	GFN	F	33-1.625 X 1.125-F	\$0.97	2084
VP	1.125	1.625	GFN	M	33-1.625 X 1.125-M	\$0.97	2083
VP	1.125	1.625	GFN	M+015	33-1.625 X 1.125-M+.015	\$0.97	2435
VP	1.125	1.625	TPE	R	40-1.625 X 1.125-R	\$0.97	2561
VP	1.125	1.625	NFB	F	66-1.625 X 1.125-F	\$0.97	1027
VP	1.125	1.625	NFB	F-070	66-1.625 X 1.125-F-070	\$0.97	1839
VP	1.125	1.625	NFB	M	66-1.625 X 1.125-M	\$0.97	1028
VP	1.125	1.625	NFB	M-060	66-1.625 X 1.125-M-060	\$0.97	1840
VP	1.125	1.625	NFB	R	66-1.625 X 1.125-R	\$0.97	1026
VP	1.125	1.750	NFB	F	66-1.75 X 1.125-F	\$1.05	1771
VP	1.125	1.750	NFB	M	66-1.75 X 1.125-M	\$1.05	1769
VP	1.125	1.750	NFB	R	66-1.75 X 1.125-R	\$1.05	1770
VP	1.187	1.687	NFB	F	66-1.687 X 1.187-F	\$0.98	1988
VP	1.187	1.687	NFB	M	66-1.687 X 1.187-M	\$0.98	1989
VP	1.187	1.687	NFB	R	66-1.687 X 1.187-R	\$0.98	1990
VP	1.250	1.750	GFN	F	33-1.75 X 1.25-F	\$0.99	1305
VP	1.250	1.750	GFN	F-030	33-1.75 X 1.25-F-030	\$0.99	2386
VP	1.250	1.750	GFN	M	33-1.75 X 1.25-M	\$0.99	1304
VP	1.250	1.750	GFN	M-050	33-1.75 X 1.25-M-050	\$0.99	1993
VP	1.250	1.750	TPE	R	40-1.75 X 1.25-R	\$0.99	1952
VP	1.250	1.750	TPE	R(55D)	40-1.75 X 1.25-R(55D)	\$0.99	1985
VP	1.250	1.750	TPE	R(BLK)	40-1.75 X 1.25-R(BLK)	\$0.99	2582
VP	1.250	1.750	NFB	F	66-1.75 X 1.25-F	\$0.99	2082
VP	1.250	1.750	NFB	F-050	66-1.75 X 1.25 F-050	\$0.99	3036
VP	1.250	1.750	NFB	M	66-1.75 X 1.25-M	\$0.99	2081
VP	1.250	1.750	NFB	M-030	66-1.75 X 1.25-M-030	\$0.99	3028
VP	1.250	1.750	NFB	R	66-1.75 X 1.25-R	\$0.99	1029

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	1.250	1.875	NFB	F	66-1.875 X 1.25-F	\$1.07	1133
VP	1.250	1.875	NFB	M	66-1.875 X 1.25-M	\$1.07	1134
VP	1.250	1.875	NFB	M-075	66-1.875 X 1.25-M-.075	\$1.07	2552
VP	1.250	1.875	NFB	R	66-1.875 X 1.25-R	\$1.07	1132
VP	1.250	1.875	NFB	R+050	66-1.875 X 1.25-R+025	\$1.07	2141
VP	1.250	2.000	GFN	F	33-2 X 1.25-F	\$1.17	1411
VP	1.250	2.000	GFN	M	33-2 X 1.25-M	\$1.17	1412
VP	1.250	2.000	TPE	R	40-2 X 1.25-R	\$1.17	1798
VP	1.250	2.000	NFB	R	66-2 X 1.25-R	\$1.17	1181
VP	1.250	2.250	GFN	F	33-2.25 X 1.25-F	\$1.37	1867
VP	1.250	2.250	GFN	M	33-2.25 X 1.25-M	\$1.37	1865
VP	1.250	2.250	NFB	F	66-2.25 X 1.25-F	\$1.37	1880
VP	1.250	2.250	NFB	M	66-2.25 X 1.25-M	\$1.37	1881
VP	1.250	2.250	NFB	R	66-2.25 X 1.25-R	\$1.37	1866
VP	1.375	1.750	NFB	F	66-1.75 X 1.375-F	\$0.92	1007
VP	1.375	1.750	NFB	M+080	66-1.75 X 1.375-M+080	\$0.92	1006
VP	1.375	1.750	NFB	R	66-1.75 X 1.375-R	\$0.92	1008
VP	1.375	1.875	GFN	F	33-1.875 X 1.375-F	\$1.01	1987
VP	1.375	1.875	GFN	M	33-1.875 X 1.375-M	\$1.01	1306
VP	1.375	1.875	GFN	M-025	33-1.875 X 1.375-M-025	\$1.01	2609
VP	1.375	1.875	GFN	M-050	33-1.875 X 1.375-M-050	\$1.01	1994
VP	1.375	1.875	GFN	M-080	33-1.875 X 1.375-M-080	\$1.01	2801
VP	1.375	1.875	TPE	R	40-1.875 X 1.375-R	\$1.01	1471
VP	1.375	1.875	TPE	R-030	40-1.875 X 1.375-R-030	\$1.01	2504
VP	1.375	1.875	TPE	R(55D)	40-1.875 X 1.375-R(55D)	\$1.01	1986
VP	1.375	1.875	NFB	F	66-1.875 X 1.375-F	\$1.01	1031
VP	1.375	1.875	NFB	M	66-1.875 X 1.375-M	\$1.01	2396
VP	1.375	1.875	NFB	R	66-1.875 X 1.375-R	\$1.01	1030
VP	1.375	2.000	GFN	F	33-2 X 1.375-F	\$1.11	1382
VP	1.375	2.000	GFN	M	33-2 X 1.375-M	\$1.11	1381
VP	1.375	2.000	TPE	R	40-2 X 1.375-R	\$1.11	2247
VP	1.375	2.000	NFB	F	66-2 X 1.375-F	\$1.11	2128
VP	1.375	2.000	NFB	M	66-2 X 1.375-M	\$1.11	2127
VP	1.375	2.000	NFB	M-075	66-2 X 1.375-M-075	\$1.11	2549
VP	1.375	2.000	NFB	R	66-2 X 1.375-R	\$1.11	1135
VP	1.375	2.125	GFN	F	33-2.125 X 1.375-F	\$1.20	2099
VP	1.375	2.125	GFN	M	33-2.125 X 1.375-M+060	\$1.20	2100
VP	1.375	2.125	NFB	R	66-2.125 X 1.375-R	\$1.20	2098
VP	1.437	2.062	GFN	F	33-2.062 X 1.437-F	\$1.12	2546
VP	1.437	2.062	GFN	M	33-2.062 X 1.437-M	\$1.12	2545
VP	1.437	2.062	NFB	F	66-2.062 X 1.437-F	\$1.12	1842
VP	1.437	2.062	NFB	M	66-2.062 X 1.437-M-090	\$1.12	1843

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	1.437	2.062	NFB	R	66-2.062 X 1.437-R	\$1.12	1841
VP	1.500	1.875	NFB	R	66-1.875 X 1.5-R	\$0.95	2375
VP	1.500	2.000	GFN	F	33-2 X 1.5-F	\$1.04	1308
VP	1.500	2.000	GFN	F-040	33-2 X 1.5-F-040	\$1.04	2368
VP	1.500	2.000	GFN	F+020	33-2 X 1.5-F+020	\$1.04	2109
VP	1.500	2.000	GFN	M	33-2 X 1.5-M	\$1.04	1307
VP	1.500	2.000	GFN	M-050	33-2 X 1.5-M-050	\$1.04	1992
VP	1.500	2.000	GFN	M-SPL	33-2 X 1.5-M-SPLIT	\$1.04	3033
VP	1.500	2.000	GFN	M+025	33-2 X 1.5-M+025	\$1.04	2369
VP	1.500	2.000	GFN	M+050	33-2 X 1.5-M+050	\$1.04	1879
VP	1.500	2.000	GFN	M+170	33-2 X 1.5-M+170	\$1.04	2046
VP	1.500	2.000	GFN	M+190	33-2 X 1.5-M+190	\$1.04	2110
VP	1.500	2.000	TPE	R	40-2 X 1.5-R	\$1.04	1472
VP	1.500	2.000	TPE	R(55D)	40-2 X 1.5-R(55D)	\$1.04	1960
VP	1.500	2.000	TPE	R(BLK)	40-2 X 1.5-R(BLK)	\$1.04	2583
VP	1.500	2.000	TPE	R(BLU)	40-2 X 1.5-R (BLU)	\$1.04	2640
VP	1.500	2.000	TPE	R+090	40-2 X 1.5-R+090(55D)	\$1.04	2060
VP	1.500	2.000	NFB	F	66-2 X 1.5-F	\$1.04	1032
VP	1.500	2.000	NFB	F-050	66-2 x 1.5 F-050	\$1.04	3044
VP	1.500	2.000	NFB	F+040	66-2 X 1.5-F+040	\$1.04	3060
VP	1.500	2.000	NFB	M	66-2 X 1.5-M	\$1.04	1033
VP	1.500	2.000	NFB	M-030	66-2 x 1.5-M-030	\$1.04	3058
VP	1.500	2.000	NFB	R	66-2 X 1.5-R	\$1.04	1034
VP	1.500	2.125	GFN	F	33-2.125 X 1.5-F	\$1.13	1849
VP	1.500	2.125	GFN	F+025	33-2.125 X 1.5-F+025	\$1.13	2401
VP	1.500	2.125	GFN	M	33-2.125 X 1.5-M	\$1.13	1818
VP	1.500	2.125	GFN	M+025	33-2.125 X 1.5-M+025	\$1.13	2402
VP	1.500	2.125	TPE	R	40-2.125 X 1.5-R	\$1.13	2869
VP	1.500	2.125	NFB	F	66-2.125 X 1.5-F	\$1.13	1137
VP	1.500	2.125	NFB	M	66-2.125 X 1.5-M	\$1.13	1136
VP	1.500	2.125	NFB	M+060	66-2.125 X 1.5-M+.060	\$1.13	2902
VP	1.500	2.125	NFB	R	66-2.125 X 1.5-R	\$1.13	1138
VP	1.500	2.250	NFB	F	66-2.25 X 1.5-F	\$1.24	1184
VP	1.500	2.250	NFB	M	66-2.25 X 1.5-M	\$1.24	1183
VP	1.500	2.250	NFB	R	66-2.25 X 1.5-R	\$1.24	1182
VP	1.500	2.500	GFN	F	33-2.5 X 1.5-F	\$1.47	1459
VP	1.500	2.500	GFN	M	33-2.5 X 1.5-M	\$1.47	1460
VP	1.500	2.500	TPE	R	40-2.5 X 1.5-R	\$0.74	1534
VP	1.500	2.500	NFB	F	66-2.5 X 1.5-F	\$1.47	1253
VP	1.500	2.500	NFB	M	66-2.5 X 1.5-M	\$1.47	1254
VP	1.500	2.500	NFB	R	66-2.5 X 1.5-R	\$1.47	1255
VP	1.625	2.125	GFN	F	33-2.125 X 1.625-F	\$1.06	2078

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	1.625	2.125	GFN	M	33-2.125 X 1.625-M	\$1.06	2079
VP	1.625	2.125	TPE	R	40-2.125 X 1.625-R	\$1.06	2080
VP	1.625	2.125	NFB	F	66-2.125 X 1.625-F	\$1.06	2041
VP	1.625	2.125	NFB	M	66-2.125 X 1.625-M	\$1.06	2042
VP	1.625	2.125	NFB	R	66-2.125 X 1.625-R	\$1.06	2040
VP	1.625	2.250	GFN	F	33-2.25 X 1.625-F	\$1.17	2086
VP	1.625	2.250	GFN	M	33-2.25 X 1.625-M	\$1.17	2085
VP	1.625	2.250	GFN	M-075	33-2.25 X 1.625-M-075	\$1.17	3082
VP	1.625	2.250	NFB	F	66-2.25 X 1.625-F	\$1.17	1140
VP	1.625	2.250	NFB	M	66-2.25 X 1.625-M	\$1.17	1141
VP	1.625	2.250	NFB	M-070	66-2.25 X 1.625-M-070	\$1.17	3040
VP	1.625	2.250	NFB	R	66-2.25 X 1.625-R	\$1.17	1139
VP	1.750	2.125	NFB	R+090	66-2.125 X 1.75-R+090	\$0.98	2472
VP	1.750	2.250	GFN	F	33-2.25 X 1.75-F	\$1.09	1310
VP	1.750	2.250	GFN	F-030	33-2.25 X 1.75-F-030	\$1.09	2378
VP	1.750	2.250	GFN	M	33-2.25 X 1.75-M	\$1.09	1309
VP	1.750	2.250	GFN	M-020	33-2.25 X 1.75-M-020	\$1.09	2462
VP	1.750	2.250	GFN	M-050	33-2.25 X 1.75-M-050	\$1.09	2126
VP	1.750	2.250	GFN	M-080	33-2.25 X 1.75-M-080	\$1.09	2802
VP	1.750	2.250	TPE	R	40-2.25 X 1.75-R	\$1.09	1473
VP	1.750	2.250	TPE	R-030	40-2.25 X 1.75-R-030	\$1.09	2470
VP	1.750	2.250	TPE	R(BLK)	40-2.25 X 1.75-R(BLK)	\$1.09	2584
VP	1.750	2.250	NFB	F	66-2.25 X 1.75-F	\$1.09	1801
VP	1.750	2.250	NFB	F-030	66-2.25 x 1.75-F-030	\$1.09	3052
VP	1.750	2.250	NFB	F-090	66-2.25 X 1.75-F-090	\$1.09	1037
VP	1.750	2.250	NFB	M	66-2.25 X 1.75-M	\$1.09	1802
VP	1.750	2.250	NFB	M-070	66-2.25 X 1.75-M-070	\$1.09	1036
VP	1.750	2.250	NFB	R	66-2.25 X 1.75-R	\$1.09	1035
VP	1.750	2.375	GFN	F	33-2.375 X 1.75-F	\$1.20	1829
VP	1.750	2.375	GFN	M+050	33-2.375 X 1.75-M+050	\$1.20	2867
VP	1.750	2.375	TPE	R	40-2.375 X 1.75-R	\$1.20	2639
VP	1.750	2.375	TPE	R(BLU)	40-2.375 X 1.75-R (BLU)	\$1.20	2641
VP	1.750	2.375	NFB	F	66-2.375 X 1.75-F	\$1.20	1144
VP	1.750	2.375	NFB	M	66-2.375 X 1.75-M	\$1.20	1142
VP	1.750	2.375	NFB	M-075	66-2.375 X 1.75-M-070	\$1.20	2550
VP	1.750	2.375	NFB	R	66-2.375 X 1.75-R	\$1.20	1143
VP	1.750	2.500	GFN	F	33-2.5 X 1.75-F	\$1.31	1413
VP	1.750	2.500	GFN	M	33-2.5 X 1.75-M	\$1.31	1414
VP	1.750	2.500	NFB	F	66-2.5 X 1.75-F	\$1.31	1186
VP	1.750	2.500	NFB	M	66-2.5 X 1.75-M	\$1.31	1187
VP	1.750	2.500	NFB	R	66-2.5 X 1.75-R	\$1.31	1185
VP	1.750	2.750	GFN	F	33-2.75 X 1.75-F	\$1.56	1837

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	1.750	2.750	GFN	M	33-2.75 X 1.75-M	\$1.56	1838
VP	1.750	2.750	TPE	R	40-2.75 X 1.75-R	\$1.56	1836
VP	1.750	2.750	NFB	R	66-2.75 X 1.75-R	\$1.56	2266
VP	1.875	2.343	NFB	R	66-2.343 X 1.875-R	\$1.08	2374
VP	1.875	2.375	GFN	F	33-2.375 X 1.875-F	\$1.11	2044
VP	1.875	2.375	GFN	M	33-2.375 X 1.875-M	\$1.11	2043
VP	1.875	2.375	NFB	F	66-2.375 X 1.875-F	\$1.11	1040
VP	1.875	2.375	NFB	M	66-2.375 X 1.875-M	\$1.11	1039
VP	1.875	2.375	NFB	R	66-2.375 X 1.875-R	\$1.11	1038
VP	1.875	2.500	GFN	DF	33-2.5 X 1.875-DF	\$1.23	2943
VP	1.875	2.500	GFN	F	33-2.5 X 1.875-F	\$1.23	1383
VP	1.875	2.500	GFN	F+025	33-2.5 X 1.875-F+025	\$1.23	2403
VP	1.875	2.500	GFN	M	33-2.5 X 1.875-M	\$1.23	1384
VP	1.875	2.500	GFN	M+025	33-2.5 X 1.875-M+025	\$1.23	2404
VP	1.875	2.500	TPE	R	40-2.5 X 1.875-R	\$1.23	2944
VP	1.875	2.500	NFB	F	66-2.5 X 1.875-F	\$1.23	3092
VP	1.875	2.500	NFB	R	66-2.5 X 1.875-R	\$1.23	1145
VP	1.875	2.525	GFN	F	33-2.525 X 1.875-F	\$1.25	2521
VP	1.875	2.525	GFN	M	33-2.525 X 1.875-M	\$1.25	2522
VP	1.875	2.525	TPE	R	40-2.525 X 1.875-R	\$1.25	2566
VP	1.875	2.525	NFB	R	66-2.525 X 1.875-R	\$1.25	2523
VP	1.875	2.625	NFB	F	66-2.625 X 1.875-F	\$1.35	1189
VP	1.875	2.625	NFB	M-060	66-2.625 X 1.875-M-060	\$1.35	1190
VP	1.875	2.625	NFB	R	66-2.625 X 1.875-R	\$1.35	1188
VP	1.937	2.437	GFN	F	33-2.437 X 1.937-F+.020	\$1.12	2015
VP	1.937	2.437	GFN	M	33-2.437 X 1.937-M+.170	\$1.12	2018
VP	1.937	2.437	TPE	R	40-2.437 X 1.937-R	\$1.12	2016
VP	1.937	2.437	TPE	R(55D)	40-2.437 X 1.937-R(55D)	\$1.12	2604
VP	1.937	2.437	TPE	R(55D)B	40-2.437 X 1.937-R(55D)B	\$1.12	2025
VP	1.937	2.437	TPE	R(BLK)	40-2.437 X 1.937-R(BLK)	\$1.12	2585
VP	1.937	2.437	NFB	R	66-2.437 X 1.937-R	\$1.12	2017
VP	1.945	2.535	TPU	RT	20-2.535 X 1.945-RT	\$1.21	2803
VP	1.970	2.520	GFN	M+020	33-2.52 X 1.97-M+020	\$1.18	1363
VP	1.970	2.520	TPE	R	40-2.52 X 1.97-R	\$1.18	1508
VP	1.970	2.520	NFB	R	66-2.52 X 1.97-R	\$1.18	1109
VP	2.000	2.500	GFN	F	33-2.5 X 2-F	\$1.13	1312
VP	2.000	2.500	GFN	M	33-2.5 X 2-M	\$1.13	1311
VP	2.000	2.500	GFN	M-025	33-2.5 X 2-M-025	\$1.13	2575
VP	2.000	2.500	GFN	M-050	33-2.5 X 2-M-050	\$1.13	1991
VP	2.000	2.500	GFN	M+090	33-2.5 X 2 M+090	\$1.13	2676
VP	2.000	2.500	GFN	R	33-2.5 X 2-R	\$1.13	2499
VP	2.000	2.500	TPE	R	40-2.5 X 2-R	\$1.13	1474

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	2.000	2.500	TPE	R(55D)	40-2.5 X 2-R(55D)	\$1.13	1984
VP	2.000	2.500	TPE	R(BLK)	40-2.5 X 2- R (BLK)	\$1.13	2705
VP	2.000	2.500	TPE	R(BLU)	40-2.5 X 2-R(BLU)	\$1.13	2648
VP	2.000	2.500	TPE	R+090	40-2.5 X 2-R+090	\$1.13	1826
VP	2.000	2.500	NFB	F	66-2.5 X 2-F	\$1.13	1043
VP	2.000	2.500	NFB	M	66-2.5 X 2-M	\$1.13	1044
VP	2.000	2.500	NFB	R	66-2.5 X 2-R	\$1.13	1041
VP	2.000	2.500	NFB	R+090	66-2.5 X 2-R+090	\$1.13	1045
VP	2.000	2.625	GFN	F	33-2.625 X 2-F	\$1.26	1847
VP	2.000	2.625	GFN	M	33-2.625 X 2-M	\$1.26	1846
VP	2.000	2.625	GFN	M-030	33-2.625 X 2-M-030	\$1.26	2370
VP	2.000	2.625	TPE	R	40-2.625 X 2-R	\$1.26	2037
VP	2.000	2.625	TPE	R(BLK)	40-2.625 X 2-R(BLK)	\$1.26	2586
VP	2.000	2.625	NFB	F	66-2.625 X 2-F	\$1.26	1147
VP	2.000	2.625	NFB	F-090	66-2.625 X 2 F-090	\$1.26	3039
VP	2.000	2.625	NFB	M	66-2.625 X 2-M	\$1.26	1148
VP	2.000	2.625	NFB	M+060	66-2.625 X 2-M+.060	\$1.26	2903
VP	2.000	2.625	NFB	R	66-2.625 X 2-R	\$1.26	1146
VP	2.000	2.687	NFB	R	66-2.687 X 2-R	\$1.32	3050
VP	2.000	2.750	GFN	F	33-2.75 X 2-F	\$1.39	2088
VP	2.000	2.750	GFN	M	33-2.75 X 2-M	\$1.39	2087
VP	2.000	2.750	TPE	R	40-2.75 X 2-R	\$1.39	2871
VP	2.000	2.750	NFB	F	66-2.75 X 2-F	\$1.39	1193
VP	2.000	2.750	NFB	M	66-2.75 X 2-M	\$1.39	1192
VP	2.000	2.750	NFB	R	66-2.75 X 2-R	\$1.39	1191
VP	2.000	3.000	GFN	F	33-3 X 2-F	\$1.66	2090
VP	2.000	3.000	GFN	M	33-3 X 2-M	\$1.66	2089
VP	2.000	3.000	NFB	F	66-3 X 2-F	\$1.66	1256
VP	2.000	3.000	NFB	M	66-3 X 2-M	\$1.66	1257
VP	2.000	3.000	NFB	R	66-3 X 2-R	\$1.66	1258
VP	2.001	2.775	GFN	F	33-2.775 X 2.001-F	\$1.41	2534
VP	2.001	2.775	GFN	M	33-2.775 X 2.001-M	\$1.41	2533
VP	2.001	2.775	TPE	R	40-2.775 X 2.001-R	\$1.41	2570
VP	2.001	2.775	NFB	R	66-2.775 X 2.001-R	\$1.41	2535
VP	2.125	2.625	NFB	F	66-2.625 X 2.125-F	\$1.16	1822
VP	2.125	2.625	NFB	M	66-2.625 X 2.125-M	\$1.16	1823
VP	2.125	2.625	NFB	R	66-2.625 X 2.125-R	\$1.16	1821
VP	2.125	2.750	GFN	F	33-2.75 X 2.125-F	\$1.28	1385
VP	2.125	2.750	GFN	M	33-2.75 X 2.125-M	\$1.28	1386
VP	2.125	2.750	NFB	F	66-2.75 X 2.125-F	\$1.28	1151
VP	2.125	2.750	NFB	M	66-2.75 X 2.125-M	\$1.28	1150
VP	2.125	2.750	NFB	R	66-2.75 X 2.125-R	\$1.28	1149

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	2.187	2.937	NFB	F	66-2.937 X 2.187-F	\$1.44	1196
VP	2.187	2.937	NFB	M	66-2.937 X 2.187-M	\$1.44	1195
VP	2.187	2.937	NFB	R	66-2.937 X 2.187-R	\$1.44	1194
VP	2.200	2.700	GFN	F	33-2.7 X 2.2-F	\$1.17	1739
VP	2.200	2.700	GFN	M	33-2.7 X 2.2-M	\$1.17	1738
VP	2.200	2.700	TPE	R	40-2.7 X 2.2-R	\$1.17	1741
VP	2.200	2.700	NFB	R	66-2.7 X 2.2-R	\$1.17	1740
VP	2.250	2.625	TPE	R+090	40-2.625 X 2.25-R+090	\$1.05	2474
VP	2.250	2.625	NFB	R+090	66-2.625 X 2.25-R+090	\$1.05	2473
VP	2.250	2.750	GFN	F	33-2.75 X 2.25-F	\$1.18	1314
VP	2.250	2.750	GFN	M	33-2.75 X 2.25-M	\$1.18	1313
VP	2.250	2.750	GFN	M-060	33-2.75 X 2.25-M-060	\$1.18	1824
VP	2.250	2.750	TPE	R	40-2.75 X 2.25-R	\$1.18	1475
VP	2.250	2.750	NFB	F-060	66-2.75 X 2.25-F-060	\$1.18	3042
VP	2.250	2.750	NFB	M-030	66-2.75 x 2.25 M-030	\$1.18	3043
VP	2.250	2.750	NFB	R	66-2.75 X 2.25-R	\$1.18	1046
VP	2.250	2.875	GFN	M+125	33-2.875 X 2.25-M+125	\$1.32	1387
VP	2.250	2.875	NFB	F	66-2.875 X 2.25-F	\$1.32	1154
VP	2.250	2.875	NFB	F-090	66-2.875 X 2.25-F-090	\$1.32	3037
VP	2.250	2.875	NFB	M	66-2.875 X 2.25-M	\$1.32	1153
VP	2.250	2.875	NFB	M-050	66-2.875 X 2.25-M-050	\$1.32	2460
VP	2.250	2.875	NFB	M+060	66-2.875 X 2.25-M+060	\$1.32	3038
VP	2.250	2.875	NFB	R	66-2.875 X 2.25-R	\$1.32	1152
VP	2.250	3.000	GFN	F	33-3 X 2.25-F	\$1.46	1415
VP	2.250	3.000	GFN	F	33-3 X 2.25-M	\$1.46	1416
VP	2.250	3.000	NFB	R	66-3 X 2.25-R	\$1.46	1197
VP	2.275	3.025	GFN	F	33-3.025 X 2.275-F	\$1.46	1820
VP	2.275	3.025	GFN	F	33-3.025 X 2.275-F	\$1.46	2495
VP	2.275	3.025	GFN	M	33-3.025 X 2.275-M	\$1.46	1819
VP	2.275	3.025	GFN	M	33-3.025 X 2.275-M	\$1.46	2494
VP	2.275	3.025	TPE	R	40-3.025 X 2.275-R	\$1.46	1752
VP	2.275	3.025	TPE	R(BLK)	40-3.025 X 2.275R-(BLK)	\$1.46	2588
VP	2.275	3.025	NFB	F	66-3.025 X 2.275-F	\$1.46	1750
VP	2.275	3.025	NFB	M+010	66-3.025 X 2.275-M+010	\$1.46	1749
VP	2.275	3.025	NFB	R	66-3.025 X 2.275-R	\$1.46	1751
VP	2.375	2.812	NFB	R	66-2.812 X 2.375-R	\$1.14	2329
VP	2.375	2.875	NFB	F	66-2.875 X 2.375-F	\$1.20	1048
VP	2.375	2.875	NFB	M	66-2.875 X 2.375-M	\$1.20	1049
VP	2.375	2.875	NFB	R	66-2.875 X 2.375-R	\$1.20	1047
VP	2.375	3.000	NFB	F	66-3 X 2.375-F	\$1.35	1156
VP	2.375	3.000	NFB	M	66-3 X 2.375-M	\$1.35	1155
VP	2.375	3.000	NFB	M-070	66-3 X 2.375-M-070	\$1.35	2452

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	2.375	3.000	NFB	R	66-3 X 2.375-R	\$1.35	1157
VP	2.375	3.125	GFN	F	33-3.125 X 2.375-F	\$1.49	2874
VP	2.375	3.125	GFN	M+060	33-3.125 X 2.375-M+060	\$1.49	2873
VP	2.375	3.125	TPE	R	40-3.125 X 2.375-R	\$1.49	2876
VP	2.375	3.125	NFB	R	66-3.125 X 2.375-R	\$1.49	2875
VP	2.450	3.020	NFB	R	66-3.02 X 2.45-R	\$1.30	3035
VP	2.500	2.875	GFN	F	33-2.875 X 2.5-F	\$1.09	2280
VP	2.500	2.875	GFN	M	33-2.875 X 2.5-M	\$1.09	2279
VP	2.500	2.875	TPE	R	40-2.875 X 2.5-R	\$1.09	2476
VP	2.500	2.875	NFB	R	66-2.875 X 2.5-R	\$1.09	1009
VP	2.500	3.000	GFN	F	33-3 X 2.5-F	\$1.23	1315
VP	2.500	3.000	GFN	F-030	33-3 X 2.5-F-030	\$1.23	2377
VP	2.500	3.000	GFN	M	33-3 X 2.5-M	\$1.23	1316
VP	2.500	3.000	GFN	M-025	33-3 X 2.5-M-025	\$1.23	2610
VP	2.500	3.000	GFN	M-050	33-3 X 2.5-M-050	\$1.23	2125
VP	2.500	3.000	TPE	R	40-3 X 2.5-R	\$1.23	1476
VP	2.500	3.000	TPE	R(55D)	40-3 X 2.5-R(55D)	\$1.23	1995
VP	2.500	3.000	TPE	R(BLK)	40-3 X 2.5-R(BLK)	\$1.23	2587
VP	2.500	3.000	NFB	F	66-3 X 2.5-F	\$1.23	1053
VP	2.500	3.000	NFB	F-030	66-3 x 2.5-F-030	\$1.23	3047
VP	2.500	3.000	NFB	M	66-3 X 2.5-M	\$1.23	1054
VP	2.500	3.000	NFB	M-030	66-3 X 2.5 M-030	\$1.23	3048
VP	2.500	3.000	NFB	R	66-3 X 2.5-R	\$1.23	1050
VP	2.500	3.125	GFN	F	33-3.125 X 2.5-F	\$1.38	1389
VP	2.500	3.125	GFN	M	33-3.125 X 2.5-M	\$1.38	1388
VP	2.500	3.125	GFN	M+035	33-3.125 X 2.5-M+035	\$1.38	1970
VP	2.500	3.125	GFN	M+175	33-3.125 X 2.5-M+.175	\$1.38	2399
VP	2.500	3.125	TPE	R	40-3.125 X 2.5-R	\$1.38	1518
VP	2.500	3.125	TPE	R(55D)(BLK)	40-3.125 X 2.5-R(55D)(BLK)	\$1.38	2954
VP	2.500	3.125	TPE	R(BLK)	40-3.125 X 2.5-R(BLK)	\$1.38	2516
VP	2.500	3.125	TPE	R(BLU)	40-3.125 X 2.5 R(BLU)	\$1.38	2956
VP	2.500	3.125	TPE	RS	40-3.125 x 2.5-RS	\$1.38	3122
VP	2.500	3.125	NFB	F	66-3.125 X 2.5-F	\$1.38	1117
VP	2.500	3.125	NFB	M-010	66-3.125 X 2.5-M-010	\$1.38	3041
VP	2.500	3.125	NFB	M-030	66-3.125 X 2.5-M-030	\$1.38	1159
VP	2.500	3.125	NFB	R	66-3.125 X 2.5-R	\$1.38	1158
VP	2.500	3.250	GFN	F	33-3.25 X 2.5-F	\$1.53	1418
VP	2.500	3.250	GFN	M	33-3.25 X 2.5-M	\$1.53	1417
VP	2.500	3.250	GFN	M+020	33-3.25 X 2.5-M+020	\$1.53	2866
VP	2.500	3.250	GFN	M+060	33-3.25 X 2.5-M+.060	\$1.53	2019
VP	2.500	3.250	TPE	R	40-3.25 X 2.5-R	\$1.53	1814
VP	2.500	3.250	TPE	R(55D)	40-3.25 X 2.5-R(55D)	\$1.53	2026

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	2.500	3.250	TPE	R(BLU)	40-3.25 X 2.5-R (BLU)	\$1.53	2807
VP	2.500	3.250	NFB	F-030	66-3.25 x 2.5 F-030	\$1.53	3053
VP	2.500	3.250	NFB	M	66-3.25 X 2.5-M	\$1.53	3062
VP	2.500	3.250	NFB	R	66-3.25 X 2.5-R	\$1.53	1198
VP	2.500	3.265	NFB	R	66-3.265 X 2.5-R	\$1.55	1924
VP	2.500	3.500	NFB	F	66-3.5 X 2.5-F	\$1.86	1268
VP	2.500	3.500	NFB	M	66-3.5 X 2.5-M	\$1.86	1267
VP	2.500	3.500	NFB	R	66-3.5 X 2.5-R	\$1.86	1266
VP	2.580	3.110	GFN	F	33-3.11 X 2.58-F	\$1.28	1365
VP	2.580	3.110	GFN	M	33-3.11 X 2.58-M	\$1.28	1364
VP	2.580	3.110	TPE	R	40-3.11 X 2.58-R	\$1.28	1509
VP	2.580	3.110	NFB	R	66-3.11 X 2.58-R	\$1.28	1110
VP	2.625	3.250	GFN	F	33-3.25 X 2.625-F	\$1.41	1806
VP	2.625	3.250	TPE	R	40-3.25 X 2.625-R	\$1.41	1828
VP	2.700	3.450	GFN	F	33-3.45 X 2.7-F	\$1.59	1419
VP	2.700	3.450	GFN	M+050	33-3.45 X 2.7-M+050	\$1.59	1420
VP	2.700	3.450	TPE	R	40-3.45 X 2.7-R	\$1.59	1528
VP	2.700	3.450	NFB	R	66-3.45 X 2.7-R	\$1.59	1199
VP	2.750	3.250	TPU	R(RED)	20-3.25 X 2.75-R(RED)	\$1.28	2981
VP	2.750	3.250	GFN	F	33-3.25 X 2.75-F	\$1.28	1318
VP	2.750	3.250	GFN	M	33-3.25 X 2.75-M	\$1.28	1317
VP	2.750	3.250	TPE	R	40-3.25 X 2.75-R	\$1.28	1477
VP	2.750	3.250	NFB	M	66-3.25 x 2.75-M	\$1.28	3054
VP	2.750	3.250	NFB	R	66-3.25 X 2.75-R	\$1.28	1055
VP	2.750	3.375	GFN	F	33-3.375 X 2.75-F	\$1.44	1390
VP	2.750	3.375	GFN	M	33-3.375 X 2.75-M	\$1.44	2077
VP	2.750	3.375	GFN	M+090	33-3.375 X 2.75-M+090	\$1.44	1391
VP	2.750	3.375	GFN	M+170	33-3.375 X 2.75-M+170	\$1.44	1690
VP	2.750	3.375	TPE	R (BLU)	40-3.375 X 2.75-R(BLU)	\$1.44	2596
VP	2.750	3.375	TPE	R(55D)	40-3.375 X 2.75-R(55D)	\$1.44	3029
VP	2.750	3.375	NFB	F	66-3.375 X 2.75-F	\$1.44	2321
VP	2.750	3.375	NFB	M	66-3.375 X 2.75-M	\$1.44	2322
VP	2.750	3.375	NFB	R	66-3.375 X 2.75-R	\$1.44	1160
VP	2.750	3.500	GFN	DF	33-3.5 X 2.75-DF	\$1.60	2937
VP	2.750	3.500	GFN	F	33-3.5 X 2.75-F	\$1.60	1422
VP	2.750	3.500	GFN	M	33-3.5 X 2.75-M	\$1.60	1421
VP	2.750	3.500	GFN	M+050	33-3.5 X 2.75-M+.050	\$1.60	2941
VP	2.750	3.500	TPE	R	40-3.5 X 2.75-R	\$1.60	2870
VP	2.750	3.500	NFB	R	66-3.5 X 2.75-R	\$1.60	1200
VP	2.750	3.750	NFB	R	66-3.75 X 2.75-R	\$1.95	1957
VP	2.751	3.525	GFN	F	33-3.525 X 2.751-F	\$1.63	2558
VP	2.751	3.525	GFN	M-030	33-3.525 X 2.751-M-30	\$1.63	2556

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	2.751	3.525	TPE	R	40-3.525 X 2.751-R	\$1.63	2565
VP	2.751	3.525	NFB	R	66-3.525 X 2.751-R	\$1.63	2557
VP	2.775	3.525	GFN	F	33-3.525 X 2.775-F	\$1.61	1744
VP	2.775	3.525	GFN	F	33-3.525 X 2.775-F	\$1.61	2480
VP	2.775	3.525	GFN	M	33-3.525 X 2.775-M	\$1.61	1743
VP	2.775	3.525	GFN	M	33-3.525 X 2.775-M	\$1.61	2479
VP	2.775	3.525	GFN	M+060	33-3.525 X 2.775-M+060	\$1.61	2132
VP	2.775	3.525	TPE	R	40-3.525 X 2.775-R	\$1.61	1746
VP	2.775	3.525	TPE	R(BLK)	40-3.525 X 2.775-R(BLK)	\$1.61	2620
VP	2.775	3.525	NFB	R	66-3.525 X 2.775-R	\$1.61	1745
VP	2.875	3.375	NFB	F+060	66-3.375 X 2.875-F+060	\$1.30	1712
VP	2.875	3.375	NFB	M+060	66-3.375 X 2.875-M+060	\$1.30	1711
VP	2.875	3.375	NFB	R	66-3.375 X 2.875-R	\$1.30	1710
VP	2.950	3.450	GFN	F	33-3.45 X 2.95-F	\$1.32	1699
VP	2.950	3.450	GFN	M	33-3.45 X 2.95-M	\$1.32	1700
VP	2.950	3.450	TPE	R	40-3.45 X 2.95-R	\$1.32	1698
VP	2.950	3.450	NFB	R	66-3.45 X 2.95-R	\$1.32	1701
VP	2.950	3.500	GFN	F	33-3.5 X 2.95-F	\$1.38	1366
VP	2.950	3.500	GFN	M	33-3.5 X 2.95-M	\$1.38	1367
VP	2.950	3.500	TPE	R	40-3.5 X 2.95-R	\$1.38	1510
VP	2.950	3.500	NFB	R	66-3.5 X 2.95-R	\$1.38	1111
VP	2.970	3.520	GFN	F	33-3.52 X 2.97-F	\$1.39	1368
VP	2.970	3.520	GFN	M+020	33-3.52 X 2.97-M+020	\$1.39	1369
VP	2.970	3.520	TPE	R	40-3.52 X 2.97-R	\$1.39	1511
VP	2.970	3.520	NFB	R	66-3.52 X 2.97-R	\$1.39	1112
VP	3.000	3.500	GFN	F	33-3.5 X 3-F	\$1.33	1319
VP	3.000	3.500	GFN	F	33-3.5 X 3-F	\$1.33	2361
VP	3.000	3.500	GFN	M	33-3.5 X 3-M	\$1.33	1706
VP	3.000	3.500	GFN	M-025	33-3.5 X 3-M-025	\$1.33	1983
VP	3.000	3.500	GFN	M-025	33-3.5 X 3-M-025	\$1.33	2324
VP	3.000	3.500	GFN	M+050	33-3.5 X 3-M+050	\$1.33	1320
VP	3.000	3.500	GFN	M+150	33-3.5 X 3-M+150	\$1.33	1638
VP	3.000	3.500	TPE	R	40-3.5 X 3-R	\$1.33	1479
VP	3.000	3.500	TPE	R(BLK)	40-3.5 X 3-R(BLK)	\$1.33	2621
VP	3.000	3.500	TPE	R+090	40-3.5 X 3-R+090	\$1.33	1961
VP	3.000	3.500	TPE	RS	40-3.5 X 3-RS	\$1.33	1478
VP	3.000	3.500	NFB	F	66-3.5 X 3-F	\$1.33	1058
VP	3.000	3.500	NFB	M	66-3.5 X 3-M	\$1.33	1059
VP	3.000	3.500	NFB	R	66-3.5 X 3-R	\$1.33	1056
VP	3.000	3.500	NFB	R+090	66-3.5 X 3-R+090	\$1.33	1057
VP	3.000	3.625	GFN	F	33-3.625 X 3-F	\$1.50	2865
VP	3.000	3.625	GFN	M+020	33-3.625 X 3-M+020	\$1.50	2863

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	3.000	3.625	TPE	R	40-3.625 X 3-R	\$1.50	2864
VP	3.000	3.625	NFB	F	66-3.625 X 3-F	\$1.50	1163
VP	3.000	3.625	NFB	M	66-3.625 X 3-M	\$1.50	1162
VP	3.000	3.625	NFB	R	66-3.625 X 3-R	\$1.50	1161
VP	3.000	3.750	GFN	F	33-3.75 X 3-F	\$1.67	1424
VP	3.000	3.750	GFN	M	33-3.75 X 3-M	\$1.67	1423
VP	3.000	3.750	TPE	R	40-3.75 X 3-R	\$1.67	1529
VP	3.000	3.750	TPE	RS	40-3.75 x 3-RS	\$1.67	3121
VP	3.000	3.750	NFB	F	66-3.75 X 3-F	\$1.67	1202
VP	3.000	3.750	NFB	M	66-3.75 X 3-M	\$1.67	1201
VP	3.000	3.750	NFB	R	66-3.75 X 3-R	\$1.67	1203
VP	3.000	4.000	GFN	M	33-4 X 3-M	\$2.05	2394
VP	3.000	4.000	GFN	M	33-4 X 3-F	\$2.05	2395
VP	3.000	4.000	TPE	R	40-4 X 3-R	\$2.05	2887
VP	3.000	4.000	NFB	F	66-4 X 3-F	\$2.05	1260
VP	3.000	4.000	NFB	M	66-4 X 3-M	\$2.05	1259
VP	3.000	4.000	NFB	R	66-4 X 3-R	\$2.05	1261
VP	3.125	3.500	GFN	F	33-3.5 X 3.125-F	\$1.18	1294
VP	3.125	3.500	GFN	M	33-3.5 X 3.125-M	\$1.18	1295
VP	3.125	3.500	TPE	R+070	40-3.5 X 3.125-R+070	\$1.18	1468
VP	3.125	3.500	NFB	R+70	66-3.5 X 3.125-R+070	\$1.18	1010
VP	3.125	3.875	GFN	F	33-3.875 X 3.125-F	\$1.71	1425
VP	3.125	3.875	NFB	R	66-3.875 X 3.125-R	\$1.71	3049
VP	3.125	4.000	NFB	F-050	66-4 X 3.125-F-050	\$1.90	1246
VP	3.125	4.000	NFB	R-020	66-4 X 3.125-R-020	\$1.90	1247
VP	3.187	3.687	GFN	F	33-3.687 X 3.187-F	\$1.36	2820
VP	3.187	3.687	GFN	M	33-3.687 X 3.187-M	\$1.36	2819
VP	3.187	3.687	TPE	R	40-3.687 X 3.187-R	\$1.36	2822
VP	3.187	3.687	NFB	R	66-3.687 X 3.187-R	\$1.36	2821
VP	3.200	3.770	NFB	R	66-3.77 X 3.2-R	\$1.46	3034
VP	3.250	3.625	GFN	F	33-3.625 X 3.25-F	\$1.20	2282
VP	3.250	3.625	GFN	M	33-3.625 X 3.25-M	\$1.20	2281
VP	3.250	3.625	TPE	R	40-3.625 X 3.25-R	\$1.20	2475
VP	3.250	3.625	NFB	R-010	66-3.625 X 3.25-R-010	\$1.20	1011
VP	3.250	3.750	GFN	F-050	33-3.75 X 3.25-F-050	\$1.37	2152
VP	3.250	3.750	GFN	F+050	33-3.75 X 3.25-F+050	\$1.37	1322
VP	3.250	3.750	GFN	M-050	33-3.75 X 3.25-M-050	\$1.37	1799
VP	3.250	3.750	GFN	M+200	33-3.75 X 3.25-M+200	\$1.37	1321
VP	3.250	3.750	TPE	R	40-3.75 X 3.25-R	\$1.37	1480
VP	3.250	3.750	NFB	R	66-3.75 X 3.25-R	\$1.37	1061
VP	3.250	4.000	GFN	F	33-4 X 3.25-F	\$1.75	1426
VP	3.250	4.000	GFN	M	33-4 X 3.25-M	\$1.75	1427

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	3.250	4.000	GFN	M+055	33-4 X 3.25-M+055	\$1.75	2241
VP	3.250	4.000	TPE	R	40-4 X 3.25-R	\$1.75	2451
VP	3.250	4.000	TPE	R(BLK)	40-4 X 3.25-R-(BLK)	\$1.75	2589
VP	3.250	4.000	NFB	F	66-4 X 3.25-F	\$1.75	1206
VP	3.250	4.000	NFB	M	66-4 X 3.25-M	\$1.75	1207
VP	3.250	4.000	NFB	R	66-4 X 3.25-R	\$1.75	1205
VP	3.250	4.020	GFN	M+090	33-4.02 X 3.25-M+090	\$1.78	1996
VP	3.250	4.030	NFB	R	66-4.030 x 3.25-R	\$1.79	3051
VP	3.250	4.250	GFN	F	33-4.25 X 3.25-F	\$2.14	1462
VP	3.250	4.250	GFN	M	33-4.25 X 3.25-M	\$2.14	1461
VP	3.250	4.250	TPE	R	40-4.25 X 3.25-R	\$2.14	1535
VP	3.250	4.250	NFB	R	66-4.25 X 3.25-R	\$2.14	1262
VP	3.275	4.025	GFN	F	33-4.025 X 3.275-F	\$1.75	1429
VP	3.275	4.025	GFN	F	33-4.025 X 3.275-F	\$1.75	2481
VP	3.275	4.025	GFN	M	33-4.025 X 3.275-M	\$1.75	1428
VP	3.275	4.025	GFN	M	33-4.025 X 3.275-M	\$1.75	2482
VP	3.275	4.025	TPE	R	40-4.025 X 3.275-R	\$1.75	1530
VP	3.275	4.025	TPE	R(BLK)	40-4.025 X 3.275-R(BLK)	\$1.75	2643
VP	3.275	4.025	NFB	R	66-4.025 X 3.275-R	\$1.75	1208
VP	3.346	3.973	NFB	R	66-3.973 x 3.346-R	\$1.58	3056
VP	3.375	3.875	GFN	F	33-3.875 X 3.375-F	\$1.40	1323
VP	3.375	3.875	GFN	M	33-3.875 X 3.375-M	\$1.40	1324
VP	3.375	3.875	TPE	R	40-3.875 X 3.375-R	\$1.40	1481
VP	3.375	3.875	NFB	R	66-3.875 X 3.375-R	\$1.40	1062
VP	3.375	4.000	NFB	F	66-4 X 3.375-F	\$1.59	1164
VP	3.375	4.000	NFB	M	66-4 X 3.375-M	\$1.59	1166
VP	3.375	4.000	NFB	R	66-4 X 3.375-R	\$1.59	1165
VP	3.375	4.125	TPE	R	40-4.125 X 3.375-R	\$1.78	2568
VP	3.375	4.125	NFB	F	66-4.125 X 3.375-F	\$1.78	2253
VP	3.375	4.125	NFB	M	66-4.125 X 3.375-M	\$1.78	2251
VP	3.375	4.125	NFB	R	66-4.125 X 3.375-R	\$1.78	2252
VP	3.450	4.250	GFN	F	33-4.25 X 3.45-F	\$1.88	1454
VP	3.450	4.250	GFN	M	33-4.25 X 3.45-M	\$1.88	1452
VP	3.450	4.250	TPE	R	40-4.25 X 3.45-R	\$1.88	1453
VP	3.450	4.250	NFB	R	66-4.25 X 3.45-R	\$1.88	1245
VP	3.500	4.000	GFN	F	33-4 X 3.5-F	\$1.42	1326
VP	3.500	4.000	GFN	M	33-4 X 3.5-M	\$1.42	1325
VP	3.500	4.000	GFN	M-025	33-4 X 3.5-M-025	\$1.42	2674
VP	3.500	4.000	GFN	M-045	33-4 X 3.5-M-045	\$1.42	2050
VP	3.500	4.000	TPE	R	40-4 X 3.5-R	\$1.42	1482
VP	3.500	4.000	NFB	F	66-4 X 3.5-F	\$1.42	1065
VP	3.500	4.000	NFB	M	66-4 X 3.5-M	\$1.42	1064

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	3.500	4.000	NFB	R	66-4 X 3.5-R	\$1.42	1063
VP	3.500	4.125	TPE	RS	40-4.125 X 3.5-RS	\$1.62	3085
VP	3.500	4.250	GFN	F	33-4.25 X 3.5-F	\$1.82	2022
VP	3.500	4.250	GFN	M	33-4.25 X 3.5-M+.060	\$1.82	2024
VP	3.500	4.250	GFN	M	33-4.25 X 3.5-M	\$1.82	2285
VP	3.500	4.250	TPE	R	40-4.25 X 3.5-R	\$1.82	2023
VP	3.500	4.250	TPE	R(55D)	40-4.25 X 3.5-R(55D)	\$1.82	2027
VP	3.500	4.250	TPE	RS	40-4.25 x 3.5-RS	\$1.82	3120
VP	3.500	4.250	NFB	F	66-4.25 X 3.5-F	\$1.82	1211
VP	3.500	4.250	NFB	M	66-4.25 X 3.5-M	\$1.82	1210
VP	3.500	4.250	NFB	R	66-4.25 X 3.5-R	\$1.82	1209
VP	3.500	4.375	NFB	R	66-4.375 X 3.5-R	\$2.03	1889
VP	3.500	4.500	NFB	F	66-4.5 X 3.5-F	\$2.24	1264
VP	3.500	4.500	NFB	M	66-4.5 X 3.5-M	\$2.24	1277
VP	3.500	4.500	NFB	R	66-4.5 X 3.5-R	\$2.24	1273
VP	3.580	4.110	GFN	F	33-4.11 X 3.58-F	\$1.48	1370
VP	3.580	4.110	GFN	M	33-4.11 X 3.58-M	\$1.48	1371
VP	3.580	4.110	TPE	R	40-4.11 X 3.58-R	\$1.48	1512
VP	3.580	4.110	NFB	F	66-4.11 X 3.58-F	\$1.48	2486
VP	3.580	4.110	NFB	M	66-4.11 X 3.58-M	\$1.48	2487
VP	3.580	4.110	NFB	R	66-4.11 X 3.58-R	\$1.48	1113
VP	3.620	4.000	NFB	RS	66-4 X 3.62-RS	\$1.26	2905
VP	3.740	4.330	NFB	R	66-4.330 X 3.740-R	\$1.62	3079
VP	3.750	4.250	GFN	F	33-4.25 X 3.75-F	\$1.47	1327
VP	3.750	4.250	GFN	M	33-4.25 X 3.75-M	\$1.47	1328
VP	3.750	4.250	GFN	M-050	33-4.25 X 3.75-M-050	\$1.47	2124
VP	3.750	4.250	TPE	R	40-4.25 X 3.75-R	\$1.47	1483
VP	3.750	4.250	NFB	F	66-4.25 X 3.75-F	\$1.47	1069
VP	3.750	4.250	NFB	M	66-4.25 X 3.75-M	\$1.47	1068
VP	3.750	4.250	NFB	R	66-4.25 X 3.75-R	\$1.47	1066
VP	3.750	4.375	GFN	F	33-4.375 X 3.75-F	\$1.68	1393
VP	3.750	4.375	GFN	M	33-4.375 X 3.75-M	\$1.68	2520
VP	3.750	4.375	GFN	M+090	33-4.375 X 3.75-M+090	\$1.68	1392
VP	3.750	4.375	GFN	M+170	33-4.375 X 3.75-M+170	\$1.68	1689
VP	3.750	4.375	TPE	R(55D)	40-4.375 X 3.75 R(55D)	\$1.68	2955
VP	3.750	4.375	TPE	R(BLU)	40-4.375 X 3.75-R(BLU)	\$1.68	2513
VP	3.750	4.375	NFB	R	66-4.375 X 3.75-R	\$1.68	1167
VP	3.750	4.500	GFN	F	33-4.5 X 3.75-F	\$1.89	1431
VP	3.750	4.500	GFN	M	33-4.5 X 3.75-M	\$1.89	1430
VP	3.750	4.500	TPE	R	40-4.5 X 3.75-R	\$1.89	2236
VP	3.750	4.500	NFB	F	66-4.5 X 3.75-F	\$1.89	1213
VP	3.750	4.500	NFB	M	66-4.5 X 3.75-M	\$1.89	1214

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	3.750	4.500	NFB	M+050	66-4.5 X 3.75-M+050	\$1.89	2094
VP	3.750	4.500	NFB	R	66-4.5 X 3.75-R	\$1.89	1212
VP	3.750	4.525	NFB	R	66-4.525 X 3.75-R	\$1.93	2485
VP	3.775	4.525	GFN	F	33-4.525 X 3.775-F	\$1.90	1432
VP	3.775	4.525	GFN	F	33-4.525 X 3.775-F	\$1.90	2484
VP	3.775	4.525	GFN	M	33-4.525 X 3.775-M	\$1.90	1433
VP	3.775	4.525	GFN	M	33-4.525 X 3.775-M	\$1.90	2483
VP	3.775	4.525	TPE	R	40-4.525 X 3.775-R	\$1.90	1531
VP	3.775	4.525	TPE	R(BLK)	40-4.525 X 3.775-R(BLK)	\$1.90	2590
VP	3.775	4.525	NFB	R	66-4.525 X 3.775-R	\$1.90	1215
VP	3.875	4.375	NFB	M	66-4.375 X 3.875-M	\$1.49	1071
VP	3.875	4.375	NFB	R	66-4.375 X 3.875-R	\$1.49	1070
VP	3.937	4.527	NFB	R	66-4.527 x 3.937-R	\$1.66	3045
VP	3.950	4.500	GFN	F	33-4.5 X 3.950-F	\$1.59	1891
VP	3.950	4.500	GFN	M	33-4.5 X 3.950-M	\$1.59	1892
VP	3.950	4.500	TPE	R	40-4.5 X 3.950-R	\$1.59	1893
VP	3.950	4.500	NFB	R	66-4.5 X 3.950-R	\$1.59	1894
VP	3.970	4.520	GFN	F	33-4.52 X 3.97-F	\$1.60	1372
VP	3.970	4.520	GFN	M+020	33-4.52 X 3.97-M+020	\$1.60	1373
VP	3.970	4.520	TPE	R	40-4.52 X 3.97-R	\$1.60	1513
VP	3.970	4.520	NFB	R	66-4.52 X 3.97-R	\$1.60	1114
VP	4.000	4.500	GFN	F	33-4.5 X 4-F	\$1.52	1329
VP	4.000	4.500	GFN	M	33-4.5 X 4-M	\$1.52	2672
VP	4.000	4.500	GFN	M-025	33-4.5 X 4-M-025	\$1.52	1982
VP	4.000	4.500	GFN	M+025	33-4.5 X 4-M+.025	\$1.52	2706
VP	4.000	4.500	GFN	M+050	33-4.5 X 4-M+050	\$1.52	1330
VP	4.000	4.500	GFN	M+150	33-4.5 X 4-M+150	\$1.52	1639
VP	4.000	4.500	TPE	R	40-4.5 X 4-R	\$1.52	1484
VP	4.000	4.500	TPE	R+090	40-4.5 X 4-R+090	\$1.52	1486
VP	4.000	4.500	TPE	RS	40-4.5 X 4-RS	\$1.52	1485
VP	4.000	4.500	NFB	R	66-4.5 X 4-R	\$1.52	1072
VP	4.000	4.500	NFB	R+090	66-4.5 X 4-R+090	\$1.52	1073
VP	4.000	4.750	GFN	M	33-4.75 X 4-M	\$1.96	2442
VP	4.000	4.750	TPE	R	40-4.75 X 4-R	\$1.96	2443
VP	4.000	4.750	NFB	F	66-4.75 X 4-F	\$1.96	1217
VP	4.000	4.750	NFB	M	66-4.75 X 4-M	\$1.96	1218
VP	4.000	4.750	NFB	R	66-4.75 X 4-R	\$1.96	1216
VP	4.000	4.875	TPE	R	40-4.875 X 4-R	\$2.19	2881
VP	4.000	4.875	NFB	F	66-4.875 X 4-F	\$2.19	2879
VP	4.000	4.875	NFB	M+010	66-4.875 X 4-M+010	\$2.19	2878
VP	4.000	4.875	NFB	R	66-4.875 X 4-R	\$2.19	2880
VP	4.000	5.000	GFN	F	33-5 X 4-F	\$2.43	1463

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	4.000	5.000	GFN	M+060	33-5 X 4-M+060	\$2.43	1464
VP	4.000	5.000	TPE	R	40-5 X 4 R-30 (BLK)	\$2.43	2594
VP	4.000	5.000	TPE	R-030	40-5 X 4-R-030	\$2.43	2033
VP	4.000	5.000	NFB	R	66-5 X 4-R	\$2.43	1265
VP	4.000	5.000	NFB	R+010	66-5 X 4-R+010	\$2.43	1927
VP	4.000	5.125	GFN	F	33-5.125 X 4-F	\$2.67	1935
VP	4.000	5.125	GFN	M-075	33-5.125 X 4-M-075	\$2.67	1933
VP	4.000	5.125	NFB	R	66-5.125 X 4-R	\$2.67	1934
VP	4.025	5.025	GFN	F	33-5.025 X 4.025-F	\$2.44	2501
VP	4.025	5.025	GFN	F	33-5.025 X 4.025-F	\$2.44	2883
VP	4.025	5.025	GFN	M+125	33-5.025 X 4.025-M+125	\$2.44	2884
VP	4.025	5.025	GFN	M+250	33-5.025 X 4.025-M+250	\$2.44	2500
VP	4.025	5.025	TPE	R(55D)	40-5.025 X 4.025-R(55D)	\$2.44	2502
VP	4.025	5.025	TPE	R(55D)B	40-5.025 X 4.025-R(55D)B	\$2.44	2503
VP	4.025	5.025	TPE	R(BLK)	40-5.025 X 4.025-R (BLK)	\$2.44	2580
VP	4.025	5.025	NFB	R	66-5.025 X 4.025-R	\$2.44	2882
VP	4.062	4.812	GFN	F	33-4.812 X 4.062-F	\$1.98	2531
VP	4.062	4.812	GFN	M	33-4.812 X 4.062-M	\$1.98	2530
VP	4.062	4.812	TPE	R	40-4.812 X 4.062-R	\$1.98	2569
VP	4.062	4.812	NFB	F	66-4.812 X 4.062-F	\$1.98	2250
VP	4.062	4.812	NFB	M	66-4.812 X 4.062-M	\$1.98	2249
VP	4.062	4.812	NFB	R	66-4.812 X 4.062-R	\$1.98	2248
VP	4.062	4.814	NFB	R	66-4.814 X 4.062-R	\$1.98	2532
VP	4.125	4.625	GFN	F	33-4.625 X 4.125-F	\$1.54	2812
VP	4.125	4.625	GFN	M	33-4.625 X 4.125-M	\$1.54	2811
VP	4.125	4.625	TPE	R	40-4.625 X 4.125-R	\$1.54	2814
VP	4.125	4.625	NFB	R	66-4.625 X 4.125-R	\$1.54	2813
VP	4.126	5.025	GFN	F	33-5.025 X 4.126-F	\$2.28	2540
VP	4.126	5.025	GFN	M	33-5.025 X 4.126-M	\$2.28	2539
VP	4.126	5.025	TPE	R	40-5.025 X 4.126-R	\$2.28	2572
VP	4.126	5.025	NFB	R	66-5.025 X 4.126-R	\$2.28	2541
VP	4.250	4.750	GFN	F	33-4.75 X 4.25-F	\$1.56	1332
VP	4.250	4.750	GFN	M	33-4.75 X 4.25-M	\$1.56	1331
VP	4.250	4.750	TPE	R	40-4.75 X 4.25-R	\$1.56	1692
VP	4.250	4.750	NFB	R	66-4.75 X 4.25-R	\$1.56	1074
VP	4.250	5.000	GFN	F	33-5 X 4.25-F	\$2.03	1435
VP	4.250	5.000	GFN	M	33-5 X 4.25-M	\$2.03	1434
VP	4.250	5.000	GFN	M+060	33-5 X 4.25-M+.060	\$2.03	2020
VP	4.250	5.000	TPE	R	40-5 X 4.25-R	\$2.03	2021
VP	4.250	5.000	TPE	R(55D)	40-5 X 4.25-R(55D)	\$2.03	2028
VP	4.250	5.000	NFB	R	66-5 X 4.25-R	\$2.03	1219
VP	4.250	5.125	GFN	F	33-5.125 X 4.25-F	\$2.28	2895

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	4.250	5.125	NFB	F-050	66-5.125 X 4.25-F-050	\$2.28	1248
VP	4.250	5.125	NFB	M	66-5.125 X 4.25-M	\$2.28	1249
VP	4.250	5.125	NFB	R	66-5.125 X 4.25-R	\$2.28	1250
VP	4.275	5.025	GFN	F	33-5.025 X 4.275-F	\$2.04	1833
VP	4.275	5.025	GFN	M	33-5.025 X 4.275-M	\$2.04	1832
VP	4.275	5.025	TPE	R	40-5.025 X 4.275-R	\$2.04	1831
VP	4.275	5.025	TPE	R(BLK)	40-5.025 X 4.275-R(BLK)	\$2.04	2592
VP	4.275	5.025	TPE	R(BLU)	40-5.025 X 4.275-R(BLU)	\$2.04	2593
VP	4.275	5.025	NFB	R	66-5.025 X 4.275-R	\$2.04	1830
VP	4.330	4.921	NFB	R	66-4.921 x 4.330-R	\$1.75	3057
VP	4.437	4.937	GFN	F	33-4.937 X 4.437-F	\$1.60	2011
VP	4.437	4.937	GFN	M	33-4.937 X 4.437-M	\$1.60	2010
VP	4.437	4.937	NFB	R	66-4.937 X 4.437-R	\$1.60	2506
VP	4.437	4.937	NFB	R+090	66-4.937 x 4.437-R+070	\$1.60	3105
VP	4.438	5.000	NFB	F	66-5 X 4.438-F	\$1.72	1121
VP	4.438	5.000	NFB	M	66-5 X 4.438-M	\$1.72	1120
VP	4.438	5.000	NFB	R	66-5 X 4.438-R	\$1.72	1122
VP	4.450	5.000	TPE	R	40-5 X 4.45-R	\$1.70	1851
VP	4.450	5.000	NFB	R	66-5 X 4.45-R	\$1.70	1850
VP	4.500	5.000	GFN	F	33-5 X 4.5-F	\$1.61	1334
VP	4.500	5.000	GFN	M	33-5 X 4.5-M	\$1.61	1333
VP	4.500	5.000	GFN	M	33-5 X 4.5-M+050	\$2.11	2104
VP	4.500	5.000	TPE	R	40-5 X 4.5-R	\$1.61	1958
VP	4.500	5.000	NFB	F	66-5 X 4.5-F	\$1.61	1076
VP	4.500	5.000	NFB	M	66-5 X 4.5-M	\$1.61	1077
VP	4.500	5.000	NFB	R	66-5 X 4.5-R	\$1.61	1075
VP	4.500	5.250	GFN	F	33-5.25 X 4.5-F	\$2.11	1437
VP	4.500	5.250	GFN	M	33-5.25 X 4.5-M	\$2.11	1436
VP	4.500	5.250	TPE	R	40-5.25 X 4.5-R	\$2.11	2449
VP	4.500	5.250	NFB	R	66-5.25 X 4.5-R	\$2.11	1221
VP	4.500	5.375	GFN	F	33-5.375 X 4.5-F	\$2.36	1456
VP	4.500	5.375	GFN	M	33-5.375 X 4.5-M	\$2.36	1455
VP	4.500	5.375	TPE	R	40-5.375 X 4.5-R	\$2.36	2283
VP	4.500	5.375	NFB	R	66-5.375 X 4.5-R	\$2.36	1251
VP	4.500	5.500	NFB	F	66-5.5 X 4.5-F	\$2.63	1687
VP	4.500	5.500	NFB	M	66-5.5 X 4.5-M	\$2.63	1688
VP	4.500	5.500	NFB	R	66-5.5 X 4.5-R	\$2.63	1263
VP	4.531	5.280	GFN	F	33-5.280 X 4.531-F	\$2.11	2529
VP	4.531	5.280	GFN	M	33-5.280 X 4.531-M	\$2.11	2527
VP	4.531	5.280	TPE	R	40-5.280 X 4.531-R	\$2.11	2573
VP	4.531	5.280	NFB	R	66-5.280 X 4.531-R	\$2.11	2528
VP	4.580	5.080	GFN	F	33-5.08 X 4.58-F	\$1.63	1336

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	4.580	5.080	GFN	M	33-5.08 X 4.58-M	\$1.63	1335
VP	4.580	5.080	TPE	R	40-5.08 X 4.58-R	\$1.63	1487
VP	4.580	5.080	NFB	R	66-5.08 X 4.58-R	\$1.63	1078
VP	4.688	5.459	GFN	F	33-5.459 X 4.688-F	\$2.21	2537
VP	4.688	5.459	GFN	M	33-5.459 X 4.688-M	\$2.21	2536
VP	4.688	5.459	TPE	R	40-5.459 X 4.688-R	\$2.21	2571
VP	4.688	5.459	NFB	R	66-5.459 X 4.688-R	\$2.21	2538
VP	4.700	5.290	GFN	F	33-5.29 X 4.7-F	\$1.83	1704
VP	4.700	5.290	GFN	M	33-5.29 X 4.7-M	\$1.83	1705
VP	4.700	5.290	TPE	R	40-5.29 X 4.7-R	\$1.83	1703
VP	4.700	5.290	NFB	R	66-5.29 X 4.7-R	\$1.83	1702
VP	4.750	5.250	NFB	F	66-5.25 X 4.75-F	\$1.66	1080
VP	4.750	5.250	NFB	M	66-5.25 X 4.75-M	\$1.66	1081
VP	4.750	5.250	NFB	R	66-5.25 X 4.75-R	\$1.66	1079
VP	4.750	5.375	GFN	F	33-5.375 X 4.75-F	\$1.92	1395
VP	4.750	5.375	GFN	M	33-5.375 X 4.75-M	\$1.92	2436
VP	4.750	5.375	GFN	M+090	33-5.375 X 4.75-M+090	\$1.92	1394
VP	4.750	5.375	GFN	M+170	33-5.375 X 4.75-M+170	\$1.92	1396
VP	4.750	5.375	TPE	R(55D)	40-5.375 X 4.75-R(55D)	\$1.92	2960
VP	4.750	5.375	TPE	R(BLU)	40-5.375 X 4.75-R(BLU)	\$1.92	2512
VP	4.750	5.375	NFB	R	66-5.375 X 4.75-R	\$1.92	1168
VP	4.750	5.500	GFN	F	33-5.5 X 4.75-F	\$2.18	1439
VP	4.750	5.500	GFN	M	33-5.5 X 4.75-M	\$2.18	1438
VP	4.750	5.500	GFN	M+170	33-5.5 X 4.75-M+170	\$2.18	2244
VP	4.750	5.500	TPE	R	40-5.5 X 4.75-R	\$2.18	2564
VP	4.750	5.500	NFB	R	66-5.5 X 4.75-R	\$2.18	1220
VP	4.750	5.625	GFN	F-025	33-5.625 X 4.75-F-025	\$2.45	1737
VP	4.750	5.625	GFN	M-035	33-5.625 X 4.75-M-035	\$2.45	1735
VP	4.750	5.625	NFB	R	66-5.625 X 4.75-R	\$2.45	1736
VP	4.775	5.525	GFN	F	33-5.525 X 4.775-F	\$2.18	1797
VP	4.775	5.525	GFN	M	33-5.525 X 4.775-M	\$2.18	1796
VP	4.775	5.525	TPE	R	40-5.525 X 4.775-R	\$2.18	1795
VP	4.775	5.525	TPE	R(BLK)	40-5.525 X 4.775 R-(BLK)	\$2.18	2619
VP	4.775	5.525	NFB	R	66-5.525 X 4.775-R	\$2.18	1794
VP	4.775	5.525	NFB	R-010	66-5.525 X 4.775-R-010	\$2.18	3055
VP	4.875	5.625	GFN	F	33-5.627 X 4.876-F	\$2.22	2553
VP	4.875	5.625	GFN	M	33-5.627 X 4.876-M	\$2.22	2554
VP	4.875	5.625	TPE	R	40-5.627 X 4.876-R	\$2.22	2574
VP	4.875	5.625	NFB	R	66-5.627 X 4.876-R	\$2.22	2555
VP	4.950	5.500	GFN	F	33-5.5 X 4.95-F	\$1.81	1910
VP	4.950	5.500	GFN	M	33-5.5 X 4.95-M	\$1.81	1911
VP	4.950	5.500	TPE	R	40-5.5 X 4.95-R	\$1.81	1920

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	4.950	5.500	NFB	R	66-5.5 X 4.95-R	\$1.81	1921
VP	4.970	5.520	GFN	F	33-5.52 X 4.97-F	\$1.81	1374
VP	4.970	5.520	GFN	M+020	33-5.52 X 4.97-M+020	\$1.81	1375
VP	4.970	5.520	TPE	RS	40-5.52 X 4.97-RS	\$1.81	1514
VP	4.970	5.520	TPE	RS(BLU)	40-5.52 X 4.97-RS (BLU)	\$1.81	3110
VP	4.970	5.520	NFB	R	66-5.52 X 4.97-R	\$1.81	1115
VP	5.000	5.500	GFN	F	33-5.5 X 5-F	\$1.71	1337
VP	5.000	5.500	GFN	M	33-5.5 X 5-M	\$1.71	2683
VP	5.000	5.500	GFN	M-025	33-5.5 X 5-M-025	\$1.71	1981
VP	5.000	5.500	GFN	M+050	33-5.5 X 5-M+050	\$1.71	1338
VP	5.000	5.500	GFN	M+150	33-5.5 X 5-M+150	\$1.71	1339
VP	5.000	5.500	TPE	R	40-5.5 X 5-R	\$1.71	1488
VP	5.000	5.500	TPE	R+090	40-5.5 X 5-R+090	\$1.71	1490
VP	5.000	5.500	TPE	RS	40-5.5 X 5-RS	\$1.71	1489
VP	5.000	5.500	NFB	R	66-5.5 X 5-R	\$1.71	1082
VP	5.000	5.500	NFB	R+090	66-5.5 X 5-R+090	\$1.71	1083
VP	5.000	5.625	GFN	F	33-5.625 X 5-F	\$1.98	1398
VP	5.000	5.625	GFN	M	33-5.625 X 5-M	\$1.98	1397
VP	5.000	5.625	NFB	R	66-5.625 X 5-R	\$1.98	1169
VP	5.000	5.750	GFN	M	33-5.75 X 5-M	\$2.25	2478
VP	5.000	5.750	GFN	M-050	33-5.75 X 5-M-050	\$2.25	1440
VP	5.000	5.750	TPE	R	40-5.75 X 5-R	\$2.25	2477
VP	5.000	5.750	NFB	F	66-5.75 X 5-F	\$2.25	1223
VP	5.000	5.750	NFB	R	66-5.75 X 5-R	\$2.25	1222
VP	5.000	5.875	GFN	F	33-5.875 X 5-F	\$2.53	1458
VP	5.000	5.875	GFN	M	33-5.875 X 5-M	\$2.53	1457
VP	5.000	5.875	NFB	R	66-5.875 X 5-R	\$2.53	1252
VP	5.000	6.000	GFN	M	33-6 X 5-M	\$2.81	1725
VP	5.000	6.000	TPE	R	40-6 X 5-R	\$2.81	2872
VP	5.000	6.000	NFB	F	66-6 X 5-F	\$2.81	1270
VP	5.000	6.000	NFB	M	66-6 X 5-M	\$2.81	1269
VP	5.000	6.000	NFB	R	66-6 X 5-R	\$2.81	1271
VP	5.000	6.040	NFB	R	66-6.040 X 5-R	\$2.91	2001
VP	5.062	5.562	GFN	F	33-5.562 X 5.062-F	\$1.72	2816
VP	5.062	5.562	GFN	M	33-5.562 X 5.062-M	\$1.72	2815
VP	5.062	5.562	TPE	R	40-5.562 X 5.062-R	\$1.72	2818
VP	5.062	5.562	NFB	R	66-5.562 X 5.062-R	\$1.72	2817
VP	5.125	5.625	GFN	F	33-5.625 X 5.125-F	\$1.73	1340
VP	5.125	5.625	GFN	M+010	33-5.625 X 5.125-M+010	\$1.73	1341
VP	5.125	5.625	TPE	R	40-5.625 X 5.125-R	\$1.73	1491
VP	5.125	5.625	NFB	R	66-5.625 X 5.125-R	\$1.73	1084
VP	5.240	6.020	GFN	F	33-6.02 X 5.24-F	\$2.39	2830

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	5.240	6.020	GFN	M	33-6.02 X 5.24-M	\$2.39	2829
VP	5.240	6.020	NFB	R	66-6.02 X 5.24-R	\$2.39	2831
VP	5.250	5.750	GFN	F+050	33-5.75 X 5.25-F+050	\$1.76	1342
VP	5.250	5.750	GFN	M+200	33-5.75 X 5.25-M+200	\$1.76	1343
VP	5.250	5.750	TPE	R	40-5.75 X 5.25-R	\$1.76	1492
VP	5.250	5.750	NFB	R	66-5.75 X 5.25-R	\$1.76	1085
VP	5.250	6.000	NFB	F	66-6 X 5.25-F	\$2.32	1226
VP	5.250	6.000	NFB	M	66-6 X 5.25-M	\$2.32	1224
VP	5.250	6.000	NFB	R	66-6 X 5.25-R	\$2.32	1225
VP	5.250	6.250	GFN	F	33-6.25 X 5.25-F	\$2.91	1977
VP	5.250	6.250	GFN	M	33-6.25 X 5.25-M	\$2.91	1976
VP	5.250	6.250	NFB	R	66-6.25 X 5.25-R	\$2.91	1765
VP	5.250	6.250	NFB	R-025	66-6.25 X 5.25-R-025	\$2.91	3063
VP	5.280	6.030	GFN	F	33-6.03 X 5.28-F	\$2.33	2833
VP	5.280	6.030	GFN	M	33-6.03 X 5.28-M	\$2.33	2832
VP	5.280	6.030	NFB	R	66-6.03 X 5.28-R	\$2.33	2834
VP	5.375	6.127	GFN	F	33-6.127 X 5.375-F	\$2.36	2525
VP	5.375	6.127	GFN	M	33-6.127 X 5.375-M	\$2.36	2524
VP	5.375	6.127	TPE	R	40-6.127 X 5.375-R	\$2.36	2567
VP	5.375	6.127	NFB	R	66-6.127 X 5.375-R	\$2.36	2526
VP	5.375	6.250	GFN	F-020	33-6.25 X 5.375-F-020	\$2.66	1862
VP	5.375	6.250	GFN	M	33-6.25 X 5.375-M	\$2.66	1863
VP	5.375	6.250	NFB	R	66-6.25 X 5.375-R	\$2.66	1861
VP	5.445	5.945	GFN	F	33-5.945 X 5.445-F	\$1.80	1345
VP	5.445	5.945	GFN	M	33-5.945 X 5.445-M	\$1.80	1344
VP	5.445	5.945	TPE	R	40-5.945 X 5.445-R	\$1.80	1493
VP	5.445	5.945	NFB	R	66-5.945 X 5.445-R	\$1.80	1086
VP	5.475	6.025	TPE	R	40-6.025 X 5.475-R	\$1.92	1721
VP	5.475	6.025	NFB	R	66-6.025 X 5.475-R	\$1.92	1722
VP	5.500	6.000	GFN	F	33-6 X 5.5-F	\$1.81	1811
VP	5.500	6.000	GFN	F+115	33-6 X 5.5-F+115	\$1.81	2008
VP	5.500	6.000	GFN	M	33-6 X 5.5-M	\$1.81	1812
VP	5.500	6.000	GFN	M+265	33-6 X 5.5-M+265	\$1.81	2009
VP	5.500	6.000	TPE	R	40-6 X 5.5-R	\$1.81	1959
VP	5.500	6.000	TPE	R(BLK)	40-6 X 5.5-R(BLK)	\$1.81	2591
VP	5.500	6.000	NFB	F	66-6 X 5.5-F	\$1.81	1088
VP	5.500	6.000	NFB	M	66-6 X 5.5-M	\$1.81	1089
VP	5.500	6.000	NFB	R	66-6 X 5.5-R	\$1.81	1087
VP	5.500	6.250	GFN	F	33-6.25 X 5.5-F	\$2.39	1442
VP	5.500	6.250	GFN	M	33-6.25 X 5.5-M	\$2.39	1441
VP	5.500	6.250	TPE	R	40-6.25 X 5.5-R	\$2.39	2430
VP	5.500	6.250	NFB	R	66-6.25 X 5.5-R	\$2.39	1227

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	5.500	6.500	GFN	F	33-6.5 X 5.5-F	\$3.01	2579
VP	5.500	6.500	GFN	M	33-6.5 X 5.5-M	\$3.01	1465
VP	5.500	6.500	NFB	F	66-6.5 X 5.5-F	\$3.01	1274
VP	5.500	6.500	NFB	M	66-6.5 X 5.5-M	\$3.01	1276
VP	5.500	6.500	NFB	R	66-6.5 X 5.5-R	\$3.01	1272
VP	5.700	6.450	GFN	F	33-6.45 X 5.7-F	\$2.45	1877
VP	5.700	6.450	GFN	M+050	33-6.45 X 5.7-M+050	\$2.45	1878
VP	5.700	6.450	TPE	R	40-6.45 X 5.7-R	\$2.45	1876
VP	5.700	6.450	NFB	R	66-6.45 X 5.7-R	\$2.45	1875
VP	5.750	6.250	NFB	F	66-6.25 X 5.75-F	\$1.86	1091
VP	5.750	6.250	NFB	M	66-6.25 X 5.75-M	\$1.86	1092
VP	5.750	6.250	NFB	R	66-6.25 X 5.75-R	\$1.86	1090
VP	5.750	6.265	GFN	F	33-6.265 X 5.75-F	\$1.89	3031
VP	5.750	6.265	GFN	M	33-6.265 X 5.75-M	\$1.89	3030
VP	5.750	6.265	NFB	R	66-6.265 X 5.75-R	\$1.89	3032
VP	5.750	6.375	GFN	F	33-6.375 X 5.75-F	\$2.16	1399
VP	5.750	6.375	GFN	M	33-6.375 X 5.75-M	\$2.16	2966
VP	5.750	6.375	GFN	M+090	33-6.375 X 5.75-M+090	\$2.16	1400
VP	5.750	6.375	GFN	M+170	33-6.375 X 5.75-M+170	\$2.16	1401
VP	5.750	6.375	TPE	R(55D)	40-6.375 X 5.75-R(55D)	\$2.16	2965
VP	5.750	6.375	TPE	R(BLU)	40-6.375 X 5.75-R(BLU)	\$2.16	2511
VP	5.750	6.375	NFB	R	66-6.375 X 5.75-R	\$2.16	1170
VP	5.750	6.500	NFB	F	66-6.5 X 5.75-F	\$2.47	1229
VP	5.750	6.500	NFB	M	66-6.5 X 5.75-M	\$2.47	1230
VP	5.750	6.500	NFB	R	66-6.5 X 5.75-R	\$2.47	1228
VP	5.750	6.750	NFB	F	66-6.75 X 5.75-F	\$3.10	2095
VP	5.750	6.750	NFB	M	66-6.75 X 5.75-M	\$3.10	2093
VP	5.750	6.750	NFB	R	66-6.75 X 5.75-R	\$3.10	2096
VP	5.875	6.375	GFN	F	33-6.375 X 5.875-F	\$1.88	1506
VP	5.875	6.375	GFN	M+050	33-6.375 X 5.875-M+050	\$1.88	1505
VP	5.875	6.375	NFB	R	66-6.375 X 5.875-R	\$1.88	1507
VP	5.950	6.500	GFN	F	33-6.5 X 5.95-F	\$2.02	1908
VP	5.950	6.500	GFN	M	33-6.5 X 5.95-M	\$2.02	1909
VP	5.950	6.500	TPE	R	40-6.5 X 5.95-R	\$2.02	1919
VP	5.950	6.500	NFB	R	66-6.5 X 5.95-R	\$2.02	1898
VP	5.970	6.520	GFN	F	33-6.52 X 5.97-F	\$2.02	1376
VP	5.970	6.520	GFN	M+020	33-6.52 X 5.97-M+020	\$2.02	1377
VP	5.970	6.520	TPE	R	40-6.52 X 5.97-R	\$2.02	1515
VP	5.970	6.520	TPE	R(BLU)	40-6.52 X 5.97-R (BLU)	\$2.02	3111
VP	5.970	6.520	NFB	R	66-6.52 X 5.97-R	\$2.02	1116
VP	6.000	6.500	GFN	F	33-6.5 X 6-F	\$1.90	1346
VP	6.000	6.500	GFN	F	33-6.5 X 6-F	\$1.90	2365

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	6.000	6.500	GFN	M	33-6.5 X 6-M	\$1.90	2694
VP	6.000	6.500	GFN	M-025	33-6.5 X 6-M-025	\$1.90	1980
VP	6.000	6.500	GFN	M-025	33-6.5 X 6-M-025	\$1.90	2364
VP	6.000	6.500	GFN	M+050	33-6.5 X 6-M+050	\$1.90	1347
VP	6.000	6.500	GFN	M+150	33-6.5 X 6-M+150	\$1.90	1348
VP	6.000	6.500	TPE	R	40-6.5 X 6-R	\$1.90	1494
VP	6.000	6.500	TPE	R(BLK)	40-6.5 X 6-R(BLK)	\$1.90	2595
VP	6.000	6.500	TPE	R+090	40-6.5 X 6-R+090	\$1.90	1496
VP	6.000	6.500	TPE	RS	40-6.5 X 6-RS	\$1.90	1495
VP	6.000	6.500	NFB	R	66-6.5 X 6-R	\$1.90	1094
VP	6.000	6.500	NFB	R+090	66-6.5 X 6-R+090	\$1.90	1093
VP	6.000	6.750	TPE	R	40-6.75 X 6-R	\$2.54	2877
VP	6.000	6.750	NFB	F	66-6.75 X 6-F	\$2.54	1233
VP	6.000	6.750	NFB	M	66-6.75 X 6-M	\$2.54	1231
VP	6.000	6.750	NFB	R	66-6.75 X 6-R	\$2.54	1232
VP	6.000	7.000	NFB	F	66-7 X 6-F	\$3.20	1280
VP	6.000	7.000	NFB	M	66-7 X 6-M	\$3.20	1279
VP	6.000	7.000	NFB	R	66-7 X 6-R	\$3.20	1278
VP	6.250	6.875	GFN	F	33-6.875 X 6.25-F	\$2.28	1717
VP	6.250	6.875	GFN	M-060	33-6.875 X 6.25-M-060	\$2.28	1763
VP	6.250	6.875	GFN	M+060	33-6.875 X 6.25-M+060	\$2.28	1718
VP	6.250	6.875	TPE	R	40-6.875 X 6.25-R	\$2.28	1716
VP	6.250	6.875	NFB	R	66-6.875 X 6.25-R	\$2.28	1715
VP	6.250	7.000	GFN	F	33-7 X 6.25-F	\$2.61	1443
VP	6.250	7.000	GFN	F	33-7 X 6.25-F	\$2.61	2543
VP	6.250	7.000	GFN	M	33-7 X 6.25-M	\$2.61	1444
VP	6.250	7.000	GFN	M	33-7 X 6.25-M	\$2.61	2544
VP	6.250	7.000	NFB	R	66-7 X 6.25-R	\$2.61	1234
VP	6.250	7.312	NFB	R	66-7.312 X 6.25-R	\$3.47	1768
VP	6.445	6.945	GFN	F	33-6.945 X 6.445-F	\$1.99	1350
VP	6.445	6.945	GFN	M	33-6.945 X 6.445-M	\$1.99	1349
VP	6.445	6.945	TPE	R	40-6.945 X 6.445-R	\$1.99	1497
VP	6.445	6.945	NFB	R	66-6.945 X 6.445-R	\$1.99	1095
VP	6.500	7.000	TPE	R	40-7 X 6.5-R	\$2.00	1498
VP	6.500	7.000	NFB	F	66-7 X 6.5-F	\$2.00	1097
VP	6.500	7.000	NFB	M	66-7 X 6.5-M	\$2.00	1098
VP	6.500	7.000	NFB	R	66-7 X 6.5-R	\$2.00	1096
VP	6.500	7.250	GFN	M	33-7.25 X 6.5-M	\$2.68	1445
VP	6.500	7.250	NFB	F	66-7.25 X 6.5-F	\$2.68	1236
VP	6.500	7.250	NFB	R	66-7.25 X 6.5-R	\$2.68	1235
VP	6.500	7.500	NFB	F	66-7.5 X 6.5-F	\$3.39	1283
VP	6.500	7.500	NFB	M	66-7.5 X 6.5-M	\$3.39	1282

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	6.500	7.500	NFB	R	66-7.5 X 6.5-R	\$3.39	1281
VP	6.750	7.375	GFN	F	33-7.375 X 6.75-F	\$2.40	1402
VP	6.750	7.375	GFN	M	33-7.375 X 6.75-M	\$2.40	2964
VP	6.750	7.375	GFN	M+090	33-7.375 X 6.75-M+090	\$2.40	1403
VP	6.750	7.375	GFN	M+170	33-7.375 X 6.75-M+170	\$2.40	1404
VP	6.750	7.375	TPE	R(55D)	40-7.375 X 6.75-R(55D)	\$2.40	2962
VP	6.750	7.375	TPE	R(BLU)	40-7.375 X 6.75-R(BLU)	\$2.40	2510
VP	6.750	7.375	NFB	R	66-7.375 X 6.75-R	\$2.40	1171
VP	6.750	7.500	GFN	F	33-7.5 X 6.75-F	\$2.75	1446
VP	6.750	7.500	GFN	M	33-7.5 X 6.75-M	\$2.75	1447
VP	6.750	7.500	NFB	R	66-7.5 X 6.75-R	\$2.75	1237
VP	6.950	7.500	GFN	F	33-7.5 X 6.95-F	\$2.23	1906
VP	6.950	7.500	GFN	M	33-7.5 X 6.95-M	\$2.23	1907
VP	6.950	7.500	TPE	R	40-7.5 X 6.95-R	\$2.23	1918
VP	6.950	7.500	NFB	R	66-7.5 X 6.95-R	\$2.23	1922
VP	6.970	7.520	GFN	F	33-7.52 X 6.97-F	\$2.23	1378
VP	6.970	7.520	GFN	M+020	33-7.52 X 6.97-M+020	\$2.23	1379
VP	6.970	7.520	TPE	R	40-7.52 X 6.97-R	\$2.23	1516
VP	6.970	7.520	TPE	R	40-7.52 X 6.97-R (BLUE)	\$2.23	3112
VP	6.970	7.520	NFB	R	66-7.52 X 6.97-R	\$2.23	1118
VP	7.000	7.500	GFN	F	33-7.5 X 7-F	\$2.09	1351
VP	7.000	7.500	GFN	M	33-7.5 X 7-M	\$2.09	2684
VP	7.000	7.500	GFN	M-025	33-7.5 X 7-M-025	\$2.09	1979
VP	7.000	7.500	GFN	M+050	33-7.5 X 7-M+050	\$2.09	1352
VP	7.000	7.500	GFN	M+150	33-7.5 X 7-M+150	\$2.09	1353
VP	7.000	7.500	TPE	R	40-7.5 X 7-R	\$2.09	1500
VP	7.000	7.500	TPE	R(BLU)	40-7.5 X 7-R (BLU)	\$2.09	2806
VP	7.000	7.500	TPE	RS	40-7.5 X 7-RS	\$2.09	1499
VP	7.000	7.500	NFB	R	66-7.5 X 7-R	\$2.09	1099
VP	7.000	8.000	GFN	M	33-8 X 7-M	\$3.58	1466
VP	7.000	8.000	TPE	R	40-8 X 7-R	\$3.58	2862
VP	7.000	8.000	NFB	F	66-8 X 7-F	\$3.58	1286
VP	7.000	8.000	NFB	M	66-8 X 7-M	\$3.58	1285
VP	7.000	8.000	NFB	R	66-8 X 7-R	\$3.58	1284
VP	7.445	7.945	GFN	F	33-7.945 X 7.445-F	\$2.18	1354
VP	7.445	7.945	GFN	M	33-7.945 X 7.445-M	\$2.18	1355
VP	7.445	7.945	TPE	R	40-7.945 X 7.445-R	\$2.18	1501
VP	7.445	7.945	NFB	R	66-7.945 X 7.445-R	\$2.18	1100
VP	7.500	8.000	TPE	R	40-8 X 7.5-R	\$2.19	2563
VP	7.500	8.000	NFB	F	66-8 X 7.5-F	\$2.19	1102
VP	7.500	8.000	NFB	M	66-8 X 7.5-M	\$2.19	1103
VP	7.500	8.000	NFB	R	66-8 X 7.5-R	\$2.19	1101

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	7.500	8.125	GFN	F	33-8.125 X 7.5-F	\$2.58	1758
VP	7.500	8.125	GFN	M	33-8.125 X 7.5-M+060	\$2.58	2092
VP	7.500	8.125	GFN	M-060	33-8.125 X 7.5-M-060	\$2.58	1759
VP	7.500	8.125	TPE	R	40-8.125 X 7.5-R	\$2.58	1757
VP	7.500	8.125	NFB	R	66-8.125 X 7.5-R	\$2.58	1756
VP	7.500	8.250	GFN	M	33-8.25 X 7.5-M-.040	\$2.97	2036
VP	7.500	8.250	TPE	R	40-8.25 X 7.5-R	\$2.97	2034
VP	7.500	8.250	TPE	R(BLK)	40-8.25 X 7.5-R (BLK)	\$2.97	2630
VP	7.500	8.250	NFB	R	66-8.25 X 7.5-R	\$2.97	2035
VP	7.905	8.543	GFN	F	33-8.543 X 7.905-F	\$2.72	1405
VP	7.905	8.543	GFN	M	33-8.543 X 7.905-M	\$2.72	3017
VP	7.905	8.543	GFN	M+090	33-8.543 X 7.905-M+090	\$2.72	1406
VP	7.905	8.543	GFN	M+170	33-8.543 X 7.905-M+170	\$2.72	1691
VP	7.905	8.543	TPE	R	40-8.543 X 7.905-R (BL)	\$2.72	2597
VP	7.905	8.543	TPE	R(55D)	40-8.543 X 7.905-R(55D)	\$2.72	2967
VP	7.905	8.543	NFB	R	66-8.543 X 7.905-R	\$2.72	1172
VP	7.950	8.500	GFN	F	33-8.5 X 7.95-F	\$2.44	1904
VP	7.950	8.500	GFN	M	33-8.5 X 7.95-M	\$2.44	1905
VP	7.950	8.500	TPE	R	40-8.5 X 7.95-R	\$2.44	1917
VP	7.950	8.500	NFB	R	66-8.5 X 7.95-R	\$2.44	1899
VP	7.970	8.520	GFN	F	33-8.52 X 7.97-F	\$2.44	1928
VP	7.970	8.520	GFN	M+020	33-8.52 X 7.97-M+020	\$2.44	1380
VP	7.970	8.520	TPE	R	40-8.52 X 7.97-R	\$2.44	1517
VP	7.970	8.520	NFB	R	66-8.52 X 7.97-R	\$2.44	1119
VP	8.000	8.500	GFN	F	33-8.5 X 8-F	\$2.29	1356
VP	8.000	8.500	GFN	F-100	33-8.5 X 8-F-100	\$2.29	2264
VP	8.000	8.500	GFN	F-100	33-8.5 X 8-F-100	\$2.29	2363
VP	8.000	8.500	GFN	M	33-8.5 X 8-M	\$2.29	2808
VP	8.000	8.500	GFN	M-025	33-8.5 X 8-M-025	\$2.29	1978
VP	8.000	8.500	GFN	M-025	33-8.5 X 8-M-025	\$2.29	2362
VP	8.000	8.500	GFN	M+050	33-8.5 X 8-M+050	\$2.29	1357
VP	8.000	8.500	GFN	M+150	33-8.5 X 8-M+150	\$2.29	1358
VP	8.000	8.500	TPE	R	40-8.5 X 8-R	\$2.29	1502
VP	8.000	8.500	TPE	R(BLK)	40-8.5 X 8-R(BLK)	\$2.29	2622
VP	8.000	8.500	TPE	RS	40-8.5 X 8-RS	\$2.29	1503
VP	8.000	8.500	NFB	R	66-8.5 X 8-R	\$2.29	1104
VP	8.000	9.000	NFB	F	66-9 X 8-F	\$3.97	1288
VP	8.000	9.000	NFB	M	66-9 X 8-M	\$3.97	1289
VP	8.000	9.000	NFB	R	66-9 X 8-R	\$3.97	1287
VP	8.125	8.625	GFN	F	33-8.625 X 8.125-F	\$3.01	1950
VP	8.125	8.625	GFN	M	33-8.625 X 8.125-M	\$3.01	1949
VP	8.125	8.625	GFN	M+150	33-8.625 X 8.125-M+150	\$3.01	3023

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	8.125	8.625	TPE	R	40-8.625 X 8.125-R	\$3.01	1951
VP	8.125	8.625	NFB	F	66-8.625 X 8.125-F	\$3.01	1781
VP	8.125	8.625	NFB	M	66-8.625 X 8.125-M	\$3.01	1782
VP	8.125	8.625	NFB	R	66-8.625 X 8.125-R	\$3.01	1780
VP	8.125	8.655	GFN	F	33-8.655 X 8.125-F	\$3.11	3011
VP	8.125	8.655	GFN	M+050	33-8.655 x 8.125-M+.050	\$3.11	3009
VP	8.125	8.655	TPE	R	40-8.655 X 8.125-R	\$3.11	3010
VP	8.125	8.655	NFB	R	66-8.655 X 8.125-R	\$3.11	1955
VP	8.250	8.750	GFN	F	33-8.75 X 8.25-F	\$3.03	1359
VP	8.250	8.750	GFN	M	33-8.75 X 8.25-M	\$3.03	1360
VP	8.250	8.750	TPE	R	40-8.75 X 8.25-R	\$3.03	1504
VP	8.250	8.750	NFB	R	66-8.75 X 8.25-R	\$3.03	1723
VP	8.250	9.000	GFN	F	33-9 X 8.25-F	\$3.89	1853
VP	8.250	9.000	GFN	M-060	33-9 X 8.25-M-060	\$3.89	1448
VP	8.250	9.000	TPE	R	40-9 X 8.25-R	\$3.89	1755
VP	8.250	9.000	NFB	F	66-9 X 8.25-F	\$3.89	1239
VP	8.250	9.000	NFB	R	66-9 X 8.25-R	\$3.89	1238
VP	8.250	9.035	GFN	F-080	33-9.035 X 8.25-F-080	\$4.01	3005
VP	8.250	9.035	GFN	M-060	33-9.035 X 8.25-M-060	\$4.01	3004
VP	8.250	9.035	TPE	R	40-9.035 X 8.25-R	\$4.01	3007
VP	8.250	9.035	NFB	R	66-9.035 X 8.25-R	\$4.01	1954
VP	8.445	9.195	GFN	F-090	33-9.195 X 8.445-F-090	\$3.94	1450
VP	8.445	9.195	GFN	M+110	33-9.195 X 8.445-M+110	\$3.94	1449
VP	8.445	9.195	TPE	R	40-9.195 X 8.445-R	\$3.94	1532
VP	8.445	9.195	NFB	R	66-9.195 X 8.445-R	\$3.94	1240
VP	8.750	9.375	NFB	F	66-9.375 X 8.75-F	\$3.58	1792
VP	8.750	9.375	NFB	M	66-9.375 X 8.75-M	\$3.58	1793
VP	8.750	9.375	NFB	R	66-9.375 X 8.75-R	\$3.58	1791
VP	8.950	9.500	GFN	F	33-9.5 X 8.95-F	\$3.35	1902
VP	8.950	9.500	GFN	M	33-9.5 X 8.95-M	\$3.35	1903
VP	8.950	9.500	TPE	R	40-9.5 X 8.95-R	\$3.35	1916
VP	8.950	9.500	NFB	R	66-9.5 X 8.95-R	\$3.35	1923
VP	9.000	9.500	GFN	F-025	33-9.5 X 9-F-025	\$3.18	1361
VP	9.000	9.500	GFN	M+125	33-9.5 X 9-M+125	\$3.18	1362
VP	9.000	9.500	NFB	R	66-9.5 X 9-R	\$3.18	1105
VP	9.000	9.750	GFN	F	33-9.75 X 9-F	\$4.11	1852
VP	9.000	9.750	GFN	M-050	33-9.75 X 9-M-050	\$4.11	1451
VP	9.000	9.750	TPE	R	40-9.75 X 9-R	\$4.11	1533
VP	9.000	9.750	NFB	F	66-9.75 X 9-F	\$4.11	1242
VP	9.000	9.750	NFB	R	66-9.75 X 9-R	\$4.11	1241
VP	9.125	9.675	GFN	M	33-9.675 X 9.125-M	\$3.39	1873
VP	9.125	9.675	TPE	R	40-9.675 X 9.125-R	\$3.39	1871

Vee Packing

CODE	ID	OD	Mat	Style	Description	Price	PTNO
VP	9.125	9.675	NFB	R	66-9.675 X 9.125-R	\$3.39	1870
VP	9.125	9.750	GFN	F-020	33-9.75 x 9.125-F-020	\$3.67	3080
VP	9.125	9.750	GFN	F+040	33-9.75 X 9.125-F+040	\$3.67	1407
VP	9.125	9.750	GFN	M-020	33-9.75 X 9.125-M-020	\$3.67	1825
VP	9.125	9.750	GFN	M+050	33-9.75 X 9.125-M+050	\$3.67	1408
VP	9.125	9.750	TPE	R	40-9.75 X 9.125-RS	\$3.67	1525
VP	9.125	9.750	NFB	R	66-9.75 X 9.125-R	\$3.67	1173
VP	9.375	9.875	GFN	F	33-9.875 X 9.375-F	\$3.25	1948
VP	9.375	9.875	GFN	M	33-9.875 X 9.375-M	\$3.25	1939
VP	9.375	9.875	TPE	R	40-9.875 X 9.375-R	\$3.25	1938
VP	9.375	9.875	NFB	F	66-9.875 X 9.375-F	\$3.25	1785
VP	9.375	9.875	NFB	M	66-9.875 X 9.375-M	\$3.25	1783
VP	9.375	9.875	NFB	R	66-9.875 X 9.375-R	\$3.25	1784
VP	9.375	9.910	NFB	R	66-9.910 X 9.375-R	\$3.38	1956
VP	9.375	10.000	GFN	F	33-10 X 9.375-F	\$3.73	1410
VP	9.375	10.000	GFN	M+090	33-10 X 9.375-M+090	\$3.73	1409
VP	9.375	10.000	GFN	M+170	33-10 X 9.375-M+170	\$3.73	1693
VP	9.375	10.000	TPE	R(55D)	40-10 X 9.375-R(55D)	\$3.73	2991
VP	9.375	10.000	TPE	R(BLU)	40-10 X 9.375 R(BLU)	\$3.73	2607
VP	9.375	10.000	NFB	R	66-10 X 9.375-R	\$3.73	1174
VP	9.625	10.125	NFB	F	66-10.125 X 9.625-F	\$3.47	1107
VP	9.625	10.125	NFB	M	66-10.125 X 9.625-M	\$3.47	1106
VP	9.625	10.125	NFB	R	66-10.125 X 9.625-R	\$3.47	1108
VP	9.750	10.500	GFN	F	33-10.5 X 9.75-F	\$4.32	1697
VP	9.750	10.500	GFN	M-060	33-10.5 X 9.75-M-060	\$4.32	1895
VP	9.750	10.500	GFN	M+050	33-10.5 X 9.75-M+050	\$4.32	1696
VP	9.750	10.500	TPE	R	40-10.5 X 9.75-R	\$4.32	1896
VP	9.750	10.500	NFB	M	66-10.5 X 9.75-M	\$4.32	1244
VP	9.750	10.500	NFB	R	66-10.5 X 9.75-R	\$4.32	1243
VP	11.000	11.750	NFB	F	66-11.75 X 11-F	\$5.88	2492
VP	11.000	11.750	NFB	M	66-11.75 X 11-M	\$5.88	2491
VP	11.000	11.750	NFB	R	66-11.75 X 11-R	\$5.88	2493

U Cups

CODE	ID	OD	Mat	Style	Description	Price	PTNO
UC	0.625	0.875	TPU	UC	20-.875 X .625 X .125-UC	\$1.34	2765
UC	0.625	0.875	TPU	UC	20-.875 X .625 X .187-UC	\$1.38	2782
UC	0.750	1.000	TPU	UC	20-1 X .75 X .250-UC	\$1.42	2707
UC	0.875	1.125	TPU	UC	20-1.125 X .875 X .250-UC	\$1.44	2749
UC	0.875	1.250	TPU	UC	20-1.25 X .875 X .250-UC	\$1.53	2769
UC	0.937	1.437	TPU	UC	20-1.437 X .937 X .562-UC	\$2.08	2682
UC	0.937	1.437	TPU	UC	20-1.437 X .937-UC	\$2.60	2836
UC	1.000	1.250	TPU	UC	20-1.25 X 1 X .250-UC	\$1.45	2756
UC	1.000	1.312	TPU	UC	20-1.312 X 1 X .218-UC	\$1.47	2757
UC	1.000	1.375	TPU	UC	20-1.375 X 1 X .250-UC	\$1.55	2752
UC	1.000	1.500	TPU	UC	20-1.5 X 1 X .312-UC	\$1.74	2730
UC	1.000	1.500	TPU	UC	20-1.5 X 1 X .375-UC	\$1.84	2734
UC	1.100	2.362	TPU	BS	20-2.362 X 1.100-BS	\$1.21	3094
UC	1.125	1.500	TPU	UC	20-1.5 X 1.125 X .250-UC	\$2.14	2777
UC	1.250	1.625	TPU	UC	20-1.625 X 1.25 X .375-UC	\$1.77	2714
UC	1.250	1.625	TPU	UC	20-1.625 X 1.25 X .187-UC	\$1.53	2746
UC	1.250	1.750	TPU	UC	20-1.75 X 1.25 X .250-UC	\$1.74	2725
UC	1.250	1.875	TPU	UC	20-1.875 X 1.25 X .375-UC	\$2.15	2773
UC	1.375	1.687	TPU	UC	20-1.687 X 1.375 X .218-UC	\$1.54	2754
UC	1.375	1.875	TPU	UC	20-1.875 X 1.375 X .375-UC	\$2.00	2780
UC	1.375	2.000	TPU	UC	20-2 X 1.375 X .312-UC	\$2.07	2739
UC	1.500	1.875	TPU	UC	20-1.875 X 1.5 X .250-UC	\$1.66	2710
UC	1.500	1.875	TPU	UC	20-1.875 X 1.5 X .312-UC	\$2.00	2737
UC	1.500	2.000	TPU	UC	20-2 X 1.5 X .312-UC	\$1.94	2716
UC	1.500	2.000	TPU	UC	20-2 X 1.5 X .375-UC	\$2.07	2743
UC	1.625	1.250	TPU	UC	20-1.625 X 1.25 X .312-UC	\$1.69	2719
UC	1.625	2.000	TPU	UC	20-2 X 1.625 X .187-UC	\$1.59	2755
UC	1.625	2.000	TPU	UC	20-2 X 1.625 X .312-UC	\$1.79	2771
UC	1.750	2.125	TPU	UC	20-2.125 X 1.75 X .250-UC	\$1.72	2761
UC	1.750	2.125	TPU	UC	20-2.125 X 1.75 X .187-UC	\$1.61	2783
UC	1.750	2.250	TPU	UC	20-2.25 X 1.75 X .375-UC	\$2.17	2744
UC	1.750	2.375	TPU	UC	20-2.375 X 1.75 X .312-UC	\$2.24	2733
UC	2.000	2.375	TPU	UC	20-2.375 X 2 X .250-UC	\$1.77	2745
UC	2.000	2.375	TPU	UC	20-2.375 X 2 X .187-UC	\$1.65	2762
UC	2.000	2.500	TPU	UC	20-2.5 X 2 X .500-UC	\$2.61	2720
UC	2.000	2.500	TPU	UC	20-2.5 X 2 X .375-UC	\$2.28	2731
UC	2.000	2.500	TPU	UC	20-2.5 X 2 X .250-UC	\$1.95	2760
UC	2.000	2.500	TPU	UC	20-2.5 X 2 X .312-UC	\$2.11	2779
UC	2.000	2.500	TPU	UC	20-2.5 X 2 X .937-UC	\$3.77	2809
UC	2.125	2.500	TPU	UC	20-2.5 X 2.125 X .187-UC	\$1.67	2735
UC	2.250	2.750	TPU	UC	20-2.75 X 2.25 X .250-UC	\$2.03	2712

U Cups

CODE	ID	OD	Mat	Style	Description	Price	PTNO
UC	2.250	2.750	TPU	UC	20-2.75 X 2.25 X .375-UC	\$2.38	2759
UC	2.250	2.875	TPU	UC	20-2.875 X 2.25 X .500-UC	\$3.17	2766
UC	2.250	3.000	TPU	UC	20-3 X 2.25 X .500-UC	\$3.61	2763
UC	2.500	2.875	TPU	UC	20-2.875 X 2.5 X .375-UC	\$2.17	2750
UC	2.500	3.000	TPU	UC	20-3 X 2.5 X .375-UC	\$2.50	2715
UC	2.500	3.000	TPU	UC	20-3 X 2.5 X .250-UC	\$2.09	2732
UC	2.625	3.000	TPU	UC	20-3 X 2.625 X .375-UC	\$2.22	2758
UC	2.722	3.312	TPU	UC	20-3.312 X 2.722-RT (RED)	\$0.43	3086
UC	2.750	3.250	TPU	UC	20-3.25 X 2.75 X .250-UC	\$2.17	2718
UC	2.750	3.500	TPU	UC	20-3.5 X 2.75 X .500-UC	\$4.04	2724
UC	3.000	3.375	TPU	UC	20-3.375 X 3 X .187-UC	\$1.82	2711
UC	3.000	3.437	TPU	UC	20-3.437 X 3-.281-UC	\$2.21	2772
UC	3.000	3.500	TPU	UC	20-3.5 X 3 X .375-UC	\$2.72	2728
UC	3.125	3.875	TPU	UC	20-3.875 X 3.125 X .625-UC	\$5.16	2770
UC	3.250	3.625	TPU	UC	23-3.625 x 3.25-.413-UC	\$3.72	3129
UC	3.250	3.750	TPU	UC	20-3.75 X 3.25 X .375-UC	\$2.83	2729
UC	3.250	4.000	TPU	UC	20-4 X 3.25 X .500-UC	\$4.48	2722
UC	3.250	4.000	TPU	UC	20-4 X 3.25 X .375-UC	\$3.69	2740
UC	3.500	4.000	TPU	UC	20-4 X 3.5 X .375-UC	\$2.95	2738
UC	3.500	4.000	TPU	UC	20-4 X 3.5 X .312-UC	\$2.66	2741
UC	3.500	4.000	TPU	UC	20-4 X 3.5 X .500-UC	\$3.50	2748
UC	4.000	4.375	TPU	UC	23-4.375 x 4-.413-UC	\$4.12	3130
UC	4.000	4.500	TPU	UC	20-4.5 X 4 X .375-UC	\$3.16	2721
UC	4.000	4.500	TPU	UC	20-4.5 X 4 X .500-UC	\$3.79	2781
UC	4.250	5.000	TPU	UC	20-5 X 4.25 X .500-UC	\$5.37	2713
UC	4.250	5.000	TPU	UC	20-5 X 4.25 X .375-UC	\$4.35	2774
UC	4.500	5.000	TPU	UC	20-5 X 4.5 X .375-UC	\$3.39	2708
UC	4.500	5.000	TPU	UC	20-5 X 4.5 X .500-UC	\$4.08	2709
UC	4.500	5.000	TPU	UC	20-5 X 4.5 X .250-UC	\$2.69	2747
UC	4.500	5.250	TPU	UC	20-5.25 X 4.5 X .375-UC	\$4.52	2692
UC	4.750	5.125	TPU	UC	23-5.125 x 4.75-.413-UC	\$4.35	3131
UC	5.000	6.000	TPU	UC	20-6 X 5-.75-UC	\$10.99	2675
UC	5.000	6.000	TPU	UC	20-6 X 5 X .500-UC	\$7.53	2736
UC	5.250	6.000	TPU	UC	20-6 X 5.25 X .625-UC	\$7.50	2726
UC	5.250	6.000	TPU	UC	20-6 X 5.25 X .375-UC	\$5.02	2767
UC	5.250	6.000	TPU	UC	20-6 X 5.25 X .500-UC	\$6.25	2776
UC	5.375	6.000	TPU	UC	20-6 X 5.375 X .375-UC	\$4.42	2727
UC	5.375	6.000	TPU	UC	20-6 X 5.375 X .625-UC	\$6.50	2784
UC	5.500	5.875	TPU	UC	23-5.875 x 5.5-.413-UC	\$4.60	3132
UC	5.500	6.000	TPU	UC	20-6 X 5.5 X .250-UC	\$2.98	2742
UC	5.500	6.000	TPU	UC	20-6 X 5.5 X .375-UC	\$3.83	2753
UC	6.250	7.000	TPU	UC	20-7 X 6.25 X .500-UC	\$7.14	2764

U Cups

CODE	ID	OD	Mat	Style	Description	Price	PTNO
UC	6.250	7.000	TPU	UC	20-7 X 6.25 X .625-UC	\$8.73	2775
UC	6.312	6.688	TPU	UC	23-6.688 x 6.312-.413-UC	\$5.10	3133
UC	6.500	7.000	TPU	UC	20-7 X 6.5 X .250-UC	\$3.28	2751
UC	6.500	7.250	TPU	UC	20-7.25 X 6.5 X .625-UC	\$8.87	2768
UC	7.250	7.625	TPU	UC	23-7.625 x 7.25-.413-UC	\$5.61	3134
UC	7.250	8.000	TPU	UC	20-8 X 7.25 X .375-UC	\$6.34	2778
UCF	3.250	4.000	NFB	.375/UC	66-4 X 3.25-.375/UC	\$9.91	2276
UCF	3.250	4.000	NFB	UC/NF	66-4 X 3.25-.375-UC/NF	\$9.91	2446
UCF	3.750	4.500	NFB	.5/UC	66-4.5 X 3.75-.5/UC	\$14.00	2272
UCF	5.000	6.000	NFB	.75/UC	66-6 X 5-.75/UC	\$14.00	2268

Telescopic Kits

CUSTOM HOISTS					Vee Set
CODE	MFG	Stage	Size	Price	Part Number
TK	Custom Hoist	3.000	3 x 3 1/2	\$7.98	PPC-CH-3VS
TK	Custom Hoist	4.000	4 x 4 1/2	\$9.12	PPC-CH-4VS
TK	Custom Hoist	5.000	5 x 5 1/2	\$10.26	PPC-CH-5VS
TK	Custom Hoist	6.000	6 x 6 1/2	\$11.40	PPC-CH-6VS
TK	Custom Hoist	7.000	7 x 7 1/2	\$12.54	PPC-CH-7VS
TK	Custom Hoist	8.000	8 x 8 1/2	\$13.68	PPC-CH-8VS
TK	Custom Hoist	8.250	8 1/4 x 9	\$23.34	PPC-CH-8.25VS
TK	Custom Hoist	9.125	9 1/8 x 9 3/4	\$22.02	PPC-CH-9.125VS
TK	Custom Hoist	9.750	9 3/4 x 10 1/2	\$25.98	PPC-CH-9.75VS
CUSTOM HOISTS					Vee Set & Wiper
CODE	MFG	Stage	Size	Price	Part Number
TK	Custom Hoist	3.000	3 x 3 1/2	\$10.01	PPC-CH-3VSW
TK	Custom Hoist	4.000	4 x 4 1/2	\$11.18	PPC-CH-4VSW
TK	Custom Hoist	5.000	5 x 5 1/2	\$12.43	PPC-CH-5VSW
TK	Custom Hoist	6.000	6 x 6 1/2	\$14.23	PPC-CH-6VSW
TK	Custom Hoist	7.000	7 x 7 1/2	\$15.97	PPC-CH-7VSW
TK	Custom Hoist	8.000	8 x 8 1/2	\$17.95	PPC-CH-8VSW
TK	Custom Hoist	8.250	8 1/4 x 9	\$29.92	PPC-CH-8.25VSW
TK	Custom Hoist	9.125	9 1/8 x 9 3/4	\$30.56	PPC-CH-9.125VSW
TK	Custom Hoist	9.750	9 3/4 x 10 1/2	\$37.36	PPC-CH-9.75VSW
CUSTOM HOISTS					Vee Set, Wiper & Bearing
CODE	MFG	Stage	Size	Price	Part Number
TK	Custom Hoist	3.000	3 x 3 1/2	\$13.02	PPC-CH-3VSWB
TK	Custom Hoist	4.000	4 x 4 1/2	\$14.71	PPC-CH-4VSWB
TK	Custom Hoist	5.000	5 x 5 1/2	\$16.71	PPC-CH-5VSWB
TK	Custom Hoist	6.000	6 x 6 1/2	\$19.13	PPC-CH-6VSWB
TK	Custom Hoist	7.000	7 x 7 1/2	\$21.64	PPC-CH-7VSWB
TK	Custom Hoist	8.000	8 x 8 1/2	\$24.25	PPC-CH-8VSWB
TK	Custom Hoist	9.125	9 1/8 x 9 3/4	\$48.80	PPC-CH-9.125VSWB

Telescopic Kits

HEIL					Vee Set
CODE	MFG	Stage	Size	Price	Part Number
TK	Heil	2.000	2 x 2 1/2	\$6.78	PPC-HL-2VS
TK	Heil	3.000	3 x 3 1/2	\$7.98	PPC-HL-3VS
TK	Heil	3.125	3 1/8 x 3 1/2	\$7.08	PPC-HL-3.125VS
TK	Heil	4.000	4 x 4 1/2	\$9.12	PPC-HL-4VS
TK	Heil	5.000	5 x 5 1/2	\$10.26	PPC-HL-5VS
TK	Heil	6.000	6 x 6 1/2	\$11.40	PPC-HL-6VS
HEIL					Vee Set & Wiper
CODE	MFG	Stage	Size	Price	Part Number
TK	Heil	2.000	2 x 2 1/2	\$7.76	PPC-HL-2VSW
TK	Heil	3.000	3 x 3 1/2	\$9.10	PPC-HL-3VSW
TK	Heil	3.125	3 1/8 x 3 1/2	\$8.20	PPC-HL-3.125VSW
TK	Heil	4.000	4 x 4 1/2	\$10.41	PPC-HL-4VSW
TK	Heil	5.000	5 x 5 1/2	\$12.08	PPC-HL-5VSW
TK	Heil	6.000	6 x 6 1/2	\$14.13	PPC-HL-6VSW
HEIL					Vee Set, Wiper & Bearing
CODE	MFG	Stage	Size	Price	Part Number
TK	Heil	2.000	2 x 2 1/2	\$12.60	PPC-HL-2VSWB
TK	Heil	3.000	3 x 3 1/2	\$15.12	PPC-HL-3VSWB
TK	Heil	4.000	4 x 4 1/2	\$17.47	PPC-HL-4VSWB
TK	Heil	5.000	5 x 5 1/2	\$20.64	PPC-HL-5VSWB
TK	Heil	6.000	6 x 6 1/2	\$23.93	PPC-HL-6VSWB

Telescopic Kits

HYCO (OLD)					Vee Set
CODE	MFG	Stage	Size	Price	Part Number
TK	HYCO (OLD)	3.000	3 x 3 1/2	\$7.98	PPC-HYO-3VS
TK	HYCO (OLD)	4.000	4 x 4 1/2	\$9.12	PPC-HYO-4VS
TK	HYCO (OLD)	5.000	5 x 5 1/2	\$10.26	PPC-HYO-5VS
TK	HYCO (OLD)	6.000	6 x 6 1/2	\$11.40	PPC-HYO-6VS
TK	HYCO (OLD)	7.000	7 x 7 1/2	\$12.54	PPC-HYO-7VS
TK	HYCO (OLD)	8.000	8 x 8 1/2	\$13.68	PPC-HYO-8VS
TK	HYCO (OLD)	8.125	8 1/8 x 8 5/8	\$18.06	PPC-HYO-8.125VS
TK	HYCO (OLD)	8.250	8 1/4 x 9	\$23.34	PPC-HYO-8.25VS
TK	HYCO (OLD)	9.000	9 X 9 3/4	\$24.60	PPC-HYO-9VS
TK	HYCO (OLD)	9.125	9 1/8 x 9 3/4	\$22.02	PPC-HYO-9.125VS
TK	HYCO (OLD)	9.375	9 3/8 X 9 7/8	\$19.50	PPC-HYO-9.375VS
TK	HYCO (OLD)	9.750	9 3/4 x 10 1/2	\$25.98	PPC-HYO-9.75VS
HYCO (OLD)					Vee Set & Wiper
CODE	MFG	Stage	Size	Price	Part Number
TK	HYCO (OLD)	3.000	3 x 3 1/2	\$10.01	PPC-HYO-3VSW
TK	HYCO (OLD)	4.000	4 x 4 1/2	\$11.18	PPC-HYO-4VSW
TK	HYCO (OLD)	5.000	5 x 5 1/2	\$12.43	PPC-HYO-5VSW
TK	HYCO (OLD)	6.000	6 x 6 1/2	\$14.23	PPC-HYO-6VSW
TK	HYCO (OLD)	7.000	7 x 7 1/2	\$15.97	PPC-HYO-7VSW
TK	HYCO (OLD)	8.000	8 x 8 1/2	\$17.95	PPC-HYO-8VSW
TK	HYCO (OLD)	8.125	8 1/8 x 8 5/8	\$23.83	PPC-HYO-8.125VSW
TK	HYCO (OLD)	8.250	8 1/4 x 9	\$29.92	PPC-HYO-8.25VSW
TK	HYCO (OLD)	9.000	9 X 9 3/4	\$32.34	PPC-HYO-9VSW
TK	HYCO (OLD)	9.125	9 1/8 x 9 3/4	\$30.56	PPC-HYO-9.125VSW
TK	HYCO (OLD)	9.375	9 3/8 X 9 7/8	\$28.81	PPC-HYO-9.375VSW
TK	HYCO (OLD)	9.750	9 3/4 x 10 1/2	\$37.36	PPC-HYO-9.75VSW
HYCO (OLD)					Vee Set, Wiper & Bearing
CODE	MFG	Stage	Size	Price	Part Number
TK	HYCO (OLD)	3.000	3 x 3 1/2	\$16.03	PPC-HYO-3VSWB
TK	HYCO (OLD)	4.000	4 x 4 1/2	\$18.24	PPC-HYO-4VSWB
TK	HYCO (OLD)	5.000	5 x 5 1/2	\$20.99	PPC-HYO-5VSWB
TK	HYCO (OLD)	6.000	6 x 6 1/2	\$24.03	PPC-HYO-6VSWB
TK	HYCO (OLD)	7.000	7 x 7 1/2	\$27.31	PPC-HYO-7VSWB
TK	HYCO (OLD)	8.000	8 x 8 1/2	\$30.55	PPC-HYO-8VSWB
TK	HYCO (OLD)	8.125	8 1/8 x 8 5/8	\$39.25	PPC-HYO-8.125VSWB
TK	HYCO (OLD)	9.125	9 1/8 x 9 3/4	\$67.04	PPC-HYO-9.125VSWB
TK	HYCO (OLD)	9.375	9 3/8 X 9 7/8	\$64.79	PPC-HYO-9.375VSWB

Telescopic Kits

HYCO (DBL)					Vee Set
CODE	MFG	Stage	Size	Price	Part Number
TK	HYCO (DBL)	3.000	3 x 3 1/2	\$9.31	PPC-HYD-3VS
TK	HYCO (DBL)	4.000	4 x 4 1/2	\$10.64	PPC-HYD-4VS
TK	HYCO (DBL)	5.000	5 x 5 1/2	\$11.97	PPC-HYD-5VS
TK	HYCO (DBL)	6.000	6 x 6 1/2	\$13.30	PPC-HYD-6VS
TK	HYCO (DBL)	7.000	7 x 7 1/2	\$14.63	PPC-HYD-7VS
TK	HYCO (DBL)	8.000	8 x 8 1/2	\$15.96	PPC-HYD-8VS
TK	HYCO (DBL)	8.125	8 1/8 x 8 5/8	\$21.07	PPC-HYD-8.125VS
TK	HYCO (DBL)	8.250	8 1/4 x 9	\$27.23	PPC-HYD-8.25VS
TK	HYCO (DBL)	9.000	9 X 9 3/4	\$28.70	PPC-HYD-9VS
TK	HYCO (DBL)	9.125	9 1/8 x 9 3/4	\$25.69	PPC-HYD-9.125VS
TK	HYCO (DBL)	9.375	9 3/8 X 9 7/8	\$22.75	PPC-HYD-9.375VS
TK	HYCO (DBL)	9.750	9 3/4 x 10 1/2	\$30.31	PPC-HYD-9.75VS
HYCO (DBL)					Vee Set & Wiper
CODE	MFG	Stage	Size	Price	Part Number
TK	HYCO (DBL)	3.000	3 x 3 1/2	\$11.34	PPC-HYD-3VSW
TK	HYCO (DBL)	4.000	4 x 4 1/2	\$12.70	PPC-HYD-4VSW
TK	HYCO (DBL)	5.000	5 x 5 1/2	\$14.14	PPC-HYD-5VSW
TK	HYCO (DBL)	6.000	6 x 6 1/2	\$16.13	PPC-HYD-6VSW
TK	HYCO (DBL)	7.000	7 x 7 1/2	\$18.06	PPC-HYD-7VSW
TK	HYCO (DBL)	8.000	8 x 8 1/2	\$20.23	PPC-HYD-8VSW
TK	HYCO (DBL)	8.125	8 1/8 x 8 5/8	\$26.84	PPC-HYD-8.125VSW
TK	HYCO (DBL)	8.250	8 1/4 x 9	\$33.81	PPC-HYD-8.25VSW
TK	HYCO (DBL)	9.000	9 X 9 3/4	\$36.44	PPC-HYD-9VSW
TK	HYCO (DBL)	9.125	9 1/8 x 9 3/4	\$34.23	PPC-HYD-9.125VSW
TK	HYCO (DBL)	9.375	9 3/8 X 9 7/8	\$32.06	PPC-HYD-9.375VSW
TK	HYCO (DBL)	9.750	9 3/4 x 10 1/2	\$41.69	PPC-HYD-9.75VSW
HYCO (DBL)					Vee Set, Wiper & Bearing
CODE	MFG	Stage	Size	Price	Part Number
TK	HYCO (DBL)	3.000	3 x 3 1/2	\$17.36	PPC-HYD-3VSWB
TK	HYCO (DBL)	4.000	4 x 4 1/2	\$19.76	PPC-HYD-4VSWB
TK	HYCO (DBL)	5.000	5 x 5 1/2	\$22.70	PPC-HYD-5VSWB
TK	HYCO (DBL)	6.000	6 x 6 1/2	\$25.93	PPC-HYD-6VSWB
TK	HYCO (DBL)	7.000	7 x 7 1/2	\$29.40	PPC-HYD-7VSWB
TK	HYCO (DBL)	8.000	8 x 8 1/2	\$32.83	PPC-HYD-8VSWB
TK	HYCO (DBL)	8.125	8 1/8 x 8 5/8	\$38.25	PPC-HYD-8.125VSWB
TK	HYCO (DBL)	8.250	8 1/4 x 9	\$39.65	PPC-HYD-8.25VSWB
TK	HYCO (DBL)	9.125	9 1/8 x 9 3/4	\$70.71	PPC-HYD-9.125VSWB
TK	HYCO (DBL)	9.375	9 3/8 X 9 7/8	\$68.04	PPC-HYD-9.375VSWB

Telescopic Kits

HYCO (NEW)					Vee Set
CODE	MFG	Stage	Size	Price	Part Number
TK	HYCO (NEW)	3.000	3 x 3 1/2	\$8.10	PPC-HYN-3VS
TK	HYCO (NEW)	4.000	4 x 4 1/2	\$9.25	PPC-HYN-4VS
TK	HYCO (NEW)	5.000	5 x 5 1/2	\$10.46	PPC-HYN-5VS
TK	HYCO (NEW)	6.000	6 x 6 1/2	\$11.64	PPC-HYN-6VS
TK	HYCO (NEW)	7.000	7 x 7 1/2	\$12.82	PPC-HYN-7VS
TK	HYCO (NEW)	8.000	8 x 8 1/2	\$14.00	PPC-HYN-8VS
HYCO (NEW)					Vee Set & Wiper
CODE	MFG	Stage	Size	Price	Part Number
TK	HYCO (NEW)	3.000	3 x 3 1/2	\$10.13	PPC-HYN-3VSW
TK	HYCO (NEW)	4.000	4 x 4 1/2	\$11.34	PPC-HYN-4VSW
TK	HYCO (NEW)	5.000	5 x 5 1/2	\$12.63	PPC-HYN-5VSW
TK	HYCO (NEW)	6.000	6 x 6 1/2	\$14.47	PPC-HYN-6VSW
TK	HYCO (NEW)	7.000	7 x 7 1/2	\$16.25	PPC-HYN-7VSW
TK	HYCO (NEW)	8.000	8 x 8 1/2	\$18.27	PPC-HYN-8VSW
HYCO (NEW)					Vee Set, Wiper & Bearing
CODE	MFG	Stage	Size	Price	Part Number
TK	HYCO (NEW)	3.000	3 x 3 1/2	\$16.15	PPC-HYN-3VSWB
TK	HYCO (NEW)	4.000	4 x 4 1/2	\$18.40	PPC-HYN-4VSWB
TK	HYCO (NEW)	5.000	5 x 5 1/2	\$21.19	PPC-HYN-5VSWB
TK	HYCO (NEW)	6.000	6 x 6 1/2	\$24.27	PPC-HYN-6VSWB
TK	HYCO (NEW)	7.000	7 x 7 1/2	\$27.59	PPC-HYN-7VSWB
TK	HYCO (NEW)	8.000	8 x 8 1/2	\$30.87	PPC-HYN-8VSWB

Telescopic Kits

PARKER					Vee Set
CODE	MFG	Stage	Size	Price	Part Number
TK	PARKER	3.000	2 3/4 X 3 3/8	\$8.58	PPC-CM-3VS
TK	PARKER	4.000	3 3/4 X 4 3/8	\$10.08	PPC-CM-4VS
TK	PARKER	5.000	4 3/4 X 5 3/8	\$11.52	PPC-CM-5VS
TK	PARKER	6.000	5 3/4 X 6 3/8	\$12.96	PPC-CM-6VS
TK	PARKER	7.000	6 3/4 X 7 3/8	\$14.34	PPC-CM-7VS
TK	PARKER	8.000	7.905 X 8.543	\$16.32	PPC-CM-8VS
TK	PARKER	9.000	9 3/8 X 10	\$22.32	PPC-CM-9VS
PARKER					Vee Set & Wiper
CODE	MFG	Stage	Size	Price	Part Number
TK	PARKER	3.000	2 3/4 X 3 3/8	\$10.26	PPC-CM-3VSW
TK	PARKER	4.000	3 3/4 X 4 3/8	\$11.79	PPC-CM-4VSW
TK	PARKER	5.000	4 3/4 X 5 3/8	\$13.55	PPC-CM-5VSW
TK	PARKER	6.000	5 3/4 X 6 3/8	\$15.48	PPC-CM-6VSW
TK	PARKER	7.000	6 3/4 X 7 3/8	\$17.70	PPC-CM-7VSW
TK	PARKER	8.000	7.905 X 8.543	\$20.80	PPC-CM-8VSW
TK	PARKER	9.000	9 3/8 X 10	\$31.21	PPC-CM-9VSW
PARKER					Vee Set, Wiper & Bearing
CODE	MFG	Stage	Size	Price	Part Number
TK	PARKER	3.000	2 3/4 X 3 3/8	\$15.02	PPC-CM-3VSWB
TK	PARKER	4.000	3 3/4 X 4 3/8	\$17.49	PPC-CM-4VSWB
TK	PARKER	5.000	4 3/4 X 5 3/8	\$20.21	PPC-CM-5VSWB
TK	PARKER	6.000	5 3/4 X 6 3/8	\$23.22	PPC-CM-6VSWB
TK	PARKER	7.000	6 3/4 X 7 3/8	\$26.14	PPC-CM-7VSWB
TK	PARKER	8.000	7.905 X 8.543	\$30.71	PPC-CM-8VSWB

Telescopic Kits

PEABODY					Vee Set
CODE	MFG	Stage	Size	Price	Part Number
TK	PEABODY	2.000	1.970 X 2.520	\$7.08	PPC-PG-2VS
TK	PEABODY	3.000	2.970 X 3.520	\$8.22	PPC-PG-3VS
TK	PEABODY	4.000	3.970 X 4.520	\$9.44	PPC-PG-4VS
TK	PEABODY	5.000	4.970 X 5.520	\$10.66	PPC-PG-5VS
TK	PEABODY	6.000	5.970 X 6.520	\$11.88	PPC-PG-6VS
TK	PEABODY	7.000	6.970 X 7.520	\$13.10	PPC-PG-7VS
TK	PEABODY	8.000	7.970 X 8.520	\$14.32	PPC-PG-8VS
TK	PEABODY	9.000	9.125 X 9.675	\$20.34	PPC-PG-9VS
PEABODY					Vee Set & Wiper
CODE	MFG	Stage	Size	Price	Part Number
TK	PEABODY	2.000	1.970 X 2.520	\$12.34	PPC-PG-2VSW
TK	PEABODY	3.000	2.970 X 3.520	\$13.68	PPC-PG-3VSW
TK	PEABODY	4.000	3.970 X 4.520	\$14.97	PPC-PG-4VSW
TK	PEABODY	5.000	4.970 X 5.520	\$16.32	PPC-PG-5VSW
TK	PEABODY	6.000	5.970 X 6.520	\$18.67	PPC-PG-6VSW
TK	PEABODY	7.000	6.970 X 7.520	\$20.81	PPC-PG-7VSW
TK	PEABODY	8.000	7.970 X 8.520	\$22.74	PPC-PG-8VSW
TK	PEABODY	9.000	9.125 X 9.675	\$30.28	PPC-PG-9VSW

Telescopic Kits

PERFECTION					Vee Set
CODE	MFG	Stage	Size	Price	Part Number
TK	PERFECTION	3.000	2.580 X 3.110	\$8.96	PPC-PF-3VS
TK	PERFECTION	4.000	3.580 X 4.110	\$10.36	PPC-PF-4VS
TK	PERFECTION	5.000	4.580 X 5.080	\$11.34	PPC-PF-5VS
TK	PERFECTION	6.000	5.445 X 5.945	\$12.53	PPC-PF-6VS
TK	PERFECTION	7.000	6.445 X 6.945	\$13.93	PPC-PF-7VS
TK	PERFECTION	8.000	7.445 X 7.945	\$15.26	PPC-PF-8VS
TK	PERFECTION	9.000	8.445 X 9.195	\$27.65	PPC-PF-9VS
PERFECTION					Vee Set & Wiper
CODE	MFG	Stage	Size	Price	Part Number
TK	PERFECTION	3.000	2.580 X 3.110	\$14.45	PPC-PF-3VSW
TK	PERFECTION	4.000	3.580 X 4.110	\$15.92	PPC-PF-4VSW
TK	PERFECTION	5.000	4.580 X 5.080	\$16.93	PPC-PF-5VSW
TK	PERFECTION	6.000	5.445 X 5.945	\$18.13	PPC-PF-6VSW
TK	PERFECTION	7.000	6.445 X 6.945	\$20.51	PPC-PF-7VSW
TK	PERFECTION	8.000	7.445 X 7.945	\$21.94	PPC-PF-8VSW
TK	PERFECTION	9.000	8.445 X 9.195	\$37.41	PPC-PF-9VSW

Telescopic Kits

WARD					Vee Set
CODE	MFG	Stage	Size	Price	Part Number
TK	WARD	3.000	2.950 X 3.5	\$8.34	PPC-WD-3VS
TK	WARD	4.000	3.950 X 4.5	\$9.60	PPC-WD-4VS
TK	WARD	5.000	4.950 X 5.5	\$10.86	PPC-WD-5VS
TK	WARD	6.000	5.950 X 6.5	\$12.12	PPC-WD-6VS
TK	WARD	7.000	6.950 X 7.5	\$13.38	PPC-WD-7VS
TK	WARD	8.000	7.950 X 8.5	\$14.64	PPC-WD-8VS
TK	WARD	9.000	8.950 X 9.5	\$20.10	PPC-WD-9VS
WARD					Vee Set & Wiper
CODE	MFG	Stage	Size	Price	Part Number
TK	WARD	3.000	2.950 X 3.5	\$13.69	PPC-WD-3VSW
TK	WARD	4.000	3.950 X 4.5	\$14.95	PPC-WD-4VSW
TK	WARD	5.000	4.950 X 5.5	\$16.21	PPC-WD-5VSW
TK	WARD	6.000	5.950 X 6.5	\$18.80	PPC-WD-6VSW
TK	WARD	7.000	6.950 X 7.5	\$21.92	PPC-WD-7VSW
TK	WARD	8.000	7.950 X 8.5	\$24.12	PPC-WD-8VSW
TK	WARD	9.000	8.950 X 9.5	\$38.17	PPC-WD-9VSW

Bearings

CODE	ID	OD	Mat	Style	Description	Price	PTNO
FB	2.000	2.500	GMF	FB	31-2.5 X 2 X 2.375-FB	\$2.42	3061
FB	2.000	2.500	GMF	.531/BFT	32-2.5 x 2-.531/BFT	\$2.42	3162
FB	2.000	2.500	GMF	.625/BFT	32-2.5 X 2 X .625/BFT	\$2.42	3064
FB	2.000	2.500	GMF	.75/BFSX	32-2.5 X 2-.750/BFSX	\$2.42	2932
FB	2.000	2.500	GMF	.750/BFS	32-2.5 X 2-.750/BFS	\$2.42	2699
FB	2.000	2.500	GMF	1.0/BFT	32-2.5 x 2-1.0/BFT	\$2.42	3124
FB	2.000	2.500	GMF	HL/BFS	32-2.5 X 2 X .925-HL/BFS	\$2.42	1968
FB	2.000	2.500	GMF	HL/BFT	32-2.5 X 2 X .850-HL/BFT	\$2.42	1969
FB	2.000	2.500	GMF	HY/BFT	32-2.5 X 2 X .750-HY/BFT	\$2.42	2049
FB	2.000	2.500	GMF	FBS	33-2.5 X 2 X 2.375-FBS	\$6.58	3081
FB	2.250	2.750	GMF	.75/BFT	32-2.75 X 2.25-.75/BFT	\$2.59	2847
FB	2.750	3.375	GMF	CM/BFT	32-3.375 X 2.75 X 1-CM/BFT	\$3.36	2352
FB	3.000	3.500	GMF	.625/BFT	32-3.5 X 3 X .625/BFT	\$3.01	3065
FB	3.000	3.500	GMF	.625/BFT	32-3.5 X 3 X .625/BFT	\$3.01	3065
FB	3.000	3.500	GMF	.750/BFS	32-3.5 X 3-.75/BFS	\$3.01	2700
FB	3.000	3.500	GMF	.750/BFSX	32-3.5 X 3-.750/BFSX	\$3.01	2933
FB	3.000	3.500	GMF	1.031/BFT	32-3.5 X 3-1.031/BFT	\$3.01	2151
FB	3.000	3.500	GMF	1.115/BFT	32-3.5 X 3-1.115/BFT	\$3.01	2269
FB	3.000	3.500	GMF	1.5/BFT	32-3.5 X 3-1.5/BFT	\$4.27	2387
FB	3.000	3.500	GMF	BFT	32-3.5 x 3-.625/BFT	\$3.01	3102
FB	3.000	3.500	GMF	BFT	32-3.5 x 3-.531/BFT	\$3.01	3114
FB	3.000	3.500	GMF	HL/BFS	32-3.5 X 3 X .925-HL/BFS	\$3.01	1966
FB	3.000	3.500	GMF	HL/BFT	32-3.5 X 3 X .850-HL/BFT	\$3.01	1967
FB	3.000	3.500	GMF	HY/BFS	32-3.5 X 3 X .575-HY/BFS	\$3.01	1663
FB	3.000	3.500	GMF	HY/BFSD	32-3.5 X 3 X .575-HY/BFSD	\$3.01	2407
FB	3.000	3.500	GMF	HY/BFT	32-3.5 X 3-HY/BFT	\$3.01	1662
FB	3.000	3.500	GMF	HY/BFTO	32-3.5 X 3 X .750-HY/BFTO	\$3.01	1864
FB	3.000	3.500	GMF	S/BFT	32-3.5 X 3 X .750-S/BFT	\$3.01	2633
FB	3.187	3.687	GMF	.75/BFT	32-3.687 X 3.187-.75/BFT	\$3.12	2848
FB	3.750	4.375	GMF	CM/BFT	32-4.375 X 3.75-CM/BFT	\$4.24	2068
FB	4.000	4.500	GMF	.750/BFS	32-4.5 X 4-.750/BFS	\$3.54	2701
FB	4.000	4.500	GMF	.750/BFSX	32-4.5 X 4 X .750-BFSX	\$3.54	2953
FB	4.000	4.500	GMF	1.031/BFT	32-4.5 X 4-1.031/BFT	\$3.64	2138
FB	4.000	4.500	GMF	1.115/BFT	32-4.5 X 4-1.115/BFT	\$3.82	2140
FB	4.000	4.500	GMF	1.5/BFT	32-4.5 X 4-1.5/BFT	\$4.97	2388
FB	4.000	4.500	GMF	BFSS	32-4.5 X 4-.625/BFSS	\$3.54	3071
FB	4.000	4.500	GMF	BFT	32-4.5 X 4 X .625/BFT	\$3.54	3067
FB	4.000	4.500	GMF	BFT	32-4.5 X 4-.531/BFT	\$3.54	3115
FB	4.000	4.500	GMF	HL/BFS	32-4.5 X 4 X .925-HL/BFS	\$3.54	1964
FB	4.000	4.500	GMF	HL/BFT	32-4.5 X 4 X .850-HL/BFT	\$3.54	1965
FB	4.000	4.500	GMF	HY/BFS	32-4.5 X 4 X .575-HY/BFS	\$3.54	1666

Bearings

CODE	ID	OD	Mat	Style	Description	Price	PTNO
FB	4.000	4.500	GMF	HY/BFSD	32-4.5 X 4 X .575-HY/BFSD	\$3.54	2408
FB	4.000	4.500	GMF	HY/BFT	32-4.5 X 4 X .750-HY/BFT	\$3.54	1665
FB	4.000	4.500	GMF	HY/BFT	32-4.5 X 4-HL/BFT .946	\$3.78	2663
FB	4.000	4.500	GMF	HY/BFTO	32-4.5 X 4 X .750-HY/BFTO	\$3.54	1854
FB	4.000	4.500	GMF	S/BFT	32-4.5 X 4 X .750-S/BFT	\$3.54	2612
FB	4.125	4.625	GMF	.075/BFT	32-4.625 X 4.125-.075/BFT	\$4.13	2849
FB	4.750	5.250	GMF	2.0/BFT	32-5.25 X 4.75-2.0/BFT	\$7.98	2810
FB	4.750	5.375	GMF	CM/BFT	32-5.375 X 4.75-CM/BFT	\$5.19	2069
FB	5.000	5.500	GMF	.75/BFS	32-5.5 X 5-.75/BFS	\$4.28	2702
FB	5.000	5.500	GMF	.750/BFSX	32-5.5 X 5 X .750/BFSX	\$4.28	2952
FB	5.000	5.500	GMF	1.0/BFT	32-5.5 X 5-1.0/BFT	\$4.48	2107
FB	5.000	5.500	GMF	1.031/BFT	32-5.5 X 5-1.031/BFT	\$4.51	2137
FB	5.000	5.500	GMF	1.115/BFT	32-5.5 X 5-1.115/BFT	\$4.59	2139
FB	5.000	5.500	GMF	1.5/BFT	32-5.5 X 5-1.5/BFT	\$5.88	2389
FB	5.000	5.500	GMF	BFSS	32-5.5 X 5-.625/BFSS	\$4.28	3072
FB	5.000	5.500	GMF	BFT	32-5.5 X 5 X .625/BFT	\$4.28	3068
FB	5.000	5.500	GMF	BFT	32-5.5 X 5-.531/BFT	\$4.28	3116
FB	5.000	5.500	GMF	BFTO	32-5.5 X 5 X .565/BFTO	\$4.28	3100
FB	5.000	5.500	GMF	HL/BFS	32-5.5 X 5 X .925-HL/BFS	\$4.28	1962
FB	5.000	5.500	GMF	HL/BFT	32-5.5 X 5 X .850-HL/BFT	\$4.28	1963
FB	5.000	5.500	GMF	HL/BFT	32-5.5 X 5-.946 HL/BFT	\$4.90	2677
FB	5.000	5.500	GMF	HY/BFS	32-5.5 X 5 X .575-HY/BFS	\$4.28	1669
FB	5.000	5.500	GMF	HY/BFSD	32-5.5 X 5 X .575-HY/BFSD	\$4.28	2409
FB	5.000	5.500	GMF	HY/BFT	32-5.5 X 5 X .750-HY/BFT	\$4.28	1668
FB	5.000	5.500	GMF	HY/BFTO	32-5.5 X 5 X .750-HY/BFTO	\$4.28	1855
FB	5.000	5.500	GMF	S/BFT	32-5.5 X 5 X .750-S/BFT	\$4.28	2613
FB	5.062	5.562	GMF	.750/BFT	32-5.562 X 5.062-.750/BFT	\$4.97	2850
FB	5.750	6.375	GMF	CM/BFT	32-6.375 X 5.75X 1-CM/BFT	\$5.88	2070
FB	6.000	6.500	GMF	.750/BFS	32-6.5 X 6-.750/BFS	\$4.90	2860
FB	6.000	6.500	GMF	.750/BFSX	32-6.5 X 6-.750/BFSX	\$4.90	2934
FB	6.000	6.500	GMF	.865/BFS	32-6.5 X 6-.865/BFS	\$4.90	2907
FB	6.000	6.500	GMF	1.031/BFT	32-6.5 X 6-1.031/BFT	\$5.18	2146
FB	6.000	6.500	GMF	1.115/BFT	32-6.5 X 6-1.115/BFT	\$5.18	2145
FB	6.000	6.500	GMF	1.5/BFT	32-6.5 X 6-1.5/BFT	\$6.58	2390
FB	6.000	6.500	GMF	BFSS	32-6.5 X 6-.625/BFSS	\$4.90	3073
FB	6.000	6.500	GMF	BFT	32-6.5 X 6- X .625/BFT	\$4.90	3069
FB	6.000	6.500	GMF	BFT	32-6.5 X 6-.531/BFT	\$4.90	3117
FB	6.000	6.500	GMF	BFTO	32.6.5 x 6 x .565/BFTO	\$4.90	3098
FB	6.000	6.500	GMF	HL/BFS	32-6.5 X 6 X .925-HL/BFS	\$4.90	1667
FB	6.000	6.500	GMF	HL/BFT	32-6.5 X 6 X .850-HL/BFT	\$4.90	1664
FB	6.000	6.500	GMF	HY/BFS	32-6.5 X 6 X .575-HY/BFS	\$4.90	1672
FB	6.000	6.500	GMF	HY/BFSD	32-6.5 X 6 X .575-HY/BFSD	\$4.90	2410

Bearings

CODE	ID	OD	Mat	Style	Description	Price	PTNO
FB	6.000	6.500	GMF	HY/BFT	32-6.5 X 6 X .750-HY/BFT	\$4.90	1673
FB	6.000	6.500	GMF	HY/BFTO	32-6.5 X 6 X .750-HY/BFTO	\$4.90	1856
FB	6.000	6.500	GMF	S/BFT	32-6.5 X 6 X .750-S/BFT	\$4.90	2614
FB	6.750	7.375	GMF	CM/BFT	32-7.375 X 6.75-CM/BFT	\$6.62	2071
FB	7.000	7.500	GMF	.625/BFT	32-7.5 X 7-.625/BFT	\$5.88	3083
FB	7.000	7.500	GMF	.75/BFS	32-7.5 X 7-.75/BFS	\$5.88	2861
FB	7.000	7.500	GMF	.750/BFSX	32-7.5 X 7-.750/BFSX	\$5.88	2935
FB	7.000	7.500	GMF	1.031/BFT	32-7.5 X 7-1.031/BFT	\$5.88	2148
FB	7.000	7.500	GMF	1.115/BFT	32-7.5 X 7-1.115/BFT	\$5.88	2147
FB	7.000	7.500	GMF	1.5/BFT	32-7.5 X 7-1.5/BFT	\$7.70	2391
FB	7.000	7.500	GMF	BFSS/.625	32-7.5 X 7-BFSS/.625	\$5.88	3074
FB	7.000	7.500	GMF	BFT	32-7.5 X 7-.594/BFT	\$5.88	3118
FB	7.000	7.500	GMF	BFT	32-7.5 x 7-.245/BFT	\$5.88	3160
FB	7.000	7.500	GMF	BFTO	32-7.5 X 7 X .565/BFTO	\$5.88	3099
FB	7.000	7.500	GMF	HY/BFS	32-7.5 X 7 X .575-HY/BFS	\$5.67	1675
FB	7.000	7.500	GMF	HY/BFSD	32-7.5 X 7 X .575-HY/BFSD	\$5.88	2411
FB	7.000	7.500	GMF	HY/BFT	32-7.5 X 7 X .750-HY/BFT	\$5.67	1676
FB	7.000	7.500	GMF	HY/BFTO	32-7.5 X 7 X .750-HY/BFTO	\$5.67	1857
FB	7.000	7.500	GMF	S/BFT	32-7.5 X 7- X .750S/BFT	\$5.88	2615
FB	7.905	8.543	GMF	CM/BFT	32-8.543 X 7.905-CM/BFT	\$8.72	2072
FB	8.000	8.500	GMF	.625/BFT	32-8.5 X 8-.625/BFT	\$6.30	3084
FB	8.000	8.500	GMF	.750/BFSX	32-8.5 X 8-.750/BFSX	\$6.30	2936
FB	8.000	8.500	GMF	1.031/BFT	32-8.5 X 8-1.031/BFT	\$6.58	2150
FB	8.000	8.500	GMF	1.115/BFT	32-8.5 X 8-1.115/BFT	\$6.58	2149
FB	8.000	8.500	GMF	1.5/BFT	32-8.5 X 8-1.5/BFT	\$8.75	2392
FB	8.000	8.500	GMF	BFSS/.625	32-8.5 X 8-BFSS/.625	\$6.30	3075
FB	8.000	8.500	GMF	BFT	32-8.5 X 8-.594/BFT	\$6.30	3119
FB	8.000	8.500	GMF	BFT	32-8.5 x 8-.245/BFT	\$6.30	3161
FB	8.000	8.500	GMF	HY/BFS	32-8.5 X 8 X .575-HY/BFS	\$6.30	1678
FB	8.000	8.500	GMF	HY/BFSD	32-8.5 X 8 X .575-HY/BFSD	\$6.30	2412
FB	8.000	8.500	GMF	HY/BFT	32-8.5 X 8 X .750-HY/BFT	\$6.30	1679
FB	8.000	8.500	GMF	HY/BFTO	32-8.5 X 8 X .750-HY/BFTO	\$6.30	1858
FB	8.000	8.500	GMF	S/BFT	32-8.5 X 8 X .750-S/BFT	\$6.30	2616
FB	8.125	8.625	GMF	BFT	32-8.625 X 8.125 X .750-HY/BFT	\$7.70	2406
FB	8.125	8.625	GMF	BFTO	32-8.625 X 8.125 X .750-BFTO	\$7.70	3012
FB	8.125	8.625	GMF	HY/BFS	32-8.625 X 8.125 X .575-HY/BFS	\$7.70	3014
FB	8.125	8.625	GMF	HY/BFSD	32-8.625 X 8.125 X .575-HY/BFSD	\$7.70	2405
FB	8.250	9.000	GMF	BFTO	32-9 X 8.25 X .750-BFTO	\$8.54	3006
FB	8.250	9.000	GMF	FB	32-9 X 8.25-.75/BFS	\$8.54	2835
FB	8.250	9.000	GMF	HY/BFSD	32-9 X 8.25 X .575-HY/BFSD	\$8.54	2704
FB	8.250	9.000	GMF	HY/BFT	32-9 X 8.25 X .750.-HY/BFT	\$8.54	2696
FB	8.250	9.000	GMF	S/BFT	32-9 X 8.25 X .750-S/BFT	\$8.54	2790

Bearings

CODE	ID	OD	Mat	Style	Description	Price	PTNO
FB	9.000	9.750	GMF	HY/BFSD	32-9.75 X 9 X .575-HY/BFSD	\$11.20	2670
FB	9.125	9.750	GMF	1.5/BFT	32-9.75 X 9.125-1.5/BFT	\$18.24	2393
FB	9.125	9.750	GMF	BFSS/.625	32-9.75 X 9.125-BFSS/.625	\$18.24	3076
FB	9.125	9.750	GMF	BFT	32-9.75 X 9.125-.563/BFT	\$18.24	3070
FB	9.125	9.750	GMF	BFT/.625	32-9.75 X 9 .125-BFT/.625	\$18.24	3087
FB	9.125	9.750	GMF	HY/BFS	32-9.75 X 9.125 X .575-HY/BFS	\$18.24	1931
FB	9.125	9.750	GMF	HY/BFSD	32-9.75 X 9.125 X .575-HY/BFSD	\$18.24	2958
FB	9.125	9.750	GMF	HY/BFT	32-9.75 X 9.125 X.75-HY/BFT	\$18.24	1930
FB	9.125	9.750	GMF	S/BFT	32-9.75 X 9.125 X .750-S/BFT	\$18.24	2629
FB	9.375	9.875	GMF	.575HY/BFS	32-9.875 X 9.375-.575HY/BFS	\$19.60	3159
FB	9.375	9.875	GMF	HY/BFT	32-9.875 X 9.375 X .750-HY/BFT	\$19.60	2437
FB	9.375	10.000	GMF	.750/BFT	32-10 X 9.375 X .750/BFT	\$20.58	3126
FB	9.375	10.000	GMF	BFT	32-10 x 9.375-1.0/BFT	\$20.58	3128

Wear Rings

CODE	ID	OD	Mat	Style	Description	Price	PTNO
WR	1.304	1.500	GFN	WR	33-1.500 X 1.304 .205/WR	\$2.14	2029
WR	1.500	2.000	GFN	MWB	33-2 x 1.5-MWB	\$2.38	3095
WR	2.500	2.750	GFN	SWR	33-2.75 X 2.5-.5/SWR	\$2.01	2851
WR	2.750	3.250	GFN	MSW	33-3.25 X 2.75-MSW	\$2.01	3096
WR	3.000	3.250	GFN	SWR	33-3.25 X 3 X .750-S/WR	\$2.01	2789
WR	3.000	3.250	GFN	WR	33-3.25 X 3 X .5-S/WR	\$2.01	2785
WR	3.046	3.397	GFN	MWB	33-3.970 X 3.046-MWB	\$2.01	3127
WR	3.115	3.365	GFN	SWR	33-3.365 X 3.115-.5/SWR	\$2.01	2852
WR	3.250	3.500	GFN	SWR.	33-3.5 X 3.25-.75/SWR	\$2.24	2319
WR	4.000	4.250	GFN	SWR	33-4.25 X 4 X .750-S/WR	\$2.38	2824
WR	4.000	4.250	GFN	WR	33-4.25 X 4 X .5-S/WR	\$2.24	2786
WR	4.250	4.500	GFN	SWR	33-4.5 X 4.25-.75/SWR	\$2.42	2318
WR	4.250	4.500	GFN	WR	33-4.5 X 4.25-.5/WR	\$2.42	2153
WR	4.350	4.600	GFN	.5/SWR	33-4.600 X 4.350-.5/SWR	\$2.42	2853
WR	4.449	5.118	GFN	WR	33-5.118 X 4.449 X .551-WR	\$3.08	3000
WR	5.000	5.250	GFN	SWR	33-5.25 X 5 X .750-S/WR	\$3.08	2825
WR	5.000	5.250	GFN	WR	33-5.25 X 5 X .5-S/WR	\$3.08	2787
WR	5.000	5.250	GFN	WR	33-5.25 X 5 X .3-S/WR	\$3.08	2788
WR	5.250	5.500	GFN	SWR3	33-5.5 X 5.25-.75/SWR	\$3.08	2317
WR	5.250	5.500	GFN	WR	33-5.5 X 5.25-.5/WR	\$3.08	2154
WR	5.290	5.540	GFN	SWR	33-5.540X 5.290-.5/SWR	\$3.08	2854
WR	5.750	6.000	GFN	WR	33-6 X 5.75-.75/WR	\$3.08	2057
WR	6.000	6.250	GFN	SWR	33-6.25 X 6 X .750-S/WR	\$3.30	2826
WR	6.015	6.750	GFN	WR	33-6.75 X 6.015-.120/WR	\$3.30	2559
WR	6.230	6.480	GFN	SWR	33-6.480 X 6.230-.5/SWR	\$3.30	2855
WR	6.250	6.500	GFN	SWR	33-6.5 X 6.25-.75/SWR	\$3.30	2316
WR	6.250	6.500	GFN	WR	33-6.5 X 6.25-.5/WR	\$3.30	2155
WR	6.500	7.000	GFN	SWR	33-7 X 6.5-.75/SWR	\$3.30	3090
WR	6.750	7.000	GFN	WR	33-7 X 6.75-.75/WR	\$3.30	2056
WR	7.000	7.250	GFN	SWR	33-7.25 X 7 X .750-S/WR	\$3.30	2827
WR	7.250	7.500	GFN	SWR	33-7.5 X 7.25-.75/SWR	\$3.43	2315
WR	7.500	8.000	GFN	SWR	33-8 X 7.5-.75/SWR	\$3.65	3091
WR	8.163	8.413	GFN	SWR	33-8.413 X 8.163 X .750-S/WR	\$3.65	2828
WR	8.250	8.500	GFN	SWR	33-8.5 X 8.25-.75/SWR	\$3.65	2314
WR	9.620	9.880	GFN	SWR	33-9.88 x 9.62 x .75-SWR	\$3.65	3101

Back Up Rings

CODE	ID	OD	Mat	Style	Description	Price	PTNO
BU	0.750	1.125	GFN	BU	33-1.125 X .75-BU	\$1.96	2915
BU	0.984	1.329	TPU	BU	20-.1.329 X .984 X .090/BU	\$2.31	3046
BU	1.125	1.375	GFN	BU	33-1.375 X 1.125 X .060-BU	\$1.96	2942
BU	1.125	1.500	GFN	BU	33-1.5 X 1.125 x .070-BU	\$1.96	2938
BU	1.181	1.614	TPE	BU	40-1.614 X 1.181-BU	\$2.31	2542
BU	1.366	1.909	TPE		40-1.909 X 1.366 X.188/BU	\$2.31	2606
BU	1.375	1.750	GFN	BU	33-1.75 X 1.375 x .065-BU	\$1.96	2906
BU	1.500	1.875	GFN	BU	33-1.875 X 1.5 .070/BU	\$1.96	2889
BU	1.617	1.985	GFN	BU	33-1.985 X 1.617 x .070/BU	\$1.96	2886
BU	1.750	2.125	GFN	BU	33-2.125 X 1.75 x .070/BU	\$1.96	2913
BU	1.750	2.250	GFN	.468/BU	33-2.25 X 1.75 x .468-BU	\$1.96	2105
BU	1.750	2.250	GFN	BU	33-2.25 X 1.75 X .070-BU	\$1.96	3001
BU	1.750	2.250	GFN	BU/.406	33-2.25 X 1.75-/.406BU	\$1.96	2313
BU	1.750	2.375	GFN	BU	33-2.375 X 1.75 x .315-BU	\$1.96	2284
BU	1.756	2.189	TPU	BU	20-2.189 X 1.756 -.116/BU	\$2.31	2982
BU	1.765	2.245	GFN	BU/.415	33-2.245 X 1.765 x .415-BU	\$2.03	2326
BU	1.875	2.250	GFN	BU	33-2.25 X 1.875 X .065-BU	\$2.03	2911
BU	1.969	2.481	TPU	BU	20-2.481 X 1.969 X .157-BU	\$2.31	2983
BU	2.000	2.375	GFN	BU/.65	33-2.375 X 2 X .065/BU	\$2.07	2896
BU	2.000	2.500	GFN	.157/BU	33-2.5 X 2-.157/BU	\$2.07	2277
BU	2.000	2.625	GFN	.315/BU	33-2.625 X 2 X .315-BU	\$2.14	2048
BU	2.125	2.500	GFN	BU	33-2.5 X 2.125-BU	\$2.14	2945
BU	2.193	2.696	TPE	BU/.150	40-2.193X2.696-.150/BU	\$2.35	2514
BU	2.193	2.763	TPU	BU	20-2.763 X 2.193 X.118-BU	\$2.31	2703
BU	2.250	2.625	GFN	BU	33-2.625 x 2.25-BU	\$2.14	3088
BU	2.375	2.625	GFN	BU	33-2.625 X 2.375X .070-BU	\$2.17	2940
BU	2.375	2.750	GFN	BU	33-2.75 X 2.375 X .065/BU	\$2.17	2959
BU	2.375	2.875	GFN	BU	33-2.875 X 2.375 X .070-BU	\$2.21	2909
BU	2.500	2.750	GFN	BU	33-2.75 X 2.25 X .075-BU	\$2.21	2901
BU	2.500	2.750	GFN	BU	33-2.75 X 2.50 X .070-BU	\$2.21	2914
BU	2.500	2.875	GFN	BU	33-2.875 X 2.5 X .065-BU	\$2.21	2900
BU	2.500	3.000	GFN	BU/.070	33-3 X 2.5-070-BU	\$2.24	2899
BU	2.625	2.985	GFN	BU/.090	33-2.985 X 2.625 X .090/BU	\$2.24	2998
BU	2.625	3.000	GFN	BU/.0.65	33-3 X 2.625-.065/BU	\$2.24	2897
BU	2.716	3.267	TPU	BU	20-3.267 X 2.716-BU	\$2.31	2664
BU	2.720	2.875	GFN	BU	33-2.875 X 2.720- .130BU	\$2.28	2678
BU	2.736	3.303	TPE	BU/.118	40-3.303 X 2.736X.118/BU	\$2.38	2605
BU	2.736	3.306	TPU	BU	20-3.306 X 2.736 X .146-BU	\$2.38	2990
BU	2.750	3.250	GFN	BU	33-3.25 X 2.75 X .075-BU	\$2.31	2890
BU	2.875	3.375	GFN	BU	33-3.375 X 2.875 X .070-BU	\$2.38	2908
BU	2.950	3.460	TPE	BU/.156	40- 2.95 X 3.46X.156/BU	\$2.38	2515

Back Up Rings

CODE	ID	OD	Mat	Style	Description	Price	PTNO
BU	3.000	3.500	GFN	BU	33-3.5 X 3 .070/BU	\$2.42	2888
BU	3.000	3.500	GFN	BU/.457	33-3.5 X 3-.457/BU	\$2.42	2457
BU	3.125	3.500	GFN	BU/.065	33-3.5 X 3.125-.065/BU	\$2.42	2898
BU	3.130	3.704	TPE	BU	40-3.704 X 3.130-BU	\$3.08	2548
BU	3.149	3.858	TPU	BU	20-3.858 X 3.149-BU	\$2.87	2693
BU	3.185	3.750	GFN	BU	33-3.75 X 3.185 X .070-BU	\$2.42	2957
BU	3.250	3.750	GFN	BU	33-3.75 X 3.25 X .070-BU	\$2.45	2910
BU	3.325	3.481	GFN	BU/.125	33-3.481 X 3.325 - BU	\$2.45	2681
BU	3.495	3.975	GFN	BU	33-3.975 X 3.49 X .4655-BU	\$2.49	2325
BU	3.500	4.000	GFN	BU	33-4 X 3.5 X .468-BU	\$2.59	2106
BU	3.500	4.000	GFN	BU	33-4 X 3.5 X .075-BU	\$2.63	2885
BU	3.687	4.000	GFN	BU	33-4.187 X 3.687 X.070-BU	\$2.63	2949
BU	3.750	4.250	GFN	BU	33-4.25 X 3.75 X .075-BU	\$2.63	2894
BU	3.917	4.491	TPE	BU/.150	40-4.491 X 3.917-.150/BU	\$3.08	2471
BU	3.945	4.102	GFN	BU	33-4.102 X 3.945- .130BU	\$2.65	2680
BU	4.000	4.500	GFN	BU	33-4.5 X 4 X .070-BU	\$2.73	2891
BU	4.000	5.000	GFN	BU/.125	33-5 X 4 X .125-BU	\$2.84	2120
BU	4.094	3.543	TPU	BU	20-4.094 X 3.543 X .157-BU	\$2.91	2698
BU	4.500	5.000	GFN	BU	33-5 X 4.5 -.250-BU	\$2.87	2578
BU	4.500	5.000	GFN	BU	33-5 X 4.5 X .070-BU	\$3.01	2892
BU	4.750	5.250	GFN	BU	33-5.25 X 4.75 X .075-BU	\$3.01	2912
BU	5.000	5.500	GFN	BU	33-5.5 X 5 X .075-BU	\$3.01	2893
BU	5.000	6.000	GFN	BU/.125	33-6 X 5 X .125-BU	\$3.01	1694
BU	5.290	5.475	GFN	BU	33-5.475 X 5.292- .160BU	\$3.01	2679
BU	5.500	6.000	GFN	BU	33-6 X 5 1/2 X .125-BU	\$3.08	2963
BU	5.750	6.125	GFN	BU	33-6.125 X 5.750 X .135-BU	\$3.19	2939
BU	6.000	7.000	GFN	BU/.125	33-7 X 6 X .125-BU	\$4.03	2119

AN Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
AN	0.500		TPE	W	40-AN-01-W	\$0.91	1570
AN	0.562		TPE	W	40-AN-02-W	\$0.91	1571
AN	0.625		TPE	W	40-AN-03-W	\$0.91	1572
AN	0.687		TPE	W	40-AN-04-W	\$0.91	1573
AN	0.750		TPE	SHW	40-AN-05-SHW	\$0.94	2348
AN	0.750		TPE	SHW	40-AN-05-SHW-BK	\$0.94	3015
AN	0.750		TPE	W	40-AN-05-W	\$0.91	1574
AN	0.812		TPE	W	40-AN-06-W	\$0.95	1730
AN	0.875		TPE	W	40-AN-07-W	\$0.95	1575
AN	0.937		TPE	W	40-AN-08-W	\$0.95	1576
AN	1.000		TPE	W	40-AN-09-W	\$0.95	1577
AN	1.063		TPE	W	40-AN-10-W	\$0.95	1578
AN	1.125		TPE	W	40-AN-11-W	\$0.97	1579
AN	1.187		TPE	W	40-AN-12-W	\$0.97	1766
AN	1.250		TPE	W	40-AN-13-W	\$0.97	1580
AN	1.312		TPE	W	40-AN-14-W	\$0.97	1731
AN	1.375		TPE	W	40-AN-15-W	\$0.97	1581
AN	1.437		TPE	W	40-AN-16-W	\$0.97	1582
AN	1.500		TPE	W	40-AN-17-W	\$0.97	1583
AN	1.500		TPE	W	20-AN-17-W	\$0.97	3027
AN	1.625		TPE	W	40-AN-18-W	\$0.97	1753
AN	1.750		TPE	W	40-AN-19-W	\$0.97	1584
AN	1.875		TPE	W	40-AN-20-W	\$0.98	1585
AN	2.000		TPE	W	40-AN-21-W	\$0.98	1586
AN	2.125		TPE	W	40-AN-22-W	\$0.98	1587
AN	2.250		TPE	W	40-AN-23-W	\$0.98	1588
AN	2.375		TPE	W	40-AN-24-W	\$0.98	1589
AN	2.500		TPE	W	40-AN-25-W	\$0.98	1590
AN	2.625		TPE	W	40-AN-26-W	\$1.02	1591
AN	2.750		TPE	W	40-AN-27-W	\$1.02	1592
AN	2.875		TPE	W	40-AN-28-W	\$1.02	1593
AN	3.000		TPE	W	40-AN-29-W	\$1.12	1594
AN	3.125		TPE	W	40-AN-30-W	\$1.12	1595
AN	3.250		TPE	W	40-AN-31-W	\$1.12	1596
AN	3.375		TPE	W	40-AN-32-W	\$1.16	1597
AN	3.500		TPE	W	40-AN-33-W	\$1.16	1598
AN	3.625		TPE	W	40-AN-34-W	\$1.26	1859
AN	3.750		TPE	W	40-AN-35-W	\$1.26	1599
AN	3.875		TPE	W	40-AN-36-W	\$1.29	1600
AN	4.000		TPE	W	40-AN-37-W	\$1.29	1601
AN	4.125		TPE	W	40-AN-38-W	\$1.29	2123
AN	4.250		TPE	W	40-AN-39-W	\$1.30	1810

AN Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
AN	4.375		TPE	W	40-AN-40-W	\$1.65	1767
AN	4.500		TPE	W	40-AN-41-W	\$1.68	1602
AN	4.625		TPE	W	40-AN-42-W	\$1.68	1603
AN	4.750		TPE	W	40-AN-43-W	\$1.68	1604
AN	4.875		TPE	W	40-AN-44-W	\$1.82	2053
AN	5.000		TPE	W	40-AN-45-W	\$1.82	1605
AN	5.125		TPE	W	40-AN-46-W	\$1.82	1606
AN	5.250		TPE	W	40-AN-47-W	\$1.82	1607
AN	5.375		TPE	W	40-AN-48-W	\$2.14	1882
AN	5.500		TPE	W	40-AN-49-W	\$2.14	1608
AN	5.625		TPE	W	40-AN-50-W	\$2.14	1609
AN	5.750		TPE	W	40-AN-51-W	\$2.52	1868
AN	5.875		TPE	W	40-AN-52-W	\$2.73	1610
AN	6.000		TPE	W	40-AN-53-W	\$2.73	1611
AN	6.250		TPE	W	40-AN-54-W	\$2.73	1869
AN	6.500		TPE	W	40-AN-55-W	\$2.84	1764
AN	6.750		TPE	W	40-AN-56-W	\$2.84	1612
AN	7.000		TPE	W	40-AN-57-W	\$2.84	1809
AN	8.000		TPE	W	40-AN-61-W	\$2.84	1747

BT Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
BT	0.625		TPE	W	40-BT-01050-W	\$1.57	1800
BT	0.750		TPE	W	40-BT-01260-W	\$1.58	2097
BT	0.875		TPE	W	40-BT-01460-W	\$1.63	1640
BT	1.000		TPE	BT	40-BT-10060-W	\$1.64	1719
BT	1.125		TPU	W	20-BT-10260-W-(BLK)	\$1.47	2654
BT	1.125		TPE	W	40-BT-10260-W	\$1.65	1975
BT	1.250		TPU	W	20-BT-10460-W-(BLK)	\$1.48	2650
BT	1.250		TPE	W	40-BT-10460-W	\$1.65	1834
BT	1.375		TPE	W	40-BT-10660-W	\$1.66	2102
BT	1.500		TPE	W	40-BT-10860-W	\$1.67	1779
BT	1.500		TPU	W	20-BT-10860K-W-(BLK)	\$1.50	2649
BT	1.500		TPE	W	40-BT-10860-K-W	\$1.67	1897
BT	1.750		TPU	W	20-BT-11260-W-(BLK)	\$1.58	2652
BT	1.750		TPE	W	40-BT-11260-W	\$1.68	1641
BT	2.000		TPU	W	20-BT-20060-W-(BLK)	\$1.61	2657
BT	2.000		TPE	W	40-BT-20060-W	\$1.69	1642
BT	2.000		TPE	W	40-BT-20060-K-W	\$1.69	2508
BT	2.210		TPE	W	40-BT-20481-W	\$1.70	1953
BT	2.250		TPU	W	20-BT-20460-W-(BLK)	\$1.99	2661
BT	2.250		TPE	W	40-BT-20460-W	\$2.03	1720
BT	2.500		TPE	W	40-BT-20860-W	\$2.42	1888
BT	2.500		TPU	W	20-BT-20860-W-(BLK)	\$2.35	2651
BT	2.500		TPE	W	40-BT-20880-W	\$2.38	1643
BT	2.625		TPE	W	40-BT-21080-W	\$2.45	3106
BT	2.750		TPE	W	40-BT-21260-W	\$2.52	3107
BT	3.000		TPE	W	40-BT-30060-W	\$3.15	1644
BT	3.000		TPU	W	20-BT-30080-W-(BLK)	\$3.08	2655
BT	3.000		TPU	W	20-BT-30060-W-(BLK)	\$3.11	2658
BT	3.000		TPE	W	40-BT-30080-W	\$3.12	2103
BT	3.250		TPE	W	40-BT-30480-W	\$3.22	2074
BT	3.500		TPU	W	20-BT-30860-W-(BLK)	\$3.58	2662
BT	3.500		TPE	W	40-BT-30880-W	\$3.36	2111
BT	3.500		TPE	W	40-BT-30860-W	\$3.29	2076
BT	3.625		TPE	W	40-BT-31080-W	\$3.47	2323
BT	3.750		TPE	W	40-BT-31280-W	\$3.57	2075
BT	4.000		TPU	W	20-BT-40080-W-(BLK)	\$4.51	2653
BT	4.000		TPE	W	40-BT-40080-W	\$4.27	1973
BT	4.250		TPE	W	40-BT-40480-W	\$4.76	3108
BT	4.500		TPE	W	40-BT-40880-W	\$5.11	1645
BT	4.750		TPE	W	40-BT-41280-W	\$5.91	1646
BT	5.500		TPU	W	20-BT-50880-W-(BLK)	\$5.78	3104

BT Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
BT	5.700		TPE	W	40-BT-51280K-W	\$6.58	1874
BT	6.000		TPE	W	40-BT-60080-W	\$7.74	1974

CS Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
CS	2.750	3.375	TPU	WL	20-3.375 X 2.75-WL	\$1.68	2992
CS	2.750	3.375	TPE	W	40-3.375 X 2.75-W	\$3.08	1536
CS	3.750	4.375	TPU	WL	20-4.375 X 3.75-WL	\$1.71	2993
CS	3.750	4.375	TPU	W	40-4.375 X 3.75-W	\$3.19	1537
CS	4.750	5.375	TPU	WL	20-5.375 X 4.75-WL	\$2.03	2994
CS	4.750	5.375	TPE	W	40-5.375 X 4.75-W	\$3.50	1538
CS	5.750	6.375	TPU	WL	20-6.375 X 5.75-WL	\$2.52	2995
CS	5.750	6.375	TPE	W	40-6.375 X 5.75-W	\$4.38	1539
CS	6.750	7.375	TPU	WL	20-7.375 X 6.75-WL	\$3.36	2996
CS	6.750	7.375	TPE	W	40-7.375 X 6.75-W	\$5.18	1540
CS	7.905	8.543	TPU	WL	20-8.543 X 7.905-WL	\$4.48	2997
CS	7.905	8.543	TPE	W	40-8.543 X 7.905-W	\$5.67	1541
CS	9.375	10.000	TPU	WL	20-10 X 9.375-WL	\$8.89	2999
CS	9.375	10.000	TPE	W	40-10 X 9.375-W	\$11.48	1542

HCH Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
HCH	2.000	2.500	TPE	W	40-2.5 X 2-W	\$1.68	1754
HCH	2.250	2.750	TPE	W	40-2.75 X 2.25-W	\$1.74	2856
HCH	3.000	3.500	TPU	CHW	20-3.5 X 3-CHW	\$1.96	2623
HCH	3.000	3.500	TPE	WL	40-3.5 X 3-WL	\$2.03	2498
HCH	3.187	3.687	TPU	W	20-3.687 X 3.187-W	\$2.00	2857
HCH	4.000	4.500	TPU	CHW	20-4.5 X 4-CHW	\$2.03	2624
HCH	4.000	4.500	TPE	W	40-4.5 X 4-WL	\$2.07	2006
HCH	4.125	4.625	TPU	W	20-4.625 X 4.125-W	\$2.07	2858
HCH	5.000	5.500	TPU	CHW	20-5.5 X 5-CHW	\$2.24	2625
HCH	5.000	5.500	TPU	CHW	20-6.5 X 6-CHW	\$2.77	2626
HCH	5.000	5.500	TPE	W	40-5.5 X 5-WL	\$2.17	2005
HCH	5.062	5.562	TPU	W	20-5.562 X 5.062-W	\$3.30	2859
HCH	5.875	6.375	TPE	W	40-6.375 X 5.875-W	\$2.77	1546
HCH	6.000	6.500	TPE	W	40-6.5 X 6-WL	\$2.84	2004
HCH	7.000	7.500	TPU	CHW	20-7.5 X 7-CHW	\$3.46	2627
HCH	7.000	7.500	TPE	W	40-7.5 X 7-WL	\$3.43	2003
HCH	8.000	8.500	TPU	CHW	20-8.5 X 8-CHW	\$5.24	2628
HCH	8.000	8.500	TPE	W	40-8.5 X 8-WL	\$4.27	2002
HCH	8.125	8.625	TPE	W	40-8.625 X 8.125-W	\$5.78	1550
HCH	8.250	8.750	TPE	W	40-8.75 X 8.25-W	\$6.58	1551
HCH	9.000	9.500	TPE	W	40-9.5 X 9-W	\$7.74	1552
HCH	9.125	9.625	TPE	W	40-9.625 X 9.125-W	\$8.54	1553
HCH	9.375	9.875	TPE	W	40-9.875 X 9.375-W	\$9.31	1554
HCH	9.750	10.500	TPE	W	40-10.5 X 9.75-W	\$11.38	1695

HD Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
HD	0.375		TPE	W	40-HD-0.375-W	\$2.31	1613
HD	0.500		TPE	W	40-HD-0.500-W	\$2.31	1614
HD	0.750		TPE	W	40-HD-0.750-W	\$2.31	1615
HD	0.875		TPE	W	40-HD-0.875-W	\$2.31	1724
HD	1.000		TPE	W	40-HD-1.000-W	\$2.31	1616
HD	1.075		TPE	W	40-HD-1.075-W	\$2.31	2634
HD	1.125		TPE	SHW	40-HD-1.125-SHW	\$2.31	2258
HD	1.125		TPE	W	40-HD-1.125-W	\$2.31	1617
HD	1.250		TPE	SHW	40-HD-1.250-SHW	\$2.31	2257
HD	1.250		TPE	W	40-HD-1.250-W	\$2.31	1618
HD	1.375		TPE	SHW	40-HD-1.375-SHW	\$2.31	2489
HD	1.375		TPE	W	40-HD-1.375-W	\$2.31	1619
HD	1.500		TPE	SHW	40-HD-1.500-SHW	\$2.31	2256
HD	1.500		TPE	W	40-HD-1.500-W	\$2.31	1620
HD	1.625		TPE	W	40-HD-1.625-W	\$2.31	1621
HD	1.750		TPE	LL	40-HD-1.750-LL(GR)	\$2.31	2519
HD	1.750		TPE	SHW	40-HD-1.750-SHW	\$2.31	2255
HD	1.750		TPE	W	40-HD-1.750-W	\$2.31	1622
HD	1.875		TPE	W	40-HD-1.875-W	\$2.31	1623
HD	2.000		TPE	LL	40-HD-2.000-LL(GR)	\$2.38	2517
HD	2.000		TPE	SHW	40-HD-2.000-SHW	\$2.38	2254
HD	2.000		TPE	W	40-HD-2.000-W	\$2.38	1624
HD	2.125		TPE	W	40-HD-2.125-W	\$2.38	2047
HD	2.250		TPE	SHW	40-HD-2.250-SHW	\$2.38	2259
HD	2.250		TPE	W	40-HD-2.250-W	\$2.38	1625
HD	2.375		TPE	W	40-HD-2.375-W	\$2.38	2030
HD	2.500		TPE	LL	40-HD-2.500-LL(GR)	\$2.38	2518
HD	2.500		TPE	SHW	40-HD-2.500-SHW	\$2.38	2349
HD	2.500		TPE	W	40-HD-2.500-W	\$2.38	1626
HD	2.625		TPE	W	40-HD-2.625-W	\$2.38	1627
HD	2.750		TPE	W	40-HD-2.750-W	\$2.38	1628
HD	3.000		TPE	SHW	40-HD-3.000-SHW	\$2.45	2350
HD	3.000		TPE	W	40-HD-3.000-W	\$2.45	1629
HD	3.125		TPE	W	40-HD-3.125-W	\$2.45	1932
HD	3.250		TPE	SHW	40-HD-3.250-SHW	\$2.45	2355
HD	3.250		TPE	W	40-HD-3.250-W	\$2.45	1630
HD	3.500		TPE	W	40-HD-3.500-W	\$2.45	1631
HD	3.625		TPE	W	40-HD-3.625-W	\$2.45	2113
HD	3.750		TPE	W	40-HD-3.750-W	\$2.45	1929
HD	3.875		TPE	W	40-HD-3.875-W	\$2.45	1733
HD	4.000		TPE	SHW	40-HD-4.000-SHW	\$2.73	2351

HD Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
HD	4.000		TPE	W	40-HD-4.000-W	\$2.73	1632
HD	4.250		TPE	W	40-HD-4.250-W	\$2.73	1633
HD	4.500		TPE	W	40-HD-4.500-W	\$2.73	1634
HD	4.750		TPE	W	40-HD-4.750-W	\$3.01	1635
HD	5.000		TPE	W	40-HD-5.000-W	\$3.58	1636
HD	5.250		TPE	W	40-HD-5.250-W	\$4.18	1732
HD	5.500		TPE	W	40-HD-5.500-W	\$4.77	1714
HD	5.750		TPE	W	40-HD-5.750-W	\$5.18	2112
HD	6.000		TPE	W	40-HD-6.000-W	\$5.34	1637
HD	6.500		TPE	W	40-HD-6.500-W	\$5.95	1772
HD	6.750		TPE	W	40-HD-6.750-W	\$6.39	1734
HD	7.000		TPE	W	40-HD-7.000-W	\$6.53	1713
HD	8.000		TPE	W	40-HD-8.000-W	\$6.67	2007
HD	1.000		TPE	SHW	40-HD-1.000-SHW	\$2.31	2488
HD	1.187		TPE	W	40-HD-1.187-W	\$2.31	2469

HW Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
HW	0.500		TPE	HW	40-HW-0.500-W	\$2.10	2328
HW	0.750		TPE	HW	40-HW-0.750-W	\$2.10	2353
HW	1.125		TPE	HW	40-HW-1.125-W	\$2.10	2367
HW	1.250		TPU	W	20-HW-1.250-W-BK	\$2.10	2659
HW	1.250		TPE	HW	40-HW-1.250-W	\$2.10	2381
HW	1.375		TPU	HW	20-HW-1.375-W	\$2.10	3059
HW	1.500		TPU	W	20-HW-1.500-W-BK	\$2.10	2660
HW	1.500		TPE	HW	40-HW-1.500-W	\$2.10	2382
HW	1.625		TPE	HW	40-HW-1.625-W	\$2.10	2400
HW	2.750		TPE	W	40-HW-2.750-W	\$2.10	2360
HW	3.250		TPE	HW	40-HW-3.250-W	\$2.28	2357
HW	3.750		TPE	HW	40-HW-3.750-W	\$2.37	2461
HW	4.000		TPE	W	40-HW-4.000-W	\$2.45	2356
HW	4.250		TPE	W	40-HW-4.250-W	\$2.54	2447
HW	4.500		TPE	HW	40-HW-4.500-W	\$2.87	2366
HW	5.000		TPE	HW	40-HW-5.000-W	\$4.29	2380
HW	5.000		TPE	HW	40-HW-5.500-W	\$5.73	2384
HW	7.000		TPE	W	40-HW-7.000-W	\$7.84	2379

KW Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
KW	0.750		TPU	KW	20-KW-0.750-W-BK	\$2.14	2947
KW	0.750		TPE	KW	40-KW-0.750-W	\$2.14	2354
KW	1.000		TPU	KW	20-KW-1.000-W-BK	\$2.14	2656
KW	1.000		TPE	KW	40-KW-1.000-W	\$2.14	2413
KW	1.250		TPU	KW	20-KW-1.250-W-BK	\$2.14	2666
KW	1.375		TPE	KW	40-KW-1.375-W	\$2.14	2327
KW	1.500		TPU	KW	20-KW-1.500-W-BK	\$2.14	2695
KW	2.000		TPU	KW	20-KW-2.000-W-BK	\$2.14	2665
KW	2.250		TPE	KW	40-KW-2.250-W	\$2.17	2371
KW	2.500		TPU	KW	20-KW-2.500-W-BK	\$2.14	2668
KW	2.500		TPU	KW	20-KW-2.500-W-BK	\$2.38	3077
KW	3.000		TPU	KW	20-KW-3.000-W-BK	\$2.38	2669
KW	3.000		TPU	KW	20-KW-3.000-W-BK	\$2.38	3078
KW	3.250		TPE	KW	40-KW-3.250-W	\$2.17	2385
KW	3.375		TPE	KW	40-KW-3.375-W	\$2.17	2459
KW	3.750		TPE	KW	40-KW-3.750-W	\$2.17	2383
KW	4.500		TPE	KW	40-KW-4.500-W	\$2.17	2376

MW Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
MW	0.550		GFN	MSW	30-.725 X .550-MSW	\$3.78	3093
MW	0.580		GFN	MW	33-.738 x .580-MW	\$6.61	3158
MW	0.727		GFN	MW	33-.969 x .727-MW	\$4.01	3157
MW	0.750		GFN	MSW	30-.975 X .750-MSW	\$3.85	3097
MW	0.984		TPE	MW	40-1.299 X .984-MW	\$3.91	2358
MW	1.047		TPU	MW	20-3.78 x 1.047-MW	\$4.48	3123
MW	1.378		TPE	W	40-1.693 X 1.378-W	\$4.11	2067
MW	1.750		TPE	W	40-1.750-GC-W(BLACK)	\$4.11	2441
MW	2.000		TPE	W	40-HL-2-W	\$3.92	1709
MW	2.000		TPE	W	40-TH-200-W	\$4.07	1726
MW	2.000		TPE	W	40-2.000-GC-W(BLACK)	\$4.20	2448
MW	2.500		TPE	W	40-TH-250-W	\$4.12	1727
MW	2.625		TPE	W	40-2.625-GC-W(BLACK)	\$4.45	2444
MW	2.760		TPU	W	20-4.06 X 2.76-WW	\$4.38	3089
MW	2.825		TPE	W	40-CAS-2.825-W	\$4.67	2846
MW	3.000		TPE	W	40-TH-300-W	\$4.24	1728
MW	3.125		TPU	W	20-3.585 X 3.125-W	\$4.67	2845
MW	3.375		TPE	W	40-3.735 X 3.375-W	\$5.16	1742
MW	3.625		TPE	W	40-3.625" GROVE-W(BK)	\$5.10	2456
MW	4.000		TPE	W	40-HL-4-W	\$4.40	1748
MW	4.000		TPE	W	40-4.000-GC-W(BLACK)	\$4.20	2608
MW	4.250		TPE	W	40-CAS-425W-W	\$6.24	1807
MW	4.500		TPE	W	40-ST-451-W	\$4.03	1848
MW	4.500		TPE	W	40-4.5-GC-W(BLACK)	\$4.90	2445
MW	4.625		TPU	CAS	20-5.125 X 4.625-CAS	\$43.75	3018
MW	5.000		TPE	W	40-ST-501-W	\$4.48	1835
MW	5.000		TPE	W	40-ST-501-W-(BLACK)	\$4.48	2950
MW	5.028		TPU	W	20-5.510 x 5.028-W	\$3.11	3103
MW	5.375		TPE	CAS	40-5.875 X 5.375-CAS	\$43.75	3019
MW	6.000		TPE	W	40-6.37 X 6-W	\$3.12	1729
MW	6.000		TPE	GVW	40-6.490X6-GC-W(BK)	\$5.18	2551
MW	6.000		TPE	W	40-CAS-600W-W	\$8.68	1808
MW	6.375		TPU	CAS	20-6.875 X 6.375-CAS	\$52.50	3020
MW	7.250		TPU	CAS	20-7.75 X 7.25-CAS	\$52.50	3021
MW	8.000		TPU	CAS	20-8.5 X 8-CAS	\$52.50	3022
MW	8.000		TPE	W	40-ST-801-W	\$4.51	2014
MW	8.250		TPE	W	40-8.65 X 8.25-W	\$6.48	1708
MW	9.625		TPE	W	40-10.125 X 9.625-W	\$9.44	1647
MW	15.000		GFN	MSW	31-19 X 15 X 2 MSW	\$4.39	2685
MW	35.000		TPE	W	40-MSW-35X43X5-W	\$2.17	1941
MW	40.000		TPE	W	40-MSW-40X50X6-W	\$2.24	1940

MW Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
MW	45.000		TPE	W	40-MSW-45X55X6.5-W	\$2.41	1945
MW	50.000		TPE	W	40-CMW-58 X 50-W	\$2.59	2265
MW	50.000		TPE	W	40-MSW-50X60X6-W	\$2.49	1947
MW	55.000		TPU	W	20-65X55X6MM (BLK)	\$4.48	3002
MW	60.000		TPE	W	40-MSW-60X73X7-W	\$2.66	1946
MW	62.000		TPE	W	40-70 X 62-W	\$2.84	2032
MW	65.000		TPE	W	40-MSW-65X79X7-W	\$2.87	1944
MW	70.000		TPE	W	40-70X84X7-W	\$2.94	1943
MW	80.000		TPE	W	40-3.545 X 3.152-W	\$2.42	1803
MW	80.000		TPE	W	40-MSW-80X93X7-W	\$3.19	1942

PF Style Wipers


CODE	ID	OD	Mat	Style	Description	Price	PTNO
PF	2.580	3.110	TPE	W	40-3.11 X 2.58-W	\$5.49	1562
PF	3.220	3.590	TPE	W	40-3.59 X 3.22-W	\$5.53	1707
PF	3.580	4.110	TPE	W	40-4.11 X 3.58-W	\$5.56	1563
PF	3.830	4.203	TPE	W	40-4.203 X 3.83-W	\$5.57	1564
PF	4.580	5.080	TPE	W	40-5.08 X 4.58-W	\$5.59	1565
PF	5.445	5.945	TPE	W	40-5.945 X 5.445-W	\$5.60	1566
PF	6.445	6.945	TPE	W	40-6.945 X 6.445-W	\$6.58	1567
PF	7.445	7.945	TPE	W	40-7.945 X 7.445-W	\$6.68	1568
PF	8.445	9.195	TPE	W	40-9.195 X 8.445-W	\$9.77	1569

PG Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
PG	1.970	2.520	TPE	W	40-2.52 X 1.97-W	\$5.26	1555
PG	2.970	3.520	TPE	W	40-3.52 X 2.97-W	\$5.46	1556
PG	3.970	4.520	TPE	W	40-4.52 X 3.97-W	\$5.53	1557
PG	4.970	5.520	TPE	W	40-5.52 X 4.97-W	\$5.66	1558
PG	5.970	6.520	TPE	W	40-6.52 X 5.97-W	\$6.79	1559
PG	6.970	7.520	TPE	W	40-7.52 X 6.97-W	\$7.71	1560
PG	7.970	8.520	TPE	W	40-8.52 X 7.97-W	\$8.42	1561
PG	9.125	9.675	TPE	W	40-9.675 X 9.125-W	\$9.94	1872
PG	2.485		TPE	W	40-PG-2.485-W	\$5.46	1860

WD Style Wipers

CODE	ID	OD	Mat	Style	Description	Price	PTNO
WD	2.950	3.500	TPE	W	40-3.5 X 2.95-W	\$5.35	1972
WD	3.950	4.500	TPE	W	40-4.5 X 3.95-W	\$5.35	1890
WD	4.950	5.500	TPE	W	40-5.5 X 4.95-W	\$5.35	1912
WD	5.950	6.500	TPE	W	40-6.5 X 5.95-W	\$6.68	1913
WD	6.950	7.500	TPE	W	40-7.5 X 6.95-W	\$8.54	1914
WD	7.950	8.500	TPE	W	40-8.5 X 7.95-W	\$9.48	1900
WD	8.950	9.500	TPE	W	40-9.5 X 8.95-W	\$18.07	1915







































	3/16 CS	1/4 CS	5/16 CS	3/8 CS	7/16 CS	1/2 CS
A	0.080	0.100	0.100	0.100	0.100	0.100
B	0.020	0.025	0.031	0.037	0.043	0.050
C	0.090	0.100	0.125	0.150	0.175	0.200
D	0.220	0.250	0.275	0.302	0.327	0.350
E	0.072	0.095	0.119	0.143	0.170	0.193
F	0.090	0.115	0.144	0.173	0.190	0.230
R	3/64"	1/16"	5/64"	3/32"	9/64"	1/8"

Dimensions are for Standard Rings and Adaptors

CHECKING STACK HEIGHTS: Precision Packing uses ANSI B93.17.1979 Method 1 for measuring Stack Heights. To measure proper Preload use Method 1 Formula: $P=(Dm) \times (CS) \times 8$
P= Preload, Dm= Mean Diameter, CS = Cross Section

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

CHECKING STACK HEIGHTS: Precision Packing uses ANSI B93.17.1979 Method 1 for measuring Stack Heights. To measure proper Preload use Method 1 Formula: $P=(Dm)x(CS)x8$
P= Preload, Dm= Mean Diameter, CS = Cross Section

3/16 CS	1/4 CS	5/16 CS	3/8 CS	7/16 CS	1/2 CS
1-1-1 Set  .410	1-1-1 Set  .500	1-1-1 Set  .562	1-1-1 Set  .625	1-1-1 Set  .645	1-1-1 Set  .750
1-2-1 Set  .520	1-2-1 Set  .625	1-2-1 Set  .719	1-2-1 Set  .812	1-2-1 Set  .863	1-2-1 Set  1.000
1-3-1 Set  .630	1-3-1 Set  .750	1-3-1 Set  .875	1-3-1 Set  1.000	1-3-1 Set  1.081	1-3-1 Set  1.250
1-4-1 Set  .740	1-4-1 Set  .875	1-4-1 Set  1.031	1-4-1 Set  1.187	1-4-1 Set  1.300	1-4-1 Set  1.500
1-5-1 Set  .850	1-5-1 Set  1.000	1-5-1 Set  1.187	1-5-1 Set  1.375	1-5-1 Set  1.517	1-5-1 Set  1.750
1-6-1 Set  .960	1-6-1 Set  1.125	1-6-1 Set  1.344	1-6-1 Set  1.562	1-6-1 Set  1.735	1-6-1 Set  2.000

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

X _ _ _	Fraction	Decimal	Low End	High End
050	1/2	0.500	0.469	0.531
062	5/8	0.625	0.594	0.656
075	3/4	0.750	0.719	0.781
082		0.820	0.789	0.851
087	7/8	0.875	0.844	0.906
095		0.950	0.919	0.981
100	1	1.000	0.969	1.031
103	1 1/32	1.031	1.000	1.062
106	1 1/16	1.062	1.031	1.093
109	1 3/32	1.094	1.063	1.125
112	1 1/8	1.125	1.094	1.156
118	1 3/16	1.187	1.156	1.218
125	1 1/4	1.250	1.219	1.281
137	1 3/8	1.375	1.344	1.406
150	1 1/2	1.500	1.469	1.531
156	1 9/16	1.562	1.531	1.593
162	1 5/8	1.625	1.594	1.656
175	1 3/4	1.750	1.719	1.781
187	1 7/8	1.875	1.844	1.906
200	2	2.000	1.969	2.031
212	2 1/8	2.125	2.094	2.156
225	2 1/4	2.250	2.219	2.281
237	2 3/8	2.375	2.344	2.406
250	2 1/2	2.500	2.469	2.531
275	2 3/4	2.750	2.719	2.781
300	3	3.000	2.969	3.031

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

X _ _ _	Fraction	Decimal	Low End	High End
050	1/2	0.500	0.459	0.541
062	5/8	0.625	0.584	0.666
075	3/4	0.750	0.709	0.791
082		0.820	0.779	0.861
087	7/8	0.875	0.834	0.916
095		0.950	0.909	0.991
100	1	1.000	0.959	1.041
103	1 1/32	1.031	0.990	1.072
106	1 1/16	1.062	1.021	1.103
109	1 3/32	1.094	1.053	1.135
112	1 1/8	1.125	1.084	1.166
118	1 3/16	1.187	1.146	1.228
125	1 1/4	1.250	1.209	1.291
137	1 3/8	1.375	1.334	1.416
150	1 1/2	1.500	1.459	1.541
156	1 9/16	1.562	1.521	1.603
162	1 5/8	1.625	1.584	1.666
175	1 3/4	1.750	1.709	1.791
187	1 7/8	1.875	1.834	1.916
200	2	2.000	1.959	2.041
212	2 1/8	2.125	2.084	2.166
225	2 1/4	2.250	2.209	2.291
237	2 3/8	2.375	2.334	2.416
250	2 1/2	2.500	2.459	2.541
275	2 3/4	2.750	2.709	2.791
300	3	3.000	2.959	3.041

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

X _ _ _	Fraction	Decimal	Low End	High End
050	1/2	0.500	0.449	0.551
062	5/8	0.625	0.574	0.676
075	3/4	0.750	0.699	0.801
082		0.820	0.769	0.871
087	7/8	0.875	0.824	0.926
095		0.950	0.899	1.001
100	1	1.000	0.949	1.051
103	1 1/32	1.031	0.980	1.082
106	1 1/16	1.062	1.011	1.113
109	1 3/32	1.094	1.043	1.145
112	1 1/8	1.125	1.074	1.176
118	1 3/16	1.187	1.136	1.238
125	1 1/4	1.250	1.199	1.301
137	1 3/8	1.375	1.324	1.426
150	1 1/2	1.500	1.449	1.551
156	1 9/16	1.562	1.511	1.613
162	1 5/8	1.625	1.574	1.676
175	1 3/4	1.750	1.699	1.801
187	1 7/8	1.875	1.824	1.926
200	2	2.000	1.949	2.051
212	2 1/8	2.125	2.074	2.176
225	2 1/4	2.250	2.199	2.301
237	2 3/8	2.375	2.324	2.426
250	2 1/2	2.500	2.449	2.551
275	2 3/4	2.750	2.699	2.801
300	3	3.000	2.949	3.051

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

X _ _ _	Fraction	Decimal	Low End	High End
050	1/2	0.500	0.439	0.561
062	5/8	0.625	0.564	0.686
075	3/4	0.750	0.689	0.811
082		0.820	0.759	0.881
087	7/8	0.875	0.814	0.936
095		0.950	0.889	1.011
100	1	1.000	0.939	1.061
103	1 1/32	1.031	0.970	1.092
106	1 1/16	1.062	1.001	1.123
109	1 3/32	1.094	1.033	1.155
112	1 1/8	1.125	1.064	1.186
118	1 3/16	1.187	1.126	1.248
125	1 1/4	1.250	1.189	1.311
137	1 3/8	1.375	1.314	1.436
150	1 1/2	1.500	1.439	1.561
156	1 9/16	1.562	1.501	1.623
162	1 5/8	1.625	1.564	1.686
175	1 3/4	1.750	1.689	1.811
187	1 7/8	1.875	1.814	1.936
200	2	2.000	1.939	2.061
212	2 1/8	2.125	2.064	2.186
225	2 1/4	2.250	2.189	2.311
237	2 3/8	2.375	2.314	2.436
250	2 1/2	2.500	2.439	2.561
275	2 3/4	2.750	2.689	2.811
300	3	3.000	2.939	3.061

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

Precision Packing TPU #2045 is a 45D Thermoplastic Urethane. It is used to make Vee Rings, Wipers, and U-cups.

Properties	Test Method	Value
Minimum Operating Temperature	Supplier Recommendation	-40° C -40° F
Maximum Continuous Operating Temperature	Supplier Recommendation	104° C 220° F
Maximum Peak Operating Temperature	Supplier Recommendation	115° C 240° F
Flexural modulus 73° F	ASTM D790	10000 lb/in2
Izod notched impact strength 73° F; 0.125 in	ASTM D256	no break
Izod notched impact strength -22° F; 0.125 in	ASTM D256	3.3 ft-lb/in
Tensile Strength	ASTM D412	6000 lb/in2
Ultimate elongation	ASTM D412	500%
Tensile Stress at 50% elongation	ASTM D412	1100 lb/in2
Compression Set, as molded 22 h at 73 °	ASTM D395-B	18%
Compressive Load 5% deflection	ASTM D575	300 lb/in2
Compressive Load 10% deflection	ASTM D575	560lb/in2
Compressive Load 20% deflection	ASTM D575	1000 lb/in2
Compressive Load 50% deflection	ASTM D575	3400 lb/in2
Tear strength, Die C	ASTM D624	700 lbf/in
Glass transition temperature DMA	DMA	-51° F
Low-temperature brittle point	ASTM D746	<-90° F
Vicat softening temperature Rate A; 1kg; 50° C/h	ASTM D1525	298° F
UL 94 Flame Class Thickness tested: 1.5 mm	UL 94	HB Class
Specific Gravity	ASTM D792	1.21
Taber abrasion H-18 wheel: 1,000-g: 1,000 cycle	ASTM D3489	70 mg loss
Bayshore resilience	ASTM D2632	45%

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

Precision Packing TPU #2055 is a 55D Thermoplastic Urethane. It is used to make Vee Rings, Wipers, and U-cups.

Properties	Test Method	Value
Minimum Operating Temperature	Supplier Recommendation	-40° C -40° F
Maximum Continuous Operating Temperature	Supplier Recommendation	104° C 220° F
Maximum Peak Operating Temperature	Supplier Recommendation	115° C 240° F
Flexural modulus 73 °F	ASTM D790	20000 lb/in2
Flexural modulus -22°F	ASTM D790	175000 lb/in2
Shear Strength	ASTM D732	5585 ft-lb/in2
Tensile Strength	ASTM D412	7000 lb/in2
Ultimate elongation	ASTM D412	500%
Tensile Stress at 50% elongation	ASTM D412	1800 lb/in2
Compression Set, as molded 22 h at 73 °	ASTM D395-B	20%
Compressive Load 5% deflection	ASTM D575	565 lb/in2
Compressive Load 10% deflection	ASTM D575	1075 lb/in2
Compressive Load 20% deflection	ASTM D575	1840 lb/in2
Compressive Load 50% deflection	ASTM D575	5890 lb/in2
Tear strength, Die C	ASTM D624	900 lbf/in
Glass transition temperature DMA	DMA	-15° F
Low-temperature brittle point	ASTM D746	<-90° F
Deflection temperature under load 66psi	ASTM D648	139° F
Vicat softening temperature Rate A: 1kg:50°C/h	ASTM D1525	334° F
UL94 Flame Class Thickness Tested: 1.57mm	UL 94	HB Class
Specific Gravity	ASTM D792	1.21
Taber abrasion H-18 wheel: 1,000-g: 1,000 cycle	ASTM D3489	50 mg loss
Bayshore resilience	ASTM D2632	40%

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

Precision Packing GFMNylon #3200 is a Type 6 Glass and Mineral Filled Nylon. It is used to make precision CNC machined bearings.

Properties	Test Method	Value
Minimum Operating Temperature	Supplier Recommendation	-40° C -40° F
Maximum Continuous Operating Temperature	Supplier Recommendation	176° C 350° F
Maximum Peak Operating Temperature	Supplier Recommendation	198° C 390° F
Mechanical		
Tensile Strength	ASTM D 638	30,000 PSI
Elongation @ Break	ASTM D 638	3%
Flexural Modulus	ASTM D 790	1,000,000 PSI
Flexural Strength	ASTM D 790	29,000 PSI
Izod Impact	ASTM D 256	1 ft lb/in
Thermal		
Heat Deflection Temperature		
1.8 Mpa (264 psi)	ASTM D 648	455° F
Melting Point	ASTM D 3418	491° F
Other		
Specific Gravity	ASTM D 792	1.46
Ash (Fiberglass Content)	ASTM D 5630	33 +/- 3%
Processing		
Melt Temperature Range		550-580° F
Mold Temperature Range		150-250° F
Processing Moisture Content		<0.20

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

Precision Packing GFNylon #3300 is a Type 6,6 Glass Filled Nylon. It is used to make Male and Female Adaptors, Guide Rings, Wear Rings, and Back-Up Rings.

Properties	Test Method	Value
Minimum Operating Temperature	Supplier Recommendation	-40° C -40° F
Maximum Continuous Operating Temperature	Supplier Recommendation	176° C 350° F
Maximum Peak Operating Temperature	Supplier Recommendation	198° C 390° F
Mechanical		
Tensile Strength	ASTM D 638	22,000 PSI
Elongation @ Break	ASTM D 638	5%
Flexural Modulus	ASTM D 790	1,250,000 PSI
Flexural Strength	ASTM D 790	31,000 PSI
Izod Impact	ASTM D 256	1.8 ft lb/in
Thermal		
Heat Deflection Temperature	ASTM D 648	
1.8 Mpa (264 psi)		450° F
Melting Point	ASTM D 3418	493° F
Other		
Specific Gravity	ASTM D 792	1.39
Ash (Fiberglass Content)	ASTM D 5630	33 +/- 3%
Processing		
Melt Temperature Range		550-580° F
Mold Temperature Range		150-250° F
Processing Moisture Content		<0.20

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

Precision Packing TPE #4040 is a 40D Thermoplastic Elastomer. It is used to make Vee Rings, Wipers, and U-cups.

Properties	Test Method	Value
Minimum Operating Temperature	Supplier Recommendation	-40° C -40° F
Maximum Continuous Operating Temperature	Supplier Recommendation	104° C 220° F
Maximum Peak Operating Temperature	Supplier Recommendation	115° C 240° F
Color	---	NATURAL
Melt Flow (220° C@ 2.16 KG)	ASTM D1238	16.0 g/10 min.
Hardness	ASTM D2240	40 +/- 2 Shore D
Specific Gravity	ASTM D792	1.17 +/- 0.03 g/cm3
Tensile Stress (73° F)	ASTM D638	3,000 psi
Tensile Strain (73° F)	ASTM D638	650%
Flexural Modulus (73° F)	ASTM D790	90,000 psi

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

Precision Packing TPE #4055 is a 55D Thermoplastic Elastomer. It is used to make Vee Rings, Wipers, and U-cups.

Properties	Test Method	Value
Minimum Operating Temperature	Supplier Recommendation	-40° C -40° F
Maximum Continuous Operating Temperature	Supplier Recommendation	104° C 220° F
Maximum Peak Operating Temperature	Supplier Recommendation	115° C 240° F
Color	— — —	NATURAL
Melt Flow (220° C@ 2.16 KG)	ASTM D1238	16.0 g/10 min.
Hardness	ASTM D2240	55 +/- 2 Shore D
Specific Gravity	ASTM D792	1.20 +/- 0.03 g/cm3
Tensile Stress (73° F)	ASTM D638	6,000 psi
Tensile Strain (73° F)	ASTM D638	550%
Flexural Modulus (73° F)	ASTM D790	310,000 psi

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

Precision Packing NeoFab #6600 is a Neoprene coated Fabric Material. It is used to make Vee Rings, Piston Cups and NeoFab U-Cups.

Properties	Test Method	Value
Minimum Operating Temperature	Supplier Recommendation	-53°C -65° F
Maximum Continuous Operating Temperature	Supplier Recommendation	104°C 220°F
Maximum Peak Operating Temperature	Supplier Recommendation	121°C 250°F
Color (Neoprene) Black, (Fabric) Dyed Black	Visual	Black
Curl Test	Proprietary	Pass
Gauge	ASTM D751-89 sec 9	Minimum 250 psi
Mullen Burst	ASTM D751-89 sec 18.3	.040-.046"
Peel Adhesion @12"/min Slide 1	ASTM D751-89 sec 43.1.1	Minimum 4 lbs/in
Peel Adhesion @12"/min Slide 2	ASTM D751-89 sec 43.1.1	Minimum 4 lbs/in
Strip Tensile Warp	ASTM D751-89 sec 16	Minimum 120 lbs/in

* The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sales. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information. Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

- 1) Seller warrants that the products (or materials) delivered hereunder meet Seller's standard specifications for the products or such other specifications as may have been expressly agreed to herein. SELLER MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESSED OR IMPLIED WARRANTY. Buyer assumes all risk and liability resulting from use of the products delivered hereunder, whether used singly or in combination with other products.
- 2) No claim of any kind, whether as to products (or materials) delivered or for non-delivery of products, and whether or not based on negligence, shall be greater in amount than the purchase price of the products in respect of which damages are claimed; and failure to give notice of claim within thirty (30) days (or such other period as may be provided in the Special Conditions of Sales referred to in Condition 10 hereof) from date of delivery or the date fixed for delivery (in case of non-delivery), shall constitute a waiver by Buyer of all claims in respect of such products. No charge or expense incident to any claims will be allowed unless approved by an authorized representative of Seller. THE REMEDY HEREBY PROVIDED SHALL BE THE EXCLUSIVE AND SOLE REMEDY OF BUYER, AND IN NO EVENT SHALL EITHER PARTY BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, WHETHER OR NOT CAUSED BY OR RESULTING FROM THE NEGLIGENCE OF SUCH PARTY.
- 3) No liability shall result from delay in performance or non-performance, directly caused by circumstances beyond the control of the party affected, including, but not limited to, Act of God, fire, explosion, flood, war, act of or authorized by any Government, accident, labor trouble or shortage, inability to obtain material, equipment or transportation. Quantities so affected may be eliminated from the agreement without liability, but the agreement shall remain otherwise unaffected. Seller shall have no obligation to purchase supplies of the products (or materials) specified herein to enable it to perform this agreement.
- 4) It is further understood and agreed between Buyer and Seller that if this agreement covers products (or materials) that must be necessarily be manufactured especially for buyer and is suspended or terminated for any reason, Buyer will take delivery of and make payment for such products as have been completed and such as are in process on the date notice of suspension or termination is received by Seller; provided, that if Buyer for any reason cannot accept delivery of such products, he will make payment therefore as though delivery had been made and seller will store such product for Buyer's account and at Buyer's expense.
- 5) If for any reason Seller is unable to supply the total demand for products (or material) specified herein, Seller may distribute its available supply among any or all purchasers, as well as departments and division of Seller, on such basis as it may deem fair and practical without liability for any failure or performance which may result therefrom.
- 6) If any Government action should place or continue limitations on the price provided for in this agreement such that it would be illegal or against public or Government policy for Seller to charge, assess or receive the full amount of or to increase such prices as determined by this agreement, then Seller shall have the option (1) to continue to perform under this agreement subject to such adjustments in prices that Seller may deem necessary to comply with such Government action. (2) to revise this agreement, subject to Buyer's approval, in order to most nearly accomplish the original intent of this agreement or (3) to terminate performance of the affected portions of the agreement without liability for any damages.
- 7) At Buyer's request, Seller may furnish such technical assistance and information as it has available with respect to the use of the products (or materials) covered by this agreement. Unless otherwise agreed in writing, all such technical assistance and information will be provided gratis; however Buyer assumes sole responsibility for results obtained in reliance thereon.
- 8) The Buyer shall reimburse the Seller for all taxes, excises or other charges which the Seller may be required to pay to any Government (National, State, Local) upon the sale, production or transportation of the products sold hereunder. The Buyer is responsible for any fee's or other charges to make deposit in full to Seller's designated Bank for goods and services provided.
- 9) In the event Buyer fails to fulfill Seller's terms of payment, or in case Seller shall have any doubt at any time as to Buyer's financial responsibility, Seller may decline to make further deliveries except upon receipt of cash or satisfactory security.
- 10) In addition to the Standard Conditions of Sale set forth herein, any Special Conditions of Sale set forth in the Invoice on reverse side hereof, for the products (or materials) covered by this agreement shall apply and are incorporated by reference herein.
- 11) This document contains all of the terms and conditions with respect to the sale and purchase of the products (or materials) sold hereunder. These terms and conditions supersede any of previous date and no modification thereof shall be binding on Seller unless separately contracted in writing and agreed to by a duly authorized representative of Seller. No modifications shall be affected by the acknowledgement or acceptance of purchase order forms stipulating different conditions. Unless Buyer shall notify Seller in writing to the contrary as soon as practicable after receipt of this document by Buyer, acceptance of the terms and conditions hereof by Buyer shall be indicated and, in the absence of such notification, the Buyer's assent to the terms and conditions hereof. Waiver of either party of any default by the other hereunder shall not be deemed a waiver by such party of any default by the other which may thereafter occur.