

Dixon Sand (Penrith) Pty Ltd

MINUTES OF THE BI-ANNUAL COMMUNITY CONSULTATIVE COMMITTEE 11 NOVEMBER 2020 GLENORIE RSL CLUB - GLENORIE

	NAME	ORGANISATION	
PRESENT	Lisa Andrews (LA)	Independent Chairperson	
	Kristine McKenzie (KM)	The Hills Shire Council Representative	
	Daniel Giffney (DG)	The Hills Shire Council Representative	
	Pat Schwartz (PS)	Community Representative (left at 2.20pm)	
	Farley Roberts (FR)	Community Representative	
Timothy Baker (TB)		Bush Regeneration Contractor (Bush-It)	
Hunny Churcher (HC)		Environmental Officer, Dixon Sand	
	David Dixon (DD)	General Manager, Dixon Sand	
	Mark Dixon (MD)	Dixon Sand	
	Melissa Mass (MM)	Dixon Sand - Ecologist	
APOLOGIES	Jemma Roberts (JR)	Community Representative (alternate)	
	Lisa Aylward (LAy)	Maroota Public School Representative	

The meeting was held in accordance with COVID-19 directives, with social distancing, hand sanitising, etc. A health declaration was completed by all attendees.

WELCOME &	LA opened the meeting at 1.10pm following a light			
INTRODUCTION	lunched	luncheon. All members were welcomed and the new		
	Bush-It	Bush-It representative, Timothy Baker was introduced.		
DECLARATIONS OF	LA decl	LA declared that she is approved by the Department		No changes to
INTEREST	of Planr	of Planning and Environment to chair the meeting		previous
	and eng	and engaged by Dixon Sand.		declarations by
	LA advised that TB has completed his pecuniary		members.	
	interest	declaration & code of conduct		
BUSINESS ARISING	Item	Issue	Responsibility	LA to continue to
FROM PREVIOUS	1	Follow-up response from	LA	follow up
MEETING (13/5/20)		Robyn Preston MP regarding		response from
		the school zone (Complete –		MP.
		see correspondence report)		
CORRESPONDENCE	• 27/5/20 - Draft minutes sent to members for			
(as emailed with		review		
Meeting Notice on	• 3/6/20 - Finalised minutes sent to members.			
12/10/20)	 30/6/20 – Email from HC advising that Bush- 			
	Its representative on the CCC will now be Tim			
	Baker (Managing Director). Forms sent			
	through to him for completion and return.			
	• 2/7/20 – Email from TB with completed forms.			
	• 11/9/20 – Email from Chris Spraggon advising			
	that he was leaving Bush-It. I responded to			

	 Chris, thanking him for his contributions at our CCCs and wishing him all the best in his future endeavours. 28/9/20 – Email from HC advising that the Annual Review 2019 – 2020 for the Old Northern Road and Haerses Road Quarries has been submitted to the DPIE. A website link to access the documents was provided. 12/10/20 – Email to CCC members with the Meeting Notice, Agenda and Correspondence Report for this meeting. 12/10/20 – Email to Robyn Preston MP, following up a response in relation to the school zone outside Maroota Public School. 2/11/20 – Email to members confirming the venue for this meeting (Glenorie RSL). 7/11/20 – Email to Robyn Preston MP seeking 	
PROJECT REPORT, INCLUDING PRODUCTION/SALES OLD NORTHERN ROAD HAERSES ROAD QUARRY	 a response. DD advised that sales have been healthy and steady with interest in logs. Status of HR and WFR intersection upgrade to construct a channelised right-turn 'CHR' treatment is completed and awaiting RMS' final sign off. Completion of extension of power to the proposed Processing Plant area Completion of minimum 2 year groundwater monitoring of newly installed monitoring wells 	Questions asked and answered throughout the presentation.
	located within the 100m buffer zone to the MTSGS. • Extraction in Cell 1A (Mod 1 area) which commenced in December 2019 have been postponed.	
HAERSES ROAD QUARRY MOD. 3	 Following from the formal response prepared for the submissions, Dixon Sand received a Request for Additional Information from DPIE in May 2020 Dixon Sand responded to the RFI in late May 2020 by providing additional information regarding air quality assessment (as requested by EPA). Current status – Proposed Modification under Assessment 	
HAERSES ROAD QUARRY MOD. 4	 Application for Modification 4 lodged on 7 October 2020 under Section 4.55(1A) of EP&A Act – minimal environmental impact. Changing the sequence of approved extraction within the Mod. 1 Friable Hawkesbury Sandstone resource. Approved Extraction Cells 1A and 2A Proposed Extraction Cells 1A and 1B (map shown and explained) 	

		Γ
ENVIRONMENTAL MANAGEMENT	The following documents were prepared and submitted to DPIE for review and approval: o Maximum Extraction Depth Maps	
	 Rehabilitation Bonds 	
	 EMS and Management Plans 	
	 2 year of Groundwater Monitoring Data within the 	
	MTSGS Buffer Zone at Haerses Road	
	 Annual Reviews 	
EPA VISIT	The EPA visited ONR and HR quarries mid June 2020	
	to undertake the 5 yearly risk assessment for the	
	licensed premises.	
ENVIRONMENTAL	The presentation showed the:	Maps
MONITORING	 Environmental Monitoring Locations 	accompanied
RESULTS	Environmental Incident	presentation
	TEOM – PM10 data	(see separate
	Dust Deposition	categories)
	Noise	categories
	Ground water; and	
ENVIRONMENTAL		
INCIDENT/NON-	Unplanned discharge over weir of main water channel at ONR:	
COMPLIANCE		
	Reported to DPIE and EPACause of incident	
	- Incident rectification / remediation	
	– Formal warning in relation to breaches of EPL 3916.	
	Details provided.	
	Two non-compliance matters were advised in relation	See Slides 19 &
1	to conditions of approval for DA 250 00 01 and EDI	20
	to conditions of approval for DA 250-09-01 and EPL	20
TFOM DATA	3916.	
TEOM DATA	3916. TEOM and Meteorological station records PM10 levels	Graphs and
TEOM DATA	3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc.	Graphs and colour coded
TEOM DATA	3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria	Graphs and colour coded data explained.
TEOM DATA	3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line)	Graphs and colour coded
TEOM DATA	3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level (green line – 42μg/m3) is exceeded by the 24hr 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level (green line – 42μg/m3) is exceeded by the 24hr PM10 average (blue bars), and the prevailing wind 	Graphs and colour coded data explained.
TEOM DATA	 TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level (green line – 42μg/m3) is exceeded by the 24hr PM10 average (blue bars), and the prevailing wind is from the specific quadrant Dixon Sand is 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level (green line – 42μg/m3) is exceeded by the 24hr PM10 average (blue bars), and the prevailing wind is from the specific quadrant Dixon Sand is required to: 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level (green line – 42μg/m3) is exceeded by the 24hr PM10 average (blue bars), and the prevailing wind is from the specific quadrant Dixon Sand is required to: Notify EPA 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level (green line – 42μg/m3) is exceeded by the 24hr PM10 average (blue bars), and the prevailing wind is from the specific quadrant Dixon Sand is required to: 	Graphs and colour coded data explained.
TEOM DATA	 TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level (green line – 42μg/m3) is exceeded by the 24hr PM10 average (blue bars), and the prevailing wind is from the specific quadrant Dixon Sand is required to: Notify EPA Take immediate action to reduce PM10 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level (green line – 42μg/m3) is exceeded by the 24hr PM10 average (blue bars), and the prevailing wind is from the specific quadrant Dixon Sand is required to: Notify EPA Take immediate action to reduce PM10 levels 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level (green line – 42μg/m3) is exceeded by the 24hr PM10 average (blue bars), and the prevailing wind is from the specific quadrant Dixon Sand is required to: Notify EPA Take immediate action to reduce PM10 levels Stop works if levels do not fall below 	Graphs and colour coded data explained.
TEOM DATA	 3916. TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level (green line – 42μg/m3) is exceeded by the 24hr PM10 average (blue bars), and the prevailing wind is from the specific quadrant Dixon Sand is required to: Notify EPA Take immediate action to reduce PM10 levels Stop works if levels do not fall below 42μg/m3 within 1 hour 	Graphs and colour coded data explained.
TEOM DATA	 TEOM and Meteorological station records PM10 levels and weather data such as rain, temperature, wind etc. Monitoring Criteria Long term: Annual PM10 average (light blue line) should not exceed the annual average criteria (pink line – 30μg/m3) Short term: 24hr PM10 average (blue bars) should not exceed the 24hr PM10 NEPM Criteria (yellow line – 50μg/m3) Short term: If the 24hr PM10 EPL Criteria Level (green line – 42μg/m3) is exceeded by the 24hr PM10 average (blue bars), and the prevailing wind is from the specific quadrant Dixon Sand is required to: Notify EPA Take immediate action to reduce PM10 levels Stop works if levels do not fall below 42μg/m3 within 1 hour TEOM station represent the EPL Points 1 and 3. 	Graphs and colour coded data explained.

DEPOSITIONAL DUST	Data and graphs explained for all sites for the	See Slides 23 - 32
DATA		See Sildes 25 - 32
DAIA	monitoring period July 2020 to October 2020.	
	> Old Northern Road (D1A, D4, D5 & D7)	
	> Haerses Road (D8, D10, D11 & D12).	
	No dust deposition exceedance recorded during this	
	period.	
NOISE MONITORING	The noise monitoring program and data was	See Slides 34 - 37
	explained for ONR & HR.	
	Noise monitoring results demonstrated compliance	
	with noise criteria.	
GROUND WATER	GW Monitoring wells:	See Slides 38 - 55
MONITORING	– 11 x BHs at ONR	See Silues 50 33
	- 8 x BHs at HR (original extraction in Tertiary Sand)	
	1	
	– 13 x BHs at HR (new – 100 MTSGS Buffer zone for	
	Mod 1 extraction cells	
	GW level: monthly + continuous data loggers	
	GW quality sampling & lab analysis:	
	– 6 monthly sampling and testing (ONR and HR	
	original bores)	
	– Monthly quality sampling and testing (HR MTSGS	
	100m Buffer)	
SURFACE WATER	,	Cuamba avmlaimad
MONITORING	ONR	Graphs explained.
WICHITORING	• SW19 = Surface water monitoring at creek on Lot	See Slides 56 - 59
	196	
	• LDP1 = EPL 3916 Licenced Discharge Point at Weir	
	of Main Water Channel	
	HR	
	• SW1 = Surface water monitoring at creek east of	
	extraction Stage 2 East (inside the Biodiversity Offset	
	Area)	
	• SW2 = Surface water monitoring at creek west of	
	extraction Cell 1A (Mod 1)	
BUSH REGENERAITON		See Slides 60 - 67
WORKS	TB advised that he hadn't been to the site for quite	See Slides 60 - 67
WORKS	some time and was pleasantly surprised to see how	
	remarkable the rehabilitation is. TB provided a	
	comprehensive presentation of the rehabilitation and	
	regeneration works undertaken on all sites:	
	Native Vegetation Corridor	
	➤ Lot 1	
	➤ Lot 2	
	Biodiversity Offset – Haerses Road	
	> Future works	
BIODIVERSITY AND	MM Provided a comprehensive presentation on the	See Slides 68 - 79
REHABILITATION	Biodiversity and Rehabilitation annual report,	Jee Shaes 00 - 19
	monitoring results and threatened species update.	
	Photographs and maps were shown and explained.	
GENERAL BUSINESS	o KM enquired whether auditing has been carried	
	out through DPIE – DD advised that DPIE have	
	only been involved with processing of the Annual	
	Independent Environment Review and project	
	Management Plans. EPA has attended the site,	
	but this was not an audit.	
	but this was not all addit.	1

	<u> </u>
	HC advised that LAy had informed her that the
	P&C had no issues to raise.
	HC raised on behalf of Phil Acurso that he has had
	problems with trespassers using Crown Land to
	access his private property. People are going to
	the dams, taking photographs, having picnics and
	leaving rubbish, etc. He requested that Dixon
	Sand install gates where ONR meets the crown
	road. KM commented that this was up to the
	Crown. All agreed that this is a difficult issue. MD
	will speak with HC to discuss issue and options.
MEETING	It was agreed to continue to hold the meetings bi-
SCHEDULE FOR	annually with the same schedule:
2021	
	♣ Wednesday 10 th November 2021.
	On site at 12.30pm with a light lunch, followed by the
	CCC commencing at 1pm .

The meeting was closed at 2.30pm with the chair thanking all members for their attendance and contribution throughout 2020 and wishing them a safe and happy festive season.

ACTION ITEM

Item	Issue	Responsibility
1	Follow-up response from Robyn Preston MP regarding the school zone	LA