

# COSHH ASSESSMENT Assessment No: C1002

Substance Name: Aerosol Satin Black Assessed By: Craig Carswell

Supplier: Autosmart International Ltd

Date: 14/04/2025 Next Review: 14/04/2026

COSHH ASSESSMENT	Details
Assessment No.	C1002
Substance Name	Aerosol Satin Black
Assessed By	Craig Carswell
Supplier	Autosmart International Ltd
Date	03/12/2024
Review No Later Than	03/12/2025
Supplier Contact No.	+44 1865 407333 (24Hrs)
Approved Use	Car maintenance product. Paint.
Risk to Health	Details
Inhalation	May cause drowsiness or dizziness. Inhalation hazard expected.
Ingestion	No symptoms expected under normal conditions.
Skin Contact	No symptoms expected under normal conditions.
Eye Contact	Causes eye irritation.
Routes of Exposure	Yes/No
Inhalation	
Ingestion	
Absorption (Skin)	
Eye Contact	
Injection	



## COSHH ASSESSMENT Assessment No: C1002

Substance Name: Aerosol Satin Black Assessed By: Craig Carswell

Supplier: Autosmart International Ltd

Date: 14/04/2025 Next Review: 14/04/2026

PPE Required	Details
Protective Clothing	Long-sleeved or standard workwear.
Gloves	Nitrile rubber gloves.
Respiratory Protection	APF 20 / FFP3 rated, but not usually needed.
Eye Protection	Chemical splash goggles or face shield.
Classification (Category of Danger)	Hazard
Flammable	п
Explosive	
Toxic	
Corrosive	
Harmful	
Gas under Pressure	
Environmental	
Hazard Statements	Precautionary Statements
H222 Extremely flammable aerosol.	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
H229 Pressurised container: may burst if heated.	P211 Do not spray on an open flame or other ignition source.
H319 Causes serious eye irritation.	P280 Wear protective gloves.
H336 May cause drowsiness or dizziness.	P284 Wear respiratory protection if ventilation is inadequate.
	P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.
	P264 Wash contaminated skin thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated area.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.



COSHH ASSESSMENT Assessment No: C1002

Substance Name: Aerosol Satin Black

Assessed By: Craig Carswell

Supplier: Autosmart International Ltd

Date: 14/04/2025 Next Review: 14/04/2026

Handling, Storage & Disposal		Details
Storage Instructions		Keep away from heat, hot surfaces, sparks, and open flames. Protect from sunlight and temperatures above 50°C.
Disposal		Do not pierce or burn containers, even after use. Dispose of waste safely in licensed disposal sites.
Substance Use & Process	Details	
Quantity Stored	6 litres	
Quantity Used	125 ml per application	
Instructions	Shake can for 1 minute, ensure surface is clean, and spray from 30 cm.	
Storage	Stored in flammable COSHH cupboard; cans returned to cupboard after use.	
Accidental Release Considerations	Details	
Small Spillages	Avoid inhalation. Clean up immediately and ensure area is well ventilated.	
Large Spillages	Evacuate area, provide adequate ventilation, eliminate ignition sources.	
First Aid Measures	Details	
Inhalation	Move to fresh air, keep comfortable for breathing.	
Skin Contact	Wash skin with plenty of water.	
Eye Contact	Rinse immediately for at least 10 minutes. Remove contact lenses if present.	
Ingestion	Rinse mouth, give water or milk, and seek medical help if vomiting occurs.	



## COSHH ASSESSMENT Assessment No: C1002

Substance Name: Aerosol Satin Black Assessed By: Craig Carswell

Supplier: Autosmart International Ltd

Date: 14/04/2025

Next Review: 14/04/2026

NAME	Date	SIGNATURE
Craig Carswell	14/04/2025	Call