

SAFETY DATA SHEET

Sumithion 1000EC Insecticide

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, December 2011

SECTION 1: Identification: I	Product identifier and chemical identity
Product identifier	
Product name	Sumithion 1000EC Insecticide
Relevant identified uses of t	he substance or mixture and uses advised against
Application	Insecticide
Uses advised against	No specific uses advised against are identified.
Details of the supplier of the	e safety data sheet
Supplier	Sumitomo Chemical Australia Pty Ltd Level 5, 51 Rawson Street, EPPING, NSW 2121 (02) 8752 9000 (02) 8752 9099 Reception@sumitomo-chem.com.au
Emergency telephone numb	ber
Emergency telephone	 1 800 024973 (Australia) 0800 243 6225 (New Zealand)
SECTION 2: Hazard(s) iden	itification
Classification of the substar	nce or mixture
Physical hazards	Not Classified
Health hazards	Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Eye Irrit. 2A - H319 STOT RE 1 - H372
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410
Label elements Pictogram	
Signal word	Danger
Hazard statements	H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H319 Causes serious eye irritation. H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

5-10%

Sumithion 1000EC Insecticide

Precautionary statements	P260 Do not breathe vapour/ spray.
	P261 Avoid breathing vapour/ spray.
	P264 Wash contaminated skin thoroughly after handling.
	P270 Do not eat, drink or smoke when using this product.
	P271 Use only outdoors or in a well-ventilated area.
	P273 Avoid release to the environment.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
	P302+P352 IF ON SKIN: Wash with plenty of soap and water.
	P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P314 Get medical advice/ attention if you feel unwell.
	P321 Specific treatment (see medical advice on this label).
	P330 Rinse mouth.
	P337+P313 If eye irritation persists: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash before reuse.
	P391 Collect spillage.
	P501 Dispose of contents/ container in accordance with national regulations.
Contains	Fenitrothion

Contains

Fenitrothion

Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition and information on ingredients

Substances	
Fenitrothion	80.0%
CAS number: 122-14-5	

Solvent naphtha (petroleum), heavy arom.

CAS number: 64742-94-5

2-methylpropan-	-ol	1-5%
CAS number: 78-	83-1	

Product name

Sumithion 1000EC Insecticide

SECTION 4: First aid measures

Description of first aid measures

General informationGet medical attention if any discomfort continues. Show this Safety Data Sheet to the medical
personnel.InhalationMove affected person to fresh air and keep warm and at rest in a position comfortable for
breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When
breathing is difficult, properly trained personnel may assist affected person by administering
oxygen. Get medical attention. Place unconscious person on their side in the recovery
position and ensure breathing can take place.

Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
Skin Contact	It is important to remove the substance from the skin immediately. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Most important symptoms and	effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.
Ingestion	No specific symptoms known.
Skin contact	May cause discomfort.
Eye contact	Irritating to eyes.
Indication of any immediate m	edical attention and special treatment needed
Notes for the doctor	Atropine sulfate is recommended for acute poisoning as treatment strategy
SECTION 5: Firefighting meas	sures
Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from the	ne substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.
Hazchem Code	3X

SECTION 6: Accidental release measures

Personal precautions, protect	ive equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.
Methods and material for con	tainment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.
Reference to other sections	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	prage, including how the chemical may be safely used
Precautions for safe handling	
Usage precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.
Conditions for safe storage, ir	ncluding any incompatibilities
Storage precautions	Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.
Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls and personal protection

Control parameters

Exposure cor	ntrols	
Protective eq	uipment	
Appropriate e controls	engineering	Pr

Appropriate engineering Provide adequ controls	ate ventilation.
	with eyes. Large Spillages: Eyewear complying with an approved standard if a risk assessment indicates eye contact is possible.
glove supplier/ glove material. Zealand Stand check during u	e gloves. The most suitable glove should be chosen in consultation with the manufacturer, who can provide information about the breakthrough time of the To protect hands from chemicals, gloves should comply with Australia/New ard AS/NZS 2161. Considering the data specified by the glove manufacturer, se that the gloves are retaining their protective properties and change them as eterioration is detected. Frequent changes are recommended.
Other skin and body Wear appropria protection	ate clothing to prevent any possibility of skin contact.
	oroughly after handling. Do not eat, drink or smoke when using this product. nated clothing before reuse.
	ommendations. Provide adequate ventilation. Large Spillages: If ventilation is itable respiratory protection must be worn.
Environmental exposure Keep containe controls	r tightly sealed when not in use. Avoid release to the environment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Oily liquid.
Colour	Red-brown.
Odour	Sulfurous odour
рН	pH (concentrated solution): 3 - 7
Relative density	1.25 - 1.30

SECTION 10: Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.

Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.
SECTION 11: Toxicological in	formation
Information on toxicological ef	fects
Acute toxicity - oral Acute toxicity oral (LD₅₀ mg/kg)	800.0
Species	Rat
Notes (oral LD₅₀)	Acute tox. 4 - H302 Harmful if swallowed
<u>Acute toxicity - dermal</u> Acute toxicity dermal (LD∞ mg/kg)	1,110.0
Species	Rat
Notes (dermal LD₅₀)	Acute Tox. 4 - H312 Harmful in contact with skin.
<u>Acute toxicity - inhalation</u> Acute toxicity inhalation (LC₅₀ dust/mist mg/l)	>2.21
Species	Rat
Notes (inhalation LC ₅₀)	Acute Tox. 4 - H332 Harmful if inhaled.
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	

Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	STOT RE 1 - H372 Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.
Ingestion	No specific symptoms known.
Skin Contact	May cause discomfort.
Eye contact	Irritating to eyes.
Route of entry	Ingestion Inhalation Skin and/or eye contact
Target Organs	No specific target organs known.
SECTION 12: Ecological Information	
SECTION 12: Ecological Infor	mauori
Ecotoxicity	mation Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.
	Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or
Ecotoxicity	Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to
Ecotoxicity Toxicity Acute toxicity - aquatic	Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.
Ecotoxicity Toxicity Acute toxicity - aquatic invertebrates Chronic toxicity - aquatic	Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects. LC ₅₀ , 48 hour: 0.0086 mg/l, Daphnia magna
Ecotoxicity Toxicity Acute toxicity - aquatic invertebrates Chronic toxicity - aquatic invertebrates	Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects. LC ₅₀ , 48 hour: 0.0086 mg/l, Daphnia magna
Ecotoxicity Toxicity Acute toxicity - aquatic invertebrates Chronic toxicity - aquatic invertebrates Persistence and degradability	 Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects. LC₅₀, 48 hour: 0.0086 mg/l, Daphnia magna LC₅₀, 96 hours: 0.000087 mg/l, Daphnia magna
Ecotoxicity Toxicity Acute toxicity - aquatic invertebrates Chronic toxicity - aquatic invertebrates <u>Persistence and degradability</u> Persistence and degradability	Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects. LC ₅₀ , 48 hour: 0.0086 mg/l, Daphnia magna LC ₅₀ , 96 hours: 0.000087 mg/l, Daphnia magna
Ecotoxicity Toxicity Acute toxicity - aquatic invertebrates Chronic toxicity - aquatic invertebrates Persistence and degradability Persistence and degradability Bioaccumulative potential	Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects. LC ₅₀ , 48 hour: 0.0086 mg/l, Daphnia magna LC ₅₀ , 96 hours: 0.000087 mg/l, Daphnia magna
Ecotoxicity Toxicity Acute toxicity - aquatic invertebrates Chronic toxicity - aquatic invertebrates Persistence and degradability Persistence and degradability Bioaccumulative potential Bioaccumulative Potential	Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects. LC ₅₀ , 48 hour: 0.0086 mg/l, Daphnia magna LC ₅₀ , 96 hours: 0.000087 mg/l, Daphnia magna
Ecotoxicity Toxicity Acute toxicity - aquatic invertebrates Chronic toxicity - aquatic invertebrates <u>Persistence and degradability</u> Persistence and degradability <u>Bioaccumulative potential</u> Bioaccumulative Potential <u>Mobility in soil</u>	Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects. LC ₅₀ , 48 hour: 0.0086 mg/l, Daphnia magna LC ₅₀ , 96 hours: 0.000087 mg/l, Daphnia magna The degradability of the product is not known. No data available on bioaccumulation.
Ecotoxicity Toxicity Acute toxicity - aquatic invertebrates Chronic toxicity - aquatic invertebrates <u>Persistence and degradability</u> Persistence and degradability <u>Bioaccumulative potential</u> Bioaccumulative Potential <u>Mobility in soil</u> Mobility	Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects. LC ₅₀ , 48 hour: 0.0086 mg/l, Daphnia magna LC ₅₀ , 96 hours: 0.000087 mg/l, Daphnia magna The degradability of the product is not known. No data available on bioaccumulation.

Other adverse effects	None known.
SECTION 13: Disposal consid	lerations
Waste treatment methods	
General information	The generation of waste should be minimised or avoided wherever possible.
Disposal methods	Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.
SECTION 14: Transport inform	nation
General	Classified as dangerous in the meaning of Road/Rail (ADG), Sea (INDG) and Air (ICAO/IATA) transport regulations.
UN number	
3018	
UN proper shipping name	
ORGANOPHOSPHORUS PE	STICIDE, LIQUID, TOXIC (Fenitrothion)
Transport hazard class(es) 6.1	
Packing group	
Environmental hazards Special precautions for user	
Hazchem Code	3X
SECTION 15: Regulatory info	rmation
Safety, health and environmer	ntal regulations/legislation specific for the substance or mixture
Inventories	
Australia - AICS N/A	
SECTION 16: Any other releva	ant information
Abbreviations and acronyms used in the safety data sheet	N/A = Not applicable
Training advice	Read and follow manufacturer's recommendations.
Revision date	19/07/2016
Revision	4
Supersedes date	14/07/2016

SDS No. 4555
Hazard statements in fullH302 Harmful if swallowed.H312 Harmful in contact with skin.H319 Causes serious eye irritation.H332 Harmful if inhaled.H372 Causes damage to organs through prolonged or rH400 Very toxic to aquatic life.H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.