SECTION II TO BE COMPLETED BY AUDIOLOGIST PRIOR TO MEDICAL CLEARANCE

Note to Audiologist: By completing this section you agree to fit our instrument at no cost to the Patient. For questions on our protocol contact us at <u>Lionshab24B@aol.com</u>.

Is applicant a current hearing aid user? Was it provided by Lions? If so, when?	
If yes, what make and model / type of hearing aid?	
HEARING TEST DATA	
Threshold @ 500 Hz (in dBHL's) Left:	Right:
Threshold @ 1000 Hz (in dBHL's) Left:	Right:
Threshold @ 2000 Hz (in dBHL's) Left:	Right:
Threshold @ 3000 Hz (in dBHL's) Left:	Right:
Threshold @ 4000 Hz (in dBHL's) Left:	Right:
What is the unaided discrimination at 45dB?	
What is the unaided discrimination at applicant MCL?	
If only one ear to be fit, which ear? Male Female Shell Color	
Size of receiver: Left Right Rechargeable or disposable batteries?	
Categorization of hearing aid need	
Classification of hearing loss: Mild Moderate Severe	e Profound
Tone control needed on aid(s) Y/N Power control needed on aid(s) Y/N	
Tester Comments	
referred Manufacturer Don't send	
Provider Name: Signature:	Date:
Organization Name:	
Complete Address:	
Phone: Email:	
SECTION III MEDICAL CLEARANCE ONCE YOU HAVE OBTAINED A HEARING TEST, A MEDICAL CLEARANCE MUST BE SIGNED BY AN ENT OR YOUR PRIMARY PHYSICIAN (To be completed by a medical Doctor)	
The applicant, has been evaluated and determined not to have any medical contraindications for the use of a hearing aid.	
Printed Physician's Name	
Physician Signature	