

PharmLabs San Diego Certificate of Analysis



Sample **Pineapple Express**

|            |       |      |        |                                |        |            |    |
|------------|-------|------|--------|--------------------------------|--------|------------|----|
| Delta9 THC | 0.14% | THCa | 23.88% | Total THC (THCa * 0.877 + THC) | 21.09% | Delta8 THC | ND |
|------------|-------|------|--------|--------------------------------|--------|------------|----|

|                             |                       |        |                       |
|-----------------------------|-----------------------|--------|-----------------------|
| Sample ID                   | SD250401-120 (110833) | Matrix | Flower                |
| Sampled - Analyses executed |                       |        |                       |
|                             | Received Apr 01, 2025 |        | Reported Apr 11, 2025 |
| FP-IF                       |                       |        |                       |

\* CAN+ - Cannabinoids

AnalyzedMar 20,2025InstrumentHPLC-VWD | Method SOP-001  
Theexpanded UncertaintyoftheCannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte                                            | LOD mg/g | LOQ mg/g | Result % | Result mg/g |
|----------------------------------------------------|----------|----------|----------|-------------|
| Cannabidiol (CBDV)                                 | 0.039    | 0.16     | ND       | ND          |
| Cannabidiol (CBDb)                                 | 0.011    | 0.03     | ND       | ND          |
| Cannabidiol Acid (CBDA)                            | 0.033    | 0.16     | 0.05     | 0.53        |
| Cannabigerol (CBGA)                                | 0.033    | 0.16     | 2.22     | 22.16       |
| Cannabigerol (CBG)                                 | 0.048    | 0.16     | 0.20     | 2.05        |
| Cannabidiol (CBD)                                  | 0.069    | 0.229    | ND       | ND          |
| Tetrahydrocannabinol (THCV)                        | 0.049    | 0.162    | ND       | ND          |
| Cannabinol (CBN)                                   | 0.047    | 0.16     | ND       | ND          |
| Tetrahydrocannabinol (Δ9-THC)                      | 0.092    | 0.307    | 0.14     | 1.43        |
| Δ8-tetrahydrocannabinol (Δ8-THC)                   | 0.044    | 0.16     | ND       | ND          |
| Cannabicyclol (CBL)                                | 0.0012   | 0.16     | ND       | ND          |
| Cannabichromene (CBC)                              | 0.002    | 0.16     | 0.08     | 0.78        |
| Tetrahydrocannabinol Acid (THCA)                   | 0.117    | 0.389    | 23.88    | 238.84      |
| Total THC ( THCa * 0.877 + Δ9THC )                 |          |          | 21.09    | 210.89      |
| Total THC + Δ8THC ( THCa * 0.877 + Δ9THC + Δ8THC ) |          |          | 21.09    | 210.89      |
| Total CBD ( CBDa * 0.877 + CBD )                   |          |          | 0.05     | 0.46        |
| Total CBG ( CBGa * 0.877 + CBG )                   |          |          | 2.15     | 21.48       |
| Total Cannabinoids Analyzed                        |          |          | 23.36    | 233.62      |

\*Dry Weight %

HME - Heavy Metals

AnalyzedApr07,2025 | InstrumentICP/MSMS | Method SOP-005

| Analyte      | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|--------------|----------|----------|-------------|------------|
| Arsenic (As) | 0.0009   | 0.0027   | 0.01        | 1.5        |
| Cadmium (Cd) | 0.0005   | 0.0015   | ND          | 0.5        |
| Mercury (Hg) | 0.0058   | 0.0174   | ND          | 3          |
| Lead (Pb)    | 0.0006   | 0.0018   | ND          | 0.5        |

MIBIG - Microbial

AnalyzedApr01,2025 | InstrumentqPCR and/or Plating | Method SOP-007

| Analyte                                | LOD CFU/g | LOQ CFU/g | Result CFU/g | Limit CFU/g |
|----------------------------------------|-----------|-----------|--------------|-------------|
| Shiga toxin-producing Escherichia Coli | 1.0       | 1.0       | ND           | 1           |
| Salmonella spp.                        | 1.0       | 1.0       | ND           | 1           |
| Aspergillus fumigatus                  | 1.0       | 1.0       | Negative     | 1           |
| Aspergillus flavus                     | 1.0       | 1.0       | Negative     | 1           |
| Aspergillus niger                      | 1.0       | 1.0       | Negative     | 1           |
| Aspergillus terreus                    | 1.0       | 1.0       | Negative     | 1           |

MTO - Mycotoxin

AnalyzedApr 01, 2025 | InstrumentLC/MSMS | Method SOP-004

| Analyte      | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg | Analyte          | LOD ug/kg | LOQ ug/kg | Result ug/kg | Limit ug/kg |
|--------------|-----------|-----------|--------------|-------------|------------------|-----------|-----------|--------------|-------------|
| Ochratoxin A | 5.0       | 20.0      | ND           | 20          | Aflatoxin B1     | 2.5       | 5.0       | ND           | -           |
| Aflatoxin B2 | 2.5       | 5.0       | ND           | -           | Aflatoxin G1     | 2.5       | 5.0       | ND           | -           |
| Aflatoxin G2 | 2.5       | 5.0       | ND           | -           | Total Aflatoxins | 10.0      | 20.0      | ND           | 20          |

UI Unidentified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC  
DEA license: RP0611043  
ISO/IEC 17025:2017 Acc. 85368

Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager  
Fri, 11 Apr 2025 09:47:58 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



"This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request."

PES - Pesticides

Analyzed Apr 01, 2025 | Instrument LC/MSMS GC/MSMS | Method SOP-003

| Analyte                 | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g | Analyte               | LOD ug/g | LOQ ug/g | Result ug/g | Limit ug/g |
|-------------------------|----------|----------|-------------|------------|-----------------------|----------|----------|-------------|------------|
| Aldicarb                | 0.01     | 0.02     | ND          |            | Carbofuran            | 0.01     | 0.02     | ND          |            |
| Dimethoate              | 0.01     | 0.02     | ND          |            | Etofenprox            | 0.02     | 0.1      | ND          |            |
| Fenoxycarb              | 0.01     | 0.02     | ND          |            | Thiachloprid          | 0.01     | 0.02     | ND          |            |
| Daminozide              | 0.01     | 0.03     | ND          |            | Dichlorvos            | 0.02     | 0.07     | ND          |            |
| Imazalil                | 0.01     | 0.07     | ND          |            | Methiocarb            | 0.01     | 0.02     | ND          |            |
| Spiroxamine             | 0.02     | 0.02     | ND          |            | Coumaphos             | 0.01     | 0.02     | ND          |            |
| Fipronil                | 0.01     | 0.1      | ND          |            | Paclobutrazol         | 0.01     | 0.03     | ND          |            |
| Chlorpyrifos            | 0.01     | 0.04     | ND          |            | Ethoprophos (Prophos) | 0.01     | 0.02     | ND          |            |
| Baygon (Propoxur)       | 0.01     | 0.02     | ND          |            | Chlordane             | 0.04     | 0.1      | ND          |            |
| Chlorfenapyr            | 0.01     | 0.1      | ND          |            | Methyl Parathion      | 0.02     | 0.1      | ND          |            |
| Mevinphos               | 0.03     | 0.08     | ND          |            | Abamectin             | 0.03     | 0.08     | ND          |            |
| Acephate                | 0.03     | 0.05     | ND          |            | Acetamiprid           | 0.01     | 0.05     | ND          |            |
| Azoxystrobin            | 0.02     | 0.02     | ND          |            | Bifenazote            | 0.01     | 0.05     | ND          |            |
| Bifenthrin              | 0.01     | 0.35     | ND          |            | Boscalid              | 0.01     | 0.03     | ND          |            |
| Carbaryl                | 0.02     | 0.02     | ND          |            | Chlorantranilprole    | 0.01     | 0.04     | ND          |            |
| Clofentazine            | 0.01     | 0.03     | ND          |            | Diazinon              | 0.01     | 0.02     | ND          |            |
| Dimethomorph            | 0.01     | 0.06     | ND          |            | Etoazole              | 0.01     | 0.05     | ND          |            |
| Fenproximate            | 0.01     | 0.1      | ND          |            | Flonicamid            | 0.01     | 0.02     | ND          |            |
| Fludioxonil             | 0.02     | 0.05     | ND          |            | Hexythiazox           | 0.01     | 0.03     | ND          |            |
| Imidacloprid            | 0.01     | 0.05     | ND          |            | Kresoxim-methyl       | 0.01     | 0.03     | ND          |            |
| Malathion               | 0.01     | 0.05     | ND          |            | Metalaxyl             | 0.01     | 0.02     | ND          |            |
| Methomyl                | 0.01     | 0.05     | ND          |            | Myclobutanil          | 0.02     | 0.07     | ND          |            |
| Naled                   | 0.01     | 0.02     | ND          |            | Oxamyl                | 0.01     | 0.02     | ND          |            |
| Permethrin              | 0.02     | 0.02     | ND          |            | Phosmet               | 0.01     | 0.02     | ND          |            |
| Piperonyl Butoxide      | 0.01     | 0.06     | ND          |            | Propiconazole         | 0.03     | 0.08     | ND          |            |
| Prallethrin             | 0.01     | 0.05     | ND          |            | Pyrethrin             | 0.05     | 0.41     | ND          |            |
| Pyridaben               | 0.02     | 0.07     | ND          |            | Spinosad A            | 0.01     | 0.05     | ND          |            |
| Spinosad D              | 0.02     | 0.05     | ND          |            | Spiromesifen          | 0.02     | 0.06     | ND          |            |
| Spirotetramat           | 0.01     | 0.02     | ND          |            | Tebuconazole          | 0.01     | 0.02     | ND          |            |
| Thiamethoxam            | 0.01     | 0.02     | ND          |            | Trifloxystrobin       | 0.01     | 0.02     | ND          |            |
| Acequinocyl             | 0.01     | 0.09     | ND          |            | Captan                | 0.01     | 0.02     | ND          |            |
| Cypermethrin            | 0.01     | 0.1      | ND          |            | Cyfluthrin            | 0.04     | 0.1      | ND          |            |
| Fenhexamid              | 0.02     | 0.07     | ND          |            | Spinetoram J.L        | 0.02     | 0.07     | ND          |            |
| Pentachloronitrobenzene | 0.02     | 0.1      | ND          |            | Chlormequat Chloride  | 0.02     | 0.1      | ND          |            |
|                         | 0.01     |          |             |            |                       |          |          |             |            |

FVI - Filth & Foreign Material Inspection

Analyzed Apr 01, 2025 | Instrument Microscope | Method SOP-010

| Analyte / Limit                                                        | Result | Analyte / Limit                                                        | Result |
|------------------------------------------------------------------------|--------|------------------------------------------------------------------------|--------|
| > 1/4 of the total sample area covered by sand, soil, cinders, or dirt | ND     | > 1/4 of the total sample area covered by mold                         | ND     |
| > 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g       | ND     | > 1/4 of the total sample area covered by an imbedded foreign material | ND     |

MWA - Moisture Content & Water Activity

Analyzed Mar 20, 2025 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

| Analyte        | LOD % | LOQ % | Result   | Limit   | Analyte             | LOD % | LOQ % | Result  | Limit   |
|----------------|-------|-------|----------|---------|---------------------|-------|-------|---------|---------|
| Moisture (Moi) | 0.0   | 0.0   | 6.6 % Mw | 13 % Mw | Water Activity (WA) | 0.03  | 0.03  | 0.46 aw | 0.85 aw |

UI Unidentified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



DCC license: C8-0000098-LIC  
DEA license: RP0611043  
ISO/IEC 17025:2017 Acc. 85368

Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager  
Fri, 11 Apr 2025 09:47:58 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and/or local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.