



SECTION A - A

SECTION B - B

ONE - STRINGER - ST501
(ONE @ E11)

PLEASE VERIFY ALL GRADE

APPROVAL AUTHORITY :-
VERIFICATION OF DIMENSIONS, DETAILS,
etc. IS REQUESTED WHERE INDICATED. IF
EACH VERIFICATION IS NOT NOTED
OTHERWISE IT WILL BE ASSUMED TO BE
CORRECT AS SHOWN

BILL OF MATERIAL					BILL OF MATERIAL				
QTY	PCS MRK	MATERIALS	LENGTH	REMARKS	QTY	PCS MRK	MATERIALS	LENGTH	REMARKS
1	ST501	STRINGER							
1	ST501	HSS8X6X1/2	21'-1 5/16"	(A501-GR.B)					
2	p501	PL1/4"X5 1/4"	0'-5 1/2"						
38	p502	FL1/4"X2 1/2"	0'-9 1/2"						
1	i501	HSS8X6X1/2	21'-1 5/16"	(A501-GR.B)					
19	i506	HSS10X3X1/4	4'-0"	(A501-GR.B)					
38	i508	HSS2.375X0.250	0'-6 11/16"						
		FIELD BOLTS							

FOR APPROVAL ONLY	
SHOP NOTES	
ALL WIDE FLANGE SHALL BE A992	
ALL HSS SHALL BE A501 GR-B	
ALL PIPE SHALL BE A53	
ALL PLATES SHALL BE A36	
ALL HEADED/THREADED STUD SHALL BE AUTO WELDED	

ARCHITECT:- BRANDON ARCHITECT		ENGINEER:- FMH ENGINEERING	
DATE	NO.	REVISION/DESCRIPTION	
CLEAN :- SSPC-SP2		PRIMER :- NO PAINT	
HOLES U.N.O. :- 13/16Ø		ELECTRODE :- E70XX	
PROJECT :- ZAHEDI RESIDENCE		PROJ NO:- J190053	
GLATEA TER, CORONA		DEL MAR, CA 92625	
DETAILS OF :-		STRINGER	
DETAILER	CHECKER	FOR APPROVAL	FOR CONST.
ABA	MDF	DATE: 11/06/19	DATE:
SHEET #		A	
ST501			